THE

REGISTRAR-GENERAL'S

# STATISTICAL REVIEW

OF

# ENGLAND AND WALES,

FOR THE YEAR

# 1923.

(New Annual Series No. 3.)

TABLES, PART I. MEDICAL.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C.2, and 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1924.
Price 15*s*. 0*d*. net.

# TABLE OF CONTENTS.

## PART I.—Medical.

*Note.*—The reference which is given after the description of each Table indicates where the information for 1920 which corresponds most nearly to that given here for 1923 may be found.


Page.

**Table 1. Deaths, Death-rates and Infant Mortality, England and Wales, 1838–1923** .. .. .. .. .. 1

Deaths (persons, males and females); death-rates, crude and standardized (persons, males and females); infant mortality (total, legitimate and illegitimate); total for 1838–1923; totals for decennia, 1841–1850 to 1911–1920; totals for quinquennia, 1841–1845 to 1916–1920; and for single years, 1881 to 1923. All deaths registered. *Annual Report*, Tables 2, 3, pp. 4, 5.

**Table 2. Deaths and Death-rates in Quarters, England and Wales, 1838–1923** .. .. .. .. .. 3

Deaths in each of the four quarters; total for 1838–1923; totals for decennia, 1841–1850 to 1911–1920; and in single years, 1914–1923 (males, females and persons); death-rates for quarters in the same years and groups of years (persons only). All deaths registered. *Annual Report*, Table 4, p. 6.

**Table 3. Standardized Death-rates, Death-rates for Twelve Age-groups, and Infant Mortality, England and Wales, 1838–1923** .. .. .. .. .. 4

Death-rates for period, 1838–1923; for decennia, 1841–1850 to 1911–1920; for quinquennia, 1841–1845 to 1916–1920; and for single years, 1883–1923; males, females and persons. All deaths registered. *Annual Report*, Tables, 6–8, pp. 7–9.

**Table 4. Deaths according to Causes, England and Wales, 1913–1923** .. .. .. .. .. .. 7

Deaths from each cause in the International List of Causes of Death as revised for 1921 onwards; all ages; males and females. All deaths registered. *Annual Report*, Table 9, pp. 10–19.

**Table 5. Death-rates according to Causes of Death, England and Wales, 1913–1923** .. .. .. .. .. 23

Crude rates per million living from each cause in the International List of Causes of Death as revised for 1921 onwards (causes omitted with mortality of less than 5 per million in 1921); males, females and persons. All deaths registered. *Annual Report*, Table 10, pp. 20–29.

**Table 6. Death-rates from the principal Epidemic Diseases, from Tuberculosis and from Cancer, England and Wales, 1838–1923** .. .. .. .. .. 35

Rates per million living, at all ages, and for epidemic diseases at ages under 15 years; in quinquennia (with one exception), 1838–1842 to 1916–1920; in decennia, 1851–60 to 1911–1920; and in single years, 1883–1923. All deaths registered. *Annual Report*, Table 12, p. 35.

Page

Table 7. Mortality from the principal Epidemic Diseases and from certain other causes, Administrative Counties and County Boroughs, 1922 and 1923 .. .. 36

Death-rates per million (epidemic diseases and tuberculosis); deaths per 1,000 births (all causes under one year—infant diarrhœa, childbirth, puerperal sepsis); civilian population only. *Annual Report*, Table 13, pp. 36–40.

Table 8. Deaths of Infants by Cause in each Year 1913 to 1923, England and Wales .. .. .. .. 41

Deaths under one year of age (without distinction of sex or precise age) from each of the principal causes of infantile mortality, and from groups of causes. *Annual Report*, Table 14, p. 41.

Table 9. Infant Mortality by Cause in each Year 1913 to 1923, England and Wales .. .. .. .. 42

Death rates under one year (without distinction of sex or precise age) from each of the principal causes of infantile mortality and from groups of causes. *Annual Report*, Table 15, p. 42.

Table 10. Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1923 .. .. .. .. 43

Rates per 1,000 births; causes as in Tables 8 and 9; five sub-divisions of age under one year; males, females and persons. *Annual Report*, Table 16, pp. 43, 44.

Table 11. Infant Mortality by Age, Cause and Legitimacy and by Class of Administrative Area, 1923 .. .. 48

Rates per 1,000 births; causes as in Tables 8 and 9; five sub-divisions of age; for London and aggregates of County Boroughs, other Urban Districts, Rural Districts and all Urban Districts (combined). *Annual Report*, Table 17, pp. 45–49.

Table 12. Infant Mortality in Different Parts of England and Wales and in Different Classes of Administrative Area, 1923 .. .. .. .. .. .. 54

All infants; certain causes and groups of causes; five sub-divisions of age under one year; for London, and for aggregates of County Boroughs, other Urban Districts and Rural Districts in the North, Midlands and South of England, and in Wales. *Annual Report*, Table 18, pp. 50, 51.

Table 13. Deaths of Infants by Legitimacy and Age in Administrative Areas, 1923 .. .. .. .. .. 57

Deaths by seven sub-divisions of age under one year in England and Wales and in aggregates of County Boroughs, other Urban Districts, and Rural Districts in the North, Midlands and South of England, and in Wales; in London and in each Metropolitan Borough; in each County Borough; and in aggregates of Urban Districts and Rural Districts in each Administrative County. Death rates per 1,000 births under four weeks and under one year. *Annual Report*, pp. 120–124.

(14076) Wt. 31231/977/1961 750 8/24 Harrow G.94/14 (a)

Page.

Table 14. Population, Births, Deaths, Total and Infant Mortality and Natural Increase in Administrative Areas, 1923 .. .. .. .. .. .. 62

Estimated population ; births, total, males and females, legitimate and illegitimate, birth-rate per 1,000 population; deaths, total, male and female; civilian mortality (per 1,000 living) ; and infant mortality (per 1,000 births) ; natural increase per 1,000 population.

(*a*) In the North, Midlands and South of England, and in Wales ; and in the aggregates of County Boroughs, other Urban Districts and Rural Districts in these areas ;

(*b*) In each County Borough and Administrative County ; in aggregates of Urban Districts and of Rural Districts in each Administrative County ; and in each Municipal Borough, Urban District and Rural District. Civilian population only. *Annual Report*, pp. 87–119.

Table 15. Deaths at each Year of Age, England and Wales, 1923 .. .. .. .. .. .. .. 113

Total deaths registered ; persons, males and females (with distinction for females of single, married and widowed) ; quinquennial totals. *Annual Report*, p. 125.

Table 16. Deaths at Ages in Greater London, Metropolitan Boroughs, County Boroughs and Administrative Counties, 1923 .. .. .. .. .. .. 114

Deaths at four periods of age under one year, in single years up to five years, and in five-yearly groups up to 85 years of age ; males and females ; civilian population only ; aggregates of Urban and of Rural Districts in Administrative Counties. *Annual Report*, pp. 126–139.

Table 17. Deaths by Cause, Sex and Age, 1923 .. .. 129

Causes according to International List for 1921 onwards ; ages 0–1, 1–5, in five-yearly groups up to 80 years of age, and 80 and upwards ; England and Wales, total deaths registered (civilians and non-civilians) ; London (Administrative County), aggregates of County Boroughs, other Urban Districts, and Rural Districts civilian deaths only. *Annual Report*, pp. 140–241.

Table 17*a*. Deaths by Cause and by Ages under Five Years, England and Wales, 1923 .. .. .. .. 214

Causes of chief importance in early life ; four groups of age under one year ; single years up to five years ; males and females. *Annual Report*, pp. 140–241.

Table 18. Deaths by Cause and by Month of Occurrence, England and Wales, October, 1922—September, 1923 218

Causes according to International List for 1921 onwards ; males and females. All deaths registered. *New Table.*

Table 19. Deaths of Non-Civilians by Cause and by Age, England and Wales, 1923 .. .. .. .. .. 231

Causes of chief importance ; five-yearly age-periods, 15 to 55. *Annual Report*, p. 260.

Page.

Table 20. Deaths by Condensed List of Causes and by Sex and Age, 1923 .. .. .. .. .. .. 232

England and Wales (total deaths registered). Nine age-periods. London Administrative County, aggregates of County Boroughs, other Urban Districts and Rural Districts in England and Wales, and in the Northern, Midland, Southern and Welsh Groups of Counties; Metropolitan Boroughs, County Boroughs, and aggregates of Urban Districts and of Rural Districts in Administrative Counties (civilian deaths only). *Annual Report*, pp. 276–403.

Table 21. Deaths by Cause in certain Administrative Areas, 1923 .. .. .. .. .. .. .. 371

Causes according to Condensed List; Municipal Boroughs, Urban Districts and Rural Districts with population over 10,000 at Census of 1921; males and females. Civilian deaths only. *Annual Report*, pp. 404–502.

Table 22. Violent Deaths by Sex, Age and Form of Violence, England and Wales, 1923 .. .. .. .. 421

Detailed causes grouped according to International List; twelve age-periods. Civilians and non-civilians. *Annual Report*, pp. 504–518.

Table 23. Infectious Diseases, Cases Notified per 1,000 Population, England and Wales, in each year 1913–1923.. 431

*Small-pox, scarlet fever, diphtheria, enteric fever, puerperal fever, erysipelas, cerebro-spinal fever, and poliomyelitis, for England and Wales, England, Wales, London; and for aggregates of Administrative Counties, County Boroughs, Municipal Boroughs and Urban Districts, and Rural Districts in England and in Wales. *Reports on Public Health and Medical Subjects*, No. 6, pp. 7, 8.

Table 24. Infectious Diseases, Seasonal Incidence, England and Wales, 1923 .. .. .. .. .. .. 434

*Scarlet fever, diphtheria, enteric fever, cerebro-spinal fever, poliomyelitis, and encephalitis lethargica; comparative figures for each week in the year. *Reports on Public Health and Medical Subjects*, No. 6, p. 6.

Table 25. Tuberculosis, Notifications in each year 1914–1923 .. 435

*England and Wales, England (excluding London), London, Wales; cases notified of respiratory tuberculosis and of other tuberculosis, and rates per 1,000 persons. *Reports on Public Health and Medical Subjects*, No. 6, p. 11.

Table 26. Infectious Diseases, Cases notified in the larger Administrative Areas, 1923 .. .. .. .. 436

*England and Wales, Administrative Counties, County Boroughs; period of 52 weeks ended 29th December, 1923. *Reports on Public Health and Medical Subjects*, No. 6, pp. 12–17.

* Cases of infectious disease occurring among men in establishments of the armed forces are excluded.

Page.

Table 27. Infectious Diseases, Cases notified, England and Wales, in each year 1913-1923 .. .. .. 443

Civilians, non-civilians and cases at ports. *New Table.*

Table 28. Infectious Diseases, Cases notified in all Administrative Areas in England and Wales, 1923 .. .. 446

*Small-pox, scarlet fever, diphtheria, enteric fever, puerperal fever and erysipelas ; number of cases notified and rates per 1,000 population. *Reports on Public Health and Medical Subjects*, No. 6, pp. 18–57.

Table 29. Air Temperature, Rainfall and Sunshine, England and Wales, 1923 .. .. .. .. .. 488

*Annual Report*, Table 28, p. 67.

Table 30. Quarterly Meteorological Elements, Greenwich, 1923 489

*Annual Report*, Table 27, p. 66.

Table 31. Meteorological Elements, Greenwich, 1874–1923 .. 490

*Annual Report*, Table 26, pp. 64, 65.

---

* *See* footnote on the preceding page.

General Register Office,
Somerset House,
London, W.C.2.

August, 1924.

ABLE I.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838–1923.

Rates for the years 1911–20 are subject to slight revision when revised estimates of population have been prepared.)

| Period. | Deaths. | | | Crude rates per 1,000 living. | | | Standardized rates per 1,000 living.* | | | Ratio of Standardized Male to Female mortality, the latter taken as 1,000.* | Deaths of Infants under 1 year per 1,000 births. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | | Total. | Legitimate. | Illegitimate. |
| 838–1923 | 41,641,516 | 21,379,692 | 20,261,824 | 18·4 | 19·6 | 17·3 | 17·9 | 19·3 | 16·6 | 1,160 | 139 | — | — |
| 841–1850 | 3,769,396 | 1,909,125 | 1,860,271 | 22·4 | 23·1 | 21·6 | 21·6 | 22·5 | 20·7 | 1,085 | 153 | — | — |
| 851–1860 | 4,210,715 | 2,138,536 | 2,072,179 | 22·2 | 23·1 | 21·4 | 21·2 | 22·1 | 20·3 | 1,092 | 154 | — | — |
| 861–1870 | 4,794,498 | 2,459,489 | 2,335,009 | 22·5 | 23·7 | 21·4 | 21·3 | 22·6 | 20·2 | 1,119 | 154 | — | — |
| 871–1880 | 5,178,311 | 2,679,416 | 2,498,895 | 21·4 | 22·7 | 20·1 | 20·3 | 21·8 | 19·0 | 1,150 | 149 | — | — |
| 881–1890 | 5,244,770 | 2,698,316 | 2,546,454 | 19·1 | 20·3 | 18·1 | 18·6 | 20·0 | 17·3 | 1,154 | 142 | — | — |
| 891–1900 | 5,575,375 | 2,865,226 | 2,710,149 | 18·2 | 19·3 | 17·1 | 18·1 | 19·5 | 16·7 | 1,167 | 153 | — | — |
| 901–1910 | 5,248,774 | 2,706,356 | 2,542,418 | 15·4 | 16·4 | 14·4 | 15·2 | 16·6 | 13·9 | 1,190 | 128 | — | — |
| 911–1920 | † 5,188,052 | 2,684,511 | 2,503,541 | 14·3 | 16·0 | 13·0 | 13·7 | 15·3 | 12·3 | 1,245 | 100 | 96 | 194 |
| 841–1845 | 1,746,110 | 885,168 | 860,942 | 21·4 | 22·1 | 20·6 | 20·6 | 21·6 | 19·8 | 1,089 | 148 | — | — |
| 846–1850 | 2,023,286 | 1,023,957 | 999,329 | 23·3 | 24·1 | 22·6 | 22·4 | 23·4 | 21·6 | 1,084 | 157 | — | — |
| 851–1855 | 2,087,236 | 1,061,271 | 1,025,965 | 22·7 | 23·5 | 21·8 | 21·7 | 22·7 | 20·7 | 1,097 | 156 | — | — |
| 856–1860 | 2,123,479 | 1,077,265 | 1,046,214 | 21·8 | 22·6 | 21·0 | 20·7 | 21·6 | 19·9 | 1,090 | 152 | — | — |
| 861–1865 | 2,331,957 | 1,192,943 | 1,139,014 | 22·6 | 23·7 | 21·5 | 21·4 | 22·6 | 20·3 | 1,113 | 151 | — | — |
| 866–1870 | 2,462,541 | 1,266,546 | 1,195,995 | 22·4 | 23·7 | 21·2 | 21·2 | 22·6 | 20·0 | 1,130 | 157 | — | — |
| 871–1875 | 2,572,749 | 1,330,063 | 1,242,686 | 22·0 | 23·3 | 20·7 | 20·9 | 22·4 | 19·5 | 1,149 | 153 | — | — |
| 876–1880 | 2,605,562 | 1,349,353 | 1,256,209 | 20·8 | 22·1 | 19·5 | 19·8 | 21·3 | 18·4 | 1,158 | 145 | — | — |
| 881–1885 | 2,585,164 | 1,330,461 | 1,254,703 | 19·4 | 20·5 | 18·3 | 18·7 | 20·1 | 17·5 | 1,151 | 139 | — | — |
| 886–1890 | 2,659,606 | 1,367,855 | 1,291,751 | 18·9 | 20·0 | 17·8 | 18·5 | 20·0 | 17·2 | 1,163 | 145 | — | — |
| 891–1895 | 2,785,391 | 1,427,164 | 1,358,227 | 18·7 | 19·8 | 17·7 | 18·5 | 20·0 | 17·2 | 1,161 | 151 | — | — |
| 896–1900 | 2,789,984 | 1,438,062 | 1,351,922 | 17·7 | 18·8 | 16·6 | 17·6 | 19·1 | 16·2 | 1,178 | 156 | — | — |
| 901–1905 | 2,671,566 | 1,379,931 | 1,291,635 | 16·0 | 17·1 | 15·0 | 16·0 | 17·4 | 14·6 | 1,192 | 138 | — | — |
| 906–1910 | 2,577,208 | 1,326,425 | 1,250,783 | 14·7 | 15·6 | 13·8 | 14·4 | 15·8 | 13·2 | 1,196 | 117 | 113 | 224 |
| 911–1915 | † 2,598,719 | 1,344,171 | 1,254,548 | 14·3 | 15·4 | 13·2 | 13·8 | 15·2 | 12·5 | 1,218 | 110 | 105 | 210 |
| 916–1920 | † 2,589,333 | 1,340,340 | 1,248,993 | 14·4 | 16·6 | 12·7 | 13·7 | 15·5 | 12·1 | 1,281 | 90 | 85 | 179 |
| 1881 | 491,935 | 253,605 | 238,330 | 18·9 | 20·0 | 17·8 | 18·2 | 19·6 | 17·0 | 1,154 | 130 | — | — |
| 1882 | 516,654 | 265,767 | 250,887 | 19·6 | 20·7 | 18·5 | 18·8 | 20·2 | 17·6 | 1,145 | 141 | — | — |
| 1883 | 522,997 | 269,262 | 253,735 | 19·6 | 20·8 | 18·5 | 19·0 | 20·4 | 17·7 | 1,153 | 137 | — | — |
| 1884 | 530,828 | 273,522 | 257,306 | 19·7 | 20·8 | 18·5 | 19·0 | 20·4 | 17·7 | 1,152 | 147 | — | — |
| 1885 | 522,750 | 268,305 | 254,445 | 19·2 | 20·3 | 18·2 | 18·7 | 20·0 | 17·4 | 1,151 | 138 | — | — |
| 1886 | 537,276 | 275,874 | 261,402 | 19·5 | 20·6 | 18·5 | 19·0 | 20·4 | 17·7 | 1,155 | 149 | — | — |
| 1887 | 530,758 | 272,137 | 258,621 | 19·1 | 20·2 | 18·1 | 18·6 | 20·0 | 17·3 | 1,152 | 145 | — | — |
| 1888 | 510,971 | 263,294 | 247,677 | 18·1 | 19·2 | 17·0 | 17·7 | 19·2 | 16·4 | 1,168 | 136 | — | — |
| 1889 | 518,353 | 266,102 | 252,251 | 18·2 | 19·3 | 17·2 | 17·9 | 19·2 | 16·6 | 1,159 | 144 | — | — |
| 1890 | 562,248 | 290,448 | 271,800 | 19·5 | 20·8 | 18·3 | 19·3 | 21·0 | 17·8 | 1,181 | 151 | — | — |
| 1891 | 587,925 | 302,494 | 285,431 | 20·2 | 21·5 | 19·0 | 20·0 | 21·7 | 18·5 | 1,174 | 149 | — | — |
| 1892 | 559,684 | 286,062 | 273,622 | 19·0 | 20·0 | 18·0 | 18·8 | 20·2 | 17·5 | 1,158 | 148 | — | — |
| 1893 | 569,958 | 291,889 | 278,069 | 19·2 | 20·3 | 18·1 | 18·9 | 20·4 | 17·6 | 1,157 | 159 | — | — |
| 1894 | 498,827 | 256,015 | 242,812 | 16·6 | 17·6 | 15·6 | 16·4 | 17·7 | 15·2 | 1,165 | 137 | — | — |
| 1895 | 568,997 | 290,704 | 278,293 | 18·7 | 19·7 | 17·7 | 18·5 | 19·9 | 17·3 | 1,155 | 161 | — | — |

* The Standardized death-rates are those which would have been recorded if the sex and age onstitution of the population had been the same as in 1901. The rates for Males and Females are andardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915–18 the mortality rates are based upon civilians only, but, as in other years, e numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 1.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838–1923—*continued.*

(Rates for the years 1911–20 are subject to slight revision when revised estimates of populati have been prepared.)

| Year. | Deaths. | | | Crude rates per 1,000 living. | | | Standardized rates per 1,000 living.* | | | Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.* | Deaths of Infants under 1 year per 1,000 birth | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | | Total. | Legitimate. | Illegitimate |
| 1896 | 526,727 | 270,575 | 256,152 | 17·1 | 18·1 | 16·1 | 16·9 | 18·3 | 15·7 | 1,163 | 148 | — | — |
| 1897 | 541,487 | 280,211 | 261,276 | 17·4 | 18·6 | 16·2 | 17·3 | 18·8 | 15·9 | 1,187 | 156 | — | — |
| 1898 | 552,141 | 283,981 | 268,160 | 17·5 | 18·6 | 16·5 | 17·4 | 18·9 | 16·1 | 1,172 | 160 | — | — |
| 1899 | 581,799 | 299,472 | 282,327 | 18·2 | 19·4 | 17·2 | 18·2 | 19·8 | 16·8 | 1,176 | 163 | — | — |
| 1900 | 587,830 | 303,823 | 284,007 | 18·2 | 19·5 | 17·1 | 18·2 | 19·9 | 16·7 | 1,189 | 154 | — | — |
| 1901 | 551,585 | 285,618 | 265,967 | 16·9 | 18·1 | 15·8 | 16·9 | 18·5 | 15·5 | 1,192 | 151 | — | — |
| 1902 | 535,538 | 277,216 | 258,322 | 16·3 | 17·4 | 15·2 | 16·2 | 17·7 | 14·8 | 1,195 | 133 | — | — |
| 1903 | 514,628 | 266,290 | 248,338 | 15·5 | 16·5 | 14·4 | 15·4 | 16·8 | 14·1 | 1,196 | 132 | — | — |
| 1904 | 549,784 | 283,206 | 266,578 | 16·3 | 17·4 | 15·3 | 16·2 | 17·6 | 14·9 | 1,185 | 145 | — | — |
| 1905 | 520,031 | 267,601 | 252,430 | 15·3 | 16·3 | 14·4 | 15·2 | 16·5 | 13·9 | 1,188 | 128 | — | — |
| 1906 | 531,281 | 274,233 | 257,048 | 15·5 | 16·5 | 14·5 | 15·3 | 16·8 | 14·0 | 1,195 | 132 | 127 | 2 |
| 1907 | 524,221 | 269,259 | 254,962 | 15·1 | 16·0 | 14·2 | 14·9 | 16·2 | 13·6 | 1,190 | 118 | 113 | 2 |
| 1908 | 520,456 | 268,714 | 251,742 | 14·8 | 15·8 | 13·9 | 14·5 | 16·0 | 13·3 | 1,204 | 120 | 116 | 2 |
| 1909 | 518,003 | 265,203 | 252,800 | 14·6 | 15·5 | 13·8 | 14·3 | 15·6 | 13·1 | 1,192 | 109 | 104 | 2 |
| 1910 | 483,247 | 249,016 | 234,231 | 13·5 | 14·4 | 12·7 | 13·2 | 14·5 | 12·0 | 1,205 | 105 | 102 | 1 |
| 1911 | 527,810 | 272,512 | 255,298 | 14·6 | 15·6 | 13·7 | 14·2 | 15·6 | 13·0 | 1,202 | 130 | 125 | 2 |
| 1912 | 486,939 | 250,232 | 236,707 | 13·3 | 14·2 | 12·6 | 13·0 | 14·2 | 11·8 | 1,207 | 95 | 91 | 1 |
| 1913 | 504,975 | 261,687 | 243,288 | 13·8 | 14·8 | 12·9 | 13·5 | 14·9 | 12·2 | 1,223 | 108 | 104 | 2 |
| 1914 | 516,742 | 267,359 | 249,383 | 14·0 | 15·0 | 13·1 | 13·7 | 15·1 | 12·4 | 1,221 | 105 | 100 | 2 |
| 1915† | 562,253 | 292,381 | 269,872 | 15·7 | 17·7 | 13·9 | 14·8 | 16·5 | 13·2 | 1,246 | 110 | 105 | 2 |
| 1916† | 508,217 | 265,030 | 243,187 | 14·4 | 16·9 | 12·4 | 13·4 | 15·4 | 11·7 | 1,312 | 91 | 87 | 1 |
| 1917† | 498,922 | 262,215 | 236,707 | 14·4 | 17·8 | 12·1 | 13·5 | 15·9 | 11·4 | 1,392 | 96 | 90 | 2 |
| 1918† | 611,861 | 314,704 | 297,157 | 17·6 | 21·1 | 15·1 | 17·1 | 19·8 | 14·6 | 1,353 | 97 | 91 | 1 |
| 1919 | 504,203 | 258,089 | 246,114 | 13·7 | 15·0 | 12·5 | 13·3 | 14·8 | 11·9 | 1,250 | 89 | 84 | 1 |
| 1920 | 466,130 | 240,302 | 225,828 | 12·4 | 13·4 | 11·5 | 12·1 | 13·4 | 10·9 | 1,229 | 80 | 76 | 1 |
| 1921 | 458,629 | 234,291 | 224,338 | 12·1 | 13·0 | 11·3 | 11·3 | 12·6 | 10·2 | 1,229 | 83 | 79 | 1 |
| 1922 | 486,780 | 247,221 | 239,559 | 12·8 | 13·6 | 12·0 | 11·6 | 12·9 | 10·5 | 1,221 | 77 | 74 | 1 |
| 1923 | 444,785 | 226,858 | 217,927 | 11·6 | 12·4 | 10·9 | 10·3 | 11·5 | 9·3 | 1,236 | 69 | 67 | 1 |

* The Standardized death-rates are those which would have been recorded if the sex and constitution of the population had been the same as in 1901. The rates for Males and Females standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915–18 the mortality rates are based upon civilians only, but, as in other ye the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 2.—ENGLAND AND WALES.—NUMBERS OF DEATHS AND ANNUAL DEATH-RATES IN EACH QUARTER IN GROUPS OF YEARS, 1838–1923, AND IN EACH YEAR 1914–1923.

| Period. | Quarter ended. | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | March. | June. | Sept. | Dec. | March. | June. | Sept. | Dec. |
| | Deaths : Males. | | | | Deaths : Females. | | | |
| 1838–1923 | 5,955,257 | 5,218,542 | 4,894,975 | 5,310,918 | 5,729,055 | 4,852,949 | 4,562,483 | 5,117,337 |
| 1841–50 | 522,415 | 471,969 | 452,208 | 462,533 | 507,070 | 454,122 | 440,756 | 458,323 |
| 1851–60 | 587,846 | 532,002 | 491,400 | 527,288 | 570,070 | 508,594 | 474,524 | 518,991 |
| 1861–70 | 677,517 | 597,458 | 578,694 | 605,820 | 645,889 | 559,376 | 547,594 | 582,150 |
| 1871–80 | 731,877 | 658,545 | 621,924 | 667,070 | 690,899 | 600,519 | 573,079 | 634,398 |
| 1881–90 | 744,679 | 661,355 | 618,271 | 674,011 | 714,871 | 610,420 | 575,831 | 645,332 |
| 1891–1900 | 790,553 | 697,093 | 682,542 | 695,038 | 771,792 | 640,661 | 629,133 | 668,563 |
| 1901–10 | 756,871 | 648,442 | 621,683 | 679,360 | 733,364 | 598,293 | 563,732 | 647,029 |
| 1911–20 | 785,560 | 638,473 | 565,071 | 695,407 | 746,774 | 582,169 | 509,764 | 664,834 |
| 1914 | 74,749 | 64,450 | 60,518 | 67,642 | 71,444 | 59,678 | 55,017 | 63,244 |
| 1915* | 90,613 | 72,860 | 58,001 | 70,907 | 86,630 | 65,715 | 51,405 | 66,122 |
| 1916* | 74,250 | 66,324 | 54,643 | 69,813 | 68,733 | 60,210 | 47,792 | 66,452 |
| 1917* | 85,443 | 68,193 | 50,131 | 58,448 | 78,476 | 59,514 | 44,429 | 54,288 |
| 1918* | 71,528 | 63,051 | 60,088 | 120,037 | 66,467 | 55,511 | 54,074 | 121,105 |
| 1919 | 97,572 | 55,605 | 46,214 | 58,698 | 94,345 | 52,834 | 42,873 | 56,062 |
| 1920 | 70,073 | 62,017 | 48,712 | 59,500 | 67,543 | 57,254 | 44,960 | 56,071 |
| 1921 | 65,716 | 55,782 | 51,405 | 61,388 | 63,557 | 52,687 | 47,691 | 60,403 |
| 1922 | 82,552 | 61,439 | 47,323 | 55,907 | 82,941 | 58,863 | 43,604 | 54,151 |
| 1923 | 63,362 | 58,237 | 47,239 | 58,020 | 61,349 | 55,807 | 44,011 | 56,760 |
| | Deaths : Persons. | | | | Death-Rates per 1,000 persons living. | | | |
| 1838–1923 | 11,684,312 | 10,071,491 | 9,457,458 | 10,428,255 | 21·8 | 18·8 | 17·5 | 19·1 |
| 1841–50 | 1,029,485 | 926,091 | 892,964 | 920,856 | 24·7 | 22·0 | 21·0 | 21·7 |
| 1851–60 | 1,157,916 | 1,040,596 | 965,924 | 1,046,279 | 24·7 | 22·1 | 20·3 | 21·9 |
| 1861–70 | 1,323,406 | 1,156,834 | 1,126,288 | 1,187,970 | 25·2 | 21·8 | 21·0 | 22·1 |
| 1871–80 | 1,422,776 | 1,259,064 | 1,195,003 | 1,301,468 | 23·7 | 20·9 | 19·6 | 21·3 |
| 1881–90 | 1,459,550 | 1,271,775 | 1,194,102 | 1,319,343 | 21·6 | 18·7 | 17·3 | 19·1 |
| 1891–1900 | 1,562,345 | 1,337,754 | 1,311,675 | 1,363,601 | 20·7 | 17·6 | 17·0 | 17·7 |
| 1901–10 | 1,490,235 | 1,246,735 | 1,185,415 | 1,326,389 | 17·7 | 14·6 | 13·8 | 15·4 |
| 1911–20 | 1,532,334 | 1,220,642 | 1,074,835 | 1,360,241 | 17·2 | 13·6 | 11·8 | 15·0 |
| 1914 | 146,193 | 124,128 | 115,535 | 130,886 | 16·0 | 13·5 | 12·4 | 14·0 |
| 1915* | 177,243 | 138,575 | 109,406 | 137,029 | 20·1 | 15·4 | 12·1 | 15·1 |
| 1916* | 142,983 | 126,534 | 102,435 | 136,265 | 16·4 | 14·4 | 11·4 | 15·3 |
| 1917* | 163,919 | 127,707 | 94,560 | 112,736 | 19·3 | 14·8 | 10·8 | 13·0 |
| 1918* | 137,995 | 118,562 | 114,162 | 241,142 | 16·4 | 13·8 | 13·0 | 27·0 |
| 1919 | 191,917 | 108,439 | 89,087 | 114,760 | 21·2 | 11·8 | 9·6 | 12·4 |
| 1920 | 137,616 | 119,271 | 93,672 | 115,571 | 14·7 | 12·7 | 9·9 | 12·2 |
| 1921 | 129,273 | 108,469 | 99,096 | 121,791 | 13·8 | 11·5 | 10·4 | 12·8 |
| 1922 | 165,493 | 120,302 | 90,927 | 110,058 | 17·6 | 12·6 | 9·5 | 11·4 |
| 1923 | 124,711 | 114,044 | 91,250 | 114,780 | 13·2 | 11·9 | 9·4 | 11·9 |

* *See* Note † to Table 1.

TABLE 3.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1923*—MALES.

| Period. | Deaths of Males per 1,000 living at subjoined ages. | | | | | | | | | | | | | Deaths of Male Infants under 1 year of age per 1,000 Male Births. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Ages. (Standardized).† | 0— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75— | 85 and upwards. | |
| 1838–1923 | 19·3 | 59·7 | 5·7 | 3·2 | 7·7 | | | | 17·4 | 32·0 | 66·7 | 145·0 | 296·8 | 152 |
| 1841–50 | 22·5 | 71·2 | 9·2 | 5·1 | 7·1 | 9·5 | 9·9 | 12·9 | 18·2 | 31·8 | 67·5 | 148·3 | 312·3 | 167 |
| 1851–60 | 22·1 | 72·4 | 8·5 | 4·9 | 6·7 | 8·8 | 9·6 | 12·5 | 18·0 | 30·9 | 65·3 | 146·7 | 308·2 | 168 |
| 1861–70 | 22·6 | 73·5 | 8·2 | 4·5 | 6·2 | 8·5 | 9·9 | 13·5 | 19·3 | 33·1 | 67·1 | 147·2 | 315·0 | 168 |
| 1871–80 | 21·8 | 68·4 | 6·7 | 3·7 | 5·3 | 7·4 | 9·3 | 13·8 | 20·1 | 34·9 | 69·7 | 150·8 | 327·4 | 163 |
| 1881–90 | 20·0 | 61·6 | 5·3 | 3·0 | 4·3 | 5·7 | 7·8 | 12·4 | 19·4 | 34·7 | 70·5 | 146·6 | 305·8 | 155 |
| 1891–1900 | 19·5 | 62·7 | 4·3 | 2·4 | 3·8 | 5·1 | 6·8 | 11·5 | 18·9 | 34·9 | 70·4 | 146·1 | 286·8 | 168 |
| 1901–10 | 16·6 | 50·0 | 3·5 | 2·1 | 3·1 | 4·2 | 5·6 | 9·2 | 16·2 | 31·8 | 64·8 | 137·7 | 279·2 | 140 |
| 1911–20‡ | 15·3 | 37·5 | 3·5 | 2·2 | 6·4 | | | | 14·9 | 29·4 | 64·8 | 145·6 | 277·4 | 112 |
| 1841–45 | 21·6 | 68·7 | 8·8 | 4·8 | 6·8 | 9·0 | 9·4 | 12·2 | 17·2 | 30·3 | 65·5 | 143·7 | 305·1 | 162 |
| 1846–50 | 23·4 | 73·7 | 9·5 | 5·4 | 7·4 | 10·0 | 10·5 | 13·6 | 19·2 | 33·2 | 69·5 | 152·9 | 319·5 | 172 |
| 1851–55 | 22·7 | 73·9 | 8·8 | 5·2 | 7·0 | 9·2 | 10·0 | 12·9 | 18·6 | 31·6 | 66·7 | 150·9 | 310·9 | 172 |
| 1856–60 | 21·6 | 71·5 | 8·3 | 4·6 | 6·4 | 8·4 | 9·2 | 12·2 | 17·5 | 30·4 | 64·3 | 142·7 | 305·3 | 166 |
| 1861–65 | 22·6 | 74·1 | 8·5 | 4·7 | 6·4 | 8·6 | 9·8 | 13·2 | 18·9 | 32·8 | 66·4 | 145·9 | 316·6 | 166 |
| 1866–70 | 22·6 | 72·9 | 7·9 | 4·3 | 6·0 | 8·3 | 10·1 | 13·7 | 19·6 | 33·5 | 67·8 | 148·7 | 313·5 | 170 |
| 1871–75 | 22·4 | 69·9 | 7·1 | 4·0 | 5·7 | 8·1 | 10·0 | 14·3 | 20·3 | 34·8 | 70·1 | 149·6 | 323·3 | 167 |
| 1876–80 | 21·3 | 67·1 | 6·3 | 3·4 | 4·8 | 6·7 | 8·7 | 13·4 | 19·8 | 34·9 | 69·4 | 152·2 | 331·5 | 159 |
| 1881–85 | 20·1 | 61·3 | 5·8 | 3·2 | 4·5 | 6·0 | 8·2 | 12·8 | 19·3 | 34·2 | 68·8 | 145·4 | 297·9 | 152 |
| 1886–90 | 20·0 | 61·9 | 4·9 | 2·8 | 4·1 | 5·5 | 7·4 | 12·1 | 19·4 | 35·2 | 72·1 | 147·9 | 313·7 | 159 |
| 1891–95 | 20·0 | 62·9 | 4·5 | 2·6 | 4·0 | 5·2 | 7·1 | 11·9 | 19·5 | 35·8 | 72·5 | 149·2 | 290·8 | 165 |
| 1896–1900 | 19·1 | 62·4 | 4·1 | 2·3 | 3·6 | 4·9 | 6·5 | 11·1 | 18·4 | 34·1 | 68·3 | 143·1 | 282·8 | 170 |
| 1901–05 | 17·4 | 54·7 | 3·7 | 2·1 | 3·2 | 4·4 | 5·9 | 9·7 | 17·0 | 32·4 | 65·3 | 137·6 | 274·6 | 151 |
| 1906–10 | 15·8 | 45·4 | 3·3 | 2·0 | 3·0 | 4·0 | 5·3 | 8·6 | 15·5 | 31·2 | 64·4 | 137·7 | 283·0 | 129 |
| 1911–15‡ | 15·2 | 40·6 | 3·4 | 2·0 | 3·1 | 3·9 | 5·0 | 8·3 | 15·1 | 30·8 | 65·9 | 143·5 | 279·5 | 121 |
| 1916–20‡ | 15·5 | 34·1 | 3·6 | 2·4 | 7·6 | | | | 14·7 | 28·2 | 63·8 | 147·6 | 275·3 | 101 |
| 1883 | 20·4 | 61·0 | 6·2 | 3·3 | 4·7 | 6·2 | 8·3 | 13·0 | 19·7 | 35·1 | 70·1 | 149·1 | 302·2 | 151 |
| 1884 | 20·4 | 64·9 | 5·8 | 3·2 | 4·5 | 6·0 | 8·0 | 12·7 | 19·4 | 33·5 | 68·3 | 142·2 | 290·1 | 160 |
| 1885 | 20·0 | 60·6 | 5·1 | 2·9 | 4·3 | 5·8 | 8·0 | 12·6 | 19·3 | 34·4 | 71·3 | 151·5 | 316·2 | 151 |
| 1886 | 20·4 | 64·5 | 4·8 | 2·8 | 4·3 | 5·7 | 7·6 | 12·1 | 19·2 | 34·7 | 72·8 | 153·4 | 339·1 | 163 |
| 1887 | 20·0 | 62·5 | 5·1 | 2·9 | 4·2 | 5·4 | 7·3 | 11·9 | 18·7 | 35·0 | 72·1 | 149·4 | 310·1 | 158 |
| 1888 | 19·2 | 57·7 | 4·7 | 2·7 | 4·0 | 5·4 | 7·1 | 11·7 | 19·0 | 34·4 | 71·6 | 144·5 | 304·7 | 150 |
| 1889 | 19·2 | 61·8 | 4·7 | 2·6 | 3·9 | 5·1 | 7·0 | 11·3 | 18·3 | 33·4 | 68·5 | 138·9 | 298·6 | 157 |
| 1890 | 21·0 | 62·9 | 5·0 | 2·8 | 4·3 | 5·7 | 8·0 | 13·2 | 21·7 | 38·6 | 75·3 | 153·3 | 316·5 | 165 |
| 1891 | 21·7 | 64·6 | 4·7 | 2·6 | 4·2 | 5·6 | 7·9 | 13·4 | 22·4 | 41·0 | 81·3 | 167·9 | 327·1 | 164 |
| 1892 | 20·2 | 62·4 | 4·7 | 2·6 | 4·0 | 5·2 | 7·1 | 12·1 | 19·8 | 36·6 | 75·7 | 154·6 | 305·4 | 162 |
| 1893 | 20·4 | 65·6 | 5·0 | 2·8 | 4·3 | 5·4 | 7·3 | 12·5 | 19·9 | 35·6 | 71·4 | 142·5 | 272·8 | 173 |
| 1894 | 17·7 | 56·1 | 4·2 | 2·3 | 3·8 | 5·0 | 6·5 | 10·8 | 17·3 | 31·4 | 62·8 | 127·6 | 243·6 | 150 |
| 1895 | 19·9 | 66·0 | 4·1 | 2·5 | 3·8 | 5·0 | 6·6 | 11·0 | 18·5 | 34·9 | 71·3 | 154·1 | 306·1 | 176 |
| 1896 | 18·3 | 61·2 | 4·5 | 2·3 | 3·5 | 4·8 | 6·2 | 10·6 | 17·3 | 31·6 | 63·0 | 128·6 | 251·9 | 161 |
| 1897 | 18·8 | 62·5 | 3·9 | 2·4 | 3·6 | 4·8 | 6·4 | 10·8 | 17·7 | 32·9 | 65·8 | 141·7 | 272·1 | 170 |
| 1898 | 18·9 | 63·4 | 3·8 | 2·2 | 3·5 | 4·8 | 6·3 | 10·7 | 17·6 | 33·2 | 66·4 | 140·3 | 282·6 | 175 |
| 1899 | 19·8 | 63·4 | 4·1 | 2·3 | 3·6 | 5·0 | 6·7 | 11·6 | 19·2 | 35·5 | 72·0 | 150·3 | 302·1 | 177 |
| 1900 | 19·9 | 61·6 | 4·2 | 2·3 | 3·7 | 5·1 | 6·7 | 11·7 | 19·9 | 37·1 | 74·2 | 153·7 | 304·3 | 169 |
| 1901 | 18·5 | 59·0 | 4·0 | 2·3 | 3·5 | 4·7 | 6.2 | 10·6 | 18·0 | 33·5 | 67·8 | 139·8 | 276·5 | 166 |
| 1902 | 17·7 | 54·1 | 3·9 | 2·2 | 3·3 | 4·6 | 6·2 | 10·4 | 17·8 | 33·3 | 66·7 | 138·5 | 270·0 | 147 |
| 1903 | 16·8 | 52·5 | 3·5 | 2·0 | 3·0 | 4·2 | 5·8 | 9·4 | 16·6 | 31·6 | 63·3 | 132·8 | 260·3 | 145 |
| 1904 | 17·6 | 57·4 | 3·6 | 2·1 | 3·1 | 4·3 | 5·7 | 9·4 | 16·5 | 32·3 | 65·5 | 139·7 | 287·6 | 159 |
| 1905 | 16·5 | 50·3 | 3·4 | 2·1 | 3·1 | 4·2 | 5·6 | 9·0 | 16·1 | 31·5 | 63·3 | 137·2 | 278·2 | 141 |
| 1906 | 16·8 | 51·2 | 3·5 | 2·0 | 3·2 | 4·1 | 5·5 | 9·1 | 16·1 | 32·4 | 64·3 | 137·3 | 298·5 | 145 |
| 1907 | 16·2 | 46·8 | 3·4 | 2·0 | 3·0 | 4·0 | 5·5 | 9·0 | 16·1 | 32·3 | 65·2 | 138·8 | 291·7 | 130 |
| 1908 | 16·0 | 46·9 | 3·3 | 2·0 | 2·9 | 4·0 | 5·3 | 8·6 | 15·4 | 31·4 | 64·3 | 138·4 | 277·2 | 133 |
| 1909 | 15·6 | 42·8 | 3·4 | 2·0 | 3·0 | 3·9 | 5·2 | 8·5 | 15·6 | 31·1 | 66·4 | 142·5 | 289·9 | 120 |
| 1910 | 14·5 | 39·7 | 3·0 | 1·9 | 2·7 | 3·7 | 4·7 | 7·9 | 14·5 | 29·4 | 61·8 | 131·6 | 259·7 | 116 |
| 1911 | 15·6 | 46·2 | 3·5 | 2·0 | 3·0 | 3·9 | 5·0 | 8·1 | 14·8 | 29·7 | 63·5 | 136·0 | 271·3 | 142 |
| 1912 | 14·2 | 35·5 | 3·1 | 1·8 | 2·8 | 3·5 | 4·7 | 8·0 | 14·7 | 30·0 | 64·2 | 138·7 | 267·2 | 106 |
| 1913 | 14·9 | 39·9 | 3·2 | 1·9 | 2·7 | 3·5 | 4·6 | 8·1 | 15·1 | 30·9 | 65·0 | 141·4 | 268·7 | 120 |
| 1914 | 15·1 | 39·1 | 3·4 | 2·0 | 3·0 | 3·8 | 5·0 | 8·5 | 15·5 | 31·4 | 65·7 | 141·3 | 277·4 | 116 |
| 1915‡ | 16·5 | 41·9 | 3·7 | 2·3 | 3·8 | 5·9 | 6·1 | 9·0 | 15·3 | 31·7 | 70·9 | 159·6 | 311·5 | 123 |
| 1916‡ | 15·4 | 32·5 | 3·2 | 2·2 | 7·1 | | | | 14·4 | 29·4 | 68·3 | 158·0 | 303·4 | 102 |
| 1917‡ | 15·9 | 31·7 | 3·2 | 2·1 | 8·5 | | | | 14·4 | 29·4 | 67·1 | 157·5 | 302·1 | 108 |
| 1918‡ | 19·8 | 38·5 | 5·3 | 3·4 | 14·7 | | | | 16·8 | 29·6 | 64·7 | 139·5 | 246·7 | 108 |
| 1919 | 14·8 | 32·4 | 3·4 | 2·2 | 6·6 | | | | 14·5 | 27·8 | 63·4 | 153·8 | 292·5 | 100 |
| 1920 | 13·4 | 35·7 | 3·2 | 1·9 | 4·8 | | | | 13·3 | 25·2 | 56·1 | 130·5 | 235·4 | 90 |
| 1921 | 12·6 | 32·3 | 2·8 | 1·8 | 2·8 | 3·6 | 4·2 | 6·5 | 11·4 | 24·4 | 55·8 | 128·7 | 262·8 | 93 |
| 1922 | 12·9 | 30·2 | 2·6 | 1·7 | 2·7 | 3·7 | 4·4 | 6·9 | 12·0 | 26·0 | 61·2 | 143·9 | 271·3 | 87 |
| 1923 | 11·5 | 24·3 | 2·3 | 1·6 | 2·6 | 3·4 | 4·0 | 6·3 | 11·2 | 24·1 | 56·0 | 130·2 | 262·0 | 78 |

* For the purposes of this table, the populations have been distributed among the several groups of ages according to the proportions found to prevail at the various Censuses except in the case of the populations for 1915–23. The rates for 1911–20 are subject to revision when revised estimates of population have been prepared.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among males at the various dates, but also for differences in age constitution between the two sexes; *see* the Annual Report for 1911 (pages xxvii-xxxi) and the Annual Report for 1913 (p. xx).

‡ Including civilian mortality only in 1915-18.

TABLE 3 (*contd.*).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1923.*—FEMALES.

| Period. | Deaths of Females per 1,000 living at subjoined Ages. | | | | | | | | | | | | | Deaths of Female Infants under 1 year of age per 1,000 Female Births. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Ages. (Standardized.)† | 0— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75— | 85 and upwards. | |
| 1838–1923 | 16·6 | 50·8 | 5·5 | 3·3 | 4·7 | 5·6 | 6·9 | 9·5 | 13·7 | 26·1 | 56·6 | 127·9 | 270·1 | 125 |
| 1841–50 | 20·7 | 61·1 | 8·9 | 5·4 | 7·9 | 9·1 | 10·6 | 12·9 | 16·0 | 28·4 | 61·0 | 135·9 | 293·5 | 137 |
| 1851–60 | 20·3 | 62·7 | 8·4 | 5·1 | 7·4 | 8·5 | 9·9 | 12·1 | 15·2 | 27·0 | 58·7 | 134·5 | 288·9 | 139 |
| 1861–70 | 20·2 | 63·7 | 7·8 | 4·5 | 6·6 | 8·0 | 9·7 | 12·1 | 15·6 | 27·9 | 59·1 | 134·9 | 285·1 | 139 |
| 1871–80 | 19·0 | 58·3 | 6·2 | 3·7 | 5·5 | 6·8 | 8·6 | 11·6 | 15·6 | 28·7 | 61·0 | 135·4 | 296·4 | 134 |
| 1881–90 | 17·3 | 51·9 | 5·3 | 3·1 | 4·4 | 5·5 | 7·4 | 10·6 | 15·1 | 28·5 | 60·4 | 130·6 | 270·8 | 128 |
| 1891–1900 | 16·7 | 52·8 | 4·4 | 2·6 | 3·7 | 4·5 | 6·1 | 9·6 | 14·7 | 28·4 | 60·7 | 130·6 | 261·4 | 138 |
| 1901–10 | 13·9 | 41·9 | 3·6 | 2·2 | 2·9 | 3·5 | 4·7 | 7·5 | 12·5 | 24·8 | 53·9 | 119·8 | 250·3 | 114 |
| 1911–20 | 12·3 | 31·2 | 3·5 | 2·3 | 3·2 | 3·7 | 4·6 | 6·5 | 11·3 | 22·7 | 51·2 | 122·9 | 260·9 | 89 |
| 1841–45 | 19·8 | 58·6 | 8·6 | 5·2 | 7·7 | 8·6 | 9·9 | 12·1 | 15·1 | 27·2 | 59·1 | 131·8 | 288·6 | 133 |
| 1846–50 | 21·6 | 63·6 | 9·2 | 5·7 | 8·1 | 9·6 | 11·2 | 13·7 | 17·0 | 29·7 | 62·7 | 140·0 | 297·7 | 142 |
| 1851–55 | 20·7 | 63·8 | 8·5 | 5·3 | 7·8 | 8·9 | 10·3 | 12·6 | 15·8 | 27·8 | 59·7 | 137·2 | 292·1 | 141 |
| 1856–60 | 19·9 | 62·3 | 8·4 | 4·8 | 7·1 | 8·2 | 9·6 | 11·8 | 14·8 | 26·5 | 58·1 | 131·9 | 285·8 | 137 |
| 1861–65 | 20·3 | 64·2 | 8·3 | 4·8 | 6·9 | 8·2 | 9·8 | 12·1 | 15·5 | 27·9 | 59·1 | 133·8 | 287·9 | 136 |
| 1866–70 | 20·0 | 63·3 | 7·4 | 4·3 | 6·4 | 7·8 | 9·6 | 12·1 | 15·8 | 27·9 | 59·1 | 136·1 | 282·3 | 142 |
| 1871–75 | 19·5 | 60·0 | 6·6 | 4·0 | 5·9 | 7·4 | 9·2 | 12·0 | 15·9 | 28·7 | 61·3 | 135·3 | 293·9 | 138 |
| 1876–80 | 18·4 | 56·8 | 5·9 | 3·5 | 5·0 | 6·2 | 8·0 | 11·3 | 15·3 | 28·6 | 60·8 | 135·5 | 299·0 | 130 |
| 1881–85 | 17·5 | 51·9 | 5·7 | 3·3 | 4·7 | 5·9 | 7·9 | 10·9 | 15·2 | 28·1 | 59·1 | 129·0 | 265·5 | 125 |
| 1886–90 | 17·2 | 52·0 | 4·9 | 2·9 | 4·2 | 5·2 | 6·9 | 10·3 | 15·0 | 28·8 | 61·7 | 132·3 | 276·1 | 131 |
| 1891–95 | 17·2 | 52·8 | 4·6 | 2·7 | 4·0 | 4·8 | 6·6 | 10·1 | 15·2 | 29·5 | 63·0 | 134·3 | 264·0 | 135 |
| 1896–1900 | 16·2 | 52·7 | 4·2 | 2·4 | 3·4 | 4·1 | 5·6 | 9·1 | 14·3 | 27·4 | 58·5 | 127·0 | 258·7 | 141 |
| 1901–05 | 14·6 | 45·8 | 3·8 | 2·2 | 3·0 | 3·7 | 5·0 | 8·0 | 13·1 | 25·4 | 54·8 | 119·9 | 249·4 | 124 |
| 1906–10 | 13·2 | 38·0 | 3·4 | 2·1 | 2·8 | 3·3 | 4·5 | 7·1 | 12·0 | 24·3 | 53·1 | 119·6 | 250·9 | 105 |
| 1911–15 | 12·5 | 33·8 | 3·3 | 2·1 | 2·7 | 3·1 | 4·0 | 6·6 | 11·7 | 23·6 | 52·6 | 123·5 | 253·0 | 97 |
| 1916–20 | 12·1 | 28·2 | 3·6 | 2·5 | 3·6 | 4·3 | 5·2 | 6·5 | 10·9 | 21·9 | 49·9 | 122·3 | 268·8 | 79 |
| 1883 | 17·7 | 51·1 | 5·8 | 3·4 | 4·9 | 6·1 | 8·1 | 11·1 | 15·6 | 28·8 | 60·2 | 134·2 | 277·0 | 123 |
| 1884 | 17·7 | 54·9 | 5·8 | 3·4 | 4·7 | 5·9 | 7·8 | 10·9 | 15·3 | 27·5 | 57·7 | 126·8 | 247·4 | 133 |
| 1885 | 17·4 | 51·0 | 5·1 | 3·1 | 4·5 | 5·7 | 7·7 | 10·8 | 15·2 | 28·7 | 62·0 | 133·2 | 282·8 | 124 |
| 1886 | 17·7 | 54·2 | 4·8 | 3·1 | 4·4 | 5·3 | 7·2 | 10·4 | 15·0 | 29·1 | 63·2 | 136·5 | 302·1 | 135 |
| 1887 | 17·3 | 52·7 | 5·1 | 3·0 | 4·2 | 5·4 | 7·0 | 10·3 | 15·2 | 28·8 | 62·2 | 131·6 | 272·1 | 131 |
| 1888 | 16·4 | 48·0 | 4·7 | 2·9 | 4·0 | 5·1 | 6·9 | 9·9 | 14·5 | 27·9 | 60·1 | 130·0 | 270·1 | 122 |
| 1889 | 16·6 | 51·9 | 4·7 | 2·8 | 3·9 | 4·9 | 6·5 | 9·8 | 14·3 | 27·4 | 58·7 | 126·5 | 260·3 | 129 |
| 1890 | 17·8 | 53·3 | 5·0 | 2·9 | 4·2 | 5·1 | 7·1 | 10·9 | 15·9 | 30·7 | 64·2 | 136·9 | 276·6 | 136 |
| 1891 | 18·5 | 53·7 | 4·7 | 2·9 | 4·3 | 5·2 | 7·1 | 11·1 | 17·1 | 33·4 | 70·6 | 148·1 | 300·7 | 133 |
| 1892 | 17·5 | 52·5 | 4·6 | 2·7 | 4·0 | 4·7 | 6·7 | 10·3 | 15·5 | 30·4 | 66·0 | 140·9 | 274·4 | 132 |
| 1893 | 17·6 | 55·2 | 5·1 | 3·0 | 4·3 | 5·1 | 7·0 | 10·7 | 15·2 | 29·2 | 62·4 | 128·7 | 250·0 | 143 |
| 1894 | 15·2 | 47·4 | 4·3 | 2·6 | 3·7 | 4·5 | 6·0 | 9·2 | 13·5 | 25·1 | 53·7 | 113·6 | 219·6 | 124 |
| 1895 | 17·3 | 55·2 | 4·2 | 2·6 | 3·7 | 4·5 | 6·1 | 9·5 | 14·8 | 29·6 | 62·6 | 140·9 | 276·2 | 144 |
| 1896 | 15·7 | 52·3 | 4·5 | 2·4 | 3·4 | 4·2 | 5·7 | 8·9 | 13·6 | 25·8 | 53·4 | 113·9 | 233·4 | 134 |
| 1897 | 15·9 | 52·4 | 4·0 | 2·4 | 3·4 | 4·1 | 5·6 | 8·9 | 13·7 | 26·2 | 55·7 | 121·2 | 252·6 | 141 |
| 1898 | 16·1 | 53·5 | 3·9 | 2·3 | 3·3 | 4·1 | 5·5 | 8·9 | 13·9 | 26·7 | 57·5 | 126·0 | 259·6 | 145 |
| 1899 | 16·8 | 53·6 | 4·2 | 2·4 | 3·3 | 4·1 | 5·7 | 9·4 | 15·0 | 28·7 | 62·3 | 136·3 | 273·2 | 148 |
| 1900 | 16·7 | 51·8 | 4·2 | 2·5 | 3·3 | 4·2 | 5·7 | 9·3 | 15·3 | 29·6 | 63·2 | 136·8 | 273·9 | 139 |
| 1901 | 15·5 | 49·5 | 4·1 | 2·4 | 3·2 | 3·8 | 5·3 | 8·7 | 13·8 | 26·5 | 56·5 | 122·6 | 247·1 | 136 |
| 1902 | 14·8 | 45·0 | 4·2 | 2·3 | 3·1 | 3·9 | 5·3 | 8·4 | 13·4 | 25·9 | 55·7 | 122·1 | 252·3 | 118 |
| 1903 | 14·1 | 43·7 | 3·6 | 2·1 | 2·9 | 3·5 | 4·9 | 7·9 | 12·8 | 24·4 | 52·9 | 114·7 | 233·9 | 118 |
| 1904 | 14·9 | 48·5 | 3·6 | 2·2 | 3·0 | 3·5 | 4·9 | 7·7 | 12·8 | 25·6 | 55·1 | 123·2 | 256·1 | 131 |
| 1905 | 13·9 | 42·1 | 3·5 | 2·2 | 2·9 | 3·6 | 4·8 | 7·5 | 12·5 | 24·8 | 53·8 | 117·2 | 256·7 | 115 |
| 1906 | 14·0 | 43·1 | 3·7 | 2·3 | 2·9 | 3·5 | 4·7 | 7·5 | 12·4 | 24·8 | 52·5 | 119·6 | 258·7 | 120 |
| 1907 | 13·6 | 39·1 | 3·5 | 2·1 | 2·9 | 3·4 | 4·6 | 7·4 | 12·4 | 25·3 | 55·1 | 122·6 | 259·4 | 104 |
| 1908 | 13·3 | 39·0 | 3·4 | 2·0 | 2·7 | 3·4 | 4·4 | 6·9 | 12·1 | 24·2 | 52·7 | 119·4 | 248·8 | 107 |
| 1909 | 13·1 | 35·7 | 3·5 | 2·1 | 2·8 | 3·3 | 4·4 | 6·9 | 12·1 | 24·8 | 55·5 | 124·2 | 256·2 | 97 |
| 1910 | 12 0 | 33·1 | 3·1 | 2·0 | 2·6 | 3·1 | 4·1 | 6·5 | 11·1 | 22·4 | 49·8 | 112·3 | 232·8 | 94 |
| 1911 | 13·0 | 39·3 | 3·4 | 2·1 | 2·7 | 3·2 | 4·1 | 6·6 | 11·4 | 23·0 | 50·9 | 116·6 | 233·1 | 117 |
| 1912 | 11·8 | 29·6 | 3·1 | 2·0 | 2·7 | 3·1 | 4·0 | 6·4 | 11·2 | 22·8 | 51·9 | 119·4 | 246·6 | 84 |
| 1913 | 12·2 | 32·9 | 3·1 | 2·0 | 2·6 | 3·0 | 3·9 | 6·5 | 11·5 | 23·2 | 51·5 | 118·3 | 242·6 | 96 |
| 1914 | 12·4 | 32·7 | 3·3 | 2·2 | 2·7 | 3·0 | 3·9 | 6·7 | 11·9 | 23·6 | 52·0 | 122·7 | 253·8 | 93 |
| 1915 | 13·2 | 34·3 | 3·7 | 2·3 | 3·0 | 3·2 | 4·0 | 6·8 | 12·2 | 25·1 | 56·5 | 139·6 | 287·5 | 96 |
| 1916 | 11·7 | 26·5 | 3·0 | 2·2 | 2·9 | 3·2 | 3·8 | 6·3 | 11·1 | 23·0 | 53·1 | 132·6 | 283·2 | 80 |
| 1917 | 11·4 | 26·2 | 3·0 | 2·2 | 3·1 | 3·3 | 3·7 | 6·0 | 10·6 | 22·2 | 50·2 | 126·8 | 280·6 | 85 |
| 1918 | 14·6 | 33·8 | 5·6 | 3·9 | 6·0 | 7·7 | 9·3 | 8·6 | 12·9 | 22·9 | 49·6 | 112·6 | 242·7 | 86 |
| 1919 | 11·9 | 26·1 | 3·4 | 2·3 | 3·4 | 4·2 | 5·1 | 6·2 | 10·7 | 22·0 | 51·2 | 128·4 | 292·4 | 78 |
| 1920 | 10·9 | 28·5 | 3·1 | 2·0 | 2·7 | 3·3 | 3·9 | 5·4 | 9·5 | 19·4 | 45·3 | 112·4 | 246·1 | 69 |
| 1921 | 10·2 | 25·8 | 2·7 | 1·8 | 2·7 | 3·2 | 3·7 | 5·2 | 8·8 | 18·2 | 43·6 | 108·9 | 232·3 | 72 |
| 1922 | 10·5 | 24·5 | 2·5 | 1·8 | 2·6 | 3·2 | 3·9 | 5·3 | 9·3 | 19·7 | 48·6 | 120·9 | 251·0 | 66 |
| 1923 | 9·3 | 19·6 | 2·2 | 1·6 | 2·5 | 3·0 | 3·4 | 4·8 | 8·5 | 18·2 | 44·1 | 108·5 | 231·9 | 60 |

* See Note * on first page of Table.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among females at the various dates, but also for differences in age constitution between the two sexes.

TABLE 3 (*contd*).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1923.*—PERSONS.

| Period. | Deaths of Persons per 1,000 living at subjoined ages. | | | | | | | | | | | | | Deaths of Infants under 1 year of age per 1,000 Births. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Ages (Standardized.)† | 0— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75— | 85 and upwards. | |
| 1838–1923 | 17·9 | 55·3 | 5·6 | 3·3 | 7·3 | | | | 15·5 | 28·9 | 61·2 | 135·2 | 280·1 | 139 |
| 1841–50 | 21·6 | 66·0 | 9·0 | 5·3 | 7·5 | 9·3 | 10·3 | 12·9 | 17·0 | 29·9 | 63·6 | 141·5 | 301·0 | 153 |
| 1851–60 | 21·2 | 67·6 | 8·5 | 5·0 | 7·0 | 8·7 | 9·8 | 12·3 | 16·5 | 28·9 | 61·7 | 139·9 | 296·5 | 154 |
| 1861–70 | 21·3 | 68·6 | 8·0 | 4·5 | 6·4 | 8·2 | 9·8 | 12·7 | 17·4 | 30·4 | 62·8 | 140·4 | 296·6 | 154 |
| 1871–80 | 20·3 | 63·4 | 6·5 | 3·7 | 5·4 | 7·1 | 9·0 | 12·7 | 17·8 | 31·6 | 65·0 | 142·2 | 308·3 | 149 |
| 1881–90 | 18·6 | 56·8 | 5·3 | 3·0 | 4·4 | 5·6 | 7·6 | 11·5 | 17·1 | 31·4 | 65·0 | 137·6 | 284·0 | 142 |
| 1891–1900 | 18·1 | 57·7 | 4·3 | 2·5 | 3·7 | 4·7 | 6·4 | 10·5 | 16·8 | 31·5 | 65·0 | 137·2 | 270·8 | 153 |
| 1901–10 | 15·2 | 46·0 | 3·6 | 2·1 | 3·0 | 3·8 | 5·1 | 8·3 | 14·3 | 28·1 | 58·8 | 127·2 | 260·8 | 128 |
| 1911–20‡ | 13·7 | 34·4 | 3·5 | 2·2 | 5·4 | | | | 13·0 | 25·9 | 57·3 | 132·0 | 266·8 | 100 |
| 1841–45 | 20·6 | 63·6 | 8·7 | 5·0 | 7·2 | 8·8 | 9·7 | 12·2 | 16·1 | 28·7 | 62·0 | 137·2 | 295·3 | 148 |
| 1846–50 | 22·4 | 68·7 | 9·4 | 5·6 | 7·7 | 9·8 | 10·9 | 13·6 | 18·1 | 31·4 | 65·9 | 145·7 | 306·5 | 157 |
| 1851–55 | 21·7 | 68·9 | 8·6 | 5·2 | 7·4 | 9·1 | 10·2 | 12·7 | 17·2 | 29·6 | 62·9 | 143·2 | 299·6 | 156 |
| 1856–60 | 20·7 | 66·9 | 8·3 | 4·7 | 6·7 | 8·3 | 9·4 | 12·0 | 16·1 | 28·4 | 61·0 | 136·7 | 293·4 | 152 |
| 1861–65 | 21·4 | 69·1 | 8·4 | 4·7 | 6·6 | 8·4 | 9·8 | 12·6 | 17·2 | 30·3 | 62·5 | 139·1 | 299·0 | 151 |
| 1866–70 | 21·2 | 68·1 | 7·6 | 4·3 | 6·2 | 8·0 | 9·9 | 12·9 | 17·6 | 30·6 | 63·2 | 141·7 | 294·3 | 157 |
| 1871–75 | 20·9 | 64·9 | 6·9 | 4·0 | 5·8 | 7·7 | 9·6 | 13·1 | 18·0 | 31·6 | 65·3 | 141·7 | 305·2 | 153 |
| 1876–80 | 19·8 | 61·9 | 6·1 | 3·5 | 4·9 | 6·5 | 8·3 | 12·3 | 17·5 | 31·6 | 64·7 | 142·9 | 311·5 | 145 |
| 1881–85 | 18·7 | 56·6 | 5·8 | 3·2 | 4·6 | 6·0 | 8·0 | 11·8 | 17·2 | 31·0 | 63·5 | 136·2 | 277·9 | 139 |
| 1886–90 | 18·5 | 56·9 | 4·9 | 2·8 | 4·1 | 5·3 | 7·2 | 11·1 | 17·1 | 31·8 | 66·4 | 139·0 | 290·1 | 145 |
| 1891–95 | 18·5 | 57·8 | 4·6 | 2·7 | 4·0 | 5·0 | 6·8 | 11·0 | 17·3 | 32·5 | 67·3 | 140·7 | 273·9 | 151 |
| 1896–1900 | 17·6 | 57·6 | 4·1 | 2·4 | 3·5 | 4·5 | 6·0 | 10·1 | 16·2 | 30·5 | 62·9 | 133·8 | 267·7 | 156 |
| 1901–05 | 16·0 | 50·2 | 3·7 | 2·2 | 3·1 | 4·0 | 5·4 | 8·9 | 14·9 | 28·7 | 59·4 | 127·3 | 258·6 | 138 |
| 1906–10 | 14·4 | 41·7 | 3·4 | 2·0 | 2·9 | 3·6 | 4·8 | 7·8 | 13·7 | 27·5 | 58·1 | 127·0 | 262·4 | 117 |
| 1911–15‡ | 13·8 | 37·2 | 3·3 | 2·1 | 2·9 | 3·5 | 4·5 | 7·4 | 13·3 | 27·0 | 58·5 | 131·6 | 262·4 | 110 |
| 1916–20‡ | 13·7 | 31·2 | 3·6 | 2·4 | 6·1 | | | | 12·7 | 25·0 | 56·1 | 132·4 | 271·1 | 90 |
| 1883 | 19·0 | 56·0 | 6·0 | 3·4 | 4·8 | 6·2 | 8·2 | 12·0 | 17·5 | 31·8 | 64·7 | 140·7 | 286·6 | 137 |
| 1884 | 19·0 | 59·9 | 5·8 | 3·3 | 4·6 | 6·0 | 7·9 | 11·7 | 17·3 | 30·4 | 62·6 | 133·5 | 263·6 | 147 |
| 1885 | 18·7 | 55·8 | 5·1 | 3·0 | 4·4 | 5·8 | 7·8 | 11·6 | 17·2 | 31·4 | 66·2 | 141·1 | 295·4 | 138 |
| 1886 | 19·0 | 59·3 | 4·8 | 2·9 | 4·4 | 5·5 | 7·4 | 11·2 | 17·0 | 31·8 | 67·5 | 143·8 | 316·0 | 149 |
| 1887 | 18·6 | 57·6 | 5·1 | 2·9 | 4·2 | 5·4 | 7·2 | 11·1 | 16·9 | 31·7 | 66·6 | 139·3 | 286·4 | 145 |
| 1888 | 17·7 | 52·9 | 4·7 | 2·8 | 4·0 | 5·3 | 7·0 | 10·8 | 16·7 | 30·9 | 65·3 | 136·2 | 283·1 | 136 |
| 1889 | 17·9 | 56·8 | 4·7 | 2·7 | 3·9 | 5·0 | 6·7 | 10·5 | 16·2 | 30·2 | 63·1 | 131·8 | 274·6 | 144 |
| 1890 | 19·3 | 58·1 | 5·0 | 2·9 | 4·2 | 5·4 | 7·5 | 12·0 | 18·7 | 34·4 | 69·2 | 143·9 | 291·4 | 151 |
| 1891 | 20·0 | 59·1 | 4·7 | 2·7 | 4·2 | 5·4 | 7·4 | 12·2 | 19·6 | 36·9 | 75·4 | 156·6 | 310·5 | 149 |
| 1892 | 18·8 | 57·4 | 4·6 | 2·6 | 4·0 | 4·9 | 6·9 | 11·2 | 17·5 | 33·3 | 70·4 | 146·8 | 285·9 | 148 |
| 1893 | 18·9 | 60·4 | 5·1 | 2·9 | 4·3 | 5·3 | 7·2 | 11·5 | 17·5 | 32·2 | 66·5 | 134·6 | 258·5 | 159 |
| 1894 | 16·4 | 51·7 | 4·3 | 2·5 | 3·7 | 4·7 | 6·3 | 9·9 | 15·4 | 28·0 | 57·8 | 119·6 | 228·5 | 137 |
| 1895 | 18·5 | 60·6 | 4·1 | 2·5 | 3·7 | 4·7 | 6·3 | 10·2 | 16·6 | 32·1 | 66·5 | 146·5 | 287·3 | 161 |
| 1896 | 16·9 | 56·7 | 4·5 | 2·4 | 3·5 | 4·4 | 5·9 | 9·7 | 15·4 | 28·5 | 57·7 | 120·1 | 240·3 | 148 |
| 1897 | 17·3 | 57·4 | 4·0 | 2·4 | 3·5 | 4·5 | 6·0 | 9·8 | 15·6 | 29·3 | 60·2 | 129·9 | 259·8 | 156 |
| 1898 | 17·4 | 58·5 | 3·8 | 2·2 | 3·4 | 4·4 | 5·9 | 9·8 | 15·7 | 29·7 | 61·5 | 132·1 | 268·1 | 160 |
| 1899 | 18·2 | 58·5 | 4·1 | 2·4 | 3·5 | 4·5 | 6·1 | 10·5 | 17·0 | 31·9 | 66·6 | 142·2 | 283·9 | 163 |
| 1900 | 18·2 | 56·7 | 4·2 | 2·4 | 3·5 | 4·6 | 6·2 | 10·5 | 17·5 | 33·1 | 68·1 | 143·9 | 285·2 | 154 |
| 1901 | 16·9 | 54·2 | 4·1 | 2·3 | 3·3 | 4·2 | 5·8 | 9·6 | 15·9 | 29·8 | 61·5 | 129·8 | 258·0 | 151 |
| 1902 | 16·2 | 49·6 | 4·1 | 2·3 | 3·2 | 4·2 | 5·7 | 9·3 | 15·5 | 29·4 | 60·6 | 129·0 | 258·8 | 133 |
| 1903 | 15·4 | 48·1 | 3·5 | 2·1 | 3·0 | 3·8 | 5·4 | 8·6 | 14·6 | 27·7 | 57·5 | 122·2 | 243·6 | 132 |
| 1904 | 16·2 | 53·0 | 3·6 | 2·1 | 3·1 | 3·9 | 5·3 | 8·5 | 14·6 | 28·7 | 59·7 | 130·1 | 267·6 | 145 |
| 1905 | 15·2 | 46·2 | 3·5 | 2·1 | 3·0 | 3·9 | 5·2 | 8·3 | 14·2 | 28·0 | 58·0 | 125·5 | 264·5 | 128 |
| 1906 | 15·3 | 47·2 | 3·6 | 2·1 | 3·0 | 3·8 | 5·1 | 8·2 | 14·2 | 28·2 | 57·7 | 126·9 | 273·1 | 132 |
| 1907 | 14·9 | 42·9 | 3·5 | 2·1 | 2·9 | 3·7 | 5·0 | 8·2 | 14·2 | 28·6 | 59·6 | 129·3 | 271·0 | 118 |
| 1908 | 14·5 | 43·0 | 3·4 | 2·0 | 2·8 | 3·7 | 4·9 | 7·8 | 13·7 | 27·6 | 57·8 | 127·2 | 259·0 | 120 |
| 1909 | 14·3 | 39·2 | 3·4 | 2·1 | 2·9 | 3·6 | 4·8 | 7·7 | 13·8 | 27·8 | 60·4 | 131·7 | 268·3 | 109 |
| 1910 | 13·2 | 36·4 | 3·0 | 1·9 | 2·7 | 3·4 | 4·4 | 7·2 | 12·7 | 25·7 | 55·2 | 120·1 | 242·4 | 105 |
| 1911 | 14·2 | 42·8 | 3·4 | 2·1 | 2·9 | 3·5 | 4·5 | 7·3 | 13·0 | 26·2 | 56·5 | 124·5 | 246·6 | 130 |
| 1912 | 13·0 | 32·6 | 3·1 | 1·9 | 2·8 | 3·3 | 4·3 | 7·2 | 12·9 | 26·2 | 57·3 | 127·2 | 253·9 | 95 |
| 1913 | 13·5 | 36·5 | 3·1 | 1·9 | 2·6 | 3·3 | 4·2 | 7·3 | 13·2 | 26·8 | 57·4 | 127·6 | 251·9 | 108 |
| 1914 | 13·7 | 35·9 | 3·4 | 2·1 | 2·8 | 3·4 | 4·4 | 7·6 | 13·6 | 27·3 | 58·1 | 130·2 | 262·2 | 105 |
| 1915‡ | 14·8 | 38·1 | 3·7 | 2·3 | 3·3 | 4·1 | 4·9 | 7·8 | 13·7 | 28·3 | 62·9 | 147·7 | 296·0 | 110 |
| 1916‡ | 13·4 | 29·5 | 3·1 | 2·2 | 5·3 | | | | 12·7 | 26·1 | 59·9 | 142·8 | 290·4 | 91 |
| 1917‡ | 13·5 | 29·0 | 3·1 | 2·1 | 5·6 | | | | 12·4 | 25·7 | 57·7 | 139·0 | 288·3 | 96 |
| 1918‡ | 17·1 | 36·2 | 5·4 | 3·6 | 10·2 | | | | 14·7 | 26·1 | 56·4 | 123·3 | 244·1 | 97 |
| 1919 | 13·3 | 29·3 | 3·4 | 2·2 | 5·7 | | | | 12·5 | 24·8 | 56·7 | 138·5 | 292·4 | 89 |
| 1920 | 12·1 | 32·2 | 3·1 | 1·9 | 4·4 | | | | 11·2 | 22·2 | 50·2 | 119·6 | 242·2 | 80 |
| 1921 | 11·3 | 29·1 | 2·8 | 1·8 | 2·8 | 3·4 | 3·9 | 5·8 | 10·0 | 22·1 | 49·0 | 116·7 | 242·3 | 83 |
| 1922 | 11·6 | 27·4 | 2·6 | 1·8 | 2·6 | 3·5 | 4·1 | 6·1 | 10·6 | 22·7 | 54·2 | 129·9 | 257·7 | 77 |
| 1923 | 10·3 | 22·0 | 2·3 | 1·6 | 2·5 | 3·2 | 3·7 | 5·5 | 9·8 | 21·0 | 49·4 | 117·0 | 241·8 | 69 |

* See note * on first page of Table.

† The death-rates in this column are standardized to the sex and age constitution of the population enumerated in 1901.

‡ Including civilian mortality only in 1915–18.

## Table 4.—England and Wales.—Deaths from Various Causes at All Ages, 1913–1923.—Males and Females.

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL CAUSES .. .. | M. | 261687 | 267359 | 292331 | 265030 | 262215 | 314704 | 258089 | 240302 | 234291 | 247221 | 226858 |
| | | F. | 243288 | 249383 | 269872 | 243187 | 236707 | 297157 | 246114 | 225828 | 224338 | 239559 | 217927 |
| 1-42 | **I.—Epidemic, Endemic and Infectious Diseases** .. | M. | 45975 | 47980 | 57216 | 47222 | 48880 | 101344 | 57283 | 41319 | 36875 | 44970 | 35656 |
| | | F. | 39001 | 41425 | 49121 | 40769 | 42315 | 101359 | 52064 | 36828 | 33622 | 41606 | 31381 |
| 1 | Enteric fever .. .. | M. | 907 | 1016 | 822 | 633 | 511 | 458 | 317 | 291 | 312 | 245 | 227 |
| | | F. | 598 | 689 | 566 | 489 | 466 | 492 | 260 | 246 | 301 | 220 | 223 |
| | (*a*) Typhoid fever .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 304 | 230 | 211 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 291 | 214 | 208 |
| | (*b*) Paratyphoid fever .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 8 | 15 | 16 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 10 | 6 | 15 |
| 2 | Typhus .. .. .. | M. | 2 | 2 | 5 | 4 | 1 | 2 | 1 | — | — | 3 | 1 |
| | | F. | — | 2 | 4 | — | — | 1 | — | — | — | 1 | — |
| 3 | Relapsing fever (Spirillum obermeieri) .. .. | M. | — | 1 | 1 | 1 | — | — | 1 | 1 | — | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| 4 | Mediterranean fever .. | M. | 3 | 3 | — | 1 | 1 | 1 | 1 | 1 | 1 | 1 | — |
| | | F. | 1 | — | — | — | — | — | 1 | — | 1 | — | 1 |
| 5 | Malaria .. .. .. | M. | 49 | 56 | 55 | 59 | 122 | 188 | 264 | 240 | 139 | 113 | 76 |
| | | F. | 9 | 4 | 10 | 3 | 4 | 9 | 4 | 10 | 4 | 10 | 5 |
| 6 | Small-pox .. .. .. | M. | 6 | 2 | 7 | 11 | 3 | 1 | 18 | 12 | 5 | 21 | 5 |
| | | F. | 4 | 2 | 6 | 7 | — | 1 | 10 | 18 | — | 6 | 2 |
| 7 | Measles .. .. .. | M. | 5567 | 4701 | 8583 | 2881 | 5564 | 5147 | 1816 | 3760 | 1188 | 2988 | 2881 |
| | | F. | 5077 | 4443 | 7862 | 2532 | 4974 | 4640 | 1718 | 3430 | 1053 | 2706 | 2435 |
| 8 | Scarlet fever.. .. .. | M. | 1060 | 1396 | 1226 | 696 | 398 | 507 | 566 | 695 | 631 | 654 | 503 |
| | | F. | 1040 | 1447 | 1180 | 685 | 370 | 513 | 655 | 735 | 674 | 728 | 490 |
| 9 | Whooping cough .. .. | M. | 2411 | 3596 | 3694 | 2681 | 1908 | 4391 | 1145 | 1969 | 2046 | 2864 | 1909 |
| | | F. | 3047 | 4444 | 4449 | 3394 | 2601 | 5507 | 1460 | 2432 | 2530 | 3506 | 2253 |
| 10 | Diphtheria .. .. .. | M. | 2160 | 2898 | 2857 | 2621 | 2193 | 2322 | 2350 | 2699 | 2298 | 2048 | 1317 |
| | | F. | 2297 | 2965 | 3008 | 2745 | 2284 | 2481 | 2538 | 2949 | 2474 | 2027 | 1405 |
| 11 | Influenza .. .. .. | M. | 3362 | 3106 | 5228 | 4283 | 3726 | 53883 | 23198 | 5635 | 4511 | 10353 | 4305 |
| | | F. | 3032 | 2858 | 5256 | 4508 | 3563 | 58446 | 21603 | 5030 | 4484 | 11145 | 4156 |
| | (*a*) 1. With pneumonic complications .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 2096 | 5198 | 2021 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 1757 | 5107 | 1561 |
| | (*a*) 2 With other pulmonary complications | M. | ? | ? | ? | ? | ? | ? | ? | ? | 776 | 2261 | 755 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 916 | 2584 | 907 |
| | (*b*) 1. With non-pulmonary complications .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 964 | 1578 | 952 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 1008 | 1817 | 963 |
| | (*b*) 2. Without stated complication .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 675 | 1316 | 577 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 803 | 1637 | 725 |
| 12 | Miliary fever .. .. | M. | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| 13 | Mumps .. .. .. | M. | 19 | 27 | 16 | 27 | 22 | 25 | 17 | 16 | 11 | 8 | 12 |
| | | F. | 12 | 30 | 13 | 15 | 16 | 16 | 19 | 11 | 19 | 6 | 7 |
| 14 | Asiatic cholera .. .. | M. | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| 15 | Cholera nostras .. .. | M. | 14 | 7 | 11 | 5 | 8 | 8 | 2 | 5 | 6 | 1 | — |
| | | F. | 13 | 12 | 10 | 3 | 4 | 3 | — | 3 | 4 | — | — |
| 16 | Dysentery .. .. .. | M. | 112 | 118 | 338 | 319 | 527 | 485 | 272 | 155 | 127 | 100 | 91 |
| | | F. | 117 | 157 | 274 | 229 | 370 | 353 | 163 | 99 | 134 | 116 | 58 |
| | (*a*) Amœbic .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 10 | 8 | 8 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 1 | 2 | 5 |
| | (*b*) Bacillary .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 9 | 9 | 7 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 8 | 12 | 5 |
| | (*c*) Other or unspecified .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 108 | 83 | 76 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 125 | 102 | 48 |

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921 *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 192 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 17 | Plague .. .. .. | M. | — | 2 | — | 4 | 4 | 2 | 5 | 2 | — | — | — |
| | | F. | — | 1 | — | 1 | — | 2 | — | 1 | — | — | — |
| | (*a*) Bubonic .. .. | M. | — | ? | — | ? | ? | ? | ? | ? | — | — | — |
| | | F. | — | ? | — | ? | — | ? | — | ? | — | — | — |
| | (*b*) Pneumonic .. .. | M. | — | ? | — | ? | ? | ? | ? | ? | — | — | — |
| | | F. | — | ? | — | ? | — | ? | — | ? | — | — | — |
| | (*c*) Septicæmic .. .. | M. | — | ? | — | ? | ? | ? | ? | ? | — | — | — |
| | | F. | — | ? | — | ? | — | ? | — | ? | — | — | — |
| | (*d*) Not otherwise defined | M. | — | ? | — | ? | ? | ? | ? | ? | — | — | — |
| | | F. | — | ? | — | ? | — | ? | — | ? | — | — | — |
| 18 | Yellow Fever .. .. | M. | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | 1 | — | — | — | — |
| 19 | Spirochætosis icterohæmorrhagica .. .. | M. | — | — | — | — | — | — | — | — | — | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | 1 | |
| 20 | Leprosy .. .. .. | M. | 1 | 2 | 1 | 5 | — | 5 | 3 | 3 | 1 | — | |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| 21 | Erysipelas .. .. .. | M. | 435 | 599 | 590 | 404 | 303 | 326 | 362 | 416 | 367 | 379 | |
| | | F. | 367 | 546 | 487 | 341 | 285 | 283 | 298 | 422 | 362 | 324 | |
| 22 | Acute poliomyelitis .. | M. | 105 | 97 | 84 | 98 | 90 | 116 | 99 | 78 | 90 | 60 | |
| | | F. | 101 | 80 | 88 | 92 | 78 | 121 | 84 | 56 | 79 | 76 | |
| | (1) Poliomyelitis .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 69 | 45 | |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 60 | 64 | |
| | (2) Polioencephalitis .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 21 | 15 | |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 19 | 12 | |
| 23 | Encephalitis lethargica .. | M. | — | — | — | — | — | 5 | 138 | 239 | 351 | 160 | |
| | | F. | — | — | — | — | — | 11 | 156 | 241 | 378 | 179 | |
| 24 | Meningococcal meningitis .. | M. | 171 | 215 | 1475 | 926 | 1159 | 633 | 433 | 300 | 232 | 202 | |
| | | F. | 161 | 181 | 728 | 442 | 492 | 293 | 261 | 233 | 184 | 158 | |
| 25 | Other epidemic diseases .. | M. | 57 | 74 | 71 | 84 | 122 | 87 | 55 | 66 | 53 | 35 | |
| | | F. | 55 | 72 | 103 | 64 | 80 | 56 | 38 | 43 | 34 | 25 | |
| | (1) German measles .. | M. | 13 | 13 | 32 | 49 | 68 | 44 | 16 | 12 | 9 | 7 | |
| | | F. | 16 | 11 | 48 | 33 | 47 | 25 | 13 | 13 | 6 | 8 | |
| | (2) Varicella .. .. | M. | 44 | 61 | 39 | 34 | 36 | 24 | 30 | 41 | 32 | 24 | |
| | | F. | 39 | 61 | 53 | 31 | 33 | 30 | 25 | 30 | 25 | 16 | |
| | (3) Other diseases included under 25 .. .. | M. | — | — | — | 1 | 18 | 19 | 9 | 13 | 12 | 4 | |
| | | F. | — | — | 2 | — | — | 1 | — | — | 3 | 1 | |
| 26 | Glanders .. .. .. | M. | 2 | 2 | — | 3 | — | — | — | — | 1 | — | — |
| | | F. | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 27 | Anthrax .. .. .. | M. | 8 | 13 | 23 | 24 | 20 | 10 | 16 | 12 | 10 | 9 | |
| | | F. | 2 | — | 1 | 4 | 2 | 2 | 3 | 2 | 1 | — | — |
| 28 | Rabies .. .. .. | M. | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| 29 | Tetanus .. .. .. | M. | 146 | 160 | 127 | 133 | 147 | 126 | 121 | 116 | 114 | 111 | |
| | | F. | 43 | 37 | 29 | 33 | 32 | 30 | 34 | 33 | 51 | 31 | |
| 30 | Mycoses .. .. .. | M. | 126 | 118 | 91 | 78 | 70 | 62 | 65 | 69 | 59 | 71 | |
| | | F. | 80 | 59 | 59 | 43 | 48 | 34 | 29 | 51 | 40 | 39 | |
| | (1) Actinomycosis .. | M. | 24 | 18 | 23 | 20 | 19 | 17 | 21 | 25 | 21 | 28 | |
| | | F. | 13 | 10 | 3 | 9 | 8 | 7 | 8 | 11 | 10 | 14 | |
| | (2) Other mycoses .. | M. | 102 | 100 | 68 | 58 | 51 | 45 | 44 | 44 | 38 | 43 | |
| | | F. | 67 | 49 | 56 | 34 | 40 | 27 | 21 | 40 | 30 | 25 | |

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913-1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review*, 1921 (*Part I*).

| ter-ional t No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1-37 | Tuberculosis (all forms) .. | M. | 27657 | 28076 | 30345 | 29726 | 30359 | 31027 | 24550 | 22918 | 22899 | 23316 | 22085 |
| | | F. | 21819 | 22222 | 23950 | 24132 | 25575 | 27046 | 21762 | 19627 | 19779 | 19461 | 18703 |
| 31 | Respiratory system .. | M. | 20601 | 21417 | 23167 | 22850 | 23276 | 24371 | 19248 | 17872 | 18121 | 18656 | 17571 |
| | | F. | 15602 | 16421 | 17636 | 17919 | 19059 | 20967 | 16736 | 14919 | 15384 | 15263 | 14526 |
| 32 | Nervous system .. .. | M. | 2678 | 2482 | 2788 | 2590 | 2557 | 2283 | 1887 | 1885 | 1781 | 1780 | 1677 |
| | | F. | 2340 | 2185 | 2541 | 2390 | 2439 | 2096 | 1809 | 1700 | 1584 | 1563 | 1579 |
| 33 | Intestines and peritoneum | M. | 1973 | 1784 | 1898 | 1722 | 1797 | 1642 | 1154 | 1031 | 1064 | 931 | 951 |
| | | F. | 1787 | 1673 | 1717 | 1770 | 1740 | 1598 | 1256 | 1161 | 1083 | 955 | 1001 |
| 34 | Vertebral column .. .. | M. | 330 | 339 | 331 | 386 | 414 | 451 | 370 | 396 | 349 | 377 | 332 |
| | | F. | 300 | 266 | 282 | 277 | 315 | 401 | 293 | 280 | 318 | 307 | 271 |
| 35 | Joints .. .. .. | M. | 205 | 203 | 206 | 235 | 258 | 273 | 223 | 208 | 160 | 185 | 156 |
| | | F. | 154 | 123 | 150 | 139 | 146 | 178 | 153 | 138 | 135 | 129 | 118 |
| 36 | Other organs .. .. | M. | 325 | 353 | 340 | 388 | 390 | 366 | 348 | 336 | 303 | 295 | 305 |
| | | F. | 301 | 274 | 309 | 322 | 379 | 362 | 368 | 283 | 313 | 280 | 259 |
| | (*a*) Skin and subcutaneous tissue .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 36 | 33 | 25 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 52 | 40 | 48 |
| | (*b*) Bones (vertebral column excepted) .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 70 | 47 | 58 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 52 | 49 | 40 |
| | (*c*) Lymphatic system (abdominal glands excepted) .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 60 | 61 | 47 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 72 | 68 | 60 |
| | (*d*) Genito-urinary system | M. | ? | ? | ? | ? | ? | ? | ? | ? | 126 | 141 | 158 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 113 | 109 | 102 |
| | (*e*) Others in 36 .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 11 | 13 | 17 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 24 | 14 | 9 |
| 37 | Disseminated tuberculosis | M. | 1545 | 1498 | 1615 | 1555 | 1667 | 1641 | 1320 | 1190 | 1121 | 1092 | 1093 |
| | | F. | 1335 | 1280 | 1315 | 1315 | 1497 | 1444 | 1147 | 1146 | 962 | 964 | 949 |
| | (*a*) Acute .. .. .. | M. | 433 | 395 | 463 | 388 | 394 | 385 | 333 | 312 | 234 | 284 | 393 |
| | | F. | 419 | 404 | 410 | 388 | 384 | 354 | 345 | 366 | 230 | 277 | 404 |
| | (*b*) Chronic or unstated .. | M. | 1112 | 1103 | 1152 | 1167 | 1273 | 1256 | 987 | 878 | 887 | 808 | 700 |
| | | F. | 916 | 876 | 905 | 927 | 1113 | 1090 | 802 | 780 | 732 | 687 | 545 |
| 38 | Syphilis .. .. .. | M. | 1187 | 1235 | 1090 | 1154 | 1252 | 1171 | 1102 | 1154 | 1038 | 848 | 857 |
| | | F. | 882 | 911 | 795 | 792 | 875 | 823 | 755 | 869 | 761 | 624 | 532 |
| 39 | Soft chancre .. .. | M. | 2 | — | 1 | — | 1 | 1 | — | 1 | — | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| 40 | Gonococcal infection .. | M. | 31 | 33 | 40 | 35 | 54 | 47 | 55 | 41 | 31 | 25 | 21 |
| | | F. | 38 | 28 | 20 | 26 | 31 | 24 | 34 | 38 | 40 | 17 | 21 |
| | (1) Gonococcal infection (ophthalmia excepted) | M. | 21 | 11 | 15 | 17 | 20 | 22 | 19 | 19 | 13 | 9 | 15 |
| | | F. | 18 | 13 | 9 | 15 | 15 | 17 | 20 | 14 | 18 | 8 | 11 |
| | (2) Gonorrhœal or purulent ophthalmia .. | M. | 10 | 22 | 25 | 18 | 34 | 25 | 36 | 22 | 18 | 16 | 6 |
| | | F. | 20 | 15 | 11 | 11 | 16 | 7 | 14 | 24 | 22 | 9 | 10 |
| 41 | Purulent infection, septicæmia .. .. .. | M. | 375 | 425 | 435 | 326 | 315 | 308 | 311 | 425 | 354 | 352 | 314 |
| | | F. | 206 | 234 | 223 | 189 | 165 | 172 | 178 | 249 | 234 | 200 | 193 |
| | (1) Vaccinia .. .. | M. | 2 | 1 | 4 | 2 | 5 | 3 | — | 4 | 1 | 2 | 3 |
| | | F. | 2 | — | 1 | — | 1 | — | 1 | 5 | 2 | 2 | 5 |
| | (2) Other forms .. .. | M. | 373 | 424 | 431 | 324 | 310 | 305 | 311 | 421 | 353 | 350 | 311 |
| | | F. | 204 | 234 | 222 | 189 | 164 | 172 | 177 | 244 | 232 | 198 | 188 |
| 42 | Other infectious diseases .. | M. | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |

## Table 4.—England and Wales.—Deaths from Various Causes at All Ages, 1913–1923.—Males and Females—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review*, 1921, (*Part I.*)

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 43–69 | **II.—General Diseases not included in I. 1-42*** | M. | **23922** | **24780** | **25098** | **25123** | **24613** | **24086** | **24743** | **26060** | **27216** | **28230** | **2866** |
| | | F. | **29774** | **30476** | **31082** | **31330** | **30621** | **30267** | **30870** | **31911** | **33850** | **34546** | **3527** |
| 43–49 | Cancer, Malignant disease | M. | 16918 | 17363 | 17421 | 17787 | 18145 | 18078 | 18723 | 19659 | 20649 | 21266 | 2206 |
| | | F. | 22021 | 22154 | 22426 | 22843 | 23013 | 23149 | 23421 | 24028 | 25373 | 25637 | 2660 |
| 43 | Buccal cavity | M. | 2144 | 2093 | 2110 | 2216 | 2293 | 2357 | 2387 | 2449 | 2482 | 2415 | 254 |
| | | F. | 327 | 347 | 353 | 370 | 402 | 377 | 378 | 369 | 358 | 361 | 41 |
| 44 | Pharynx, œsophagus, stomach, liver and annexa | M. | 6710 | 6994 | 6914 | 7057 | 7075 | 6938 | 7259 | 7477 | 7926 | 8179 | 833 |
| | | F. | 6352 | 6495 | 6537 | 6579 | 6347 | 6378 | 6289 | 6576 | 6818 | 7007 | 707 |
| 45 | Peritoneum, intestines and rectum | M. | 3763 | 3719 | 3815 | 3892 | 4029 | 3914 | 4178 | 4439 | 4683 | 4790 | 501 |
| | | F. | 4090 | 4161 | 4201 | 4370 | 4411 | 4649 | 4617 | 4780 | 5059 | 4964 | 533 |
| 46 | Female genital organs | F. | 4868 | 4772 | 4767 | 4839 | 5033 | 4997 | 5000 | 5005 | 5436 | 5354 | 557 |
| 47 | Breast | M. | 22 | 37 | 34 | 28 | 39 | 37 | 28 | 35 | 33 | 42 | 3 |
| | | F. | 3852 | 3800 | 3920 | 4131 | 4185 | 4082 | 4309 | 4488 | 4684 | 4826 | 499 |
| 48 | Skin | M. | 571 | 605 | 611 | 644 | 640 | 647 | 714 | 702 | 719 | 727 | 75 |
| | | F. | 313 | 350 | 392 | 365 | 392 | 392 | 416 | 385 | 401 | 439 | 42 |
| 49 | Other or unspecified organs | M. | 3708 | 3915 | 3937 | 3950 | 4069 | 4185 | 4157 | 4557 | 4806 | 5113 | 538 |
| | | F. | 2219 | 2229 | 2256 | 2189 | 2243 | 2274 | 2412 | 2425 | 2617 | 2686 | 278 |
| 50 | Tumours not returned as malignant (brain and female genital organs excepted) | M. | 221 | 270 | 294 | 307 | 286 | 313 | 313 | 324 | 357 | 361 | 39 |
| | | F. | 206 | 238 | 263 | 273 | 234 | 233 | 247 | 287 | 302 | 296 | 32 |
| 51 | Rheumatic fever | M. | 840 | 966 | 1030 | 878 | 673 | 723 | 686 | 975 | 868 | 821 | 77 |
| | | F. | 930 | 1094 | 1121 | 1009 | 783 | 797 | 825 | 1149 | 947 | 956 | 85 |
| 52 | Chronic rheumatism, osteo-arthritis, gout* | M. | 786 | 795 | 913 | 863 | 873 | 766 | 804 | 727 | 749 | 899 | 82 |
| | | F. | 1192 | 1195 | 1420 | 1466 | 1340 | 1438 | 1409 | 1379 | 1526 | 1590 | 159 |
| | (1) Chronic rheumatism, chronic arthritis* | M. | 170 | 182 | 186 | 208 | 217 | 185 | 189 | 165 | 185 | 199 | 17 |
| | | F. | 226 | 241 | 294 | 325 | 258 | 266 | 248 | 241 | 273 | 251 | 23 |
| | (2) Rheumatoid and osteo-arthritis | M. | 312 | 325 | 421 | 374 | 408 | 382 | 417 | 386 | 406 | 509 | 50 |
| | | F. | 890 | 889 | 1034 | 1081 | 1030 | 1129 | 1130 | 1113 | 1219 | 1302 | 133 |
| | (3) Gout | M. | 304 | 288 | 306 | 281 | 248 | 199 | 198 | 176 | 158 | 191 | 14 |
| | | F. | 76 | 65 | 92 | 60 | 52 | 43 | 31 | 25 | 34 | 37 | 3 |
| 53 | Scurvy | M. | 21 | 13 | 13 | 22 | 21 | 16 | 12 | 16 | 30 | 13 | 1 |
| | | F. | 22 | 10 | 20 | 17 | 16 | 29 | 8 | 15 | 23 | 13 | 1 |
| 54 | Pellagra | M. | 1 | 1 | 3 | 3 | — | — | — | — | — | 2 | 4 |
| | | F. | 9 | 2 | 13 | 7 | 9 | 1 | — | 2 | 4 | 12 | 9 |
| 55 | Beri-beri | M. | 11 | 11 | 4 | 4 | 7 | 4 | 8 | 4 | 3 | 2 | 1 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| 56 | Rickets | M. | 560 | 528 | 524 | 508 | 483 | 387 | 279 | 313 | 278 | 240 | 280 |
| | | F. | 380 | 382 | 335 | 389 | 386 | 341 | 198 | 199 | 214 | 179 | 193 |
| 57 | Diabetes | M. | 2122 | 2250 | 2335 | 2316 | 1929 | 1790 | 1897 | 1762 | 1901 | 2106 | 1927 |
| | | F. | 2189 | 2257 | 2324 | 2228 | 1887 | 1778 | 1960 | 1987 | 2191 | 2439 | 2439 |
| 58 | Anæmia, chlorosis | M. | 952 | 1009 | 1122 | 1083 | 1065 | 978 | 986 | 1097 | 1124 | 1243 | 1110 |
| | | F. | 1235 | 1369 | 1459 | 1454 | 1457 | 1181 | 1385 | 1400 | 1656 | 1692 | 1556 |
| | (*a*) Pernicious anæmia | M. | ? | ? | ? | ? | ? | ? | ? | 986 | 997 | 1109 | 998 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | 1231 | 1460 | 1485 | 1366 |
| | (*b*) Other anæmias and chlorosis | M. | ? | ? | ? | ? | ? | ? | ? | 111 | 127 | 134 | 112 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | 169 | 196 | 207 | 190 |
| 59 | Diseases of the pituitary gland† | M. | ? | ? | ? | ? | ? | ? | ? | ? | 4 | 5 | 9 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 1 | 17 | 6 |

* Previous to 1921 deaths from Chronic arthritis were included under the heading Diseases of the joints (156).

† Previous to 1921 deaths from Diseases of the pituitary gland were included under the heading Other general diseases (69).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921, (*Part I*).

| ter-ional t No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 60 | Diseases of the thyroid gland* | M. | 113 | 94 | 113 | 110 | 102 | 125 | 120 | 88 | 118 | 126 | 134 |
| | | F. | 617 | 705 | 669 | 670 | 632 | 598 | 717 | 665 | 822 | 877 | 834 |
| | (*a*) Exophthalmic goitre .. | M. | 42 | 38 | 32 | 47 | 40 | 46 | 56 | 46 | 54 | 63 | 56 |
| | | F. | 368 | 434 | 400 | 399 | 395 | 357 | 473 | 464 | 533 | 591 | 569 |
| | (*b*) 2. Cretinism .. .. | M. | 21 | 20 | 21 | 21 | 25 | 30 | 31 | 21 | 27 | 23 | 26 |
| | | F. | 23 | 36 | 32 | 49 | 43 | 38 | 23 | 25 | 34 | 36 | 27 |
| | (*b*) 1. Myxœdema .. | M. | | | | | | | | | 15 | 18 | 19 |
| | | F. | | | | | | | | | 130 | 147 | 138 |
| | (*b*) 3. Other diseases of the thyroid gland | M. | 50 | 36 | 60 | 42 | 37 | 49 | 33 | 21 | 22 | 22 | 33 |
| | | F. | 226 | 235 | 237 | 222 | 194 | 203 | 221 | 176 | 125 | 103 | 100 |
| 61 | Diseases of the parathyroid glands* .. .. .. | M. | | | | | | | | | — | 2 | 1 |
| | | F. | | | | | | | | | — | — | 1 |
| 62 | Diseases of the thymus .. | M. | 104 | 143 | 120 | 116 | 69 | 73 | 68 | 85 | 106 | 106 | 106 |
| | | F. | 76 | 95 | 79 | 82 | 77 | 59 | 42 | 58 | 69 | 70 | 52 |
| 63 | Diseases of the adrenals .. | M. | 107 | 95 | 102 | 100 | 102 | 95 | 66 | 93 | 88 | 90 | 101 |
| | | F. | 115 | 140 | 138 | 132 | 129 | 118 | 108 | 133 | 127 | 131 | 126 |
| 64 | Diseases of the spleen .. | M. | 17 | 29 | 23 | 32 | 14 | 16 | 18 | 17 | 23 | 20 | 17 |
| | | F. | 20 | 28 | 21 | 21 | 22 | 23 | 22 | 20 | 12 | 13 | 15 |
| 65 | Leukæmia, lymphadenoma | M. | 369 | 413 | 414 | 425 | 373 | 397 | 389 | 448 | 488 | 521 | 494 |
| | | F. | 296 | 311 | 310 | 319 | 290 | 283 | 300 | 320 | 311 | 334 | 383 |
| | (*a*) Leukæmia .. .. | M. | 194 | 228 | 226 | 225 | 211 | 209 | 198 | 237 | 248 | 269 | 270 |
| | | F. | 191 | 206 | 207 | 217 | 193 | 176 | 191 | 195 | 198 | 206 | 236 |
| | (*b*) Lymphadenoma (Hodgkin's disease) .. | M. | 175 | 185 | 188 | 200 | 162 | 188 | 191 | 211 | 240 | 252 | 224 |
| | | F. | 105 | 105 | 103 | 102 | 97 | 107 | 109 | 125 | 113 | 128 | 147 |
| 66 | Alcoholism (acute or chronic) | M. | 406 | 441 | 293 | 237 | 124 | 61 | 88 | 166 | 127 | 117 | 104 |
| | | F. | 245 | 235 | 204 | 119 | 84 | 20 | 27 | 50 | 55 | 47 | 47 |
| 67 | Chronic poisoning by mineral substances .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 57 | 50 | 55 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 2 | 6 | 6 |
| | (1) Occupational lead poisoning .. .. | M. | 80 | 79 | 68 | 54 | 49 | 35 | 48 | 56 | 56 | 43 | 51 |
| | | F. | 1 | — | — | 1 | 2 | 1 | — | 5 | 2 | 5 | 4 |
| | (2) Other chronic poisoning by mineral substances. | M. | | | | | | | | | 1 | 7 | 4 |
| | | F. | 13 | 16 | 18 | 38 | 19 | 8 | 10 | 4 | — | 1 | 2 |
| 68 | Chronic poisoning by organic substances .. .. | M. | 9 | 10 | 14 | 45 | 44 | 11 | 9 | 4 | 3 | 8 | 1 |
| | | F. | | | | | | | | | 2 | 6 | 5 |
| 69 | Other general diseases† .. | M. | 281 | 264 | 288 | 240 | 279 | 221 | 228 | 226 | 243 | 232 | 248 |
| | | F. | 211 | 251 | 266 | 255 | 216 | 207 | 192 | 210 | 213 | 231 | 207 |
| | (1) Purpura .. .. | M. | 171 | 153 | 156 | 138 | 169 | 135 | 120 | 111 | 123 | 137 | 110 |
| | | F. | 141 | 163 | 186 | 170 | 151 | 143 | 120 | 139 | 128 | 143 | 135 |
| | (2) Hæmophilia .. .. | M. | 69 | 65 | 77 | 62 | 65 | 40 | 54 | 70 | 63 | 66 | 81 |
| | | F. | 34 | 44 | 35 | 37 | 31 | 26 | 31 | 21 | 37 | 33 | 29 |
| | (3) Other diseases included under 69† .. .. | M. | 41 | 46 | 55 | 40 | 45 | 46 | 54 | 45 | 57 | 29 | 57 |
| | | F. | 36 | 44 | 45 | 48 | 34 | 38 | 41 | 50 | 48 | 55 | 43 |

* Previous to 1921 deaths from Diseases of the parathyroid glands (61) were included under Diseases of the thyroid gland (60).

† Previous to 1921 deaths from Diseases of the pituitary gland (59) were included under this heading.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921 *see Appendix to Statistical Review,* 1921, (*Part I.*)

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **70–86** | **III.—Diseases of the Nervous System and Sense Organs** | M. | **28481** | **28611** | **29944** | **28480** | **28550** | **26119** | **24887** | **24136** | **23685** | **24131** | **2319** |
| | | F. | **28175** | **28302** | **29417** | **27358** | **27089** | **25615** | **25229** | **24642** | **24472** | **24969** | **2444** |
| 70 | Encephalitis .. .. | M. | 180 | 209 | 169 | 183 | 161 | 202 | 196 | 226 | 178 | 179 | 1 |
| | | F. | 149 | 122 | 133 | 119 | 112 | 148 | 173 | 155 | 130 | 132 | 1 |
| | (1) Cerebral abscess .. | M. | ? | ? | ? | ? | ? | ? | ? | 116 | 115 | 127 | 1 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | 70 | 74 | 69 | |
| | (2) Other diseases included under 70 .. .. | M. | ? | ? | ? | ? | ? | ? | ? | 110 | 63 | 52 | |
| | | F. | ? | ? | ? | ? | ? | ? | ? | 85 | 56 | 63 | |
| 71 | Meningitis .. .. .. | M. | 2059 | 2067 | 2113 | 1735 | 1693 | 1580 | 1421 | 1304 | 1306 | 1211 | 10 |
| | | F. | 1860 | 1812 | 1799 | 1553 | 1417 | 1387 | 1155 | 1098 | 1129 | 1001 | 9 |
| 72 | Tabes dorsalis (locomotor ataxy) .. .. .. | M. | 615 | 600 | 625 | 685 | 641 | 582 | 581 | 522 | 576 | 665 | 5 |
| | | F. | 117 | 120 | 110 | 101 | 116 | 103 | 82 | 87 | 116 | 136 | 1 |
| 73 | Other diseases of the spinal cord * .. .. .. | M. | 1322 | 1422 | 1462 | 1515 | 1381 | 1385 | 1468 | 1350 | 716 | 774 | 8 |
| | | F. | 1150 | 1184 | 1190 | 1174 | 1150 | 1086 | 1155 | 1131 | 582 | 603 | 6 |
| 74 | Cerebral hæmorrhage, apoplexy, etc... .. .. | M. | 11715 | 11959 | 12617 | 12172 | 12433 | 11161 | 11574 | 11316 | 11339 | 11884 | 116 |
| | | F. | 14386 | 14726 | 15444 | 14635 | 14844 | 14002 | 14833 | 14325 | 14324 | 15063 | 149 |
| | (*a*) 1. Cerebral hæmorrhage, so returned .. | M. | 8062 | 8339 | 8863 | 8534 | 8860 | 8142 | 8472 | 8490 | 8600 | 9105 | 90 |
| | | F. | 9887 | 10178 | 10654 | 10258 | 10594 | 10025 | 10745 | 10623 | 10686 | 11416 | 114 |
| | (*a*) 2. Apoplexy, lesion unstated .. .. | M. | 2494 | 2442 | 2515 | 2429 | 2389 | 2011 | 1980 | 1669 | 1550 | 1434 | 12 |
| | | F. | 2935 | 2812 | 3046 | 2740 | 2711 | 2499 | 2434 | 2033 | 1832 | 1780 | 16 |
| | (*b*) 1. Cerebral embolism | M. | | | | | | | | | 294 | 342 | 3 |
| | | F. | 1159 | 1178 | 1239 | 1209 | 1184 | 1008 | 1122 | 1157 | 491 | 486 | 4 |
| | (*b*) 2. Cerebral thrombosis | M. | | | | | | | | | 895 | 1003 | 10 |
| | | F. | 1564 | 1736 | 1744 | 1637 | 1539 | 1478 | 1654 | 1666 | 1315 | 1381 | 14 |
| 75 | Paralysis of unstated origin | M. | 1159 | 1169 | 1319 | 1298 | 1255 | 1084 | 1119 | 1009 | 1045 | 1082 | 9 |
| | | F. | 1391 | 1502 | 1664 | 1561 | 1445 | 1335 | 1339 | 1283 | 1231 | 1280 | 12 |
| | (*a*) Hemiplegia .. .. | M. | 970 | 943 | 1039 | 1019 | 1005 | 887 | 957 | 852 | 880 | 931 | 8 |
| | | F. | 1201 | 1312 | 1395 | 1296 | 1192 | 1121 | 1161 | 1096 | 1060 | 1136 | 11 |
| | (*b*) Other forms of paralysis | M. | 189 | 226 | 280 | 279 | 250 | 197 | 162 | 157 | 165 | 151 | 1 |
| | | F. | 190 | 190 | 269 | 265 | 253 | 214 | 178 | 187 | 171 | 144 | 1 |
| 76 | General paralysis of the insane .. .. .. | M. | 1732 | 1831 | 1829 | 1729 | 1940 | 1731 | 1336 | 1270 | 1254 | 1398 | 14 |
| | | F. | 408 | 434 | 434 | 371 | 425 | 342 | 272 | 234 | 283 | 300 | 3 |
| 77 | Other forms of insanity .. | M. | 394 | 423 | 449 | 483 | 624 | 617 | 433 | 316 | 292 | 348 | 2 |
| | | F. | 612 | 587 | 657 | 682 | 702 | 723 | 537 | 540 | 548 | 560 | 5 |
| 78 | Epilepsy .. .. .. | M. | 1439 | 1526 | 1649 | 1758 | 2040 | 1937 | 1459 | 1152 | 1114 | 1150 | 10 |
| | | F. | 1292 | 1286 | 1425 | 1470 | 1572 | 1562 | 1315 | 1048 | 1097 | 1123 | 10 |
| 79, 80 | Convulsions (non-puerperal) | M. | 5343 | 4862 | 4977 | 4309 | 3797 | 3405 | 3045 | 3509 | 3058 | 2497 | 22 |
| | | F. | 4133 | 3637 | 3744 | 3118 | 2881 | 2620 | 2252 | 2594 | 2140 | 1819 | 16 |
| 81 | Chorea .. .. .. | M. | 33 | 36 | 43 | 26 | 19 | 26 | 25 | 46 | 25 | 21 | |
| | | F. | 111 | 140 | 110 | 90 | 58 | 59 | 66 | 93 | 68 | 64 | |
| 82 | Hysteria and neuritis .. | M. | 167 | 164 | 189 | 123 | 131 | 99 | 87 | 98 | 107 | 118 | |
| | | F. | 394 | 360 | 325 | 237 | 168 | 113 | 129 | 131 | 164 | 173 | 1 |
| 83 | Cerebral softening .. .. | M. | 721 | 707 | 718 | 637 | 657 | 564 | 498 | 386 | 396 | 376 | 3 |
| | | F. | 741 | 748 | 754 | 647 | 665 | 594 | 568 | 443 | 483 | 506 | 4 |
| 84 | Other diseases of the nervous system† .. .. .. | M. | 903 | 955 | 1058 | 1148 | 1165 | 1201 | 1008 | 928 | 1567 | 1710 | 16 |
| | | F. | 934 | 1042 | 1088 | 1096 | 1076 | 1109 | 922 | 914 | 1605 | 1680 | 17 |
| | (1) Idiocy, imbecility .. | M. | 92 | 114 | 137 | 149 | 207 | 213 | 158 | 106 | 124 | 121 | 1 |
| | | F. | 91 | 111 | 126 | 143 | 163 | 162 | 115 | 106 | 119 | 152 | 1 |

* Previous to 1921 deaths from Disseminated sclerosis (84 : 3) and Paralysis agitans (84 : 4) were included under this headin

† Previous to 1921 deaths from Disseminated sclerosis and Paralysis agitans were included under the heading Other diseas of the spinal cord (73).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921, (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Other diseases of the nervous system—*cont.* | | | | | | | | | | | | |
| | (2) Cerebral tumour .. | M. | 395 | 452 | 508 | 527 | 472 | 422 | 466 | 478 | 521 | 516 | 541 |
| | | F. | 416 | 454 | 501 | 487 | 449 | 431 | 434 | 475 | 509 | 512 | 524 |
| | (3) Disseminated sclerosis* | M. | ? | ? | ? | ? | ? | ? | ? | ? | 283 | 368 | 326 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 349 | 348 | 370 |
| | (4) Paralysis agitans* .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 339 | 381 | 389 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 314 | 340 | 399 |
| | (5) Other diseases included under 84 .. .. | M. | 416 | 389 | 413 | 472 | 486 | 566 | 384 | 344 | 300 | 324 | 307 |
| | | F. | 427 | 477 | 461 | 466 | 464 | 516 | 373 | 333 | 314 | 328 | 307 |
| 85 | Diseases of the eye and annexa .. .. .. | M. | 27 | 22 | 28 | 24 | 30 | 24 | 30 | 28 | 27 | 32 | 39 |
| | | F. | 19 | 35 | 22 | 24 | 24 | 13 | 27 | 26 | 28 | 23 | 31 |
| 86 | Diseases of the ear and of the mastoid sinus .. | M. | 672 | 659 | 699 | 655 | 583 | 521 | 607 | 676 | 685 | 686 | 657 |
| | | F. | 478 | 567 | 518 | 480 | 434 | 419 | 404 | 540 | 544 | 506 | 505 |
| | (1) Diseases of the mastoid sinus .. .. .. | M. | 185 | 164 | 202 | 177 | 142 | 133 | 176 | 186 | 188 | 191 | 200 |
| | | F. | 139 | 139 | 127 | 127 | 101 | 87 | 101 | 154 | 152 | 173 | 136 |
| | (2) Diseases of the ear .. | M. | 487 | 495 | 497 | 478 | 441 | 388 | 431 | 490 | 497 | 495 | 457 |
| | | F. | 339 | 428 | 391 | 353 | 333 | 332 | 303 | 386 | 392 | 333 | 369 |
| **87–96** | **IV.—Diseases of the Circulatory System†** .. | M. | **30593** | **31549** | **35157** | **33984** | **33386** | **31573** | **33071** | **32541** | **33389** | **37196** | **36078** |
| | | F. | **31283** | **32800** | **35481** | **34685** | **33123** | **31343** | **33980** | **33104** | **34789** | **39206** | **37850** |
| 87–90 | Heart diseases† .. .. | M. | 25239 | 25551 | 28821 | 27835 | 26831 | 25164 | 25978 | 25111 | 24956 | 27565 | 26223 |
| | | F. | 27721 | 28841 | 31343 | 30553 | 28847 | 27053 | 28946 | 27804 | 28754 | 32272 | 30663 |
| 87 | Pericarditis† .. .. | M. | 253 | 263 | 278 | 217 | 187 | 204 | 157 | 204 | 194 | 215 | 205 |
| | | F. | 176 | 197 | 225 | 189 | 163 | 147 | 148 | 156 | 157 | 166 | 118 |
| 88 | Acute endocarditis and myocarditis‡ .. .. | M. | 805 | 914 | 871 | 782 | 680 | 711 | 977 | 1215 | 1152 | 1031 | 956 |
| | | F. | 939 | 951 | 958 | 835 | 791 | 749 | 775 | 1097 | 943 | 959 | 931 |
| | (1) Infective endocarditis.. | M. | 284 | 328 | 250 | 265 | 259 | 273 | 444 | 573 | 724 | 651 | 553 |
| | | F. | 312 | 323 | 284 | 251 | 264 | 274 | 262 | 422 | 479 | 509 | 479 |
| | (2) Other acute endocarditis‡ .. .. | M. | 374 | 410 | 420 | 340 | 267 | 280 | 331 | 380 | 314 | 252 | 274 |
| | | F. | 477 | 478 | 503 | 419 | 383 | 337 | 364 | 428 | 345 | 310 | 286 |
| | (3) Acute myocarditis‡ .. | M. | 147 | 176 | 201 | 177 | 154 | 158 | 202 | 262 | 114 | 128 | 129 |
| | | F. | 150 | 150 | 171 | 165 | 144 | 138 | 149 | 247 | 119 | 140 | 166 |
| 89 | Angina pectoris .. .. | M. | 773 | 786 | 847 | 723 | 637 | 640 | 722 | 687 | 743 | 986 | 1058 |
| | | F. | 352 | 394 | 407 | 341 | 325 | 284 | 333 | 342 | 343 | 460 | 505 |
| 90 | Other diseases of the heart‡ | M. | 23408 | 23588 | 26825 | 26113 | 25327 | 23609 | 24122 | 23005 | 22867 | 25333 | 24004 |
| | | F. | 26254 | 27299 | 29753 | 29188 | 27568 | 25873 | 27690 | 26209 | 27311 | 30687 | 29109 |
| | (1) Aortic valve disease .. | M | | | | | | | | | 1917 | 2064 | 1965 |
| | | F. | | | | | | | | | 850 | 920 | 971 |
| | (2) Mitral valve disease .. | M. | | | | | | | | | 3219 | 3514 | 3321 |
| | | F. | | | | | | | | | 5372 | 5879 | 5528 |
| | (3) Aortic and mitral valve disease .. .. | M. | 10010 | 10332 | 11670 | 11725 | 11823 | 11314 | 11616 | 11586 | 489 | 480 | 451 |
| | | F. | 11471 | 12326 | 13414 | 13231 | 12985 | 12748 | 13352 | 12891 | 364 | 381 | 403 |
| | (4) Other or unspecified valve disease‡ .. | M. | | | | | | | | | 5681 | 5762 | 5356 |
| | | F. | | | | | | | | | 6742 | 7400 | 6643 |

* Previous to 1921 deaths from Disseminated sclerosis and Paralysis agitans were included under the heading Other diseases of the spinal cord (73).

† Previous to 1921 certain deaths from Diseases of the mediastinum (107 (*b*)) were included under this heading.

‡ Previous to 1921 deaths of persons aged 45–60 from Endocarditis (unqualified) were included under the heading Other acute endocarditis (88 : 2), and from Myocarditis (unqualified) aged 45–60, under the heading Acute myocarditis (88 : 3). For 1921 these deaths are shown under the headings Other or unspecified valve disease (90 : 4) and Other or unspecified myocardial disease (90 : 7), respectively.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Other diseases of the heart —*cont.* | | | | | | | | | | | | |
| | (5) Fatty heart .. .. | M. | 1553 | 1487 | 1527 | 1329 | 1190 | 918 | 1032 | 1052 | 1092 | 1251 | 123 |
| | | F. | 1852 | 1828 | 1824 | 1713 | 1438 | 1089 | 1326 | 1221 | 1325 | 1541 | 154 |
| | (6) Cardiac dilatation, cause unspecified .. .. | M. | | | | | | | | | 487 | 486 | 41 |
| | | F. | | | | | | | | | 525 | 568 | 44 |
| | (7) Other or unspecified myocardial disease* | M. | 11780 | 11703 | 13539 | 12975 | 12218 | 11285 | 11346 | 10204 | 4366 | 5718 | 609 |
| | | F. | 12865 | 13061 | 14399 | 14149 | 13036 | 11918 | 12857 | 11897 | 5258 | 6919 | 734 |
| | (9) Heart disease (undefined) .. .. | M. | | | | | | | | | 5389 | 5787 | 483 |
| | | F. | | | | | | | | | 6584 | 6734 | 575 |
| | (8) Disordered action of the heart .. .. | M. | 65 | 66 | 89 | 84 | 96 | 92 | 128 | 163 | 227 | 271 | 33 |
| | | F. | 66 | 84 | 116 | 95 | 109 | 118 | 155 | 200 | 291 | 345 | 47 |
| 91 | Diseases of the arteries .. | M. | 5014 | 5633 | 5932 | 5765 | 6192 | 6085 | 6763 | 7091 | 8087 | 9265 | 951 |
| | | F. | 3056 | 3411 | 3680 | 3727 | 3859 | 3917 | 4641 | 4823 | 5572 | 6462 | 671 |
| | (*a*) Aneurism .. .. | M. | 921 | 902 | 896 | 800 | 770 | 696 | 711 | 782 | 787 | 825 | 77 |
| | | F. | 234 | 229 | 245 | 202 | 225 | 168 | 180 | 183 | 205 | 217 | 21 |
| | (*b*) Arterio-sclerosis .. | M. | 4004 | 4641 | 4960 | 4888 | 5362 | 5312 | 5975 | 6222 | 7202 | 8340 | 862 |
| | | F. | 2772 | 3128 | 3374 | 3478 | 3590 | 3705 | 4380 | 4582 | 5281 | 6163 | 639 |
| | (1) With record of cerebral vascular lesion .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 2139 | 2532 | 268 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 1857 | 2198 | 229 |
| | (2) Without record of cerebral vascular lesion . | M. | ? | ? | ? | ? | ? | ? | ? | ? | 5063 | 5808 | 593 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 3424 | 3965 | 410 |
| | (*c*) Other diseases of the arteries .. .. | M. | 89 | 90 | 76 | 77 | 60 | 77 | 77 | 87 | 98 | 100 | 11 |
| | | F. | 50 | 54 | 61 | 47 | 44 | 44 | 81 | 58 | 86 | 82 | 9 |
| 92 | Embolism and thrombosis (not cerebral) .. .. | M. | 155 | 152 | 169 | 131 | 133 | 123 | 143 | 138 | 137 | 166 | 14 |
| | | F. | 197 | 225 | 180 | 145 | 140 | 132 | 138 | 169 | 179 | 168 | 17 |
| 93 | Diseases of the veins (varices hæmorrhoids, phlebitis, etc.) | M. | 93 | 120 | 126 | 154 | 123 | 91 | 94 | 118 | 112 | 129 | 13 |
| | | F. | 229 | 234 | 194 | 184 | 182 | 160 | 183 | 221 | 225 | 251 | 25 |
| 94 | Diseases of the lymphatic system (lymphangitis, etc.) | M. | 56 | 50 | 72 | 57 | 67 | 69 | 48 | 45 | 62 | 47 | 4 |
| | | F. | 42 | 56 | 50 | 47 | 55 | 50 | 38 | 46 | 41 | 43 | 3 |
| 95 | Hæmorrhage without stated cause .. .. .. | M. | 36 | 43 | 37 | 42 | 40 | 41 | 45 | 38 | 35 | 24 | 1 |
| | | F. | 38 | 33 | 34 | 29 | 40 | 31 | 34 | 41 | 18 | 10 | 1 |
| 96 | Other diseases of the circulatory system .. .. | M. | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| **97–107** | **V.—Diseases of the Respiratory System†‡§** .. | M. | **44990** | **46803** | **57609** | **47418** | **49253** | **58117** | **48094** | **44317** | **39975** | **46881** | **3855** |
| | | F. | **38703** | **40833** | **50311** | **40842** | **39760** | **49497** | **42823** | **36817** | **34124** | **41163** | **3316** |
| 97 | Diseases of the nasal fossæ and annexa†‡ .. .. | M. | 43 | 40 | 34 | 29 | 27 | 28 | 26 | 42 | 69 | 79 | 7 |
| | | F. | 33 | 41 | 27 | 17 | 21 | 20 | 28 | 24 | 60 | 50 | 6 |
| | (1) Diseases of the nose† .. | M. | 43 | 40 | 34 | 29 | 27 | 28 | 26 | 42 | 28 | 27 | 2 |
| | | F. | 33 | 41 | 27 | 17 | 21 | 20 | 28 | 24 | 22 | 15 | 2 |
| | (2) Diseases of the accessory nasal sinuses‡ .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 41 | 52 | 5 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 38 | 35 | 4 |

* Previous to 1921 deaths of persons aged 45–60 from Myocarditis (unqualified) were included under the heading Acute myocarditis (88 : 3.) For 1921 these deaths are shown under the heading Other or unspecified myocardial disease (90 : 7).

† Including deaths from Adenoids (109 : 1 pt.) previous to 1921.

‡ Previous to 1921 deaths from Diseases of the accessory nasal sinuses were included under the heading Diseases of the bones (155).

§ Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Phlegmon, acute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES. 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 98 | Diseases of the larynx .. | M. | 618 | 679 | 728 | 615 | 520 | 461 | 446 | 500 | 367 | 332 | 243 |
| | | F. | 503 | 526 | 544 | 456 | 431 | 394 | 384 | 427 | 286 | 228 | 183 |
| | (1) Laryngismus stridulus | M. | 136 | 157 | 152 | 131 | 92 | 77 | 77 | 93 | 88 | 74 | 64 |
| | | F. | 103 | 94 | 91 | 81 | 97 | 64 | 50 | 86 | 49 | 52 | 43 |
| | (2) Laryngitis .. .. | M. | 469 | 510 | 568 | 473 | 424 | 375 | 357 | 393 | 267 | 255 | 174 |
| | | F. | 390 | 420 | 443 | 370 | 327 | 324 | 329 | 336 | 228 | 171 | 137 |
| | (3) Other diseases .. .. | M. | 13 | 12 | 8 | 11 | 4 | 9 | 12 | 14 | 12 | 3 | 5 |
| | | F. | 10 | 12 | 10 | 5 | 7 | 6 | 5 | 5 | 9 | 5 | 3 |
| 99 | Bronchitis* .. .. .. | M. | 19512 | 19617 | 25068 | 21538 | 21581 | 20981 | 22462 | 19312 | 16791 | 20079 | 16106 |
| | | F. | 19715 | 20572 | 25906 | 21874 | 20826 | 20492 | 23081 | 18688 | 16893 | 20833 | 16601 |
| | (*a*) Acute .. .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 3960 | 4832 | 3640 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 4765 | 5922 | 4605 |
| | (*b*) Chronic .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 5562 | 6657 | 5888 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 4428 | 5543 | 4735 |
| | (*c* and *d*) Not stated whether acute or chronic | M. | ? | ? | ? | ? | ? | ? | ? | ? | 7269 | 8590 | 6578 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 7700 | 9368 | 7261 |
| 00, 101 | Pneumonia (all forms)* .. | M. | 21505 | 23016 | 27914 | 21805 | 23647 | 33451 | 21981 | 21608 | 19955 | 23322 | 19283 |
| | | F. | 16025 | 17054 | 20960 | 16111 | 16185 | 26215 | 16968 | 15541 | 14753 | 17608 | 14130 |
| 100 | Broncho-pneumonia* .. | M. | 9401 | 10029 | 12455 | 9229 | 10073 | 13416 | 10186 | 10312 | 9349 | 12096 | 8941 |
| | | F. | 8359 | 8770 | 10785 | 7938 | 8296 | 11944 | 8797 | 8435 | 8096 | 10488 | 7676 |
| 101 | Pneumonia (lobar and not otherwise defined) | M. | 12104 | 12987 | 15459 | 12576 | 13574 | 20035 | 11795 | 11296 | 10606 | 11226 | 10342 |
| | | F. | 7666 | 8284 | 10175 | 8173 | 7889 | 14271 | 8171 | 7106 | 6657 | 7120 | 6454 |
| | (*a*) Lobar .. .. .. | M. | 5075 | 5667 | 6548 | 5444 | 5936 | 8065 | 4864 | 5360 | 5106 | 5769 | 5807 |
| | | F. | 2980 | 3338 | 4139 | 3336 | 3246 | 5190 | 3132 | 3105 | 3049 | 3412 | 3382 |
| | (*b*) Not otherwise defined | M. | 7029 | 7320 | 8911 | 7132 | 7638 | 11970 | 6931 | 5936 | 5500 | 5457 | 4535 |
| | | F. | 4686 | 4946 | 6036 | 4837 | 4643 | 9081 | 5039 | 4001 | 3608 | 3708 | 3072 |
| 102 | Pleurisy .. .. .. | M. | 792 | 880 | 897 | 860 | 938 | 849 | 768 | 785 | 786 | 769 | 797 |
| | | F. | 544 | 613 | 639 | 565 | 586 | 549 | 524 | 548 | 506 | 519 | 503 |
| | (1) Empyema .. .. | M. | 287 | 315 | 295 | 318 | 306 | 331 | 305 | 309 | 320 | 335 | 308 |
| | | F. | 147 | 182 | 172 | 150 | 150 | 130 | 126 | 146 | 143 | 173 | 140 |
| | (2) Other pleurisy .. | M. | 505 | 565 | 602 | 542 | 632 | 518 | 463 | 476 | 466 | 434 | 489 |
| | | F. | 397 | 431 | 467 | 415 | 436 | 419 | 398 | 402 | 363 | 346 | 363 |
| 103 | Congestion and hæmorrhagic infarct of lung .. .. | M. | 838 | 759 | 818 | 731 | 645 | 559 | 597 | 542 | 569 | 576 | 531 |
| | | F. | 863 | 902 | 897 | 767 | 715 | 687 | 640 | 632 | 716 | 724 | 674 |
| 104 | Gangrene of the lung .. | M. | 59 | 52 | 52 | 42 | 71 | 60 | 36 | 38 | 35 | 30 | 48 |
| | | F. | 31 | 41 | 28 | 19 | 39 | 37 | 25 | 19 | 24 | 22 | 14 |
| 105 | Asthma .. .. .. | M. | 993 | 1020 | 1336 | 1186 | 1218 | 1228 | 1244 | 1028 | 964 | 1219 | 1016 |
| | | F. | 700 | 777 | 979 | 790 | 770 | 899 | 939 | 757 | 707 | 998 | 834 |
| 106 | Pulmonary emphysema .. | M. | 250 | 312 | 367 | 245 | 226 | 165 | 200 | 158 | 125 | 177 | 160 |
| | | F. | 111 | 121 | 169 | 106 | 70 | 56 | 75 | 64 | 45 | 66 | 42 |
| 107 | Other diseases of the respiratory system† .. .. | M. | 380 | 428 | 395 | 367 | 380 | 335 | 334 | 304 | 314 | 298 | 288 |
| | | F. | 178 | 186 | 162 | 137 | 117 | 148 | 159 | 117 | 134 | 115 | 116 |
| | (*a*) Chronic interstitial pneumonia .. .. | M. | 252 | 262 | 220 | 209 | 228 | 181 | 189 | 178 | 177 | 184 | 175 |
| | | F. | 75 | 74 | 65 | 64 | 39 | 59 | 75 | 46 | 54 | 55 | 53 |
| | (*b*) Diseases of the mediastinum† .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 7 | 3 | 2 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 3 | 2 | 5 |
| | (*c*) Other diseases included under 107 .. .. | M. | 128 | 166 | 175 | 158 | 152 | 154 | 145 | 126 | 130 | 111 | 111 |
| | | F. | 103 | 112 | 97 | 73 | 78 | 89 | 84 | 71 | 77 | 58 | 58 |

* Previous to 1921 deaths from Capillary bronchitis were included under the heading Bronchitis (99). They are now cluded under Broncho-pneumonia (100).

† Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Phlegmon, cute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **108–127** | **VI.—Diseases of the Digestive System*** .. .. | M. | **24489** | **23582** | **21832** | **18135** | **16643** | **15445** | **14180** | **15803** | **19198** | **13601** | **14380** |
| | | F. | **21798** | **21134** | **19208** | **16235** | **15051** | **14126** | **12865** | **13373** | **16156** | **11878** | **12431** |
| 108 | Diseases of the buccal cavity and annexa .. .. | M. | 205 | 235 | 193 | 209 | 188 | 174 | 181 | 230 | 231 | 236 | 260 |
| | | F. | 183 | 221 | 169 | 175 | 153 | 167 | 164 | 185 | 221 | 218 | 210 |
| | (1) Diseases of the teeth and gums .. .. | M. | 156 | 174 | 150 | 160 | 143 | 117 | 123 | 159 | 150 | 156 | 173 |
| | | F. | 155 | 169 | 128 | 146 | 116 | 102 | 117 | 135 | 147 | 149 | 149 |
| | (2) Ludwig's angina .. | M. | 15 | 25 | 21 | 30 | 22 | 33 | 43 | 55 | 56 | 55 | 64 |
| | | F. | 7 | 19 | 17 | 12 | 12 | 25 | 33 | 28 | 43 | 40 | 35 |
| | (3) Other diseases included under 108 .. .. | M. | 34 | 36 | 22 | 19 | 23 | 24 | 15 | 16 | 25 | 25 | 23 |
| | | F. | 21 | 33 | 24 | 17 | 25 | 40 | 14 | 22 | 31 | 29 | 26 |
| 109 | Diseases of the pharynx and tonsils* .. .. .. | M. | 313 | 397 | 359 | 303 | 239 | 269 | 341 | 337 | 336 | 287 | 241 |
| | | F. | 274 | 341 | 318 | 271 | 238 | 232 | 321 | 281 | 298 | 272 | 245 |
| | (1) Tonsillitis, etc., adenoid vegetations* .. | M. | 247 | 302 | 274 | 223 | 185 | 205 | 284 | 258 | 244 | 220 | 198 |
| | | F. | 214 | 255 | 243 | 211 | 196 | 184 | 258 | 239 | 231 | 227 | 199 |
| | (2) Other diseases included under 109 .. .. | M. | 66 | 95 | 85 | 80 | 54 | 64 | 57 | 79 | 92 | 67 | 43 |
| | | F. | 60 | 86 | 75 | 60 | 42 | 48 | 63 | 42 | 67 | 45 | 46 |
| 110 | Diseases of the œsophagus | M. | 22 | 41 | 41 | 33 | 31 | 38 | 27 | 27 | 35 | 34 | 38 |
| | | F. | 16 | 22 | 24 | 27 | 17 | 10 | 17 | 26 | 21 | 24 | 23 |
| 111 | Ulcer of the stomach or duodenum.. .. .. | M. | 1438 | 1600 | 1532 | 1535 | 1474 | 1520 | 1481 | 1693 | 1587 | 1720 | 2106 |
| | | F. | 1056 | 1122 | 1076 | 1071 | 1096 | 1053 | 912 | 963 | 839 | 863 | 906 |
| | (*a*) Ulcer of the stomach .. | M. | 884 | 1023 | 1001 | 1000 | 988 | 1067 | 1002 | 1141 | 1020 | 1134 | 1353 |
| | | F. | 914 | 1007 | 945 | 945 | 956 | 923 | 800 | 834 | 729 | 739 | 752 |
| | (*b*) Ulcer of the duodenum | M. | 554 | 577 | 531 | 535 | 486 | 453 | 479 | 552 | 567 | 586 | 753 |
| | | F. | 142 | 115 | 131 | 126 | 140 | 130 | 112 | 129 | 110 | 124 | 154 |
| 112 | Other diseases of the stomach .. .. .. | M. | 1948 | 1942 | 2046 | 1923 | 1686 | 1524 | 1431 | 1653 | 1490 | 1250 | 1137 |
| | | F. | 1904 | 2057 | 2039 | 1929 | 1681 | 1555 | 1575 | 1551 | 1451 | 1307 | 1130 |
| | (1) Inflammation of the stomach .. .. | M. | 1609 | 1569 | 1701 | 1563 | 1430 | 1274 | 1194 | 1406 | 1275 | 1046 | 935 |
| | | F. | 1594 | 1707 | 1702 | 1594 | 1443 | 1310 | 1313 | 1350 | 1269 | 1118 | 988 |
| | (2) Other diseases included under 112. | M. | 339 | 373 | 345 | 360 | 256 | 250 | 237 | 247 | 215 | 204 | 202 |
| | | F. | 310 | 350 | 337 | 335 | 238 | 245 | 262 | 201 | 182 | 189 | 142 |
| 113, 114 | Diarrhœa and enteritis .. | M. | 13723 | 12320 | 10618 | 7476 | 6752 | 6174 | 5430 | 6088 | 9512 | 3992 | 4515 |
| | | F. | 11608 | 10498 | 8871 | 6565 | 5933 | 5316 | 4573 | 4918 | 7574 | 3293 | 3867 |
| | (1) Ulceration of the intestines .. .. .. | M. | 133 | 151 | 163 | 125 | 132 | 109 | 96 | 86 | 114 | 108 | 116 |
| | | F. | 157 | 190 | 167 | 160 | 147 | 170 | 129 | 151 | 139 | 118 | 155 |
| | (2) Colitis .. .. .. | M. | | | | | | | | | 246 | 195 | 194 |
| | | F. | | | | | | | | | 296 | 229 | 271 |
| | (3) Other diseases included under 113, 114 .. | M. | 13590 | 12169 | 10455 | 7351 | 6620 | 6065 | 5334 | 6002 | 9152 | 3689 | 4205 |
| | | F. | 11451 | 10308 | 8704 | 6405 | 5786 | 5146 | 4444 | 4767 | 7139 | 2946 | 3441 |
| 115 | Ankylostomiasis .. .. | M. | — | — | — | 2 | — | 2 | 1 | 1 | — | — | — |
| | | F. | 1 | — | — | — | — | — | — | — | — | — | — |
| 116 | Diseases due to other intestinal parasites .. .. | M. | 6 | 9 | 14 | 13 | 8 | 12 | 7 | 5 | 5 | 8 | 6 |
| | | F. | 14 | 11 | 17 | 17 | 5 | 11 | 9 | 8 | 11 | 10 | 8 |
| | (*a*) Cestodes (hydatids of the liver excepted) .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 3 | 4 | 1 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 1 | 6 | 5 |
| | (*b*) Trematodes .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | — | 1 | — |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | — | 1 | — |
| | (*c*) Nematodes .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 2 | 1 | 3 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 1 | 1 |

* Previous to 1921 deaths from Adenoids were included under the heading Diseases of the nose (97 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Diseases due to other intestinal parasites—*cont.* | | | | | | | | | | | | |
| | (*d*) Coccidia .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | — | — | — |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | — | — | — |
| | (*e*) Other parasites .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | — | — | — |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | — | — | — |
| | (*f*) Undefined parasites .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | — | 2 | 2 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 4 | 2 | 2 |
| 117 | Appendicitis and typhlitis.. | M. | 1387 | 1513 | 1441 | 1474 | 1390 | 1298 | 1278 | 1389 | 1474 | 1524 | 1608 |
| | | F. | 1142 | 1111 | 1062 | 1129 | 1053 | 1118 | 1151 | 1142 | 1237 | 1211 | 1218 |
| 118 | Hernia, intestinal obstruction .. .. .. | M. | 1967 | 1969 | 2189 | 2132 | 2265 | 2313 | 2010 | 2092 | 2100 | 2127 | 2106 |
| | | F. | 2081 | 2073 | 2263 | 2156 | 2574 | 2707 | 2101 | 2084 | 2087 | 2102 | 2172 |
| | (*a*) Hernia .. .. .. | M. | 781 | 738 | 898 | 840 | 983 | 944 | 777 | 795 | 752 | 830 | 822 |
| | | F. | 897 | 892 | 1010 | 1021 | 1273 | 1266 | 863 | 875 | 900 | 885 | 916 |
| | (*b*) Intestinal obstruction.. | M. | 1186 | 1231 | 1291 | 1292 | 1282 | 1369 | 1233 | 1297 | 1348 | 1297 | 1284 |
| | | F. | 1184 | 1181 | 1253 | 1135 | 1301 | 1441 | 1238 | 1209 | 1187 | 1217 | 1256 |
| 119 | Other diseases of the intestines .. .. .. | M. | 238 | 218 | 253 | 213 | 243 | 201 | 221 | 227 | 225 | 230 | 234 |
| | | F. | 234 | 268 | 262 | 243 | 221 | 222 | 207 | 214 | 234 | 218 | 238 |
| 120 | Acute yellow atrophy of the liver .. .. .. | M. | 16 | 30 | 22 | 27 | 33 | 35 | 26 | 25 | 32 | 19 | 22 |
| | | F. | 33 | 49 | 30 | 38 | 36 | 34 | 36 | 51 | 38 | 55 | 51 |
| 121 | Hydatid tumour of the liver | M. | 12 | 5 | 9 | 13 | 15 | 10 | 13 | 8 | 11 | 6 | 13 |
| | | F. | 17 | 17 | 9 | 16 | 10 | 9 | 7 | 11 | 13 | 6 | 10 |
| 122 | Cirrhosis of the liver .. | M. | 2264 | 2327 | 2154 | 1869 | 1511 | 1121 | 969 | 1180 | 1288 | 1271 | 1169 |
| | | F. | 1732 | 1821 | 1582 | 1210 | 845 | 609 | 538 | 583 | 639 | 635 | 605 |
| | (*a*) Returned as alcoholic .. | M. | 176 | 174 | 160 | 133 | 88 | 58 | 69 | 95 | 100 | 103 | 98 |
| | | F. | 146 | 201 | 161 | 114 | 70 | 34 | 28 | 33 | 54 | 47 | 54 |
| | (*b*) Not returned as alcoholic .. .. .. | M. | 2088 | 2153 | 1994 | 1736 | 1423 | 1063 | 900 | 1085 | 1188 | 1168 | 1071 |
| | | F. | 1586 | 1620 | 1421 | 1096 | 775 | 575 | 510 | 550 | 585 | 588 | 551 |
| 123 | Biliary calculi .. .. | M. | 220 | 237 | 222 | 208 | 198 | 189 | 218 | 212 | 259 | 281 | 261 |
| | | F. | 626 | 608 | 582 | 565 | 487 | 423 | 542 | 569 | 670 | 706 | 769 |
| 124 | Other diseases of the liver .. | M. | 386 | 409 | 403 | 403 | 334 | 340 | 333 | 348 | 341 | 369 | 390 |
| | | F. | 484 | 516 | 511 | 455 | 380 | 387 | 385 | 438 | 501 | 571 | 576 |
| 125 | Diseases of the pancreas .. | M. | 97 | 97 | 89 | 69 | 71 | 49 | 59 | 103 | 105 | 101 | 122 |
| | | F. | 89 | 76 | 89 | 69 | 54 | 49 | 72 | 86 | 92 | 109 | 138 |
| 126 | Peritonitis of unstated origin | M. | 247 | 233 | 247 | 233 | 205 | 176 | 154 | 185 | 167 | 146 | 152 |
| | | F. | 304 | 323 | 304 | 299 | 268 | 224 | 255 | 263 | 230 | 278 | 265 |
| 127 | Other diseases of the digestive system .. .. | M. | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| 128–142 | **VII.—Non-puerperal Diseases of the Genito-urinary System .. ..** | M. | **11535** | **11735** | **12260** | **11590** | **11818** | **10849** | **10355** | **10217** | **19438** | **10500** | **10511** |
| | | F. | **8514** | **8851** | **8957** | **8164** | **7820** | **7314** | **7134** | **7384** | **7477** | **7760** | **7780** |
| 128 | Acute nephritis (including unspecified under 10 years of age) .. .. .. | M. | 1031 | 1088 | 1177 | 1150 | 1166 | 1031 | 852 | 836 | 787 | 763 | 711 |
| | | F. | 924 | 910 | 1006 | 874 | 840 | 807 | 753 | 757 | 677 | 647 | 633 |
| 129 | Chronic nephritis (including unspecified over 10 years of age) .. .. .. | M. | 7317 | 7290 | 7553 | 6930 | 6870 | 6225 | 5844 | 5771 | 5686 | 5870 | 5755 |
| | | F. | 6071 | 6388 | 6333 | 5695 | 5422 | 5016 | 4858 | 4920 | 5034 | 5400 | 5401 |
| 130 | Chyluria .. .. .. | M. | — | 2 | — | 1 | 1 | — | — | 1 | — | 1 | — |
| | | F. | 1 | — | 1 | — | — | 1 | — | — | — | — | — |
| 131 | Other diseases of the kidneys and annexa .. .. | M. | 250 | 245 | 231 | 255 | 257 | 255 | 254 | 273 | 288 | 303 | 284 |
| | | F. | 237 | 252 | 247 | 222 | 217 | 211 | 222 | 260 | 279 | 288 | 297 |

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 132 | Calculi of the urinary passages .. .. .. | M. | 195 | 189 | 185 | 189 | 188 | 173 | 183 | 178 | 183 | 198 | 21 |
| | | F. | 73 | 65 | 85 | 81 | 71 | 71 | 66 | 91 | 113 | 95 | 9 |
| 133 | Diseases of the bladder .. | M. | 863 | 872 | 1078 | 986 | 1000 | 906 | 928 | 873 | 908 | 803 | 79 |
| | | F. | 224 | 233 | 258 | 219 | 232 | 213 | 201 | 207 | 229 | 226 | 25 |
| | (1) Cystitis .. .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 809 | 731 | 73 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 212 | 216 | 23 |
| | (2) Other diseases .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 99 | 72 | 5 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 17 | 10 | 2 |
| 134 | Diseases of the urethra, urinary abscess, etc. .. | M. | 379 | 407 | 419 | 418 | 470 | 429 | 387 | 372 | 386 | 383 | 41 |
| | | F. | 5 | 8 | 4 | 4 | 8 | 3 | 8 | 3 | 4 | 8 | 1 |
| | (*a*) Stricture of the urethra | M. | ? | ? | ? | ? | ? | ? | ? | ? | 308 | 309 | 33 |
| | (*b*) Other diseases of the urethra, etc. .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 78 | 74 | 7 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 4 | 8 | 1 |
| 135 | Diseases of the prostate .. | M. | 1436 | 1545 | 1542 | 1603 | 1789 | 1778 | 1841 | 1835 | 2124 | 2121 | 228 |
| 136 | Non-venereal diseases of the male genital organs .. | M. | 62 | 90 | 69 | 55 | 73 | 51 | 61 | 77 | 71 | 55 | 5 |
| 137 | Cysts and other tumours of the ovary not returned as malignant .. .. | F. | 270 | 304 | 300 | 307 | 284 | 273 | 273 | 309 | 297 | 284 | 27 |
| 138 | Salpingitis and pelvic abscess* .. .. .. | F. | ? | ? | ? | ? | ? | ? | ? | ? | 255 | 250 | 24 |
| | (1) Salpingitis* .. .. | F. | ? | ? | ? | ? | ? | ? | ? | ? | 214 | 195 | 19 |
| | (2) Pelvic abscess* .. | F. | ? | ? | ? | ? | ? | ? | ? | ? | 41 | 55 | 5 |
| 139 | Tumours of the uterus not returned as malignant .. | F. | 316 | 298 | 328 | 321 | 331 | 308 | 313 | 348 | 365 | 357 | 35 |
| 140 | Uterine hæmorrhage .. | F. | 27 | 18 | 24 | 31 | 32 | 34 | 26 | 37 | 40 | 39 | 3 |
| 141 | Other diseases of the female genital organs* .. .. | F. | 340 | 360 | 352 | 395 | 357 | 358 | 388 | 422 | 167 | 149 | 15 |
| | (1) Other diseases of the uterus* .. .. | F. | 138 | 157 | 147 | 177 | 156 | 140 | 163 | 207 | 132 | 116 | 12 |
| | (2) Diseases of the other female genital organs not included above* | F. | 202 | 203 | 205 | 218 | 201 | 218 | 225 | 215 | 35 | 33 | 3 |
| 142 | Non-puerperal diseases of the breast .. .. | M. | 2 | 7 | 6 | 3 | 4 | 1 | 5 | 1 | 5 | 3 | |
| | | F. | 26 | 15 | 19 | 15 | 26 | 19 | 26 | 30 | 17 | 17 | 2 |
| **143–150** | **VIII.—The Puerperal State** | F. | **3492** | **3667** | **3408** | **3239** | **2598** | **2509** | **3028** | **4144** | **3322** | **2971** | **289** |
| 143 | Accidents of pregnancy .. | F. | 377 | 403 | 365 | 323 | 278 | 258 | 287 | 329 | 334 | 310 | 35 |
| | (*a*) Abortion .. .. | F. | 120 | 125 | 126 | 106 | 119 | 106 | 121 | 111 | 107 | 92 | 10 |
| | (*b*) Ectopic gestation .. | F. | 73 | 75 | 74 | 74 | 51 | 58 | 73 | 79 | 83 | 86 | 9 |
| | (*c*) Other accidents .. | F. | 184 | 203 | 165 | 143 | 108 | 94 | 93 | 139 | 144 | 132 | 15 |
| 144 | Puerperal hæmorrhage .. | F. | 507 | 465 | 465 | 447 | 357 | 321 | 380 | 521 | 469 | 390 | 42 |
| 145 | Other accidents of childbirth | F. | 374 | 396 | 409 | 390 | 272 | 290 | 332 | 418 | 382 | 304 | 30 |
| 146 | Puerperal sepsis .. .. | F. | 1108 | 1365 | 1201 | 1083 | 873 | 845 | 1157 | 1730 | 1171 | 1079 | 98 |

Previous to 1921 deaths from Salpingitis were included under the heading Diseases of the other female genital organs (141 : 2), and those from Pelvic abscess under Other diseases of the uterus (141 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 147 | Phlegmasia alba dolens, puerperal embolism, etc. | F. | 332 | 332 | 292 | 307 | 243 | 218 | 230 | 347 | 326 | 296 | 277 |
| | (1) Phlegmasia alba dolens not returned as septic | F. | 65 | 57 | 50 | 64 | 43 | 42 | 51 | 54 | 64 | 54 | 61 |
| | (2) Embolism and sudden death .. .. | F. | 267 | 275 | 242 | 243 | 200 | 176 | 179 | 293 | 262 | 242 | 216 |
| 148 | Puerperal albuminuria and convulsions .. .. | F. | 755 | 659 | 626 | 656 | 541 | 543 | 595 | 749 | 604 | 556 | 518 |
| 149 | Childbirth not assignable to other headings (puerperal insanity) .. .. .. | F. | 28 | 40 | 34 | 27 | 19 | 25 | 37 | 40 | 29 | 30 | 23 |
| 150 | Puerperal diseases of the breast .. .. .. | F. | 11 | 7 | 16 | 6 | 15 | 9 | 10 | 10 | 7 | 6 | 4 |
| **151–154** | **IX.—Diseases of the Skin and Cellular Tissue*** .. | M. | **1825** | **2033** | **2042** | **1924** | **1876** | **1665** | **1846** | **1853** | **1753** | **1651** | **1581** |
| | | F. | **1639** | **1854** | **1795** | **1741** | **1678** | **1471** | **1538** | **1590** | **1456** | **1453** | **1410** |
| 151 | Gangrene .. .. .. | M. | 797 | 828 | 879 | 886 | 807 | 707 | 787 | 690 | 724 | 677 | 555 |
| | | F. | 691 | 754 | 744 | 732 | 718 | 663 | 663 | 657 | 574 | 620 | 586 |
| | (1) Senile gangrene .. | M. | 722 | 722 | 782 | 780 | 700 | 620 | 694 | 613 | 654 | 616 | 520 |
| | | F. | 600 | 635 | 634 | 633 | 617 | 536 | 587 | 586 | 508 | 541 | 534 |
| | (2) Other gangrene .. | M. | 75 | 106 | 97 | 106 | 107 | 87 | 93 | 77 | 70 | 61 | 35 |
| | | F. | 91 | 119 | 110 | 99 | 101 | 127 | 76 | 71 | 66 | 79 | 52 |
| 152 | Furuncle .. .. .. | M. | 150 | 180 | 198 | 161 | 200 | 221 | 207 | 204 | 216 | 205 | 234 |
| | | F. | 73 | 91 | 86 | 107 | 96 | 99 | 110 | 90 | 104 | 101 | 109 |
| 153 | Phlegmon, acute abscess*.. | M. | 390 | 456 | 448 | 390 | 431 | 336 | 427 | 485 | 382 | 396 | 367 |
| | | F. | 302 | 347 | 374 | 320 | 274 | 249 | 299 | 353 | 324 | 274 | 297 |
| | (1) Phlegmon* .. .. | M. | 259 | 320 | 293 | 252 | 277 | 244 | 282 | 333 | 252 | 277 | 263 |
| | | F. | 200 | 213 | 215 | 184 | 163 | 163 | 178 | 231 | 213 | 183 | 199 |
| | (2) Acute abscess*.. .. | M. | 131 | 136 | 155 | 138 | 154 | 92 | 145 | 152 | 130 | 119 | 104 |
| | | F. | 102 | 134 | 159 | 136 | 111 | 86 | 121 | 122 | 111 | 91 | 98 |
| 154 | Other diseases of the skin and its annexa .. .. | M. | 488 | 569 | 517 | 487 | 438 | 401 | 425 | 474 | 431 | 373 | 425 |
| | | F. | 573 | 662 | 591 | 582 | 590 | 460 | 466 | 490 | 454 | 458 | 418 |
| | (1) Ulcer, bedsore .. .. | M. | 149 | 194 | 178 | 135 | 166 | 135 | 114 | 124 | 108 | 100 | 126 |
| | | F. | 284 | 351 | 335 | 284 | 310 | 235 | 235 | 225 | 212 | 219 | 156 |
| | (2) Eczema .. .. | M. | 149 | 152 | 145 | 136 | 85 | 95 | 119 | 121 | 88 | 82 | 93 |
| | | F. | 84 | 91 | 76 | 84 | 70 | 64 | 59 | 63 | 63 | 48 | 45 |
| | (3) Pemphigus .. .. | M. | 72 | 77 | 61 | 87 | 68 | 52 | 73 | 72 | 88 | 71 | 72 |
| | | F. | 70 | 69 | 52 | 73 | 60 | 53 | 54 | 55 | 52 | 58 | 77 |
| | (4) Other diseases included under 154 .. .. | M. | 118 | 146 | 133 | 129 | 119 | 119 | 119 | 157 | 147 | 120 | 134 |
| | | F. | 135 | 151 | 128 | 141 | 150 | 108 | 118 | 147 | 127 | 133 | 140 |
| **155–158** | **X.—Diseases of the Bones and Organs of Locomotion†‡** | M. | **431** | **472** | **454** | **461** | **487** | **416** | **506** | **479** | **481** | **493** | **518** |
| | | F. | **296** | **309** | **306** | **305** | **320** | **287** | **353** | **362** | **291** | **323** | **285** |
| 155 | Diseases of the bones† .. | M. | 333 | 372 | 336 | 343 | 387 | 316 | 386 | 379 | 373 | 392 | 399 |
| | | F. | 227 | 230 | 228 | 215 | 218 | 198 | 242 | 240 | 224 | 240 | 214 |
| | (1) Infective osteomyelitis and periostitis .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 277 | 313 | 301 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 126 | 148 | 123 |
| | (2) Other diseases of the bones .. .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 96 | 79 | 98 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 98 | 92 | 91 |

* Previous to 1921 certain deaths from Diseases of the mediastinum (107 (*b*)) were included under these headings.
† Including deaths from Diseases of the accessory nasal sinuses (97 : 2) previous to 1921.
‡ Including deaths from Chronic arthritis (52 : 1 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 156 | Diseases of the joints* .. | M. | 74 | 71 | 83 | 96 | 77 | 76 | 98 | 87 | 86 | 81 | 89 |
| | | F. | 53 | 64 | 67 | 72 | 77 | 77 | 89 | 101 | 52 | 63 | 54 |
| 157 | Amputation .. .. .. | M. | — | 1 | — | 1 | — | 2 | — | — | — | 1 | — |
| | | F. | — | 1 | 1 | — | — | — | 1 | 1 | — | — | — |
| 158 | Other diseases of the organs of locomotion .. .. | M. | 24 | 28 | 35 | 21 | 23 | 22 | 22 | 13 | 22 | 19 | 30 |
| | | F. | 16 | 14 | 10 | 18 | 25 | 12 | 21 | 20 | 15 | 20 | 17 |
| **159** | **XI.—Malformations** .. | M. | **2193** | **2188** | **2120** | **2084** | **1796** | **1583** | **1732** | **2317** | **2149** | **2050** | **2033** |
| | | F. | **1740** | **1727** | **1705** | **1679** | **1546** | **1320** | **1350** | **1913** | **1681** | **1687** | **1565** |
| | (1) Congenital hydrocephalus .. .. | M. | 216 | 227 | 208 | 201 | 188 | 181 | 159 | 175 | 191 | 152 | 195 |
| | | F. | 135 | 127 | 148 | 139 | 145 | 125 | 97 | 139 | 110 | 133 | 116 |
| | (2) Congenital malformation of heart.. .. | M. | 886 | 892 | 849 | 805 | 735 | 652 | 733 | 952 | 822 | 829 | 803 |
| | | F. | 662 | 676 | 697 | 633 | 544 | 504 | 545 | 715 | 620 | 616 | 580 |
| | (3) Other congenital malformations .. .. | M. | 1091 | 1069 | 1063 | 1078 | 873 | 750 | 840 | 1190 | 1136 | 1069 | 1035 |
| | | F. | 943 | 924 | 860 | 907 | 857 | 691 | 708 | 1059 | 951 | 938 | 869 |
| **160–163** | **XII.—Diseases of Early Infancy** .. .. | M. | **18647** | **17966** | **16285** | **15084** | **12962** | **12650** | **14030** | **16769** | **15150** | **13205** | **12047** |
| | | F. | **14152** | **13455** | **12236** | **11112** | **9877** | **9608** | **10551** | **12325** | **11292** | **9619** | **8939** |
| 160 | Congenital debility, sclerema and icterus .. .. | M. | 6961 | 6398 | 5886 | 5233 | 4427 | 4021 | 4192 | 5057 | 4062 | 3224 | 2933 |
| | | F. | 5001 | 4522 | 4314 | 3589 | 3303 | 2984 | 2923 | 3375 | 2802 | 2204 | 1951 |
| | (1) Congenital debility and sclerema .. .. | M. | 6494 | 5968 | 5459 | 4862 | 4122 | 3692 | 3853 | 4630 | 3681 | 2879 | 2570 |
| | | F. | 4731 | 4254 | 4074 | 3382 | 3114 | 2816 | 2719 | 3121 | 2569 | 2025 | 1761 |
| | (2) Icterus .. .. .. | M. | 467 | 430 | 427 | 371 | 305 | 329 | 339 | 427 | 381 | 345 | 363 |
| | | F. | 270 | 268 | 240 | 207 | 189 | 168 | 204 | 254 | 233 | 179 | 190 |
| 161 | Premature birth, injury at birth .. .. .. | M. | 10431 | 10373 | 9268 | 8820 | 7646 | 7808 | 8897 | 10451 | 9982 | 8952 | 8190 |
| | | F. | 8286 | 8022 | 7093 | 6711 | 5869 | 5987 | 6886 | 8013 | 7608 | 6654 | 6245 |
| | (1) Premature birth .. | M. | 9794 | 9724 | 8715 | 8282 | 7169 | 7426 | 8409 | 9714 | 9265 | 8285 | 7564 |
| | | F. | 7860 | 7620 | 6716 | 6345 | 5578 | 5709 | 6600 | 7586 | 7146 | 6286 | 5815 |
| | (2) Injury at birth .. | M. | 637 | 649 | 553 | 538 | 477 | 382 | 488 | 737 | 717 | 667 | 626 |
| | | F. | 426 | 402 | 377 | 366 | 291 | 278 | 286 | 427 | 462 | 368 | 430 |
| 162 | Other diseases peculiar to early infancy .. .. | M. | 1160 | 1100 | 1013 | 897 | 760 | 692 | 797 | 1077 | 958 | 898 | 810 |
| | | F. | 765 | 795 | 714 | 681 | 570 | 519 | 592 | 802 | 753 | 644 | 624 |
| | (2) Atelectasis .. .. | M. | 936 | 909 | 820 | 718 | 622 | 569 | 668 | 879 | 783 | 730 | 671 |
| | | F. | 610 | 614 | 530 | 516 | 452 | 406 | 459 | 622 | 586 | 483 | 457 |
| | (1) Diseases of the umbilicus | M. | | | | | | | | | 69 | 72 | 62 |
| | | F. | 224 | 191 | 193 | 179 | 138 | 123 | 129 | 198 | 74 | 55 | 57 |
| | (3) Other diseases included under 162 .. .. | M. | 155 | 181 | 184 | 165 | 118 | 113 | 133 | 180 | 106 | 96 | 77 |
| | | F. | | | | | | | | | 93 | 106 | 110 |
| 163 | Lack of care .. .. | M. | 95 | 95 | 118 | 134 | 129 | 129 | 144 | 184 | 148 | 131 | 114 |
| | | F. | 100 | 116 | 115 | 131 | 135 | 118 | 150 | 135 | 129 | 117 | 119 |
| **164** | **XIII.—Old Age** .. .. | M. | **13260** | **12775** | **13759** | **13560** | **13616** | **12055** | **12994** | **10917** | **11268** | **11806** | **10549** |
| | | F. | **17636** | **17388** | **19207** | **18379** | **17784** | **15956** | **18018** | **15471** | **16138** | **16659** | **14795** |
| | (1) Senile dementia .. | M. | 505 | 448 | 548 | 534 | 686 | 628 | 562 | 535 | 572 | 655 | 645 |
| | | F. | 590 | 686 | 713 | 700 | 768 | 747 | 673 | 733 | 839 | 897 | 796 |
| | (2) Other forms of senile decay.. .. .. | M. | 12755 | 12327 | 13211 | 13026 | 12930 | 11427 | 12432 | 10382 | 10696 | 11151 | 9904 |
| | | F. | 17046 | 16702 | 18494 | 17679 | 17016 | 15209 | 17345 | 14738 | 15299 | 15762 | 13999 |

* Including deaths from chronic arthritis (52 : 1 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| nter-tional st No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5–203** | **XIV.—External Causes** .. | M. | **13778** | **15471** | **16965** | **18384** | **16995** | **17475** | **13033** | **12464** | **11626** | **11473** | **12113** |
| | | F. | **5885** | **5889** | **6255** | **6101** | **5980** | **5365** | **5292** | **5117** | **4874** | **4922** | **4994** |
| 5–174 | Suicide .. .. .. | M. | 2596 | 2802 | 2029 | 2063 | 1740 | 1845 | 2340 | 2427 | 2763 | 2817 | 2887 |
| | | F. | 918 | 922 | 937 | 792 | 755 | 920 | 1008 | 998 | 996 | 1059 | 1062 |
| 5, 166 | By solid or liquid poisons and corrosive substances | M. | 302 | 283 | 156 | 130 | 102 | 96 | 121 | 185 | 203 | 237 | 240 |
| | | F. | 210 | 223 | 168 | 115 | 94 | 122 | 135 | 129 | 172 | 196 | 177 |
| 167 | By poisonous gas .. .. | M. | 108 | 111 | 106 | 77 | 75 | 96 | 116 | 160 | 233 | 330 | 449 |
| | | F. | 52 | 38 | 59 | 46 | 90 | 80 | 97 | 110 | 132 | 173 | 239 |
| 168 | By hanging or strangulation .. .. .. | M. | 741 | 759 | 517 | 552 | 462 | 462 | 649 | 567 | 676 | 666 | 619 |
| | | F. | 173 | 159 | 182 | 152 | 127 | 154 | 185 | 155 | 166 | 150 | 130 |
| 169 | By drowning .. .. | M. | 469 | 537 | 371 | 364 | 291 | 339 | 425 | 490 | 585 | 522 | 537 |
| | | F. | 284 | 305 | 336 | 319 | 269 | 349 | 349 | 397 | 323 | 331 | 315 |
| 170 | By firearms .. .. | M. | 249 | 297 | 241 | 243 | 213 | 205 | 206 | 238 | 248 | 249 | 231 |
| | | F. | 11 | 10 | 11 | 8 | 8 | 17 | 12 | 15 | 10 | 7 | 16 |
| 171 | By cutting or piercing instruments .. .. | M. | 491 | 583 | 455 | 544 | 469 | 494 | 618 | 583 | 598 | 581 | 568 |
| | | F. | 112 | 132 | 89 | 97 | 90 | 124 | 124 | 108 | 112 | 114 | 101 |
| 172 | By jumping from high places .. .. .. | M. | 53 | 67 | 76 | 54 | 40 | 66 | 63 | 57 | 69 | 75 | 72 |
| | | F. | 34 | 25 | 52 | 33 | 39 | 41 | 53 | 42 | 38 | 51 | 54 |
| 173 | By crushing .. .. | M. | 172 | 160 | 98 | 94 | 77 | 82 | 133 | 138 | 146 | 148 | 163 |
| | | F. | 27 | 24 | 31 | 17 | 29 | 28 | 33 | 22 | 23 | 19 | 18 |
| 174 | By other means .. .. | M. | 11 | 5 | 9 | 5 | 11 | 5 | 9 | 9 | 5 | 9 | 8 |
| | | F. | 15 | 6 | 9 | 5 | 9 | 5 | 20 | 20 | 20 | 18 | 12 |
| 5–196, 1–203 | Violent deaths excluding suicide and homicide .. | M. | 11042 | 12536 | 14807 | 16205 | 15142 | 15530 | 10545 | 9895 | 8746 | 8571 | 9096 |
| | | F. | 4787 | 4813 | 5176 | 5168 | 5083 | 4333 | 4135 | 3973 | 3748 | 3746 | 3822 |
| 175 | Food poisoning .. .. | M. | 53 | 76 | 54 | 60 | 36 | 52 | 29 | 32 | 29 | 21 | 21 |
| | | F. | 51 | 39 | 39 | 39 | 31 | 43 | 26 | 26 | 31 | 20 | 17 |
| 176 | Poisoning by venomous animals .. .. .. | M. | 6 | 3 | 6 | 5 | 4 | 3 | 3 | 4 | 5 | 4 | 5 |
| | | F. | 6 | 10 | 6 | 1 | 4 | 4 | 3 | 7 | 10 | 3 | 12 |
| 177 | Other acute accidental poisonings.. .. .. | M. | 126 | 128 | 93 | 71 | 78 | 83 | 67 | 69 | 84 | 78 | 67 |
| | | F. | 98 | 91 | 73 | 57 | 51 | 51 | 56 | 47 | 52 | 43 | 44 |
| 178 | Conflagration .. .. | M. | 27 | 39 | 38 | 34 | 29 | 31 | 29 | 43 | 22 | 20 | 20 |
| | | F. | 28 | 29 | 34 | 44 | 50 | 29 | 20 | 45 | 28 | 21 | 12 |
| 179 | Burns (conflagration excepted) .. .. .. | M. | 916 | 871 | 1002 | 955 | 962 | 958 | 830 | 747 | 696 | 738 | 752 |
| | | F. | 1228 | 1310 | 1424 | 1403 | 1624 | 1309 | 1265 | 1038 | 892 | 984 | 856 |
| 180 | Accidental mechanical suffocation .. .. | M. | 774 | 810 | 717 | 508 | 517 | 390 | 384 | 428 | 415 | 346 | 321 |
| | | F. | 681 | 666 | 570 | 420 | 394 | 341 | 286 | 336 | 305 | 255 | 225 |
| 181 | Accidental absorption of irrespirable or poisonous gas .. .. .. | M. | 65 | 72 | 99 | 108 | 128 | 100 | 91 | 100 | 94 | 114 | 92 |
| | | F. | 27 | 26 | 41 | 52 | 58 | 49 | 40 | 36 | 56 | 62 | 60 |
| 182 | Accidental drowning .. | M. | 1999 | 2111 | 2257 | 2343 | 2015 | 1704 | 1537 | 1520 | 1564 | 1244 | 1385 |
| | | F. | 421 | 374 | 474 | 459 | 363 | 402 | 341 | 358 | 338 | 271 | 310 |
| | Accidental injury :— | | | | | | | | | | | | |
| 183 | By firearms .. .. | M. | 99 | 126 | 151 | 143 | 126 | 125 | 107 | 90 | 80 | 82 | 76 |
| | | F. | 14 | 10 | 18 | 14 | 14 | 16 | 9 | 12 | 7 | 4 | 6 |
| 184 | By cutting or piercing instruments .. .. | M. | 29 | 28 | 31 | 28 | 13 | 30 | 20 | 16 | 15 | 14 | 13 |
| | | F. | 3 | 11 | 8 | 3 | 2 | 6 | 6 | 6 | 4 | 3 | 1 |
| 185 | By fall .. .. .. | M. | 1959 | 2042 | 2117 | 2118 | 1866 | 1636 | 1695 | 1694 | 1503 | 1444 | 1361 |
| | | F. | 1437 | 1410 | 1445 | 1546 | 1349 | 1113 | 1168 | 1206 | 1105 | 1271 | 1302 |
| 186 | In mines and quarries .. | M. | 1154 | 1586 | 1165 | 1164 | 1226 | 1118 | 1144 | 964 | 671 | 928 | 1106 |
| | | F. | — | — | — | — | — | 1 | 1 | 1 | — | 1 | 1 |

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1913–1923.—MALES AND FEMALES—*cont.*

*List of Causes as in use for* 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

| International List No. | Causes of Death. | | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Accidental injury—*cont.* | | | | | | | | | | | | |
| 187 | By machinery .. .. | M. | 287 | 242 | 331 | 311 | 347 | 352 | 305 | 317 | 183 | 185 | 202 |
| | | F. | 8 | 8 | 9 | 23 | 12 | 38 | 21 | 22 | 6 | 7 | 11 |
| 188 | By other forms of crushing (vehicles, railways, etc.) | M. | 2872 | 3011 | 3672 | 3544 | 3348 | 3836 | 3014 | 3126 | 2785 | 2835 | 3009 |
| | | F. | 582 | 589 | 777 | 719 | 702 | 645 | 716 | 700 | 711 | 650 | 742 |
| 189 | Injury by animals (poisoning excepted) .. .. .. | M. | 91 | 105 | 105 | 104 | 96 | 105 | 97 | 61 | 74 | 57 | 57 |
| | | F. | 5 | 9 | 8 | 7 | 7 | 5 | 4 | 8 | 10 | 6 | 6 |
| 190 | Wounds of war .. .. | M. | — | 671 | 2115 | 3909 | 3585 | 4290 | 695 | 229 | 101 | 72 | 75 |
| | | F. | — | 47 | 89 | 142 | 215 | 93 | — | — | — | — | — |
| 191 | Execution of civilians by belligerent armies .. .. | M. | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — |
| 192 | Hunger or thirst .. .. | M. | 17 | 23 | 25 | 16 | 18 | 12 | 7 | 14 | 11 | 8 | 9 |
| | | F. | 6 | 6 | 13 | 15 | 12 | 1 | 4 | 2 | 8 | 6 | 3 |
| 193 | Excessive cold .. .. | M. | 63 | 61 | 111 | 148 | 128 | 59 | 54 | 29 | 29 | 38 | 23 |
| | | F. | 10 | 23 | 21 | 29 | 38 | 13 | 19 | 10 | 4 | 21 | 11 |
| 194 | Excessive heat .. .. | M. | 94 | 94 | 50 | 88 | 65 | 44 | 63 | 13 | 132 | 54 | 217 |
| | | F. | 52 | 41 | 19 | 45 | 25 | 17 | 35 | 13 | 115 | 29 | 107 |
| 195 | Lightning .. .. .. | M. | 9 | 24 | 20 | 11 | 20 | 13 | 5 | 11 | 3 | 4 | 8 |
| | | F. | 2 | 7 | 1 | 1 | — | — | — | — | — | 1 | — |
| 196 | Electricity (lightning excepted) .. | M. | 22 | 20 | 29 | 34 | 24 | 40 | 32 | 26 | 19 | 21 | 25 |
| | | F. | — | — | — | — | — | — | — | — | — | 1 | — |
| 197–199 | Homicide .. .. .. | M. | 140 | 133 | 129 | 116 | 113 | 100 | 148 | 142 | 117 | 85 | 130 |
| | | F. | 180 | 154 | 142 | 141 | 142 | 112 | 149 | 146 | 130 | 117 | 110 |
| 197 | By firearms .. .. | M. | 15 | 28 | 13 | 8 | 12 | 8 | 21 | 6 | 11 | 5 | 12 |
| | | F. | 24 | 16 | 7 | 8 | 9 | 5 | 16 | 12 | 14 | 11 | 13 |
| 198 | By cutting or piercing instruments .. .. | M. | 16 | 19 | 23 | 20 | 19 | 16 | 33 | 23 | 14 | 11 | 15 |
| | | F. | 28 | 38 | 30 | 27 | 24 | 29 | 36 | 34 | 31 | 31 | 25 |
| 199 | By other means .. .. | M. | 109 | 86 | 93 | 88 | 82 | 76 | 94 | 113 | 92 | 69 | 103 |
| | | F. | 128 | 100 | 105 | 106 | 109 | 78 | 97 | 100 | 85 | 75 | 72 |
| * 201 | Fracture (cause not specified) | M. | 44 | 57 | 67 | 53 | 55 | 65 | 45 | 34 | 32 | 39 | 26 |
| | | F. | 21 | 16 | 23 | 21 | 18 | 16 | 23 | 17 | 11 | 10 | 5 |
| 202 | Other external violence .. | M. | 281 | 283 | 471 | 426 | 438 | 466 | 274 | 310 | 186 | 210 | 216 |
| | | F. | 91 | 76 | 67 | 119 | 102 | 130 | 82 | 75 | 56 | 66 | 87 |
| 203 | Violent deaths of unknown causation .. .. .. | M. | 55 | 53 | 81 | 24 | 18 | 18 | 18 | 18 | 13 | 15 | 10 |
| | | F. | 16 | 15 | 17 | 9 | 12 | 11 | 10 | 8 | 4 | 11 | 4 |
| **204, 205** | **XV.—Ill-defined Diseases** .. | M. | **1568** | **1414** | **1640** | **1581** | **1340** | **1327** | **1335** | **1110** | **1088** | **1034** | **982** |
| | | F. | **1200** | **1273** | **1383** | **1248** | **1145** | **1120** | **1019** | **847** | **794** | **797** | **731** |
| 204 | Sudden death .. .. | M. | 162 | 122 | 176 | 170 | 125 | 124 | 158 | 122 | 191 | 200 | 200 |
| | | F. | 101 | 101 | 123 | 131 | 93 | 97 | 99 | 87 | 114 | 118 | 125 |
| 205 | Cause of death unstated or ill-defined .. .. | M. | 1406 | 1292 | 1464 | 1411 | 1215 | 1203 | 1177 | 988 | 897 | 834 | 782 |
| | | F. | 1099 | 1172 | 1260 | 1117 | 1052 | 1023 | 920 | 760 | 680 | 679 | 606 |
| | (1) Heart failure (1–70 years) .. .. | M. | 755 | 723 | 806 | 771 | 698 | 664 | 721 | 621 | 540 | 557 | 504 |
| | | F. | 488 | 598 | 629 | 589 | 570 | 579 | 569 | 462 | 374 | 389 | 373 |
| | (2) Other ill-defined causes | M. | 573 | 505 | 594 | 569 | 428 | 414 | 332 | 304 | 314 | 236 | 234 |
| | | F. | 549 | 534 | 574 | 477 | 424 | 400 | 301 | 259 | 273 | 261 | 210 |
| | (3) Cause not specified .. | M. | 78 | 64 | 64 | 71 | 89 | 125 | 124 | 63 | 43 | 41 | 44 |
| | | F. | 62 | 40 | 57 | 51 | 58 | 44 | 50 | 39 | 33 | 29 | 23 |

* 200 Infanticide. Deaths from this cause are included under headings 197-199—Homicide.

## Table 5.—England and Wales.—Crude Annual Death-Rates from Certain Causes at All Ages to a Million Living, 1913–1923.—Males, Females, and Persons.

List of Causes as in use for 1921, but restricted in this table to headings showing a mortality of 5 or more per million in 1921. Other headings showing a mortality of 5 or more per million in the year 1922 are dealt with in footnotes. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 4. The figures for "Other Diseases" in any particular class (e.g., 84, "Other Diseases of the Nervous System") relate to that heading of the International List, and do not include the diseases omitted from the table under the above rule.

The rates prior to 1921 are subject to slight revision when revised estimates of population have been prepared.

| List No. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL CAUSES .. .. | M. | 14,780 | 14,955 | 17,732 | 16,884 | 17,767 | 21,098 | 15,022 | 13,413 | 12,957 | 13,565 | 12,368 |
| | | F. | 12,872 | 13,068 | 13,936 | 12,437 | 12,061 | 15,986 | 12,544 | 11,456 | 11,328 | 12,018 | 10,863 |
| | | P. | 13,795 | 13,981 | 15,653 | 14,371 | 14,445 | 17,560 | 13,701 | 12,388 | 12,106 | 12,757 | 11,582 |
| 1-42 | I. Epidemic, Endemic and Infectious Diseases | M. | 2,596 | 2,685 | 3,448 | 3,011 | 3,297 | 6,638 | 3,334 | 2,306 | 2,039 | 2,467 | 1,944 |
| | | F. | 2,064 | 2,171 | 2,537 | 2,085 | 2,157 | 5,146 | 2,653 | 1,868 | 1,698 | 2,087 | 1,564 |
| | | P. | 2,322 | 2,419 | 2,949 | 2,488 | 2,634 | 5,759 | 2,971 | 2,077 | 1,861 | 2,269 | 1,746 |
| 1 | Enteric fever .. .. .. | M. | 51 | 57 | 43 | 37 | 33 | 29 | 18 | 16 | 17 | 13 | 12 |
| | | F. | 32 | 36 | 29 | 25 | 24 | 25 | 13 | 12 | 15 | 11 | 11 |
| | | P. | 41 | 46 | 35 | 30 | 28 | 26 | 16 | 14 | 16 | 12 | 12 |
| | (a) Typhoid fever .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 17 | 13 | 12 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 14 | 11 | 10 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 16 | 12 | 11 |
| 5 | Malaria .. .. .. | M. | 3 | 3 | 3 | 2 | 6 | 6 | 15 | 13 | 8 | 6 | 4 |
| | | F. | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| | | P. | 2 | 2 | 2 | 1 | 3 | 3 | 7 | 7 | 4 | 3 | 2 |
| 7 | Measles .. .. .. | M. | 314 | 263 | 530 | 187 | 384 | 365 | 106 | 210 | 66 | 164 | 157 |
| | | F. | 269 | 233 | 406 | 129 | 253 | 236 | 88 | 174 | 53 | 136 | 121 |
| | | P. | 291 | 247 | 462 | 155 | 308 | 289 | 96 | 191 | 59 | 149 | 138 |
| 8 | Scarlet fever .. .. .. | M. | 60 | 78 | 71 | 44 | 26 | 33 | 33 | 39 | 35 | 36 | 27 |
| | | F. | 55 | 76 | 61 | 35 | 19 | 26 | 33 | 37 | 34 | 37 | 24 |
| | | P. | 57 | 77 | 66 | 39 | 22 | 29 | 33 | 38 | 34 | 36 | 26 |
| 9 | Whooping cough .. .. | M. | 136 | 201 | 231 | 178 | 135 | 319 | 67 | 110 | 113 | 157 | 104 |
| | | F. | 161 | 233 | 230 | 174 | 133 | 280 | 74 | 123 | 128 | 176 | 112 |
| | | P. | 149 | 218 | 230 | 176 | 134 | 296 | 71 | 117 | 121 | 167 | 108 |
| 10 | Diphtheria .. .. .. | M. | 122 | 162 | 177 | 172 | 154 | 166 | 137 | 150 | 127 | 112 | 72 |
| | | F. | 121 | 155 | 155 | 140 | 116 | 126 | 129 | 149 | 125 | 102 | 70 |
| | | P. | 121 | 159 | 165 | 154 | 132 | 142 | 133 | 150 | 126 | 107 | 71 |
| 11 | Influenza .. .. .. | M. | 190 | 174 | 319 | 279 | 258 | 3,360 | 1,350 | 315 | 249 | 568 | 234 |
| | | F. | 160 | 150 | 271 | 231 | 182 | 2,967 | 1,101 | 255 | 226 | 559 | 207 |
| | | P. | 175 | 161 | 293 | 252 | 213 | 3,129 | 1,217 | 283 | 237 | 563 | 220 |
| | (a) 1. With pneumonic complications. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 116 | 285 | 110 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 88 | 256 | 78 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 101 | 270 | 93 |
| | (a) 2. With other pulmonary complications. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 43 | 124 | 41 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 46 | 130 | 45 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 45 | 127 | 43 |
| | (b) 1. With non-pulmonary complications. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 53 | 87 | 52 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 51 | 91 | 48 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 52 | 89 | 50 |
| | (b) 2. Without stated complication. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 37 | 72 | 31 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 41 | 82 | 36 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 39 | 77 | 34 |
| 16 | Dysentery .. .. .. | M. | 6 | 7 | 12 | 16 | 33 | 32 | 16 | 9 | 7 | 5 | 5 |
| | | F. | 6 | 8 | 14 | 12 | 19 | 18 | 8 | 5 | 7 | 6 | 3 |
| | | P. | 6 | 7 | 13 | 13 | 25 | 24 | 12 | 7 | 7 | 6 | 4 |
| | (c) Unspecified, or other than Amœbic or Bacillary. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 5 | 4 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 5 | 2 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 5 | 3 |
| 21 | Erysipelas .. .. .. | M. | 25 | 34 | 35 | 26 | 20 | 21 | 21 | 23 | 20 | 21 | 17 |
| | | F. | 19 | 29 | 25 | 17 | 15 | 14 | 15 | 21 | 18 | 16 | 16 |
| | | P. | 22 | 31 | 30 | 21 | 17 | 17 | 18 | 22 | 19 | 18 | 16 |
| 23 | Encephalitis lethargica .. | M. | — | — | — | — | — | 0 | 8 | 13 | 19 | 9 | 15 |
| | | F. | — | — | — | — | — | 1 | 8 | 12 | 19 | 9 | 13 |
| | | P. | — | — | — | — | — | 0 | 8 | 13 | 19 | 9 | 14 |
| 24 | Meningococcal meningitis .. | M. | 10 | 12 | 54 | 31 | 37 | 24 | 25 | 17 | 13 | 11 | 8 |
| | | F. | 8 | 9 | 37 | 23 | 25 | 15 | 13 | 12 | 9 | 8 | 7 |
| | | P. | 9 | 10 | 45 | 26 | 31 | 18 | 19 | 14 | 11 | 9 | 7 |
| 29 | Tetanus .. .. .. | M. | 8 | 9 | 7 | 8 | 9 | 9 | 7 | 6 | 6 | 6 | 7 |
| | | F. | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 |
| | | P. | 5 | 5 | 4 | 4 | 5 | 4 | 4 | 4 | 4 | 4 | 5 |

* Based upon civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| List No. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917* | 1918.* | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 31–37 | Tuberculosis (all forms) .. | M. | 1,562 | 1,571 | 1,851 | 1,912 | 2,072 | 2,153 | 1,429 | 1,279 | 1,266 | 1,279 | 1,204 |
| | | F. | 1,154 | 1,164 | 1,237 | 1,234 | 1,303 | 1,373 | 1,109 | 996 | 999 | 976 | 932 |
| | | P. | 1,352 | 1,361 | 1,515 | 1,529 | 1,624 | 1,694 | 1,258 | 1,131 | 1,127 | 1,121 | 1,062 |
| 31 | Respiratory system .. | M. | 1,164 | 1,198 | 1,411 | 1,468 | 1,587 | 1,692 | 1,120 | 998 | 1,002 | 1,024 | 958 |
| | | F. | 825 | 860 | 911 | 916 | 971 | 1,064 | 853 | 757 | 777 | 766 | 724 |
| | | P. | 989 | 1,024 | 1,137 | 1,156 | 1,229 | 1,323 | 978 | 871 | 884 | 889 | 836 |
| 32 | Nervous system .. | M. | 151 | 139 | 171 | 168 | 177 | 160 | 110 | 105 | 98 | 98 | 91 |
| | | F. | 124 | 114 | 131 | 122 | 124 | 106 | 92 | 86 | 80 | 78 | 79 |
| | | P. | 137 | 126 | 149 | 142 | 146 | 128 | 100 | 95 | 89 | 88 | 85 |
| 33 | Intestines and peritoneum | M. | 111 | 100 | 117 | 112 | 124 | 115 | 67 | 58 | 59 | 51 | 52 |
| | | F. | 94 | 88 | 88 | 91 | 88 | 81 | 64 | 59 | 55 | 48 | 50 |
| | | P. | 103 | 94 | 102 | 100 | 103 | 94 | 65 | 58 | 57 | 49 | 51 |
| 34 | Vertebral column .. .. | M. | 19 | 19 | 20 | 24 | 28 | 30 | 21 | 22 | 19 | 21 | 18 |
| | | F. | 16 | 14 | 15 | 14 | 16 | 20 | 15 | 14 | 16 | 15 | 14 |
| | | P. | 17 | 16 | 17 | 19 | 21 | 24 | 18 | 19 | 18 | 18 | 16 |
| 35 | Joints .. .. .. | M. | 12 | 11 | 13 | 15 | 18 | 19 | 13 | 12 | 9 | 10 | 9 |
| | | F. | 8 | 6 | 8 | 7 | 7 | 9 | 8 | 7 | 7 | 6 | 6 |
| | | P. | 10 | 9 | 10 | 11 | 12 | 13 | 10 | 9 | 8 | 8 | 7 |
| 36 | Other organs .. .. | M. | 18 | 20 | 20 | 25 | 26 | 25 | 21 | 18 | 17 | 16 | 17 |
| | | F. | 16 | 14 | 16 | 16 | 19 | 19 | 19 | 15 | 16 | 14 | 13 |
| | | P. | 17 | 16 | 17 | 21 | 22 | 21 | 19 | 16 | 16 | 15 | 15 |
| | (*d*) Genito-urinary system | M. | ? | ? | ? | ? | ? | ? | ? | ? | 7 | 8 | 9 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 5 | 5 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 7 | 7 |
| 37 | Disseminated tuberculosis .. | M. | 87 | 84 | 99 | 100 | 112 | 112 | 77 | 66 | 62 | 59 | 59 |
| | | F. | 71 | 68 | 68 | 68 | 78 | 74 | 58 | 58 | 48 | 49 | 46 |
| | | P. | 79 | 76 | 83 | 80 | 91 | 91 | 68 | 63 | 55 | 54 | 52 |
| | (*a*) Acute .. .. .. | M. | 24 | 22 | 27 | 24 | 25 | 25 | 19 | 17 | 13 | 16 | 21 |
| | | F. | 22 | 21 | 21 | 20 | 20 | 18 | 18 | 19 | 12 | 14 | 20 |
| | | P. | 23 | 22 | 24 | 22 | 22 | 21 | 18 | 18 | 12 | 15 | 21 |
| | (*b*) Chronic or unstated .. | M. | 63 | 62 | 72 | 76 | 87 | 87 | 58 | 49 | 49 | 43 | 38 |
| | | F. | 49 | 47 | 47 | 48 | 58 | 56 | 40 | 39 | 36 | 35 | 26 |
| | | P. | 56 | 54 | 59 | 58 | 69 | 70 | 50 | 45 | 43 | 39 | 31 |
| 38 | Syphilis .. .. .. | M. | 67 | 69 | 67 | 75 | 85 | 81 | 64 | 64 | 57 | 47 | 47 |
| | | F. | 47 | 48 | 41 | 41 | 45 | 42 | 38 | 44 | 38 | 31 | 27 |
| | | P. | 57 | 58 | 53 | 55 | 61 | 58 | 50 | 54 | 47 | 39 | 36 |
| 41 | Purulent infection, septicæmia | M. | 21 | 24 | 25 | 20 | 19 | 19 | 18 | 23 | 20 | 19 | 17 |
| | | F. | 10 | 12 | 12 | 10 | 8 | 9 | 9 | 12 | 12 | 10 | 10 |
| | | P. | 16 | 18 | 18 | 14 | 13 | 13 | 14 | 18 | 15 | 14 | 13 |
| | 2. Forms other than vaccinia | M. | 21 | 24 | 25 | 20 | 19 | 19 | 18 | 23 | 20 | 19 | 17 |
| | | F. | 10 | 12 | 12 | 10 | 8 | 9 | 9 | 12 | 12 | 10 | 9 |
| | | P. | 16 | 18 | 18 | 14 | 13 | 13 | 14 | 18 | 15 | 14 | 13 |
| 43–69 | II. General Diseases not included in I. 1–42.† | M. | 1,351 | 1,386 | 1,544 | 1,634 | 1,709 | 1,702 | 1,440 | 1,455 | 1,505 | 1,549 | 1,563 |
| | | F. | 1,575 | 1,597 | 1,605 | 1,602 | 1,560 | 1,537 | 1,573 | 1,619 | 1,709 | 1,733 | 1,758 |
| | | P. | 1,467 | 1,495 | 1,578 | 1,616 | 1,622 | 1,604 | 1,511 | 1,541 | 1,612 | 1,645 | 1,665 |
| 43–49 | Cancer, malignant disease.. | M. | 956 | 971 | 1,076 | 1,163 | 1,263 | 1,280 | 1,090 | 1,097 | 1,142 | 1,167 | 1,203 |
| | | F. | 1,165 | 1,161 | 1,158 | 1,168 | 1,173 | 1,175 | 1,194 | 1,219 | 1,281 | 1,286 | 1,326 |
| | | P. | 1,064 | 1,069 | 1,121 | 1,166 | 1,210 | 1,218 | 1,145 | 1,161 | 1,215 | 1,229 | 1,267 |
| 43 | Buccal cavity .. .. | M. | 121 | 117 | 131 | 146 | 161 | 169 | 139 | 137 | 137 | 133 | 139 |
| | | F. | 17 | 18 | 18 | 19 | 20 | 19 | 19 | 19 | 18 | 18 | 21 |
| | | P. | 68 | 66 | 69 | 74 | 79 | 81 | 75 | 75 | 75 | 73 | 77 |
| 44 | Pharynx, œsophagus, stomach, liver and annexa | M. | 379 | 391 | 427 | 460 | 493 | 493 | 422 | 417 | 438 | 449 | 454 |
| | | F. | 336 | 340 | 338 | 337 | 323 | 324 | 321 | 333 | 344 | 352 | 352 |
| | | P. | 357 | 365 | 378 | 391 | 394 | 393 | 367 | 373 | 389 | 398 | 401 |
| 45 | Peritoneum, intestines and rectum. | M. | 213 | 208 | 236 | 255 | 282 | 279 | 243 | 248 | 259 | 263 | 273 |
| | | F. | 216 | 218 | 217 | 223 | 225 | 236 | 235 | 242 | 255 | 249 | 266 |
| | | P. | 215 | 213 | 226 | 237 | 249 | 254 | 239 | 245 | 257 | 256 | 269 |
| 46 | Female genital organs .. | F. | 258 | 250 | 246 | 247 | 256 | 254 | 255 | 254 | 275 | 269 | 278 |
| 47 | Breast .. .. .. | M. | 1 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 |
| | | F. | 204 | 199 | 202 | 211 | 213 | 207 | 220 | 228 | 237 | 242 | 249 |
| | | P. | 106 | 104 | 112 | 120 | 125 | 123 | 118 | 120 | 125 | 128 | 131 |

* Based upon civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| List No. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cancer, malignant disease—*contd.* | | | | | | | | | | | | |
| 48 | Skin.. .. .. .. | M. | 32 | 34 | 38 | 43 | 45 | 46 | 42 | 39 | 40 | 40 | 41 |
| | | F. | 17 | 18 | 20 | 19 | 20 | 20 | 21 | 20 | 20 | 22 | 21 |
| | | P. | 24 | 26 | 28 | 29 | 30 | 31 | 31 | 29 | 30 | 31 | 31 |
| 49 | Other or unspecified organs | M. | 210 | 219 | 242 | 257 | 279 | 290 | 242 | 254 | 266 | 280 | 294 |
| | | F. | 117 | 118 | 117 | 112 | 116 | 115 | 123 | 123 | 132 | 134 | 139 |
| | | P. | 161 | 166 | 173 | 175 | 184 | 187 | 179 | 186 | 196 | 203 | 213 |
| 50 | Tumours not returned as malignant (brain and female genital organs excepted). | M. | 12 | 15 | 18 | 19 | 20 | 22 | 18 | 18 | 20 | 20 | 22 |
| | | F. | 11 | 12 | 14 | 14 | 12 | 12 | 13 | 15 | 15 | 15 | 16 |
| | | P. | 12 | 14 | 16 | 16 | 15 | 16 | 15 | 16 | 17 | 17 | 19 |
| 51 | Rheumatic fever .. .. | M. | 47 | 54 | 62 | 56 | 46 | 50 | 40 | 54 | 48 | 45 | 42 |
| | | F. | 49 | 57 | 58 | 52 | 40 | 40 | 42 | 58 | 48 | 48 | 43 |
| | | P. | 48 | 56 | 60 | 53 | 42 | 44 | 41 | 56 | 48 | 47 | 42 |
| 52 | Chronic rheumatism, osteo-arthritis, gout.† | M. | 45 | 44 | 57 | 58 | 62 | 55 | 47 | 41 | 42 | 49 | 45 |
| | | F. | 63 | 63 | 73 | 75 | 68 | 73 | 73 | 69 | 78 | 80 | 80 |
| | | P. | 54 | 54 | 66 | 67 | 66 | 65 | 60 | 56 | 60 | 65 | 64 |
| | 1. Chronic rheumatism, chronic arthritis.† | M. | 10 | 10 | 12 | 14 | 15 | 13 | 11 | 9 | 11 | 11 | 10 |
| | | F. | 12 | 13 | 15 | 17 | 13 | 14 | 13 | 12 | 14 | 13 | 12 |
| | | P. | 11 | 11 | 14 | 15 | 14 | 13 | 12 | 11 | 12 | 12 | 11 |
| | 2. Rheumatoid and osteo-arthritis. | M. | 18 | 18 | 26 | 25 | 29 | 28 | 24 | 22 | 22 | 28 | 27 |
| | | F. | 47 | 47 | 53 | 55 | 52 | 57 | 58 | 56 | 62 | 65 | 66 |
| | | P. | 33 | 33 | 41 | 42 | 43 | 45 | 42 | 40 | 43 | 47 | 48 |
| | 3. Gout .. .. .. | M. | 17 | 16 | 19 | 19 | 18 | 14 | 12 | 10 | 9 | 10 | 8 |
| | | F. | 4 | 3 | 5 | 3 | 3 | 2 | 2 | 1 | 2 | 2 | 2 |
| | | P. | 10 | 10 | 11 | 10 | 9 | 7 | 6 | 5 | 5 | 6 | 5 |
| 56 | Rickets .. .. .. | M. | 32 | 30 | 33 | 34 | 34 | 28 | 16 | 17 | 15 | 13 | 15 |
| | | F. | 20 | 20 | 17 | 20 | 20 | 17 | 10 | 10 | 11 | 9 | 10 |
| | | P. | 26 | 25 | 24 | 26 | 26 | 22 | 13 | 14 | 13 | 11 | 12 |
| 57 | Diabetes .. .. .. | M. | 120 | 126 | 142 | 150 | 133 | 126 | 110 | 98 | 105 | 116 | 105 |
| | | F. | 116 | 118 | 120 | 114 | 96 | 90 | 100 | 101 | 111 | 122 | 122 |
| | | P. | 118 | 122 | 130 | 130 | 112 | 105 | 105 | 100 | 108 | 119 | 114 |
| 58 | Anæmia, chlorosis .. .. | M. | 54 | 56 | 69 | 69 | 74 | 69 | 57 | 61 | 62 | 68 | 60 |
| | | F. | 65 | 72 | 75 | 74 | 74 | 60 | 71 | 71 | 84 | 84 | 77 |
| | | P. | 60 | 64 | 72 | 72 | 74 | 64 | 64 | 66 | 74 | 77 | 70 |
| | (*a*) Pernicious anæmia .. | M. | ? | ? | ? | ? | ? | ? | ? | 55 | 55 | 61 | 54 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | 62 | 74 | 74 | 68 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | 59 | 65 | 68 | 62 |
| | (*b*) Other anæmias and chlorosis. | M. | ? | ? | ? | ? | ? | ? | ? | 6 | 7 | 7 | 6 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | 9 | 10 | 10 | 9 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | 7 | 9 | 9 | 8 |
| 60 | Diseases of the thyroid gland† | M. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 6 | 7 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 42 | 44 | 41 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 25 | 26 | 25 |
| | (*a*) Exophthalmic goitre .. | M. | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | F. | 19 | 23 | 21 | 20 | 20 | 18 | 24 | 24 | 27 | 30 | 28 |
| | | P. | 11 | 13 | 12 | 13 | 13 | 12 | 14 | 14 | 15 | 17 | 16 |
| | (*b*) (1) Myxœdema .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 1 | 1 | 1 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 7 | 7 | 7 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 4 | 4 | 4 |
| | (*b*) (2) and (3) Cretinism and other diseases of the thyroid gland. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 2 | 2 | 3 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 8 | 7 | 6 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 5 | 5 |
| 62 | Diseases of the thymus .. | M. | 6 | 8 | 7 | 8 | 5 | 5 | 4 | 5 | 6 | 6 | 6 |
| | | F. | 4 | 5 | 4 | 4 | 4 | 3 | 2 | 3 | 4 | 4 | 3 |
| | | P. | 5 | 6 | 6 | 6 | 4 | 4 | 3 | 4 | 5 | 5 | 4 |
| 63 | Diseases of the adrenals .. | M. | 6 | 5 | 6 | 6 | 7 | 6 | 4 | 5 | 5 | 5 | 6 |
| | | F. | 6 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 6 | 7 | 6 |
| | | P. | 6 | 6 | 7 | 6 | 7 | 6 | 5 | 6 | 6 | 6 | 6 |
| 65 | Leukæmia, lymphadenoma.. | M. | 21 | 23 | 24 | 26 | 25 | 26 | 23 | 25 | 27 | 29 | 27 |
| | | F. | 16 | 17 | 16 | 16 | 15 | 14 | 16 | 16 | 16 | 16 | 19 |
| | | P. | 19 | 20 | 20 | 20 | 18 | 19 | 19 | 20 | 21 | 22 | 23 |
| | (*a*) Leukæmia .. .. | M. | 11 | 13 | 13 | 14 | 14 | 13 | 12 | 13 | 14 | 15 | 15 |
| | | F. | 10 | 11 | 11 | 11 | 10 | 9 | 10 | 10 | 10 | 10 | 12 |
| | | P. | 11 | 12 | 12 | 12 | 11 | 11 | 11 | 11 | 12 | 12 | 13 |
| | (*b*) Lymphadenoma (Hodgkin's disease). | M. | 10 | 10 | 11 | 12 | 11 | 13 | 11 | 12 | 13 | 14 | 12 |
| | | F. | 6 | 6 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 |
| | | P. | 8 | 8 | 8 | 8 | 7 | 8 | 8 | 9 | 9 | 10 | 10 |

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| List No. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 66 | Alcoholism (acute or chronic) | M. | 23 | 25 | 18 | 14 | 8 | 4 | 5 | 9 | 7 | 6 | 6 |
| | | F. | 13 | 12 | 11 | 6 | 4 | 1 | 1 | 3 | 3 | 2 | 2 |
| | | P. | 18 | 18 | 14 | 10 | 6 | 2 | 3 | 6 | 5 | 4 | 4 |
| 69 | Other general diseases† .. | M. | 16 | 16 | 17 | 14 | 18 | 15 | 13 | 13 | 13 | 13 | 14 |
| | | F. | 11 | 13 | 14 | 14 | 12 | 10 | 10 | 11 | 10 | 12 | 10 |
| | | P. | 14 | 15 | 16 | 14 | 14 | 13 | 12 | 12 | 13 | 12 | 12 |
| | 1. Purpura .. .. .. | M. | 10 | 9 | 9 | 8 | 11 | 9 | 7 | 6 | 7 | 8 | 6 |
| | | F. | 7 | 9 | 10 | 9 | 8 | 7 | 6 | 7 | 6 | 7 | 7 |
| | | P. | 9 | 9 | 10 | 8 | 9 | 8 | 7 | 7 | 7 | 7 | 6 |
| 70–86 | III. Diseases of the Nervous System and Sense Organs. | M. | 1,609 | 1,600 | 1,847 | 1,860 | 1,982 | 1,843 | 1,449 | 1,347 | 1,310 | 1,324 | 1,265 |
| | | F. | 1,491 | 1,483 | 1,519 | 1,399 | 1,380 | 1,300 | 1,286 | 1,250 | 1,236 | 1,253 | 1,218 |
| | | P. | 1,548 | 1,540 | 1,668 | 1,600 | 1,632 | 1,524 | 1,362 | 1,296 | 1,271 | 1,287 | 1,241 |
| 70 | Encephalitis .. .. .. | M. | 10 | 12 | 10 | 11 | 10 | 11 | 11 | 12 | 9 | 10 | 10 |
| | | F. | 8 | 6 | 7 | 6 | 6 | 8 | 9 | 8 | 7 | 7 | 6 |
| | | P. | 9 | 9 | 8 | 8 | 7 | 9 | 10 | 10 | 8 | 8 | 8 |
| | 1. Cerebral abscess .. .. | M. | ? | ? | ? | ? | ? | ? | ? | 6 | 6 | 7 | 6 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | 4 | 4 | 3 | 4 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | 5 | 5 | 5 | 5 |
| 71 | Meningitis .. .. .. | M. | 116 | 116 | 129 | 112 | 115 | 110 | 83 | 73 | 72 | 66 | 60 |
| | | F. | 98 | 95 | 93 | 79 | 72 | 70 | 59 | 56 | 57 | 50 | 48 |
| | | P. | 107 | 105 | 109 | 94 | 90 | 87 | 70 | 64 | 64 | 58 | 54 |
| 72 | Tabes dorsalis (locomotor ataxy). | M. | 35 | 34 | 39 | 45 | 45 | 42 | 34 | 29 | 32 | 36 | 33 |
| | | F. | 6 | 6 | 6 | 5 | 6 | 5 | 4 | 4 | 6 | 7 | 7 |
| | | P. | 20 | 19 | 21 | 23 | 22 | 20 | 18 | 16 | 18 | 21 | 19 |
| 73 | Other diseases of the spinal cord.† | M. | 75 | 80 | 90 | 99 | 96 | 98 | 85 | 75 | 40 | 42 | 45 |
| | | F. | 61 | 62 | 61 | 60 | 59 | 55 | 59 | 57 | 29 | 30 | 31 |
| | | P. | 68 | 71 | 75 | 77 | 74 | 73 | 71 | 66 | 34 | 36 | 37 |
| 74 | Cerebral hæmorrhage, apoplexy, etc. | M. | 660 | 668 | 782 | 801 | 873 | 800 | 674 | 632 | 627 | 653 | 635 |
| | | F. | 761 | 771 | 797 | 749 | 756 | 711 | 756 | 728 | 724 | 755 | 743 |
| | | P. | 712 | 722 | 790 | 772 | 805 | 748 | 717 | 681 | 677 | 706 | 691 |
| | (*a*) 1. Cerebral hæmorrhage so returned. | M. | 455 | 466 | 549 | 562 | 622 | 583 | 493 | 474 | 476 | 500 | 491 |
| | | F. | 523 | 533 | 550 | 525 | 540 | 599 | 548 | 539 | 540 | 573 | 570 |
| | | P. | 490 | 501 | 549 | 541 | 574 | 540 | 522 | 508 | 509 | 538 | 532 |
| | (*a*) 2. Apoplexy, lesion unstated. | M. | 140 | 136 | 156 | 160 | 168 | 145 | 116 | 93 | 86 | 79 | 69 |
| | | F. | 155 | 147 | 157 | 140 | 138 | 127 | 124 | 104 | 93 | 89 | 80 |
| | | P. | 148 | 142 | 157 | 149 | 151 | 134 | 120 | 98 | 89 | 84 | 75 |
| | (*b*) 1. Cerebral embolism.. | M. | | | | | | | | | 16 | 19 | 17 |
| | | F. | | | | | | | | | 25 | 24 | 22 |
| | | P. | 65 | 66 | 77 | 79 | 83 | 72 | 65 | 65 | 21 | 22 | 19 |
| | (*b*) 2. Cerebral thrombosis | M. | 83 | 91 | 90 | 84 | 78 | 75 | 84 | 85 | | | |
| | | F. | 74 | 79 | 84 | 82 | 80 | 74 | 75 | 75 | 49 | 55 | 58 |
| | | P. | | | | | | | | | 66 | 69 | 71 |
| | | | | | | | | | | | 58 | 62 | 65 |
| 75 | Paralysis of unstated origin.. | M. | 66 | 65 | 83 | 86 | 88 | 78 | 66 | 56 | 58 | 59 | 54 |
| | | F. | 74 | 79 | 86 | 79 | 74 | 68 | 68 | 66 | 63 | 64 | 64 |
| | | P. | 69 | 73 | 84 | 82 | 80 | 72 | 67 | 62 | 60 | 62 | 59 |
| | (*a*) Hemiplegia .. .. | M. | 55 | 53 | 65 | 68 | 71 | 64 | 56 | 48 | 49 | 51 | 47 |
| | | F. | 64 | 69 | 72 | 66 | 61 | 57 | 59 | 56 | 54 | 57 | 57 |
| | | P. | 59 | 61 | 69 | 67 | 65 | 60 | 58 | 52 | 51 | 54 | 52 |
| | (*b*) Other forms of paralysis | M. | 11 | 12 | 18 | 18 | 17 | 14 | 10 | 8 | 9 | 8 | 7 |
| | | F. | 10 | 10 | 14 | 13 | 13 | 11 | 9 | 10 | 9 | 7 | 7 |
| | | P. | 10 | 12 | 15 | 15 | 15 | 12 | 9 | 10 | 9 | 8 | 7 |
| 76 | General paralysis of the insane. | M. | 98 | 102 | 111 | 109 | 126 | 111 | 78 | 71 | 69 | 77 | 76 |
| | | F. | 22 | 23 | 22 | 19 | 22 | 17 | 14 | 12 | 14 | 15 | 15 |
| | | P. | 58 | 61 | 63 | 58 | 65 | 56 | 44 | 40 | 41 | 44 | 44 |
| 77 | Other forms of insanity .. | M. | 22 | 24 | 27 | 31 | 42 | 42 | 25 | 18 | 16 | 19 | 15 |
| | | F. | 32 | 31 | 34 | 35 | 36 | 37 | 27 | 27 | 28 | 28 | 26 |
| | | P. | 27 | 27 | 31 | 33 | 38 | 39 | 26 | 23 | 22 | 24 | 21 |
| 78 | Epilepsy .. .. .. | M. | 81 | 85 | 101 | 115 | 142 | 138 | 85 | 64 | 62 | 63 | 60 |
| | | F. | 68 | 67 | 74 | 75 | 80 | 79 | 67 | 53 | 55 | 56 | 52 |
| | | P. | 75 | 76 | 86 | 92 | 106 | 104 | 75 | 58 | 58 | 60 | 56 |
| 79 & 80 | Convulsions (non-puerperal) | M. | 302 | 273 | 311 | 287 | 270 | 248 | 178 | 195 | 169 | 137 | 121 |
| | | F. | 219 | 191 | 193 | 160 | 147 | 133 | 115 | 131 | 108 | 91 | 80 |
| | | P. | 259 | 230 | 247 | 215 | 198 | 181 | 144 | 162 | 137 | 113 | 100 |

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| List No. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 82 | Hysteria and neuritis .. | M. | 9 | 10 | 12 | 8 | 9 | 7 | 5 | 6 | 6 | 6 | 5 |
| | | F. | 21 | 19 | 16 | 12 | 9 | 5 | 7 | 6 | 8 | 9 | 8 |
| | | P. | 16 | 14 | 14 | 11 | 9 | 7 | 6 | 6 | 7 | 8 | 6 |
| 83 | Cerebral softening .. .. | M. | 41 | 40 | 45 | 42 | 47 | 41 | 29 | 22 | 22 | 21 | 21 |
| | | F. | 39 | 39 | 39 | 33 | 34 | 30 | 29 | 22 | 24 | 25 | 21 |
| | | P. | 40 | 39 | 42 | 37 | 39 | 35 | 29 | 22 | 23 | 23 | 21 |
| 84 | Other diseases of the nervous system.† | M. | ? | ? | ? | ? | ? | ? | ? | ? | 88 | 94 | 92 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 82 | 84 | 87 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 83 | 89 | 90 |
| | 1. Idiocy, imbecility .. | M. | 5 | 6 | 9 | 10 | 15 | 15 | 9 | 6 | 7 | 7 | 7 |
| | | F. | 5 | 6 | 7 | 7 | 8 | 8 | 6 | 5 | 6 | 8 | 8 |
| | | P. | 5 | 6 | 7 | 8 | 11 | 11 | 7 | 6 | 6 | 7 | 7 |
| | 2. Cerebral tumour .. | M. | 22 | 25 | 30 | 33 | 30 | 28 | 27 | 27 | 29 | 28 | 29 |
| | | F. | 22 | 24 | 26 | 25 | 23 | 22 | 22 | 24 | 26 | 26 | 26 |
| | | P. | 22 | 25 | 28 | 28 | 26 | 24 | 24 | 25 | 27 | 27 | 28 |
| | 3. Disseminated sclerosis† | M. | ? | ? | ? | ? | ? | ? | ? | ? | 16 | 20 | 18 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 18 | 17 | 18 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 17 | 19 | 18 |
| | 4. Paralysis agitans† .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 19 | 21 | 21 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 16 | 17 | 20 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 17 | 19 | 21 |
| | 5. Other diseases included under 84. | M. | 23 | 22 | 25 | 31 | 34 | 40 | 22 | 19 | 17 | 18 | 17 |
| | | F. | 23 | 25 | 24 | 24 | 24 | 26 | 19 | 17 | 16 | 16 | 15 |
| | | P. | 23 | 23 | 24 | 27 | 28 | 32 | 21 | 18 | 16 | 17 | 16 |
| 86 | Diseases of the ear and of the mastoid sinus. | M. | 38 | 37 | 40 | 38 | 36 | 32 | 35 | 37 | 37 | 37 | 36 |
| | | F. | 25 | 29 | 27 | 24 | 22 | 21 | 20 | 28 | 28 | 26 | 25 |
| | | P. | 32 | 33 | 33 | 30 | 28 | 26 | 28 | 32 | 32 | 32 | 31 |
| | 1. Diseases of the mastoid sinus. | M. | 10 | 9 | 12 | 10 | 9 | 8 | 10 | 10 | 10 | 10 | 11 |
| | | F. | 7 | 7 | 7 | 6 | 5 | 4 | 5 | 8 | 8 | 9 | 7 |
| | | P. | 9 | 8 | 9 | 8 | 7 | 6 | 8 | 9 | 9 | 10 | 9 |
| | 2. Diseases of the ear. .. | M. | 28 | 28 | 28 | 28 | 27 | 24 | 25 | 27 | 27 | 27 | 25 |
| | | F. | 18 | 22 | 20 | 18 | 17 | 17 | 15 | 20 | 20 | 17 | 18 |
| | | P. | 23 | 25 | 24 | 22 | 21 | 20 | 20 | 23 | 23 | 22 | 22 |
| 87–96 | **IV. Diseases of the Circulatory System.†** | M. | 1,728 | 1,765 | 2,168 | 2,225 | 2,332 | 2,245 | 1,925 | 1,816 | 1,847 | 2,041 | 1,966 |
| | | F. | 1,655 | 1,719 | 1,832 | 1,774 | 1,688 | 1,591 | 1,732 | 1,679 | 1,757 | 1,967 | 1,888 |
| | | P. | 1,690 | 1,741 | 1,984 | 1,970 | 1,957 | 1,860 | 1,822 | 1,745 | 1,800 | 2,002 | 1,926 |
| 87–90 | Heart diseases† .. .. | M. | 1,425 | 1,430 | 1,779 | 1,824 | 1,874 | 1,788 | 1,511 | 1,402 | 1,380 | 1,514 | 1,429 |
| | | F. | 1,467 | 1,511 | 1,620 | 1,563 | 1,470 | 1,372 | 1 477 | 1,411 | 1,451 | 1,618 | 1,528 |
| | | P. | 1,447 | 1,472 | 1,692 | 1,674 | 1,639 | 1,542 | 1,493 | 1,406 | 1,418 | 1,568 | 1,480 |
| 87 | Pericarditis† .. .. .. | M. | 14 | 15 | 16 | 13 | 12 | 13 | 9 | 11 | 11 | 12 | 11 |
| | | F. | 9 | 10 | 12 | 10 | 8 | 7 | 8 | 8 | 8 | 8 | 6 |
| | | P. | 12 | 12 | 14 | 11 | 10 | 10 | 8 | 10 | 9 | 10 | 8 |
| 88 | Acute endocarditis and myocarditis.† | M. | 45 | 51 | 51 | 46 | 42 | 42 | 57 | 68 | 63 | 57 | 52 |
| | | F. | 50 | 50 | 50 | 42 | 40 | 38 | 40 | 56 | 47 | 49 | 46 |
| | | P. | 47 | 51 | 50 | 43 | 42 | 39 | 48 | 61 | 55 | 52 | 50 |
| | 1. Infective endocarditis .. | M. | 16 | 18 | 14 | 14 | 15 | 12 | 26 | 32 | 40 | 36 | 30 |
| | | F. | 17 | 17 | 15 | 13 | 13 | 14 | 13 | 21 | 24 | 26 | 24 |
| | | P. | 16 | 18 | 14 | 13 | 14 | 13 | 19 | 26 | 32 | 30 | 27 |
| | 2. Other acute endocarditis † | M. | 21 | 23 | 25 | 21 | 17 | 19 | 19 | 21 | 17 | 14 | 15 |
| | | F. | 25 | 25 | 26 | 21 | 20 | 17 | 19 | 22 | 17 | 16 | 14 |
| | | P. | 23 | 24 | 26 | 21 | 19 | 18 | 19 | 21 | 17 | 15 | 15 |
| | 3. Acute myocarditis† .. | M. | 8 | 10 | 12 | 11 | 10 | 11 | 12 | 15 | 6 | 7 | 7 |
| | | F. | 8 | 8 | 9 | 8 | 7 | 7 | 8 | 13 | 6 | 7 | 8 |
| | | P. | 8 | 9 | 10 | 9 | 9 | 8 | 10 | 14 | 6 | 7 | 8 |
| 89 | Angina pectoris .. .. | M. | 44 | 44 | 52 | 47 | 45 | 46 | 42 | 38 | 41 | 54 | 58 |
| | | F. | 19 | 21 | 21 | 17 | 17 | 14 | 17 | 17 | 17 | 23 | 25 |
| | | P. | 31 | 32 | 35 | 30 | 28 | 27 | 29 | 27 | 29 | 38 | 41 |

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| List No. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 90 | Other diseases of the heart† .. | M. | 1,322 | 1,320 | 1,660 | 1,718 | 1,775 | 1,687 | 1,403 | 1,285 | 1,265 | 1,391 | 1,308 |
| | | F. | 1,389 | 1,430 | 1,537 | 1,494 | 1,405 | 1,313 | 1,412 | 1,330 | 1,379 | 1,538 | 1,451 |
| | | P. | 1,357 | 1,377 | 1,593 | 1,590 | 1,559 | 1,466 | 1,408 | 1,308 | 1,325 | 1,468 | 1,381 |
| | 1. Aortic valve disease .. | M. | | | | | | | | | 106 | 113 | 107 |
| | | F. | | | | | | | | | 43 | 46 | 48 |
| | | P | | | | | | | | | 73 | 78 | 76 |
| | 2. Mitral valve disease .. | M. | | | | | | | | | 178 | 193 | 181 |
| | | F. | | | | | | | | | 271 | 295 | 276 |
| | | P. | 565 | 578 | 721 | 769 | 825 | 803 | 676 | 647 | 227 | 246 | 230 |
| | 3. Aortic and mitral valve disease. | M. | 607 | 646 | 693 | 677 | 662 | 647 | 681 | 654 | | | |
| | | F. | 587 | 613 | 706 | 717 | 730 | 711 | 678 | 651 | 27 | 26 | 25 |
| | | P. | | | | | | | | | 18 | 19 | 20 |
| | | | | | | | | | | | 23 | 23 | 22 |
| | 4. Other or unspecified valve disease.† | M. | | | | | | | | | 314 | 316 | 292 |
| | | F. | | | | | | | | | 341 | 371 | 331 |
| | | P. | | | | | | | | | 327 | 345 | 312 |
| | 5. Fatty heart .. .. | M. | 88 | 83 | 94 | 87 | 83 | 65 | 60 | 59 | 60 | 69 | 67 |
| | | F. | 98 | 96 | 94 | 88 | 73 | 55 | 68 | 62 | 67 | 77 | 77 |
| | | P. | 93 | 90 | 94 | 87 | 77 | 59 | 64 | 60 | 64 | 73 | 72 |
| | 6. Cardiac dilatation, cause unspecified. | M. | | | | | | | | | 27 | 27 | 23 |
| | | F. | | | | | | | | | 27 | 28 | 22 |
| | | P. | | | | | | | | | 27 | 28 | 22 |
| | 7. Other or unspecified myocardial disease.† | M. | 665 | 655 | 840 | 856 | 861 | 812 | 660 | 570 | 242 | 314 | 332 |
| | | F. | 681 | 684 | 744 | 724 | 664 | 605 | 655 | 604 | 265 | 347 | 366 |
| | | P. | 673 | 670 | 787 | 781 | 746 | 690 | 658 | 587 | 254 | 331 | 350 |
| | 9. Heart disease (undefined) | M. | | | | | | | | | 298 | 318 | 263 |
| | | F. | | | | | | | | | 332 | 338 | 287 |
| | | P. | | | | | | | | | 316 | 328 | 276 |
| | 8. Disordered action of the heart. | M. | 4 | 4 | 5 | 6 | 6 | 7 | 7 | 9 | 13 | 15 | 18 |
| | | F. | 3 | 4 | 6 | 5 | 6 | 6 | 8 | 10 | 15 | 17 | 24 |
| | | P. | 4 | 4 | 6 | 5 | 6 | 6 | 8 | 10 | 14 | 16 | 21 |
| 91 | Diseases of the arteries .. | M. | 283 | 315 | 366 | 378 | 434 | 435 | 393 | 396 | 448 | 508 | 518 |
| | | F. | 162 | 179 | 190 | 189 | 196 | 199 | 237 | 245 | 280 | 324 | 335 |
| | | P. | 221 | 245 | 270 | 273 | 296 | 296 | 309 | 317 | 361 | 412 | 422 |
| | (*a*) Aneurism .. .. | M. | 52 | 50 | 52 | 50 | 51 | 46 | 41 | 44 | 44 | 45 | 42 |
| | | F. | 12 | 12 | 13 | 10 | 11 | 9 | 9 | 9 | 10 | 11 | 11 |
| | | P. | 32 | 31 | 31 | 28 | 28 | 24 | 24 | 26 | 26 | 27 | 26 |
| | (*b*) Arterio-sclerosis .. | M. | 226 | 260 | 309 | 323 | 379 | 383 | 348 | 347 | 399 | 458 | 470 |
| | | F. | 147 | 164 | 174 | 177 | 183 | 188 | 224 | 233 | 266 | 309 | 319 |
| | | P. | 185 | 210 | 235 | 241 | 265 | 268 | 281 | 287 | 330 | 380 | 391 |
| | 1. With record of cerebral vascular lesion. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 119 | 139 | 146 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 93 | 110 | 114 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 106 | 124 | 130 |
| | 2. Without record of cerebral vascular lesion. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 280 | 319 | 324 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 173 | 199 | 205 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 224 | 256 | 261 |
| | (*c*) Other diseases of the arteries. | M. | 5 | 5 | 5 | 5 | 4 | 6 | 4 | 5 | 5 | 5 | 6 |
| | | F. | 3 | 3 | 3 | 2 | 2 | 2 | 4 | 3 | 4 | 4 | 5 |
| | | P. | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 5 | 5 | 5 |
| 92 | Embolism and thrombosis (not cerebral). | M. | 9 | 9 | 10 | 8 | 9 | 8 | 8 | 8 | 8 | 9 | 8 |
| | | F. | 10 | 12 | 9 | 7 | 7 | 7 | 7 | 9 | 9 | 8 | 9 |
| | | P. | 10 | 10 | 10 | 8 | 8 | 7 | 8 | 8 | 8 | 9 | 8 |
| 93 | Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) | M. | 5 | 6 | 7 | 9 | 8 | 6 | 5 | 6 | 6 | 7 | 7 |
| | | F. | 12 | 12 | 10 | 10 | 9 | 8 | 9 | 11 | 12 | 13 | 13 |
| | | P. | 8 | 10 | 9 | 10 | 9 | 7 | 7 | 9 | 9 | 10 | 10 |
| 97–107 | V. Diseases of the Respiratory System.† | M. | 2,541 | 2,618 | 3,528 | 3,059 | 3,368 | 3,875 | 2,799 | 2,475 | 2,210 | 2,572 | 2,102 |
| | | F. | 2,048 | 2,140 | 2,597 | 2,088 | 2,026 | 2,513 | 2,183 | 1,868 | 1,721 | 2,064 | 1,653 |
| | | P. | 2,286 | 2,371 | 3,018 | 2,509 | 2,586 | 3,073 | 2,471 | 2,157 | 1,955 | 2,308 | 1,868 |
| 98 | Diseases of the larynx .. | M. | 36 | 39 | 45 | 42 | 37 | 34 | 26 | 28 | 21 | 18 | 13 |
| | | F. | 26 | 28 | 29 | 23 | 21 | 20 | 20 | 21 | 14 | 11 | 9 |
| | | P. | 31 | 33 | 36 | 30 | 29 | 25 | 22 | 25 | 18 | 15 | 11 |
| | (2) Laryngitis .. .. | M. | 27 | 29 | 35 | 32 | 30 | 27 | 21 | 22 | 15 | 14 | 9 |
| | | F. | 20 | 22 | 23 | 19 | 16 | 17 | 17 | 17 | 12 | 9 | 7 |
| | | P. | 23 | 25 | 29 | 24 | 23 | 21 | 19 | 19 | 13 | 11 | 8 |

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

BLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| st | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 9 | Bronchitis† .. .. .. | M. | 1,102 | 1,097 | 1,557 | 1,417 | 1,512 | 1,504 | 1,307 | 1,078 | 929 | 1,101 | 878 |
| | | F. | 1,043 | 1,078 | 1,338 | 1,118 | 1,061 | 1,040 | 1,176 | 948 | 852 | 1,045 | 828 |
| | | P. | 1,071 | 1,087 | 1,437 | 1,248 | 1,249 | 1,232 | 1,238 | 1,010 | 889 | 1,073 | 852 |
| | (*a*) Acute .. .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 219 | 265 | 198 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 241 | 297 | 230 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 231 | 282 | 215 |
| | (*b*) Chronic .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 308 | 365 | 321 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 223 | 278 | 236 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 263 | 320 | 277 |
| | (*c* and *d*) Not stated whether acute or chronic. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 402 | 471 | 359 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 388 | 470 | 362 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 395 | 471 | 360 |
| & 1 | Pneumonia (all forms)† .. | M. | 1,215 | 1,287 | 1,686 | 1,379 | 1,581 | 2,115 | 1,279 | 1,206 | 1,104 | 1,280 | 1,051 |
| | | F. | 848 | 894 | 1,083 | 824 | 825 | 1,330 | 865 | 788 | 745 | 883 | 705 |
| | | P. | 1,025 | 1,084 | 1,356 | 1,065 | 1,141 | 1,654 | 1,058 | 987 | 916 | 1,073 | 870 |
| 00 | Broncho-pneumonia† .. | M. | 531 | 561 | 769 | 602 | 688 | 898 | 593 | 576 | 517 | 664 | 487 |
| | | F. | 442 | 460 | 557 | 406 | 423 | 606 | 448 | 427 | 409 | 526 | 383 |
| | | P. | 485 | 509 | 653 | 490 | 533 | 727 | 516 | 498 | 460 | 592 | 433 |
| 01 | Pneumonia (lobar and not otherwise defined). | M. | 684 | 726 | 917 | 777 | 893 | 1,217 | 686 | 630 | 587 | 616 | 564 |
| | | F. | 406 | 434 | 526 | 418 | 402 | 724 | 417 | 361 | 336 | 357 | 322 |
| | | P. | 540 | 575 | 703 | 575 | 608 | 927 | 542 | 489 | 456 | 481 | 437 |
| | (*a*) Lobar .. .. .. | M. | 287 | 317 | 385 | 334 | 387 | 476 | 283 | 299 | 282 | 317 | 317 |
| | | F. | 158 | 175 | 214 | 171 | 165 | 263 | 160 | 158 | 154 | 171 | 169 |
| | | P. | 220 | 244 | 291 | 242 | 258 | 351 | 217 | 225 | 215 | 241 | 239 |
| | (*b*) Not otherwise defined.. | M. | 397 | 409 | 532 | 443 | 506 | 741 | 403 | 331 | 305 | 299 | 247 |
| | | F. | 248 | 259 | 312 | 247 | 237 | 451 | 257 | 203 | 182 | 186 | 153 |
| | | P. | 320 | 331 | 412 | 333 | 350 | 576 | 325 | 264 | 241 | 240 | 198 |
| 02 | Pleurisy .. .. .. | M. | 45 | 50 | 53 | 54 | 61 | 54 | 45 | 44 | 44 | 42 | 44 |
| | | F. | 29 | 33 | 33 | 29 | 30 | 28 | 26 | 27 | 25 | 26 | 25 |
| | | P. | 37 | 40 | 42 | 40 | 43 | 38 | 35 | 35 | 34 | 33 | 34 |
| | 1. Empyema .. .. | M. | 16 | 18 | 17 | 20 | 19 | 18 | 18 | 17 | 18 | 18 | 17 |
| | | F. | 8 | 10 | 9 | 8 | 8 | 7 | 6 | 7 | 7 | 9 | 7 |
| | | P. | 12 | 13 | 13 | 13 | 12 | 11 | 12 | 12 | 12 | 13 | 12 |
| | 2. Other pleurisy .. .. | M. | 29 | 32 | 36 | 34 | 42 | 36 | 27 | 27 | 26 | 24 | 27 |
| | | F. | 21 | 23 | 24 | 21 | 22 | 21 | 20 | 20 | 18 | 17 | 18 |
| | | P. | 25 | 27 | 29 | 27 | 31 | 27 | 23 | 23 | 22 | 20 | 22 |
| 03 | Congestion and hæmorrhagic infarct of lung. | M. | 47 | 43 | 50 | 48 | 44 | 40 | 35 | 30 | 31 | 32 | 29 |
| | | F. | 46 | 47 | 46 | 39 | 36 | 35 | 33 | 31 | 36 | 36 | 34 |
| | | P. | 47 | 45 | 48 | 43 | 39 | 37 | 34 | 31 | 34 | 34 | 31 |
| 05 | Asthma .. .. .. | M. | 56 | 57 | 82 | 76 | 83 | 88 | 72 | 57 | 53 | 67 | 55 |
| | | F. | 37 | 41 | 51 | 40 | 39 | 46 | 48 | 38 | 36 | 50 | 42 |
| | | P. | 46 | 49 | 65 | 56 | 58 | 63 | 59 | 47 | 44 | 58 | 48 |
| 06 | Pulmonary emphysema .. | M. | 14 | 17 | 23 | 16 | 16 | 12 | 12 | 9 | 7 | 10 | 9 |
| | | F. | 6 | 6 | 9 | 5 | 4 | 3 | 4 | 3 | 2 | 3 | 2 |
| | | P. | 10 | 12 | 15 | 10 | 9 | 6 | 7 | 6 | 4 | 6 | 5 |
| 07 | Other diseases of the respiratory system.† | M. | ? | ? | ? | ? | ? | ? | ? | ? | 18 | 16 | 16 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 7 | 6 | 6 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 12 | 11 | 11 |
| | (*a*) Chronic interstitial pneumonia. | M. | 14 | 15 | 14 | 14 | 16 | 13 | 11 | 10 | 10 | 10 | 10 |
| | | F. | 4 | 4 | 3 | 3 | 2 | 3 | 4 | 2 | 3 | 3 | 3 |
| | | P. | 9 | 9 | 8 | 8 | 8 | 7 | 7 | 6 | 6 | 6 | 6 |
| | (*b* and *c*) Other diseases included under 107, including disease of the mediastinum.† | M. | ? | ? | ? | ? | ? | ? | ? | ? | 8 | 6 | 6 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 4 | 3 | 3 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 5 | 5 |
| 58–27 | **VI. Diseases of the Digestive System.†** | M. | 1,383 | 1,319 | 1,334 | 1,167 | 1,137 | 1,072 | 825 | 882 | 1,062 | 746 | 784 |
| | | F. | 1,153 | 1,107 | 992 | 830 | 767 | 717 | 656 | 678 | 816 | 596 | 620 |
| | | P. | 1,264 | 1,210 | 1,147 | 977 | 922 | 863 | 735 | 775 | 933 | 668 | 698 |
| 08 | Diseases of the buccal cavity and annexa. | M. | 12 | 13 | 11 | 13 | 12 | 11 | 11 | 13 | 12 | 13 | 14 |
| | | F. | 9 | 12 | 9 | 9 | 8 | 8 | 9 | 9 | 11 | 11 | 10 |
| | | P. | 11 | 12 | 10 | 11 | 9 | 10 | 10 | 11 | 12 | 12 | 12 |
| | 1. Diseases of the teeth and gums. | M. | 9 | 10 | 9 | 10 | 9 | 7 | 7 | 9 | 8 | 9 | 9 |
| | | F. | 8 | 9 | 7 | 7 | 6 | 5 | 6 | 7 | 7 | 7 | 7 |
| | | P. | 8 | 9 | 8 | 9 | 7 | 6 | 7 | 8 | 8 | 8 | 8 |

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| List No. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 192 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 109 | Diseases of the pharynx and tonsils.† | M. | 18 | 22 | 21 | 18 | 15 | 17 | 20 | 18 | 18 | 16 | 1 |
| | | F. | 14 | 18 | 17 | 14 | 12 | 11 | 16 | 14 | 15 | 14 | 1 |
| | | P. | 16 | 20 | 18 | 16 | 14 | 14 | 18 | 16 | 17 | 15 | 1 |
| | 1. Tonsillitis, etc., adenoid vegetations.† | M. | 14 | 17 | 16 | 13 | 12 | 13 | 17 | 14 | 13 | 12 | 1 |
| | | F. | 11 | 13 | 13 | 11 | 10 | 9 | 13 | 12 | 12 | 11 | 1 |
| | | P. | 13 | 15 | 14 | 12 | 11 | 11 | 15 | 13 | 13 | 12 | 1 |
| 111 | Ulcer of the stomach or duodenum. | M. | 81 | 89 | 89 | 93 | 95 | 100 | 86 | 95 | 87 | 94 | 11 |
| | | F. | 56 | 59 | 56 | 54 | 56 | 54 | 47 | 49 | 43 | 43 | 4 |
| | | P. | 68 | 74 | 71 | 72 | 72 | 73 | 65 | 70 | 64 | 68 | 7 |
| | (*a*) Ulcer of the stomach .. | M. | 50 | 57 | 58 | 61 | 64 | 71 | 58 | 64 | 56 | 62 | 7 |
| | | F. | 48 | 53 | 49 | 48 | 49 | 47 | 41 | 42 | 37 | 37 | 3 |
| | | P. | 49 | 55 | 53 | 54 | 55 | 57 | 49 | 52 | 46 | 49 | 5 |
| | (*b*) Ulcer of the duodenum | M. | 31 | 32 | 31 | 32 | 31 | 29 | 28 | 31 | 31 | 32 | 4 |
| | | F. | 8 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 6 | 6 | |
| | | P. | 19 | 19 | 18 | 18 | 17 | 16 | 16 | 18 | 18 | 19 | 2 |
| 112 | Other diseases of the stomach | M. | 110 | 109 | 127 | 126 | 119 | 110 | 83 | 92 | 83 | 68 | 6 |
| | | F. | 100 | 107 | 105 | 99 | 86 | 79 | 80 | 78 | 73 | 65 | 5 |
| | | P. | 105 | 109 | 115 | 111 | 99 | 92 | 82 | 85 | 77 | 67 | 5 |
| | 1. Inflammation of the stomach. | M. | 91 | 88 | 106 | 103 | 101 | 92 | 69 | 78 | 71 | 57 | 5 |
| | | F. | 84 | 89 | 88 | 82 | 74 | 67 | 67 | 68 | 64 | 56 | 4 |
| | | P. | 87 | 89 | 96 | 91 | 85 | 77 | 68 | 73 | 67 | 57 | 5 |
| | 2. Other diseases included under 112. | M. | 19 | 21 | 21 | 23 | 18 | 18 | 14 | 14 | 12 | 11 | 1 |
| | | F. | 16 | 18 | 17 | 17 | 12 | 12 | 13 | 10 | 9 | 9 | |
| | | P. | 18 | 20 | 19 | 20 | 14 | 15 | 14 | 12 | 10 | 10 | |
| 113 & 114 | Diarrhœa and enteritis .. | M. | 775 | 690 | 662 | 496 | 476 | 445 | 316 | 340 | 526 | 219 | 24 |
| | | F. | 613 | 550 | 458 | 336 | 302 | 271 | 233 | 249 | 383 | 165 | 19 |
| | | P. | 692 | 617 | 550 | 404 | 375 | 342 | 271 | 293 | 451 | 191 | 21 |
| | 1. Ulceration of the intestines. | M. | 8 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 6 | 6 | |
| | | F. | 8 | 10 | 9 | 8 | 7 | 9 | 7 | 8 | 7 | 6 | |
| | | P. | 8 | 9 | 9 | 8 | 8 | 8 | 6 | 6 | 7 | 6 | |
| | 2. Colitis .. .. .. | M. | | | | | | | | | 14 | 11 | 1 |
| | | F. | | | | | | | | | 15 | 11 | 1 |
| | | P. | 767 | 682 | 653 | 488 | 468 | 438 | 310 | 335 | 14 | 11 | 1 |
| | 3. Other diseases included under 113 & 114. | M. | 605 | 540 | 449 | 328 | 295 | 262 | 226 | 241 | 506 | 202 | 22 |
| | | F. | 684 | 608 | 541 | 396 | 367 | 334 | 265 | 287 | 361 | 148 | 17 |
| | | P. | | | | | | | | | 430 | 174 | 19 |
| 117 | Appendicitis and typhlitis .. | M. | 78 | 85 | 81 | 86 | 85 | 79 | 74 | 78 | 82 | 84 | 8 |
| | | F. | 60 | 58 | 55 | 58 | 54 | 57 | 59 | 58 | 62 | 61 | 6 |
| | | P. | 69 | 71 | 67 | 70 | 67 | 66 | 66 | 67 | 72 | 72 | 7 |
| 118 | Hernia, intestinal obstruction. | M. | 111 | 110 | 133 | 137 | 156 | 162 | 117 | 116 | 117 | 117 | 11 |
| | | F. | 110 | 109 | 117 | 110 | 131 | 137 | 107 | 105 | 105 | 105 | 10 |
| | | P. | 111 | 109 | 124 | 122 | 141 | 147 | 112 | 111 | 111 | 111 | 11 |
| | (*a*) Hernia .. .. .. | M. | 44 | 41 | 55 | 55 | 68 | 67 | 45 | 44 | 42 | 46 | 4 |
| | | F. | 47 | 47 | 52 | 52 | 65 | 64 | 44 | 44 | 45 | 44 | 4 |
| | | P. | 46 | 44 | 53 | 53 | 66 | 65 | 45 | 44 | 44 | 45 | 4 |
| | (*b*) Intestinal obstruction.. | M. | 67 | 69 | 78 | 82 | 88 | 95 | 72 | 72 | 75 | 71 | 7 |
| | | F. | 63 | 62 | 65 | 58 | 66 | 73 | 63 | 61 | 60 | 61 | 6 |
| | | P. | 65 | 65 | 71 | 69 | 75 | 82 | 67 | 67 | 67 | 66 | 6 |
| 119 | Other diseases of the intestines. | M. | 13 | 12 | 15 | 13 | 16 | 14 | 13 | 13 | 12 | 13 | 1 |
| | | F. | 12 | 14 | 14 | 12 | 11 | 11 | 11 | 11 | 12 | 11 | 1 |
| | | P. | 13 | 13 | 14 | 13 | 13 | 12 | 12 | 12 | 12 | 12 | 1 |
| 122 | Cirrhosis of the liver .. .. | M. | 128 | 130 | 133 | 123 | 105 | 79 | 57 | 66 | 72 | 70 | 6 |
| | | F. | 92 | 96 | 81 | 62 | 44 | 32 | 27 | 30 | 33 | 31 | 3 |
| | | P. | 109 | 112 | 105 | 89 | 70 | 51 | 41 | 46 | 51 | 50 | 4 |
| | (*a*) Returned as alcoholic.. | M. | 10 | 10 | 10 | 9 | 6 | 4 | 4 | 5 | 6 | 6 | |
| | | F. | 8 | 11 | 8 | 6 | 4 | 2 | 1 | 2 | 3 | 2 | |
| | | P. | 9 | 10 | 9 | 7 | 5 | 3 | 3 | 3 | 4 | 4 | |
| | (*b*) Not returned as alcoholic. | M. | 118 | 120 | 123 | 114 | 99 | 75 | 53 | 61 | 66 | 64 | 58 |
| | | F. | 84 | 85 | 73 | 56 | 40 | 30 | 26 | 28 | 30 | 29 | 27 |
| | | P. | 100 | 102 | 96 | 82 | 65 | 48 | 38 | 43 | 47 | 46 | 42 |
| 123 | Biliary calculi .. .. | M. | 12 | 13 | 14 | 13 | 14 | 13 | 13 | 12 | 14 | 15 | 14 |
| | | F. | 33 | 32 | 30 | 29 | 25 | 21 | 28 | 29 | 34 | 35 | 38 |
| | | P. | 23 | 23 | 23 | 22 | 20 | 18 | 21 | 21 | 25 | 26 | 27 |

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

BLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| st o. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 24 | Other diseases of the liver .. | M. | 22 | 23 | 24 | 24 | 22 | 22 | 19 | 19 | 19 | 20 | 21 |
| | | F. | 26 | 27 | 26 | 23 | 19 | 20 | 20 | 22 | 25 | 29 | 29 |
| | | P. | 24 | 25 | 25 | 24 | 20 | 21 | 20 | 21 | 22 | 25 | 25 |
| 25 | Diseases of the pancreas .. | M. | 5 | 5 | 5 | 4 | 4 | 3 | 3 | 6 | 6 | 6 | 7 |
| | | F. | 5 | 4 | 5 | 4 | 3 | 2 | 4 | 4 | 5 | 5 | 7 |
| | | P. | 5 | 5 | 5 | 4 | 3 | 3 | 4 | 5 | 5 | 6 | 7 |
| 26 | Peritonitis of unstated origin. | M. | 14 | 13 | 15 | 15 | 14 | 12 | 9 | 10 | 9 | 8 | 8 |
| | | F. | 16 | 17 | 16 | 15 | 14 | 11 | 13 | 13 | 12 | 14 | 13 |
| | | P. | 15 | 15 | 15 | 15 | 14 | 11 | 11 | 12 | 10 | 11 | 11 |
| 8–42 | **VII. Non-puerperal Diseases of the Genito-urinary System** | M. | **652** | **656** | **750** | **747** | **805** | **757** | **603** | **570** | **577** | **576** | **573** |
| | | F. | **450** | **464** | **463** | **418** | **398** | **371** | **364** | **375** | **378** | **389** | **388** |
| | | P. | **548** | **557** | **592** | **561** | **568** | **530** | **475** | **468** | **473** | **479** | **476** |
| 28 | Acute nephritis (including unspecified under 10 years of age). | M. | 58 | 61 | 69 | 71 | 72 | 65 | 50 | 47 | 44 | 42 | 39 |
| | | F. | 49 | 48 | 52 | 45 | 43 | 41 | 38 | 38 | 34 | 32 | 32 |
| | | P. | 53 | 54 | 60 | 56 | 55 | 51 | 44 | 42 | 39 | 37 | 35 |
| 29 | Chronic nephritis (including unspecified over 10 years of age). | M. | 413 | 407 | 463 | 449 | 471 | 436 | 340 | 322 | 314 | 322 | 314 |
| | | F. | 322 | 335 | 327 | 291 | 277 | 255 | 248 | 250 | 254 | 271 | 269 |
| | | P. | 365 | 370 | 388 | 360 | 358 | 330 | 291 | 284 | 283 | 295 | 290 |
| 31 | Other diseases of the kidneys and annexa. | M. | 14 | 14 | 13 | 15 | 16 | 16 | 15 | 15 | 16 | 17 | 15 |
| | | F. | 13 | 13 | 13 | 11 | 11 | 11 | 11 | 13 | 14 | 14 | 15 |
| | | P. | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 14 | 15 | 16 | 15 |
| 32 | Calculi of the urinary passages. | M. | 11 | 11 | 11 | 11 | 12 | 11 | 11 | 10 | 10 | 11 | 12 |
| | | F. | 4 | 3 | 4 | 4 | 4 | 4 | 3 | 5 | 6 | 5 | 5 |
| | | P. | 7 | 7 | 8 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 |
| 33 | Diseases of the bladder .. | M. | 49 | 49 | 67 | 65 | 70 | 65 | 54 | 49 | 50 | 44 | 43 |
| | | F. | 12 | 12 | 13 | 11 | 12 | 11 | 10 | 11 | 12 | 11 | 13 |
| | | P. | 30 | 30 | 38 | 34 | 36 | 33 | 31 | 29 | 30 | 27 | 27 |
| | 1. Cystitis .. .. .. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 45 | 40 | 40 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 11 | 11 | 12 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 27 | 25 | 25 |
| 34 | Diseases of the urethra, urinary abscess, etc. | M. | 22 | 23 | 26 | 25 | 31 | 30 | 23 | 21 | 21 | 21 | 22 |
| | | F. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | P. | 10 | 11 | 12 | 12 | 14 | 13 | 11 | 10 | 10 | 10 | 11 |
| | (*a*) Stricture of the urethra | M. | ? | ? | ? | ? | ? | ? | ? | ? | 17 | 17 | 18 |
| 35 | Diseases of the prostate .. | M. | 81 | 86 | 96 | 106 | 127 | 129 | 107 | 102 | 117 | 116 | 125 |
| 37 | Cysts and other tumours of the ovary not returned as malignant. | F. | 14 | 16 | 15 | 16 | 14 | 14 | 14 | 16 | 15 | 14 | 14 |
| 38 | Salpingitis and pelvic abscess.† | F. | ? | ? | ? | ? | ? | ? | ? | ? | 13 | 13 | 12 |
| | 1. Salpingitis† .. .. | F. | ? | ? | ? | ? | ? | ? | ? | ? | 11 | 10 | 10 |
| 39 | Tumours of the uterus not returned as malignant. | F. | 17 | 16 | 17 | 16 | 17 | 16 | 16 | 18 | 18 | 18 | 18 |
| 41 | Other diseases of the female genital organs.† | F. | 19 | 19 | 19 | 20 | 18 | 19 | 20 | 22 | 9 | 7 | 8 |
| | 1. Other diseases of the uterus.† | F. | 8 | 8 | 8 | 9 | 8 | 7 | 9 | 11 | 7 | 6 | 6 |
| 3–50 | **VIII. The Puerperal State** .. | F. | **185** | **192** | **176** | **166** | **132** | **127** | **154** | **210** | **168** | **149** | **144** |
| 43 | Accidents of pregnancy .. | F. | 20 | 22 | 20 | 16 | 14 | 13 | 14 | 18 | 16 | 16 | 18 |
| | (*a*) Abortion .. .. | F. | 6 | 7 | 7 | 5 | 6 | 5 | 6 | 6 | 5 | 5 | 5 |
| | (*b* and *c*) Other accidents including ectopic gestation. | F. | 14 | 15 | 13 | 11 | 8 | 8 | 8 | 12 | 11 | 11 | 13 |
| 44 | Puerperal hæmorrhage .. | F. | 27 | 24 | 24 | 23 | 18 | 16 | 19 | 26 | 24 | 20 | 21 |
| 45 | Other accidents of childbirth | F. | 20 | 21 | 21 | 20 | 14 | 15 | 17 | 21 | 19 | 15 | 15 |

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| List No. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 146 | Puerperal sepsis .. .. | F. | 59 | 72 | 62 | 55 | 44 | 43 | 59 | 88 | 59 | 54 |
| 147 | Phlegmasia alba dolens, puerperal embolism, etc. | F. | 17 | 17 | 15 | 15 | 12 | 11 | 12 | 18 | 16 | 15 |
| | (2) Embolism and sudden death. | F. | 14 | 14 | 12 | 12 | 10 | 9 | 9 | 15 | 13 | 12 |
| 148 | Puerperal albuminuria and convulsions. | F. | 40 | 34 | 32 | 34 | 28 | 28 | 30 | 38 | 31 | 28 |
| 151–154 | **IX. Diseases of the Skin and Cellular Tissue.†** | M. | 103 | 114 | 126 | 125 | 128 | 116 | 107 | 103 | 97 | 90 |
| | | F. | 87 | 97 | 93 | 89 | 86 | 75 | 78 | 81 | 74 | 73 |
| | | P. | 95 | 105 | 108 | 105 | 103 | 92 | 92 | 92 | 85 | 81 |
| 151 | Gangrene .. .. .. | M. | 46 | 46 | 54 | 57 | 57 | 51 | 46 | 38 | 40 | 37 |
| | | F. | 37 | 39 | 39 | 38 | 36 | 35 | 33 | 34 | 29 | 31 |
| | | P. | 41 | 43 | 47 | 47 | 44 | 40 | 41 | 37 | 36 | 34 |
| | 1. Senile gangrene.. .. | M. | 41 | 40 | 49 | 52 | 50 | 45 | 40 | 34 | 36 | 34 |
| | | F. | 32 | 33 | 33 | 32 | 31 | 27 | 30 | 30 | 26 | 27 |
| | | P. | 36 | 37 | 40 | 41 | 39 | 35 | 35 | 32 | 31 | 30 |
| 152 | Furuncle .. .. .. | M. | 8 | 10 | 12 | 10 | 12 | 14 | 12 | 11 | 12 | 11 |
| | | F. | 4 | 5 | 4 | 5 | 5 | 5 | 6 | 5 | 5 | 5 |
| | | P. | 6 | 7 | 8 | 7 | 8 | 9 | 9 | 8 | 8 | 8 |
| 153 | Phlegmon, acute abscess†.. | M. | 22 | 26 | 28 | 25 | 28 | 22 | 24 | 27 | 21 | 22 |
| | | F. | 16 | 18 | 19 | 16 | 14 | 12 | 15 | 18 | 17 | 14 |
| | | P. | 19 | 21 | 23 | 20 | 20 | 17 | 19 | 22 | 18 | 18 |
| | 1. Phlegmon† .. .. | M. | 15 | 18 | 18 | 16 | 18 | 16 | 16 | 19 | 14 | 15 |
| | | F. | 11 | 11 | 11 | 9 | 8 | 8 | 9 | 12 | 11 | 9 |
| | | P. | 13 | 14 | 14 | 12 | 12 | 12 | 12 | 15 | 12 | 12 |
| | 2. Acute abscess† .. .. | M. | 7 | 8 | 10 | 9 | 10 | 6 | 8 | 8 | 7 | 7 |
| | | F. | 5 | 7 | 8 | 7 | 6 | 4 | 6 | 6 | 6 | 5 |
| | | P. | 6 | 7 | 9 | 8 | 8 | 5 | 7 | 7 | 6 | 6 |
| 154 | Other diseases of the skin and its annexa. | M. | 27 | 32 | 32 | 33 | 31 | 29 | 25 | 27 | 24 | 20 |
| | | F. | 30 | 35 | 31 | 30 | 31 | 23 | 24 | 24 | 23 | 23 |
| | | P. | 29 | 34 | 30 | 31 | 31 | 26 | 23 | 25 | 23 | 21 |
| | 1. Ulcer, Bedsore .. .. | M. | 8 | 11 | 11 | 9 | 12 | 10 | 7 | 7 | 6 | 5 |
| | | F. | 15 | 18 | 17 | 15 | 16 | 12 | 12 | 11 | 11 | 11 |
| | | P. | 12 | 15 | 14 | 12 | 14 | 11 | 9 | 9 | 8 | 8 |
| | 2–4. Other diseases under 154, including eczema and pemphigus. | M. | 19 | 21 | 21 | 24 | 19 | 19 | 18 | 20 | 18 | 15 |
| | | F. | 15 | 17 | 14 | 15 | 15 | 11 | 12 | 13 | 12 | 12 |
| | | P. | 17 | 19 | 16 | 19 | 17 | 15 | 14 | 16 | 15 | 13 |
| 155–158 | **X. Diseases of the Bones and Organs of Locomotion.†** | M. | 24 | 26 | 27 | 28 | 32 | 28 | 29 | 27 | 27 | 27 |
| | | F. | 16 | 16 | 16 | 16 | 16 | 15 | 18 | 18 | 15 | 16 |
| | | P. | 20 | 21 | 21 | 21 | 23 | 20 | 23 | 22 | 20 | 21 |
| 155 | Diseases of the bones† .. | M. | 19 | 21 | 20 | 21 | 26 | 21 | 22 | 21 | 20 | 21 |
| | | F. | 12 | 12 | 12 | 11 | 11 | 10 | 12 | 12 | 11 | 12 |
| | | P. | 15 | 16 | 15 | 15 | 17 | 14 | 17 | 16 | 16 | 16 |
| | 1. Infective osteomyelitis and periostitis. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 15 | 17 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 6 | 7 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 11 | 12 |
| | 2. Other diseases of the bones. | M. | ? | ? | ? | ? | ? | ? | ? | ? | 5 | 4 |
| | | F. | ? | ? | ? | ? | ? | ? | ? | ? | 5 | 5 |
| | | P. | ? | ? | ? | ? | ? | ? | ? | ? | 5 | 4 |
| 159 | **XI. Malformations .. ..** | M. | 124 | 122 | 133 | 138 | 127 | 115 | 101 | 129 | 119 | 112 |
| | | F. | 92 | 90 | 88 | 86 | 79 | 67 | 69 | 97 | 85 | 85 |
| | | P. | 107 | 106 | 108 | 109 | 99 | 87 | 84 | 112 | 101 | 98 |
| | 1. Congenital hydrocephalus. | M. | 12 | 13 | 13 | 13 | 13 | 13 | 9 | 10 | 11 | 8 |
| | | F. | 7 | 7 | 8 | 7 | 7 | 6 | 5 | 7 | 6 | 7 |
| | | P. | 10 | 10 | 10 | 10 | 10 | 9 | 7 | 8 | 8 | 7 |
| | 2. Congenital malformation of heart. | M. | 50 | 50 | 53 | 54 | 52 | 47 | 43 | 53 | 45 | 45 |
| | | F. | 35 | 35 | 36 | 32 | 28 | 26 | 28 | 36 | 31 | 31 |
| | | P. | 42 | 42 | 44 | 42 | 38 | 35 | 35 | 44 | 38 | 38 |
| | 3. Other congenital malformations. | M. | 62 | 59 | 67 | 71 | 62 | 55 | 49 | 66 | 63 | 59 |
| | | F. | 50 | 48 | 44 | 47 | 44 | 35 | 36 | 54 | 48 | 47 |
| | | P. | 55 | 54 | 54 | 57 | 51 | 43 | 42 | 60 | 55 | 53 |

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

ABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| ist o. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50–63 | **XII. Diseases of Early Infancy** | M. | 1,053 | 1,005 | 1,018 | 1,003 | 920 | 918 | 817 | 936 | 838 | 725 | 657 |
| | | F. | 749 | 705 | 632 | 568 | 503 | 488 | 538 | 625 | 570 | 482 | 445 |
| | | P. | 896 | 850 | 807 | 757 | 677 | 665 | 668 | 773 | 698 | 599 | 545 |
| 160 | Congenital debility, sclerema and icterus. | M. | 393 | 358 | 369 | 348 | 315 | 292 | 245 | 282 | 225 | 177 | 160 |
| | | F. | 265 | 237 | 223 | 184 | 169 | 152 | 148 | 171 | 142 | 111 | 97 |
| | | P. | 327 | 296 | 289 | 256 | 230 | 210 | 194 | 224 | 181 | 143 | 127 |
| | 1. Congenital debility and sclerema. | M. | 367 | 334 | 342 | 323 | 293 | 268 | 225 | 258 | 204 | 158 | 140 |
| | | F. | 251 | 223 | 211 | 173 | 159 | 143 | 138 | 158 | 130 | 102 | 88 |
| | | P. | 307 | 277 | 270 | 239 | 215 | 195 | 179 | 206 | 165 | 129 | 113 |
| | 2. Icterus .. .. .. | M. | 26 | 24 | 27 | 25 | 22 | 24 | 20 | 24 | 21 | 19 | 20 |
| | | F. | 14 | 14 | 12 | 11 | 10 | 9 | 10 | 13 | 12 | 9 | 9 |
| | | P. | 20 | 19 | 19 | 17 | 15 | 15 | 15 | 18 | 16 | 14 | 14 |
| 161 | Premature birth, injury at birth. | M. | 589 | 581 | 579 | 586 | 542 | 567 | 518 | 584 | 552 | 492 | 446 |
| | | F. | 438 | 421 | 366 | 342 | 298 | 303 | 352 | 405 | 382 | 333 | 311 |
| | | P. | 512 | 497 | 462 | 447 | 399 | 412 | 428 | 491 | 465 | 409 | 375 |
| | 1. Premature birth .. | M. | 553 | 545 | 544 | 550 | 508 | 539 | 490 | 543 | 512 | 455 | 412 |
| | | F. | 415 | 400 | 347 | 323 | 283 | 289 | 337 | 383 | 359 | 315 | 290 |
| | | P. | 483 | 469 | 436 | 421 | 376 | 392 | 407 | 460 | 434 | 382 | 348 |
| | 2. Injury at birth .. | M. | 36 | 36 | 35 | 36 | 34 | 28 | 28 | 41 | 40 | 37 | 34 |
| | | F. | 23 | 21 | 19 | 19 | 15 | 14 | 15 | 22 | 23 | 18 | 21 |
| | | P. | 29 | 28 | 26 | 26 | 23 | 20 | 21 | 31 | 31 | 27 | 27 |
| 162 | Other diseases peculiar to early infancy. | M. | 66 | 61 | 63 | 60 | 54 | 50 | 46 | 60 | 53 | 49 | 45 |
| | | F. | 41 | 41 | 37 | 35 | 29 | 27 | 30 | 42 | 39 | 32 | 31 |
| | | P. | 52 | 51 | 49 | 46 | 40 | 36 | 38 | 50 | 45 | 41 | 37 |
| | 2. Atelectasis .. .. | M. | 53 | 51 | 51 | 48 | 44 | 41 | 39 | 49 | 43 | 40 | 37 |
| | | F. | 32 | 32 | 27 | 26 | 23 | 21 | 23 | 32 | 30 | 24 | 23 |
| | | P. | 42 | 41 | 38 | 36 | 32 | 29 | 31 | 40 | 36 | 32 | 29 |
| | 1. and 3. Other diseases under 162, including diseases of umbilicus. | M. | 13 | 10 | 12 | 12 | 10 | 9 | 7 | 11 | 10 | 9 | 8 |
| | | F. | 9 | 9 | 10 | 9 | 6 | 6 | 7 | 10 | 9 | 8 | 8 |
| | | P. | 10 | 10 | 11 | 10 | 8 | 7 | 7 | 10 | 9 | 9 | 8 |
| 163 | Lack of care .. .. | M. | 5 | 5 | 7 | 9 | 9 | 9 | 8 | 10 | 8 | 7 | 6 |
| | | F. | 5 | 6 | 6 | 7 | 7 | 6 | 8 | 7 | 7 | 6 | 6 |
| | | P. | 5 | 6 | 7 | 8 | 8 | 7 | 8 | 8 | 7 | 6 | 6 |
| 164 | **XIII. Old Age** .. .. | M. | 749 | 715 | 860 | 901 | 966 | 874 | 756 | 609 | 623 | 648 | 575 |
| | | F. | 933 | 911 | 992 | 940 | 906 | 810 | 918 | 785 | 815 | 836 | 738 |
| | | P. | 844 | 816 | 932 | 923 | 931 | 837 | 843 | 701 | 723 | 746 | 660 |
| | 1. Senile dementia .. | M. | 29 | 25 | 34 | 36 | 49 | 46 | 33 | 30 | 32 | 36 | 35 |
| | | F. | 31 | 36 | 37 | 36 | 39 | 38 | 34 | 37 | 42 | 45 | 40 |
| | | P. | 30 | 31 | 36 | 36 | 43 | 41 | 34 | 34 | 37 | 41 | 38 |
| | 2. Other forms of senile decay. | M. | 720 | 690 | 826 | 865 | 917 | 828 | 723 | 579 | 591 | 612 | 540 |
| | | F. | 902 | 875 | 955 | 904 | 867 | 772 | 884 | 748 | 773 | 791 | 698 |
| | | P. | 814 | 785 | 896 | 887 | 888 | 796 | 809 | 667 | 686 | 705 | 622 |
| 65–93 | **XIV. External Causes** .. | M. | 778 | 865 | 849 | 885 | 873 | 822 | 759 | 696 | 643 | 631 | 660 |
| | | F. | 311 | 309 | 323 | 312 | 305 | 272 | 270 | 260 | 246 | 248 | 249 |
| | | P. | 537 | 578 | 561 | 561 | 542 | 499 | 498 | 467 | 436 | 428 | 445 |
| 65–74 | Suicide .. .. .. | M. | 147 | 157 | 113 | 115 | 100 | 114 | 136 | 135 | 153 | 156 | 157 |
| | | F. | 49 | 48 | 48 | 41 | 38 | 47 | 51 | 51 | 50 | 54 | 53 |
| | | P. | 96 | 101 | 78 | 73 | 64 | 75 | 91 | 91 | 99 | 100 | 103 |
| 5 & 56 | By solid or liquid poisons and corrosive substances. | M. | 17 | 16 | 9 | 8 | 6 | 7 | 7 | 10 | 11 | 13 | 13 |
| | | F. | 11 | 12 | 9 | 6 | 5 | 6 | 7 | 7 | 9 | 10 | 9 |
| | | P. | 14 | 14 | 9 | 7 | 5 | 6 | 7 | 8 | 10 | 11 | 11 |
| 167 | By poisonous gas.. .. | M. | 6 | 6 | 6 | 5 | 5 | 7 | 7 | 9 | 13 | 18 | 24 |
| | | F. | 3 | 2 | 3 | 2 | 5 | 4 | 5 | 6 | 7 | 9 | 12 |
| | | P. | 4 | 4 | 5 | 3 | 5 | 5 | 6 | 7 | 10 | 13 | 18 |
| 168 | By hanging or strangulation. | M. | 42 | 42 | 30 | 34 | 28 | 29 | 37 | 32 | 37 | 37 | 34 |
| | | F. | 9 | 8 | 9 | 8 | 6 | 8 | 9 | 8 | 8 | 8 | 6 |
| | | P. | 25 | 25 | 19 | 20 | 15 | 17 | 22 | 19 | 22 | 21 | 20 |
| 169 | By drowning .. .. | M. | 26 | 30 | 23 | 22 | 19 | 23 | 25 | 27 | 32 | 29 | 29 |
| | | F. | 15 | 16 | 16 | 17 | 14 | 19 | 17 | 20 | 16 | 17 | 16 |
| | | P. | 21 | 23 | 20 | 19 | 16 | 20 | 21 | 24 | 24 | 22 | 22 |

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES A
ALL AGES TO A MILLION LIVING, 1913–1923.—MALES, FEMALES, AND PERSONS—*cont.*

| List No. | Causes of Death. | | 1913. | 1914. | 1915.* | 1916.* | 1917.* | 1918.* | 1919. | 1920. | 1921. | 1922. | 192 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Suicide—*contd.* | | | | | | | | | | | | |
| 170 | By firearms .. .. | M. | 14 | 17 | 10 | 10 | 10 | 10 | 12 | 13 | 14 | 14 | 1 |
| | | F. | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | |
| | | P. | 7 | 8 | 5 | 4 | 4 | 5 | 6 | 7 | 7 | 7 | |
| 171 | By cutting or piercing instruments. | M. | 28 | 33 | 24 | 28 | 24 | 29 | 35 | 32 | 33 | 32 | 3 |
| | | F. | 6 | 7 | 5 | 5 | 5 | 6 | 6 | 5 | 6 | 6 | |
| | | P. | 16 | 19 | 13 | 15 | 13 | 16 | 20 | 18 | 19 | 18 | 1 |
| 172–174 | By other means .. .. | M. | 14 | 13 | 11 | 8 | 8 | 9 | 13 | 12 | 13 | 13 | 1 |
| | | F. | 4 | 2 | 5 | 3 | 3 | 3 | 6 | 4 | 3 | 4 | |
| | | P. | 9 | 8 | 7 | 5 | 6 | 6 | 9 | 8 | 7 | 8 | |
| 175–196 201–203 | Violent deaths, excluding suicide and homicide. | M. | 623 | 700 | 729 | 763 | 767 | 702 | 615 | 554 | 483 | 470 | 49 |
| | | F. | 253 | 253 | 268 | 265 | 260 | 226 | 211 | 201 | 189 | 188 | 19 |
| | | P. | 433 | 469 | 476 | 481 | 472 | 419 | 399 | 368 | 330 | 323 | 33 |
| 175–177 | Accidental poisoning .. | M. | 10 | 11 | 8 | 8 | 7 | 8 | 6 | 6 | 7 | 6 | |
| | | F. | 8 | 8 | 6 | 5 | 5 | 5 | 4 | 3 | 6 | 3 | |
| | | P. | 9 | 9 | 6 | 6 | 6 | 7 | 4 | 5 | 6 | 4 | |
| 179 | Burns (conflagration excepted). | M. | 52 | 49 | 62 | 63 | 68 | 65 | 48 | 42 | 38 | 40 | 4 |
| | | F. | 65 | 69 | 74 | 72 | 83 | 66 | 64 | 53 | 45 | 49 | 4 |
| | | P. | 59 | 59 | 68 | 68 | 76 | 66 | 57 | 47 | 42 | 45 | 4 |
| 180 | Accidental mechanical suffocation. | M. | 44 | 45 | 45 | 33 | 36 | 28 | 22 | 24 | 23 | 19 | 1 |
| | | F. | 36 | 35 | 29 | 21 | 20 | 17 | 15 | 17 | 15 | 13 | 1 |
| | | P. | 40 | 40 | 36 | 27 | 27 | 22 | 18 | 20 | 19 | 16 | 1 |
| 181 | (*See* Footnote †) | | | | | | | | | | | | |
| 182 | Accidental drowning .. | M. | 113 | 118 | 124 | 135 | 124 | 108 | 89 | 85 | 86 | 68 | 7 |
| | | F. | 22 | 20 | 24 | 23 | 18 | 20 | 17 | 18 | 17 | 14 | 1 |
| | | P. | 66 | 67 | 69 | 72 | 63 | 57 | 51 | 50 | 50 | 40 | 4 |
| 185 | Accidental injury by fall .. | M. | 111 | 114 | 125 | 133 | 126 | 112 | 99 | 95 | 83 | 79 | 7 |
| | | F. | 76 | 74 | 75 | 79 | 69 | 57 | 60 | 61 | 56 | 64 | 6 |
| | | P. | 93 | 93 | 97 | 103 | 93 | 79 | 78 | 77 | 69 | 71 | 6 |
| 186 | Accidental injury in mines and quarries. | M. | 65 | 89 | 73 | 77 | 87 | 81 | 67 | 54 | 37 | 51 | 6 |
| | | F. | — | — | — | — | — | 0 | 0 | 0 | — | 0 | |
| | | P. | 32 | 43 | 33 | 34 | 36 | 33 | 31 | 26 | 18 | 24 | 2 |
| 187 | Accidental injury by machinery. | M. | 16 | 14 | 21 | 21 | 24 | 24 | 18 | 18 | 11 | 10 | 1 |
| | | F. | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 1 | 0 | 0 | |
| | | P. | 8 | 7 | 10 | 10 | 10 | 11 | 9 | 9 | 5 | 5 | |
| 188 | Accidental injury by other forms of crushing (vehicles, railways, &c.). | M. | 162 | 168 | 205 | 205 | 186 | 177 | 175 | 174 | 154 | 156 | 16 |
| | | F. | 31 | 31 | 40 | 37 | 36 | 33 | 36 | 36 | 36 | 33 | 3 |
| | | P. | 94 | 97 | 115 | 110 | 99 | 92 | 101 | 102 | 92 | 91 | 9 |
| 190 | Wounds of war .. .. | M. | — | 38 | 11 | 20 | 41 | 34 | 40 | 13 | 6 | 4 | |
| | | F. | — | 2 | 5 | 7 | 11 | 5 | — | — | — | — | |
| | | P. | — | 19 | 7 | 13 | 23 | 17 | 19 | 6 | 3 | 2 | |
| 194 | Excessive heat .. .. | M. | 5 | 5 | 3 | 6 | 4 | 3 | 4 | 1 | 7 | 3 | 1 |
| | | F. | 3 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 6 | 1 | |
| | | P. | 4 | 4 | 2 | 4 | 3 | 2 | 3 | 1 | 7 | 2 | |
| 197–199 | Homicide .. .. .. | M. | 8 | 8 | 7 | 7 | 6 | 6 | 8 | 7 | 7 | 5 | |
| | | F. | 9 | 8 | 7 | 6 | 7 | 5 | 8 | 8 | 7 | 6 | |
| | | P. | 8 | 8 | 7 | 7 | 6 | 5 | 8 | 8 | 7 | 5 | |
| 202 | Other external violence .. | M. | 16 | 16 | 15 | 22 | 24 | 26 | 16 | 17 | 10 | 12 | 1 |
| | | F. | 5 | 4 | 3 | 6 | 5 | 7 | 4 | 4 | 3 | 3 | |
| | | P. | 10 | 10 | 9 | 13 | 13 | 15 | 10 | 10 | 6 | 7 | |
| 204–205 | **XV. Ill-defined Diseases** .. | M. | 89 | 79 | 100 | 101 | 91 | 93 | 78 | 62 | 60 | 57 | 54 |
| | | F. | 63 | 67 | 71 | 64 | 58 | 57 | 52 | 43 | 40 | 40 | 36 |
| | | P. | 76 | 73 | 84 | 80 | 72 | 72 | 64 | 52 | 50 | 48 | 44 |
| 204 | Sudden death .. .. | M. | 9 | 7 | 10 | 11 | 8 | 8 | 9 | 7 | 11 | 11 | 11 |
| | | F. | 5 | 5 | 6 | 7 | 5 | 5 | 5 | 4 | 6 | 6 | 6 |
| | | P. | 7 | 6 | 8 | 8 | 6 | 6 | 7 | 5 | 8 | 8 | 8 |
| 205 | Cause of death unstated or ill defined. | M. | 80 | 72 | 90 | 90 | 83 | 85 | 69 | 55 | 49 | 46 | 43 |
| | | F. | 58 | 62 | 65 | 57 | 53 | 52 | 47 | 39 | 34 | 34 | 30 |
| | | P. | 69 | 67 | 76 | 72 | 66 | 66 | 57 | 47 | 42 | 40 | 36 |
| | 1. Heart failure (1-70 yrs.) | M. | 43 | 40 | 49 | 49 | 47 | 46 | 42 | 35 | 30 | 31 | 27 |
| | | F. | 26 | 31 | 32 | 30 | 29 | 29 | 29 | 23 | 19 | 20 | 19 |
| | | P. | 34 | 36 | 40 | 38 | 37 | 36 | 35 | 29 | 24 | 25 | 23 |
| | 2. Other ill-defined causes | M. | 32 | 28 | 37 | 37 | 30 | 30 | 19 | 17 | 17 | 13 | 13 |
| | | F. | 29 | 28 | 30 | 24 | 22 | 20 | 15 | 13 | 14 | 13 | 10 |
| | | P. | 31 | 28 | 33 | 30 | 25 | 24 | 17 | 15 | 15 | 13 | 12 |

* Based on civilian deaths and civilian population.
† 181. Accidental absorption of irrespirable or poisonous gas. Mortality (1922)—Males 6, Females 3, Persons 5.

## Table 6.—England and Wales.—Annual Death-Rates from the Principal Epidemic or General Diseases, 1838–1923.

Rates for the years 1911–20 are subject to slight revision when revised estimates of population have been prepared.

| Period. | Annual Mortality per Million Persons Living. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | At All Ages. | | | | | | | | | At Ages under 15 Years. | | | | |
| | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Diphtheria and Croup. | Whooping Cough. | Tuberculosis (All forms) | Tuberculosis of Respiratory System. | Cancer. | Measles. | Scarlet Fever. | Diphtheria. | Diphtheria and Croup. | Whooping Cough. |
| 1838–42 (5 years) | 575 | 539 | 797 | | ? | 504 | 4,419 | 3,782 | 173 | ? | ? | | ? | ? |
| 1847–50 (4 years) | 292 | 403 | 884 | | ? | 480 | 3,714 | 2,889 | 274 | 1,115 | 2,385 | | ? | 1,345 |
| 1851–55 | 249 | 399 | 911 | | ? | 511 | 3,638 | 2,805 | 306 | 1,114 | 2,481 | | ? | 1,439 |
| 1856–60 | 195 | 425 | 806 | 246 | 520 | 498 | 3,323 | 2,572 | 327 | 1,185 | 2,201 | 609 | 1,379 | 1,398 |
| 1861–65 | 219 | 457 | 982 | 248 | 535 | 516 | 3,313 | 2,527 | 367 | 1,265 | 2,646 | 617 | 1,422 | 1,437 |
| 1866–70 | 105 | 428 | 960 | 127 | 335 | 545 | 3,201 | 2,447 | 403 | 1,180 | 2,589 | 314 | 891 | 1,511 |
| 1871–75 | 411 | 373 | 759 | 121 | 305 | 499 | 2,942 | 2,217 | 445 | 1,023 | 2,018 | 298 | 807 | 1,378 |
| 1876–80 | 78 | 385 | 680 | 122 | 276 | 527 | 2,817 | 2,038 | 494 | 1,051 | 1,806 | 302 | 726 | 1,450 |
| 1881–85 | 78 | 413 | 436 | 156 | 320 | 459 | 2,543 | 1,830 | 548 | 1,138 | 1,160 | 396 | 848 | 1,269 |
| 1886–90 | 14 | 468 | 241 | 170 | 295 | 444 | 2,324 | 1,635 | 632 | 1,313 | 656 | 445 | 799 | 1,250 |
| 1891–95 | 20 | 407 | 182 | 253 | 323 | 398 | 2,122 | 1,461 | 712 | 1,174 | 498 | 694 | 896 | 1,151 |
| 1896–1900 | 7 | 421 | 135 | 272 | 307 | 359 | 1,906 | 1,323 | 800 | 1,260 | 380 | 790 | 893 | 1,079 |
| 1901–05 | 25 | 327 | 126 | 205 | 222 | 301 | 1,743 | 1,218 | 867 | 1,016 | 366 | 615 | 668 | 940 |
| 1906–10 | 1 | 291 | 86 | 154 | 162 | 253 | 1,566 | 1,106 | 939 | 930 | 257 | 476 | 503 | 813 |
| 1911–15* | 0 | 342 | 61 | 140 | 141 | 209 | 1,413 | 1,046 | 1,054 | 1,100 | 183 | 436 | 440 | 675 |
| 1916–20* | 0 | 205 | 32 | 142 | 143 | 156 | 1,437 | 1,104 | 1,179 | 648 | 93 | 436 | 438 | 496 |
| 1851–60 | 222 | 412 | 982 | | ? | 505 | 3,476 | 2,685 | 317 | 1,151 | 2,650 | | ? | 1,418 |
| 1861–70 | 162 | 443 | 971 | 187 | 435 | 530 | 3,255 | 2,485 | 386 | 1,221 | 2,617 | 460 | 1,148 | 1,475 |
| 1871–80 | 245 | 379 | 719 | 121 | 291 | 513 | 2,877 | 2,125 | 470 | 1,038 | 1,908 | 300 | 765 | 1,415 |
| 1881–90 | 46 | 441 | 338 | 163 | 308 | 451 | 2,431 | 1,730 | 591 | 1,227 | 903 | 421 | 823 | 1,259 |
| 1891–1900 | 13 | 414 | 158 | 263 | 315 | 378 | 2,011 | 1,390 | 757 | 1,217 | 439 | 742 | 894 | 1,115 |
| 1901–10 | 13 | 309 | 106 | 179 | 192 | 277 | 1,653 | 1,161 | 904 | 973 | 311 | 545 | 584 | 876 |
| 1911–20* | 0 | 275 | 47 | 141 | 142 | 183 | 1,425 | 1,074 | 1,115 | 876 | 139 | 436 | 439 | 586 |
| 1883 | 36 | 350 | 475 | 158 | 330 | 393 | 2,594 | 1,880 | 549 | 962 | 1,270 | 401 | 878 | 1,086 |
| 1884 | 82 | 419 | 402 | 186 | 362 | 425 | 2,574 | 1,827 | 563 | 1,156 | 1,082 | 473 | 961 | 1,180 |
| 1885 | 103 | 533 | 233 | 164 | 320 | 481 | 2,433 | 1,770 | 572 | 1,475 | 623 | 418 | 852 | 1,342 |
| 1886 | 11 | 436 | 218 | 149 | 283 | 470 | 2,476 | 1,739 | 590 | 1,213 | 588 | 385 | 759 | 1,314 |
| 1887 | 19 | 602 | 282 | 160 | 303 | 404 | 2,286 | 1,615 | 615 | 1,684 | 764 | 414 | 815 | 1,135 |
| 1888 | 37 | 347 | 226 | 171 | 300 | 436 | 2,224 | 1,568 | 621 | 972 | 614 | 447 | 810 | 1,227 |
| 1889 | 1 | 518 | 235 | 189 | 303 | 430 | 2,261 | 1,573 | 656 | 1,457 | 646 | 503 | 825 | 1,216 |
| 1890 | 0 | 439 | 242 | 179 | 288 | 478 | 2,378 | 1,682 | 676 | 1,240 | 665 | 474 | 785 | 1,358 |
| 1891 | 2 | 436 | 170 | 173 | 264 | 468 | 2,303 | 1,599 | 692 | 1,237 | 465 | 460 | 719 | 1,335 |
| 1892 | 15 | 459 | 190 | 222 | 298 | 454 | 2,139 | 1,468 | 690 | 1,317 | 519 | 603 | 821 | 1,307 |
| 1893 | 49 | 373 | 235 | 318 | 389 | 342 | 2,143 | 1,466 | 710 | 1,075 | 629 | 869 | 1,074 | 991 |
| 1894 | 27 | 391 | 167 | 291 | 349 | 410 | 1,971 | 1,383 | 712 | 1,136 | 461 | 809 | 978 | 1,198 |
| 1895 | 7 | 377 | 149 | 259 | 313 | 315 | 2,062 | 1,395 | 753 | 1,106 | 418 | 729 | 889 | 927 |
| 1896 | 17 | 570 | 177 | 291 | 342 | 429 | 1,890 | 1,303 | 762 | 1,685 | 495 | 829 | 981 | 1,274 |
| 1897 | 0 | 408 | 147 | 246 | 281 | 367 | 1,926 | 1,336 | 785 | 1,214 | 414 | 700 | 805 | 1,097 |
| 1898 | 8 | 419 | 113 | 243 | 270 | 323 | 1,910 | 1,311 | 799 | 1,256 | 320 | 705 | 788 | 973 |
| 1899 | 5 | 314 | 117 | 292 | 324 | 318 | 1,904 | 1,330 | 826 | 948 | 334 | 857 | 953 | 965 |
| 1900 | 3 | 394 | 119 | 290 | 316 | 356 | 1,902 | 1,333 | 829 | 1,199 | 340 | 856 | 936 | 1,090 |
| 1901 | 10 | 277 | 133 | 273 | 298 | 313 | 1,807 | 1,264 | 842 | 850 | 380 | 809 | 888 | 965 |
| 1902 | 75 | 392 | 148 | 237 | 255 | 298 | 1,742 | 1,234 | 846 | 1,211 | 427 | 710 | 768 | 924 |
| 1903 | 23 | 275 | 125 | 183 | 196 | 286 | 1,747 | 1,206 | 874 | 854 | 364 | 550 | 592 | 893 |
| 1904 | 15 | 365 | 112 | 170 | 184 | 353 | 1,784 | 1,241 | 879 | 1,141 | 330 | 520 | 564 | 1,109 |
| 1905 | 4 | 326 | 113 | 161 | 175 | 256 | 1,639 | 1,146 | 889 | 1,025 | 333 | 489 | 532 | 809 |
| 1906 | 1 | 275 | 101 | 178 | 191 | 242 | 1,654 | 1,157 | 922 | 871 | 301 | 545 | 587 | 768 |
| 1907 | 0 | 364 | 93 | 165 | 176 | 296 | 1,617 | 1,148 | 915 | 1,157 | 275 | 507 | 541 | 944 |
| 1908 | 0 | 228 | 80 | 158 | 167 | 280 | 1,595 | 1,123 | 931 | 729 | 236 | 492 | 521 | 899 |
| 1909 | 1 | 356 | 91 | 148 | 155 | 203 | 1,537 | 1,091 | 962 | 1,145 | 273 | 462 | 484 | 654 |
| 1910 | 1 | 232 | 66 | 120 | 122 | 246 | 1,434 | 1,015 | 967 | 750 | 200 | 377 | 384 | 798 |
| 1911 | 1 | 363 | 52 | 136 | 138 | 217 | 1,468 | 1,062 | 992 | 1,170 | 158 | 425 | 432 | 703 |
| 1912 | 0 | 352 | 55 | 118 | 119 | 230 | 1,372 | 1,022 | 1,023 | 1,144 | 167 | 370 | 374 | 751 |
| 1913 | 0 | 291 | 57 | 121 | 122 | 149 | 1,352 | 989 | 1,064 | 943 | 174 | 385 | 389 | 488 |
| 1914 | 0 | 247 | 77 | 159 | 160 | 218 | 1,361 | 1,024 | 1,069 | 808 | 231 | 502 | 505 | 714 |
| 1915* | 0 | 462 | 66 | 165 | 166 | 230 | 1,515 | 1,137 | 1,121 | 1,433 | 186 | 498 | 501 | 717 |
| 1916* | 0 | 155 | 39 | 154 | 155 | 176 | 1,529 | 1,156 | 1,166 | 468 | 110 | 455 | 459 | 536 |
| 1917* | 0 | 308 | 22 | 132 | 133 | 134 | 1,624 | 1,229 | 1,210 | 915 | 60 | 380 | 382 | 399 |
| 1918* | 0 | 289 | 29 | 142 | 143 | 296 | 1,694 | 1,323 | 1,218 | 867 | 80 | 416 | 418 | 893 |
| 1919 | 1 | 96 | 33 | 133 | 134 | 71 | 1,258 | 978 | 1,145 | 326 | 101 | 433 | 436 | 241 |
| 1920 | 1 | 191 | 38 | 150 | 150 | 117 | 1,131 | 871 | 1,161 | 657 | 116 | 495 | 497 | 406 |
| 1921 | 0 | 59 | 34 | 126 | ? | 121 | 1,127 | 884 | 1,215 | 212 | 106 | 432 | ? | 435 |
| 1922 | 1 | 149 | 36 | 107 | ? | 167 | 1,121 | 889 | 1,229 | 542 | 109 | 373 | ? | 607 |
| 1923 | 0 | 138 | 26 | 71 | 71 | 108 | 1,062 | 836 | 1,267 | 508 | 83 | 250 | 250 | 399 |

* The mortality for the years 1915–1918 relates to civilians only.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES, 1922 AND 1923.

(*Note.*—The figures relate to the areas as constituted at the various dates.)

| Administrative Counties and County Boroughs. | Mortality per Million Civilian Population at All Ages.* | | | | | | | | | | | | | | | | Mortality per 1,000 Births. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Small pox. | | Enteric Fever. | | Tuberculosis, All Forms. | | Tuberculosis of Respiratory System. | | Measles. | | Whooping cough. | | Scarlet Fever. | | Diphtheria. | | Total Deaths under One Year. | | Diarrhœa and Enteritis under Two Years. | | Childbirth (Mothers). | | Puerperal Sepsis. | |
| | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. |
| England and Wales .. | 1 | 0 | 12 | 12 | 1,121 | 1,062 | 889 | 836 | 149 | 138 | 167 | 108 | 36 | 26 | 107 | 71 | 77 | 69 | 6·58 | 8·12 | 2·43 | 2·52 | 1·38 | 1·30 |
| *Administrative Counties (including London).* | *1* | *0* | *13* | *13* | *1,030* | *976* | *816* | *761* | *123* | *116* | *159* | *96* | *34* | *22* | *116* | *69* | *71* | *64* | *5·63* | *6·74* | *2·51* | *2·47* | *1·25* | *1·24* |
| Bedfordshire .. .. | — | — | 10 | 14 | 1,063 | 951 | 866 | 737 | 34 | 24 | 125 | 62 | 14 | 5 | 91 | 43 | 66 | 55 | 4·28 | 3·55 | 2·41 | 2·45 | 0·80 | 1·36 |
| Berkshire .. .. | — | — | 5 | — | 798 | 881 | 679 | 707 | 5 | 35 | 140 | 90 | 50 | 40 | 100 | 144 | 55 | 52 | 2·78 | 4·43 | 1·11 | 1·48 | 1·67 | 0·59 |
| Buckinghamshire .. | — | — | 30 | 4 | 846 | 784 | 709 | 594 | 38 | 34 | 73 | 51 | 21 | 25 | 90 | 51 | 51 | 42 | 1·69 | 1·94 | 3·37 | 1·46 | 1·45 | 0·73 |
| Cambridgeshire .. | — | — | 8 | 8 | 918 | 857 | 741 | 687 | 31 | 15 | 147 | 46 | 69 | 8 | 69 | 93 | 60 | 51 | 4·24 | 2·80 | 1·88 | 3·74 | 1·41 | 1·40 |
| Cheshire .. .. | — | — | 17 | 20 | 869 | 767 | 660 | 541 | 171 | 57 | 119 | 94 | 54 | 14 | 77 | 38 | 67 | 65 | 4·83 | 5·51 | 2·90 | 3·16 | 0·61 | 1·36 |
| Cornwall .. .. | — | — | 25 | 25 | 1,246 | 1,145 | 985 | 927 | 10 | 82 | 137 | 50 | — | — | 48 | 13 | 68 | 55 | 4·27 | 4·20 | 2·67 | 3·65 | 0·71 | 1·09 |
| Cumberland .. .. | — | — | 9 | 5 | 947 | 965 | 728 | 660 | 92 | 228 | 622 | 59 | 9 | 41 | 69 | 155 | 100 | 74 | 8·43 | 9·90 | 4·11 | 4·95 | 1·03 | 0·65 |
| Derbyshire .. .. | — | — | 3 | 12 | 807 | 757 | 594 | 575 | 54 | 133 | 138 | 135 | 18 | 8 | 70 | 42 | 72 | 75 | 5·80 | 6·70 | 2·67 | 3·63 | 1·30 | 1·42 |
| Devonshire .. .. | — | — | 17 | 24 | 1,116 | 1,077 | 927 | 881 | 33 | 78 | 79 | 50 | 10 | 12 | 65 | 36 | 54 | 48 | 4·74 | 5·70 | 2·16 | 2·71 | 0·29 | 1·14 |
| Dorsetshire .. .. | — | — | 9 | 9 | 992 | 968 | 799 | 764 | 51 | 23 | 152 | 73 | 9 | 5 | 18 | 5 | 59 | 58 | 2·47 | 2·60 | 3·46 | 2·34 | 1·73 | 0·26 |
| Durham .. .. | — | — | 15 | 11 | 1,181 | 1,206 | 817 | 815 | 70 | 450 | 203 | 241 | 21 | 40 | 75 | 62 | 98 | 86 | 7·90 | 9·06 | 3·45 | 2·70 | 1·31 | 1·15 |
| Ely, Isle of .. .. | — | — | 13 | — | 737 | 771 | 522 | 545 | 67 | 53 | 107 | 93 | 13 | — | 13 | 13 | 60 | 64 | 2·54 | 7·95 | 1·91 | 3·97 | 1·91 | 1·99 |
| Essex .. .. .. | — | — | 8 | 11 | 883 | 829 | 728 | 666 | 104 | 10 | 167 | 54 | 27 | 6 | 132 | 42 | 56 | 46 | 3·38 | 4·73 | 2·21 | 2·31 | 1·05 | 0·92 |
| Gloucestershire .. | — | — | 3 | 27 | 967 | 859 | 773 | 630 | 30 | 66 | 97 | 69 | 12 | 24 | 76 | 45 | 55 | 48 | 5·41 | 3·02 | 2·30 | 2·18 | 1·64 | 2·18 |
| Herefordshire .. .. | — | — | — | 18 | 1,230 | 874 | 1,034 | 768 | 9 | 194 | 27 | 203 | 18 | — | 80 | 44 | 57 | 65 | 3·54 | 4·28 | 1·77 | 2·57 | 1·33 | 1·28 |
| Hertfordshire .. .. | — | — | 27 | 6 | 726 | 743 | 612 | 598 | 30 | 24 | 117 | 21 | 6 | 15 | 54 | 36 | 55 | 42 | 2·75 | 2·58 | 2·23 | 2·23 | 2·06 | 0·69 |
| Huntingdonshire .. | — | — | — | 18 | 927 | 1,064 | 672 | 740 | — | 90 | 145 | 108 | — | — | 18 | — | 62 | 59 | 3·79 | 4·62 | 1·90 | 1·85 | 0·95 | — |
| Kent .. .. .. | 3 | — | 12 | 8 | 966 | 950 | 759 | 776 | 82 | 36 | 147 | 48 | 27 | 17 | 138 | 43 | 56 | 48 | 2·97 | 5·33 | 2·77 | 1·86 | 1·54 | 1·36 |
| Lancashire .. .. | 1 | — | 22 | 21 | 991 | 938 | 771 | 705 | 200 | 74 | 123 | 117 | 50 | 33 | 83 | 54 | 86 | 80 | 7·68 | 7·11 | 3·03 | 3·06 | 1·75 | 1·37 |
| Leicestershire .. .. | — | — | 11 | 22 | 998 | 912 | 772 | 763 | 38 | 134 | 45 | 112 | 19 | 7 | 105 | 112 | 66 | 62 | 3·26 | 6·39 | 1·81 | 1·88 | 0·54 | 0·56 |
| Lincolnshire, Holland | — | — | — | — | 976 | 877 | 662 | 681 | 12 | 23 | 116 | 127 | — | — | 93 | 12 | 65 | 64 | 4·58 | 6·85 | 1·02 | 4·74 | — | 0·53 |
| ,, Kesteven | — | — | 28 | 9 | 1,050 | 923 | 741 | 634 | 66 | 47 | 75 | 84 | — | 9 | 28 | 19 | 62 | 55 | 1·39 | 2·37 | 1·39 | 1·42 | — | 0·95 |
| ,, Lindsey | — | — | 16 | 23 | 1,182 | 959 | 880 | 725 | 55 | 58 | 177 | 78 | 12 | 8 | 43 | 39 | 75 | 62 | 3·53 | 3·64 | 2·97 | 1·72 | 1·12 | 1·34 |
| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |

| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| London .. .. | 4 | 0 | 10 | 9 | 1,284 | 1,158 | 1,078 | 971 | 345 | 85 | 249 | 95 | 66 | 25 | 253 | 135 | 75 | 61 | 7·13 | 10·32 | 1·48 | 1·52 | 1·36 | 1·37 |
| Middlesex .. .. | — | 1 | 5 | 5 | 902 | 879 | 749 | 719 | 103 | 27 | 88 | 60 | 43 | 13 | 208 | 94 | 58 | 52 | 4·21 | 5·61 | 1·81 | 2·07 | 1·47 | 1·55 |
| Norfolk .. .. | — | — | 16 | 13 | 953 | 815 | 776 | 649 | 25 | 82 | 151 | 91 | 3 | 9 | 32 | 19 | 66 | 58 | 3·36 | 2·70 | 1·60 | 2·53 | 1·12 | 0·51 |
| Northamptonshire .. | — | — | 5 | 14 | 886 | 919 | 759 | 742 | 28 | 65 | 108 | 37 | 5 | 28 | 37 | 42 | 59 | 61 | 3·35 | 5·97 | 3·87 | 4·07 | 1·29 | 1·63 |
| Northumberland .. | — | — | 10 | 10 | 1,199 | 1,151 | 883 | 850 | 35 | 335 | 144 | 190 | 32 | 37 | 60 | 30 | 87 | 76 | 5·63 | 6·55 | 2·43 | 2·62 | 1·10 | 1·42 |
| Nottinghamshire .. | — | — | 8 | 13 | 966 | 959 | 728 | 688 | 36 | 222 | 88 | 111 | — | 23 | 31 | 62 | 70 | 77 | 4·57 | 5·73 | 2·41 | 2·49 | 1·20 | 0·87 |
| Oxfordshire .. .. | — | — | 8 | 8 | 854 | 811 | 733 | 668 | 38 | 30 | 204 | 53 | 30 | 30 | 60 | 68 | 52 | 49 | 1·61 | 2·88 | 3·22 | 2·06 | 0·40 | 1·64 |
| Peterborough, Soke of | — | — | — | — | 843 | 793 | 675 | 668 | 42 | 21 | 295 | 42 | 21 | — | 21 | — | 56 | 44 | 3·44 | 1·17 | 3·44 | 2·33 | — | 3·50 |
| Rutlandshire .. .. | — | — | — | — | 875 | 381 | 711 | 326 | — | — | — | — | — | — | 55 | 54 | 36 | 56 | — | — | 2·99 | — | — | — |
| Shropshire .. .. | — | — | 8 | 12 | 983 | 867 | 746 | 639 | 12 | 53 | 74 | 122 | 20 | 24 | 49 | 49 | 59 | 59 | 4·28 | 3·27 | 2·04 | 3·27 | — | 1·22 |
| Somersetshire .. .. | — | — | 5 | 13 | 941 | 902 | 761 | 696 | 15 | 41 | 36 | 82 | 15 | 18 | 44 | 31 | 48 | 46 | 4·18 | 4·10 | 2·16 | 1·91 | 0·29 | 0·59 |
| Southampton .. | — | — | 20 | 10 | 796 | 871 | 646 | 679 | 28 | 45 | 63 | 111 | 38 | 20 | 89 | 63 | 52 | 51 | 3·51 | 3·50 | 2·13 | 1·87 | 1·50 | 0·62 |
| Staffordshire .. .. | — | — | 6 | 14 | 954 | 942 | 732 | 700 | 35 | 375 | 270 | 94 | 27 | 32 | 76 | 51 | 84 | 73 | 7·75 | 8·99 | 2·56 | 2·61 | 1·28 | 1·30 |
| Suffolk, East .. .. | — | — | 14 | 10 | 1,080 | 931 | 824 | 744 | 19 | 29 | 183 | 29 | 29 | — | 82 | 53 | 58 | 49 | 2·38 | 3·22 | 2·38 | 2·48 | 1·19 | 0·25 |
| ,, West .. .. | — | — | 9 | — | 1,005 | 1,112 | 804 | 884 | — | 9 | 174 | 64 | 18 | 9 | 64 | 46 | 55 | 49 | 1·96 | 3·54 | 1·96 | 2·53 | 1·47 | 0·51 |
| Surrey .. .. .. | — | — | 5 | 9 | 771 | 716 | 635 | 586 | 52 | 33 | 68 | 52 | 31 | 18 | 94 | 31 | 50 | 45 | 2·90 | 4·04 | 2·32 | 1·85 | 0·83 | 0·84 |
| Sussex, East .. .. | — | — | 28 | 12 | 813 | 922 | 674 | 749 | 8 | 35 | 84 | 24 | 12 | 20 | 48 | 32 | 52 | 45 | 3·04 | 2·84 | 4·05 | 2·33 | 0·51 | 0·52 |
| ,, West .. .. | — | — | 16 | 27 | 863 | 753 | 712 | 577 | — | 32 | 54 | 48 | 5 | — | 16 | 27 | 49 | 43 | 2·71 | 3·16 | 2·03 | 2·11 | 1·35 | 1·05 |
| Warwickshire .. .. | — | — | 3 | 17 | 879 | 833 | 686 | 659 | 66 | 153 | 115 | 114 | 20 | 20 | 49 | 80 | 61 | 62 | 3·66 | 5·90 | 2·98 | 1·58 | 2·03 | 1·29 |
| Westmorland .. | — | — | 32 | — | 726 | 611 | 597 | 386 | — | 64 | 97 | 96 | — | 16 | 16 | 32 | 58 | 60 | 3·54 | 2·73 | 7·09 | 2·73 | — | — |
| Wight, Isle of .. .. | — | — | — | 12 | 1,116 | 1,062 | 951 | 863 | — | 12 | 141 | 93 | 47 | 23 | 35 | — | 42 | 38 | 3·02 | 5·48 | 3·02 | 1·56 | 1·51 | 2·35 |
| Wiltshire .. .. | — | — | — | — | 743 | 818 | 615 | 602 | 10 | 31 | 73 | 62 | 28 | 7 | 49 | 41 | 54 | 51 | 4·53 | 2·58 | 3·80 | 1·66 | 0·54 | 0·74 |
| Worcestershire .. | — | — | 16 | 7 | 984 | 857 | 777 | 687 | 33 | 137 | 250 | 88 | 20 | 36 | 82 | 26 | 61 | 65 | 4·31 | 7·05 | 1·72 | 1·59 | 0·69 | 0·70 |
| Yorkshire, East Riding | — | — | 18 | 18 | 1,030 | 884 | 798 | 642 | 24 | 42 | 183 | 54 | 6 | 6 | 91 | 36 | 69 | 58 | 7·12 | 6·47 | 4·03 | 3·70 | 0·62 | 1·54 |
| ,, North ,, | — | — | 16 | 10 | 1,086 | 904 | 797 | 652 | 22 | 319 | 250 | 73 | 10 | 19 | 48 | 22 | 78 | 70 | 4·97 | 5·45 | 2·33 | 1·76 | 0·47 | 0·16 |
| ,, West ,, | 1 | — | 31 | 23 | 981 | 992 | 682 | 710 | 155 | 149 | 127 | 107 | 28 | 35 | 72 | 44 | 81 | 81 | 7·77 | 8·49 | 2·59 | 2·58 | 1·57 | 1·74 |
| Anglesey .. .. | — | — | — | 19 | 1,204 | 1,598 | 952 | 1,251 | 39 | 19 | 136 | 135 | — | — | 97 | 154 | 90 | 84 | 8·84 | 4·00 | 5·52 | 8·00 | 2·21 | — |
| Brecknockshire .. | — | — | 33 | 81 | 1,010 | 859 | 847 | 664 | — | 194 | 130 | 162 | 16 | 16 | 81 | 97 | 77 | 72 | 7·08 | 6·53 | 4·72 | 5·71 | 1·57 | 0·82 |
| Cardiganshire .. .. | — | — | 17 | 17 | 1,785 | 1,746 | 1,404 | 1,521 | — | — | 121 | 121 | 17 | 35 | 104 | 138 | 79 | 76 | 6·42 | 8·81 | 2·14 | 6·61 | 2·14 | — |
| Carmarthenshire .. | — | — | 17 | 22 | 1,242 | 1,416 | 1,013 | 1,111 | 39 | 83 | 106 | 39 | 6 | 28 | 90 | 94 | 76 | 72 | 7·95 | 7·41 | 3·44 | 4·23 | 0·26 | 0·79 |
| Carnarvonshire .. | — | — | 8 | 8 | 1,695 | 1,630 | 1,351 | 1,431 | 33 | 25 | 139 | 25 | — | 33 | 131 | 17 | 71 | 78 | 5·35 | 3·94 | 2·43 | 3·94 | 0·97 | 0·99 |
| Denbighshire .. .. | — | — | — | 19 | 964 | 931 | 721 | 745 | 72 | 51 | 105 | 141 | 46 | — | 151 | 6 | 82 | 72 | 6·44 | 6·43 | 4·75 | 5·08 | 1·36 | 2·71 |
| Flintshire .. .. | — | — | 10 | 48 | 1,007 | 1,083 | 773 | 813 | 215 | 39 | 196 | 97 | 10 | 10 | 59 | 58 | 87 | 68 | 3·52 | 4·36 | 4·02 | 2·91 | 1·51 | 0·48 |
| Glamorganshire .. | 1 | — | 7 | 10 | 1,080 | 1,012 | 852 | 788 | 68 | 318 | 197 | 141 | 70 | 43 | 109 | 116 | 90 | 75 | 8·63 | 7·73 | 3·82 | 4·12 | 1·44 | 2·01 |
| Merionethshire .. | — | — | — | — | 1,669 | 1,536 | 1,406 | 1,252 | — | 95 | 95 | 118 | 24 | 24 | 191 | 95 | 76 | 76 | 6·44 | 7·77 | 5·15 | 5·18 | 1·29 | 1·30 |
| Monmouthshire .. | — | — | 14 | 11 | 867 | 865 | 685 | 652 | 33 | 410 | 171 | 218 | 19 | 11 | 111 | 92 | 83 | 73 | 4·77 | 4·81 | 3·75 | 3·32 | 1·59 | 1·03 |
| Montgomeryshire .. | — | — | — | — | 1,155 | 1,151 | 940 | 1,034 | 20 | 39 | 391 | 195 | 59 | — | 157 | 78 | 87 | 58 | 1·86 | 5·93 | 1·86 | 2·97 | 1·86 | 0·99 |
| Pembrokeshire .. | — | — | 22 | 11 | 1,313 | 1,312 | 1,017 | 1,017 | 55 | 11 | 66 | 98 | 22 | — | 66 | 109 | 74 | 68 | 7·00 | 9·47 | 3·77 | 2·79 | 1·08 | 2·23 |
| Radnorshire .. .. | — | — | — | 91 | 1,190 | 1,222 | 915 | 951 | — | — | 137 | 45 | 46 | — | — | — | 73 | 48 | 9·69 | 7·13 | 4·84 | 9·50 | — | — |

* Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1922 AND 1923—*continued.*

(*Note.*—The figures relate to the areas as constituted at the various dates.)

| Administrative Counties and County Boroughs. | Mortality per Million Civilian Population at All Ages. | | | | | | | | | | | | | | | | Mortality per 1,000 Births. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Small-pox. | | Enteric Fever. | | Tuberculosis, All Forms. | | Tuberculosis of Respiratory System. | | Measles. | | Whooping cough. | | Scarlet Fever. | | Diphtheria. | | Total Deaths under One Year. | | Diarrhœa and Enteritis under Two Years. | | Childbirth (Mothers). | | Puerperal Sepsis. | |
| | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. |
| *County Boroughs.* | *0* | *0* | *11* | *9* | *1,301* | *1,237* | *1.032* | *981* | *202* | *184* | *184* | *134* | *40* | *34* | *89* | *76* | *88* | *80* | *8·33* | *10·72* | *2·27* | *2·60* | *1·62* | *1·41* |
| Barnsley .. .. | — | — | — | — | 1,194 | 1,198 | 848 | 913 | 331 | 228 | 302 | 71 | 14 | — | 72 | 114 | 100 | 97 | 9·83 | 13·17 | 3·82 | 5·15 | 2·73 | 1·72 |
| Barrow-in-Furness .. | — | — | — | 13 | 1,374 | 991 | 1,057 | 763 | — | 134 | 357 | 94 | — | 67 | — | 13 | 83 | 89 | 5·69 | 6·65 | 1·90 | 2·95 | — | 0·74 |
| Bath .. .. .. | — | — | 29 | — | 803 | 713 | 671 | 553 | — | 131 | 44 | 102 | — | — | 15 | 29 | 58 | 47 | 2·85 | 1·95 | 2·85 | 0·98 | 0·95 | — |
| Birkenhead .. .. | — | — | — | — | 1,334 | 1,017 | 972 | 733 | 228 | 13 | 355 | 40 | 34 | 26 | 60 | 92 | 96 | 64 | 12·56 | 10·26 | 2·34 | 3·11 | 1·75 | 1·24 |
| Birmingham .. .. | — | — | 3 | 4 | 1,108 | 1,067 | 931 | 885 | 84 | 195 | 376 | 46 | 38 | 41 | 94 | 146 | 85 | 72 | 8·50 | 10·85 | 1·60 | 1·63 | 1·30 | 1·78 |
| Blackburn .. .. | — | — | — | 8 | 974 | 977 | 765 | 698 | 247 | 47 | 85 | 54 | 15 | 8 | 54 | 8 | 98 | 100 | 11·48 | 9·07 | 6·43 | 3·82 | 0·92 | 2·39 |
| Blackpool .. .. | — | — | 41 | 27 | 1,121 | 892 | 878 | 652 | 27 | 27 | 54 | 40 | 14 | 13 | 27 | 27 | 69 | 71 | 2·77 | 5·48 | 3·69 | 7·31 | 0·92 | 1·83 |
| Bolton.. .. .. | — | — | 16 | — | 996 | 1,142 | 761 | 873 | 339 | 27 | 77 | 60 | 22 | 27 | 71 | 49 | 94 | 86 | 7·04 | 12·48 | 2·64 | 2·81 | 2·05 | 1·56 |
| Bootle.. .. .. | — | — | 13 | — | 1,655 | 1,679 | 1,241 | 1,312 | 351 | 306 | 389 | 172 | 176 | 37 | 125 | 25 | 80 | 86 | 6·34 | 9·00 | 2·93 | 1·50 | 1·46 | — |
| Bournemouth.. .. | — | — | 12 | — | 1,190 | 1,131 | 982 | 973 | 25 | 61 | 25 | 122 | — | 24 | 37 | 12 | 57 | 60 | 5·31 | 0·94 | 2·66 | 0·94 | 2·66 | 1·87 |
| Bradford .. .. | — | — | 3 | 17 | 1,033 | 1,069 | 779 | 839 | 51 | 220 | 103 | 76 | 86 | 21 | 38 | 62 | 87 | 78 | 4·41 | 6·24 | 2·88 | 1·89 | 3·26 | 3·02 |
| Brighton .. .. | — | — | 7 | 7 | 1,319 | 943 | 1,030 | 751 | 22 | 118 | 30 | 59 | 15 | 15 | 104 | 184 | 67 | 60 | 4·82 | 4·12 | 0·44 | 0·46 | 2·19 | 0·46 |
| Bristol.. .. .. | — | — | 3 | 10 | 1,323 | 1,209 | 1,060 | 949 | 164 | 91 | 76 | 202 | 42 | 47 | 193 | 124 | 72 | 62 | 5·47 | 8·03 | 1·87 | 2·45 | 0·93 | 0·82 |
| Burnley .. .. | — | — | 19 | 29 | 1,237 | 1,288 | 932 | 973 | 580 | 115 | 48 | 162 | 86 | 86 | 124 | 67 | 113 | 103 | 7·67 | 7·13 | 2·04 | 2·74 | 0·51 | 1·10 |
| Burton-upon-Trent .. | — | — | — | — | 1,370 | 1,127 | 1,148 | 906 | — | 101 | 60 | 141 | — | 40 | 20 | 20 | 68 | 75 | 2·68 | 5·95 | 3·57 | 1·98 | — | — |
| Bury .. .. .. | — | — | — | — | 889 | 1,083 | 662 | 978 | 52 | 227 | 122 | 70 | 87 | 52 | 52 | — | 83 | 100 | 5·33 | 6·93 | 4·26 | — | 4·26 | 3·46 |
| Canterbury .. .. | — | — | — | — | 1,014 | 1,107 | 676 | 937 | 84 | — | 380 | 43 | — | — | — | — | 61 | 49 | — | 8·97 | — | 4·48 | 2·18 | 2·24 |
| Carlisle .. .. | — | — | — | — | 1,215 | 1,055 | 972 | 704 | — | 833 | 187 | 148 | 19 | 37 | 56 | 204 | 83 | 87 | 9·47 | 11·10 | 2·37 | 8·54 | 0·79 | 0·85 |
| Chester .. .. | — | 24 | 24 | — | 1,238 | 1,376 | 971 | 1,014 | 194 | 24 | 24 | 193 | — | — | 73 | 48 | 79 | 86 | 6·94 | 10·00 | 3·47 | — | 4·62 | 1·25 |
| Coventry .. .. | — | — | — | 8 | 1,181 | 1,181 | 1,037 | 991 | 183 | 61 | 114 | 99 | 15 | — | — | 53 | 69 | 67 | 3·27 | 2·69 | 2·05 | 2·24 | 0·82 | 1·79 |
| Croydon .. .. | — | — | 5 | — | 1,128 | 1,055 | 972 | 843 | 120 | 47 | 57 | 62 | 31 | 10 | 140 | 109 | 63 | 53 | 4·28 | 5·93 | 2·00 | 2·37 | 2·57 | 0·89 |
| Darlington .. .. | — | — | 15 | — | 1,394 | 1,217 | 1,109 | 994 | 60 | 757 | 330 | — | 45 | 30 | 15 | 30 | 98 | 67 | 3·32 | 4·15 | 2·66 | 2·07 | 0·66 | 0·69 |
| Derby .. .. .. | — | — | 23 | — | 1,080 | 1,077 | 831 | 798 | 91 | 30 | 30 | 188 | 15 | 15 | 83 | 23 | 75 | 67 | 6·15 | 6·84 | 2·69 | 1·21 | 0·77 | 2·01 |
| Dewsbury .. .. | — | — | 18 | 18 | 580 | 871 | 453 | 599 | 54 | 472 | 91 | 73 | 54 | 54 | 36 | 36 | 108 | 83 | 6·97 | 5·31 | 2·99 | 4·25 | 2·99 | 3·18 |
| Dudley .. .. | — | — | 52 | 17 | 1,158 | 877 | 1,054 | 739 | — | 946 | 259 | 52 | — | 17 | — | 52 | 85 | 78 | 8·86 | 14·30 | 2·72 | 3·76 | 0·68 | 0·75 |
| Eastbourne .. .. | — | — | 19 | — | 764 | 835 | 633 | 686 | 37 | — | 93 | 19 | 19 | — | 19 | — | 45 | 39 | 4·08 | 1·39 | 1·36 | — | 4·08 | 1·39 |
| East Ham .. .. | — | — | 14 | 7 | 1,207 | 1,101 | 953 | 882 | 213 | 55 | 206 | 48 | 27 | 14 | 62 | 27 | 62 | 51 | 3·92 | 6·69 | 0·33 | 1·76 | 1·31 | 1·76 |

| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Exeter.. .. .. | — | — | 17 | — | 1,189 | 846 | 988 | 763 | — | 133 | 218 | 50 | — | — | 50 | 66 | 67 | 61 | 2·96 | 7·84 | 0·99 | 4·90 | 0·99 | 0·98 |
| Gateshead .. .. | — | — | — | 8 | 1,870 | 1,568 | 1,304 | 1,162 | 8 | 710 | 338 | 242 | 39 | 8 | 71 | 39 | 105 | 90 | 11·06 | 11·86 | 1·75 | 2·67 | 1·45 | 0·59 |
| Gloucester .. .. | — | 76 | — | 38 | 1,188 | 1,211 | 1,015 | 927 | — | 227 | 96 | 132 | — | 76 | 96 | 76 | 77 | 69 | 8·06 | 2·83 | 2·69 | 3·78 | — | 0·94 |
| Great Yarmouth .. | — | — | 35 | 17 | 1,270 | 1,398 | 1,005 | 1,136 | 53 | 87 | 423 | 70 | — | 17 | 53 | 35 | 87 | 59 | 5·46 | 12·95 | 0·91 | 1·85 | 0·91 | 0·93 |
| Grimsby .. .. | — | — | 35 | — | 1,429 | 1,320 | 1,110 | 1,121 | 272 | — | 177 | 187 | 12 | 12 | 95 | 23 | 96 | 78 | 11·01 | 8·66 | 3·00 | 4·08 | 1·50 | 0·51 |
| Halifax .. .. | — | — | 10 | 10 | 1,114 | 1,042 | 846 | 781 | 119 | 50 | 199 | — | 10 | 10 | 30 | 20 | 110 | 90 | 3·74 | 7·90 | 6·23 | 3·95 | 1·87 | 0·66 |
| Hastings .. .. | — | — | 17 | — | 1,328 | 831 | 1,042 | 732 | 67 | 67 | — | 33 | — | — | 17 | 17 | 49 | 43 | 3·23 | 4·78 | 6·45 | 4·78 | 2·15 | 2·39 |
| Huddersfield .. .. | — | — | 27 | 54 | 941 | 1,252 | 681 | 993 | 99 | 36 | 143 | 63 | 18 | 27 | 81 | 36 | 76 | 72 | 2·74 | 4·00 | 4·93 | 5·14 | 0·55 | 1·71 |
| Ipswich .. .. | — | — | — | — | 1,075 | 1,016 | 914 | 808 | 37 | 24 | 185 | 12 | 25 | 37 | 62 | 37 | 53 | 51 | 3·14 | 0·65 | 1·89 | 1·29 | — | 0·65 |
| Kingston-upon-Hull .. | — | — | 3 | 13 | 1,412 | 1,233 | 1,017 | 983 | 190 | 47 | 221 | 165 | 10 | — | 85 | 77 | 106 | 83 | 15·31 | 16·96 | 2·25 | 3·04 | 1·55 | 1·59 |
| Leeds .. .. .. | — | — | 15 | 4 | 1,416 | 1,371 | 1,129 | 1,068 | 326 | 109 | 246 | 68 | 66 | 66 | 62 | 43 | 101 | 89 | 9·94 | 13·36 | 1·73 | 3·57 | 1·84 | 2·07 |
| Leicester .. .. | — | — | 13 | 8 | 1,541 | 1,439 | 1,286 | 1,222 | 209 | 104 | 121 | 134 | 25 | 13 | 71 | 46 | 88 | 83 | 11·84 | 15·24 | 1·51 | 1·96 | 1·72 | 1·74 |
| Lincoln .. .. | — | — | — | — | 926 | 927 | 732 | 732 | — | 120 | 149 | 60 | — | 15 | 45 | 45 | 82 | 64 | 6·70 | 2·56 | 2·51 | 1·71 | 0·84 | 0·85 |
| Liverpool .. .. | — | — | 7 | 7 | 1,655 | 1,608 | 1,321 | 1,251 | 208 | 430 | 225 | 186 | 46 | 49 | 109 | 98 | 96 | 100 | 12·76 | 17·30 | 1·07 | 2·17 | 1·82 | 1·11 |
| Manchester .. .. | — | — | 7 | 12 | 1,602 | 1,534 | 1,275 | 1,245 | 478 | 112 | 132 | 247 | 81 | 41 | 106 | 62 | 97 | 88 | 12·04 | 13·58 | 1·77 | 2·47 | 1·96 | 1·30 |
| Middlesbrough .. | — | — | 7 | — | 1,365 | 1,425 | 1,105 | 1,137 | 67 | 598 | 267 | — | 30 | 140 | 96 | 74 | 112 | 87 | 10·60 | 11·53 | 1·85 | 3·49 | 1·59 | 0·80 |
| Newcastle-on-Tyne .. | — | — | 14 | 4 | 1,499 | 1,476 | 1,158 | 1,099 | 32 | 536 | 135 | 282 | 25 | 18 | 57 | 35 | 92 | 98 | 7·87 | 12·41 | 3·43 | 2·36 | 1·43 | 1·73 |
| Northampton.. .. | — | — | — | — | 1,173 | 1,062 | 936 | 890 | 54 | 75 | 22 | — | 22 | 64 | 97 | 43 | 53 | 57 | 3·65 | 6·02 | 1·22 | 3·01 | 1·22 | 1·20 |
| Norwich .. .. | — | — | 33 | 8 | 1,359 | 1,214 | 1,123 | 1,044 | 8 | 227 | 171 | 57 | 16 | 105 | 98 | 251 | 73 | 65 | 3·30 | 4·99 | 2·47 | 1·25 | 2·47 | 1·25 |
| Nottingham .. .. | — | — | 15 | 7 | 1,247 | 1,181 | 993 | 899 | 355 | 100 | 97 | 126 | 22 | 41 | 37 | 45 | 82 | 86 | 8·54 | 12·23 | 2·31 | 2·41 | 1·24 | 1·30 |
| Oldham .. .. | — | — | 20 | 7 | 1,376 | 1,268 | 1,011 | 922 | 506 | 88 | 61 | 319 | 61 | 34 | 74 | 75 | 108 | 115 | 9·97 | 7·65 | 3·21 | 4·97 | 1·78 | 1·91 |
| Oxford.. .. .. | — | — | 18 | — | 867 | 685 | 726 | 439 | 106 | 35 | 71 | 88 | 53 | 88 | 35 | 35 | 60 | 45 | 6·65 | — | 2·22 | 3·42 | 1·11 | — |
| Plymouth .. .. | — | — | 40 | 21 | 1,352 | 1,321 | 1,093 | 1,067 | 240 | 31 | 105 | 41 | 20 | 5 | 75 | 47 | 75 | 51 | 3·61 | 5·55 | 3·37 | 2·65 | 1·20 | 1·21 |
| Portsmouth .. .. | — | — | 8 | 48 | 1,175 | 1,045 | 909 | 854 | 51 | 173 | 190 | 48 | 51 | 22 | 207 | 204 | 64 | 54 | 6·40 | 6·87 | 2·01 | 2·67 | 1·46 | 1·34 |
| Preston .. .. | — | — | 17 | 25 | 1,191 | 1,142 | 902 | 863 | 529 | 49 | 33 | 181 | 17 | 33 | 74 | 82 | 98 | 98 | 7·66 | 9·07 | 3·63 | 3·71 | 1·21 | 1·24 |
| Reading .. .. | — | — | — | 11 | 1,108 | 1,191 | 893 | 1,009 | — | 107 | 129 | 64 | 118 | 21 | 172 | 21 | 64 | 51 | — | 4·69 | 1·16 | 4·11 | — | 1·76 |
| Rochdale .. .. | — | — | — | 11 | 1,286 | 1,240 | 1,038 | 928 | 259 | 43 | 238 | 43 | 65 | 86 | 76 | 76 | 98 | 76 | 8·26 | 3·77 | 3·81 | 4·40 | 1·27 | 0·63 |
| Rotherham .. .. | — | — | 14 | — | 788 | 996 | 644 | 826 | 587 | — | 143 | 256 | 43 | 28 | 72 | — | 88 | 106 | 9·95 | 5·57 | 2·34 | 0·62 | 1·76 | 0·62 |
| St. Helen's .. .. | — | — | 19 | 9 | 1,100 | 1,046 | 733 | 794 | 564 | — | 28 | 93 | 38 | 37 | 47 | 75 | 116 | 91 | 8·89 | 7·27 | 2·49 | 0·76 | 1·42 | 0·38 |
| Salford .. .. | — | — | 25 | 25 | 1,662 | 1,627 | 1,359 | 1,353 | 507 | 54 | 233 | 199 | 100 | 79 | 125 | 132 | 108 | 97 | 14·69 | 14·24 | 2·20 | 2·73 | 1·65 | 0·98 |
| Sheffield .. .. | — | — | 8 | 15 | 1,209 | 1,023 | 1,001 | 851 | 297 | 19 | 57 | 248 | 50 | 23 | 71 | 32 | 82 | 90 | 7·22 | 12·75 | 1·57 | 2·55 | 1·67 | 1·37 |
| Smethwick .. .. | — | — | 13 | — | 1,088 | 1,147 | 768 | 956 | 13 | 293 | 384 | 51 | 13 | 51 | 128 | 242 | 86 | 65 | 5·38 | 7·56 | 2·39 | 0·63 | — | 6·30 |
| Southampton.. .. | — | — | 18 | 12 | 1,338 | 1,362 | 1,051 | 1,108 | 141 | 139 | 79 | 169 | 12 | 12 | 159 | 115 | 67 | 54 | 5·42 | 6·17 | 1·81 | 4·01 | 2·11 | 1·23 |
| Southend-on-Sea .. | — | — | — | — | 1,225 | 1,096 | 930 | 902 | 22 | — | 66 | 43 | 11 | 21 | 66 | 54 | 52 | 47 | 3·92 | 3·30 | 3·26 | 1·32 | 0·65 | 1·32 |
| Southport .. .. | — | — | — | 14 | 819 | 1,008 | 611 | 760 | 14 | 124 | 125 | — | 28 | — | 14 | 14 | 56 | 65 | 4·86 | 9·04 | 1·95 | 1·00 | — | 1·00 |
| South Shields.. .. | — | — | 8 | — | 1,683 | 1,839 | 1,250 | 1,357 | — | 667 | 172 | 458 | 16 | 40 | 74 | 80 | 95 | 94 | 8·60 | 8·59 | 4·30 | 2·54 | 1·23 | 0·95 |
| Stockport .. .. | — | — | 8 | — | 1,169 | 1,169 | 970 | 947 | 159 | 72 | 207 | 88 | 32 | 8 | 143 | 111 | 77 | 92 | 6·84 | 6·75 | 3·19 | 3·15 | 3·65 | 1·35 |
| Stoke-on-Trent .. | — | — | 37 | 11 | 1,380 | 1,228 | 1,096 | 978 | 400 | 348 | 404 | 29 | 86 | 87 | 56 | 36 | 114 | 93 | 14·10 | 19·48 | 2·59 | 2·80 | 1·73 | 1·48 |
| Sunderland .. .. | — | — | 6 | 12 | 1,393 | 1,482 | 1,019 | 1,128 | 246 | 457 | 110 | 427 | 25 | 24 | 31 | 30 | 106 | 98 | 11·19 | 17·48 | 1·94 | 2·95 | 1·51 | 0·98 |
| Tynemouth .. .. | — | — | 31 | — | 1,609 | 1,469 | 1,176 | 1,179 | 15 | 796 | 77 | 459 | — | 15 | 62 | 77 | 79 | 89 | 4·88 | 14·62 | 1·22 | 3·18 | 0·61 | 1·91 |

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1922 AND 1923—*continued.*

(*Note.*—The figures relate to the areas as constituted at the various dates.)

| Administrative Counties and County Boroughs. | Mortality per Million Civilian Population at all Ages. | | | | | | | | | | | | | | | | Mortality per 1,000 Births. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Small-pox. | | Enteric Fever. | | Tuberculosis, All Forms. | | Tuberculosis of Respiratory System. | | Measles. | | Whooping cough. | | Scarlet Fever. | | Diphtheria. | | Total Deaths under One Year. | | Diarrhœa and Enteritis under Two Years. | | Childbirth (Mothers). | | Puerperal Sepsis. | |
| | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. | 1922. | 1923. |
| Wakefield .. .. | — | — | 19 | 19 | 1,114 | 1,186 | 929 | 945 | 74 | 222 | 56 | 93 | — | 19 | 37 | 19 | 81 | 95 | 9·84 | 17·51 | 4·47 | 5·53 | 2·68 | 2·76 |
| Wallasey .. .. | — | — | — | 11 | 1,158 | 878 | 969 | 700 | 134 | — | 78 | 67 | 22 | — | 45 | 11 | 63 | 59 | 5·03 | 4·90 | 3·77 | 4·20 | 1·89 | 2·10 |
| Walsall .. .. | — | — | 10 | — | 1,512 | 1,145 | 1,231 | 906 | 180 | 369 | 260 | 349 | 20 | 20 | 80 | 70 | 95 | 94 | 6·32 | 16·65 | 2·77 | 1·28 | 0·79 | 0·43 |
| Warrington .. .. | — | — | — | 13 | 1,668 | 1,445 | 1,364 | 1,166 | 177 | 228 | 139 | 266 | 51 | 13 | 38 | 38 | 73 | 75 | 6·70 | 7·92 | 2·23 | 3·39 | 0·56 | 3·96 |
| West Bromwich .. | — | — | 13 | — | 944 | 812 | 761 | 619 | 66 | 503 | 380 | 26 | 131 | 90 | 577 | 490 | 89 | 88 | 5·67 | 13·40 | 2·06 | 2·68 | 3·61 | — |
| West Ham .. .. | 3 | — | 6 | 3 | 1,193 | 1,177 | 957 | 951 | 380 | 38 | 564 | 73 | 29 | 22 | 142 | 86 | 81 | 60 | 5·78 | 8·97 | 1·51 | 1·67 | 0·75 | 1·41 |
| West Hartlepool .. | — | — | 14 | 28 | 1,100 | 1,128 | 843 | 832 | 371 | 141 | 300 | 70 | 57 | 42 | 71 | 85 | 101 | 92 | 3·78 | 5·17 | 3·24 | 2·30 | 0·54 | 0·57 |
| Wigan.. .. .. | — | — | 11 | 11 | 1,253 | 1,004 | 948 | 862 | 665 | — | — | 153 | 22 | 22 | 109 | 33 | 107 | 101 | 9·22 | 7·29 | 1·94 | 3·89 | 2·91 | 1·46 |
| Wolverhampton .. | — | — | 38 | — | 880 | 900 | 681 | 675 | 95 | 244 | 208 | 75 | 57 | 19 | 19 | 19 | 84 | 76 | 6·48 | 13·61 | 3·03 | 4·39 | 1·73 | 1·76 |
| Worcester .. .. | — | — | — | 20 | 1,219 | 1,143 | 914 | 923 | — | 100 | 142 | 100 | — | — | 81 | — | 68 | 57 | 5·13 | 7·52 | 1·03 | 3·22 | — | — |
| York .. .. .. | — | — | 24 | — | 1,153 | 888 | 835 | 607 | 24 | 164 | 106 | 70 | 35 | 12 | 24 | 12 | 79 | 50 | 6·46 | 4·25 | 5·28 | 2·43 | 1·17 | — |
| Cardiff.. .. .. | — | — | 10 | 13 | 1,568 | 1,693 | 1,287 | 1,340 | 68 | 115 | 203 | 146 | 5 | 9 | 77 | 49 | 82 | 73 | 6·02 | 13·86 | 2·45 | 1·78 | 4·01 | 2·77 |
| Merthyr Tydfil .. | — | — | — | — | 1,403 | 1,196 | 1,173 | 967 | 36 | 701 | 73 | 205 | 12 | 12 | 109 | 181 | 103 | 87 | 6·80 | 9·55 | 4·53 | 2·81 | 2·83 | 1·68 |
| Newport (Mon.) .. | — | — | 11 | — | 1,391 | 1,204 | 1,170 | 953 | 105 | 398 | 169 | 272 | 53 | 10 | 190 | 63 | 63 | 65 | 4·75 | 8·53 | 3·80 | 3·79 | 0·95 | 1·90 |
| Swansea .. .. | — | — | 6 | — | 1,286 | 1,342 | 1,075 | 1,051 | 75 | 118 | 124 | 130 | 12 | 62 | 130 | 87 | 82 | 78 | 7·68 | 8·78 | 3·25 | 3·22 | 4·13 | 0·88 |

TABLE 8.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES UNDER ONE YEAR OF AGE, 1913–1923.

| Cause of Death. | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Causes .. .. .. .. | 95,608 | 91,971 | 89,380 | 71,646 | 64,483 | 64,386 | 61,715 | 76,552 | 70,250 | 60,121 | 52,582 |
| I—Common Infectious Diseases (6–10, 25 : 2) .. .. | 5,040 | 6,110 | 7,332 | 4,101 | 3,830 | 5,259 | 1,902 | 4,027 | 3,084 | 4,097 | 3,216 |
| I—Tuberculous Diseases (31–37) .. | 2,672 | 2,515 | 2,339 | 1,879 | 1,838 | 1,282 | 1,111 | 1,405 | 1,311 | 1,091 | 1,036 |
| I—Diarrhœa and Enteritis (113) .. | 17,038 | 15,297 | 12,333 | 8,313 | 6,885 | 6,319 | 6,039 | 7,641 | 11,705 | 4,347 | 5,169 |
| V—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2) .. .. .. | 34,609 | 33,174 | 30,343 | 27,967 | 24,404 | 23,518 | 25,952 | 31,088 | 28,021 | 24,504 | 22,547 |
| V—Miscellaneous Diseases— (Remainder) | 36,249 | 34,875 | 37,033 | 29,386 | 27,526 | 28,008 | 26,711 | 32,391 | 26,129 | 26,082 | 20,614 |
| Measles (7) .. .. .. | 2,147 | 1,879 | 3,367 | 1,127 | 1,825 | 1,510 | 650 | 1,532 | 526 | 1,220 | 1,134 |
| Whooping cough (9) .. .. | 2,557 | 3,845 | 3,630 | 2,710 | 1,787 | 3,551 | 1,054 | 2,152 | 2,287 | 2,620 | 1,907 |
| Diphtheria (10) .. .. | 211 | 234 | 217 | 180 | 149 | 152 | 143 | 249 | 199 | 193 | 119 |
| Influenza (11) .. .. .. | 250 | 253 | 429 | 216 | 250 | 2,478 | 1,622 | 530 | 439 | 973 | 291 |
| Tuberculosis of nervous system (32) .. .. .. .. | 901 | 866 | 888 | 762 | 716 | 548 | 484 | 639 | 595 | 526 | 496 |
| Tuberculosis of intestines and peritoneum (33) .. .. | 1,106 | 986 | 868 | 623 | 633 | 403 | 323 | 367 | 386 | 274 | 229 |
| Other tuberculous diseases (31, 34–37) .. .. | 665 | 663 | 583 | 494 | 489 | 331 | 304 | 399 | 330 | 291 | 311 |
| Syphilis (38) .. .. .. | 1,286 | 1,361 | 1,169 | 1,232 | 1,354 | 1,262 | 1,217 | 1,443 | 1,214 | 874 | 797 |
| Meningitis (71) .. .. | 1,072 | 1,066 | 989 | 758 | 678 | 575 | 574 | 678 | 591 | 562 | 511 |
| Convulsions (80) .. .. | 7,971 | 7,137 | 7,077 | 5,967 | 5,271 | 4,617 | 4,361 | 5,347 | 4,322 | 3,538 | 3,171 |
| Bronchitis (99) .. .. | 7,161 | 6,821 | 7,738 | 5,871 | 5,636 | 5,454 | 5,791 | 7,208 | 4,538 | 4,821 | 3,446 |
| Pneumonia (100, 101) .. | 9,606 | 9,166 | 10,994 | 7,727 | 7,645 | 8,028 | 7,282 | 9,422 | 8,001 | 9,275 | 6,732 |
| Other respiratory diseases (97, 98, 102–107)* .. .. | 572 | 558 | 539 | 489 | 432 | 308 | 323 | 443 | 332 | 314 | 273 |
| Inflammation of the stomach (112 : 1) .. .. .. | 1,427 | 1,426 | 1,452 | 1,263 | 1,080 | 959 | 897 | 1,216 | 1,033 | 701 | 610 |
| Diarrhœa and enteritis (113) | 17,038 | 15,297 | 12,333 | 8,313 | 6,885 | 6,319 | 6,039 | 7,641 | 11,705 | 4,347 | 5,169 |
| Hernia, intestinal obstruction (118) .. .. .. | 463 | 483 | 464 | 449 | 442 | 393 | 404 | 617 | 536 | 514 | 468 |
| Congenital malformations (159) | 3,447 | 3,387 | 3,362 | 3,284 | 2,853 | 2,403 | 2,701 | 3,855 | 3,377 | 3,292 | 3,156 |
| Congenital debility and sclerema (160 : 1) .. .. | 11,225 | 10,222 | 9,533 | 8,244 | 7,236 | 6,508 | 6,572 | 7,751 | 6,250 | 4,904 | 4,331 |
| Icterus (160 : 2) .. .. | 737 | 698 | 667 | 578 | 494 | 497 | 543 | 681 | 614 | 524 | 553 |
| Premature birth (161 : 1) .. | 17,654 | 17,344 | 15,431 | 14,627 | 12,747 | 13,135 | 15,009 | 17,300 | 16,411 | 14,571 | 13,379 |
| Injury at birth (161 : 2) .. | 1,063 | 1,051 | 930 | 904 | 768 | 660 | 774 | 1,164 | 1,179 | 1,035 | 1,056 |
| Disease of umbilicus (162 : 1)† | 337 | 342 | 341 | 300 | 235 | 206 | 221 | 348 | 143 | 127 | 119 |
| Atelectasis (162 : 2) .. .. | 1,546 | 1,523 | 1,350 | 1,234 | 1,074 | 975 | 1,127 | 1,501 | 1,369 | 1,213 | 1,128 |
| Suffocation—in bed or not stated how (180 pt.) .. | 1,226 | 1,233 | 1,020 | 742 | 704 | 557 | 525 | 593 | 502 | 443 | 415 |
| Other causes .. .. .. | 3,940 | 4,130 | 4,009 | 3,552 | 3,100 | 2,557 | 2,775 | 3,476 | 3,371 | 2,969 | 2,781 |

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.
† Including other hæmorrhages of the newborn previous to 1921.

TABLE 9.—ENGLAND AND WALES.—INFANT MORTALITY FROM VARIOUS CAUSES 1913–1923.

| Cause of Death. | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 19 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. .. .. .. .. .. | 108·41 | 104·62 | 109·72 | 91·21 | 96·48 | 97·16 | 89·13 | 79·93 | 82·76 | 77·07 | 69· |
| I—Common Infectious Diseases (6–10, 25 : 2) .. .. .. .. .. | 5·71 | 6·95 | 9·00 | 5·22 | 5·73 | 7·94 | 2·75 | 4·20 | 3·63 | 5·25 | 4· |
| II—Tuberculous Diseases (31–37) .. .. | 3·02 | 2·86 | 2·88 | 2·39 | 2·75 | 1·94 | 1·61 | 1·47 | 1·54 | 1·39 | 1· |
| III—Diarrhoea and Enteritis (113) .. .. | 19·32 | 17·40 | 15·14 | 10·58 | 10·30 | 9·54 | 8·72 | 7·98 | 13·79 | 5·57 | 6· |
| IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2) .. .. | 39·25 | 37·73 | 37·25 | 35·60 | 36·52 | 35·49 | 37·48 | 32·45 | 33·00 | 31·41 | 29· |
| V—Miscellaneous Diseases (Remainder .. | 41·11 | 39·68 | 45·45 | 37·42 | 41·18 | 42·25 | 38·57 | 33·83 | 30·80 | 33·45 | 27· |
| Measles (7) .. .. .. .. | 2·43 | 2·14 | 4·13 | 1·43 | 2·73 | 2·28 | 0·94 | 1·60 | 0·62 | 1·56 | 1 |
| Whooping cough (9) .. .. .. | 2·90 | 4·37 | 4·46 | 3·45 | 2·67 | 5·36 | 1·52 | 2·25 | 2·69 | 3·36 | 2· |
| Diphtheria (10) .. .. .. .. | 0·24 | 0·27 | 0·27 | 0·23 | 0·22 | 0·23 | 0·21 | 0·26 | 0·23 | 0·25 | 0 |
| Influenza (11) .. .. .. .. | 0·28 | 0·29 | 0·53 | 0·27 | 0·37 | 3·74 | 2·34 | 0·55 | 0·52 | 1·25 | 0 |
| Tuberculosis of nervous system (32) .. | 1·02 | 0·99 | 1·09 | 0·97 | 1·07 | 0·83 | 0·70 | 0·67 | 0·70 | 0·67 | 0 |
| Tuberculosis of intestines and peritoneum (33) .. .. .. .. .. | 1·25 | 1·12 | 1·07 | 0·79 | 0·95 | 0·61 | 0·47 | 0·38 | 0·45 | 0·35 | 0 |
| Other tuberculous diseases (31, 34–37) | 0·75 | 0·75 | 0·72 | 0·63 | 0·73 | 0·50 | 0·44 | 0·42 | 0·39 | 0·37 | 0 |
| Syphilis (38) .. .. .. .. | 1·46 | 1·55 | 1·44 | 1·57 | 2·03 | 1·90 | 1·76 | 1·51 | 1·43 | 1·12 | 1 |
| Meningitis (71) .. .. .. .. | 1·22 | 1·21 | 1·21 | 0·96 | 1·01 | 0·87 | 0·83 | 0·71 | 0·70 | 0·72 | 0 |
| Convulsions (80) .. .. .. .. | 9·04 | 8·12 | 8·69 | 7·60 | 7·89 | 6·97 | 6·30 | 5·58 | 5·09 | 4·54 | 4 |
| Bronchitis (99) .. .. .. .. | 8·12 | 7·76 | 9·50 | 7·47 | 8·43 | 8·23 | 8·36 | 7·53 | 5·35 | 6·18 | 4 |
| Pneumonia (100, 101) .. .. .. | 10·89 | 10·43 | 13·50 | 9·84 | 11·44 | 12·11 | 10·52 | 9·84 | 9·43 | 11·89 | 8 |
| Other respiratory diseases (97, 98, 102–107)* .. .. .. .. | 0·65 | 0·63 | 0·66 | 0·62 | 0·65 | 0·46 | 0·47 | 0·46 | 0·39 | 0·40 | 0 |
| Inflammation of the stomach (112 : 1) .. | 1·62 | 1·62 | 1·78 | 1·61 | 1·62 | 1·45 | 1·30 | 1·27 | 1·22 | 0·90 | 0 |
| Diarrhœa and enteritis (113) .. .. | 19·32 | 17·40 | 15·14 | 10·58 | 10·30 | 9·54 | 8·72 | 7·98 | 13·79 | 5·57 | 6 |
| Hernia, intestinal obstruction (118) .. | 0·53 | 0·55 | 0·57 | 0·57 | 0·66 | 0·59 | 0·58 | 0·64 | 0·63 | 0·66 | 0 |
| Congenital malformations (159) .. | 3·91 | 3·85 | 4·13 | 4·18 | 4·27 | 3·63 | 3·90 | 4·02 | 3·98 | 4·22 | 4 |
| Congenital debility and sclerema (160 : 1) .. .. .. .. | 12·73 | 11·63 | 11·70 | 10·49 | 10·83 | 9·82 | 9·49 | 8·09 | 7·36 | 6·29 | 5 |
| Icterus (160 : 2) .. .. .. .. | 0·84 | 0·79 | 0·82 | 0·74 | 0·74 | 0·75 | 0·78 | 0·71 | 0·72 | 0·67 | 0 |
| Premature birth (161 : 1) .. .. | 20·02 | 19·73 | 18·94 | 18·62 | 19·07 | 19·82 | 21·68 | 18·06 | 19·33 | 18·68 | 17 |
| Injury at birth (161 : 2) .. .. | 1·21 | 1·20 | 1·14 | 1·15 | 1·15 | 1·00 | 1·12 | 1·22 | 1·39 | 1·33 | 1 |
| Disease of umbilicus (162 : 1)† .. .. | 0·38 | 0·39 | 0·42 | 0·38 | 0·35 | 0·31 | 0·32 | 0·36 | 0·17 | 0·16 | 0 |
| Atelectasis (162 : 2) .. .. .. | 1·75 | 1·73 | 1·66 | 1·57 | 1·61 | 1·47 | 1·63 | 1·57 | 1·61 | 1·55 | 1 |
| Suffocation—in bed or not stated how (180 pt.) .. .. .. .. | 1·39 | 1·40 | 1·25 | 0·94 | 1·05 | 0·84 | 0·76 | 0·62 | 0·59 | 0·57 | 0 |
| Other causes .. .. .. .. | 4·46 | 4·70 | 4·90 | 4·55 | 4·64 | 3·85 | 3·99 | 3·63 | 3·98 | 3·81 | 3 |

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.
† Including other hæmorrhages of the newborn previous to 1921.

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY. 1923.

| Cause of Death. | Sex. | Proportion of Deaths to 1,000 Births. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Infants. | | | | | | Legitimate Infants. | | | | | | Illegitimate Infants. | | | | | |
| | | Under 4 Weeks | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| All Causes .. .. .. | M | 36·04 | 13·15 | 11·27 | 9·30 | 8·54 | 78·30 | 34·97 | 12·44 | 10·66 | 9·04 | 8·32 | 75·43 | 60·98 | 29·37 | 25·23 | 15·15 | 13·42 | 144·15 |
| | F | 27·51 | 9·43 | 8·72 | 7·45 | 6·91 | 60·02 | 26·48 | 8·85 | 8·29 | 7·14 | 6·72 | 57·48 | 51·33 | 22·80 | 18·76 | 14·53 | 11·40 | 118·82 |
| | P | 31·88 | 11·33 | 10·02 | 8·39 | 7·74 | 69·36 | 30·81 | 10·69 | 9·50 | 8·11 | 7·54 | 66·65 | 56·27 | 26·17 | 22·08 | 14·85 | 12·44 | 131·81 |
| I. Common Infectious Diseases (6–10, 25 : 2) .. | M | 0·10 | 0·58 | 0·76 | 1·23 | 1·78 | 4·45 | 0·11 | 0·57 | 0·72 | 1·20 | 1·77 | 4·37 | — | 0·74 | 1·67 | 1·79 | 2·23 | 6·43 |
| | F | 0·08 | 0·55 | 0·69 | 1·09 | 1·61 | 4·02 | 0·08 | 0·54 | 0·67 | 1·05 | 1·61 | 3·95 | — | 0·85 | 1·17 | 1·89 | 1·76 | 5·67 |
| | P | 0·09 | 0·57 | 0·73 | 1·16 | 1·69 | 4·24 | 0·09 | 0·56 | 0·70 | 1·13 | 1·68 | 4·16 | — | 0·79 | 1·43 | 1·84 | 2·00 | 6·06 |
| II. Tuberculous Diseases (31–37) .. .. .. | M | 0·02 | 0·13 | 0·37 | 0·54 | 0·50 | 1·56 | 0·01 | 0·11 | 0·37 | 0·51 | 0·51 | 1·51 | 0·06 | 0·37 | 0·44 | 1·22 | 0·62 | 2·71 |
| | F | 0·01 | 0·10 | 0·30 | 0·35 | 0·41 | 1·17 | 0·01 | 0·09 | 0·32 | 0·34 | 0·39 | 1·15 | — | 0·26 | 0·39 | 0·52 | 0·46 | 1·63 |
| | P | 0·01 | 0·11 | 0·35 | 0·43 | 0·46 | 1·36 | 0·01 | 0·11 | 0·34 | 0·42 | 0·44 | 1·32 | 0·03 | 0·32 | 0·42 | 0·88 | 0·54 | 2·19 |
| III. Diarrhœa and Enteritis (113) .. .. .. | M | 0·87 | 2·10 | 2·46 | 1·46 | 0·92 | 7·81 | 0·84 | 1·98 | 2·31 | 1·40 | 0·88 | 7·41 | 1·61 | 4·82 | 5·81 | 2·91 | 1·86 | 17·01 |
| | F | 0·60 | 1·28 | 1·87 | 1·22 | 0·81 | 5·78 | 0·59 | 1·18 | 1·74 | 1·14 | 0·74 | 5·39 | 0·78 | 3·65 | 4·95 | 3·06 | 2·41 | 14·85 |
| | P | 0·74 | 1·70 | 2·17 | 1·34 | 0·87 | 6·82 | 0·72 | 1·59 | 2·03 | 1·27 | 0·81 | 6·42 | 1·21 | 4·25 | 5·39 | 2·98 | 2·13 | 15·96 |
| IV. Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2) .. | M | 26·96 | 4·24 | 1·45 | 0·50 | 0·28 | 33·43 | 26·47 | 3·98 | 1·31 | 0·47 | 0·25 | 32·48 | 38·03 | 10·51 | 4·51 | 0·99 | 0·74 | 54·78 |
| | F | 20·87 | 3·14 | 1·22 | 0·44 | 0·22 | 25·89 | 20·34 | 2·91 | 1·11 | 0·40 | 0·22 | 24·98 | 33·67 | 8·46 | 3·65 | 1·11 | 0·40 | 47·29 |
| | P | 23·99 | 3·70 | 1·34 | 0·46 | 0·25 | 29·74 | 23·48 | 3·45 | 1·22 | 0·44 | 0·24 | 28·83 | 35·89 | 9·51 | 4·10 | 1·05 | 0·58 | 51·13 |
| V. Miscellaneous Diseases (Remainder) .. .. | M | 8·09 | 6·10 | 6·23 | 5·57 | 5·06 | 31·05 | 7·54 | 5·80 | 5·95 | 5·46 | 4·91 | 29·66 | 21·28 | 12·93 | 12·80 | 8·24 | 7·97 | 63·22 |
| | F | 5·95 | 4·36 | 4·64 | 4·35 | 3·86 | 23·16 | 5·46 | 4·13 | 4·45 | 4·21 | 3·76 | 22·01 | 16·88 | 9·58 | 8·60 | 7·95 | 6·37 | 49·38 |
| | P | 7·05 | 5·25 | 5·43 | 5·00 | 4·47 | 27·20 | 6·51 | 4·98 | 5·21 | 4·85 | 4·37 | 25·92 | 19·14 | 11·30 | 10·74 | 8·10 | 7·19 | 56·47 |

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1923—*continued.*

| Cause of Death. | Sex. | Proportion of Deaths to 1,000 Births. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Infants. | | | | | | Legitimate Infants. | | | | | | Illegitimate Infants. | | | | | |
| | | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| Measles (7) .. .. .. | M | 0·01 | 0·06 | 0·16 | 0·49 | 1·00 | 1·72 | 0·01 | 0·05 | 0·15 | 0·47 | 0·98 | 1·66 | – | 0·31 | 0·25 | 0·93 | 1·54 | 3·03 |
| | F | 0·02 | 0·03 | 0·09 | 0·38 | 0·74 | 1·26 | 0·02 | 0·03 | 0·08 | 0·36 | 0·73 | 1·22 | – | 0·20 | 0·20 | 0·90 | 0·85 | 2·15 |
| | P | 0·01 | 0·05 | 0·12 | 0·44 | 0·88 | 1·50 | 0·02 | 0·04 | 0·12 | 0·42 | 0·85 | 1·45 | – | 0·25 | 0·22 | 0·92 | 1·21 | 2·60 |
| Whooping cough (9) .. .. | M | 0·07 | 0·50 | 0·57 | 0·64 | 0·67 | 2·45 | 0·08 | 0·50 | 0·54 | 0·64 | 0·67 | 2·43 | – | 0·43 | 1·30 | 0·62 | 0·56 | 2·91 |
| | F | 0·06 | 0·50 | 0·58 | 0·65 | 0·79 | 2·58 | 0·06 | 0·50 | 0·56 | 0·63 | 0·79 | 2·54 | – | 0·65 | 0·98 | 0·98 | 0·91 | 3·52 |
| | P | 0·07 | 0·50 | 0·57 | 0·64 | 0·74 | 2·52 | 0·07 | 0·50 | 0·55 | 0·63 | 0·74 | 2·49 | – | 0·54 | 1·14 | 0·79 | 0·73 | 3·20 |
| Diphtheria (10) .. .. | M | 0·01 | 0·01 | 0·02 | 0·06 | 0·08 | 0·18 | 0·01 | 0·01 | 0·01 | 0·06 | 0·09 | 0·18 | – | – | 0·12 | 0·13 | 0·06 | 0·31 |
| | F | 0·01 | 0·01 | 0·02 | 0·04 | 0·05 | 0·13 | 0·01 | 0·01 | 0·02 | 0·04 | 0·06 | 0·14 | – | – | – | – | – | – |
| | P | 0·01 | 0·01 | 0·02 | 0·05 | 0·07 | 0·16 | 0·01 | 0·01 | 0·02 | 0·05 | 0·07 | 0·16 | – | – | 0·06 | 0·07 | 0·03 | 0·16 |
| Influenza (11) .. .. | M | 0·04 | 0·06 | 0·12 | 0·10 | 0·10 | 0·42 | 0·04 | 0·06 | 0·12 | 0·10 | 0·09 | 0·41 | 0·12 | 0·06 | 0·25 | 0·19 | 0·12 | 0·74 |
| | F | 0·04 | 0·05 | 0·10 | 0·08 | 0·08 | 0·35 | 0·04 | 0·05 | 0·08 | 0·08 | 0·09 | 0·34 | – | 0·06 | 0·19 | 0·07 | 0·07 | 0·39 |
| | P | 0·04 | 0·06 | 0·10 | 0·09 | 0·09 | 0·38 | 0·04 | 0·06 | 0·10 | 0·09 | 0·09 | 0·38 | 0·06 | 0·06 | 0·22 | 0·13 | 0·10 | 0·57 |
| Tuberculosis of nervous system (32) .. .. .. | M | 0·01 | 0·05 | 0·16 | 0·27 | 0·24 | 0·73 | 0·01 | 0·05 | 0·15 | 0·25 | 0·25 | 0·71 | – | 0·06 | 0·25 | 0·67 | 0·19 | 1·17 |
| | F | 0·01 | 0·03 | 0·13 | 0·19 | 0·22 | 0·58 | 0·01 | 0·03 | 0·14 | 0·19 | 0·21 | 0·58 | – | 0·13 | 0·07 | 0·19 | 0·20 | 0·59 |
| | P | 0·01 | 0·04 | 0·15 | 0·22 | 0·23 | 0·65 | 0·01 | 0·04 | 0·14 | 0·22 | 0·23 | 0·64 | – | 0·10 | 0·16 | 0·44 | 0·19 | 0·89 |
| Tuberculosis of intestines and peritoneum (33) .. .. | M | 0·01 | 0·05 | 0·09 | 0·10 | 0·10 | 0·35 | 0·00 | 0·04 | 0·10 | 0·10 | 0·11 | 0·35 | 0·06 | 0·12 | – | 0·19 | 0·12 | 0·49 |
| | F | – | 0·04 | 0·06 | 0·07 | 0·08 | 0·25 | – | 0·03 | 0·06 | 0·07 | 0·08 | 0·24 | – | 0·13 | 0·19 | 0·07 | 0·13 | 0·52 |
| | P | 0·00 | 0·04 | 0·08 | 0·08 | 0·10 | 0·30 | 0·00 | 0·04 | 0·08 | 0·08 | 0·09 | 0·29 | 0·03 | 0·12 | 0·10 | 0·13 | 0·13 | 0·51 |
| | | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |

| | | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other tuberculous diseases (31, 34–37) .. .. | M | – | 0·03 | 0·12 | 0·17 | 0·16 | 0·48 | – | 0·02 | 0·12 | 0·16 | 0·15 | 0·45 | – | 0·19 | 0·19 | 0·36 | 0·31 | 1·05 |
| | F | – | 0·03 | 0·11 | 0·09 | 0·11 | 0·34 | – | 0·03 | 0·12 | 0·08 | 0·10 | 0·33 | – | – | 0·13 | 0·26 | 0·13 | 0·52 |
| | P | – | 0·03 | 0·12 | 0·13 | 0·13 | 0·41 | – | 0·03 | 0·12 | 0·12 | 0·12 | 0·39 | – | 0·10 | 0·16 | 0·31 | 0·22 | 0·79 |
| Syphilis (38) .. .. .. | M | 0·48 | 0·41 | 0·23 | 0·08 | 0·03 | 1·23 | 0·41 | 0·33 | 0·17 | 0·05 | 0·03 | 0·99 | 2·30 | 2·10 | 1·67 | 0·74 | 0·12 | 6·93 |
| | F | 0·28 | 0·31 | 0·15 | 0·08 | 0·04 | 0·86 | 0·24 | 0·24 | 0·13 | 0·06 | 0·03 | 0·70 | 1·11 | 1·81 | 0·78 | 0·46 | 0·33 | 4·49 |
| | P | 0·39 | 0·36 | 0·19 | 0·08 | 0·03 | 1·05 | 0·32 | 0·29 | 0·15 | 0·06 | 0·03 | 0·85 | 1·71 | 1·97 | 1·24 | 0·60 | 0·22 | 5·74 |
| Meningitis (71) .. .. | M | 0·04 | 0·10 | 0·21 | 0·18 | 0·25 | 0·78 | 0·04 | 0·10 | 0·20 | 0·19 | 0·24 | 0·77 | – | 0·12 | 0·50 | – | 0·25 | 0·87 |
| | F | 0·05 | 0·05 | 0·12 | 0·17 | 0·18 | 0·57 | 0·05 | 0·05 | 0·11 | 0·17 | 0·17 | 0·55 | – | 0·13 | 0·20 | 0·32 | 0·26 | 0·91 |
| | P | 0·04 | 0·08 | 0·16 | 0·18 | 0·21 | 0·67 | 0·04 | 0·08 | 0·16 | 0·18 | 0·20 | 0·66 | – | 0·13 | 0·35 | 0·16 | 0·25 | 0·89 |
| Convulsions (80) .. .. | M | 2·34 | 0·95 | 0·65 | 0·52 | 0·43 | 4·89 | 2·31 | 0·87 | 0·61 | 0·50 | 0·41 | 4·70 | 3·41 | 2·60 | 1·42 | 1·11 | 0·74 | 9·28 |
| | F | 1·49 | 0·67 | 0·53 | 0·41 | 0·34 | 3·44 | 1·46 | 0·61 | 0·50 | 0·39 | 0·33 | 3·29 | 2·28 | 2·02 | 1·24 | 0·78 | 0·59 | 6·91 |
| | P | 1·92 | 0·81 | 0·59 | 0·47 | 0·39 | 4·18 | 1·90 | 0·74 | 0·56 | 0·44 | 0·37 | 4·01 | 2·85 | 2·32 | 1·33 | 0·95 | 0·67 | 8·12 |
| Bronchitis (99) .. .. | M | 0·67 | 1·39 | 1·27 | 1·07 | 0·69 | 5·09 | 0·68 | 1·38 | 1·21 | 1·06 | 0·68 | 5·01 | 0·31 | 1·72 | 2·55 | 1·17 | 1·05 | 6·80 |
| | F | 0·54 | 1·06 | 0·99 | 0·76 | 0·63 | 3·98 | 0·54 | 1·04 | 0·98 | 0·73 | 0·61 | 3·90 | 0·52 | 1·57 | 1·30 | 1·30 | 1·04 | 5·73 |
| | P | 0·61 | 1·23 | 1·13 | 0·92 | 0·66 | 4·55 | 0·62 | 1·20 | 1·10 | 0·90 | 0·65 | 4·47 | 0·41 | 1·65 | 1·93 | 1·24 | 1·05 | 6·28 |
| Pneumonia (100, 101) .. | M | 0·71 | 1·79 | 2·36 | 2·69 | 2·58 | 10·13 | 0·70 | 1·73 | 2·32 | 2·64 | 2·49 | 9·88 | 0·99 | 3·15 | 3·28 | 3·90 | 4·63 | 15·95 |
| | F | 0·49 | 1·21 | 1·80 | 2·06 | 2·01 | 7·57 | 0·49 | 1·17 | 1·72 | 2·01 | 1·96 | 7·35 | 0·39 | 2·02 | 3·72 | 3·19 | 3·32 | 12·64 |
| | P | 0·60 | 1·50 | 2·09 | 2·39 | 2·30 | 8·88 | 0·60 | 1·46 | 2·02 | 2·33 | 2·23 | 8·64 | 0·70 | 2·60 | 3·49 | 3·55 | 4·00 | 14·34 |
| Other respiratory diseases (97, 98, 102–107) .. .. | M | 0·10 | 0·09 | 0·11 | 0·06 | 0·07 | 0·43 | 0·09 | 0·08 | 0·10 | 0·06 | 0·08 | 0·41 | 0·31 | 0·19 | 0·25 | 0·06 | 0·06 | 0·87 |
| | F | 0·06 | 0·05 | 0·07 | 0·06 | 0·05 | 0·29 | 0·06 | 0·05 | 0·07 | 0·06 | 0·04 | 0·28 | 0·19 | 0·07 | 0·07 | 0·07 | 0·25 | 0·65 |
| | P | 0·08 | 0·07 | 0·09 | 0·06 | 0·06 | 0·36 | 0·08 | 0·06 | 0·08 | 0·06 | 0·06 | 0·34 | 0·25 | 0·13 | 0·16 | 0·06 | 0·16 | 0·76 |
| Inflammation of the stomach (112 : 1) .. .. .. | M | 0·14 | 0·35 | 0·27 | 0·08 | 0·08 | 0·92 | 0·13 | 0·33 | 0·25 | 0·08 | 0·08 | 0·87 | 0·31 | 0·80 | 0·80 | 0·19 | 0·06 | 2·16 |
| | F | 0·12 | 0·23 | 0·17 | 0·10 | 0·06 | 0·68 | 0·12 | 0·22 | 0·16 | 0·09 | 0·07 | 0·66 | – | 0·52 | 0·39 | 0·26 | – | 1·17 |
| | P | 0·13 | 0·29 | 0·22 | 0·09 | 0·07 | 0·80 | 0·13 | 0·28 | 0·21 | 0·08 | 0·07 | 0·77 | 0·16 | 0·67 | 0·60 | 0·22 | 0·03 | 1·68 |
| Diarrhœa and enteritis (113) | M | 0·87 | 2·10 | 2·46 | 1·46 | 0·92 | 7·81 | 0·84 | 1·98 | 2·31 | 1·40 | 0·88 | 7·41 | 1·61 | 4·82 | 5·81 | 2·91 | 1·86 | 17·01 |
| | F | 0·60 | 1·28 | 1·87 | 1·22 | 0·81 | 5·78 | 0·59 | 1·18 | 1·74 | 1·14 | 0·74 | 5·39 | 0·78 | 3·65 | 4·95 | 3·06 | 2·41 | 14·85 |
| | P | 0·74 | 1·70 | 2·17 | 1·34 | 0·87 | 6·82 | 0·72 | 1·59 | 2·03 | 1·27 | 0·81 | 6·42 | 1·21 | 4·25 | 5·39 | 2·98 | 2·13 | 15·96 |
| Hernia, intestinal obstruction (118) .. .. .. | M | 0·10 | 0·06 | 0·27 | 0·23 | 0·14 | 0·80 | 0·10 | 0·06 | 0·25 | 0·24 | 0·14 | 0·79 | 0·25 | 0·12 | 0·26 | 0·12 | 0·12 | 0·87 |
| | F | 0·05 | 0·03 | 0·16 | 0·13 | 0·06 | 0·43 | 0·05 | 0·03 | 0·15 | 0·13 | 0·06 | 0·42 | – | 0·07 | 0·13 | 0·25 | 0·07 | 0·52 |
| | P | 0·08 | 0·05 | 0·20 | 0·19 | 0·10 | 0·62 | 0·08 | 0·04 | 0·20 | 0·19 | 0·10 | 0·61 | 0·13 | 0·10 | 0·18 | 0·19 | 0·10 | 0·70 |

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1923—*continued.*

| Cause of Death. | Sex. | Proportion of Deaths to 1,000 Births. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Infants. | | | | | | Legitimate Infants. | | | | | | Illegitimate Infants. | | | | | |
| | | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| Congenital malformations (159) .. .. .. | M | 2·83 | 0·97 | 0·48 | 0·19 | 0·12 | 4·59 | 2·85 | 0·94 | 0·46 | 0·18 | 0·11 | 4·54 | 2·73 | 1·67 | 0·80 | 0·37 | 0·12 | 5·69 |
| | F | 2·33 | 0·76 | 0·36 | 0·16 | 0·11 | 3·72 | 2·33 | 0·74 | 0·35 | 0·16 | 0·12 | 3·70 | 2·21 | 1·37 | 0·52 | 0·13 | 0·07 | 4·30 |
| | P | 2·59 | 0·87 | 0·42 | 0·17 | 0·11 | 4·16 | 2·59 | 0·84 | 0·41 | 0·17 | 0·12 | 4·13 | 2·47 | 1·52 | 0·67 | 0·25 | 0·10 | 5·01 |
| Congenital debility and sclerema (160 : 1) .. .. | M | 3·83 | 1·61 | 0·77 | 0·28 | 0·15 | 6·64 | 3·67 | 1·43 | 0·65 | 0·26 | 0·13 | 6·14 | 7·48 | 5·81 | 3·46 | 0·56 | 0·62 | 17·93 |
| | F | 2·73 | 1·02 | 0·66 | 0·24 | 0·10 | 4·75 | 2·66 | 0·87 | 0·58 | 0·21 | 0·09 | 4·41 | 4·30 | 4·48 | 2·61 | 0·85 | 0·33 | 12·57 |
| | P | 3·28 | 1·32 | 0·72 | 0·26 | 0·13 | 5·71 | 3·18 | 1·15 | 0·62 | 0·24 | 0·11 | 5·30 | 5·92 | 5·17 | 3·05 | 0·70 | 0·48 | 15·32 |
| Icterus (160 : 2) .. .. | M | 0·83 | 0·10 | 0·01 | – | – | 0·94 | 0·81 | 0·11 | 0·01 | – | – | 0·93 | 0·87 | 0·12 | – | – | – | 0·99 |
| | F | 0·44 | 0·06 | 0·01 | 0·00 | – | 0·51 | 0·44 | 0·06 | 0·01 | 0·00 | – | 0·51 | 0·65 | – | – | – | – | 0·65 |
| | P | 0·64 | 0·08 | 0·01 | 0·00 | – | 0·73 | 0·63 | 0·09 | 0·01 | 0·00 | – | 0·73 | 0·76 | 0·06 | – | – | – | 0·82 |
| Premature birth (161 : 1) .. | M | 17·80 | 1·50 | 0·19 | 0·03 | 0·01 | 19·53 | 17·50 | 1·44 | 0·19 | 0·03 | 0·01 | 19·17 | 24·73 | 2·66 | 0·25 | 0·06 | – | 27·70 |
| | F | 14·19 | 1·25 | 0·19 | 0·04 | 0·01 | 15·68 | 13·76 | 1·19 | 0·17 | 0·03 | 0·01 | 15·16 | 24·69 | 2·48 | 0·52 | 0·13 | – | 27·82 |
| | P | 16·05 | 1·37 | 0·19 | 0·03 | 0·01 | 17·65 | 15·67 | 1·32 | 0·18 | 0·03 | 0·01 | 17·21 | 24·71 | 2·57 | 0·38 | 0·10 | – | 27·76 |
| Injury at birth (161 : 2) .. | M | 1·59 | 0·02 | 0·01 | 0·00 | – | 1·62 | 1·58 | 0·02 | 0·01 | 0·00 | – | 1·61 | 1·79 | – | – | – | – | 1·79 |
| | F | 1·13 | 0·03 | 0·00 | – | – | 1·16 | 1·08 | 0·03 | 0·00 | – | – | 1·11 | 2·22 | 0·13 | – | – | – | 2·35 |
| | P | 1·36 | 0·03 | 0·00 | 0·00 | – | 1·39 | 1·34 | 0·02 | 0·00 | 0·00 | – | 1·36 | 2·00 | 0·06 | – | – | – | 2·06 |
| Disease of umbilicus (162 : 1) | M | 0·13 | 0·03 | – | – | – | 0·16 | 0·12 | 0·03 | – | – | – | 0·15 | 0·43 | 0·06 | – | – | – | 0·49 |
| | F | 0·13 | 0·02 | – | – | – | 0·15 | 0·14 | 0·01 | – | – | – | 0·15 | 0·13 | 0·13 | – | – | – | 0·26 |
| | P | 0·14 | 0·02 | – | – | – | 0·16 | 0·13 | 0·02 | – | – | – | 0·15 | 0·28 | 0·10 | – | – | – | 0·38 |
| | | (1) | (2) | (3) | (4) | (5) | (6 | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |

| | | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Atelectasis (162 : 2) .. .. | M | 1·67 | 0·06 | – | – | – | 1·73 | 1·64 | 0·06 | – | – | – | 1·70 | 2·22 | 0·25 | – | – | – | 2·47 |
| | F | 1·18 | 0·05 | – | – | – | 1·23 | 1·15 | 0·05 | – | – | – | 1·20 | 1·82 | 0·13 | – | – | – | 1·95 |
| | P | 1·43 | 0·06 | – | – | – | 1·49 | 1·41 | 0·05 | – | – | – | 1·46 | 2·03 | 0·19 | – | – | – | 2·22 |
| Suffocation—in bed or not stated how (180 pt.) .. | M | 0·31 | 0·19 | 0·09 | 0·02 | 0·01 | 0·62 | 0·28 | 0·17 | 0·08 | 0·02 | 0·01 | 0·56 | 0·99 | 0·62 | 0·31 | – | – | 1·92 |
| | F | 0·20 | 0·16 | 0·06 | 0·04 | 0·01 | 0·47 | 0·18 | 0·15 | 0·06 | 0·04 | 0·01 | 0·44 | 0·90 | 0·33 | – | 0·07 | – | 1·30 |
| | P | 0·25 | 0·18 | 0·08 | 0·03 | 0·01 | 0·55 | 0·23 | 0·16 | 0·07 | 0·03 | 0·01 | 0·50 | 0·95 | 0·48 | 0·16 | 0·03 | – | 1·62 |
| Other causes .. .. .. | M | 1·45 | 0·67 | 0·65 | 0·58 | 0·71 | 4·06 | 1·07 | 0·65 | 0·65 | 0·55 | 0·69 | 3·61 | 10·07 | 1·39 | 1·51 | 0·87 | 0·89 | 14·73 |
| | F | 1·36 | 0·50 | 0·49 | 0·48 | 0·43 | 3·26 | 1·00 | 0·48 | 0·50 | 0·47 | 0·42 | 2·87 | 9·14 | 0·72 | 0·57 | 1·19 | 0·44 | 12·06 |
| | P | 1·41 | 0·58 | 0·60 | 0·53 | 0·55 | 3·67 | 0·99 | 0·58 | 0·57 | 0·52 | 0·58 | 3·24 | 9·64 | 1·03 | 1·09 | 1·03 | 0·64 | 13·43 |

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1923.

| Cause of Death. | Proportion of Deaths to 1,000 Births. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Infants. | | | | | | Legitimate Infants. | | | | | | Illegitimate Infants. | | | | | |
| | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| All Causes— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 25·93 | 9·61 | 11·11 | 7·64 | 6·97 | 61·26 | 24·99 | 8·81 | 10·29 | 7·26 | 6·65 | 58·00 | 48·49 | 28·72 | 30·62 | 16·53 | 14·63 | 138·99 |
| County Boroughs .. .. | 34·10 | 13·05 | 12·29 | 10·59 | 9·90 | 79·93 | 33·02 | 12·35 | 11·62 | 10·19 | 9·60 | 76·78 | 58·94 | 29·51 | 28·04 | 20·01 | 16·88 | 153·38 |
| Other Urban Districts .. | 31·64 | 11·07 | 8·84 | 7·80 | 7·05 | 66·40 | 30·61 | 10·51 | 8·50 | 7·59 | 6·91 | 64·12 | 56·81 | 24·54 | 17·10 | 12·87 | 10·46 | 121·78 |
| Rural Districts .. .. | 31·97 | 9·80 | 7·38 | 5·99 | 5·60 | 60·74 | 30·82 | 9·21 | 6·98 | 5·86 | 5·52 | 58·39 | 55·50 | 22·00 | 15·47 | 8·80 | 7·24 | 109·01 |
| All Urban Districts .. | 31·85 | 11·71 | 10·68 | 8·99 | 8·28 | 71·51 | 30·82 | 11·05 | 10·12 | 8·67 | 8·04 | 68·70 | 56·50 | 27·37 | 23·98 | 16·59 | 13·93 | 138·37 |
| I—Common Infectious Diseases (6–10, 25 : 2)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·04 | 0·41 | 0·67 | 0·97 | 1·51 | 3·60 | 0·05 | 0·40 | 0·64 | 0·95 | 1·53 | 3·57 | — | 0·81 | 1·35 | 1·36 | 0·81 | 4·33 |
| County Boroughs .. .. | 0·09 | 0·54 | 0·85 | 1·46 | 2·15 | 5·09 | 0·10 | 0·55 | 0·81 | 1·41 | 2·08 | 4·95 | — | 0·37 | 1·75 | 2·49 | 3·60 | 8·21 |
| Other Urban Districts .. | 0·07 | 0·59 | 0·67 | 1·07 | 1·64 | 4·04 | 0·07 | 0·58 | 0·66 | 1·04 | 1·64 | 3·99 | — | 1·01 | 1·01 | 1·70 | 1·51 | 5·23 |
| Rural Districts .. .. | 0·15 | 0·66 | 0·65 | 0·91 | 1·13 | 3·50 | 0·15 | 0·64 | 0·60 | 0·89 | 1·16 | 3·44 | — | 1·14 | 1·56 | 1·28 | 0·85 | 4·83 |
| All Urban Districts .. | 0·08 | 0·54 | 0·75 | 1·22 | 1·84 | 4·43 | 0·08 | 0·54 | 0·72 | 1·19 | 1·81 | 4·34 | — | 0·69 | 1·39 | 2·00 | 2·33 | 6·41 |
| II—Tuberculous Diseases (31–37)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | — | 0·07 | 0·34 | 0·25 | 0·55 | 1·21 | — | 0·07 | 0·35 | 0·22 | 0·50 | 1·14 | — | 0·27 | 0·54 | 0·81 | 1·36 | 2·98 |
| County Boroughs .. .. | 0·01 | 0·17 | 0·39 | 0·58 | 0·48 | 1·63 | 0·01 | 0·16 | 0·38 | 0·56 | 0·48 | 1·59 | — | 0·36 | 0·55 | 1·11 | 0·65 | 2·67 |
| Other Urban Districts .. | 0·02 | 0·10 | 0·31 | 0·43 | 0·49 | 1·35 | 0·02 | 0·09 | 0·31 | 0·40 | 0·49 | 1·31 | — | 0·40 | 0·40 | 1·01 | 0·30 | 2·11 |
| Rural Districts .. .. | 0·01 | 0·08 | 0·32 | 0·34 | 0·29 | 1·04 | — | 0·07 | 0·34 | 0·34 | 0·29 | 1·04 | 0·14 | 0·14 | 0·14 | 0·42 | 0·29 | 1·13 |
| All Urban Districts .. | 0·01 | 0·12 | 0·36 | 0·46 | 0·50 | 1·45 | 0·01 | 0·12 | 0·34 | 0·44 | 0·50 | 1·41 | — | 0·36 | 0·48 | 1·04 | 0·61 | 2·49 |
| III—Diarrhœa and Enteritis (113) | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·51 | 1·57 | 3·56 | 2·14 | 1·29 | 9·07 | 0·50 | 1·35 | 3·24 | 1·97 | 1·20 | 8·26 | 0·81 | 6·77 | 11·12 | 6·23 | 3·25 | 28·18 |
| County Boroughs .. .. | 0·97 | 2·23 | 2·90 | 1·71 | 1·13 | 8·94 | 0·96 | 2·11 | 2·71 | 1·60 | 1·04 | 8·42 | 1·20 | 5·17 | 7·10 | 4·06 | 3·41 | 20·94 |
| Other Urban Districts .. | 0·69 | 1·52 | 1·60 | 1·07 | 0·63 | 5·51 | 0·66 | 1·43 | 1·54 | 1·03 | 0·62 | 5·28 | 1·41 | 3·61 | 3·22 | 1·91 | 1·01 | 11·16 |
| Rural Districts .. .. | 0·54 | 1·14 | 1·03 | 0·69 | 0·53 | 3·93 | 0·51 | 1·08 | 0·94 | 0·67 | 0·50 | 3·70 | 1·14 | 2·41 | 2·83 | 1·14 | 1·14 | 8·66 |
| All Urban Districts .. | 0·79 | 1·84 | 2·45 | 1·51 | 0·95 | 7·54 | 0·77 | 1·71 | 2·31 | 1·42 | 0·89 | 7·10 | 1·23 | 4·78 | 6·13 | 3·51 | 2·41 | 18·06 |
| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |

| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 19·24 | 3·55 | 1·63 | 0·42 | 0·35 | 25·19 | 18·92 | 3·16 | 1·51 | 0·37 | 0·31 | 24·27 | 27·09 | 12·75 | 4·33 | 1·62 | 1·35 | 47·14 |
| County Boroughs .. .. | 25·08 | 4·16 | 1·52 | 0·56 | 0·26 | 31·58 | 24·52 | 3·90 | 1·33 | 0·52 | 0·26 | 30·53 | 38·21 | 9·95 | 6·00 | 1·47 | 0·27 | 55·90 |
| Other Urban Districts .. | 24·28 | 3·62 | 1·18 | 0·44 | 0·21 | 29·73 | 23·78 | 3·40 | 1·09 | 0·43 | 0·19 | 28·89 | 36·51 | 8·96 | 3·21 | 0·60 | 0·60 | 49·88 |
| Rural Districts .. .. | 24·45 | 3·16 | 1·07 | 0·38 | 0·26 | 29·32 | 23·88 | 2·92 | 1·02 | 0·37 | 0·24 | 28·43 | 36·20 | 7·95 | 2·27 | 0·71 | 0·57 | 47·70 |
| All Urban Districts .. | 23·88 | 3·84 | 1·39 | 0·49 | 0·25 | 29·85 | 23·37 | 3·58 | 1·26 | 0·46 | 0·23 | 28·90 | 35·82 | 9·98 | 4·61 | 1·15 | 0·57 | 52·13 |
| V—Miscellaneous Diseases (Remainder)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 6·14 | 4·01 | 4·91 | 3·86 | 3·27 | 22·19 | 5·52 | 3·83 | 4·55 | 3·75 | 3·11 | 20·76 | 20·59 | 8·12 | 13·28 | 6·51 | 7·86 | 56·36 |
| County Boroughs .. | 7·95 | 5·95 | 6·63 | 6·28 | 5·88 | 32·69 | 7·43 | 5·63 | 6·39 | 6·10 | 5·74 | 31·29 | 19·53 | 13·66 | 12·64 | 10·88 | 8·95 | 65·66 |
| Other Urban Districts .. | 6·58 | 5·24 | 5·08 | 4·79 | 4·08 | 25·77 | 6·08 | 5·01 | 4·90 | 4·69 | 3·97 | 24·65 | 18·89 | 10·56 | 9·26 | 7·65 | 7·04 | 53·40 |
| Rural Districts .. .. | 6·82 | 4·76 | 4·31 | 3·67 | 3·39 | 22·95 | 6·28 | 4·50 | 4·08 | 3·59 | 3·33 | 21·78 | 18·02 | 10·36 | 8·67 | 5·25 | 4·39 | 46·69 |
| All Urban Districts .. | 7·09 | 5·37 | 5·73 | 5·31 | 4·74 | 28·24 | 6·59 | 5·10 | 5·49 | 5·16 | 4·61 | 26·95 | 19·45 | 11·56 | 11·37 | 8·89 | 8·01 | 59·28 |
| Measles (7)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·01 | 0·03 | 0·05 | 0·32 | 0·55 | 0·96 | 0·01 | 0·02 | 0·05 | 0·32 | 0·54 | 0·94 | — | 0·27 | 0·27 | 0·27 | 0·54 | 1·35 |
| County Boroughs .. .. | 0·02 | 0·04 | 0·19 | 0·58 | 1·20 | 2·03 | 0·02 | 0·03 | 0·18 | 0·55 | 1·17 | 1·95 | — | 0·18 | 0·37 | 1·29 | 2·13 | 3·97 |
| Other Urban Districts .. | 0·01 | 0·06 | 0·11 | 0·43 | 0·84 | 1·45 | 0·01 | 0·05 | 0·11 | 0·40 | 0·83 | 1·40 | — | 0·40 | 0·10 | 1·21 | 0·80 | 2·51 |
| Rural Districts .. .. | 0·02 | 0·05 | 0·08 | 0·26 | 0·55 | 0·96 | 0·02 | 0·04 | 0·08 | 0·26 | 0·55 | 0·95 | — | 0·14 | 0·14 | 0·28 | 0·72 | 1·28 |
| All Urban Districts .. | 0·01 | 0·05 | 0·14 | 0·48 | 0·95 | 1·63 | 0·01 | 0·04 | 0·13 | 0·46 | 0·93 | 1·57 | — | 0·29 | 0·25 | 1·10 | 1·34 | 2·98 |
| Whooping cough (9)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·03 | 0·35 | 0·56 | 0·52 | 0·77 | 2·23 | 0·03 | 0·34 | 0·53 | 0·50 | 0·79 | 2·19 | — | 0·54 | 1·08 | 1·09 | 0·27 | 2·98 |
| County Boroughs .. .. | 0·06 | 0·47 | 0·63 | 0·77 | 0·85 | 2·78 | 0·07 | 0·48 | 0·60 | 0·76 | 0·82 | 2·73 | — | 0·18 | 1·39 | 1·11 | 1·29 | 3·97 |
| Other Urban Districts .. | 0·05 | 0·52 | 0·54 | 0·56 | 0·71 | 2·38 | 0·05 | 0·51 | 0·53 | 0·57 | 0·72 | 2·38 | — | 0·60 | 0·81 | 0·20 | 0·70 | 2·31 |
| Rural Districts .. .. | 0·12 | 0·61 | 0·53 | 0·63 | 0·56 | 2·45 | 0·12 | 0·60 | 0·50 | 0·60 | 0·58 | 2·40 | — | 0·99 | 1·29 | 0·99 | 0·14 | 3·41 |
| All Urban Districts .. | 0·06 | 0·47 | 0·58 | 0·65 | 0·77 | 2·53 | 0·06 | 0·47 | 0·56 | 0·64 | 0·78 | 2·51 | — | 0·41 | 1·10 | 0·74 | 0·90 | 3·15 |
| Diphtheria (10)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | — | 0·03 | 0·04 | 0·09 | 0·17 | 0·33 | — | 0·03 | 0·05 | 0·09 | 0·17 | 0·34 | — | — | — | — | — | — |
| County Boroughs .. .. | 0·01 | 0·02 | 0·03 | 0·06 | 0·07 | 0·19 | 0·01 | 0·02 | 0·03 | 0·07 | 0·07 | 0·20 | — | — | — | — | 0·09 | 0·09 |
| Other Urban Districts .. | 0·00 | 0·00 | 0·01 | 0·03 | 0·08 | 0·12 | 0·00 | 0·00 | 0·01 | 0·02 | 0·08 | 0·11 | — | — | 0·10 | 0·20 | — | 0·30 |
| Rural Districts .. .. | 0·01 | — | 0·01 | 0·01 | 0·02 | 0·05 | 0·01 | — | — | 0·02 | 0·02 | 0·05 | — | — | 0·14 | — | — | 0·14 |
| All Urban Districts .. | 0·00 | 0·01 | 0·02 | 0·05 | 0·10 | 0·18 | 0·01 | 0·02 | 0·02 | 0·05 | 0·08 | 0·18 | — | — | 0·04 | 0·08 | 0·04 | 0·16 |
| Influenza (11)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·01 | 0·04 | 0·04 | 0·08 | 0·03 | 0·20 | 0·01 | 0·05 | 0·05 | 0·06 | 0·03 | 0·20 | — | — | — | — | — | — |
| County Boroughs .. .. | 0·06 | 0·05 | 0·12 | 0·10 | 0·12 | 0·45 | 0·06 | 0·05 | 0·12 | 0·10 | 0·12 | 0·45 | 0·09 | 0·09 | 0·29 | 0·09 | 0·09 | 0·65 |
| Other Urban Districts .. | 0·02 | 0·05 | 0·10 | 0·07 | 0·08 | 0·32 | 0·02 | 0·05 | 0·11 | 0·07 | 0·07 | 0·32 | — | 0·10 | 0·10 | 0·10 | 0·10 | 0·40 |
| Rural Districts .. .. | 0·07 | 0·09 | 0·11 | 0·12 | 0·09 | 0·48 | 0·06 | 0·10 | 0·09 | 0·12 | 0·09 | 0·46 | 0·14 | — | 0·43 | 0·28 | 0·14 | 0·99 |
| All Urban Districts .. | 0·03 | 0·05 | 0·11 | 0·08 | 0·09 | 0·36 | 0·03 | 0·05 | 0·11 | 0·08 | 0·09 | 0·36 | 0·04 | 0·08 | 0·17 | 0·08 | 0·08 | 0·45 |

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1923—*continued.*

| Cause of Death. | Proportion of Deaths to 1,000 Births. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Infants. | | | | | | Legitimate Infants. | | | | | | Illegitimate Infants. | | | | | |
| | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| Tuberculosis of nervous system (32)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | — | 0·02 | 0·15 | 0·12 | 0·31 | 0·60 | — | 0·01 | 0·15 | 0·10 | 0·30 | 0·56 | — | 0·27 | 0·27 | 0·54 | 0·55 | 1·63 |
| County Boroughs .. .. | 0·01 | 0·05 | 0·16 | 0·32 | 0·24 | 0·78 | 0·01 | 0·05 | 0·16 | 0·31 | 0·25 | 0·78 | — | 0·09 | 0·18 | 0·56 | 0·09 | 0·92 |
| Other Urban Districts .. | 0·02 | 0·04 | 0·12 | 0·20 | 0·24 | 0·62 | 0·02 | 0·04 | 0·12 | 0·19 | 0·24 | 0·61 | — | — | 0·10 | 0·50 | 0·20 | 0·80 |
| Rural Districts .. .. | — | 0·05 | 0·15 | 0·17 | 0·15 | 0·52 | — | 0·04 | 0·15 | 0·18 | 0·15 | 0·52 | — | 0·14 | 0·14 | 0·14 | 0·15 | 0·57 |
| All Urban Districts .. | 0·01 | 0·04 | 0·15 | 0·24 | 0·25 | 0·69 | 0·01 | 0·04 | 0·14 | 0·23 | 0·26 | 0·68 | — | 0·08 | 0·16 | 0·54 | 0·20 | 0·98 |
| Tuberculosis of intestines and peritoneum (33)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | — | 0·01 | 0·04 | 0·02 | 0·05 | 0·12 | — | 0·01 | 0·05 | 0·02 | 0·05 | 0·13 | — | — | — | — | — | — |
| County Boroughs .. .. | 0·00 | 0·08 | 0·10 | 0·08 | 0·11 | 0·37 | 0·00 | 0·08 | 0·10 | 0·08 | 0·11 | 0·37 | — | 0·09 | — | 0·09 | 0·19 | 0·37 |
| Other Urban Districts .. | — | 0·04 | 0·08 | 0·11 | 0·11 | 0·34 | — | 0·03 | 0·07 | 0·10 | 0·11 | 0·31 | — | 0·30 | 0·30 | 0·31 | 0·10 | 1·01 |
| Rural Districts .. .. | 0·01 | 0·01 | 0·08 | 0·09 | 0·05 | 0·24 | — | 0·01 | 0·09 | 0·09 | 0·05 | 0·24 | 0·14 | — | — | — | 0·14 | 0·28 |
| All Urban Districts .. | 0·00 | 0·05 | 0·08 | 0·08 | 0·11 | 0·32 | 0·00 | 0·05 | 0·08 | 0·08 | 0·10 | 0·31 | — | 0·16 | 0·12 | 0·17 | 0·12 | 0·57 |
| Other tuberculous diseases (31, 34–37)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | — | 0·04 | 0·15 | 0·11 | 0·19 | 0·49 | — | 0·05 | 0·15 | 0·10 | 0·15 | 0·45 | — | — | 0·27 | 0·27 | 0·81 | 1·35 |
| County Boroughs .. .. | — | 0·04 | 0·13 | 0·18 | 0·13 | 0·48 | — | 0·03 | 0·12 | 0·17 | 0·12 | 0·44 | — | 0·18 | 0·37 | 0·46 | 0·37 | 1·38 |
| Other Urban Districts .. | — | 0·02 | 0·11 | 0·12 | 0·14 | 0·39 | — | 0·02 | 0·12 | 0·11 | 0·14 | 0·39 | — | 0·10 | — | 0·20 | — | 0·30 |
| Rural Districts .. .. | — | 0·02 | 0·09 | 0·08 | 0·09 | 0·28 | — | 0·02 | 0·10 | 0·07 | 0·09 | 0·28 | — | — | — | 0·28 | — | 0·28 |
| All Urban Districts .. | — | 0·03 | 0·13 | 0·14 | 0·14 | 0·44 | — | 0·03 | 0·12 | 0·13 | 0·14 | 0·42 | — | 0·12 | 0·20 | 0·33 | 0·29 | 0·94 |
| Syphilis (38)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·24 | 0·25 | 0·20 | 0·09 | 0·04 | 0·82 | 0·22 | 0·23 | 0·14 | 0·06 | 0·03 | 0·68 | 0·54 | 0·81 | 1·63 | 0·81 | 0·27 | 4·06 |
| County Boroughs .. .. | 0·61 | 0·52 | 0·31 | 0·12 | 0·05 | 1·61 | 0·50 | 0·40 | 0·24 | 0·09 | 0·04 | 1·27 | 2·86 | 3·41 | 2·03 | 0·74 | 0·37 | 9·41 |
| Other Urban Districts .. | 0·32 | 0·32 | 0·12 | 0·05 | 0·03 | 0·84 | 0·27 | 0·28 | 0·10 | 0·03 | 0·02 | 0·70 | 1·51 | 1·51 | 0·70 | 0·40 | 0·20 | 4·32 |
| Rural Districts .. .. | 0·18 | 0·23 | 0·10 | 0·05 | 0·01 | 0·57 | 0·15 | 0·18 | 0·08 | 0·03 | 0·01 | 0·45 | 0·85 | 0·99 | 0·57 | 0·57 | — | 2·98 |
| All Urban Districts .. | 0·42 | 0·40 | 0·22 | 0·09 | 0·04 | 1·17 | 0·37 | 0·32 | 0·17 | 0·06 | 0·03 | 0·95 | 1·96 | 2·25 | 1·43 | 0·61 | 0·29 | 6·54 |
| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |

| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Meningitis (71)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·03 | 0·07 | 0·13 | 0·14 | 0·11 | 0·48 | 0·03 | 0·07 | 0·11 | 0·15 | 0·11 | 0·47 | — | — | 0·54 | 0·27 | — | 0·81 |
| County Boroughs .. | 0·06 | 0·06 | 0·21 | 0·22 | 0·28 | 0·83 | 0·06 | 0·06 | 0·21 | 0·22 | 0·27 | 0·82 | — | 0·28 | 0·37 | 0·09 | 0·46 | 1·20 |
| Other Urban Districts .. | 0·03 | 0·08 | 0·17 | 0·18 | 0·17 | 0·63 | 0·03 | 0·08 | 0·16 | 0·19 | 0·17 | 0·63 | — | 0·10 | 0·50 | — | 0·20 | 0·80 |
| Rural Districts .. .. | 0·03 | 0·11 | 0·09 | 0·15 | 0·20 | 0·58 | 0·03 | 0·11 | 0·10 | 0·13 | 0·21 | 0·58 | — | — | — | 0·43 | 0·14 | 0·57 |
| All Urban Districts .. | 0·04 | 0·07 | 0·18 | 0·19 | 0·22 | 0·70 | 0·04 | 0·07 | 0·17 | 0·19 | 0·22 | 0·69 | — | 0·16 | 0·45 | 0·08 | 0·29 | 0·98 |
| Convulsions (80)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·97 | 0·24 | 0·25 | 0·14 | 0·16 | 1·76 | 0·96 | 0·22 | 0·20 | 0·14 | 0·15 | 1·67 | 0·81 | 0·81 | 1·36 | 0·27 | 0·54 | 3·79 |
| County Boroughs .. | 2·04 | 0·83 | 0·56 | 0·47 | 0·44 | 4·34 | 2·00 | 0·77 | 0·53 | 0·44 | 0·43 | 4·17 | 3·04 | 2·03 | 1·29 | 1·11 | 0·65 | 8·12 |
| Other Urban Districts . | 2·03 | 0·91 | 0·69 | 0·53 | 0·42 | 4·58 | 1·98 | 0·83 | 0·67 | 0·52 | 0·40 | 4·40 | 3·52 | 2·72 | 1·01 | 0·80 | 0·80 | 8·85 |
| Rural Districts .. .. | 2·16 | 0·96 | 0·69 | 0·55 | 0·37 | 4·73 | 2·14 | 0·86 | 0·64 | 0·51 | 0·36 | 4·51 | 2·70 | 2·97 | 1·85 | 1·28 | 0·57 | 9·37 |
| All Urban Districts .. | 1·87 | 0·77 | 0·57 | 0·45 | 0·39 | 4·05 | 1·83 | 0·71 | 0·54 | 0·43 | 0·38 | 3·89 | 2·91 | 2·12 | 1·18 | 0·86 | 0·69 | 7·76 |
| Bronchitis (99)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·38 | 0·66 | 0·67 | 0·45 | 0·27 | 2·43 | 0·40 | 0·67 | 0·61 | 0·45 | 0·27 | 2·40 | — | 0·81 | 1·90 | 0·27 | 0·27 | 3·25 |
| County Boroughs .. | 0·85 | 1·48 | 1·34 | 1·22 | 0·78 | 5·67 | 0·86 | 1·43 | 1·30 | 1·20 | 0·77 | 5·56 | 0·55 | 2·12 | 2·41 | 1·84 | 1·20 | 8·12 |
| Other Urban Districts .. | 0·49 | 1·28 | 1·18 | 0·95 | 0·72 | 4·62 | 0·50 | 1·27 | 1·15 | 0·94 | 0·69 | 4·55 | 0·10 | 1·91 | 1·71 | 1·21 | 1·41 | 6·34 |
| Rural Districts .. .. | 0·52 | 1·04 | 0·98 | 0·61 | 0·60 | 3·75 | 0·51 | 1·03 | 0·95 | 0·60 | 0·60 | 3·69 | 0·85 | 0·99 | 1·57 | 0·85 | 0·71 | 4·97 |
| All Urban Districts .. | 0·63 | 1·27 | 1·17 | 0·99 | 0·68 | 4·74 | 0·64 | 1·25 | 1·13 | 0·98 | 0·66 | 4·66 | 0·29 | 1·84 | 2·04 | 1·35 | 1·14 | 6·66 |
| Pneumonia (100, 101)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 1·10 | 1·66 | 2·32 | 2·03 | 1·96 | 9·07 | 1·09 | 1·55 | 2·14 | 2·00 | 1·80 | 8·58 | 1·35 | 4·33 | 6·24 | 2·71 | 5·96 | 20·59 |
| County Boroughs .. .. | 0·64 | 1·76 | 2·70 | 3·17 | 3·28 | 11·55 | 0·64 | 1·72 | 2·65 | 3·07 | 3·22 | 11·30 | 0·65 | 2·86 | 3·87 | 5·44 | 4·70 | 17·52 |
| Other Urban Districts .. | 0·49 | 1·39 | 1·83 | 2·24 | 1·93 | 7·88 | 0·49 | 1·36 | 1·79 | 2·20 | 1·85 | 7·69 | 0·50 | 2·01 | 2·82 | 3·62 | 3·72 | 12·67 |
| Rural Districts .. .. | 0·42 | 1·15 | 1·29 | 1·48 | 1·42 | 5·76 | 0·41 | 1·10 | 1·24 | 1·50 | 1·38 | 5·63 | 0·71 | 2·13 | 2·42 | 0·99 | 2·27 | 8·52 |
| All Urban Districts .. | 0·64 | 1·59 | 2·28 | 2·62 | 2·53 | 9·66 | 0·64 | 1·54 | 2·22 | 2·55 | 2·44 | 9·39 | 0·69 | 2·74 | 3·80 | 4·29 | 4·50 | 16·02 |
| Other respiratory diseases (97, 98, 102–107)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·14 | 0·07 | 0·08 | 0·04 | 0·03 | 0·36 | 0·12 | 0·07 | 0·08 | 0·05 | 0·03 | 0·35 | 0·54 | — | — | — | — | 0·54 |
| County Boroughs .. .. | 0·08 | 0·05 | 0·10 | 0·06 | 0·07 | 0·36 | 0·08 | 0·05 | 0·09 | 0·06 | 0·07 | 0·35 | 0·09 | 0·09 | 0·09 | 0·19 | 0·19 | 0·65 |
| Other Urban Districts .. | 0·08 | 0·07 | 0·10 | 0·07 | 0·06 | 0·38 | 0·07 | 0·07 | 0·08 | 0·07 | 0·06 | 0·35 | 0·40 | — | 0·41 | — | 0·20 | 1·01 |
| Rural Districts .. .. | 0·07 | 0·08 | 0·07 | 0·05 | 0·05 | 0·32 | 0·06 | 0·06 | 0·07 | 0·06 | 0·05 | 0·30 | 0·14 | 0·43 | — | — | 0·14 | 0·71 |
| All Urban Districts .. | 0·09 | 0·06 | 0·10 | 0·06 | 0·06 | 0·37 | 0·08 | 0·06 | 0·09 | 0·06 | 0·06 | 0·35 | 0·30 | 0·04 | 0·20 | 0·08 | 0·16 | 0·78 |
| Inflammation of the stomach (112 : 1)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·03 | 0·10 | 0·11 | 0·03 | — | 0·27 | 0·03 | 0·09 | 0·12 | 0·03 | — | 0·27 | — | 0·27 | — | — | — | 0·27 |
| County Boroughs .. .. | 0·18 | 0·35 | 0·27 | 0·08 | 0·08 | 0·96 | 0·18 | 0·33 | 0·25 | 0·08 | 0·08 | 0·92 | 0·09 | 0·83 | 0·65 | 0·18 | 0·09 | 1·84 |
| Other Urban Districts .. | 0·12 | 0·29 | 0·23 | 0·12 | 0·09 | 0·85 | 0·12 | 0·29 | 0·20 | 0·11 | 0·09 | 0·81 | 0·20 | 0·60 | 0·81 | 0·20 | — | 1·81 |
| Rural Districts .. .. | 0·12 | 0·27 | 0·22 | 0·10 | 0·07 | 0·78 | 0·11 | 0·25 | 0·20 | 0·08 | 0·08 | 0·72 | 0·28 | 0·71 | 0·57 | 0·43 | — | 1·99 |
| All Urban Districts .. | 0·13 | 0·29 | 0·23 | 0·09 | 0·07 | 0·81 | 0·13 | 0·29 | 0·21 | 0·08 | 0·07 | 0·78 | 0·12 | 0·66 | 0·61 | 0·16 | 0·04 | 1·59 |

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1923—*continued.*

| Cause of Death. | Proportion of Deaths to 1,000 Births. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Infants. | | | | | | Legitimate Infants. | | | | | | Illegitimate Infants. | | | | | |
| | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| Diarrhœa and enteritis (113)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·51 | 1·57 | 3·56 | 2·14 | 1·29 | 9·07 | 0·50 | 1·35 | 3·24 | 1·97 | 1·20 | 8·26 | 0·81 | 6·77 | 11·12 | 6·23 | 3·25 | 28·18 |
| County Boroughs .. .. | 0·97 | 2·23 | 2·90 | 1·71 | 1·13 | 8·94 | 0·96 | 2·11 | 2·71 | 1·60 | 1·04 | 8·42 | 1·20 | 5·17 | 7·10 | 4·06 | 3·41 | 20·94 |
| Other Urban Districts .. | 0·69 | 1·52 | 1·60 | 1·07 | 0·63 | 5·51 | 0·66 | 1·43 | 1·54 | 1·03 | 0·62 | 5·28 | 1·41 | 3·61 | 3·22 | 1·91 | 1·01 | 11·16 |
| Rural Districts .. .. | 0·54 | 1·14 | 1·03 | 0·69 | 0·53 | 3·93 | 0·51 | 1·08 | 0·94 | 0·67 | 0·50 | 3·70 | 1·14 | 2·41 | 2·83 | 1·14 | 1·14 | 8·66 |
| All Urban Districts .. | 0·79 | 1·84 | 2·45 | 1·51 | 0·95 | 7·54 | 0·77 | 1·71 | 2·31 | 1·42 | 0·89 | 7·10 | 1·23 | 4·78 | 6·13 | 3·51 | 2·41 | 18·06 |
| Hernia, intestinal obstruction (118)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·07 | 0·02 | 0·20 | 0·21 | 0·12 | 0·62 | 0·07 | 0·02 | 0·20 | 0·24 | 0·11 | 0·64 | — | — | — | — | 0·27 | 0·27 |
| County Boroughs .. .. | 0·06 | 0·06 | 0·26 | 0·21 | 0·12 | 0·71 | 0·06 | 0·05 | 0·26 | 0·20 | 0·12 | 0·69 | — | 0·28 | 0·37 | 0·37 | 0·18 | 1·20 |
| Other Urban Districts .. | 0·09 | 0·05 | 0·19 | 0·17 | 0·10 | 0·60 | 0·08 | 0·05 | 0·21 | 0·17 | 0·10 | 0·61 | 0·30 | — | — | 0·10 | — | 0·40 |
| Rural Districts .. .. | 0·10 | 0·04 | 0·12 | 0·15 | 0·07 | 0·48 | 0·10 | 0·04 | 0·11 | 0·15 | 0·08 | 0·48 | 0·14 | — | 0·29 | 0·14 | — | 0·57 |
| All Urban Districts .. | 0·07 | 0·05 | 0·23 | 0·19 | 0·11 | 0·65 | 0·07 | 0·04 | 0·24 | 0·19 | 0·11 | 0·65 | 0·12 | 0·12 | 0·17 | 0·21 | 0·12 | 0·74 |
| Congenital malformations (159) | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 2·31 | 0·96 | 0·39 | 0·08 | 0·12 | 3·86 | 2·38 | 0·90 | 0·39 | 0·06 | 0·13 | 3·86 | 0·54 | 2·17 | 0·54 | 0·54 | — | 3·79 |
| County Boroughs .. .. | 2·48 | 0·92 | 0·39 | 0·17 | 0·13 | 4·09 | 2·46 | 0·86 | 0·38 | 0·17 | 0·13 | 4·00 | 2·78 | 2·21 | 0·65 | 0·18 | 0·18 | 6·00 |
| Other Urban Districts .. | 2·76 | 0·90 | 0·45 | 0·20 | 0·08 | 4·39 | 2·77 | 0·90 | 0·44 | 0·20 | 0·07 | 4·38 | 2·41 | 1·01 | 0·70 | 0·20 | 0·10 | 4·42 |
| Rural Districts .. .. | 2·67 | 0·68 | 0·42 | 0·19 | 0·15 | 4·11 | 2·65 | 0·67 | 0·40 | 0·19 | 0·16 | 4·07 | 3·13 | 0·85 | 0·71 | 0·28 | — | 4·97 |
| All Urban Districts .. | 2·56 | 0·92 | 0·42 | 0·17 | 0·11 | 4·18 | 2·59 | 0·88 | 0·41 | 0·16 | 0·10 | 4·14 | 2·29 | 1·72 | 0·65 | 0·25 | 0·12 | 5·03 |
| Congenital debility and sclerema (160 : 1)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 1·62 | 1·26 | 1·04 | 0·33 | 0·22 | 4·47 | 1·57 | 1·00 | 0·93 | 0·30 | 0·17 | 3·97 | 2·98 | 7·60 | 3·52 | 1·08 | 1·35 | 16·53 |
| County Boroughs .. .. | 3·24 | 1·47 | 0·92 | 0·34 | 0·13 | 6·10 | 3·14 | 1·32 | 0·76 | 0·31 | 0·13 | 5·66 | 5·63 | 4·89 | 4·61 | 1·11 | 0·09 | 16·33 |
| Other Urban Districts .. | 3·69 | 1·28 | 0·55 | 0·20 | 0·11 | 5·83 | 3·58 | 1·14 | 0·47 | 0·19 | 0·10 | 5·48 | 6·34 | 4·83 | 2·31 | 0·30 | 0·50 | 14·28 |
| Rural Districts .. .. | 3·71 | 1·15 | 0·46 | 0·17 | 0·11 | 5·60 | 3·53 | 0·97 | 0·42 | 0·16 | 0·08 | 5·16 | 7·37 | 4·83 | 1·42 | 0·43 | 0·57 | 14·62 |
| All Urban Districts .. | 3·19 | 1·36 | 0·78 | 0·28 | 0·13 | 5·74 | 3·08 | 1·20 | 0·67 | 0·26 | 0·12 | 5·33 | 5·51 | 5·27 | 3·51 | 0·78 | 0·45 | 15·52 |
| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |

| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Icterus (160 : 2)—** | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·37 | 0·09 | 0·01 | — | — | 0·47 | 0·34 | 0·09 | 0·01 | — | — | 0·44 | 1·08 | — | — | — | — | 1·08 |
| County Boroughs .. .. | 0·67 | 0·09 | 0·00 | — | — | 0·76 | 0·68 | 0·09 | 0·00 | — | — | 0·77 | 0·46 | 0·09 | — | — | — | 0·55 |
| Other Urban Districts .. | 0·71 | 0·10 | — | — | — | 0·81 | 0·69 | 0·10 | — | — | — | 0·79 | 1·11 | 0·10 | — | — | — | 1·21 |
| Rural Districts .. .. | 0·63 | 0·05 | 0·01 | 0·01 | — | 0·70 | 0·64 | 0·05 | 0·01 | 0·01 | — | 0·71 | 0·57 | — | — | — | — | 0·57 |
| All Urban Districts .. | 0·65 | 0·09 | 0·00 | — | — | 0·74 | 0·64 | 0·09 | 0·00 | — | — | 0·73 | 0·82 | 0·08 | — | — | — | 0·90 |
| Premature birth (161 : 1)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 13·23 | 1·22 | 0·19 | 0·01 | 0·01 | 14·66 | 12·96 | 1·17 | 0·18 | 0·01 | 0·01 | 14·33 | 19·78 | 2·44 | 0·27 | — | — | 22·49 |
| County Boroughs .. .. | 17·21 | 1·60 | 0·21 | 0·05 | — | 19·07 | 16·80 | 1·55 | 0·19 | 0·04 | — | 18·58 | 26·85 | 2·67 | 0·74 | 0·18 | — | 30·44 |
| Other Urban Districts .. | 15·81 | 1·28 | 0·18 | 0·04 | 0·02 | 17·33 | 15·43 | 1·21 | 0·18 | 0·04 | 0·02 | 16·88 | 25·34 | 2·72 | 0·20 | 0·10 | — | 28·36 |
| Rural Districts .. .. | 16·08 | 1·23 | 0·18 | 0·01 | — | 17·50 | 15·73 | 1·18 | 0·19 | 0·01 | — | 17·11 | 23·14 | 2·27 | 0·14 | — | — | 25·55 |
| All Urban Districts .. | 16·03 | 1·41 | 0·19 | 0·04 | 0·01 | 17·68 | 15·64 | 1·36 | 0·18 | 0·04 | 0·01 | 17·23 | 25·16 | 2·66 | 0·45 | 0·12 | — | 28·39 |
| Injury at birth (161 : 2)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 1·30 | 0·01 | 0·01 | — | — | 1·32 | 1·28 | 0·01 | 0·01 | — | — | 1·30 | 1·90 | — | — | — | — | 1·90 |
| County Boroughs .. .. | 1·41 | 0·04 | — | 0·00 | — | 1·45 | 1·37 | 0·04 | — | 0·00 | — | 1·41 | 2·22 | 0·09 | — | — | — | 2·31 |
| Other Urban Districts .. | 1·36 | 0·03 | — | — | — | 1·39 | 1·34 | 0·03 | — | — | — | 1·37 | 1·71 | — | — | — | — | 1·71 |
| Rural Districts .. .. | 1·33 | 0·01 | 0·01 | — | — | 1·35 | 1·29 | 0·01 | 0·01 | — | — | 1·31 | 2·13 | 0·14 | — | — | — | 2·27 |
| All Urban Districts .. | 1·37 | 0·03 | 0·00 | 0·00 | — | 1·40 | 1·35 | 0·03 | 0·00 | 0·00 | — | 1·38 | 1·96 | 0·04 | — | — | — | 2·00 |
| Disease of umbilicus (162 : 1)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·19 | 0·01 | — | — | — | 0·20 | 0·17 | 0·01 | — | — | — | 0·18 | 0·54 | — | — | — | — | 0·54 |
| County Boroughs .. .. | 0·12 | 0·02 | — | — | — | 0·14 | 0·11 | 0·02 | — | — | — | 0·13 | 0·28 | 0·09 | — | — | — | 0·37 |
| Other Urban Districts .. | 0·13 | 0·03 | — | — | — | 0·16 | 0·13 | 0·02 | — | — | — | 0·15 | 0·30 | 0·20 | — | — | — | 0·50 |
| Rural Districts .. .. | 0·13 | 0·02 | — | — | — | 0·15 | 0·13 | 0·02 | — | — | — | 0·15 | 0·14 | — | — | — | — | 0·14 |
| All Urban Districts .. | 0·14 | 0·02 | — | — | — | 0·16 | 0·13 | 0·02 | — | — | — | 0·15 | 0·33 | 0·12 | — | — | — | 0·45 |
| Atelectasis (162 : 2)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 1·71 | 0·02 | — | — | — | 1·73 | 1·67 | — | — | — | — | 1·67 | 2·71 | 0·54 | — | — | — | 3·25 |
| County Boroughs .. .. | 1·48 | 0·08 | — | — | — | 1·56 | 1·44 | 0·08 | — | — | — | 1·52 | 2·49 | 0·09 | — | — | — | 2·58 |
| Other Urban Districts .. | 1·31 | 0·06 | — | — | — | 1·37 | 1·31 | 0·05 | — | — | — | 1·36 | 1·31 | 0·30 | — | — | — | 1·61 |
| Rural Districts .. .. | 1·36 | 0·05 | — | — | — | 1·41 | 1·33 | 0·05 | — | — | — | 1·38 | 1·99 | — | — | — | — | 1·99 |
| All Urban Districts .. | 1·45 | 0·06 | — | — | — | 1·51 | 1·42 | 0·05 | — | — | — | 1·47 | 2·04 | 0·25 | — | — | — | 2·29 |
| Suffocation—in bed or not stated how (180 pt.)— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 0·34 | 0·25 | 0·13 | 0·04 | 0·01 | 0·77 | 0·28 | 0·24 | 0·14 | 0·05 | 0·01 | 0·72 | 1·63 | 0·54 | — | — | — | 2·17 |
| County Boroughs .. .. | 0·26 | 0·19 | 0·08 | 0·02 | 0·01 | 0·56 | 0·23 | 0·17 | 0·08 | 0·02 | 0·01 | 0·51 | 0·92 | 0·55 | 0·28 | — | — | 1·75 |
| Other Urban Districts .. | 0·24 | 0·16 | 0·06 | 0·04 | 0·01 | 0·51 | 0·22 | 0·15 | 0·05 | 0·03 | 0·01 | 0·46 | 1·01 | 0·50 | 0·10 | 0·10 | — | 1·71 |
| Rural Districts .. .. | 0·24 | 0·13 | 0·06 | 0·02 | 0·01 | 0·46 | 0·22 | 0·12 | 0·06 | 0·02 | 0·01 | 0·43 | 0·57 | 0·28 | 0·14 | — | — | 0·99 |
| All Urban Districts .. | 0·26 | 0·19 | 0·08 | 0·03 | 0·01 | 0·57 | 0·23 | 0·17 | 0·08 | 0·03 | 0·01 | 0·52 | 1·07 | 0·53 | 0·16 | 0·04 | — | 1·80 |
| Other causes— | | | | | | | | | | | | | | | | | | |
| London .. .. .. | 1·34 | 0·63 | 0·79 | 0·65 | 0·56 | 3·97 | 0·87 | 0·61 | 0·76 | 0·56 | 0·60 | 3·40 | 13·28 | 0·55 | 1·61 | 2·18 | 0·55 | 18·17 |
| County Boroughs .. .. | 1·58 | 0·55 | 0·68 | 0·66 | 0·68 | 4·15 | 1·28 | 0·56 | 0·66 | 0·65 | 0·63 | 3·78 | 8·74 | 0·95 | 0·98 | 0·92 | 1·11 | 12·70 |
| Other Urban Districts .. | 1·19 | 0·59 | 0·42 | 0·42 | 0·48 | 3·10 | 0·84 | 0·55 | 0·39 | 0·41 | 0·52 | 2·71 | 9·34 | 0·92 | 1·10 | 1·21 | 0·42 | 12·99 |
| Rural Districts .. .. | 1·45 | 0·63 | 0·60 | 0·40 | 0·50 | 3·58 | 1·07 | 0·62 | 0·55 | 0·40 | 0·47 | 3·11 | 9·37 | 1·73 | 0·82 | 0·29 | 0·41 | 12·62 |
| All Urban Districts .. | 1·41 | 0·59 | 0·57 | 0·56 | 0·56 | 3·69 | 1·05 | 0·56 | 0·54 | 0·55 | 0·56 | 3·26 | 9·66 | 0·85 | 1·16 | 1·21 | 0·75 | 13·63 |

## Table 12.—Infant Mortality in Different Parts of England and Wales, 1923.

(For list of Counties in the several Geographical Divisions, *see* Note to Table 13).

| Area. | Proportion of Deaths to 1,000 Births. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Causes. | | | | | | I.—Common Infectious Diseases (6–10, 25 : 2). | | | | | | II.—Tuberculous Diseases (31–37). | | | | | |
| | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| All Areas : | | | | | | | | | | | | | | | | | | |
| North .. .. | 37·10 | 13·51 | 12·39 | 11·27 | 10·46 | 84·73 | 0·10 | 0·67 | 0·95 | 1·59 | 2·38 | 5·69 | 0·02 | 0·12 | 0·43 | 0·59 | 0·49 | 1·6 |
| Midlands .. .. | 30·53 | 10·36 | 8·66 | 7·04 | 6·34 | 62·93 | 0·09 | 0·44 | 0·50 | 0·95 | 1·28 | 3·26 | 0·01 | 0·10 | 0·34 | 0·35 | 0·46 | 1·2 |
| South .. .. | 25·87 | 9·12 | 8·35 | 6·16 | 5·54 | 55·04 | 0·07 | 0·50 | 0·61 | 0·76 | 1·07 | 3·01 | 0·01 | 0·11 | 0·26 | 0·36 | 0·43 | 1·1 |
| Wales .. .. | 33·59 | 12·83 | 10·45 | 8·32 | 8·53 | 73·72 | 0·15 | 0·80 | 1·01 | 1·39 | 2·45 | 5·80 | — | 0·10 | 0·26 | 0·45 | 0·39 | 1·2 |
| England and Wales | 31·88 | 11·33 | 10·02 | 8·39 | 7·74 | 69·36 | 0·09 | 0·57 | 0·73 | 1·16 | 1·69 | 4·24 | 0·01 | 0·11 | 0·35 | 0·43 | 0·46 | 1·3 |
| London .. .. | 25·93 | 9·61 | 11·11 | 7·64 | 6·97 | 61·26 | 0·04 | 0·41 | 0·67 | 0·97 | 1·51 | 3·60 | — | 0·07 | 0·34 | 0·25 | 0·55 | 1·2 |
| County Boroughs : | | | | | | | | | | | | | | | | | | |
| North .. .. | 37·18 | 14·18 | 14·04 | 12·80 | 11·80 | 90·00 | 0·10 | 0·57 | 1·07 | 1·79 | 2·65 | 6·18 | 0·02 | 0·15 | 0·46 | 0·66 | 0·52 | 1·8 |
| Midlands .. .. | 32·00 | 11·79 | 10·88 | 8·58 | 8·11 | 71·36 | 0·07 | 0·41 | 0·50 | 1·00 | 1·64 | 3·62 | 0·01 | 0·17 | 0·40 | 0·46 | 0·49 | 1·5 |
| South .. .. | 24·79 | 10·16 | 7·36 | 5·84 | 4·84 | 52·99 | 0·08 | 0·52 | 0·44 | 0·88 | 0·92 | 2·84 | — | 0·12 | 0·04 | 0·60 | 0·32 | 1·0 |
| Wales .. .. | 31·09 | 14·33 | 11·49 | 8·09 | 10·19 | 75·19 | 0·24 | 1·13 | 1·29 | 1·78 | 2·36 | 6·80 | — | 0·32 | 0·32 | 0·41 | 0·33 | 1·3 |
| England and Wales | 34·10 | 13·05 | 12·29 | 10·59 | 9·90 | 79·93 | 0·09 | 0·54 | 0·85 | 1·46 | 2·15 | 5·09 | 0·01 | 0·17 | 0·39 | 0·58 | 0·48 | 1·6 |
| Other Urban Districts : | | | | | | | | | | | | | | | | | | |
| North .. .. | 36·85 | 13·47 | 10·78 | 9·95 | 9·18 | 80·23 | 0·09 | 0·78 | 0·84 | 1·29 | 2·09 | 5·09 | 0·02 | 0·12 | 0·38 | 0·50 | 0·56 | 1·5 |
| Midlands .. .. | 28·68 | 10·15 | 7·96 | 6·74 | 5·80 | 59·33 | 0·06 | 0·44 | 0·50 | 0·97 | 1·23 | 3·20 | 0·01 | 0·08 | 0·32 | 0·34 | 0·52 | 1·2 |
| South .. .. | 25·43 | 8·30 | 6·00 | 4·70 | 4·07 | 48·50 | 0·07 | 0·63 | 0·56 | 0·49 | 0·61 | 2·36 | 0·02 | 0·16 | 0·22 | 0·48 | 0·36 | 1·2 |
| Wales .. .. | 34·87 | 11·10 | 10·15 | 9·50 | 9·17 | 74·79 | 0·07 | 0·47 | 0·91 | 1·56 | 3·05 | 6·06 | — | — | 0·20 | 0·41 | 0·44 | 1·0 |
| England and Wales | 31·64 | 11·07 | 8·84 | 7·80 | 7·05 | 66·40 | 0·07 | 0·59 | 0·67 | 1·07 | 1·64 | 4·04 | 0·02 | 0·10 | 0·31 | 0·43 | 0·49 | 1·3 |
| Rural Districts : | | | | | | | | | | | | | | | | | | |
| North .. .. | 37·36 | 10·93 | 9·71 | 8·35 | 8·21 | 74·56 | 0·11 | 0·83 | 0·75 | 1·49 | 2·02 | 5·20 | — | 0·03 | 0·44 | 0·47 | 0·19 | 1·1 |
| Midlands .. .. | 31·30 | 8·79 | 6·74 | 5·44 | 4·76 | 57·03 | 0·16 | 0·49 | 0·50 | 0·85 | 0·86 | 2·86 | 0·02 | 0·05 | 0·30 | 0·24 | 0·30 | 0·9 |
| South .. .. | 27·15 | 8·11 | 4·81 | 4·39 | 4·13 | 48·59 | 0·11 | 0·57 | 0·65 | 0·48 | 0·60 | 2·41 | — | 0·14 | 0·26 | 0·31 | 0·31 | 1·0 |
| Wales .. .. | 33·13 | 14·82 | 10·23 | 6·36 | 6·18 | 70·72 | 0·24 | 1·15 | 0·97 | 0·79 | 1·45 | 4·60 | — | 0·12 | 0·30 | 0·55 | 0·36 | 1·3 |
| England and Wales | 31·97 | 9·80 | 7·38 | 5·99 | 5·60 | 60·74 | 0·15 | 0·66 | 0·65 | 0·91 | 1·13 | 3·50 | 0·01 | 0·08 | 0·32 | 0·34 | 0·29 | 1·0 |

| Area. | III.—Diarrhœa and Enteritis (113). | | | | | | IV.—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2). | | | | | | V.—Miscellaneous Diseases (Remainder). | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| All Areas : | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·99 | 2·02 | 2·40 | 1·52 | 1·05 | 7·98 | 27·41 | 3·98 | 1·52 | 0·59 | 0·26 | 33·76 | 8·58 | 6·72 | 7·09 | 6·98 | 6·28 | 35·6 |
| Midlands .. .. | 0·69 | 1·49 | 1·93 | 1·23 | 0·65 | 5·99 | 23·54 | 3·66 | 1·23 | 0·43 | 0·20 | 29·06 | 6·20 | 4·67 | 4·66 | 4·08 | 3·75 | 23·3 |
| South .. .. | 0·48 | 1·43 | 2·26 | 1·30 | 0·85 | 6·32 | 19·59 | 3·38 | 1·29 | 0·37 | 0·26 | 24·89 | 5·72 | 3·70 | 3·93 | 3·37 | 2·93 | 19·6 |
| Wales .. .. | 0·67 | 1·98 | 1·83 | 1·15 | 0·92 | 6·55 | 25·09 | 3·64 | 1·03 | 0·36 | 0·38 | 30·50 | 7·68 | 6·31 | 6·32 | 4·97 | 4·39 | 29·6 |
| England and Wales | 0·74 | 1·70 | 2·17 | 1·34 | 0·87 | 6·82 | 23·99 | 3·70 | 1·34 | 0·46 | 0·25 | 29·74 | 7·05 | 5·25 | 5·43 | 5·00 | 4·47 | 27·2 |
| London .. .. | 0·51 | 1·57 | 3·56 | 2·14 | 1·29 | 9·07 | 19·24 | 3·55 | 1·63 | 0·42 | 0·35 | 25·19 | 6·14 | 4·01 | 4·91 | 3·86 | 3·27 | 22·1 |
| County Boroughs : | | | | | | | | | | | | | | | | | | |
| North .. .. | 1·19 | 2·34 | 3·05 | 1·81 | 1·24 | 9·63 | 26·74 | 4·22 | 1·78 | 0·65 | 0·29 | 33·68 | 9·13 | 6·90 | 7·68 | 7·89 | 7·10 | 38·7 |
| Midlands .. .. | 0·73 | 2·13 | 3·11 | 1·83 | 1·11 | 8·91 | 24·53 | 4·05 | 1·24 | 0·48 | 0·18 | 30·48 | 6·63 | 5·03 | 5·63 | 4·81 | 4·69 | 26·8 |
| South .. .. | 0·44 | 1·52 | 1·48 | 0·88 | 0·36 | 4·68 | 19·00 | 4·32 | 1·28 | 0·40 | 0·16 | 25·16 | 5·27 | 3·68 | 4·12 | 3·08 | 3·08 | 19·2 |
| Wales .. .. | 1·13 | 3·07 | 2·43 | 1·38 | 1·62 | 9·63 | 22·27 | 3·72 | 0·97 | 0·32 | 0·48 | 27·76 | 7·45 | 6·09 | 6·48 | 4·20 | 5·40 | 29·6 |
| England and Wales | 0·97 | 2·23 | 2·90 | 1·71 | 1·13 | 8·94 | 25·08 | 4·16 | 1·52 | 0·56 | 0·26 | 31·58 | 7·95 | 5·95 | 6·63 | 6·28 | 5·88 | 32·6 |
| Other Urban Districts : | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·85 | 1·79 | 1·76 | 1·29 | 0·82 | 6·51 | 27·94 | 3·98 | 1·22 | 0·52 | 0·19 | 33·85 | 7·95 | 6·80 | 6·58 | 6·35 | 5·52 | 33·2 |
| Midlands .. .. | 0·70 | 1·28 | 1·59 | 1·08 | 0·47 | 5·12 | 22·29 | 3·67 | 1·29 | 0·42 | 0·22 | 27·89 | 5·62 | 4·68 | 4·26 | 3·93 | 3·36 | 21·8 |
| South .. .. | 0·54 | 1·40 | 1·19 | 0·52 | 0·49 | 4·14 | 19·61 | 2·99 | 0·92 | 0·35 | 0·04 | 23·91 | 5·19 | 3·12 | 3·11 | 2·86 | 2·57 | 16·8 |
| Wales .. .. | 0·44 | 1·66 | 1·79 | 1·22 | 0·78 | 5·89 | 26·76 | 3·42 | 1·08 | 0·37 | 0·40 | 32·03 | 7·60 | 5·55 | 6·17 | 5·94 | 4·50 | 29·7 |
| England and Wales | 0·69 | 1·52 | 1·60 | 1·07 | 0·63 | 5·51 | 24·28 | 3·62 | 1·18 | 0·44 | 0·21 | 29·73 | 6·58 | 5·24 | 5·08 | 4·79 | 4·08 | 25·7 |
| Rural Districts : | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·53 | 1·30 | 1·35 | 0·91 | 0·86 | 4·95 | 28·81 | 3·13 | 1·22 | 0·47 | 0·25 | 33·88 | 7·91 | 5·64 | 5·95 | 5·01 | 4·89 | 29·4 |
| Midlands .. .. | 0·61 | 0·96 | 0·87 | 0·68 | 0·31 | 3·43 | 24·03 | 3·16 | 1·13 | 0 38 | 0·21 | 28·91 | 6·48 | 4·13 | 3·94 | 3·29 | 3·08 | 20·9 |
| South .. .. | 0 34 | 1·02 | 0·79 | 0·43 | 0·51 | 3·09 | 20·86 | 2·75 | 0·88 | 0·28 | 0·37 | 25·14 | 5·84 | 3·63 | 2·23 | 2·89 | 2·34 | 16·9 |
| Wales .. .. | 0·73 | 1·74 | 1·45 | 0·85 | 0·67 | 5·44 | 24·27 | 3·99 | 0·96 | 0·36 | 0·24 | 29·82 | 7·89 | 7·82 | 6·55 | 3·81 | 3·46 | 29·5 |
| England and Wales | 0·54 | 1·14 | 1·03 | 0·69 | 0·53 | 3·93 | 24·45 | 3·16 | 1·07 | 0·38 | 0·26 | 29·32 | 6·82 | 4·76 | 4·31 | 3·67 | 3·39 | 22·9 |

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1923—*continued.*

| Area. | Proportion of Deaths to 1,000 Births. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Measles (7). | | | | | | Whooping cough (9). | | | | | | Syphilis (38). | | | | | |
| | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| All Areas: | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·02 | 0·07 | 0·20 | 0·66 | 1·27 | 2·22 | 0·07 | 0·58 | 0·73 | 0·83 | 1·00 | 3·21 | 0·58 | 0·53 | 0·31 | 0·11 | 0·05 | 1·58 |
| Midlands .. .. | 0·01 | 0·03 | 0·07 | 0·33 | 0·69 | 1·13 | 0·06 | 0·39 | 0·40 | 0·55 | 0·54 | 1·94 | 0·28 | 0·27 | 0·14 | 0·06 | 0·02 | 0·77 |
| South .. .. | 0·01 | 0·04 | 0·05 | 0·23 | 0·40 | 0·73 | 0·06 | 0·44 | 0·52 | 0·47 | 0·54 | 2·03 | 0·26 | 0·26 | 0·14 | 0·08 | 0·04 | 0·78 |
| Wales .. .. | 0·02 | 0·05 | 0·22 | 0·58 | 1·41 | 2·28 | 0·14 | 0·75 | 0·77 | 0·75 | 0·94 | 3·35 | 0·30 | 0·27 | 0·07 | 0·03 | — | 0·67 |
| England and Wales | 0·01 | 0·05 | 0·12 | 0·44 | 0·88 | 1·50 | 0·07 | 0·50 | 0·57 | 0·64 | 0·74 | 2·52 | 0·39 | 0·36 | 0·19 | 0·08 | 0·03 | 1·05 |
| London .. .. | 0·01 | 0·03 | 0·05 | 0·32 | 0·55 | 0·96 | 0·03 | 0·35 | 0·56 | 0·52 | 0·77 | 2·23 | 0·24 | 0·25 | 0·20 | 0·09 | 0·04 | 0·82 |
| County Boroughs: | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·02 | 0·03 | 0·26 | 0·70 | 1·45 | 2·46 | 0·06 | 0·51 | 0·79 | 0·96 | 1·09 | 3·41 | 0·71 | 0·67 | 0·43 | 0·15 | 0·06 | 2·02 |
| Midlands .. .. | 0·02 | 0·06 | 0·10 | 0·41 | 0·92 | 1·51 | 0·04 | 0·32 | 0·38 | 0·50 | 0·61 | 1·85 | 0·43 | 0·29 | 0·18 | 0·08 | 0·02 | 1·00 |
| South .. .. | — | — | — | 0·40 | 0·56 | 0·96 | 0·08 | 0·44 | 0·40 | 0·48 | 0·28 | 1·68 | 0·48 | 0·32 | 0·20 | 0·12 | 0·08 | 1·20 |
| Wales .. .. | — | 0·08 | 0·32 | 0·73 | 1·70 | 2·83 | 0·24 | 1·05 | 0·97 | 1·06 | 0·65 | 3·97 | 0·81 | 0·73 | 0·08 | 0·08 | — | 1·70 |
| England and Wales | 0·02 | 0·04 | 0·19 | 0·58 | 1·20 | 2·03 | 0·06 | 0·47 | 0·63 | 0·77 | 0·85 | 2·78 | 0·61 | 0·52 | 0·31 | 0·12 | 0·05 | 1·61 |
| Other Urban Districts: | | | | | | | | | | | | | | | | | | |
| North .. .. | — | 0·09 | 0·14 | 0·61 | 1·01 | 1·85 | 0·08 | 0·67 | 0·67 | 0·59 | 0·96 | 2·97 | 0·53 | 0·41 | 0·15 | 0·06 | 0·06 | 1·21 |
| Midlands .. .. | — | 0·02 | 0·08 | 0·33 | 0·68 | 1·11 | 0·03 | 0·40 | 0·39 | 0·55 | 0·52 | 1·89 | 0·22 | 0·31 | 0·15 | 0·06 | 0·02 | 0·76 |
| South .. .. | 0·02 | 0·09 | 0·04 | 0·16 | 0·21 | 0·52 | 0·04 | 0·54 | 0·52 | 0·34 | 0·34 | 1·78 | 0·25 | 0·29 | 0·07 | 0·02 | — | 0·63 |
| Wales .. .. | 0·03 | 0·07 | 0·24 | 0·68 | 1·69 | 2·71 | 0·03 | 0·41 | 0·68 | 0·78 | 1·18 | 3·08 | 0·14 | 0·17 | 0·03 | 0·03 | — | 0·37 |
| England and Wales | 0·01 | 0·06 | 0·11 | 0·43 | 0·84 | 1·45 | 0·05 | 0·52 | 0·54 | 0·56 | 0·71 | 2·38 | 0·32 | 0·32 | 0·12 | 0·05 | 0·03 | 0·84 |
| Rural Districts: | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·06 | 0·17 | 0·14 | 0·58 | 1·21 | 2·16 | 0·06 | 0·66 | 0·61 | 0·89 | 0·77 | 2·99 | 0·19 | 0·31 | 0·19 | 0·06 | — | 0·75 |
| Midlands .. .. | 0·02 | 0·02 | 0·03 | 0·22 | 0·36 | 0·65 | 0·13 | 0·47 | 0·44 | 0·58 | 0·49 | 2·11 | 0·17 | 0·20 | 0·06 | 0·05 | 0·02 | 0·50 |
| South .. .. | — | — | 0·09 | — | 0·17 | 0·26 | 0·11 | 0·57 | 0·51 | 0·48 | 0·40 | 2·07 | 0·17 | 0·22 | 0·06 | 0·09 | 0·03 | 0·57 |
| Wales .. .. | — | — | 0·12 | 0·30 | 0·67 | 1·09 | 0·24 | 1·15 | 0·79 | 0·48 | 0·73 | 3·39 | 0·18 | 0·12 | 0·12 | — | — | 0·42 |
| England and Wales | 0·02 | 0·05 | 0·08 | 0·26 | 0·55 | 0·96 | 0·12 | 0·61 | 0·53 | 0·63 | 0·56 | 2·45 | 0·18 | 0·23 | 0·10 | 0·05 | 0·01 | 0·57 |

| | Meningitis (71). | | | | | | Convulsions (80). | | | | | | Bronchitis (99). | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Areas: | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·07 | 0·10 | 0·18 | 0·20 | 0·28 | 0·83 | 2·63 | 1·14 | 0·73 | 0·59 | 0·53 | 5·62 | 0·89 | 1·83 | 1·63 | 1·40 | 1·05 | 6·80 |
| Midlands .. .. | 0·03 | 0·06 | 0·15 | 0·16 | 0·23 | 0·63 | 1·52 | 0·58 | 0·46 | 0·43 | 0·30 | 3·29 | 0·52 | 1·09 | 0·95 | 0·76 | 0·52 | 3·84 |
| South .. .. | 0·02 | 0·06 | 0·14 | 0·14 | 0·12 | 0·48 | 0·97 | 0·37 | 0·30 | 0·23 | 0·23 | 2·10 | 0·35 | 0·57 | 0·61 | 0·42 | 0·30 | 2·25 |
| Wales .. .. | 0·02 | 0·12 | 0·22 | 0·28 | 0·15 | 0·79 | 3·72 | 1·75 | 1·49 | 0·80 | 0·56 | 8·32 | 0·53 | 1·25 | 1·36 | 1·03 | 0·72 | 4·89 |
| England and Wales | 0·04 | 0·08 | 0·16 | 0·18 | 0·21 | 0·67 | 1·92 | 0·81 | 0·59 | 0·47 | 0·39 | 4·18 | 0·61 | 1·23 | 1·13 | 0·92 | 0·66 | 4·55 |
| London .. .. | 0·03 | 0·07 | 0·13 | 0·14 | 0·11 | 0·48 | 0·97 | 0·24 | 0·25 | 0·14 | 0·16 | 1·76 | 0·38 | 0·66 | 0·67 | 0·45 | 0·27 | 2·43 |
| County Boroughs: | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·08 | 0·10 | 0·20 | 0·26 | 0·27 | 0·91 | 2·56 | 1·03 | 0·63 | 0·56 | 0·51 | 5·29 | 1·01 | 1·76 | 1·53 | 1·53 | 1·03 | 6·86 |
| Midlands .. .. | 0·04 | 0·02 | 0·22 | 0·18 | 0·37 | 0·83 | 1·46 | 0·51 | 0·46 | 0·40 | 0·34 | 3·17 | 0·76 | 1·26 | 1·17 | 0·94 | 0·52 | 4·65 |
| South .. .. | — | — | 0·24 | 0·16 | 0·04 | 0·44 | 0·96 | 0·44 | 0·24 | 0·20 | 0·24 | 2·08 | 0·24 | 0·56 | 0·72 | 0·60 | 0·28 | 2·40 |
| Wales .. .. | — | 0·08 | 0·32 | — | 0·33 | 0·73 | 1·94 | 1·38 | 1·13 | 0·49 | 0·73 | 5·67 | 0·81 | 1·38 | 1·53 | 0·81 | 0·73 | 5·26 |
| England and Wales | 0·06 | 0·06 | 0·21 | 0·22 | 0·28 | 0·83 | 2·04 | 0·83 | 0·56 | 0·47 | 0·44 | 4·34 | 0·85 | 1·48 | 1·34 | 1·22 | 0·78 | 5·67 |
| Other Urban Districts: | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·06 | 0·07 | 0·17 | 0·14 | 0·28 | 0·72 | 2·68 | 1·36 | 0·74 | 0·64 | 0·57 | 5·99 | 0·71 | 2·01 | 1·82 | 1·31 | 1·14 | 6·99 |
| Midlands .. .. | 0·03 | 0·11 | 0·14 | 0·15 | 0·09 | 0·52 | 1·31 | 0·59 | 0·50 | 0·39 | 0·24 | 3·03 | 0·37 | 1·05 | 0·84 | 0·74 | 0·54 | 3·54 |
| South .. .. | — | 0·07 | 0·16 | 0·18 | 0·20 | 0·61 | 0·86 | 0·47 | 0·36 | 0·34 | 0·31 | 2·34 | 0·25 | 0·36 | 0·61 | 0·36 | 0·29 | 1·87 |
| Wales .. .. | — | 0·07 | 0·27 | 0·37 | 0·07 | 0·78 | 4·15 | 1·22 | 1·59 | 0·95 | 0·68 | 8·59 | 0·54 | 1·32 | 1·18 | 1·42 | 0·68 | 5·14 |
| England and Wales | 0·03 | 0·08 | 0·17 | 0·18 | 0·17 | 0·63 | 2·03 | 0·91 | 0·69 | 0·53 | 0·42 | 4·58 | 0·49 | 1·28 | 1·18 | 0·95 | 0·72 | 4·62 |
| Rural Districts: | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·06 | 0·17 | 0·14 | 0·11 | 0·27 | 0·75 | 2·73 | 1·02 | 1·11 | 0·64 | 0·53 | 6·03 | 0·86 | 1·68 | 1·58 | 1·05 | 0·91 | 6·08 |
| Midlands .. .. | 0·02 | 0·05 | 0·08 | 0·17 | 0·21 | 0·53 | 1·84 | 0·65 | 0·42 | 0·55 | 0·35 | 3·81 | 0·41 | 0·91 | 0·82 | 0·55 | 0·50 | 3·19 |
| South .. .. | 0·03 | 0·09 | 0·09 | 0·06 | 0·10 | 0·37 | 1·19 | 0·51 | 0·34 | 0·34 | 0·31 | 2·69 | 0·48 | 0·59 | 0·40 | 0·31 | 0·37 | 2·15 |
| Wales .. .. | 0·06 | 0·24 | 0·06 | 0·31 | 0·18 | 0·85 | 4·24 | 2·96 | 1·57 | 0·79 | 0·24 | 9·80 | 0·30 | 1·03 | 1·57 | 0·48 | 0·79 | 4·17 |
| England and Wales | 0·03 | 0·11 | 0·09 | 0·15 | 0·20 | 0·58 | 2·16 | 0·96 | 0·69 | 0·55 | 0·37 | 4·73 | 0·52 | 1·04 | 0·98 | 0·61 | 0·60 | 3·75 |

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1923—*continued.*

| Area. | Proportion of Deaths to 1,000 Births. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Pneumonia (100, 101). | | | | | | Congenital malformations (159). | | | | | | Congenital debility and sclerema (160 : 1). | | | | | |
| | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. | Under 4 Weeks. | 4 Weeks—3 Months. | 3–6 Months. | 6–9 Months. | 9–12 Months. | Total under 1 Year. |
| All Areas : | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·62 | 1·76 | 2·73 | 3·62 | 3·35 | 12·08 | 2·86 | 0·86 | 0·43 | 0·22 | 0·12 | 4·49 | 4·04 | 1·31 | 0·84 | 0·32 | 0·13 | 6·64 |
| Midlands .. .. | 0·46 | 1·41 | 1·75 | 1·77 | 1·87 | 7·26 | 2·51 | 0·83 | 0·44 | 0·19 | 0·10 | 4·07 | 3·17 | 1·36 | 0·61 | 0·21 | 0·09 | 5·44 |
| South .. .. | 0·75 | 1·30 | 1·65 | 1·55 | 1·50 | 6·75 | 2·26 | 0·95 | 0·39 | 0·11 | 0·13 | 3·84 | 2·16 | 1·23 | 0·75 | 0·24 | 0·12 | 4·50 |
| Wales .. .. | 0·58 | 1·42 | 2·02 | 2·04 | 2·00 | 8·06 | 2·80 | 0·77 | 0·36 | 0·10 | 0·09 | 4·12 | 4·21 | 1·45 | 0·48 | 0·24 | 0·29 | 6·67 |
| England and Wales | 0·60 | 1·50 | 2·09 | 2·39 | 2·30 | 8·88 | 2·59 | 0·87 | 0·42 | 0·17 | 0·11 | 4·16 | 3·28 | 1·32 | 0·72 | 0·26 | 0·13 | 5·71 |
| London .. .. | 1·10 | 1·66 | 2·32 | 2·03 | 1·96 | 9·07 | 2·31 | 0·96 | 0·39 | 0·08 | 0·12 | 3·86 | 1·62 | 1·26 | 1·04 | 0·33 | 0·22 | 4·47 |
| County Boroughs : | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·75 | 1·90 | 3·19 | 4·26 | 4·13 | 14·23 | 2·55 | 0·85 | 0·38 | 0·20 | 0·16 | 4·14 | 3·69 | 1·51 | 1·12 | 0·41 | 0·13 | 6·86 |
| Midlands .. .. | 0·47 | 1·78 | 2·26 | 2·10 | 2·50 | 9·11 | 2·32 | 0·96 | 0·43 | 0·16 | 0·10 | 3·97 | 2·76 | 1·46 | 0·67 | 0·26 | 0·08 | 5·23 |
| South .. .. | 0·52 | 1·08 | 1·64 | 1·20 | 1·48 | 5·92 | 2·28 | 1·16 | 0·44 | 0·04 | 0·08 | 4·00 | 2·52 | 1·48 | 0·72 | 0·32 | 0·08 | 5·12 |
| Wales .. .. | 0·65 | 1·38 | 2·19 | 1·70 | 2·42 | 8·34 | 3·16 | 0·89 | 0·16 | 0·16 | 0·08 | 4·45 | 2·92 | 1·13 | 0·65 | 0·08 | 0·40 | 5·18 |
| England and Wales | 0·64 | 1·76 | 2·70 | 3·17 | 3·28 | 11·55 | 2·48 | 0·92 | 0·39 | 0·17 | 0·13 | 4·09 | 3·24 | 1·47 | 0·92 | 0·34 | 0·13 | 6·10 |
| Other Urban Districts : | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·46 | 1·78 | 2·39 | 3·19 | 2·54 | 10·36 | 3·35 | 1·02 | 0·46 | 0·26 | 0·03 | 5·12 | 4·70 | 1·16 | 0·52 | 0·20 | 0·14 | 6·72 |
| Midlands .. .. | 0·47 | 1·28 | 1·58 | 1·87 | 1·65 | 6·85 | 2·41 | 0·87 | 0·52 | 0·17 | 0·12 | 4·09 | 3·04 | 1·38 | 0·62 | 0·22 | 0·08 | 5·34 |
| South .. .. | 0·52 | 0·88 | 1·06 | 1·11 | 1·06 | 4·63 | 2·24 | 0·88 | 0·38 | 0·22 | 0·04 | 3·76 | 2·28 | 1·21 | 0·45 | 0·09 | — | 4·03 |
| Wales .. .. | 0·54 | 1·39 | 2·13 | 2·37 | 2·30 | 8·73 | 2·87 | 0·68 | 0·34 | 0·10 | 0·10 | 4·09 | 4·88 | 1·45 | 0·54 | 0·27 | 0·30 | 7·44 |
| England and Wales | 0·49 | 1·39 | 1·83 | 2·24 | 1·93 | 7·88 | 2·76 | 0·90 | 0·45 | 0·20 | 0·08 | 4·39 | 3·69 | 1·28 | 0·55 | 0·20 | 0·11 | 5·83 |
| Rural Districts : | | | | | | | | | | | | | | | | | | |
| North .. .. | 0·44 | 1·16 | 1·69 | 2·24 | 2·16 | 7·69 | 2·93 | 0·53 | 0·55 | 0·22 | 0·17 | 4·40 | 3·90 | 0·91 | 0·50 | 0·22 | 0·08 | 5·61 |
| Midlands .. .. | 0·42 | 1·10 | 1·32 | 1·20 | 1·37 | 5·41 | 2·88 | 0·61 | 0·35 | 0·25 | 0·08 | 4·17 | 3·85 | 1·23 | 0·53 | 0·11 | 0·13 | 5·85 |
| South .. .. | 0·31 | 1·05 | 0·65 | 1·11 | 0·88 | 4·00 | 2·16 | 0·88 | 0·34 | 0·11 | 0·31 | 3·80 | 3·11 | 0·99 | 0·40 | 0·17 | 0·06 | 4·73 |
| Wales .. .. | 0·60 | 1·51 | 1·69 | 1·70 | 1·15 | 6·65 | 2·42 | 0·85 | 0·54 | 0·06 | 0·06 | 3·93 | 4·00 | 1·69 | 0·24 | 0·30 | 0·18 | 6·41 |
| England and Wales | 0·42 | 1·15 | 1·29 | 1·48 | 1·42 | 5·76 | 2·67 | 0·68 | 0·42 | 0·19 | 0·15 | 4·11 | 3·71 | 1·15 | 0·46 | 0·17 | 0·11 | 5·60 |

| Area. | Premature birth (161 : 1). | | | | | | Injury at birth (161 : 2). | | | | | | Suffocation—in bed or not stated how (180 pt.). | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Areas : | | | | | | | | | | | | | | | | | | |
| North .. .. | 18·25 | 1·63 | 0·24 | 0·05 | 0·01 | 20·18 | 1·48 | 0·03 | — | — | — | 1·51 | 0·18 | 0·15 | 0·07 | 0·01 | — | 0·41 |
| Midlands .. .. | 15·88 | 1·34 | 0·18 | 0·03 | 0·01 | 17·44 | 1·36 | 0·03 | 0·00 | — | — | 1·39 | 0·28 | 0·19 | 0·09 | 0·03 | 0·03 | 0·62 |
| South .. .. | 13·33 | 1·09 | 0·14 | 0·02 | 0·01 | 14·59 | 1·27 | 0·02 | 0·01 | 0·01 | — | 1·31 | 0·35 | 0·21 | 0·08 | 0·04 | 0·01 | 0·69 |
| Wales .. .. | 15·79 | 1·25 | 0·19 | 0·02 | — | 17·25 | 1·13 | 0·03 | 0·02 | — | — | 1·18 | 0·17 | 0·14 | 0·02 | 0·05 | — | 0·38 |
| England and Wales | 16·05 | 1·37 | 0·19 | 0·03 | 0·01 | 17·65 | 1·36 | 0·03 | 0·00 | 0·00 | — | 1·39 | 0·25 | 0·18 | 0·08 | 0·03 | 0·01 | 0·55 |
| London .. .. | 13·23 | 1·22 | 0·19 | 0·01 | 0·01 | 14·66 | 1·30 | 0·01 | 0·01 | — | — | 1·32 | 0·34 | 0·25 | 0·13 | 0·04 | 0·01 | 0·77 |
| County Boroughs : | | | | | | | | | | | | | | | | | | |
| North .. .. | 18·23 | 1·67 | 0·27 | 0·04 | — | 20·21 | 1·46 | 0·03 | — | — | — | 1·49 | 0·23 | 0·14 | 0·06 | 0·01 | — | 0·44 |
| Midlands .. .. | 17·30 | 1·50 | 0·14 | 0·06 | — | 19·00 | 1·30 | 0·05 | — | — | — | 1·35 | 0·31 | 0·29 | 0·14 | 0·02 | 0·02 | 0·78 |
| South .. .. | 12·40 | 1·52 | 0·12 | 0·04 | — | 14·08 | 1·28 | 0·04 | — | 0·04 | — | 1·36 | 0·40 | 0·16 | 0·04 | 0·04 | — | 0·64 |
| Wales .. .. | 14·65 | 1·54 | 0·16 | 0·08 | — | 16·43 | 1·70 | 0·08 | — | — | — | 1·78 | 0·08 | 0·16 | — | 0·08 | — | 0·32 |
| England and Wales | 17·21 | 1·60 | 0·21 | 0·05 | — | 19·07 | 1·41 | 0·04 | — | 0·00 | — | 1·45 | 0·26 | 0·19 | 0·08 | 0·02 | 0·01 | 0·56 |
| Other Urban Districts: | | | | | | | | | | | | | | | | | | |
| North .. .. | 17·71 | 1·60 | 0·24 | 0·06 | 0·02 | 19·63 | 1·60 | 0·03 | — | — | — | 1·63 | 0·16 | 0·17 | 0·08 | 0·02 | — | 0·43 |
| Midlands .. .. | 15·05 | 1·27 | 0·15 | 0·03 | 0·02 | 16·52 | 1·36 | 0·03 | — | — | — | 1·39 | 0·27 | 0·16 | 0·07 | 0·06 | 0·03 | 0·59 |
| South .. .. | 13·18 | 0·79 | 0·09 | 0·04 | — | 14·10 | 1·24 | 0·02 | — | — | — | 1·26 | 0·32 | 0·16 | 0·02 | 0·02 | — | 0·52 |
| Wales .. .. | 16·64 | 1·12 | 0·20 | — | — | 17·96 | 0·88 | — | — | — | — | 0·88 | 0·27 | 0·14 | — | 0·03 | — | 0·44 |
| England and Wales | 15·81 | 1·28 | 0·18 | 0·04 | 0·02 | 17·33 | 1·36 | 0·03 | — | — | — | 1·39 | 0·24 | 0·16 | 0·06 | 0·04 | 0·01 | 0·51 |
| Rural Districts : | | | | | | | | | | | | | | | | | | |
| North .. .. | 19·60 | 1·58 | 0·14 | 0·03 | — | 21·35 | 1·27 | — | — | — | — | 1·27 | 0·08 | 0·14 | 0·06 | — | — | 0·28 |
| Midlands .. .. | 15·24 | 1·23 | 0·25 | — | — | 16·72 | 1·43 | — | 0·02 | — | — | 1·45 | 0·27 | 0·09 | 0·06 | 0·02 | 0·02 | 0·46 |
| South .. .. | 14·43 | 0·85 | 0·11 | — | — | 15·39 | 1·27 | 0·03 | — | — | — | 1·30 | 0·39 | 0·20 | 0·06 | 0·03 | 0·03 | 0·71 |
| Wales .. .. | 15·12 | 1·27 | 0·18 | — | — | 16·57 | 1·15 | 0·06 | 0·06 | — | — | 1·27 | 0·06 | 0·12 | 0·06 | 0·06 | — | 0·30 |
| England and Wales | 16·08 | 1·23 | 0·18 | 0·01 | — | 17·50 | 1·33 | 0·01 | 0·01 | — | — | 1·35 | 0·24 | 0·13 | 0·06 | 0·02 | 0·01 | 0·46 |

TABLE 13.—INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1923.

| All Infants. | | | | | | | | | | Area. | Illegitimate Infants. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Deaths. | | | | | | | | Deaths per 1,000 Births. | | | Deaths per 1,000 Births. | | Deaths. | | | | | | | |
| Under 1 day. | 1–7 days. | 1–4 weeks. | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under 1 year. | Under 4 weeks. | Total under 1 year. | | Under 4 weeks. | Total under 1 year. | Under 1 day. | 1–7 days. | 1–4 weeks. | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under 1 year. |
| SUMMARY*. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | All Areas. | | | | | | | | | | |
| 712 | 8293 | 8156 | 8590 | 7599 | 6362 | 5870 | 52582 | 32 | 69 | England and Wales | 56 | 132 | 684 | 521 | 569 | 825 | 696 | 468 | 392 | 4155 |
| 995 | 3304 | 3556 | 3588 | 3292 | 2994 | 2780 | 22509 | 37 | 85 | North .. .. | 61 | 150 | 229 | 221 | 237 | 306 | 278 | 227 | 190 | 1688 |
| 411 | 2506 | 2342 | 2462 | 2057 | 1672 | 1504 | 14954 | 31 | 63 | Midlands .. .. | 56 | 120 | 224 | 133 | 172 | 225 | 179 | 112 | 91 | 1136 |
| 702 | 1794 | 1588 | 1790 | 1639 | 1210 | 1087 | 10810 | 26 | 55 | South† .. .. | 51 | 122 | 201 | 116 | 120 | 221 | 199 | 99 | 85 | 1041 |
| 604 | 689 | 670 | 750 | 611 | 486 | 499 | 4309 | 34 | 74 | Wales .. .. | 54 | 129 | 30 | 51 | 40 | 73 | 40 | 30 | 26 | 290 |
| 795 | 815 | 767 | 881 | 1018 | 700 | 639 | 5615 | 26 | 61 | London Administrative County. | 48 | 139 | 83 | 52 | 44 | 106 | 113 | 61 | 54 | 513 |
| | | | | | | | | | | County Boroughs. | | | | | | | | | | |
| 744 | 3026 | 3225 | 3445 | 3244 | 2795 | 2613 | 21092 | 34 | 80 | England and Wales | 59 | 153 | 229 | 197 | 213 | 320 | 304 | 217 | 183 | 1663 |
| 571 | 1731 | 2028 | 2033 | 2013 | 1835 | 1692 | 12903 | 37 | 90 | North .. .. | 62 | 166 | 129 | 120 | 134 | 183 | 187 | 147 | 122 | 1022 |
| 846 | 921 | 894 | 981 | 905 | 714 | 674 | 5935 | 32 | 71 | Midlands .. .. | 55 | 136 | 63 | 50 | 56 | 85 | 76 | 46 | 43 | 419 |
| 209 | 239 | 172 | 254 | 184 | 146 | 121 | 1325 | 25 | 53 | South .. .. | 48 | 123 | 29 | 16 | 14 | 37 | 28 | 15 | 13 | 152 |
| 118 | 135 | 131 | 177 | 142 | 100 | 126 | 929 | 31 | 75 | Wales .. .. | 74 | 186 | 8 | 11 | 9 | 15 | 13 | 9 | 5 | 70 |
| | | | | | | | | | | Other Urban Districts. | | | | | | | | | | |
| 590 | 2741 | 2613 | 2779 | 2219 | 1959 | 1770 | 16671 | 32 | 66 | England and Wales | 57 | 122 | 227 | 159 | 179 | 244 | 170 | 128 | 104 | 1211 |
| 973 | 1102 | 1099 | 1160 | 928 | 857 | 791 | 6910 | 37 | 80 | North .. .. | 57 | 130 | 70 | 60 | 67 | 84 | 59 | 60 | 48 | 448 |
| 919 | 859 | 831 | 922 | 724 | 612 | 527 | 5394 | 29 | 59 | Midlands .. .. | 55 | 117 | 87 | 44 | 61 | 85 | 58 | 40 | 30 | 405 |
| 378 | 415 | 337 | 369 | 267 | 209 | 181 | 2156 | 25 | 48 | South .. .. | 58 | 113 | 56 | 27 | 33 | 48 | 38 | 14 | 10 | 226 |
| 320 | 365 | 346 | 328 | 300 | 281 | 271 | 2211 | 35 | 75 | Wales .. .. | 58 | 127 | 14 | 28 | 18 | 27 | 15 | 14 | 16 | 132 |
| | | | | | | | | | | Rural Districts. | | | | | | | | | | |
| 583 | 1711 | 1551 | 1485 | 1118 | 908 | 848 | 9204 | 32 | 61 | England and Wales | 56 | 109 | 145 | 113 | 133 | 155 | 109 | 62 | 51 | 768 |
| 451 | 471 | 429 | 395 | 351 | 302 | 297 | 2696 | 37 | 75 | North .. .. | 64 | 131 | 30 | 41 | 36 | 39 | 32 | 20 | 20 | 218 |
| 346 | 726 | 617 | 559 | 428 | 346 | 303 | 3625 | 31 | 57 | Midlands .. .. | 57 | 106 | 74 | 39 | 55 | 55 | 45 | 26 | 18 | 312 |
| 320 | 325 | 312 | 286 | 170 | 155 | 146 | 1714 | 27 | 49 | South .. .. | 52 | 93 | 33 | 21 | 29 | 30 | 20 | 9 | 8 | 150 |
| 166 | 189 | 193 | 245 | 169 | 105 | 102 | 1169 | 33 | 71 | Wales .. .. | 40 | 106 | 8 | 12 | 13 | 31 | 12 | 7 | 5 | 88 |

* The Counties in the four areas, North, Midlands, South and Wales, are shewn in footnote || to Table 14.

† Including London.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1923.

| All Infants. | | | | | | | | | | Area. | Illegitimate Infants. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Deaths. | | | | | | | | Deaths per 1,000 Births. | | | Deaths per 1,000 Births. | | Deaths. | | | | | | | |
| Under 1 day. | 1–7 days. | 1–4 weeks. | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under 1 year. | Under 4 weeks. | Total under 1 year. | | Under 4 weeks. | Total under 1 year. | Under 1 day. | 1–7 days. | 1–4 weeks. | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under 1 year. |
| GREATER LONDON AND METROPOLITAN BOROUGHS. | | | | | | | | | | | | | | | | | | | | |
| 1329 | 1312 | 1167 | 1393 | 1441 | 985 | 877 | 8504 | 26 | 57 | Greater London* .. | 53 | 139 | 153 | 73 | 72 | 168 | 164 | 80 | 67 | 777 |
| 1 | 1 | 1 | 2 | 2 | 1 | 1 | 9 | 27 | 81 | London, City of .. | — | 143 | — | — | — | 1 | — | — | — | 1 |
| — | — | — | — | — | — | — | — | — | — | The Inner and Middle Temples. | — | — | — | — | — | — | — | — | — | — |
| 33 | 21 | 22 | 30 | 26 | 17 | 21 | 170 | 22 | 50 | Battersea .. .. | 26 | 130 | 2 | 1 | — | 2 | 4 | 4 | 2 | 15 |
| 20 | 29 | 34 | 36 | 38 | 31 | 32 | 220 | 27 | 73 | Bermondsey .. | 71 | 196 | 2 | 1 | 1 | 3 | 2 | — | 2 | 11 |
| 24 | 27 | 21 | 32 | 42 | 26 | 29 | 201 | 25 | 70 | Bethnal Green .. | 62 | 123 | 2 | 1 | 1 | 1 | 2 | 1 | — | 8 |
| 45 | 58 | 43 | 45 | 43 | 39 | 47 | 320 | 26 | 57 | Camberwell .. | 30 | 96 | 3 | 1 | — | 1 | 5 | 1 | 2 | 13 |
| 9 | 4 | 10 | 12 | 9 | 7 | 6 | 57 | 23 | 56 | Chelsea .. .. | 15 | 103 | 1 | — | — | 2 | 1 | 2 | 1 | 7 |
| 17 | 19 | 20 | 22 | 28 | 16 | 21 | 143 | 23 | 59 | Deptford .. .. | 18 | 140 | — | — | 1 | 2 | 1 | 2 | 2 | 8 |
| 9 | 14 | 13 | 20 | 24 | 16 | 16 | 112 | 20 | 61 | Finsbury .. .. | — | 117 | — | — | — | 4 | 1 | 1 | 1 | 7 |
| 26 | 35 | 21 | 37 | 35 | 23 | 25 | 202 | 26 | 65 | Fulham .. .. | 88 | 155 | 5 | 6 | 2 | 5 | 2 | 3 | — | 23 |
| 19 | 29 | 18 | 17 | 16 | 21 | 11 | 131 | 31 | 62 | Greenwich .. .. | 141 | 297 | 6 | 2 | 1 | 3 | 3 | 2 | 2 | 19 |
| 35 | 37 | 44 | 43 | 42 | 36 | 23 | 260 | 26 | 59 | Hackney .. .. | 78 | 189 | 4 | 2 | 1 | 2 | 4 | 2 | 2 | 17 |
| 24 | 31 | 34 | 29 | 30 | 12 | 14 | 174 | 33 | 64 | Hammersmith .. | 15 | 100 | — | — | 2 | 4 | 3 | 4 | — | 13 |
| 14 | 5 | 7 | 9 | 8 | 6 | 5 | 54 | 21 | 44 | Hampstead.. .. | 79 | 158 | 4 | 1 | 1 | — | 3 | 2 | 1 | 12 |
| 8 | 3 | 7 | 9 | 6 | 7 | 7 | 47 | 30 | 79 | Holborn .. .. | 42 | 146 | 1 | — | 1 | 4 | — | — | 1 | 7 |
| 69 | 56 | 67 | 75 | 108 | 52 | 49 | 476 | 27 | 67 | Islington .. .. | 43 | 154 | 5 | 5 | 2 | 11 | 15 | 3 | 2 | 43 |
| 25 | 20 | 18 | 33 | 57 | 38 | 27 | 218 | 20 | 70 | Kensington.. .. | 39 | 151 | 5 | 3 | — | 2 | 10 | 4 | 7 | 31 |
| 53 | 60 | 55 | 61 | 61 | 37 | 39 | 366 | 27 | 59 | Lambeth .. .. | 49 | 109 | 7 | 2 | 7 | 9 | 5 | 4 | 2 | 36 |
| 37 | 21 | 16 | 24 | 27 | 20 | 12 | 157 | 22 | 48 | Lewisham .. .. | 33 | 91 | 4 | — | — | 1 | 5 | 1 | — | 11 |
| 26 | 29 | 24 | 23 | 40 | 23 | 16 | 181 | 30 | 69 | Paddington .. | 66 | 131 | 6 | 4 | 4 | 5 | 7 | — | 2 | 28 |
| 41 | 39 | 37 | 37 | 38 | 38 | 25 | 255 | 27 | 60 | Poplar .. .. | 42 | 84 | 1 | 2 | 1 | 3 | — | — | 1 | 8 |
| 14 | 19 | 17 | 22 | 17 | 13 | 12 | 114 | 30 | 69 | St. Marylebone .. | 60 | 159 | 2 | 2 | 5 | 7 | 4 | 4 | — | 24 |
| 39 | 55 | 34 | 36 | 47 | 40 | 22 | 273 | 29 | 63 | St. Pancras.. .. | 60 | 177 | 6 | 8 | 1 | 9 | 10 | 6 | 4 | 44 |
| 28 | 30 | 31 | 47 | 34 | 32 | 35 | 237 | 31 | 83 | Shoreditch .. .. | 87 | 165 | 4 | 1 | 4 | 3 | 3 | — | 2 | 17 |
| 53 | 30 | 42 | 40 | 70 | 43 | 40 | 318 | 27 | 70 | Southwark .. .. | 33 | 115 | 4 | — | 2 | 4 | 2 | 3 | 6 | 21 |
| 34 | 53 | 42 | 64 | 74 | 52 | 53 | 372 | 22 | 63 | Stepney .. .. | 54 | 128 | 1 | 4 | 3 | 1 | 4 | 4 | 2 | 19 |
| 12 | 6 | 5 | 6 | 10 | 2 | 5 | 46 | 24 | 48 | Stoke Newington .. | 33 | 133 | — | — | 1 | — | 2 | — | 1 | 4 |
| 42 | 41 | 46 | 42 | 57 | 38 | 29 | 295 | 24 | 54 | Wandsworth .. | 27 | 194 | 2 | 2 | 2 | 14 | 9 | 7 | 7 | 43 |
| 19 | 18 | 10 | 13 | 14 | 4 | 6 | 84 | 27 | 48 | Westminster .. | 47 | 76 | 5 | 3 | — | 1 | 2 | — | 2 | 13 |
| 19 | 25 | 28 | 15 | 15 | 10 | 11 | 123 | 25 | 43 | Woolwich .. .. | 41 | 135 | 1 | 1 | 1 | 2 | 4 | 1 | — | 10 |

* Greater London consists of the City of London, the Metropolitan Boroughs and the Outer Ring. For the detailed constitution *see* Census of England and Wales, 1921, Preliminary Report, pp. 58, 59. (Cmd. 1485.)

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1923.

| All Infants. | | | | | | | | | | | Illegitimate Infants. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Deaths. | | | | | | | | Deaths per 1,000 Births. | | Area. | Deaths per 1,000 Births | | Deaths. | | | | | | | |
| 1 day. | 1–7 days. | 1–4 weeks. | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under 1 year. | Under 4 weeks. | Total under 1 Year. | | Under 4 weeks. | Total under 1 year. | Under 1 day. | 1–7 days. | 1–4 weeks. | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under 1 year. |
| | | | | | | | | | | COUNTY BOROUGHS. | | | | | | | | | |
| | | | | | | | | | | ENGLAND. | | | | | | | | | |
| 19 | 28 | 30 | 22 | 20 | 24 | 27 | 170 | 44 | 97 | Barnsley .. .. | 101 | 188 | 1 | 5 | 1 | — | 1 | 2 | 3 | 13 |
| 17 | 25 | 31 | 16 | 16 | 7 | 9 | 121 | 54 | 89 | Barrow-in-Furness | 67 | 117 | — | — | 4 | 1 | 2 | — | — | 7 |
| 10 | 10 | 9 | 6 | 6 | 1 | 6 | 48 | 28 | 47 | Bath .. .. | 85 | 149 | 2 | — | 2 | — | 3 | — | — | 7 |
| 24 | 38 | 45 | 31 | 22 | 29 | 18 | 207 | 33 | 64 | Birkenhead.. .. | 56 | 120 | 3 | 2 | 1 | 1 | 2 | 3 | 1 | 13 |
| 89 | 189 | 213 | 232 | 207 | 166 | 174 | 1370 | 31 | 72 | Birmingham .. | 59 | 152 | 14 | 10 | 12 | 11 | 20 | 15 | 11 | 93 |
| 35 | 29 | 36 | 32 | 30 | 24 | 23 | 209 | 48 | 100 | Blackburn .. .. | 90 | 225 | 3 | 4 | 1 | 2 | 5 | 2 | 3 | 20 |
| 14 | 12 | 10 | 14 | 15 | 9 | 4 | 78 | 33 | 71 | Blackpool .. .. | 80 | 149 | 3 | 1 | 3 | 2 | 2 | 1 | 1 | 13 |
| 22 | 46 | 53 | 46 | 26 | 46 | 36 | 275 | 38 | 86 | Bolton .. .. | 44 | 126 | 1 | 3 | 3 | 3 | 2 | 4 | 4 | 20 |
| 11 | 24 | 35 | 21 | 35 | 18 | 27 | 171 | 35 | 86 | Bootle .. .. | 18 | 125 | 1 | — | — | 1 | 3 | — | 2 | 7 |
| 9 | 14 | 5 | 14 | 6 | 10 | 6 | 64 | 26 | 60 | Bournemouth .. | 41 | 151 | 2 | — | 1 | 4 | 1 | 1 | 2 | 11 |
| 58 | 64 | 72 | 69 | 69 | 48 | 35 | 415 | 37 | 78 | Bradford .. .. | 91 | 207 | 7 | 12 | 6 | 10 | 11 | 7 | 4 | 57 |
| 26 | 18 | 15 | 29 | 18 | 11 | 15 | 132 | 27 | 60 | Brighton .. .. | 70 | 114 | 8 | 3 | — | 2 | 1 | 1 | 3 | 18 |
| 55 | 79 | 70 | 74 | 64 | 53 | 61 | 456 | 28 | 62 | Bristol .. .. | 27 | 100 | — | 2 | 4 | 7 | 4 | 2 | 3 | 22 |
| 22 | 22 | 25 | 33 | 34 | 24 | 27 | 187 | 38 | 103 | Burnley .. .. | 67 | 248 | 1 | 4 | 2 | 4 | 3 | 8 | 4 | 26 |
| 13 | 16 | 10 | 8 | 11 | 5 | 13 | 76 | 39 | 75 | Burton-upon-Trent | 133 | 178 | — | 1 | 5 | 2 | — | — | — | 8 |
| 12 | 7 | 22 | 10 | 13 | 12 | 11 | 87 | 47 | 100 | Bury .. .. | 109 | 174 | 1 | 2 | 2 | 2 | — | — | 1 | 8 |
| 2 | 4 | 5 | 4 | 5 | 2 | — | 22 | 25 | 49 | Canterbury.. .. | — | 43 | — | — | — | — | — | 1 | — | 1 |
| 21 | 16 | 12 | 14 | 9 | 18 | 12 | 102 | 42 | 87 | Carlisle .. .. | 96 | 115 | 3 | 2 | — | — | 1 | — | — | 6 |
| 7 | 6 | 12 | 14 | 10 | 9 | 11 | 69 | 31 | 86 | Chester .. .. | — | 129 | — | — | — | 3 | — | 1 | — | 4 |
| 18 | 20 | 36 | 31 | 18 | 12 | 14 | 149 | 33 | 67 | Coventry .. .. | 18 | 164 | 1 | — | — | 3 | 4 | — | 1 | 9 |
| 24 | 29 | 21 | 38 | 26 | 21 | 19 | 178 | 22 | 53 | Croydon .. .. | 41 | 267 | 1 | 2 | 3 | 16 | 10 | 5 | 2 | 39 |
| 16 | 14 | 12 | 17 | 17 | 12 | 9 | 97 | 29 | 67 | Darlington .. .. | 52 | 121 | — | 1 | 2 | 2 | 1 | 1 | — | 7 |
| 25 | 25 | 31 | 27 | 27 | 19 | 13 | 167 | 33 | 67 | Derby .. .. | 36 | 95 | 2 | 1 | — | 1 | 3 | — | 1 | 8 |
| 12 | 12 | 14 | 7 | 8 | 8 | 17 | 78 | 40 | 83 | Dewsbury .. . | 43 | 257 | 1 | 1 | 3 | — | 1 | 1 | 2 | 9 |
| 19 | 12 | 12 | 14 | 14 | 16 | 17 | 104 | 32 | 78 | Dudley .. .. | 103 | 154 | 1 | 2 | 1 | — | 2 | — | — | 6 |
| 4 | 8 | 5 | 4 | 3 | 2 | 2 | 28 | 24 | 39 | Eastbourne.. .. | 44 | 89 | 1 | 1 | — | 1 | — | — | 1 | 4 |
| 27 | 25 | 21 | 23 | 17 | 20 | 13 | 146 | 26 | 51 | East Ham .. .. | 105 | 123 | 2 | 1 | 3 | — | — | 1 | — | 7 |
| 9 | 12 | 8 | 14 | 12 | 5 | 2 | 62 | 28 | 61 | Exeter .. .. | 54 | 107 | — | 1 | 2 | 2 | 1 | — | — | 6 |
| 37 | 37 | 55 | 46 | 43 | 36 | 48 | 302 | 38 | 90 | Gateshead .. .. | 101 | 222 | 4 | 2 | 4 | 6 | 3 | — | 3 | 22 |
| 10 | 13 | 8 | 15 | 12 | 5 | 10 | 73 | 29 | 69 | Gloucester .. .. | 40 | 240 | — | — | 1 | 2 | 1 | 1 | 1 | 6 |
| 8 | 8 | 14 | 16 | 6 | 7 | 5 | 64 | 28 | 59 | Gt. Yarmouth .. | 34 | 102 | — | 2 | — | 2 | — | 2 | — | 6 |
| 11 | 31 | 22 | 33 | 30 | 10 | 17 | 154 | 33 | 78 | Grimsby .. .. | 34 | 118 | 1 | 1 | 2 | 3 | 5 | 1 | 1 | 14 |
| 21 | 24 | 26 | 23 | 14 | 18 | 11 | 137 | 47 | 90 | Halifax .. .. | 34 | 126 | 1 | — | 2 | — | 6 | 2 | — | 11 |
| 7 | 11 | 2 | 8 | 3 | 3 | 2 | 36 | 24 | 43 | Hastings .. .. | 17 | 17 | 1 | — | — | — | — | — | — | 1 |
| 24 | 23 | 20 | 21 | 9 | 13 | 17 | 127 | 38 | 72 | Huddersfield .. | 63 | 152 | 3 | 1 | 1 | 2 | 2 | 2 | 1 | 12 |
| 12 | 16 | 13 | 16 | 9 | 5 | 8 | 79 | 26 | 51 | Ipswich .. .. | 32 | 65 | — | 1 | 1 | 2 | — | — | — | 4 |
| 62 | 75 | 87 | 107 | 102 | 77 | 61 | 571 | 32 | 83 | Kingston-upon-Hull | 49 | 134 | 4 | 4 | 7 | 7 | 8 | 7 | 4 | 41 |
| 86 | 117 | 159 | 110 | 125 | 92 | 83 | 772 | 42 | 89 | Leeds .. .. | 64 | 164 | 9 | 8 | 11 | 11 | 10 | 12 | 11 | 72 |
| 55 | 66 | 47 | 59 | 65 | 53 | 38 | 383 | 37 | 83 | Leicester .. .. | 53 | 116 | 5 | 4 | 3 | 6 | 4 | 2 | 2 | 26 |
| 8 | 19 | 6 | 15 | 9 | 13 | 5 | 75 | 28 | 64 | Lincoln .. .. | 58 | 87 | 1 | 1 | 2 | 1 | — | 1 | — | 6 |
| 04 | 203 | 260 | 359 | 366 | 357 | 316 | 2065 | 32 | 100 | Liverpool .. .. | 69 | 198 | 18 | 17 | 18 | 28 | 18 | 25 | 29 | 153 |
| 66 | 171 | 222 | 203 | 186 | 198 | 214 | 1360 | 36 | 88 | Manchester.. .. | 53 | 165 | 11 | 8 | 19 | 19 | 22 | 22 | 16 | 117 |
| 33 | 42 | 36 | 44 | 38 | 56 | 44 | 323 | 38 | 87 | Middlesbrough .. | 52 | 116 | 3 | 3 | 2 | 1 | 5 | 3 | 1 | 18 |
| 76 | 82 | 84 | 101 | 92 | 96 | 95 | 626 | 38 | 98 | Newcastle-on-Tyne | 61 | 127 | 6 | 3 | 6 | 9 | 4 | 1 | 2 | 31 |
| 19 | 18 | 14 | 17 | 12 | 6 | 9 | 95 | 31 | 57 | Northampton .. | 36 | 107 | 1 | 1 | — | 3 | 1 | — | — | 6 |
| 20 | 36 | 28 | 24 | 20 | 12 | 16 | 156 | 35 | 65 | Norwich .. .. | 37 | 81 | 2 | 1 | 2 | 3 | 1 | — | 2 | 11 |
| 86 | 69 | 58 | 87 | 73 | 60 | 53 | 466 | 36 | 86 | Nottingham .. | 52 | 138 | 7 | 5 | 6 | 11 | 8 | 5 | 6 | 48 |
| 31 | 46 | 43 | 56 | 56 | 42 | 26 | 300 | 46 | 115 | Oldham .. .. | 78 | 234 | 4 | 4 | 3 | 4 | 10 | 7 | 1 | 33 |
| 10 | 7 | 7 | 6 | 3 | 5 | 1 | 39 | 27 | 45 | Oxford .. .. | 75 | 150 | 1 | — | 2 | 1 | 1 | 1 | — | 6 |
| 32 | 42 | 28 | 39 | 25 | 29 | 17 | 212 | 25 | 51 | Plymouth .. .. | 62 | 118 | 4 | 5 | 1 | 4 | 2 | 2 | 1 | 19 |
| 38 | 49 | 40 | 56 | 42 | 34 | 22 | 281 | 24 | 54 | Portsmouth .. | 40 | 89 | 4 | 2 | 4 | 6 | 5 | 1 | — | 22 |
| 30 | 29 | 41 | 41 | 36 | 32 | 29 | 238 | 41 | 98 | Preston .. .. | 36 | 182 | 3 | — | 1 | 6 | 2 | 4 | 4 | 20 |
| 12 | 22 | 15 | 11 | 7 | 9 | 11 | 87 | 29 | 51 | Reading .. .. | 22 | 77 | 2 | — | — | 1 | 1 | 2 | 1 | 7 |
| 23 | 32 | 11 | 13 | 16 | 13 | 13 | 121 | 41 | 76 | Rochdale .. .. | 74 | 116 | 2 | 3 | 2 | 2 | 2 | — | — | 11 |
| 17 | 29 | 43 | 25 | 23 | 20 | 14 | 171 | 55 | 106 | Rotherham.. .. | 45 | 136 | 1 | 2 | — | 2 | 1 | 2 | 1 | 9 |
| 33 | 31 | 40 | 27 | 47 | 29 | 32 | 239 | 40 | 91 | St. Helens .. .. | 39 | 158 | 1 | 1 | 1 | 3 | 5 | — | 1 | 12 |
| 47 | 71 | 69 | 75 | 89 | 66 | 79 | 496 | 36 | 97 | Salford .. .. | 83 | 183 | 8 | 6 | 4 | 5 | 11 | 3 | 3 | 40 |
| 19 | 121 | 156 | 148 | 143 | 131 | 97 | 915 | 39 | 90 | Sheffield .. .. | 53 | 146 | 10 | 7 | 8 | 11 | 12 | 11 | 4 | 63 |
| 17 | 13 | 19 | 12 | 16 | 12 | 15 | 104 | 31 | 65 | Smethwick .. .. | 22 | 130 | — | — | 1 | 1 | 4 | — | — | 6 |
| 36 | 20 | 19 | 31 | 31 | 19 | 19 | 175 | 23 | 54 | Southampton .. | 54 | 132 | 4 | 2 | 1 | 1 | 4 | 2 | 3 | 17 |
| 12 | 7 | 14 | 10 | 9 | 12 | 7 | 71 | 22 | 47 | Southend-on-Sea .. | 16 | 98 | 1 | — | — | 2 | — | 2 | 1 | 6 |
| 14 | 9 | 11 | 8 | 11 | 7 | 5 | 65 | 34 | 65 | Southport .. .. | 63 | 186 | 2 | 1 | 1 | 1 | 4 | 2 | — | 11 |
| 39 | 41 | 40 | 36 | 47 | 49 | 45 | 297 | 38 | 94 | South Shields .. | 54 | 154 | — | 3 | 4 | 2 | 6 | 3 | 2 | 20 |
| 21 | 34 | 22 | 33 | 46 | 26 | 22 | 204 | 35 | 92 | Stockport .. .. | 105 | 274 | 1 | 5 | 4 | 6 | 6 | 3 | 1 | 26 |
| 58 | 94 | 100 | 97 | 106 | 90 | 78 | 633 | 39 | 93 | Stoke-on-Trent .. | 86 | 201 | 7 | 10 | 7 | 10 | 9 | 6 | 7 | 56 |

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1923.

| All Infants. Deaths. Under 1 day. | 1–7 days. | 1–4 weeks. | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under 1 year. | Deaths per 1,000 Births. Under 4 weeks. | Total under 1 year. | Area. | Illegitimate Infants. Deaths per 1,000 Births. Under 4 weeks. | Total under 1 year. | Deaths. Under 1 day. | 1–7 days. | 1–4 weeks | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | COUNTY BOROUGHS.—*continued.* | | | | | | | | | | |
| 52 | 37 | 56 | 61 | 62 | 61 | 68 | 397 | 36 | 98 | Sunderland.. .. | 41 | 131 | 2 | 1 | 3 | 4 | 4 | 2 | 3 | |
| 15 | 12 | 20 | 25 | 22 | 22 | 24 | 140 | 30 | 89 | Tynemouth.. .. | 46 | 231 | 2 | — | 1 | 4 | 3 | — | 5 | |
| 11 | 20 | 17 | 18 | 19 | 10 | 8 | 103 | 44 | 95 | Wakefield .. .. | 48 | 119 | 1 | 1 | — | — | 1 | 2 | — | |
| 17 | 14 | 12 | 13 | 11 | 6 | 11 | 84 | 30 | 59 | Wallasey .. .. | 64 | 170 | 2 | — | 1 | 4 | 1 | — | — | |
| 40 | 31 | 35 | 28 | 30 | 30 | 25 | 219 | 45 | 94 | Walsall .. .. | 56 | 204 | 3 | — | — | 5 | 1 | 1 | 1 | |
| 8 | 17 | 23 | 24 | 28 | 22 | 11 | 133 | 27 | 75 | Warrington.. .. | 42 | 141 | 1 | 1 | 1 | 6 | 1 | — | — | |
| 21 | 23 | 23 | 27 | 28 | 22 | 20 | 164 | 36 | 88 | West Bromwich .. | 71 | 179 | 3 | 1 | — | — | 2 | 1 | 3 | |
| 86 | 68 | 55 | 81 | 91 | 48 | 37 | 466 | 27 | 60 | West Ham .. .. | 53 | 120 | 8 | 3 | 1 | 6 | 4 | 3 | 2 | |
| 16 | 22 | 27 | 31 | 18 | 28 | 18 | 160 | 37 | 92 | West Hartlepool .. | 49 | 131 | 2 | 1 | — | 3 | 1 | — | 1 | |
| 29 | 36 | 31 | 28 | 29 | 26 | 29 | 208 | 47 | 101 | Wigan .. .. | 65 | 234 | 3 | 1 | 1 | 3 | 4 | 2 | 4 | |
| 26 | 29 | 28 | 22 | 23 | 25 | 20 | 173 | 36 | 76 | Wolverhampton .. | 81 | 162 | 2 | 2 | 2 | 2 | 2 | 2 | — | |
| 11 | 7 | 10 | 7 | 5 | 8 | 5 | 53 | 30 | 57 | Worcester .. .. | 83 | 139 | 1 | 1 | 1 | 1 | — | — | 1 | |
| 20 | 13 | 8 | 11 | 11 | 14 | 6 | 83 | 25 | 50 | York .. .. | 10 | 71 | — | — | 1 | 3 | 1 | 2 | — | |
| | | | | | | | | | | WALES. | | | | | | | | | | |
| 41 | 58 | 49 | 69 | 55 | 44 | 55 | 371 | 29 | 73 | Cardiff .. .. | 56 | 167 | 4 | 3 | 2 | 6 | 4 | 6 | 2 | |
| 14 | 11 | 19 | 29 | 37 | 18 | 27 | 155 | 25 | 87 | Merthyr Tydfil .. | 42 | 139 | 1 | 1 | 1 | 1 | 4 | 1 | 1 | |
| 18 | 23 | 16 | 28 | 20 | 16 | 17 | 138 | 27 | 65 | Newport, Mon. .. | 60 | 194 | — | 2 | 2 | 4 | 4 | 1 | — | |
| 45 | 43 | 47 | 51 | 30 | 22 | 27 | 265 | 40 | 78 | Swansea .. .. | 160 | 267 | 3 | 5 | 4 | 4 | 1 | 1 | 2 | |
| | | | | | | | | | | ADMINISTRATIVE COUNTIES. | | | | | | | | | | |
| | | | | | | | | | | ENGLAND. | | | | | | | | | | |
| 26 | 19 | 18 | 24 | 14 | 11 | 7 | 119 | 29 | 55 | Bedford .. U.D. | 56 | 67 | — | 1 | 4 | — | — | 1 | — | |
| 10 | 16 | 13 | 22 | 7 | 5 | 9 | 82 | 26 | 55 | R.D. | 28 | 111 | 1 | — | 1 | 4 | 1 | 1 | — | |
| 11 | 13 | 10 | 10 | 9 | 6 | 4 | 63 | 30 | 55 | Berks .. U.D. | 70 | 155 | 2 | 3 | — | 2 | 3 | 1 | — | |
| 16 | 21 | 22 | 19 | 14 | 9 | 11 | 112 | 26 | 50 | R.D. | 44 | 88 | — | 3 | 2 | 2 | 2 | 1 | — | |
| 21 | 9 | 13 | 14 | 9 | 6 | 6 | 78 | 25 | 45 | Bucks .. U.D. | 55 | 109 | 2 | 1 | — | 3 | — | — | — | |
| 17 | 26 | 16 | 18 | 6 | 10 | 3 | 96 | 25 | 40 | R.D. | 58 | 81 | 3 | — | 2 | — | 1 | 1 | — | |
| 6 | 8 | 8 | 6 | 5 | 3 | 5 | 41 | 24 | 45 | Cambs .. U.D. | 19 | 38 | — | — | 1 | — | 1 | — | — | |
| 15 | 15 | 11 | 4 | 9 | 9 | 6 | 69 | 33 | 56 | R.D. | 83 | 100 | 2 | 1 | 2 | — | — | 1 | — | |
| 74 | 83 | 93 | 90 | 71 | 63 | 53 | 527 | 32 | 68 | Cheshire .. U.D. | 69 | 138 | 6 | 8 | 7 | 6 | 5 | 4 | 6 | |
| 31 | 39 | 25 | 26 | 27 | 24 | 22 | 194 | 29 | 58 | R.D. | 49 | 127 | — | 6 | 1 | 2 | 4 | 4 | 1 | |
| 18 | 21 | 17 | 27 | 10 | 14 | 15 | 122 | 24 | 53 | Cornwall .. U.D. | 40 | 97 | 3 | 2 | — | 5 | 2 | — | — | |
| 27 | 35 | 43 | 31 | 14 | 15 | 15 | 180 | 33 | 57 | R.D. | 62 | 90 | 2 | 2 | 5 | 2 | 1 | 1 | — | |
| 22 | 32 | 33 | 41 | 34 | 29 | 24 | 215 | 32 | 78 | Cumberland U.D. | 52 | 134 | 2 | 2 | 3 | 2 | 4 | 2 | 3 | |
| 14 | 22 | 34 | 15 | 20 | 9 | 15 | 129 | 37 | 68 | R.D. | 80 | 115 | 1 | 3 | 5 | 2 | 1 | — | 1 | |
| 75 | 87 | 70 | 80 | 67 | 69 | 51 | 499 | 36 | 76 | Derby .. U.D. | 66 | 124 | 9 | 5 | 3 | 7 | 2 | 4 | 2 | |
| 69 | 97 | 56 | 68 | 59 | 55 | 45 | 449 | 36 | 73 | R.D. | 61 | 96 | 9 | 5 | — | 4 | 1 | 3 | — | |
| 25 | 34 | 16 | 32 | 19 | 16 | 13 | 155 | 24 | 49 | Devon .. U.D. | 39 | 102 | 1 | 2 | 2 | 4 | 2 | 1 | 1 | |
| 26 | 31 | 34 | 35 | 23 | 18 | 18 | 185 | 24 | 48 | R.D. | 59 | 129 | 4 | 1 | 5 | 4 | 4 | 1 | 3 | |
| 23 | 18 | 20 | 19 | 14 | 8 | 11 | 113 | 31 | 57 | Dorset .. U.D. | 79 | 146 | 4 | 1 | 2 | 1 | 4 | — | 1 | |
| 22 | 25 | 19 | 17 | 11 | 7 | 8 | 109 | 36 | 59 | R.D. | 88 | 132 | 3 | 2 | 1 | 1 | 1 | — | 1 | |
| 204 | 180 | 176 | 190 | 150 | 145 | 146 | 1191 | 39 | 83 | Durham .. U.D. | 50 | 135 | 14 | 7 | 6 | 15 | 8 | 15 | 8 | |
| 184 | 154 | 141 | 113 | 126 | 128 | 128 | 974 | 44 | 89 | R.D. | 52 | 118 | 6 | 8 | 7 | 10 | 9 | 2 | 6 | |
| 14 | 4 | 7 | 9 | 6 | 5 | 4 | 49 | 33 | 64 | Ely, I. of .. U.D. | 87 | 174 | 3 | — | 1 | 1 | 1 | 2 | — | |
| 8 | 11 | 7 | 8 | 4 | 6 | 3 | 47 | 35 | 63 | R.D. | 22 | 67 | — | — | 1 | — | 1 | 1 | — | |
| 100 | 90 | 80 | 83 | 86 | 50 | 42 | 531 | 23 | 44 | Essex .. U.D. | 62 | 120 | 11 | 7 | 3 | 3 | 7 | 6 | 4 | |
| 55 | 57 | 49 | 39 | 24 | 25 | 14 | 263 | 30 | 49 | R.D. | 54 | 128 | 5 | 4 | 2 | 6 | 3 | 2 | 4 | |
| 15 | 11 | 7 | 20 | 16 | 9 | 9 | 87 | 19 | 51 | Gloucester .. U.D. | 39 | 117 | 2 | 1 | — | 2 | 1 | 1 | 2 | |
| 40 | 42 | 37 | 24 | 18 | 17 | 19 | 197 | 28 | 46 | R.D. | 49 | 82 | 6 | 1 | 2 | 1 | 2 | 2 | 1 | |
| 12 | 10 | 13 | 11 | 7 | 9 | 4 | 66 | 41 | 77 | Hereford .. U.D. | 96 | 173 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | |
| 18 | 22 | 13 | 9 | 11 | 9 | 4 | 86 | 36 | 58 | R.D. | 71 | 111 | 4 | — | 3 | 2 | 1 | 1 | — | |
| 36 | 32 | 26 | 23 | 16 | 23 | 10 | 166 | 24 | 42 | Hertford .. U.D. | 47 | 74 | 2 | 2 | 3 | 1 | 2 | 1 | — | |
| 18 | 22 | 12 | 11 | 6 | 7 | 4 | 80 | 28 | 43 | R.D. | 13 | 26 | — | — | 1 | 1 | — | — | — | |
| 4 | 9 | 6 | 3 | 3 | 3 | 2 | 30 | 37 | 58 | Huntingdon U.D. | 88 | 88 | 1 | — | 2 | — | — | — | — | |
| 8 | 6 | 7 | 6 | 3 | 3 | 1 | 34 | 37 | 60 | R.D. | 103 | 172 | 2 | — | 1 | — | 2 | — | — | |
| 94 | 137 | 115 | 115 | 97 | 71 | 49 | 678 | 25 | 48 | Kent .. U.D. | 53 | 114 | 11 | 6 | 14 | 12 | 13 | 9 | 2 | |
| 61 | 52 | 42 | 44 | 33 | 20 | 19 | 271 | 27 | 46 | R.D. | 42 | 78 | 7 | 2 | 3 | 4 | 4 | 2 | — | |
| 286 | 353 | 371 | 388 | 293 | 261 | 243 | 2195 | 38 | 82 | Lancs .. U.D. | 56 | 134 | 23 | 15 | 16 | 32 | 14 | 17 | 12 | 1 |
| 50 | 44 | 51 | 53 | 30 | 17 | 28 | 273 | 36 | 67 | R.D. | 99 | 191 | 8 | 2 | 3 | 5 | 3 | 1 | 3 | |
| 21 | 26 | 24 | 18 | 26 | 18 | 14 | 147 | 31 | 65 | Leicester .. U.D. | 68 | 148 | 6 | — | — | 1 | 3 | 1 | 2 | |
| 35 | 34 | 38 | 27 | 16 | 17 | 14 | 181 | 35 | 59 | R.D. | 92 | 150 | 4 | 2 | 5 | 2 | 2 | 2 | 1 | |
| 3 | 10 | 4 | 15 | 7 | 8 | 2 | 49 | 20 | 59 | Lincs, Holland U.D. | 85 | 128 | 1 | 2 | 1 | 2 | — | — | — | |
| 4 | 16 | 16 | 15 | 9 | 8 | 4 | 72 | 34 | 67 | R.D. | 14 | 114 | — | 1 | — | 4 | 2 | 1 | — | |
| 5 | 6 | 5 | 3 | 4 | 3 | 7 | 33 | 20 | 42 | Lincs, Kesteven U.D. | 36 | 73 | — | 2 | — | 1 | 1 | — | — | |
| 8 | 19 | 11 | 12 | 18 | 10 | 5 | 83 | 29 | 63 | R.D. | 38 | 90 | 1 | — | 2 | 1 | 2 | 1 | — | |
| 22 | 23 | 29 | 25 | 20 | 22 | 16 | 157 | 30 | 64 | Lincs, Lindsey U.D. | 29 | 74 | — | 1 | 3 | 2 | 2 | 2 | — | |
| 20 | 31 | 34 | 25 | 25 | 15 | 19 | 169 | 31 | 61 | R.D. | 47 | 110 | 1 | 4 | 3 | 4 | 3 | 3 | 1 | |
| 225 | 191 | 167 | 220 | 149 | 107 | 94 | 1153 | 26 | 52 | Middlesex .. U.D. | 61 | 134 | 28 | 5 | 14 | 28 | 17 | 6 | 5 | 1 |
| 6 | 8 | 7 | 12 | 6 | 2 | 4 | 45 | 20 | 42 | R.D. | 20 | 102 | — | 1 | — | 2 | 2 | — | — | |
| 12 | 7 | 9 | 15 | 6 | 9 | 11 | 69 | 25 | 62 | Norfolk .. U.D. | 48 | 177 | 1 | — | 2 | 6 | 2 | — | — | |
| 53 | 52 | 55 | 44 | 32 | 18 | 24 | 278 | 33 | 58 | R.D. | 79 | 113 | 9 | 3 | 11 | 3 | 3 | 1 | 3 | |

NOTE :—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding Coun Boroughs) and of Rural Districts in each Administrative County.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1923.

| All Infants. | | | | | | | | | | Area. | | Illegitimate Infants. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Deaths. | | | | | | | | Deaths per 1,000 Births. | | | | Deaths per 1,000 Births. | | Deaths. | | | | | | |
| Under 1 day. | 1–7 days. | 1–4 weeks. | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under 1 year. | Under 4 weeks. | Total under 1 year. | | | Under 4 weeks. | Total under 1 year. | Under 1 day. | 1–7 days. | 1–4 weeks. | 4 weeks to 3 months. | 3–6 months. | 6–9 months. | 9–12 months. | Total under 1 year. |
| ADMINISTRATIVE COUNTIES.—*continued.* | | | | | | | | | | | | | | | | | | | | | |
| 19 | 23 | 27 | 21 | 11 | 9 | 7 | 117 | 42 | 71 | Northants .. | U.D. | 94 | 125 | 2 | 2 | 2 | 2 | — | — | — | 8 |
| 23 | 20 | 15 | 19 | 15 | 10 | 6 | 108 | 28 | 53 | | R.D. | 51 | 77 | 3 | 1 | — | 1 | — | — | 1 | 6 |
| 91 | 97 | 78 | 83 | 86 | 79 | 68 | 582 | 36 | 80 | North'berland | U.D. | 47 | 120 | 2 | 3 | 8 | 3 | 6 | 4 | 7 | 33 |
| 25 | 24 | 18 | 20 | 9 | 11 | 11 | 118 | 36 | 63 | | R.D. | 92 | 125 | 5 | 3 | 3 | 1 | 2 | — | 1 | 15 |
| 66 | 69 | 80 | 62 | 63 | 54 | 49 | 443 | 40 | 82 | Notts .. | U.D. | 42 | 131 | 4 | 4 | 2 | 7 | 5 | 3 | 6 | 31 |
| 25 | 34 | 19 | 29 | 24 | 25 | 20 | 176 | 29 | 66 | | R.D. | 40 | 120 | 3 | 1 | — | 2 | 3 | 2 | 1 | 12 |
| 9 | 3 | 5 | 3 | 3 | 3 | 2 | 28 | 27 | 45 | Oxford .. | U.D. | — | 31 | — | — | — | 1 | — | — | — | 1 |
| 24 | 17 | 16 | 12 | 11 | 6 | 5 | 91 | 31 | 50 | | R.D. | 57 | 114 | 3 | 1 | 2 | 1 | 4 | 1 | — | 12 |
| 3 | 7 | 3 | 8 | 1 | 5 | 2 | 29 | 21 | 47 | Peterborough, | U.D. | 91 | 91 | — | 1 | 1 | — | — | — | — | 2 |
| 3 | 2 | 2 | 1 | 1 | — | — | 9 | 29 | 37 | Soke of | R.D. | — | — | — | — | — | — | — | — | — | — |
| — | — | 1 | 2 | — | — | — | 3 | 20 | 60 | Rutland .. | U.D. | — | — | — | — | — | — | — | — | — | — |
| 2 | 2 | 3 | 2 | 4 | — | 1 | 14 | 27 | 55 | | R.D. | — | — | — | — | — | — | — | — | — | — |
| 29 | 17 | 14 | 15 | 11 | 11 | 23 | 120 | 27 | 54 | Salop .. | U.D. | 47 | 94 | 3 | 2 | 2 | 2 | 1 | 2 | 2 | 14 |
| 28 | 40 | 35 | 20 | 20 | 11 | 17 | 171 | 38 | 63 | | R.D. | 99 | 146 | 7 | 5 | 5 | 2 | 4 | — | 2 | 25 |
| 25 | 26 | 9 | 21 | 11 | 12 | 14 | 118 | 23 | 45 | Somerset | U.D. | 59 | 88 | 3 | 1 | 2 | 2 | — | — | 1 | 9 |
| 42 | 32 | 27 | 37 | 20 | 21 | 16 | 195 | 24 | 47 | | R.D. | 58 | 103 | 6 | 2 | 1 | 2 | 3 | — | 2 | 16 |
| 43 | 25 | 35 | 35 | 31 | 16 | 18 | 203 | 27 | 54 | Southants .. | U.D. | 54 | 102 | 5 | 3 | 1 | 6 | — | — | 2 | 17 |
| 41 | 35 | 32 | 32 | 23 | 24 | 19 | 206 | 25 | 49 | | R.D. | 66 | 107 | 5 | 3 | 5 | 4 | 3 | 1 | — | 21 |
| 122 | 108 | 122 | 139 | 134 | 124 | 105 | 854 | 32 | 77 | Staffs .. | U.D. | 44 | 118 | 6 | 2 | 7 | 9 | 6 | 8 | 2 | 40 |
| 49 | 40 | 46 | 42 | 38 | 21 | 23 | 259 | 32 | 62 | | R.D. | 52 | 118 | 3 | 3 | 2 | 6 | 3 | — | 1 | 18 |
| 17 | 22 | 10 | 22 | 5 | 8 | 8 | 92 | 28 | 53 | Suffolk, East | U.D. | 38 | 114 | 1 | — | 2 | 3 | 1 | 1 | 1 | 9 |
| 20 | 21 | 20 | 14 | 15 | 9 | 8 | 107 | 27 | 47 | | R.D. | 55 | 83 | 1 | 3 | 4 | 2 | 1 | 1 | — | 12 |
| 4 | 10 | 8 | 6 | 3 | 1 | 3 | 35 | 30 | 48 | Suffolk, West | U.D. | 71 | 71 | — | 2 | 1 | — | — | — | — | 3 |
| 13 | 10 | 14 | 12 | 7 | 4 | 1 | 61 | 30 | 49 | | R.D. | 30 | 121 | — | — | 2 | 3 | 2 | 1 | — | 8 |
| 83 | 81 | 72 | 64 | 48 | 37 | 25 | 410 | 25 | 44 | Surrey .. | U.D. | 79 | 136 | 24 | 2 | 7 | 10 | 10 | 2 | 2 | 57 |
| 25 | 24 | 24 | 19 | 7 | 16 | 9 | 124 | 28 | 48 | | R.D. | 53 | 132 | 3 | 1 | 2 | 6 | — | 3 | — | 15 |
| 15 | 8 | 12 | 12 | 11 | 5 | 13 | 76 | 20 | 44 | Sussex, East | U.D. | 32 | 84 | — | 2 | 1 | 2 | 2 | 1 | — | 8 |
| 12 | 23 | 21 | 15 | 9 | 8 | 11 | 99 | 26 | 46 | | R.D. | 10 | 41 | — | — | 1 | 1 | 1 | — | 1 | 4 |
| 5 | 14 | 10 | 11 | 5 | 8 | 5 | 58 | 23 | 46 | Sussex, West | U.D. | 103 | 121 | 1 | 2 | 3 | — | — | — | 1 | 7 |
| 13 | 12 | 12 | 11 | 9 | 3 | 5 | 65 | 23 | 41 | | R.D. | 13 | 50 | 1 | — | — | 1 | 1 | — | 1 | 4 |
| 27 | 28 | 37 | 26 | 20 | 18 | 20 | 176 | 32 | 61 | Warwick .. | U.D. | 63 | 116 | 3 | 1 | 2 | 1 | 2 | — | 2 | 11 |
| 48 | 44 | 45 | 34 | 23 | 26 | 33 | 253 | 34 | 62 | | R.D. | 49 | 92 | 3 | 1 | 3 | 2 | 1 | 1 | 2 | 13 |
| 2 | 6 | 6 | 2 | 4 | 3 | 5 | 28 | 32 | 65 | Westmorland | U.D. | 37 | 37 | — | — | 1 | — | — | — | — | 1 |
| 11 | 6 | 5 | 8 | 3 | 4 | 1 | 38 | 33 | 57 | | R.D. | 24 | 49 | — | — | 1 | 1 | — | — | — | 2 |
| 6 | 11 | 3 | 7 | 5 | — | 3 | 35 | 24 | 42 | Wight, I. of | U.D. | 35 | 88 | 1 | 1 | — | 2 | 1 | — | — | 5 |
| 4 | 1 | 2 | 1 | 2 | 3 | 1 | 14 | 16 | 32 | | R.D. | — | — | — | — | — | — | — | — | — | — |
| 30 | 27 | 18 | 16 | 7 | 16 | 11 | 125 | 33 | 55 | Wilts .. | U.D. | 40 | 71 | 1 | 2 | 1 | 2 | 1 | — | — | 7 |
| 31 | 34 | 34 | 25 | 5 | 11 | 14 | 154 | 31 | 49 | | R.D. | 66 | 84 | 2 | 5 | 4 | 3 | — | — | — | 14 |
| 26 | 30 | 38 | 49 | 32 | 24 | 24 | 223 | 29 | 69 | Worcester .. | U.D. | 53 | 126 | 1 | 1 | 3 | 2 | 3 | 1 | 1 | 12 |
| 27 | 22 | 20 | 30 | 17 | 18 | 11 | 145 | 28 | 60 | | R.D. | 76 | 120 | 4 | 2 | 1 | 2 | 1 | — | 1 | 11 |
| 9 | 10 | 14 | 10 | 9 | 7 | 3 | 62 | 28 | 53 | Yorks, E.R. | U.D. | 41 | 108 | 1 | 1 | 1 | — | 2 | 2 | 1 | 8 |
| 18 | 24 | 24 | 14 | 22 | 14 | 10 | 126 | 32 | 61 | | R.D. | 73 | 168 | 3 | 4 | 3 | 3 | 5 | 3 | 2 | 23 |
| 46 | 53 | 36 | 44 | 38 | 38 | 31 | 286 | 36 | 76 | Yorks, N.R. | U.D. | 40 | 95 | 3 | 4 | 1 | 4 | 5 | 2 | — | 19 |
| 29 | 30 | 17 | 28 | 13 | 15 | 17 | 149 | 30 | 60 | | R.D. | 52 | 134 | 3 | 6 | — | 6 | 1 | 5 | 2 | 23 |
| 39 | 288 | 292 | 312 | 243 | 232 | 218 | 1824 | 37 | 82 | Yorks, W.R. | U.D. | 68 | 134 | 19 | 20 | 24 | 22 | 15 | 14 | 11 | 125 |
| 89 | 128 | 114 | 118 | 101 | 80 | 65 | 695 | 37 | 78 | | R.D. | 65 | 127 | 4 | 9 | 13 | 9 | 7 | 5 | 4 | 51 |
| | | | | | | | | | | WALES. | | | | | | | | | | | |
| 6 | 8 | 5 | 4 | 9 | 2 | 1 | 35 | 51 | 94 | Anglesey .. | U.D. | — | 133 | — | — | — | 2 | 2 | — | — | 4 |
| 8 | 5 | 7 | 17 | 5 | 4 | 3 | 49 | 32 | 78 | | R.D. | 81 | 177 | 3 | — | 2 | 5 | — | 1 | — | 11 |
| 2 | 4 | 9 | 2 | — | 1 | 1 | 19 | 42 | 53 | Brecon .. | U.D. | 143 | 143 | — | — | 2 | — | — | — | — | 2 |
| 10 | 14 | 6 | 15 | 8 | 10 | 6 | 69 | 35 | 80 | | R.D. | 33 | 100 | 1 | — | — | 2 | — | — | — | 3 |
| 4 | 3 | 1 | 5 | — | — | 2 | 15 | 36 | 68 | Cardigan .. | U.D. | 100 | 100 | — | 1 | — | — | — | — | — | 1 |
| 4 | 8 | 13 | 16 | 3 | 8 | 2 | 54 | 36 | 78 | | R.D. | — | 34 | — | — | — | 2 | — | — | — | 2 |
| 11 | 21 | 21 | 17 | 17 | 14 | 10 | 111 | 33 | 69 | Carmarthen | U.D. | 96 | 173 | 1 | 3 | 1 | 2 | 1 | — | 1 | 9 |
| 27 | 21 | 25 | 36 | 26 | 12 | 13 | 160 | 34 | 74 | | R.D. | 12 | 94 | — | — | 1 | 4 | — | 2 | 1 | 8 |
| 13 | 15 | 9 | 15 | 7 | 5 | 8 | 72 | 38 | 74 | Carnarvon .. | U.D. | 67 | 133 | 1 | 1 | 2 | 3 | — | — | 1 | 8 |
| 3 | 14 | 15 | 15 | 22 | 7 | 11 | 87 | 30 | 82 | | R.D. | 28 | 99 | — | 1 | 1 | 1 | 4 | — | — | 7 |
| 13 | 7 | 11 | 12 | 17 | 10 | 3 | 73 | 35 | 82 | Denbigh .. | U.D. | 42 | 125 | 2 | — | — | 2 | — | 1 | 1 | 6 |
| 25 | 17 | 24 | 29 | 17 | 12 | 16 | 140 | 32 | 68 | | R.D. | 50 | 116 | — | 4 | 2 | 5 | 2 | 1 | — | 14 |
| 8 | 5 | 8 | 5 | 6 | 11 | 3 | 46 | 26 | 58 | Flint .. | U.D. | 25 | 25 | — | 1 | — | — | — | — | — | 1 |
| 9 | 23 | 17 | 16 | 12 | 9 | 8 | 94 | 39 | 74 | | R.D. | 38 | 151 | — | 2 | — | 1 | 1 | 1 | 3 | 8 |
| 67 | 176 | 175 | 165 | 168 | 146 | 144 | 1141 | 35 | 77 | Glamorgan .. | U.D. | 66 | 141 | 8 | 14 | 8 | 13 | 9 | 6 | 6 | 64 |
| 49 | 50 | 57 | 53 | 49 | 29 | 30 | 317 | 35 | 71 | | R.D. | 56 | 106 | 2 | 3 | 3 | 3 | 1 | 2 | 1 | 15 |
| 6 | 5 | 4 | 5 | 5 | 2 | 3 | 30 | 43 | 87 | Merioneth .. | U.D. | 30 | 121 | — | 1 | — | 1 | 1 | 1 | — | 4 |
| 4 | 6 | 2 | 10 | 1 | 4 | 2 | 29 | 28 | 68 | | R.D. | 24 | 119 | — | — | 1 | 3 | 1 | — | — | 5 |
| 78 | 105 | 90 | 81 | 62 | 84 | 90 | 590 | 35 | 75 | Monmouth .. | U.D. | 47 | 112 | 1 | 6 | 4 | 2 | 2 | 4 | 7 | 26 |
| 7 | 10 | 8 | 9 | 5 | 4 | 5 | 48 | 27 | 53 | | R.D. | — | 24 | — | — | — | — | 1 | — | — | 1 |
| 3 | 4 | 1 | 2 | 2 | 1 | 2 | 15 | 24 | 46 | Montgomery | U.D. | 37 | 111 | — | — | 1 | 2 | — | — | — | 3 |
| 4 | 7 | 9 | 9 | 9 | 5 | 1 | 44 | 29 | 64 | | R.D. | 71 | 143 | — | 1 | 3 | 2 | 2 | — | — | 8 |
| 7 | 12 | 12 | 15 | 6 | 5 | 4 | 61 | 37 | 73 | Pembroke .. | U.D. | 67 | 133 | 1 | 1 | — | — | — | 2 | — | 4 |
| 14 | 10 | 8 | 15 | 9 | 1 | 4 | 61 | 33 | 64 | | R.D. | 44 | 89 | 2 | — | — | 2 | — | — | — | 4 |
| 2 | — | — | — | 1 | — | — | 3 | 22 | 33 | Radnor .. | U.D. | — | — | — | — | — | — | — | — | — | — |
| 2 | 4 | 2 | 5 | 3 | — | 1 | 17 | 24 | 52 | | R.D. | 38 | 77 | — | 1 | — | 1 | — | — | — | 2 |

# TABLE 14.—Population, Births, Deaths, Infant Mortality, Natural Increase, 1923.—Counties, County Boroughs, Municipal Boroughs and Urban Districts, Rural Districts.

NOTE.—The estimates of population shown in the following table have been based primarily on the 1921 Census return (*See* Section "Population" in Text). In the case of districts marked with an *, changes in boundaries have occurred durin the year, and the populations have been adjusted in order to make them comparable with the records of births and deaths Particulars of the changes of boundary will be found in Table AA, Part II. The births and deaths exclude stillbirths. Death are transferred to the area of residence of the deceased person; births occurring away from home have been transferred t the area of residence of the parents. Deaths of non-civilians have been excluded throughout this table, the districts in whic this exclusion appreciably affects the rates being referred to in footnotes.

| Area. | Estimated Population (Middle 1923). | Births. Legitimate. M. | Births. Legitimate. F. | Births. Illegitimate. M. | Births. Illegitimate. F. | Births. Total. | Births. Crude Rate per 1,000. Total Population. | Deaths. M. | Deaths. F. | Deaths. Total. | Deaths. Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Deaths under 1 year. Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| ALL AREAS: | | | | | | | | | | | | | | |
| England & Wales. | 38,4 03,000 | 371,125 | 355,484 | 16,171 | 15,351 | 758,131 | 19·7 | 226,438 | 217,927 | 444365§ | 11·6 | 52,582 | 69 | 8·1 |
| North .. | 12,938,520 | 129,772 | 124,614 | 5,821 | 5,440 | 265,647 | 20·5 | 83,757 | 78,246 | 162,003 | 12·5† | 22,509 | 85 | 8·c |
| Midlands.. | 12,154,902 | 116,583 | 111,572 | 4,877 | 4,608 | 237,640 | 19·6 | 67,118 | 65,383 | 132,501 | 10·9† | 14,954 | 63 | 8·7 |
| South‡ .. | 10,605,549 | 96,018 | 91,847 | 4,302 | 4,229 | 196,396 | 18·5 | 58,886 | 59,438 | 118,324 | 11·3† | 10,810 | 55 | 7·2 |
| Wales .. | 2,704,029 | 28,752 | 27,451 | 1,171 | 1,074 | 58,448 | 21·6 | 16,677 | 14,860 | 31,537 | 11·7† | 4,309 | 74 | 9·9 |
| London .. | 4,570,109 | 44,995 | 42,976 | 1,854 | 1,837 | 91,662 | 20·1 | 26,467 | 25,524 | 51,991 | 11·4† | 5,615 | 61 | 8·7 |
| COUNTY BORO'S: | | | | | | | | | | | | | | |
| England & Wales. | 12,918,462* | 128,734 | 124,316 | 5,637 | 5,205 | 263,892 | 20·4 | 80,972 | 76,801 | 157,773 | 12·3† | 21,092 | 80 | 8·1 |
| North .. | 6,878,500 | 69,809 | 67,402 | 3,170 | 2,980 | 143,361 | 20·8 | 46,277 | 43,009 | 89,286 | 13·0 | 12,903 | 90 | 7·8 |
| Midlands.. | 4,073,710 | 40,706 | 39,386 | 1,634 | 1,446 | 83,172 | 20·4 | 23,400 | 22,408 | 45,808 | 11·2 | 5,935 | 71 | 9·2 |
| South .. | 1,400,102* | 12,045 | 11,722 | 635 | 601 | 25,003 | 17·9 | 7,664 | 8,348 | 16,012 | 11·8† | 1,325 | 53 | 6·1 |
| Wales .. | 566,150 | 6,174 | 5,806 | 198 | 178 | 12,356 | 21·8 | 3,631 | 3,036 | 6,667 | 11·8 | 929 | 75 | 10·0 |
| OTHER URBAN DISTRICTS: | | | | | | | | | | | | | | |
| England & Wales. | 13,064,439* | 123,646 | 117,463 | 5,018 | 4,926 | 251,053 | 19·2 | 73,728 | 72,615 | 146,343 | 11·2† | 16,671 | 66 | 8·0 |
| North .. | 4,335,629* | 42,375 | 40,306 | 1,769 | 1,678 | 86,128 | 19·9 | 27,264 | 25,982 | 53,246 | 12·3† | 6,910 | 80 | 7·6 |
| Midlands.. | 4,774,457* | 44,876 | 42,569 | 1,734 | 1,729 | 90,908 | 19·0 | 24,882 | 24,888 | 49,770 | 10·4† | 5,394 | 59 | 8·6 |
| South .. | 2,632,710* | 21,795 | 20,663 | 993 | 1,005 | 44,456 | 16·9 | 13,775 | 14,770 | 28,545 | 11·0† | 2,156 | 48 | 5·9 |
| Wales .. | 1,321,643* | 14,600 | 13,925 | 522 | 514 | 29,561 | 22·4 | 7,807 | 6,975 | 14,782 | 11·2† | 2,211 | 75 | 11·2 |
| RURAL DISTS.: | | | | | | | | | | | | | | |
| England & Wales. | 7,849,990* | 73,750 | 70,729 | 3,662 | 3,383 | 151,524 | 19·3 | 45,271 | 42,987 | 88,258 | 11·3† | 9,204 | 61 | 8·0 |
| North .. | 1,724,391* | 17,588 | 16,906 | 882 | 782 | 36,158 | 21·0 | 10,216 | 9,255 | 19,471 | 11·3† | 2,696 | 75 | 9·7 |
| Midlands.. | 3,306,735* | 31,001 | 29,617 | 1,509 | 1,433 | 63,560 | 19·2 | 18,836 | 18,087 | 36,923 | 11·2† | 3,625 | 57 | 8·0 |
| South .. | 2,002,628* | 17,183 | 16,486 | 820 | 786 | 35,275 | 17·6 | 10,980 | 10,796 | 21,776 | 11·0† | 1,714 | 49 | 6·6 |
| Wales .. | 816,236* | 7,978 | 7,720 | 451 | 382 | 16,531 | 20·3 | 5,239 | 4,849 | 10,088 | 12·4 | 1,169 | 71 | 7·9 |

† Death-rates based upon estimated civilian populations as follows:—All Areas—North, 12,935,254; Midlands, 12,139,097; South, 10,503,679; Wales, 2,703,172; London, 4,564,109. County Boroughs—South, 1,360,037.* Total, 12,878,397.* Other Urban Districts—North, 4,334,486*; Midlands, 4,768,372*; South, 2,595,700*; Wales, 1,320,786.* Total, 13,019,344* Rural Districts—North, 1,722,268*; Midlands, 3,297,015*; South, 1,983,833.* Total, 7,819,352.*

‡ Including London.

§ The number of deaths differs from the total given elsewhere by the exclusion of deaths of non-civilians.

|| The counties in the four areas: North, Midland, South and Wales, are as follows:—

| North. | Midlands. | | South. | Wales. |
|---|---|---|---|---|
| Cheshire. | Middlesex. | Gloucestershire. | London. | Monmouthshire. |
| Lancashire. | Hertfordshire. | Herefordshire. | Surrey. | Glamorganshire. |
| Yorks, West Riding. | Buckinghamshire. | Shropshire. | Kent. | Carmarthenshire. |
| ,, East Riding. | Oxfordshire. | Staffordshire. | Sussex, East. | Pembrokeshire. |
| ,, North Riding. | Northamptonshire. | Worcestershire. | ,, West. | Cardiganshire. |
| Durham. | Soke of Peterborough. | Warwickshire. | Southampton. | Brecknockshire. |
| Northumberland. | Huntingdonshire. | Leicestershire. | Isle of Wight. | Radnorshire. |
| Cumberland. | Bedfordshire. | Rutlandshire. | Berkshire. | Montgomeryshire. |
| Westmorland. | Cambridgeshire. | Lincolnshire. | Wiltshire. | Flintshire. |
| | Isle of Ely. | Parts of Holland. | Dorsetshire. | Denbighshire. |
| | Essex. | ,, Kesteven. | Devonshire. | Merionethshire. |
| | Suffolk, East. | ,, Lindsey. | Cornwall. | Carnarvonshire. |
| | ,, West. | Nottinghamshire. | Somersetshire. | Anglesey. |
| | Norfolk. | Derbyshire. | | |

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| NGLAND (exclu | ding Mon | mouth.) | | | | | | | | | | | | |
| EDFORDSHIRE: | | | | | | | | | | | | | | |
| Administrative County. | 211,250 | 1,823 | 1,682 | 79 | 82 | 3,666 | 17·4 | 1,068 | 1,152 | 2,220 | 10·6† | 201 | 55 | 6·8 |
| UNICIPAL BORO'S AND URBAN DISTRICTS. | 128,200 | 1,091 | 990 | 48 | 41 | 2,170 | 16·9 | 603 | 685 | 1,288 | 10·1† | 119 | 55 | 6·8 |
| Ampthill .. | 2,203 | 9 | 11 | 1 | — | 21 | 9·5 | 12 | 19 | 31 | 14·1 | — | — | −4·6 |
| Bedford M.B... | 41,020 | 293 | 287 | 16 | 21 | 617 | 15·0 | 189 | 238 | 427 | 10·4 | 30 | 49 | 4·6 |
| Biggleswade .. | 5,465 | 47 | 47 | 5 | 2 | 101 | 18·5 | 29 | 27 | 56 | 10·2 | 2 | 20 | 8·3 |
| Dunstable M.B. | 8,911 | 66 | 63 | 1 | 2 | 132 | 14·8 | 45 | 42 | 87 | 9·8 | 4 | 30 | 5·0 |
| Kempston .. | 5,227 | 54 | 32 | 2 | 1 | 89 | 17·0 | 35 | 26 | 61 | 12·0† | 9 | 101 | 5·0 |
| Leighton Buzzard. | 6,844 | 82 | 53 | 1 | — | 136 | 19·9 | 46 | 38 | 84 | 12·3 | 15 | 110 | 7·6 |
| Luton M.B .. | 58,530 | 540 | 497 | 22 | 15 | 1,074 | 18·3 | 247 | 295 | 542 | 9·3 | 59 | 55 | 9·0 |
| URAL DISTRICTS | 83,050 | 732 | 692 | 31 | 41 | 1,496 | 18·0 | 465 | 467 | 932 | 11·3† | 82 | 55 | 6·7 |
| Ampthill .. | 19,380 | 169 | 150 | 6 | 16 | 341 | 17·6 | 139 | 123 | 262 | 13·5 | 27 | 79 | 4·1 |
| Bedford .. .. | 20,590 | 163 | 169 | 12 | 11 | 355 | 17·2 | 110 | 125 | 235 | 11·4 | 14 | 39 | 5·8 |
| Biggleswade .. | 24,060 | 214 | 196 | 6 | 12 | 428 | 17·8 | 129 | 131 | 260 | 11·2† | 25 | 58 | 6·6 |
| Eaton Bray .. | 3,816 | 43 | 45 | 2 | 1 | 91 | 23·8 | 19 | 11 | 30 | 7·9 | 2 | 22 | 15·9 |
| Eaton Socon :— | | | | | | | | | | | | | | |
| No. 1 .. .. | 2,343 | 25 | 16 | 1 | — | 42 | 17·9 | 7 | 14 | 21 | 9·0 | 4 | 95 | 8·9 |
| No. 2 .. .. | 991 | 12 | 11 | — | — | 23 | 23·2 | 5 | 6 | 11 | 11·1 | 1 | 43 | 12·1 |
| Luton .. .. | 11,870 | 106 | 105 | 4 | 1 | 216 | 18·2 | 56 | 57 | 113 | 9·5 | 9 | 42 | 8·7 |
| ERKSHIRE: | | | | | | | | | | | | | | |
| OUNTY BORO: | | | | | | | | | | | | | | |
| Reading .. .. | 93,160 | 839 | 775 | 54 | 37 | 1,705 | 18·3 | 522 | 511 | 1,033 | 11·1 | 87 | 51 | 7·2 |
| DMINISTRATIVE COUNTY. | 202,620 | 1,617 | 1,585 | 90 | 94 | 3,386 | 16·7 | 1,132 | 1,094 | 2,226 | 11·1† | 175 | 52 | 5·6 |
| UNICIPAL BORO'S AND URBAN DISTRICTS. | 67,220 | 532 | 545 | 32 | 39 | 1,148 | 17·1 | 391 | 408 | 799 | 12·0† | 63 | 55 | 5·1 |
| Abingdon M.B. | 7,215 | 64 | 63 | 2 | 8 | 137 | 19·0 | 42 | 47 | 89 | 12·3 | 5 | 36 | 6·7 |
| Maidenhead M.B. | 16,640 | 124 | 132 | 16 | 10 | 282 | 16·9 | 97 | 93 | 190 | 11·4 | 19 | 67 | 5·5 |
| Newbury M.B. | 12,290 | 99 | 114 | 4 | 5 | 222 | 18·1 | 96 | 78 | 174 | 14·2 | 14 | 63 | 3·9 |
| New Windsor M.B. | 20,040 | 164 | 157 | 8 | 12 | 341 | 17·0 | 101 | 115 | 216 | 11·3† | 19 | 56 | 5·7 |
| Wallingford M.B. | 2,721 | 30 | 19 | — | 1 | 50 | 18·4 | 11 | 14 | 25 | 9·2 | 3 | 60 | 9·2 |
| Wantage .. | 3,935 | 24 | 33 | — | 2 | 59 | 15·0 | 15 | 20 | 35 | 8·9 | 1 | 17 | 6·1 |
| Wokingham M.B. | 4,379 | 27 | 27 | 2 | 1 | 57 | 13·0 | 29 | 41 | 70 | 16·0 | 2 | 35 | −3·0 |
| URAL DISTRICTS | 135,400 | 1,085 | 1,040 | 58 | 55 | 2,238 | 16·5 | 741 | 686 | 1,427 | 10·6† | 112 | 50 | 5·9 |
| Abingdon .. | 10,920 | 83 | 83 | 7 | 3 | 176 | 16·1 | 62 | 52 | 114 | 10·4 | 11 | 63 | 5·7 |
| Bradfield.. .. | 14,510 | 126 | 115 | 10 | 4 | 255 | 17·6 | 69 | 85 | 154 | 10·6 | 9 | 35 | 7·0 |
| Cookham .. | 13,620 | 97 | 104 | 2 | 5 | 208 | 15·3 | 68 | 57 | 125 | 9·2 | 11 | 53 | 6·1 |
| Easthampstead | 18,900 | 115 | 124 | 8 | 9 | 256 | 13·5 | 97 | 59 | 156 | 8·7† | 12 | 47 | 4·8 |
| Faringdon (part of)‡ | 10,160 | 106 | 76 | 7 | 3 | 192 | 18·9 | 77 | 66 | 143 | 14·1 | 18 | 94 | 4·8 |
| Hungerford .. | 8,571 | 79 | 74 | 6 | 6 | 165 | 19·3 | 53 | 49 | 102 | 11·9 | 2 | 12 | 7·4 |
| Newbury.. .. | 10,690 | 69 | 91 | 6 | 7 | 173 | 16·2 | 50 | 71 | 121 | 11·3 | 11 | 64 | 4·9 |
| Wallingford .. | 7,984 | 75 | 73 | 3 | 3 | 154 | 19·3 | 35 | 35 | 70 | 8·8 | 5 | 32 | 10·5 |
| Wantage .. .. | 11,850 | 106 | 92 | 2 | 3 | 203 | 17·1 | 71 | 56 | 127 | 10·7 | 11 | 54 | 6·4 |
| Windsor .. .. | 9,595 | 73 | 55 | — | 4 | 132 | 13·8 | 42 | 64 | 106 | 11·0 | 3 | 23 | 2·8 |
| Wokingham .. | 18,600 | 156 | 153 | 7 | 8 | 324 | 17·4 | 117 | 92 | 209 | 11·2 | 19 | 59 | 6·2 |

† Death-rates based upon estimated civilian populations as follows:—Bedfordshire—Administrative County, 210,260; unicipal Boroughs and Urban Districts, 128,043; Kempston U.D. 5,070; Rural Districts, 82,217; Biggleswade R.D., 23,227. rkshire—Administrative County, 200,842; Municipal Boroughs and Urban Districts, 66,309; New Windsor M.B., 19,129 ural Districts, 134,533; Easthampstead R.D. 18,033.

‡ The remainder of the Faringdon Rural District is in Gloucestershire

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| BUCKINGHAMSHIRE Administrative County | 238,400 | 1,994 | 1,982 | 68 | 73 | 4,117 | 17·3 | 1,252 | 1,284 | 2,536 | 10·8† | 174 | 42 | 6·5 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 101,662* | 847 | 813 | 26 | 29 | 1,715 | 16·9 | 507 | 525 | 1,032 | 10·2 | 78 | 45 | 6·7 |
| Aylesbury M.B. | 12,430 | 125 | 101 | 4 | 5 | 235 | 18·9 | 62 | 62 | 124 | 10·0 | 6 | 26 | 8·9 |
| Beaconsfield .. | 3,640 | 32 | 25 | 1 | 2 | 60 | 16·5 | 20 | 15 | 35 | 9·6 | 4 | 67 | 6·9 |
| Bletchley .. | 5,484 | 56 | 42 | 2 | — | 100 | 18·2 | 24 | 26 | 50 | 9·1 | 3 | 30 | 9·1 |
| Buckingham M.B. | 3,019 | 28 | 18 | — | 1 | 47 | 15·6 | 21 | 29 | 50 | 16·6 | 2 | 43 | −1·0 |
| Chepping Wycombe M.B. | 22,590 | 216 | 221 | 3 | 4 | 444 | 19·7 | 112 | 102 | 214 | 9·5 | 24 | 54 | 10·2 |
| Chesham .. .. | 8,785 | 76 | 65 | 2 | 3 | 146 | 16·6 | 45 | 44 | 89 | 10·1 | 6 | 41 | 6·5 |
| Eton .. .. | 3,363 | 15 | 16 | 2 | — | 33 | 9·8 | 15 | 16 | 31 | 9·2 | 2 | 61 | 0·6 |
| Linslade .. .. | 2,345 | 17 | 11 | 2 | 1 | 31 | 13·2 | 12 | 16 | 28 | 11·9 | 2 | 65 | 1·3 |
| Marlow .. .. | 5,073 | 40 | 46 | 1 | 1 | 88 | 17·3 | 23 | 35 | 58 | 11·4 | 4 | 45 | 5·9 |
| Newport Pagnell. | 4,071 | 31 | 32 | 1 | — | 64 | 15·7 | 29 | 30 | 59 | 14·5 | 2 | 31 | 1·2 |
| Slough .. .. | 16,680 | 132 | 151 | 4 | 8 | 295 | 17·7 | 80 | 79 | 159 | 9·5 | 13 | 44 | 8·2 |
| Wolverton .. | 14,182* | 79 | 85 | 4 | 4 | 172 | 12·1 | 64 | 71 | 135 | 9·5 | 10 | 58 | 2·6 |
| RURAL DISTRICTS. | 136,738* | 1,147 | 1,169 | 42 | 44 | 2,402 | 17·6 | 745 | 759 | 1,504 | 11·2† | 96 | 40 | 6·4 |
| Amersham .. | 22,530 | 205 | 192 | 7 | 2 | 406 | 18·0 | 99 | 129 | 228 | 10·1 | 17 | 42 | 7·9 |
| Aylesbury .. | 18,900 | 139 | 134 | 3 | 6 | 282 | 14·9 | 91 | 87 | 178 | 10·9† | 7 | 25 | 4·0 |
| Buckingham .. | 7,404 | 66 | 53 | 2 | 4 | 125 | 16·9 | 45 | 44 | 89 | 12·0 | 3 | 24 | 4·9 |
| Eton .. .. | 28,130 | 253 | 258 | 16 | 14 | 541 | 19·2 | 132 | 146 | 278 | 9·9 | 21 | 39 | 9·3 |
| Hambleden .. | 1,974 | 16 | 14 | 1 | 1 | 32 | 16·2 | 13 | 7 | 20 | 10·1 | 2 | 63 | 6·1 |
| Long Crendon.. | 3,789 | 29 | 44 | 1 | — | 74 | 19·5 | 27 | 25 | 52 | 13·7 | 3 | 41 | 5·8 |
| Newport Pagnell. | 14,598* | 107 | 112 | 1 | 3 | 223 | 15·3 | 107 | 102 | 209 | 14·3 | 13 | 58 | 1·0 |
| Wing .. .. | 5,528 | 39 | 48 | 2 | 1 | 90 | 16·3 | 30 | 33 | 63 | 11·4 | 3 | 33 | 4·9 |
| Winslow .. .. | 6,245 | 41 | 57 | 3 | 3 | 104 | 16·7 | 54 | 53 | 107 | 17·1 | 9 | 87 | −0·4 |
| Wycombe .. | 27,640 | 252 | 257 | 6 | 10 | 525 | 19·0 | 147 | 133 | 280 | 10·1 | 18 | 34 | 8·9 |
| CAMBRIDGESHIRE: Administrative County | 129,770 | 1,059 | 968 | 59 | 54 | 2,140 | 16·5 | 694 | 795 | 1,489 | 11·5† | 110 | 51 | 5·0 |
| MUNICIPAL BORO: Cambridge M.B. | 59,130 | 447 | 409 | 27 | 26 | 909 | 15·4 | 290 | 337 | 627 | 10·6 | 41 | 45 | 4·8 |
| RURAL DISTRICTS. | 70,640 | 612 | 559 | 32 | 28 | 1,231 | 17·4 | 404 | 458 | 862 | 12·2† | 69 | 56 | 5·2 |
| Caxton and Arrington. | 7,376 | 61 | 53 | 3 | 3 | 120 | 16·3 | 47 | 44 | 91 | 12·3 | 9 | 75 | 4·0 |
| Chesterton .. | 24,050 | 205 | 175 | 8 | 12 | 400 | 16·6 | 123 | 157 | 280 | 11·6 | 21 | 53 | 5·0 |
| Linton .. .. | 9,796 | 83 | 82 | 4 | 3 | 172 | 17·6 | 66 | 69 | 135 | 14·1† | 10 | 58 | 3·5 |
| Melbourn .. | 8,030 | 71 | 51 | 5 | 3 | 130 | 16·2 | 54 | 48 | 102 | 12·7 | 6 | 46 | 3·5 |
| Newmarket .. | 18,940 | 176 | 182 | 12 | 6 | 376 | 19·9 | 102 | 123 | 225 | 11·9 | 21 | 56 | 8·0 |
| Swavesey .. | 2,448 | 16 | 16 | — | 1 | 33 | 13·5 | 12 | 17 | 29 | 11·8 | 2 | 61 | 1·7 |
| CHESHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO'S | 408,510 | 3,833 | 3,553 | 124 | 157 | 7,667 | 18·8 | 2,409 | 2,369 | 4,778 | 11·7 | 564 | 74 | 7·1 |
| Birkenhead .. | 151,400 | 1,631 | 1,477 | 47 | 61 | 3,216 | 21·2 | 882 | 798 | 1,680 | 11·1 | 207 | 64 | 10·1 |
| Chester .. .. | 41,420 | 399 | 370 | 10 | 21 | 800 | 19·3 | 279 | 267 | 546 | 13·2 | 69 | 86 | 6·1 |
| Stockport .. | 125,700 | 1,108 | 1,018 | 41 | 54 | 2,221 | 17·7 | 789 | 801 | 1,590 | 12·6 | 204 | 92 | 5·1 |
| Wallasey.. .. | 89,990 | 695 | 688 | 26 | 21 | 1,430 | 15·9 | 459 | 503 | 962 | 10·7 | 84 | 59 | 5·2 |

† Death-rates based upon estimated civilian populations as follows:—Buckinghamshire Administrative County, 235,884; Rural Districts, 134,222*; Aylesbury R.D., 16,384; Cambridgeshire Administrative County, 129,516; Rural Districts, 70,386; Linton R.D., 9,542.

* Population adjusted to allow for changes in boundary during the year.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| HESHIRE—*cont* | | | | | | | | | | | | | | |
| DMINISTRATIVE COUNTY. | 636,300 | 5,371 | 5,244 | 233 | 213 | 11,061 | 17·4 | 3,609 | 3,492 | 7,101 | 11·2† | 721 | 65 | 6·2 |
| UNICIPAL BORO'S AND URBAN DISTRICTS. | 441,300 | 3,787 | 3,642 | 157 | 147 | 7,733 | 17·5 | 2,597 | 2,553 | 5,150 | 11·7 | 527 | 68 | 5·8 |
| Alderley Edge | 3,058 | 24 | 22 | 1 | 1 | 48 | 15·7 | 28 | 17 | 45 | 14·7 | 3 | 63 | 1·0 |
| Alsager .. .. | 2,675 | 14 | 17 | — | 2 | 33 | 12·3 | 22 | 11 | 33 | 12·3 | — | — | — |
| Altrincham .. | 20,920 | 169 | 167 | 13 | 5 | 354 | 16·9 | 140 | 128 | 268 | 12·8 | 23 | 65 | 4·1 |
| Ashton-upon-Mersey. | 7,939 | 60 | 62 | 3 | 3 | 128 | 16·1 | 45 | 48 | 93 | 11·7 | 5 | 39 | 4·4 |
| Bebington and Bromborough | 19,870 | 187 | 166 | 3 | 4 | 360 | 18·1 | 95 | 77 | 172 | 8·7 | 17 | 47 | 9·4 |
| Bollington .. | 5,220 | 44 | 37 | 3 | 2 | 86 | 16·5 | 34 | 33 | 67 | 12·8 | 6 | 70 | 3·7 |
| Bowdon .. .. | 2,914 | 15 | 14 | — | 1 | 30 | 10·3 | 13 | 16 | 29 | 10·0 | — | — | 0·3 |
| Bredbury and Romiley. | 9,218 | 47 | 58 | 1 | 2 | 108 | 11·7 | 61 | 56 | 117 | 12·7 | 8 | 74 | −1·0 |
| Buglawton .. | 1,739 | 20 | 17 | — | — | 37 | 21·3 | 5 | 11 | 16 | 9·2 | 1 | 27 | 12·1 |
| Cheadle and Gatley. | 11,220 | 80 | 87 | 2 | 5 | 174 | 15·5 | 49 | 52 | 101 | 9·0 | 6 | 34 | 6·5 |
| Compstall .. | 948 | 10 | 7 | — | — | 17 | 17·9 | 7 | 6 | 13 | 13·7 | 1 | 59 | 4·2 |
| Congleton M.B. | 12,130 | 111 | 118 | — | 8 | 237 | 19·5 | 75 | 83 | 158 | 13·0 | 14 | 59 | 6·5 |
| Crewe M.B. .. | 47,410 | 404 | 349 | 11 | 15 | 779 | 16·4 | 294 | 230 | 524 | 11·1 | 55 | 71 | 5·3 |
| Dukinfield M.B. | 19,930 | 171 | 173 | 8 | 4 | 356 | 17·9 | 138 | 117 | 255 | 12·8 | 35 | 98 | 5·1 |
| Ellesmere Port and Whitby. | 13,900 | 186 | 210 | 8 | 5 | 409 | 29·4 | 77 | 60 | 137 | 9·9 | 27 | 66 | 19·5 |
| Hale .. .. | 9,251 | 58 | 64 | 1 | 1 | 124 | 13·4 | 48 | 48 | 96 | 10·4 | 7 | 56 | 3·0 |
| Handforth .. | 953 | 9 | 7 | — | 1 | 17 | 17·8 | 6 | 3 | 9 | 9·4 | 1 | 59 | 8·4 |
| Hazel Grove and Bramhall. | 10,290 | 76 | 69 | 8 | 5 | 158 | 15·4 | 63 | 63 | 126 | 12·2 | 6 | 38 | 3·2 |
| Hollingworth .. | 2,480 | 16 | 15 | — | 2 | 33 | 13·3 | 14 | 17 | 31 | 12·5 | 4 | 121 | 0·8 |
| Hoole .. .. | 6,034 | 44 | 43 | 1 | — | 88 | 14·6 | 22 | 29 | 51 | 8·5 | 4 | 45 | 6·1 |
| Hoylake and West Kirby | 16,580 | 117 | 107 | 8 | 6 | 238 | 14·4 | 71 | 105 | 176 | 10·6 | 13 | 55 | 3·8 |
| Hyde M.B. .. | 34,030 | 290 | 253 | 8 | 10 | 561 | 16·5 | 218 | 220 | 438 | 12·9 | 38 | 68 | 3·6 |
| Knutsford .. | 5,448 | 46 | 58 | 2 | 3 | 109 | 20·0 | 24 | 28 | 52 | 9·5 | 1 | 92 | 10·5 |
| Lymm .. .. | 5,361 | 48 | 40 | 3 | 2 | 93 | 17·3 | 23 | 29 | 52 | 9·7 | 6 | 65 | 7·6 |
| Macclesfield M.B. | 34,610 | 315 | 262 | 19 | 20 | 616 | 17·8 | 218 | 213 | 431 | 12·5 | 56 | 91 | 5·3 |
| Marple .. .. | 6,564 | 51 | 42 | 1 | 2 | 96 | 14·6 | 36 | 46 | 82 | 12·5 | 6 | 63 | 2·1 |
| Middlewich .. | 5,437 | 59 | 57 | 3 | 2 | 121 | 22·3 | 22 | 23 | 45 | 8·3 | 8 | 66 | 14·0 |
| Mottram-in-Longdendale. | 2,882 | 17 | 12 | 1 | — | 30 | 10·4 | 15 | 22 | 37 | 12·8 | 2 | 67 | −2·4 |
| Nantwich .. | 7,458 | 60 | 74 | 9 | 5 | 148 | 19·8 | 49 | 55 | 104 | 13·9 | 15 | 101 | 5·9 |
| Neston and Parkgate | 5,232 | 42 | 60 | 1 | 2 | 105 | 20·1 | 22 | 31 | 53 | 10·1 | 5 | 48 | 10·0 |
| Northwich .. | 18,770 | 157 | 176 | 11 | 2 | 346 | 18·4 | 109 | 93 | 202 | 10·8 | 26 | 75 | 7·6 |
| Runcorn .. .. | 19,010 | 222 | 200 | 7 | 4 | 433 | 22·8 | 110 | 106 | 216 | 11·4 | 28 | 65 | 11·4 |
| Sale .. .. | 16,410 | 125 | 137 | 2 | 3 | 267 | 16·3 | 91 | 100 | 191 | 11·6 | 19 | 71 | 4·7 |
| Sandbach .. | 6,050 | 63 | 59 | 1 | — | 123 | 20·3 | 28 | 38 | 66 | 10·9 | 5 | 41 | 9·4 |
| Stalybridge M.B. | 25,670 | 210 | 201 | 10 | 11 | 432 | 16·8 | 187 | 200 | 387 | 15·1 | 46 | 106 | 1·7 |
| Tarporley .. | 2,507 | 11 | 30 | 3 | 2 | 46 | 18·3 | 24 | 25 | 49 | 19·5 | 10 | 217 | −1·2 |
| Wilmslow .. | 8,300 | 63 | 59 | — | 3 | 125 | 15·1 | 46 | 40 | 86 | 10·4 | 3 | 24 | 4·7 |
| Winsford.. .. | 11,200 | 127 | 100 | 4 | 4 | 235 | 21·0 | 60 | 60 | 120 | 10·7 | 16 | 68 | 10·3 |
| Yeardsley-cum Whaley | 1,682 | 19 | 13 | 1 | — | 33 | 19·6 | 8 | 14 | 22 | 13·1 | 1 | 30 | 6·5 |

† Death-rate based upon estimated civilian population as follows:—Cheshire Administrative County, 635,884.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| CHESHIRE—*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS | 195,000 | 1,584 | 1,602 | 76 | 66 | 3,328 | 17·1 | 1,012 | 939 | 1,951 | 10·0† | 194 | 58 | 7·1 |
| Bucklow.. .. | 22,250 | 144 | 128 | 5 | 6 | 283 | 12·7 | 101 | 116 | 217 | 9·8 | 15 | 53 | 2·9 |
| Chester .. .. | 13,590 | 85 | 86 | 3 | 5 | 179 | 13·2 | 67 | 50 | 117 | 8·9† | 8 | 45 | 4·3 |
| Congleton .. | 13,440 | 107 | 126 | 5 | 4 | 242 | 18·0 | 84 | 63 | 147 | 10·9 | 13 | 54 | 7·1 |
| Disley .. .. | 2,981 | 32 | 17 | — | — | 49 | 16·4 | 13 | 14 | 27 | 9·1 | 2 | 41 | 7·3 |
| Macclesfield .. | 17,170 | 128 | 137 | 5 | 5 | 275 | 16·0 | 75 | 81 | 156 | 9·1 | 19 | 69 | 6·9 |
| Malpas .. .. | 4,421 | 44 | 44 | 2 | 1 | 91 | 20·6 | 23 | 26 | 49 | 11·1 | — | — | 9·5 |
| Nantwich .. | 25,390 | 212 | 217 | 13 | 17 | 459 | 18·1 | 144 | 123 | 267 | 10·5 | 41 | 89 | 7·6 |
| Northwich .. | 25,110 | 241 | 298 | 13 | 7 | 559 | 22·3 | 137 | 136 | 273 | 10·9 | 44 | 79 | 11·4 |
| Runcorn.. .. | 29,200 | 219 | 210 | 9 | 5 | 443 | 15·2 | 172 | 138 | 310 | 10·6 | 22 | 50 | 4·6 |
| Tarvin .. .. | 13,410 | 124 | 126 | 11 | 5 | 266 | 19·8 | 78 | 72 | 150 | 11·2 | 11 | 41 | 8·6 |
| Tintwistle .. | 2,048 | 22 | 13 | — | — | 35 | 17·1 | 8 | 14 | 22 | 10·7 | 1 | 29 | 6·4 |
| Wirral .. .. | 25,990 | 226 | 200 | 10 | 11 | 447 | 17·2 | 110 | 106 | 216 | 8·3 | 18 | 40 | 8·9 |
| CORNWALL: Administrative County. | 317,500 | 2,672 | 2,540 | 130 | 139 | 5,481 | 17·3 | 2,017 | 2,216 | 4,233 | 13·3† | 302 | 55 | 4·0 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 138,300 | 1,115 | 1,066 | 57 | 67 | 2,305 | 16·7 | 895 | 1,049 | 1,944 | 14·1† | 122 | 53 | 2·6 |
| Bodmin M.B. .. | 5,520 | 33 | 25 | 1 | 1 | 60 | 10·9 | 23 | 21 | 44 | 8·1† | — | — | 2·8 |
| Callington .. | 1,669 | 16 | 17 | 2 | — | 35 | 21·0 | 9 | 12 | 21 | 12·6 | 2 | 57 | 8·4 |
| Camborne .. | 14,630 | 116 | 115 | 10 | 4 | 245 | 16·7 | 104 | 133 | 237 | 16·2 | 12 | 49 | 0·5 |
| Falmouth M.B. | 13,120 | 117 | 95 | 6 | 6 | 224 | 17·1 | 84 | 76 | 160 | 12·5† | 12 | 54 | 4·6 |
| Fowey M.B. .. | 1,982 | 11 | 12 | — | — | 23 | 11·6 | 14 | 16 | 30 | 15·1 | — | — | −3·5 |
| Hayle .. .. | 996 | 4 | 11 | 1 | 2 | 18 | 18·1 | 4 | 9 | 13 | 13·1 | 1 | 56 | 5·0 |
| Helston M.B. .. | 2,684 | 19 | 30 | 1 | 3 | 53 | 19·7 | 17 | 19 | 36 | 13·4 | — | — | 6·3 |
| Launceston M.B. | 3,891 | 27 | 32 | — | — | 59 | 15·2 | 33 | 24 | 57 | 14·6 | 4 | 68 | 0·6 |
| Liskeard M.B. | 4,338 | 31 | 29 | 1 | 4 | 65 | 15·0 | 41 | 48 | 89 | 20·5 | 7 | 108 | −5·5 |
| Looe .. .. | 2,651 | 27 | 16 | 2 | — | 45 | 17·0 | 21 | 9 | 30 | 11·3 | — | — | 5·7 |
| Lostwithiel M.B. | 1,293 | 10 | 18 | — | — | 28 | 21·7 | 9 | 17 | 26 | 20·1 | — | — | 1·6 |
| Ludgvan.. .. | 2,065 | 11 | 19 | 3 | 1 | 34 | 16·5 | 11 | 22 | 33 | 16·0 | 7 | 206 | 0·5 |
| Madron .. .. | 3,374 | 36 | 21 | 1 | — | 58 | 17·2 | 19 | 28 | 47 | 13·9 | 1 | 17 | 3·3 |
| Newquay .. | 4,940 | 46 | 19 | 4 | — | 69 | 14·0 | 33 | 38 | 71 | 14·4 | 7 | 101 | −0·4 |
| Padstow .. .. | 1,662 | 11 | 13 | 1 | 1 | 26 | 15·6 | 13 | 15 | 28 | 16·8 | — | — | −1·2 |
| Paul .. .. | 5,603 | 47 | 45 | — | 4 | 96 | 17·1 | 29 | 34 | 63 | 11·2 | 5 | 52 | 5·9 |
| Penryn M.B. .. | 3,201 | 29 | 35 | — | 4 | 68 | 21·2 | 15 | 25 | 40 | 12·5 | 2 | 29 | 8·7 |
| Penzance M.B. | 11,610 | 87 | 73 | 4 | 6 | 170 | 14·6 | 88 | 96 | 184 | 15·8 | 14 | 82 | −1·2 |
| Phillack .. .. | 3,466 | 28 | 27 | 2 | 3 | 60 | 17·3 | 25 | 32 | 57 | 16·4 | 4 | 67 | 0·9 |
| Redruth .. .. | 10,060 | 71 | 82 | 4 | 5 | 162 | 16·1 | 65 | 93 | 158 | 15·7 | 12 | 74 | 0·4 |
| St. Austell .. | 3,340 | 29 | 29 | 5 | 2 | 65 | 19·5 | 21 | 23 | 44 | 13·2 | 2 | 31 | 6·3 |
| St. Ives M.B. | 6,482 | 54 | 47 | — | 4 | 105 | 16·2 | 37 | 53 | 90 | 13·9 | 6 | 57 | 2·3 |
| St. Just .. .. | 5,181 | 53 | 51 | 1 | 3 | 108 | 20·8 | 32 | 36 | 68 | 13·1 | 8 | 74 | 7·7 |
| Saltash M.B. .. | 3,598 | 29 | 28 | 1 | 3 | 61 | 17·0 | 16 | 21 | 37 | 10·3 | — | — | 6·7 |
| Stratton and Bude. | 3,090 | 19 | 25 | 1 | 2 | 47 | 15·2 | 23 | 21 | 44 | 14·2 | 2 | 43 | 1·0 |
| Torpoint.. .. | 4,504 | 37 | 41 | 1 | 1 | 80 | 17·8 | 27 | 29 | 56 | 12·4 | 6 | 75 | 5·4 |
| Truro M.B. .. | 11,040 | 103 | 95 | 5 | 7 | 210 | 19·0 | 63 | 81 | 144 | 13·0 | 6 | 29 | 6·0 |
| Wadebridge .. | 2,310 | 14 | 16 | — | 1 | 31 | 13·4 | 19 | 18 | 37 | 16·0 | 2 | 65 | −2·6 |
| RURAL DISTRICTS | 179,200 | 1,557 | 1,474 | 73 | 72 | 3,176 | 17·7 | 1,122 | 1,167 | 2,289 | 12·8 | 180 | 57 | 4·9 |
| Bodmin .. .. | 10,140 | 84 | 82 | 8 | 4 | 178 | 17·6 | 61 | 64 | 125 | 12·3 | 5 | 28 | 5·3 |
| Calstock .. .. | 4,729 | 46 | 36 | 1 | — | 83 | 17·6 | 31 | 28 | 59 | 12·5 | — | — | 5·1 |
| Camelford .. | 7,581 | 69 | 55 | 6 | 3 | 133 | 17·5 | 52 | 47 | 99 | 13·1 | 9 | 68 | 4·4 |

† Death-rates based upon estimated civilian populations as follows:—Cheshire—Rural Districts, 194,584; Chester R.D., 13,174; Cornwall—Administrative County, 317,095; Municipal Boroughs and Urban Districts, 137,895; Bodmin M.B., 5,403; Falmouth. MB., 12,832.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| CORNWALL—*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| East Kerrier .. | 8,245 | 67 | 68 | — | 3 | 138 | 16·7 | 45 | 55 | 100 | 12·1 | 7 | 51 | 4·6 |
| Helston .. .. | 16,500 | 140 | 141 | 6 | 3 | 290 | 17·6 | 90 | 127 | 217 | 13·2 | 14 | 48 | 4·4 |
| Holsworthy (part of)‡ | 356 | 6 | 3 | — | 1 | 10 | 28·1 | 3 | 2 | 5 | 13·0 | | | 14·1 |
| Launceston .. | 7,238 | 52 | 76 | 1 | 3 | 132 | 18·2 | 58 | 35 | 93 | 12·8 | 7 | 53 | 5·4 |
| Liskeard .. | 14,930 | 127 | 122 | 8 | 4 | 261 | 17·5 | 92 | 92 | 184 | 12·3 | 22 | 84 | 5·2 |
| Redruth .. .. | 17,190 | 160 | 146 | 9 | 10 | 325 | 18·9 | 121 | 140 | 261 | 15·2 | 19 | 58 | 3·7 |
| St. Austell .. | 31,790 | 322 | 276 | 16 | 19 | 633 | 19·9 | 193 | 221 | 414 | 13·0 | 37 | 58 | 6·9 |
| St. Columb Major. | 11,710 | 99 | 105 | 1 | 5 | 210 | 17·9 | 88 | 49 | 137 | 11·7 | 11 | 52 | 6·2 |
| St. Germans .. | 12,390 | 123 | 84 | 7 | 4 | 218 | 17·6 | 85 | 82 | 167 | 13·5 | 14 | 64 | 4·1 |
| Scilly, Isles of.. | 1,695 | 14 | 8 | — | — | 22 | 13·0 | 8 | 6 | 14 | 8·3 | | | 4·7 |
| Stratton .. .. | 4,946 | 48 | 50 | 2 | 3 | 103 | 20·8 | 36 | 32 | 68 | 13·7 | 6 | 58 | 7·1 |
| Truro .. .. | 19,330 | 110 | 122 | 7 | 8 | 247 | 12·8 | 110 | 120 | 230 | 11·9 | 14 | 57 | 0·9 |
| West Penwith | 10,430 | 90 | 100 | 1 | 2 | 193 | 18·5 | 49 | 67 | 116 | 11·1 | 15 | 78 | 7·4 |
| CUMBERLAND: | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Carlisle .. .. | 54,010 | 559 | 560 | 19 | 33 | 1,171 | 21·7 | 374 | 382 | 756 | 14·0 | 102 | 87 | 7·7 |
| ADMINISTRATIVE COUNTY. | 219,720 | 2,251 | 2,149 | 134 | 113 | 4,647 | 21·1 | 1,444 | 1,349 | 2,793 | 12·7 | 344 | 74 | 8·4 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 122,600 | 1,328 | 1,283 | 72 | 62 | 2,745 | 22·4 | 839 | 815 | 1,654 | 13·5 | 215 | 78 | 8·9 |
| Arlecdon and Frizington. | 5,298 | 63 | 45 | 2 | 3 | 113 | 21·3 | 46 | 30 | 76 | 14·3 | 11 | 97 | 7·0 |
| Aspatria .. .. | 3,663 | 46 | 33 | — | 3 | 82 | 22·4 | 14 | 20 | 34 | 9·3 | 7 | 85 | 13·1 |
| Cleator Moor .. | 8,494 | 75 | 85 | 5 | 3 | 168 | 19·8 | 48 | 61 | 109 | 12·8 | 9 | 54 | 7·0 |
| Cockermouth | 4,865 | 42 | 35 | 5 | 1 | 83 | 17·1 | 47 | 37 | 84 | 17·3 | 11 | 133 | 0·2 |
| Egremont .. | 7,049 | 78 | 81 | 4 | 1 | 164 | 23·3 | 42 | 48 | 90 | 12·8 | 19 | 116 | 10·5 |
| Harrington .. | 4,534 | 48 | 54 | 2 | 3 | 107 | 23·6 | 29 | 27 | 56 | 12·4 | 6 | 56 | 11·2 |
| Holme Cultram | 4,774 | 43 | 43 | 1 | 3 | 90 | 18·9 | 29 | 24 | 53 | 11·1 | 5 | 56 | 7·8 |
| Keswick .. .. | 4,264 | 32 | 30 | 3 | 3 | 68 | 15·9 | 24 | 35 | 59 | 13·8 | 1 | 15 | 2·1 |
| Maryport .. | 11,320 | 124 | 103 | 4 | 4 | 235 | 20·8 | 74 | 71 | 145 | 12·8 | 19 | 81 | 8·0 |
| Millom .. .. | 8,736 | 82 | 73 | 5 | 5 | 165 | 18·9 | 57 | 61 | 118 | 13·5 | 14 | 85 | 5·4 |
| Penrith .. .. | 8,219 | 89 | 91 | 7 | 8 | 195 | 23·7 | 51 | 68 | 119 | 14·5 | 7 | 36 | 9·2 |
| Whitehaven M.B. | 20,310 | 278 | 268 | 15 | 10 | 571 | 28·1 | 172 | 136 | 308 | 15·2 | 48 | 84 | 12·9 |
| Wigton .. .. | 3,694 | 42 | 38 | 3 | 3 | 86 | 23·3 | 31 | 28 | 59 | 16·0 | 10 | 116 | 7·3 |
| WorkingtonM.B. | 27,380 | 286 | 304 | 16 | 12 | 618 | 22·6 | 175 | 169 | 344 | 12·6 | 48 | 78 | 10·0 |
| RURAL DISTRICTS | 97,120 | 923 | 866 | 62 | 51 | 1,902 | 19·6 | 605 | 534 | 1,139 | 11·7 | 129 | 68 | 7·9 |
| Alston with Garrigill. | 2,743 | 24 | 19 | 3 | 2 | 48 | 17·5 | 21 | 15 | 36 | 13·1 | 3 | 63 | 4·4 |
| Bootle .. .. | 6,063 | 51 | 36 | 1 | 2 | 90 | 14·8 | 36 | 25 | 61 | 10·1 | 7 | 78 | 4·7 |
| Brampton .. | 8,073 | 56 | 66 | 2 | 5 | 129 | 16·0 | 56 | 35 | 91 | 11·3 | 7 | 54 | 4·7 |
| Carlisle .. .. | 11,880 | 95 | 96 | 9 | 5 | 205 | 17·3 | 67 | 64 | 131 | 11·0 | 11 | 54 | 6·3 |
| Cockermouth .. | 23,110 | 242 | 218 | 23 | 17 | 500 | 21·6 | 156 | 138 | 294 | 12·7 | 48 | 96 | 8·9 |
| Longtown .. | 6,401 | 56 | 63 | 2 | 3 | 124 | 19·4 | 32 | 29 | 61 | 9·5 | 9 | 73 | 9·9 |
| Penrith .. .. | 12,120 | 98 | 100 | 7 | 6 | 211 | 17·4 | 69 | 64 | 133 | 11·0 | 7 | 33 | 6·4 |
| Whitehaven .. | 15,240 | 178 | 143 | 7 | 7 | 335 | 22·0 | 86 | 80 | 166 | 10·9 | 18 | 54 | 11·1 |
| Wigton .. .. | 11,490 | 123 | 125 | 8 | 4 | 260 | 22·6 | 82 | 84 | 166 | 14·4 | 19 | 73 | 8·2 |

‡ The remainder of Holsworthy Rural District is in Devonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| DERBYSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Derby .. .. | 132,800 | 1,230 | 1,172 | 50 | 34 | 2,486 | 18·7 | 779 | 762 | 1,541 | 11·6 | 167 | 67 | 7·1 |
| ADMINISTRATIVE COUNTY. | 600,000 | 6,249 | 5,946 | 270 | 216 | 12,681 | 21·1 | 3,283 | 3,149 | 6,432 | 10·7 | 948 | 75 | 10·4 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 313,800 | 3,219 | 3,049 | 145 | 113 | 6,526 | 20·8 | 1,694 | 1,694 | 3,388 | 10·8 | 499 | 76 | 10·0 |
| Alfreton .. .. | 21,260 | 228 | 222 | 12 | 7 | 469 | 22·1 | 125 | 105 | 230 | 10·8 | 30 | 64 | 11·3 |
| Alvaston and Boulton. | 1,595 | 16 | 13 | 2 | 1 | 32 | 20·1 | 7 | 13 | 20 | 12·5 | 1 | 31 | 7·6 |
| Ashbourne .. | 4,337 | 35 | 28 | 5 | 1 | 69 | 15·9 | 20 | 20 | 40 | 9·2 | 4 | 58 | 6·7 |
| Bakewell .. | 2,997 | 22 | 22 | 1 | 1 | 46 | 15·3 | 22 | 21 | 43 | 14·3 | 2 | 43 | 1·0 |
| Baslow and Bubnell. | 822 | 6 | 4 | — | — | 10 | 12·2 | 4 | 9 | 13 | 15·8 | — | — | −3·6 |
| Belper .. .. | 12,610 | 123 | 134 | 5 | 3 | 265 | 21·0 | 60 | 63 | 123 | 9·8 | 21 | 79 | 11·2 |
| Bolsover .. | 12,150 | 163 | 142 | 3 | 6 | 314 | 25·8 | 61 | 59 | 120 | 9·9 | 25 | 80 | 15·9 |
| Bonsall .. .. | 1,181 | 10 | 13 | 2 | 1 | 26 | 22·0 | 8 | 6 | 14 | 11·9 | 1 | 38 | 10·1 |
| Brampton and Walton. | 2,296 | 29 | 16 | 2 | — | 47 | 20·5 | 14 | 6 | 20 | 8·7 | 4 | 85 | 11·8 |
| Buxton M.B. .. | 15,010 | 112 | 115 | 10 | 9 | 246 | 16·4 | 62 | 95 | 157 | 10·5 | 17 | 69 | 5·9 |
| Chesterfield M.B. | 63,740 | 702 | 682 | 34 | 26 | 1,444 | 22·7 | 407 | 376 | 783 | 12·3 | 134 | 93 | 10·4 |
| Clay Cross .. | 9,230 | 145 | 115 | 8 | 4 | 272 | 29·5 | 39 | 43 | 82 | 8·9 | 19 | 70 | 20·6 |
| Dronfield .. | 4,442 | 40 | 47 | 2 | 3 | 92 | 20·7 | 24 | 27 | 51 | 11·5 | 6 | 65 | 9·2 |
| Glossop M.B. .. | 20,640 | 176 | 147 | 6 | 3 | 332 | 16·1 | 119 | 154 | 273 | 13·2 | 25 | 75 | 2·9 |
| Heage .. .. | 3,861 | 31 | 43 | 1 | — | 75 | 19·4 | 28 | 16 | 44 | 11·4 | 3 | 40 | 8·0 |
| Heanor .. .. | 22,200 | 221 | 204 | 9 | 8 | 442 | 19·9 | 110 | 110 | 220 | 9·9 | 45 | 102 | 10·0 |
| Ilkeston M.B. | 33,450 | 368 | 340 | 18 | 8 | 734 | 21·9 | 172 | 176 | 348 | 10·4 | 67 | 91 | 11·5 |
| Long Eaton .. | 22,620 | 200 | 181 | 6 | 8 | 395 | 17·5 | 108 | 93 | 201 | 8·9 | 17 | 43 | 8·6 |
| Matlock .. .. | 6,308 | 46 | 40 | 3 | 3 | 92 | 14·6 | 37 | 38 | 75 | 11·9 | 2 | 22 | 2·7 |
| Matlock Bath and Scarthin Nick. | 1,729 | 16 | 19 | 1 | — | 36 | 20·8 | 11 | 13 | 24 | 13·9 | 5 | 139 | 6·9 |
| New Mills .. | 8,810 | 72 | 68 | 3 | 10 | 153 | 17·4 | 45 | 54 | 99 | 11·2 | 11 | 72 | 6·2 |
| North Darley | 3,276 | 37 | 31 | — | — | 68 | 20·8 | 25 | 21 | 46 | 14·0 | 3 | 44 | 6·8 |
| Ripley .. .. | 13,710 | 131 | 127 | 3 | 2 | 263 | 19·2 | 75 | 70 | 145 | 10·6 | 24 | 91 | 8·6 |
| South Darley | 708 | 8 | 5 | — | — | 13 | 18·4 | 3 | 5 | 8 | 11·3 | 1 | 77 | 7·1 |
| Swadlincote District. | 21,070 | 246 | 253 | 4 | 8 | 511 | 24·3 | 85 | 77 | 162 | 7·7 | 26 | 51 | 16·6 |
| Wirksworth .. | 3,748 | 36 | 38 | 5 | 1 | 80 | 21·3 | 23 | 24 | 47 | 12·5 | 6 | 75 | 8·8 |
| RURAL DISTRICTS | 286,200 | 3,030 | 2,897 | 125 | 103 | 6,155 | 21·5 | 1,589 | 1,455 | 3,044 | 10·6 | 449 | 73 | 10·9 |
| Ashbourne .. | 10,440 | 123 | 84 | 6 | 6 | 219 | 21·0 | 59 | 55 | 114 | 10·9 | 8 | 37 | 10·1 |
| Bakewell .. | 19,900 | 185 | 162 | 9 | 7 | 363 | 18·2 | 126 | 132 | 258 | 13·0 | 21 | 58 | 5·2 |
| Belper .. .. | 23,900 | 219 | 213 | 9 | 5 | 446 | 18·7 | 132 | 129 | 261 | 10·9 | 23 | 52 | 7·8 |
| Blackwell .. | 43,800 | 559 | 555 | 18 | 18 | 1,150 | 26·3 | 258 | 220 | 478 | 10·9 | 100 | 87 | 15·4 |
| Chapel-en-le-Frith. | 16,110 | 151 | 136 | 8 | 2 | 297 | 18·4 | 83 | 88 | 171 | 10·6 | 12 | 40 | 7·8 |
| Chesterfield .. | 78,740 | 897 | 879 | 46 | 39 | 1,861 | 23·6 | 471 | 380 | 851 | 10·8 | 171 | 92 | 12·8 |
| Clowne .. .. | 18,240 | 215 | 193 | 4 | 9 | 421 | 23·1 | 84 | 72 | 156 | 8·6 | 27 | 64 | 14·5 |
| Glossop Dale .. | 3,778 | 25 | 23 | 2 | 1 | 51 | 13·5 | 28 | 27 | 55 | 14·6 | 4 | 78 | −1·1 |
| Hartshorn and Seals. | 8,789 | 91 | 88 | 1 | 2 | 182 | 20·7 | 58 | 51 | 109 | 12·4 | 15 | 82 | 8·3 |
| Hayfield .. .. | 4,422 | 34 | 25 | 2 | — | 61 | 13·8 | 25 | 22 | 47 | 10·6 | 1 | 16 | 3·2 |
| Norton .. .. | 4,646 | 26 | 34 | 2 | 1 | 63 | 13·6 | 22 | 29 | 51 | 11·0 | 5 | 79 | 2·6 |
| Repton .. .. | 16,730 | 155 | 147 | 7 | 5 | 314 | 18·8 | 79 | 77 | 156 | 9·3 | 21 | 67 | 9·5 |
| Shardlow .. | 32,600 | 306 | 327 | 9 | 8 | 650 | 19·9 | 148 | 155 | 303 | 9·3 | 37 | 57 | 10·6 |
| Sudbury .. .. | 2,578 | 24 | 23 | 2 | — | 49 | 19·0 | 12 | 15 | 27 | 10·5 | 3 | 61 | 8·5 |

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| DERBYSHIRE—*cont* | | | | | | | | | | | | | | |
| RURAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| Codnor Park and Shipley Civil Parishes administered by R.D. Council of Basford (Notts). | 1,527 | 20 | 8 | — | — | 28 | 18·3 | 4 | 3 | 7 | 4·6 | 1 | 36 | 13·7 |
| DEVONSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO's | 271,760 | 2,521 | 2,428 | 116 | 101 | 5,166 | 19·0 | 1,519 | 1,662 | 3,181 | 12·6† | 274 | 53 | 6·4 |
| Exeter .. .. | 60,260 | 477 | 488 | 33 | 23 | 1,021 | 16·9 | 346 | 387 | 733 | 12·2 | 62 | 61 | 4·7 |
| Plymouth .. | 211,500 | 2,044 | 1,940 | 83 | 78 | 4,145 | 19·6 | 1,173 | 1,275 | 2,448 | 12·7† | 212 | 51 | 6·9 |
| ADMINISTRATIVE COUNTY. | 424,000 | 3,402 | 3,312 | 160 | 138 | 7,012 | 16·5 | 2,519 | 2,767 | 5,286 | 12·5† | 340 | 48 | 4·0 |
| MUNICIPAL BORO's AND URBAN DISTRICTS. | 205,600 | 1,542 | 1,485 | 74 | 54 | 3,155 | 15·3 | 1,273 | 1,450 | 2,723 | 13·3† | 155 | 49 | 2·0 |
| Ashburton .. | 2,376 | 21 | 20 | — | 3 | 44 | 18·5 | 20 | 19 | 39 | 16·4 | 3 | 68 | 2·1 |
| Axminster .. | 2,075 | 10 | 24 | 1 | — | 35 | 16·9 | 18 | 11 | 29 | 14·0 | 2 | 57 | 2·9 |
| Bampton .. | 1,458 | 15 | 15 | 1 | — | 31 | 21·3 | 9 | 10 | 19 | 13·0 | — | — | 8·3 |
| Barnstaple M.B. | 14,550 | 130 | 114 | 12 | 6 | 262 | 18·0 | 89 | 108 | 197 | 13·5 | 15 | 57 | 4·5 |
| Bideford M.B... | 9,099 | 102 | 68 | 3 | 2 | 175 | 19·2 | 60 | 56 | 116 | 12·7 | 5 | 29 | 6·5 |
| Brixham .. | 7,918 | 80 | 80 | 3 | 2 | 165 | 20·8 | 48 | 55 | 103 | 13·0 | 14 | 85 | 7·8 |
| Buckfastleigh | 2,284 | 18 | 12 | 1 | — | 31 | 13·6 | 11 | 9 | 20 | 8·8 | 1 | 32 | 4·8 |
| Budleigh Salterton. | 2,394 | 9 | 13 | — | 1 | 23 | 9·6 | 13 | 18 | 31 | 12·9 | — | — | −3·3 |
| Crediton .. .. | 3,488 | 28 | 28 | — | 1 | 57 | 16·3 | 26 | 26 | 52 | 14·9 | 2 | 35 | 1·4 |
| Dartmouth M.B. | 7,303 | 57 | 56 | 3 | 1 | 117 | 16·0 | 43 | 38 | 81 | 12·3† | 10 | 85 | 3·7 |
| Dawlish .. .. | 4,390 | 28 | 21 | 1 | — | 50 | 11·4 | 28 | 31 | 59 | 13·4 | 1 | 20 | −2·0 |
| Exmouth .. | 12,830 | 72 | 65 | — | 3 | 140 | 10·9 | 74 | 89 | 163 | 12·7 | 2 | 14 | −1·8 |
| Great Torrington M.B. | 2,970 | 19 | 28 | 5 | 1 | 53 | 17·8 | 22 | 18 | 40 | 13·5 | 2 | 38 | 4·3 |
| Holsworthy .. | 1,423 | 9 | 21 | 2 | — | 32 | 22·5 | 10 | 6 | 16 | 11·2 | 1 | 31 | 11·3 |
| Honiton M.B... | 3,051 | 19 | 24 | 1 | 1 | 45 | 14·7 | 12 | 20 | 32 | 10·5 | 2 | 44 | 4·2 |
| Ilfracombe .. | 8,764 | 60 | 64 | 2 | 2 | 128 | 14·6 | 48 | 68 | 116 | 13·2 | 4 | 31 | 1·4 |
| Ivybridge .. | 1,636 | 20 | 14 | — | 1 | 35 | 21·4 | 10 | 10 | 20 | 12·2 | — | — | 9·2 |
| Kingsbridge .. | 2,928 | 21 | 20 | 2 | 2 | 45 | 15·4 | 23 | 29 | 52 | 17·8 | 2 | 44 | −2·4 |
| Lynton .. .. | 1,763 | 11 | 13 | 1 | 1 | 26 | 14·7 | 9 | 14 | 23 | 13·0 | 1 | 38 | 1·7 |
| Newton Abbot | 13,900 | 111 | 96 | 5 | 2 | 214 | 15·4 | 90 | 100 | 190 | 13·7 | 13 | 61 | 1·7 |
| Northam .. | 5,880 | 42 | 51 | 1 | 2 | 96 | 16·3 | 41 | 31 | 72 | 12·2 | 8 | 83 | 4·1 |
| Okehampton M.B. | 3,434 | 22 | 30 | 4 | 3 | 59 | 17·2 | 17 | 25 | 42 | 12·2 | 3 | 51 | 5·0 |
| Ottery St. Mary | 3,614 | 35 | 33 | — | 1 | 69 | 19·1 | 14 | 24 | 38 | 10·5 | 3 | 43 | 8·6 |
| Paignton .. | 13,050 | 88 | 94 | 5 | 1 | 188 | 14·4 | 84 | 83 | 167 | 12·8 | 12 | 64 | 1·6 |
| Salcombe .. | 2,008 | 8 | 9 | — | 1 | 18 | 9·0 | 11 | 17 | 28 | 13·9 | — | — | −4·9 |
| Seaton .. .. | 1,819 | 8 | 8 | 1 | — | 17 | 9·3 | 15 | 19 | 34 | 18·7 | — | — | −9·4 |
| Sidmouth .. | 5,020 | 31 | 29 | 1 | — | 61 | 12·2 | 19 | 41 | 60 | 12·0 | — | — | 0·2 |
| South Molton M.B. | 2,811 | 23 | 20 | — | 1 | 44 | 15·7 | 19 | 26 | 45 | 16·0 | — | — | −0·3 |

† Death-rates based upon estimated civilian populations as follows :—Devonshire County Boroughs, 253,277 ; Plymouth C.B. 193,017 ; Administrative County, 422,474 ; Municipal Boroughs and Urban Districts, 204,867 ; Dartmouth M.B., 6,570.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| DEVONSHIRE—*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Tavistock .. | 4,309 | 26 | 35 | 2 | 1 | 64 | 14·9 | 22 | 26 | 48 | 11·1 | 4 | 63 | 3·8 |
| Teignmouth .. | 9,307 | 69 | 62 | 3 | 1 | 135 | 14·5 | 40 | 74 | 114 | 12·2 | 6 | 44 | 2·3 |
| Tiverton M.B. | 9,657 | 84 | 70 | 2 | 2 | 158 | 16·4 | 50 | 62 | 112 | 11·6 | 12 | 76 | 4·8 |
| Torquay M.B... | 34,100 | 242 | 222 | 12 | 12 | 488 | 14·3 | 253 | 264 | 517 | 15·2 | 24 | 49 | −0·9 |
| Totnes M.B. .. | 3,991 | 24 | 26 | — | — | 50 | 12·5 | 25 | 23 | 48 | 12·0 | 3 | 60 | 0·5 |
| RURAL DISTRICTS: | 218,400 | 1,860 | 1,827 | 86 | 84 | 3,857 | 17·7 | 1,246 | 1,317 | 2,563 | 11·8† | 185 | 48 | 5·9 |
| Axminster .. | 9,735 | 89 | 60 | 3 | 2 | 154 | 15·8 | 53 | 58 | 111 | 11·4 | 3 | 19 | 4·4 |
| Barnstaple .. | 18,270 | 153 | 135 | 4 | 6 | 298 | 16·3 | 101 | 120 | 221 | 12·1 | 12 | 40 | 4·2 |
| Bideford .. .. | 6,038 | 42 | 58 | 3 | — | 103 | 17·1 | 30 | 31 | 61 | 10·1 | 5 | 49 | 7·0 |
| Broadwood Widger | 2,262 | 29 | 29 | — | 1 | 59 | 26·1 | 15 | 13 | 28 | 12·4 | 1 | 17 | 13·7 |
| Crediton .. .. | 10,080 | 80 | 96 | 7 | 3 | 186 | 18·5 | 56 | 64 | 120 | 11·9 | 8 | 43 | 6·6 |
| Culmstock .. | 3,199 | 40 | 34 | 1 | 1 | 76 | 23·8 | 17 | 19 | 36 | 11·3 | 8 | 105 | 12·5 |
| Holsworthy (part of)‡ | 6,788 | 58 | 63 | 3 | 1 | 125 | 18·4 | 47 | 42 | 89 | 13·1 | 6 | 48 | 5·3 |
| Honiton .. .. | 9,163 | 92 | 81 | 1 | 5 | 179 | 19·5 | 51 | 43 | 94 | 10·3 | 3 | 17 | 9·2 |
| Kingsbridge .. | 11,160 | 97 | 92 | 4 | 7 | 200 | 17·9 | 67 | 72 | 139 | 12·5 | 14 | 70 | 5·4 |
| Newton Abbot | 19,890 | 174 | 185 | 6 | 9 | 374 | 18·8 | 133 | 123 | 256 | 12·9 | 17 | 45 | 5·9 |
| Okehampton .. | 13,210 | 103 | 110 | 8 | 7 | 228 | 17·3 | 61 | 77 | 138 | 10·4 | 14 | 61 | 6·9 |
| Plympton St. Mary | 22,100 | 195 | 170 | 6 | 9 | 380 | 17·2 | 137 | 142 | 279 | 13·1† | 21 | 55 | 4·1 |
| St. Thomas .. | 26,400 | 215 | 194 | 17 | 6 | 432 | 16·4 | 143 | 160 | 303 | 11·5 | 23 | 53 | 4·9 |
| South Molton.. | 10,070 | 88 | 107 | 3 | 4 | 202 | 20·1 | 64 | 66 | 130 | 12·9 | 9 | 45 | 7·2 |
| Tavistock .. | 15,190 | 99 | 101 | 5 | 3 | 208 | 13·7 | 77 | 83 | 160 | 10·5 | 8 | 38 | 3·2 |
| Tiverton .. .. | 14,420 | 119 | 146 | 5 | 6 | 276 | 19·1 | 91 | 87 | 178 | 12·3 | 10 | 36 | 6·8 |
| Torrington .. | 8,535 | 85 | 83 | 4 | 4 | 176 | 20·6 | 39 | 50 | 89 | 10·4 | 11 | 63 | 10·2 |
| Totnes .. .. | 11,890 | 102 | 83 | 6 | 10 | 201 | 16·9 | 64 | 67 | 131 | 11·0 | 12 | 60 | 5·9 |
| DORSETSHIRE: Administrative County. | 224,600 | 1,843 | 1,847 | 72 | 85 | 3,847 | 17·1 | 1,213 | 1,307 | 2,520 | 11·5† | 222 | 58 | 5·6 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 119,800 | 944 | 964 | 41 | 48 | 1,997 | 16·7 | 624 | 688 | 1,312 | 11·2† | 113 | 57 | 5·5 |
| Blandford Forum M.B. | 3,209 | 26 | 24 | 1 | — | 51 | 15·9 | 27 | 20 | 47 | 14·6 | 7 | 137 | 1·3 |
| Bridport M.B. | 5,812 | 35 | 51 | — | 2 | 88 | 15·1 | 33 | 44 | 77 | 13·2 | 2 | 23 | 1·9 |
| Dorchester M.B. | 9,764 | 81 | 89 | 5 | 6 | 181 | 18·5 | 55 | 53 | 108 | 11·1 | 15 | 83 | 7·4 |
| Lyme Regis M.B. | 2,277 | 11 | 16 | 1 | 1 | 29 | 12·7 | 10 | 21 | 31 | 13·6 | — | — | −0·9 |
| Poole M.B. .. | 43,860 | 418 | 383 | 14 | 14 | 829 | 18·9 | 232 | 267 | 499 | 11·4 | 50 | 60 | 7·5 |
| Portland .. | 12,630 | 83 | 88 | 6 | 6 | 183 | 14·5 | 50 | 41 | 91 | 9·1† | 9 | 49 | 5·4 |
| Shaftesbury M.B. | 2,385 | 18 | 13 | — | 3 | 34 | 14·3 | 10 | 13 | 23 | 9·6 | — | — | 4·7 |
| Sherborne .. | 6,386 | 35 | 45 | — | 2 | 82 | 12·8 | 40 | 41 | 81 | 12·7 | 8 | 98 | 0·1 |
| Swanage .. .. | 5,526 | 34 | 48 | 2 | 2 | 86 | 15·6 | 24 | 28 | 52 | 9·4 | 2 | 23 | 6·2 |
| Wareham M.B. | 2,028 | 16 | 23 | — | 1 | 40 | 19·7 | 14 | 16 | 30 | 14·8 | 4 | 100 | 4·9 |
| Weymouth and Melcombe Regis M.B. | 22,260 | 156 | 163 | 10 | 8 | 337 | 15·1 | 109 | 121 | 230 | 10·3 | 13 | 39 | 4·8 |
| Wimborne Minster | 3,663 | 31 | 21 | 2 | 3 | 57 | 15·6 | 20 | 23 | 43 | 11·7 | 3 | 53 | 3·9 |
| RURAL DISTRICTS: | 104,800 | 899 | 883 | 31 | 37 | 1,850 | 17·7 | 589 | 619 | 1,208 | 11·7† | 109 | 59 | 6·0 |
| Beaminster .. | 8,354 | 75 | 75 | — | 2 | 152 | 18·2 | 45 | 62 | 107 | 12·8 | 11 | 72 | 5·4 |
| Blandford .. | 8,124 | 79 | 61 | 1 | 2 | 143 | 17·6 | 50 | 59 | 109 | 13·4 | 10 | 70 | 4·2 |

† Death-rates based upon estimated civilian populations as follows:—Devonshire—Rural Districts, 217,607; Plympton St. Mary R.D., 21,307. Dorsetshire—Administrative County, 220,012. Municipal Boroughs and Urban Districts, 117,172. Portland U.D., 10,002; Rural Districts, 102,840.

‡ The remainder of Holsworthy Rural District is in Cornwall.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| DORSETSHIRE —*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| Bridport .. .. | 6,793 | 56 | 52 | 2 | 5 | 115 | 16·9 | 46 | 33 | 79 | 11·6 | 3 | 26 | 5·3 |
| Cerne .. .. | 4,528 | 42 | 38 | 2 | — | 82 | 18·1 | 31 | 25 | 56 | 12·4 | 6 | 73 | 5·7 |
| Dorchester .. | 8,793 | 80 | 58 | 3 | 1 | 142 | 16·1 | 46 | 52 | 98 | 11·1 | 10 | 70 | 5·0 |
| Poole .. .. | 7,523 | 61 | 51 | 4 | 2 | 118 | 15·7 | 38 | 35 | 73 | 9·7 | 8 | 68 | 6·0 |
| Shaftesbury .. | 9,591 | 83 | 91 | 2 | 8 | 184 | 19·2 | 50 | 63 | 113 | 11·8 | 14 | 76 | 7·4 |
| Sherborne .. | 5,470 | 53 | 47 | 1 | 1 | 102 | 18·6 | 26 | 25 | 51 | 9·3 | 4 | 39 | 9·3 |
| Sturminster .. | 7,926 | 55 | 77 | 1 | 2 | 135 | 17·0 | 42 | 45 | 87 | 11·0 | 9 | 67 | 6·0 |
| Wareham and Purbeck. | 13,800 | 115 | 133 | 6 | 2 | 256 | 18·6 | 57 | 71 | 128 | 10·8† | 10 | 39 | 7·8 |
| Weymouth .. | 8,798 | 67 | 73 | 3 | 5 | 148 | 16·8 | 52 | 62 | 114 | 13·0 | 4 | 27 | 3·8 |
| Wimborne and Cranborne. | 15,100 | 133 | 127 | 6 | 7 | 273 | 18·1 | 106 | 87 | 193 | 12·8 | 20 | 73 | 5·3 |
| DURHAM: | | | | | | | | | | | | | | |
| COUNTY BORO'S | 555,020 | 6,800 | 6,471 | 256 | 237 | 13,764 | 24·8 | 3,819 | 3,424 | 7,243 | 13·0 | 1253 | 91 | 11·8 |
| Darlington .. | 67,390 | 718 | 670 | 31 | 27 | 1,446 | 21·5 | 418 | 384 | 802 | 11·9 | 97 | 67 | 9·6 |
| Gateshead .. | 128,200 | 1,688 | 1,585 | 56 | 43 | 3,372 | 26·3 | 894 | 756 | 1,650 | 12·9 | 302 | 90 | 13·4 |
| South Shields | 124,500 | 1,558 | 1,456 | 64 | 66 | 3,144 | 25·3 | 919 | 797 | 1,716 | 13·8 | 297 | 94 | 11·5 |
| Sunderland .. | 164,000 | 1,968 | 1,949 | 68 | 77 | 4,062 | 24·8 | 1,163 | 1,124 | 2,287 | 13·9 | 397 | 98 | 10·9 |
| West Hartlepool | 70,930 | 868 | 811 | 37 | 24 | 1,740 | 24·5 | 425 | 363 | 788 | 11·1 | 160 | 92 | 13·4 |
| ADMINISTRATIVE COUNTY. | 975,600 | 12,426 | 11,806 | 528 | 417 | 25,177 | 25·8 | 6,290 | 5,345 | 11,635 | 11·9 | 2165 | 86 | 13·9 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 550,259* | 7,041 | 6,698 | 306 | 233 | 14,278 | 25·9 | 3,563 | 3,100 | 6,663 | 12·1 | 1191 | 83 | 13·8 |
| Annfield Plain | 17,000 | 202 | 217 | 12 | 4 | 435 | 25·6 | 102 | 103 | 205 | 12·1 | 35 | 80 | 13·5 |
| Barnard Castle | 4,676 | 32 | 32 | 2 | 1 | 67 | 14·3 | 32 | 30 | 62 | 13·3 | 3 | 45 | 1·0 |
| Benfieldside .. | 9,191 | 97 | 105 | 5 | 2 | 209 | 22·7 | 64 | 47 | 111 | 12·1 | 12 | 57 | 10·6 |
| Billingham§ .. | 6,543* | 92 | 94 | 1 | 3 | 190 | 29·0 | 18 | 30 | 48 | 7·3 | 8 | 42 | 21·7 |
| Bishop Auckland | 14,470 | 183 | 148 | 14 | 8 | 353 | 24·4 | 102 | 77 | 179 | 12·4 | 23 | 65 | 12·0 |
| Blaydon .. .. | 34,370 | 487 | 442 | 19 | 12 | 960 | 27·9 | 203 | 175 | 378 | 11·0 | 79 | 82 | 16·9 |
| Brandon and Byshottles. | 19,210 | 237 | 231 | 8 | 10 | 486 | 25·3 | 112 | 109 | 221 | 11·5 | 43 | 88 | 13·8 |
| Chester-le-Street | 17,370 | 221 | 179 | 3 | 2 | 405 | 23·3 | 107 | 83 | 190 | 10·9 | 25 | 62 | 12·4 |
| Consett .. .. | 12,760 | 191 | 174 | 6 | 6 | 377 | 29·5 | 89 | 87 | 176 | 13·8 | 36 | 95 | 15·7 |
| Crook .. .. | 13,100 | 135 | 143 | 11 | 9 | 298 | 22·7 | 72 | 73 | 145 | 11·1 | 11 | 37 | 11·6 |
| Durham M.B. | 17,510 | 202 | 169 | 12 | 11 | 394 | 22·5 | 105 | 99 | 204 | 11·7 | 37 | 94 | 10·8 |
| Felling .. .. | 27,410 | 340 | 340 | 10 | 6 | 696 | 25·4 | 193 | 161 | 354 | 12·9 | 60 | 86 | 12·5 |
| Hartlepool M.B. | 21,570 | 270 | 277 | 8 | 14 | 569 | 26·4 | 172 | 154 | 326 | 15·1 | 62 | 109 | 11·3 |
| Hebburn .. | 25,470 | 419 | 362 | 10 | 9 | 800 | 31·4 | 182 | 191 | 373 | 14·6 | 88 | 110 | 16·8 |
| Hetton .. .. | 17,920 | 257 | 216 | 7 | 5 | 485 | 27·1 | 116 | 101 | 217 | 12·1 | 46 | 95 | 15·0 |
| Houghton-le-Spring. | 10,710 | 141 | 137 | 8 | 2 | 288 | 26·9 | 84 | 69 | 153 | 14·3 | 38 | 132 | 12·6 |
| Jarrow M.B. .. | 36,750 | 517 | 474 | 17 | 17 | 1,025 | 27·9 | 286 | 204 | 490 | 13·3 | 83 | 81 | 14·6 |
| Leadgate.. .. | 5,670 | 86 | 83 | 6 | 5 | 180 | 31·7 | 52 | 48 | 100 | 17·6 | 23 | 128 | 14·1 |
| Ryton .. .. | 15,030 | 177 | 159 | 7 | 7 | 350 | 23·3 | 74 | 55 | 129 | 8·6 | 22 | 63 | 14·7 |
| Seaham Harbour | 17,780 | 280 | 265 | 10 | 8 | 563 | 31·7 | 124 | 121 | 245 | 13·8 | 57 | 101 | 17·9 |
| Shildon .. .. | 14,500 | 170 | 160 | 12 | 8 | 350 | 24·1 | 96 | 81 | 177 | 12·2 | 20 | 57 | 11·9 |
| Southwick-on-Wear. | 15,540 | 203 | 217 | 7 | 8 | 435 | 28·0 | 104 | 92 | 196 | 12·6 | 33 | 76 | 15·4 |
| Spennymoor .. | 18,850 | 237 | 228 | 15 | 5 | 485 | 25·7 | 123 | 114 | 237 | 12·6 | 42 | 87 | 13·1 |
| Stanhope .. | 1,923 | 18 | 14 | 1 | — | 33 | 17·2 | 18 | 8 | 26 | 13·5 | 1 | 30 | 3·7 |
| Stanley .. .. | 26,100 | 295 | 330 | 16 | 10 | 651 | 24·9 | 145 | 137 | 282 | 10·8 | 60 | 92 | 14·1 |
| Stockton-on-Tees, M.B. | 66,610 | 799 | 785 | 45 | 34 | 1,663 | 25·0 | 440 | 357 | 797 | 12·0 | 126 | 76 | 13·0 |

* Populations adjusted to allow for changes in boundary during the year.
† Death-rate based upon estimated civilian population as follows:—Dorsetshire—Wareham and Purbeck R.D., 11,840.
§ Created on 1st April, 1923.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| DURHAM—*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Tanfield .. .. | 10,770 | 130 | 115 | 3 | 3 | 251 | 23·3 | 67 | 45 | 112 | 10·4 | 15 | 60 | 12 |
| Tow Law .. | 4,232 | 57 | 50 | 4 | 3 | 114 | 26·9 | 23 | 24 | 47 | 11·1 | 9 | 79 | 15 |
| Washington .. | 17,700 | 217 | 222 | 14 | 7 | 460 | 26·0 | 104 | 90 | 194 | 11·0 | 40 | 87 | 15 |
| Whickham .. | 19,920 | 239 | 241 | 11 | 9 | 500 | 25·1 | 101 | 93 | 194 | 9·7 | 41 | 82 | 15 |
| Willington .. | 9,604 | 110 | 89 | 2 | 5 | 206 | 21·4 | 53 | 42 | 95 | 9·9 | 13 | 63 | 11 |
| RURAL DISTRICTS | 425,341* | 5,385 | 5,108 | 222 | 184 | 10,899 | 25·6 | 2,727 | 2,245 | 4,972 | 11·7 | 974 | 89 | 13 |
| Auckland .. | 62,620 | 689 | 711 | 40 | 31 | 1,471 | 23·5 | 426 | 345 | 771 | 12·3 | 131 | 89 | 11 |
| Barnard Castle | 11,610 | 109 | 108 | 11 | 8 | 236 | 20·3 | 60 | 57 | 117 | 10·1 | 13 | 55 | 10 |
| Chester-le-Street | 55,710 | 796 | 755 | 26 | 29 | 1,606 | 28·8 | 397 | 308 | 705 | 12·7 | 153 | 95 | 16 |
| Darlington .. | 9,813 | 107 | 116 | 5 | 6 | 234 | 23·8 | 57 | 52 | 109 | 11·1 | 13 | 56 | 12 |
| Durham .. | 32,590 | 437 | 385 | 13 | 9 | 844 | 25·9 | 175 | 179 | 354 | 10·9 | 72 | 85 | 15 |
| Easington .. | 79,200 | 1,178 | 1,064 | 26 | 34 | 2,302 | 29·1 | 547 | 428 | 975 | 12·3 | 237 | 103 | 16 |
| Hartlepool .. | 3,810 | 36 | 37 | 3 | 2 | 78 | 20·5 | 17 | 11 | 28 | 7·3 | 3 | 38 | 13 |
| Houghton-le-Spring. | 28,580 | 371 | 380 | 15 | 15 | 781 | 27·3 | 194 | 174 | 368 | 12·9 | 97 | 124 | 14 |
| Lanchester .. | 35,250 | 420 | 400 | 24 | 16 | 860 | 24·4 | 197 | 161 | 358 | 10·2 | 73 | 85 | 14 |
| Sedgefield .. | 38,190 | 450 | 437 | 21 | 13 | 921 | 24·1 | 210 | 180 | 390 | 10·2 | 70 | 76 | 13 |
| South Shields | 17,900 | 208 | 205 | 11 | 6 | 430 | 24·0 | 103 | 73 | 176 | 9·8 | 28 | 65 | 14 |
| Stockton .. | 9,004* | 90 | 98 | 4 | 3 | 195 | 21·7 | 46 | 46 | 92 | 10·2 | 11 | 56 | 11 |
| Sunderland .. | 31,650 | 433 | 341 | 17 | 7 | 798 | 25·2 | 236 | 182 | 418 | 13·2 | 65 | 81 | 12 |
| Weardale .. | 9,414 | 61 | 71 | 6 | 5 | 143 | 15·2 | 62 | 49 | 111 | 11·8 | 8 | 56 | 3 |
| ELY, ISLE OF: | | | | | | | | | | | | | | |
| ADMINISTRATIVE COUNTY. | 75,250 | 732 | 687 | 48 | 43 | 1,510 | 20·1 | 446 | 478 | 924 | 12·3 | 96 | 64 | 7 |
| MUNICIPAL BORO AND URBAN DISTRICTS. | 37,900 | 365 | 354 | 21 | 25 | 765 | 20·2 | 243 | 251 | 494 | 13·0 | 49 | 64 | 7 |
| Chatteris .. | 5,214 | 43 | 51 | 4 | 9 | 107 | 20·5 | 39 | 41 | 80 | 15·3 | 8 | 75 | 5 |
| Ely .. .. | 7,675 | 61 | 69 | 2 | 5 | 137 | 17·9 | 57 | 58 | 115 | 15·0 | 11 | 80 | 2 |
| March .. .. | 9,313 | 83 | 87 | 5 | 1 | 176 | 18·9 | 53 | 44 | 97 | 10·4 | 13 | 74 | 8 |
| Whittlesey .. | 4,258 | 49 | 45 | 1 | 2 | 97 | 22·8 | 30 | 35 | 65 | 15·3 | 6 | 62 | 7 |
| Wisbech M.B... | 11,440 | 129 | 102 | 9 | 8 | 248 | 21·7 | 64 | 73 | 137 | 12·0 | 11 | 44 | 9 |
| RURAL DISTRICTS | 37,350 | 367 | 333 | 27 | 18 | 745 | 19·9 | 203 | 227 | 430 | 11·5 | 47 | 63 | 8 |
| Ely .. .. .. | 13,120 | 128 | 119 | 10 | 3 | 260 | 19·8 | 83 | 95 | 178 | 13·6 | 19 | 73 | 6 |
| North Witchford | 5,168 | 43 | 41 | 3 | 4 | 91 | 17·6 | 27 | 33 | 60 | 11·6 | 6 | 66 | 6 |
| Thorney .. .. | 2,333 | 22 | 27 | 3 | 2 | 54 | 23·1 | 8 | 13 | 21 | 9·0 | 4 | 74 | 14 |
| Whittlesey .. | 3,509 | 34 | 22 | — | 2 | 58 | 16·5 | 15 | 11 | 26 | 7·4 | 3 | 52 | 9 |
| Wisbech .. .. | 13,220 | 140 | 124 | 11 | 7 | 282 | 21·3 | 70 | 75 | 145 | 11·0 | 15 | 53 | 10 |
| ESSEX: | | | | | | | | | | | | | | |
| COUNTY BORO'S.. | 553,690 | 6,055 | 5,759 | 191 | 152 | 12,157 | 22·0 | 2,981 | 2,700 | 5,681 | 10·3 | 683 | 56 | 11 |
| East Ham .. | 146,200 | 1,405 | 1,376 | 31 | 26 | 2,838 | 19·4 | 693 | 626 | 1,319 | 9·0 | 146 | 51 | 10 |
| Southend-on-Sea | 93,090 | 752 | 703 | 40 | 21 | 1,516 | 16·3 | 485 | 546 | 1,031 | 11·1 | 71 | 47 | 5 |
| West Ham .. | 314,400 | 3,898 | 3,680 | 120 | 105 | 7,803 | 24·8 | 1,803 | 1,528 | 3,331 | 10·6 | 466 | 60 | 14 |
| ADMINISTRATIVE COUNTY. | 932,700 | 8,580 | 8,206 | 290 | 254 | 17,330 | 18·6 | 4,630 | 4,566 | 9,196 | 9·9† | 794 | 46 | 8 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 653,100 | 5,965 | 5,694 | 184 | 157 | 12,000 | 18·4 | 3,015 | 3,043 | 6,058 | 9·3† | 531 | 44 | 9 |
| Barking Town | 37,210 | 448 | 389 | 12 | 13 | 862 | 23·2 | 169 | 149 | 318 | 8·5 | 43 | 50 | 14 |
| Braintree .. | 7,088 | 63 | 53 | — | 2 | 118 | 16·6 | 35 | 21 | 56 | 7·9 | 3 | 25 | 8 |

* Populations adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Essex Administrative County, 930,360; Munic Boroughs and Urban Districts, 650,760.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| ssex—*cont.* | | | | | | | | | | | | | | |
| unicipal Boro's and Urban Districts—*cont.* | | | | | | | | | | | | | | |
| Brentwood .. | 6,990 | 49 | 55 | 3 | 2 | 109 | 15·6 | 39 | 31 | 70 | 10·0 | 9 | 83 | 5·6 |
| Brightlingsea | 4,425 | 41 | 39 | 2 | 2 | 84 | 19·0 | 26 | 20 | 46 | 10·4 | 2 | 24 | 8·6 |
| Buckhurst Hill | 4,979 | 42 | 36 | 1 | 2 | 81 | 16·3 | 26 | 24 | 50 | 10·0 | 5 | 62 | 6·3 |
| Burnham-on-Crouch. | 3,388 | 19 | 17 | — | 1 | 37 | 10·9 | 24 | 27 | 51 | 15·1 | 6 | 162 | −4·2 |
| ChelmsfordM.B. | 21,230 | 174 | 179 | 11 | 5 | 369 | 17·4 | 95 | 109 | 204 | 9·6 | 20 | 54 | 7·8 |
| Chingford .. | 9,636 | 78 | 85 | 3 | 4 | 170 | 17·6 | 40 | 36 | 76 | 7·9 | 8 | 47 | 9·7 |
| Clacton .. .. | 11,860 | 85 | 75 | 2 | 2 | 164 | 13·8 | 55 | 69 | 124 | 10·5 | 5 | 30 | 3·3 |
| Colchester M.B. | 44,350 | 418 | 373 | 19 | 17 | 827 | 18·6 | 204 | 216 | 420 | 9·8† | 34 | 41 | 8·8 |
| Epping .. .. | 4,180 | 34 | 30 | 3 | 2 | 69 | 16·5 | 25 | 28 | 53 | 12·7 | 6 | 87 | 3·8 |
| Frinton-on-Sea | 1,998 | 14 | 14 | — | — | 28 | 14·0 | 10 | 3 | 13 | 6·5 | 2 | 71 | 7·5 |
| Grays Thurrock | 17,950 | 172 | 185 | 5 | 2 | 364 | 20·3 | 99 | 80 | 179 | 10·0 | 13 | 36 | 10·3 |
| Halstead .. | 5,980 | 59 | 53 | 5 | 1 | 118 | 19·7 | 31 | 36 | 67 | 11·2 | 6 | 51 | 8·5 |
| Harwich M.B. | 12,680 | 130 | 113 | 3 | 4 | 250 | 19·7 | 62 | 56 | 118 | 9·7† | 10 | 40 | 10·0 |
| Ilford .. .. | 89,020 | 796 | 769 | 26 | 15 | 1,606 | 18·0 | 380 | 428 | 808 | 9·1 | 66 | 41 | 8·9 |
| Leyton .. .. | 132,800 | 1,156 | 1,116 | 26 | 30 | 2,328 | 17·5 | 572 | 656 | 1,228 | 9·2 | 106 | 46 | 8·3 |
| Loughton .. | 5,748 | 44 | 36 | 3 | 2 | 85 | 14·8 | 28 | 21 | 49 | 8·5 | — | — | 6·3 |
| Maldon M.B. .. | 6,336 | 43 | 64 | 3 | 3 | 113 | 17·8 | 38 | 33 | 71 | 11·2 | 4 | 35 | 6·6 |
| Romford .. | 19,940 | 202 | 176 | 4 | 11 | 393 | 19·7 | 107 | 84 | 191 | 9·6 | 17 | 43 | 10·1 |
| Saffron Walden M.B. | 5,786 | 50 | 30 | 2 | 4 | 86 | 14·9 | 23 | 42 | 65 | 11·2 | 2 | 23 | 3·7 |
| Shoeburyness | 6,446 | 54 | 61 | 1 | — | 116 | 18·0 | 26 | 16 | 42 | 7·0† | 3 | 26 | 11·0 |
| Tilbury .. .. | 10,950 | 151 | 130 | 11 | — | 292 | 26·7 | 67 | 40 | 107 | 9·8 | 21 | 72 | 16·9 |
| Waltham Holy Cross. | 6,912 | 47 | 64 | — | 4 | 115 | 16·6 | 41 | 31 | 72 | 10·4 | 6 | 52 | 6·2 |
| Walthamstow | 130,000 | 1,259 | 1,223 | 26 | 21 | 2,529 | 19·5 | 600 | 565 | 1,165 | 9·0 | 116 | 46 | 10·5 |
| Walton on the Naze. | 2,491 | 17 | 15 | 1 | 1 | 34 | 13·6 | 10 | 9 | 19 | 7·6 | 1 | 29 | 6·0 |
| Wanstead .. | 15,260 | 107 | 111 | 2 | 1 | 221 | 14·5 | 60 | 86 | 146 | 9·6 | 7 | 32 | 4·9 |
| Witham .. .. | 3,680 | 32 | 26 | 3 | 2 | 63 | 17·1 | 25 | 21 | 46 | 12·5 | 4 | 63 | 4·6 |
| Wivenhoe .. | 2,327 | 8 | 20 | — | 1 | 29 | 12·5 | 17 | 13 | 30 | 12·9 | 1 | 34 | −0·4 |
| Woodford .. | 21,460 | 173 | 157 | 7 | 3 | 340 | 15·8 | 81 | 93 | 174 | 8·1 | 5 | 15 | 7·7 |
| ural Districts | 279,600 | 2,615 | 2,512 | 106 | 97 | 5,330 | 19·1 | 1,615 | 1,523 | 3,138 | 11·2 | 263 | 49 | 7·9 |
| Belchamp .. | 4,194 | 29 | 37 | 2 | 2 | 70 | 16·7 | 28 | 20 | 48 | 11·4 | 3 | 43 | 5·3 |
| Billericay .. | 25,070 | 210 | 178 | 5 | 5 | 398 | 15·9 | 149 | 111 | 260 | 10·4 | 17 | 43 | 5·5 |
| Braintree .. | 18,830 | 150 | 136 | 9 | 7 | 302 | 16·0 | 158 | 133 | 291 | 15·5 | 18 | 60 | 0·5 |
| Bumpstead .. | 2,382 | 24 | 17 | — | 2 | 43 | 18·1 | 19 | 22 | 41 | 17·2 | — | — | 0·9 |
| Chelmsford .. | 25,010 | 234 | 220 | 5 | 7 | 466 | 18·6 | 153 | 154 | 307 | 12·3 | 31 | 67 | 6·3 |
| Dunmow .. | 15,270 | 121 | 95 | 6 | 10 | 232 | 15·2 | 100 | 100 | 200 | 13·1 | 18 | 78 | 2·1 |
| Epping .. .. | 14,720 | 124 | 138 | 7 | 2 | 271 | 18·4 | 106 | 76 | 182 | 12·4 | 12 | 44 | 6·0 |
| Halstead .. | 9,801 | 73 | 72 | 4 | 4 | 153 | 15·6 | 51 | 61 | 112 | 11·4 | 8 | 52 | 4·2 |
| Lexden and Winstree. | 19,340 | 165 | 150 | 10 | 9 | 334 | 17·3 | 113 | 108 | 221 | 11·4 | 14 | 42 | 5·9 |
| Maldon .. .. | 16,410 | 154 | 133 | 4 | 4 | 295 | 18·0 | 96 | 91 | 187 | 11·4 | 18 | 61 | 6·6 |
| Ongar .. .. | 10,140 | 99 | 99 | 7 | 8 | 213 | 21·0 | 50 | 64 | 114 | 11·2 | 12 | 56 | 9·8 |
| Orsett .. .. | 23,400 | 213 | 214 | 5 | 6 | 438 | 18·7 | 101 | 83 | 184 | 7·9 | 18 | 41 | 10·8 |
| Rochford.. .. | 23,920 | 249 | 231 | 13 | 8 | 501 | 20·9 | 138 | 137 | 275 | 11·5 | 23 | 46 | 9·4 |
| Romford .. | 32,310 | 440 | 442 | 14 | 11 | 907 | 28·1 | 144 | 154 | 298 | 9·2 | 45 | 50 | 18·9 |
| Saffron Walden | 9,995 | 81 | 92 | 6 | 1 | 180 | 18·0 | 65 | 71 | 136 | 13·6 | 8 | 44 | 4·4 |
| Stansted .. .. | 6,858 | 50 | 46 | 3 | 1 | 100 | 14·6 | 45 | 37 | 82 | 12·0 | 4 | 40 | 2·6 |
| Tendring .. | 21,950 | 199 | 212 | 6 | 10 | 427 | 19·5 | 99 | 101 | 200 | 9·1 | 14 | 33 | 10·4 |

† Death-rates based upon estimated civilian populations as follows:—Colchester M.B., 43,002; Harwich M.B., 12,148; Shoeburyness U.D., 5,986.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000 Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000 Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| GLOUCESTERSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO'S: | 438,460 | 4,225 | 3,935 | 121 | 125 | 8,406 | 19·2 | 2,415 | 2,602 | 5,017 | 11·4 | 529 | 63 | 7·8 |
| Bristol .. .. | 385,600 | 3,679 | 3,447 | 107 | 114 | 7,347 | 19·1 | 2,097 | 2,274 | 4,371 | 11·3 | 456 | 62 | 7·8 |
| Gloucester .. | 52,860 | 546 | 488 | 14 | 11 | 1,059 | 20·0 | 318 | 328 | 646 | 12·2 | 73 | 69 | 7·8 |
| ADMINISTRATIVE COUNTY. | 331,810 | 2,951 | 2,743 | 148 | 111 | 5,953 | 17·9 | 1,877 | 2,002 | 3,879 | 11·7 | 284 | 48 | 6·2 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 99,826* | 836 | 782 | 45 | 32 | 1,695 | 17·0 | 568 | 681 | 1,249 | 12·5 | 87 | 51 | 4·5 |
| Awre .. .. | 1,162 | 13 | 8 | 1 | 1 | 23 | 19·8 | 5 | 4 | 9 | 7·7 | — | — | 12·1 |
| Charlton Kings | 4,287 | 27 | 32 | 4 | 2 | 65 | 15·2 | 18 | 34 | 52 | 12·1 | 3 | 46 | 3·1 |
| Cheltenham M.B. | 48,330 | 395 | 360 | 22 | 18 | 795 | 16·4 | 277 | 391 | 668 | 13·8 | 53 | 67 | 2·6 |
| Cirencester .. | 7,452 | 54 | 56 | 1 | 4 | 115 | 15·4 | 39 | 40 | 79 | 10·6 | 1 | 9 | 4·8 |
| Coleford .. .. | 2,788 | 17 | 34 | 4 | 1 | 56 | 20·1 | 8 | 13 | 21 | 7·5 | 1 | 18 | 12·6 |
| Kingswood .. | 13,480 | 130 | 118 | 2 | 1 | 251 | 18·6 | 71 | 67 | 138 | 10·2 | 16 | 64 | 8·4 |
| Nailsworth .. | 3,234 | 27 | 34 | — | — | 61 | 18·9 | 21 | 16 | 37 | 11·4 | 3 | 49 | 7·5 |
| Newnham .. | 1,207 | 15 | 11 | 4 | — | 30 | 24·9 | 6 | 6 | 12 | 9·9 | — | — | 15·0 |
| Stow-on-the-Wold | 1,153* | 8 | 14 | — | 1 | 23 | 19·9 | 13 | 10 | 23 | 19·9 | — | — | — |
| Stroud .. .. | 8,565 | 73 | 58 | 4 | 3 | 138 | 16·1 | 58 | 56 | 114 | 13·3 | 5 | 36 | 2·8 |
| Tetbury .. .. | 1,553 | 20 | 11 | 2 | — | 33 | 21·2 | 15 | 12 | 27 | 17·4 | 2 | 61 | 3·8 |
| Tewkesbury M.B. | 4,775 | 45 | 34 | — | — | 79 | 16·5 | 32 | 20 | 52 | 10·9 | 3 | 38 | 5·6 |
| Westbury-on-Severn | 1,840 | 12 | 12 | 1 | 1 | 26 | 14·1 | 5 | 12 | 17 | 9·2 | — | — | 4·9 |
| RURAL DISTRICTS. | 231,984* | 2,115 | 1,961 | 103 | 79 | 4,258 | 18·4 | 1,309 | 1,321 | 2,630 | 11·3 | 197 | 46 | 7·1 |
| Campden .. | 5,404 | 38 | 47 | 4 | 3 | 92 | 17·0 | 40 | 44 | 84 | 15·5 | 3 | 33 | 1·5 |
| Cheltenham .. | 5,239 | 47 | 45 | 1 | 2 | 95 | 18·1 | 33 | 36 | 69 | 13·2 | 4 | 42 | 4·9 |
| Chipping Sodbury | 21,580 | 204 | 182 | 7 | 4 | 397 | 18·4 | 125 | 97 | 222 | 10·3 | 19 | 48 | 8·1 |
| Cirencester .. | 12,060 | 118 | 97 | 7 | 9 | 231 | 19·2 | 59 | 79 | 138 | 11·4 | 9 | 39 | 7·8 |
| Dursley .. .. | 12,600 | 112 | 106 | 3 | 3 | 224 | 17·8 | 56 | 76 | 132 | 10·5 | 9 | 40 | 7·3 |
| East Dean and United Parishes | 21,120 | 242 | 220 | 15 | 12 | 489 | 23·2 | 112 | 140 | 252 | 11·9 | 25 | 51 | 11·3 |
| Faringdon (part of)‡ | 1,021 | 6 | 9 | 1 | 1 | 17 | 16·7 | 5 | 8 | 13 | 12·7 | 1 | 59 | 4·0 |
| Gloucester .. | 13,160 | 86 | 93 | 6 | 4 | 189 | 14·4 | 66 | 60 | 126 | 9·6 | 7 | 37 | 4·8 |
| Lydney .. .. | 9,954 | 104 | 91 | 2 | 3 | 200 | 20·1 | 55 | 45 | 100 | 10·0 | 10 | 50 | 10·[illegible] |
| Marston Sicca.. | 1,668 | 12 | 11 | 1 | — | 24 | 14·4 | 11 | 8 | 19 | 11·4 | 1 | 42 | 3·0 |
| Newent .. .. | 6,585 | 71 | 72 | 4 | 3 | 150 | 22·8 | 50 | 45 | 95 | 14·4 | 10 | 67 | 8·4 |
| Northleach .. | 7,518 | 64 | 54 | 5 | 3 | 126 | 16·8 | 47 | 53 | 100 | 13·3 | 6 | 48 | 3·[illegible] |
| Pebworth .. | 3,261 | 34 | 29 | 2 | 1 | 66 | 20·2 | 25 | 17 | 42 | 12·9 | 2 | 30 | 7·[illegible] |
| Stow-on-the-Wold (pt. of)‡ | 6,220* | 55 | 42 | 6 | 1 | 104 | 16·7 | 49 | 38 | 87 | 14·0 | 7 | 67 | 2·[illegible] |
| Stroud .. .. | 28,530 | 224 | 200 | 4 | 7 | 435 | 15·2 | 142 | 181 | 323 | 11·3 | 17 | 39 | 3·[illegible] |
| Tetbury (pt. of)‡ | 3,532 | 31 | 34 | 2 | 1 | 68 | 19·3 | 18 | 22 | 40 | 11·3 | 2 | 29 | 8·[illegible] |
| Tewkesbury (part of)‡ | 4,622 | 44 | 29 | 3 | 2 | 78 | 16·9 | 23 | 23 | 46 | 10·0 | 3 | 38 | 6·[illegible] |
| Thornbury .. | 18,870 | 157 | 157 | 9 | 3 | 326 | 17·3 | 120 | 97 | 217 | 11·5 | 9 | 28 | 5·[illegible] |
| Warmley.. .. | 19,000 | 188 | 161 | 5 | 4 | 358 | 18·8 | 88 | 79 | 167 | 8·8 | 21 | 59 | 10·[illegible] |
| West Dean .. | 14,980 | 168 | 157 | 5 | 3 | 333 | 22·2 | 107 | 85 | 192 | 12·8 | 18 | 54 | 9·[illegible] |
| Wheatenhurst | 6,226 | 51 | 47 | 3 | 7 | 108 | 17·3 | 35 | 38 | 73 | 11·7 | 4 | 37 | 5·[illegible] |
| Winchcomb (part of)‡ | 8,834 | 59 | 78 | 8 | 3 | 148 | 16·8 | 43 | 50 | 93 | 10·5 | 10 | 68 | 6·[illegible] |

* Population adjusted to allow for changes in boundary during the year.

‡ The remainder of Faringdon Rural District is in Berkshire. The remaining parts of Stow-on-the-Wold, Tewkesbury and Winchcomb Rural Districts are in Worcestershire. The remainder of Tetbury Rural District is in Wiltshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| REFORDSHIRE: dministrative ounty. | 113,260 | 1,130 | 1,056 | 72 | 79 | 2,337 | 20 6 | 809 | 655 | 1,464 | 12·9 | 152 | 65 | 7·7 |
| NICIPAL BORO' AND URBAN DISTRICTS. | 40,400 | 413 | 394 | 26 | 26 | 859 | 21·3 | 278 | 262 | 540 | 13·4 | 66 | 77 | 7·9 |
| romyard .. | 1,518 | 16 | 15 | — | 2 | 33 | 21·7 | 11 | 14 | 25 | 16·5 | 2 | 61 | 5·2 |
| ereford M.B. | 23,700 | 243 | 238 | 14 | 14 | 509 | 21·5 | 129 | 143 | 272 | 11·5 | 41 | 81 | 10·0 |
| ington .. .. | 1,684 | 17 | 12 | — | — | 29 | 17·2 | 15 | 11 | 26 | 15·4 | — | — | 1·8 |
| edbury .. .. | 3,139 | 30 | 38 | 4 | 3 | 75 | 23·9 | 27 | 27 | 54 | 17·2 | 7 | 93 | 6·7 |
| eominster .. | 5,636 | 63 | 46 | 5 | 4 | 118 | 20·9 | 47 | 28 | 75 | 13·3 | 9 | 76 | 7·6 |
| oss .. .. | 4,723 | 44 | 45 | 3 | 3 | 95 | 20·1 | 49 | 39 | 88 | 18·6 | 7 | 74 | 1·5 |
| RAL DISTRICTS. | 72,860 | 717 | 662 | 46 | 53 | 1,478 | 20·3 | 531 | 393 | 924 | 12·7 | 86 | 58 | 7·6 |
| redwardine .. | 1,968 | 24 | 22 | 2 | 3 | 51 | 25·9 | 14 | 11 | 25 | 12·7 | 3 | 59 | 13·2 |
| romyard .. | 7,769 | 65 | 68 | 5 | 2 | 140 | 18·0 | 58 | 42 | 100 | 12·9 | 6 | 43 | 5·1 |
| ore .. .. | 6,241 | 72 | 62 | 1 | 3 | 138 | 22·1 | 57 | 31 | 88 | 14·1 | 8 | 58 | 8·0 |
| ereford .. | 13,410 | 133 | 116 | 11 | 6 | 266 | 19·8 | 104 | 72 | 176 | 13·1 | 28 | 105 | 6·7 |
| ington .. .. | 4,866 | 55 | 41 | 2 | 4 | 102 | 21·0 | 37 | 27 | 64 | 13·2 | 5 | 49 | 7·8 |
| edbury .. .. | 9,038 | 88 | 73 | 6 | 9 | 176 | 19·5 | 59 | 53 | 112 | 12·4 | 9 | 51 | 7·1 |
| eominster .. | 7,610 | 69 | 63 | 4 | 8 | 144 | 18·9 | 50 | 40 | 90 | 11·8 | 8 | 56 | 7·1 |
| oss .. .. | 10,200 | 95 | 94 | 10 | 7 | 206 | 20·2 | 80 | 53 | 133 | 13·0 | 13 | 63 | 7·2 |
| eobley .. .. | 6,475 | 76 | 72 | 3 | 8 | 159 | 24·6 | 45 | 35 | 80 | 12·4 | 3 | 19 | 12·2 |
| hitchurch .. | 1,696 | 12 | 14 | — | — | 26 | 15·3 | 6 | 8 | 14 | 8·3 | — | — | 7 0 |
| igmore.. .. | 3,587 | 28 | 37 | 2 | 3 | 70 | 19·5 | 21 | 21 | 42 | 11·7 | 3 | 43 | 7·8 |
| RTFORDSHIRE: dministrative ounty. | 337,800 | 2,823 | 2,769 | 117 | 109 | 5,818 | 17·2 | 1,668 | 1,592 | 3,260 | 9·7 | 246 | 42 | 7·5 |
| NICIPAL BORO'S AND URBAN DISTRICTS. | 232,200 | 1,933 | 1,880 | 71 | 77 | 3,931 | 17·1 | 1,111 | 1,091 | 2,202 | 9·5 | 166 | 42 | 7·6 |
| aldock .. .. | 2,620 | 27 | 34 | 2 | — | 63 | 24·0 | 21 | 22 | 43 | 16·4 | 5 | 79 | 7·6 |
| arnet .. .. | 11,900 | 86 | 81 | 3 | 4 | 174 | 14·6 | 55 | 63 | 118 | 9·9 | 9 | 52 | 4·7 |
| ishop's Stortford .. .. | 8,752 | 71 | 65 | 2 | 1 | 139 | 15·9 | 59 | 44 | 103 | 11·8 | 7 | 50 | 4·1 |
| ushey .. .. | 8,092 | 60 | 63 | 3 | 2 | 128 | 15·8 | 31 | 37 | 68 | 8·4 | 3 | 23 | 7·4 |
| neshunt .. | 13,900 | 127 | 139 | 7 | 4 | 277 | 19·9 | 63 | 51 | 114 | 8·2 | 8 | 29 | 11·7 |
| horleywood .. | 2,391 | 15 | 7 | — | 1 | 23 | 9·6 | 17 | 15 | 32 | 13·4 | — | — | -3·8 |
| ast Barnet Valley. | 13,780 | 115 | 102 | 4 | 6 | 227 | 16·5 | 67 | 48 | 115 | 8·3 | 7 | 31 | 8·2 |
| reatBerkhampstead. | 7,297 | 65 | 52 | — | 3 | 120 | 16·4 | 42 | 32 | 74 | 10·1 | 5 | 42 | 6·3 |
| arpenden .. | 6,625 | 45 | 44 | — | — | 89 | 13·4 | 21 | 25 | 46 | 6·9 | 5 | 56 | 6·5 |
| emel Hempstead M.B. | 13,930 | 102 | 112 | 2 | 4 | 220 | 15·8 | 75 | 69 | 144 | 10·3 | 8 | 36 | 5·5 |
| ertford M.B. | 10,870 | 87 | 82 | 3 | 3 | 175 | 16·1 | 58 | 59 | 117 | 10·8 | 5 | 29 | 5·3 |
| itchin .. .. | 13,470 | 91 | 115 | 5 | 2 | 213 | 15·8 | 64 | 67 | 131 | 9·7 | 9 | 42 | 6·1 |
| oddesdon .. | 5,441 | 46 | 42 | 2 | 2 | 92 | 16·9 | 27 | 39 | 66 | 12·1 | 6 | 65 | 4·8 |
| tchworth .. | 10,990 | 112 | 108 | 4 | 5 | 229 | 20·8 | 43 | 44 | 87 | 7·9 | 8 | 35 | 12.9 |
| ickmansworth | 7,700 | 79 | 66 | 1 | 5 | 151 | 19·6 | 34 | 44 | 78 | 10·1 | 5 | 33 | 9·5 |
| oyston .. .. | 3,797 | 19 | 27 | 1 | 2 | 49 | 12·9 | 27 | 18 | 45 | 11·9 | 4 | 82 | 1·0 |
| . Albans M.B. | 25,850 | 202 | 177 | 12 | 10 | 401 | 15·5 | 111 | 114 | 225 | 8·7 | 18 | 45 | 6·8 |
| wbridgeworth | 2,345 | 21 | 14 | 1 | — | 36 | 15·4 | 13 | 10 | 23 | 9·8 | — | — | 5·6 |
| evenage .. | 5,087 | 47 | 35 | 4 | 2 | 88 | 17·3 | 27 | 25 | 52 | 10·2 | 4 | 45 | 7·1 |
| ing .. .. | 4,263 | 37 | 45 | 4 | — | 86 | 20·2 | 25 | 21 | 46 | 10·8 | 4 | 47 | 9·4 |
| are .. .. | 6,000 | 58 | 56 | — | 1 | 115 | 19·2 | 33 | 37 | 70 | 11·7 | 5 | 43 | 7·5 |
| atford M.B. | 47,100 | 421 | 414 | 11 | 20 | 866 | 18·4 | 198 | 207 | 405 | 8·6 | 41 | 47 | 9·8 |

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 1 |
| HERTFORDSHIRE —*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS: | 105,600 | 890 | 889 | 46 | 32 | 1,857 | 17·6 | 557 | 501 | 1,058 | 10·0 | 80 | 43 | 7 |
| Ashwell .. .. | 3,576 | 27 | 28 | 2 | 2 | 59 | 16·5 | 28 | 13 | 41 | 11·5 | 6 | 102 | 5 |
| Barnet .. .. | 4,647 | 45 | 42 | 1 | 2 | 90 | 19·4 | 20 | 17 | 37 | 8·0 | — | — | 11 |
| Berkhampstead | 4,757 | 45 | 39 | 6 | 1 | 91 | 19·1 | 31 | 18 | 49 | 10·3 | 8 | 88 | 8 |
| Buntingford .. | 4,913 | 48 | 37 | 4 | 1 | 90 | 18·3 | 28 | 37 | 65 | 13·2 | 6 | 67 | 5 |
| Hadham .. | 5,503 | 44 | 43 | 1 | 3 | 91 | 16·5 | 37 | 26 | 63 | 11·4 | 2 | 22 | 5 |
| Hatfield .. .. | 8,517 | 87 | 77 | 5 | 2 | 171 | 20·1 | 36 | 32 | 68 | 8·0 | — | — | 12 |
| Hemel Hempstead. | 7,026 | 66 | 68 | 2 | 3 | 139 | 19·8 | 41 | 40 | 81 | 11·5 | 8 | 58 | 8 |
| Hertford .. | 7,223 | 62 | 61 | 5 | 2 | 130 | 18·0 | 45 | 38 | 83 | 11·5 | 7 | 54 | 6 |
| Hitchin .. .. | 13,260 | 118 | 139 | 6 | 2 | 265 | 20·0 | 75 | 68 | 143 | 10·8 | 12 | 45 | 9 |
| St. Albans .. | 15,010 | 114 | 120 | 7 | 6 | 247 | 16·5 | 64 | 58 | 122 | 8·1 | 11 | 45 | 8 |
| Ware .. .. | 11,310 | 115 | 83 | 2 | 1 | 201 | 17·8 | 75 | 63 | 138 | 12·2 | 6 | 30 | 5 |
| Watford .. .. | 16,280 | 88 | 110 | 4 | 7 | 209 | 12·8 | 60 | 79 | 139 | 8·5 | 11 | 53 | 4 |
| Welwyn .. .. | 3,578 | 31 | 42 | 1 | — | 74 | 20·7 | 17 | 12 | 29 | 8·1 | 3 | 41 | 12 |
| HUNTINGDONSHIRE: | | | | | | | | | | | | | | |
| Administrative County. | 55,430 | 565 | 454 | 34 | 29 | 1,082 | 19·5 | 344 | 316 | 660 | 11·9 | 64 | 59 | 7 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 24,360 | 261 | 220 | 18 | 16 | 515 | 21·1 | 140 | 128 | 268 | 11·0 | 30 | 58 | 10 |
| Godmanchester M.B. | 2,046 | 19 | 13 | 1 | 1 | 34 | 16·6 | 11 | 16 | 27 | 13·2 | 1 | 29 | |
| Huntingdon M.B. | 4,149 | 36 | 36 | 2 | 2 | 76 | 18·3 | 24 | 27 | 51 | 12·3 | 2 | 26 | |
| Old Fletton .. | 5,873 | 83 | 55 | 8 | 3 | 149 | 25·4 | 34 | 24 | 58 | 9·9 | 10 | 67 | 1 |
| Ramsey .. .. | 5,277 | 64 | 68 | 5 | 5 | 142 | 26·9 | 27 | 22 | 49 | 9·3 | 10 | 70 | 1 |
| St. Ives M.B. | 2,846 | 20 | 15 | 2 | 3 | 40 | 14·1 | 21 | 12 | 33 | 11·6 | 4 | 100 | |
| St. Neots .. | 4,169 | 39 | 33 | — | 2 | 74 | 17·8 | 23 | 27 | 50 | 12·0 | 3 | 41 | |
| RURAL DISTRICTS | 31,070 | 304 | 234 | 16 | 13 | 567 | 18·2 | 204 | 188 | 392 | 12·6 | 34 | 60 | |
| Huntingdon .. | 6,710 | 73 | 58 | 2 | 3 | 136 | 20·3 | 44 | 46 | 90 | 13·4 | 10 | 74 | |
| Norman Cross | 5,562 | 51 | 42 | 6 | 2 | 101 | 18·2 | 38 | 26 | 64 | 11·5 | 6 | 59 | |
| Oundle (part of)‡ | 1,025 | 10 | 5 | 1 | — | 16 | 15·6 | 8 | 6 | 14 | 13·7 | 2 | 125 | |
| St. Ives .. | 9,696 | 89 | 78 | 3 | 5 | 175 | 18·0 | 55 | 58 | 113 | 11·7 | 7 | 40 | |
| St. Neots:— | | | | | | | | | | | | | | |
| No. 1 .. | 2,356 | 20 | 17 | 1 | 1 | 39 | 16·6 | 20 | 22 | 42 | 17·8 | 2 | 51 | — |
| No. 2 .. | 347 | 2 | 2 | — | — | 4 | 11·5 | 2 | 1 | 3 | 8·6 | — | — | |
| No. 3 .. | 2,247 | 30 | 10 | — | — | 40 | 17·8 | 15 | 11 | 26 | 11·6 | 2 | 50 | |
| No. 4 .. | 1,891 | 16 | 17 | 2 | 1 | 36 | 19·0 | 12 | 13 | 25 | 13·2 | 4 | 111 | |
| Thrapston (part of)‡ | 825 | 10 | 2 | 1 | — | 13 | 15·8 | 3 | 4 | 7 | 8·5 | — | — | |
| C.P. of Sibson cum Stibbington, administered by R.D.C. of Barnack (Soke of Peterborough). | 411 | 3 | 3 | — | 1 | 7 | 17·0 | 7 | 1 | 8 | 19·5 | 1 | 143 | — |
| KENT: | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Canterbury | 23,480 | 197 | 226 | 13 | 10 | 446 | 19·0 | 133 | 147 | 280 | 11·9 | 22 | 49 | |
| ADMINISTRATIVE COUNTY. | 1,091,800 | 9,587 | 9,427 | 440 | 432 | 19,886 | 18·2 | 5,651 | 5,667 | 11,318 | 10·5† | 949 | 48 | |

† Death-rate based upon estimated civilian population as follows:—Kent Administrative County, 1,075,408.
‡ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| ENT—*cont.* | | | | | | | | | | | | | | |
| UNICIPAL BORO'S AND URBAN DISTRICTS. | 768,200 | 6,791 | 6,669 | 297 | 292 | 14,049 | 18·3 | 3,993 | 4,058 | 8,051 | 10·7† | 678 | 48 | 7·6 |
| Ashford .. .. | 14,170 | 120 | 121 | 6 | 5 | 252 | 17·8 | 65 | 84 | 149 | 10·5 | 6 | 24 | 7·3 |
| Beckenham .. | 33,170 | 227 | 249 | 3 | 8 | 487 | 14·7 | 130 | 164 | 294 | 8·9 | 16 | 33 | 5·8 |
| Bexley .. .. | 22,290 | 241 | 251 | 5 | 10 | 507 | 22·7 | 128 | 103 | 231 | 10·4 | 23 | 45 | 12·3 |
| Broadstairs and St. Peter's. | 11,090 | 64 | 53 | 3 | 7 | 127 | 11·5 | 49 | 57 | 106 | 9·6 | 6 | 47 | 1·9 |
| Bromley M.B... | 34,970 | 271 | 278 | 19 | 10 | 578 | 16·5 | 170 | 197 | 367 | 10·5 | 35 | 61 | 6·0 |
| Chatham M.B. | 43,550 | 461 | 423 | 14 | 21 | 919 | 21·1 | 257 | 191 | 448 | 10·7† | 56 | 61 | 10·4 |
| Cheriton .. .. | 7,004 | 102 | 66 | 5 | 5 | 178 | 25·4 | 21 | 21 | 42 | 8·2† | 8 | 45 | 17·2 |
| Chislehurst .. | 8,957 | 63 | 59 | 1 | 3 | 126 | 14·1 | 34 | 46 | 80 | 8·9 | 8 | 63 | 5·2 |
| Crayford .. .. | 12,570 | 150 | 149 | 3 | 2 | 304 | 24·2 | 40 | 49 | 89 | 7·1 | 12 | 39 | 17·1 |
| Dartford .. | 26,570 | 215 | 205 | 4 | 6 | 430 | 16·2 | 117 | 104 | 221 | 8·3 | 23 | 53 | 7·9 |
| Deal M.B. .. | 12,250 | 123 | 82 | 6 | 6 | 217 | 17·7 | 80 | 64 | 144 | 11·8 | 11 | 51 | 5·9 |
| Dover M.B. .. | 40,740 | 424 | 418 | 15 | 18 | 875 | 21·5 | 212 | 211 | 423 | 10·4 | 44 | 50 | 11·1 |
| Erith .. .. | 32,700 | 311 | 295 | 7 | 10 | 623 | 19·1 | 132 | 131 | 263 | 8·0 | 25 | 40 | 11·1 |
| Faversham M.B. | 10,840 | 75 | 87 | 5 | 6 | 173 | 16·0 | 57 | 65 | 122 | 11·3 | 7 | 40 | 4·7 |
| Folkestone M.B. | 33,970 | 252 | 250 | 25 | 24 | 551 | 16·2 | 205 | 182 | 387 | 11·4 | 23 | 42 | 4·8 |
| Gillingham M.B. | 55,200 | 508 | 540 | 13 | 11 | 1,072 | 19·4 | 262 | 225 | 487 | 10·2† | 50 | 47 | 9·2 |
| Gravesend M.B. | 31,950 | 338 | 304 | 11 | 14 | 667 | 20·9 | 202 | 154 | 356 | 11·1 | 32 | 48 | 9·8 |
| Herne Bay .. | 10,100 | 53 | 50 | 3 | 5 | 111 | 11·0 | 39 | 57 | 96 | 9·5 | 2 | 18 | 1·5 |
| Hythe M.B. .. | 7,478 | 58 | 35 | 2 | 2 | 97 | 13·0 | 44 | 33 | 77 | 10·6† | 5 | 52 | 2·4 |
| Lydd M.B. .. | 2,235 | 19 | 21 | 3 | 1 | 44 | 19·7 | 15 | 10 | 25 | 11·2 | — | — | 8·5 |
| Maidstone M.B. | 38,840 | 370 | 318 | 16 | 9 | 713 | 18·4 | 205 | 207 | 412 | 10·6 | 35 | 49 | 7·8 |
| Margate M.B... | 28,080 | 253 | 208 | 14 | 12 | 487 | 17·3 | 134 | 163 | 297 | 10·6 | 21 | 43 | 6·7 |
| Milton Regis .. | 7,657 | 63 | 62 | 8 | 2 | 140 | 18·3 | 43 | 40 | 83 | 10·8 | 8 | 57 | 7·5 |
| New Romney M.B. | 1,484 | 6 | 10 | 1 | 1 | 18 | 12·1 | 5 | 8 | 13 | 8·8 | 1 | 56 | 3·3 |
| Northfleet .. | 16,490 | 159 | 168 | 6 | 4 | 337 | 20·4 | 97 | 78 | 175 | 10·6 | 13 | 39 | 9·8 |
| Penge .. .. | 26,750 | 274 | 253 | 10 | 10 | 547 | 20·4 | 166 | 165 | 331 | 12·4 | 39 | 71 | 8·0 |
| Queenborough M.B. | 3,192 | 28 | 36 | 2 | 1 | 67 | 21·0 | 13 | 17 | 30 | 9·4 | 2 | 30 | 11·6 |
| Ramsgate M.B. | 30,250 | 278 | 304 | 26 | 17 | 625 | 20·7 | 174 | 218 | 392 | 13·0 | 28 | 45 | 7·7 |
| Rochester M.B. | 32,010 | 265 | 321 | 12 | 13 | 611 | 19·1 | 160 | 169 | 329 | 10·3 | 28 | 46 | 8·8 |
| Royal Tunbridge Wells M.B. | 34,370 | 230 | 222 | 12 | 15 | 479 | 13·9 | 214 | 275 | 489 | 14·2 | 24 | 50 | —0·3 |
| Sandgate .. | 2,532 | 21 | 21 | — | 1 | 43 | 17·0 | 10 | 13 | 23 | 11·0† | — | — | 6·0 |
| Sandwich M.B. | 3,122 | 37 | 28 | 1 | 2 | 68 | 21·8 | 19 | 20 | 39 | 12·5 | 1 | 15 | 9·3 |
| Sevenoaks .. | 8,967 | 60 | 58 | 3 | 4 | 125 | 13·9 | 42 | 64 | 106 | 11·8 | 7 | 56 | 2·1 |
| Sheerness .. | 18,900 | 169 | 157 | 2 | 7 | 335 | 17·7 | 103 | 66 | 169 | 10·1† | 19 | 57 | 7·6 |
| Sidcup .. .. | 8,833 | 52 | 68 | 6 | 4 | 130 | 14·7 | 48 | 46 | 94 | 10·6 | 4 | 31 | 4·1 |
| Sittingbourne.. | 9,630 | 107 | 118 | 3 | 1 | 229 | 23·8 | 52 | 51 | 103 | 10·7 | 11 | 48 | 13·1 |
| Southborough.. | 7,023 | 58 | 65 | 4 | 1 | 128 | 18·2 | 38 | 62 | 100 | 14·2 | 6 | 47 | 4·0 |
| Tenterden M.B. | 3,266 | 18 | 28 | — | 3 | 49 | 15·0 | 23 | 25 | 48 | 14·7 | 1 | 20 | 0·3 |
| Tonbridge .. | 16,040 | 136 | 138 | 6 | 6 | 286 | 17·8 | 85 | 98 | 183 | 11·4 | 16 | 56 | 6·4 |
| Walmer .. .. | 5,254 | 30 | 36 | 2 | — | 68 | 12·9 | 27 | 27 | 54 | 12·1† | 2 | 29 | 0·8 |
| Whitstable .. | 9,445 | 55 | 64 | 3 | 3 | 125 | 13·2 | 56 | 68 | 124 | 13·1 | 15 | 120 | 0·1 |
| Wrotham .. | 4,261 | 42 | 50 | 7 | 2 | 101 | 23·7 | 20 | 30 | 50 | 11·7 | 5 | 50 | 12·0 |
| RAL DISTRICTS | 323,600 | 2,796 | 2,758 | 143 | 140 | 5,837 | 18·0 | 1,658 | 1,609 | 3,267 | 10·1† | 271 | 46 | 7·9 |
| Blean .. .. | 8,278 | 75 | 74 | 5 | 1 | 155 | 18·7 | 58 | 48 | 106 | 12·8 | 2 | 13 | 5·9 |
| Bridge .. .. | 11,280 | 107 | 88 | 7 | 3 | 205 | 18·2 | 72 | 72 | 144 | 12·8 | 14 | 68 | 5·4 |
| Bromley .. .. | 25,940 | 227 | 199 | 10 | 11 | 447 | 17·2 | 127 | 121 | 248 | 9·6 | 23 | 51 | 7·6 |
| Cranbrook .. | 12,940 | 109 | 115 | 9 | 1 | 234 | 18·1 | 88 | 81 | 169 | 13·1 | 15 | 64 | 5·0 |
| Dartford .. | 39,070 | 317 | 340 | 13 | 16 | 686 | 17·6 | 145 | 143 | 288 | 7·4 | 36 | 52 | 10·2 |

† Death-rates based upon estimated civilian populations as follows:—Kent—Municipal Boroughs and Urban Districts, 753,374; Chatham M.B., 41,781; Cheriton U.D., 5,137; Gillingham M.B., 47,620; Hythe M.B., 7,240; Sandgate U.D., 2,095; Sheerness U.D., 16,749; Walmer U.D., 4,470; Rural Districts, 322,034.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| KENT—*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| Dover .. .. | 8,469 | 60 | 65 | 2 | 2 | 129 | 15·2 | 31 | 38 | 69 | 8·4† | 6 | 47 | 6·8 |
| East Ashford .. | 15,140 | 140 | 117 | 8 | 8 | 273 | 18·0 | 75 | 80 | 155 | 10·2 | 15 | 55 | 7·8 |
| Eastry .. .. | 13,390 | 112 | 119 | 4 | 5 | 240 | 17·9 | 74 | 62 | 136 | 10·2 | 11 | 46 | 7·7 |
| Elham .. .. | 7,879 | 55 | 59 | 2 | 5 | 121 | 15·4 | 52 | 51 | 103 | 13·1 | 4 | 33 | 2·3 |
| Faversham .. | 14,350 | 140 | 143 | 6 | 6 | 295 | 20·6 | 77 | 73 | 150 | 10·5 | 20 | 68 | 10·1 |
| Hollingbourne | 13,250 | 110 | 119 | 8 | 6 | 243 | 18·3 | 86 | 69 | 155 | 11·7 | 11 | 45 | 6·6 |
| Hoo .. .. | 5,060 | 65 | 53 | 3 | 5 | 126 | 24·9 | 25 | 17 | 42 | 9·1† | 4 | 32 | 15·8 |
| Isle of Thanet .. | 12,220 | 86 | 95 | 4 | 8 | 193 | 15·8 | 46 | 69 | 115 | 9·9† | 5 | 26 | 5·9 |
| Maidstone .. | 17,010 | 137 | 133 | 5 | 10 | 285 | 16·8 | 93 | 90 | 183 | 10·8 | 7 | 25 | 6·0 |
| Malling .. .. | 25,760 | 219 | 253 | 11 | 12 | 495 | 19·2 | 142 | 133 | 275 | 10·7 | 24 | 48 | 8·5 |
| Milton .. .. | 14,250 | 129 | 118 | 9 | 5 | 261 | 18·3 | 80 | 67 | 147 | 10·4 | 11 | 42 | 7·9 |
| Romney Marsh | 3,087 | 22 | 28 | 3 | 4 | 57 | 18·5 | 8 | 19 | 27 | 8·7 | 3 | 53 | 9·8 |
| Sevenoaks .. | 23,780 | 223 | 174 | 8 | 14 | 419 | 17·6 | 129 | 119 | 248 | 10·4 | 21 | 50 | 7·2 |
| Sheppey .. .. | 4,607 | 44 | 45 | 1 | 3 | 93 | 20·2 | 26 | 20 | 46 | 10·4† | 3 | 32 | 9·8 |
| Strood .. .. | 16,520 | 161 | 127 | 9 | 3 | 300 | 18·2 | 77 | 70 | 147 | 8·9 | 13 | 43 | 9·3 |
| Tenterden .. | 5,829 | 45 | 66 | 2 | 5 | 118 | 20·2 | 22 | 36 | 58 | 10·0 | 9 | 76 | 10·2 |
| Tonbridge .. | 17,750 | 151 | 164 | 8 | 7 | 330 | 18·6 | 90 | 95 | 185 | 10·4 | 9 | 27 | 8·2 |
| West Ashford .. | 7,741 | 62 | 64 | 6 | — | 132 | 17·1 | 35 | 36 | 71 | 9·2 | 5 | 38 | 7·9 |
| LANCASHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO'S. | 3247910 | 32,890 | 31,893 | 1,535 | 1,398 | 67,716 | 20·9 | 22,677 | 21,225 | 43,902 | 13·5 | 6353 | 94 | 7·4 |
| Barrow-in-Furness | 74,680 | 648 | 646 | 28 | 32 | 1,354 | 18·1 | 448 | 353 | 801 | 10·7 | 121 | 89 | 7·4 |
| Blackburn .. | 129,000 | 1,010 | 995 | 43 | 46 | 2,094 | 16·2 | 873 | 869 | 1,742 | 13·5 | 209 | 100 | 2·7 |
| Blackpool .. | 75,130 | 530 | 478 | 35 | 52 | 1,095 | 14·6 | 538 | 551 | 1,089 | 14·5 | 78 | 71 | 0·1 |
| Bolton .. .. | 182,200 | 1,536 | 1,511 | 83 | 76 | 3,206 | 17·6 | 1,161 | 1,201 | 2,362 | 13·0 | 275 | 86 | 4·6 |
| Bootle .. .. | 81,580 | 972 | 971 | 30 | 26 | 1,999 | 24·5 | 583 | 489 | 1,072 | 13·1 | 171 | 86 | 11·4 |
| Burnley .. .. | 104,800 | 846 | 873 | 49 | 56 | 1,824 | 17·4 | 720 | 685 | 1,405 | 13·4 | 187 | 103 | 4·0 |
| Bury .. .. | 57,250 | 413 | 407 | 25 | 21 | 866 | 15·1 | 452 | 468 | 920 | 16·1 | 87 | 100 | —1·0 |
| Liverpool .. | 837,600 | 10,093 | 9,829 | 420 | 353 | 20,695 | 24·7 | 6,040 | 5,396 | 11,436 | 13·7 | 2065 | 100 | 11·0 |
| Manchester .. | 752,100 | 7,474 | 7,203 | 387 | 324 | 15,388 | 20·5 | 5,222 | 4,856 | 10,078 | 13·4 | 1360 | 88 | 7·1 |
| Oldham .. .. | 147,500 | 1,223 | 1,251 | 77 | 64 | 2,615 | 17·7 | 1,214 | 1,186 | 2,400 | 16·3 | 300 | 115 | 1·4 |
| Preston .. .. | 121,700 | 1,189 | 1,127 | 53 | 57 | 2,426 | 19·9 | 841 | 833 | 1,674 | 13·8 | 238 | 98 | 6·1 |
| Rochdale .. | 92,710 | 761 | 735 | 51 | 44 | 1,591 | 17·2 | 635 | 658 | 1,293 | 13·9 | 121 | 76 | 3·3 |
| St. Helens .. | 107,100 | 1,294 | 1,245 | 42 | 34 | 2,615 | 24·4 | 729 | 548 | 1,277 | 11·9 | 239 | 91 | 12·5 |
| Salford .. .. | 241,600 | 2,515 | 2,394 | 115 | 103 | 5,127 | 21·2 | 1,660 | 1,617 | 3,277 | 13·6 | 496 | 97 | 7·6 |
| Southport .. | 72,410 | 474 | 463 | 26 | 33 | 996 | 13·8 | 453 | 524 | 977 | 13·5 | 65 | 65 | 0·3 |
| Warrington .. | 78,910 | 903 | 794 | 30 | 41 | 1,768 | 22·4 | 473 | 395 | 868 | 11·0 | 133 | 75 | 11·4 |
| Wigan .. .. | 91,640 | 1,009 | 971 | 41 | 36 | 2,057 | 22·4 | 635 | 596 | 1,231 | 13·4 | 208 | 101 | 9·0 |
| ADMINISTRATIVE COUNTY. | 1773700 | 15,192 | 14,385 | 542 | 553 | 30,672 | 17·3 | 11,063 | 10,756 | 21,819 | 12·3† | 2468 | 80 | 5·0 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 1527700 | 13,210 | 12,442 | 474 | 490 | 26,616 | 17·4 | 9,631 | 9,372 | 19,003 | 12·4† | 2195 | 82 | 5·0 |
| Abram .. .. | 6,987 | 59 | 43 | 1 | 1 | 104 | 14·9 | 51 | 33 | 84 | 12·0 | 16 | 154 | 2·9 |
| AccringtonM.B. | 44,180 | 306 | 303 | 14 | 6 | 629 | 14·2 | 290 | 256 | 546 | 12·4 | 37 | 59 | 1·8 |
| Adlington .. | 4,530 | 53 | 32 | 3 | 3 | 91 | 20·1 | 33 | 30 | 63 | 13·9 | 5 | 55 | 6·2 |
| Ashton-in-Makerfield. | 23,450 | 252 | 254 | 5 | 7 | 518 | 22·1 | 140 | 102 | 242 | 10·3 | 37 | 71 | 11·8 |
| Ashton-under-Lyne M.B. | 44,130 | 380 | 357 | 23 | 25 | 785 | 17·8 | 319 | 314 | 633 | 14·3 | 64 | 82 | 3·5 |
| Aspull .. .. | 8,217 | 90 | 87 | 6 | 5 | 188 | 22·9 | 43 | 42 | 85 | 10·3 | 11 | 59 | 12·6 |
| Atherton .. | 20,440 | 175 | 169 | 8 | 3 | 355 | 17·4 | 123 | 120 | 243 | 11·9 | 36 | 101 | 5·5 |

† Death-rates based upon estimated civilian populations as follows:—Dover R.D., 8,195; Hoo R.D. 4,630. Isle of Thanet R.D., 11,530; Sheppey R.D. 4,435. Lancashire—Administrative County, 1,772,658; Municipal Boroughs and Urban Districts, 1,526,909.

TABLE 14.—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| LANCASHIRE—*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Audenshaw .. | 8,165 | 74 | 71 | 1 | 3 | 149 | 18·2 | 51 | 52 | 103 | 12·6 | 15 | 101 | 5·6 |
| Bacup M.B. .. | 21,550 | 166 | 178 | 12 | 10 | 366 | 17·8 | 151 | 130 | 281 | 13·0 | 29 | 79 | 4·8 |
| Barrowford .. | 5,685 | 35 | 54 | 3 | 1 | 93 | 16·4 | 30 | 37 | 67 | 11·8 | 11 | 118 | 4·6 |
| Billinge .. .. | 5,245 | 48 | 41 | 3 | 1 | 93 | 17·7 | 34 | 28 | 62 | 11·8 | 13 | 140 | 5·9 |
| Blackrod .. | 3,988 | 45 | 28 | — | 1 | 74 | 18·6 | 20 | 35 | 55 | 13·8 | 8 | 108 | 4·8 |
| Brierfield .. | 8,392 | 57 | 55 | 5 | 2 | 119 | 14·2 | 54 | 37 | 91 | 10·8 | 11 | 92 | 3·4 |
| Carnforth .. | 3,242 | 33 | 34 | 2 | 1 | 70 | 21·6 | 23 | 21 | 44 | 13·6 | 8 | 114 | 8·0 |
| Chadderton .. | 29,340 | 255 | 229 | 8 | 7 | 499 | 17·0 | 190 | 214 | 404 | 13·8 | 55 | 110 | 3·2 |
| Chorley M.B. | 31,300 | 294 | 253 | 13 | 14 | 574 | 18·3 | 186 | 200 | 386 | 12·3 | 53 | 92 | 6·0 |
| Church .. .. | 6,876 | 68 | 49 | 1 | 3 | 121 | 17·6 | 40 | 47 | 87 | 12·7 | 9 | 74 | 4·9 |
| Clayton-le-Moors | 8,757 | 81 | 77 | — | 1 | 159 | 18·2 | 50 | 49 | 99 | 11·3 | 11 | 69 | 6·9 |
| Clitheroe M.B. | 12,370 | 77 | 83 | 3 | 1 | 164 | 13·3 | 64 | 92 | 156 | 12·6 | 13 | 79 | 0·7 |
| Colne M.B. .. | 25,260 | 180 | 188 | 10 | 7 | 385 | 15·2 | 162 | 161 | 323 | 12·8 | 43 | 112 | 2·4 |
| Crompton .. | 15,320 | 111 | 125 | 5 | 8 | 249 | 16·3 | 94 | 104 | 198 | 12·9 | 23 | 92 | 3·4 |
| Croston .. .. | 2,002 | 19 | 13 | — | — | 32 | 16·0 | 21 | 16 | 37 | 18·5 | 4 | 125 | −2·5 |
| Dalton-in-Furness | 12,460 | 105 | 123 | 7 | 9 | 244 | 19·6 | 88 | 86 | 174 | 14·0 | 21 | 86 | 5·6 |
| Darwen M.B. .. | 38,980 | 274 | 308 | 12 | 8 | 602 | 15·4 | 251 | 277 | 528 | 13·5 | 47 | 78 | 1·9 |
| Denton .. .. | 17,970 | 158 | 139 | 5 | 9 | 311 | 17·3 | 104 | 112 | 216 | 12·0 | 25 | 80 | 5·3 |
| Droylsden .. | 14,170 | 136 | 151 | 3 | 4 | 294 | 20·7 | 95 | 92 | 187 | 13·2 | 32 | 109 | 7·5 |
| Eccles M.B. .. | 45,270 | 388 | 382 | 9 | 12 | 791 | 17·5 | 262 | 228 | 490 | 10·8 | 42 | 53 | 6·7 |
| Failsworth .. | 17,280 | 157 | 128 | 6 | 10 | 301 | 17·4 | 106 | 102 | 208 | 12·0 | 32 | 106 | 5·4 |
| Farnworth .. | 28,890 | 269 | 226 | 10 | 12 | 517 | 17·9 | 163 | 186 | 349 | 12·1 | 36 | 70 | 5·8 |
| Fleetwood .. | 19,900 | 238 | 186 | 10 | 5 | 439 | 22·1 | 102 | 88 | 190 | 9·5 | 29 | 66 | 12·6 |
| Formby .. .. | 6,311 | 52 | 36 | 2 | 1 | 91 | 14·4 | 28 | 35 | 63 | 10·0 | — | — | 4·4 |
| Fulwood .. | 6,798 | 38 | 22 | 1 | 2 | 63 | 9·3 | 39 | 51 | 90 | 15·0† | 4 | 63 | −5·7 |
| Golborne .. | 7,552 | 75 | 79 | 2 | 4 | 160 | 21·2 | 32 | 41 | 73 | 9·7 | 10 | 63 | 11·5 |
| Grange .. .. | 2,005 | 13 | 5 | — | — | 18 | 9·0 | 18 | 18 | 36 | 18·0 | — | — | −9·0 |
| Great Crosby | 13,650 | 93 | 104 | 2 | 4 | 203 | 14·9 | 70 | 67 | 137 | 10·0 | 14 | 69 | 4·9 |
| Great Harwood | 13,970 | 107 | 106 | 2 | 3 | 218 | 15·6 | 90 | 105 | 195 | 14·0 | 19 | 87 | 1·6 |
| HaslingdenM.B. | 17,710 | 119 | 116 | 4 | 4 | 243 | 13·7 | 133 | 149 | 282 | 15·9 | 22 | 91 | −2·2 |
| Haydock .. | 10,930 | 153 | 108 | 3 | 5 | 269 | 24·6 | 56 | 48 | 104 | 9·5 | 22 | 82 | 15·1 |
| Heysham .. | 3,950 | 21 | 28 | — | 1 | 50 | 12·7 | 25 | 25 | 50 | 12·7 | 2 | 40 | — |
| Heywood M.B. | 27,030 | 215 | 213 | 11 | 16 | 455 | 16·8 | 220 | 227 | 447 | 16·5 | 47 | 103 | 0·3 |
| Hindley .. .. | 24,450 | 250 | 211 | 3 | 5 | 469 | 19·2 | 193 | 178 | 371 | 15·2 | 68 | 145 | 4·0 |
| Horwich .. .. | 15,940 | 138 | 119 | 2 | 3 | 262 | 16·4 | 88 | 70 | 158 | 9·9 | 14 | 53 | 6·5 |
| Hurst .. .. | 8,328 | 65 | 53 | 1 | 2 | 121 | 14·5 | 56 | 60 | 116 | 13·9 | 14 | 116 | 0·6 |
| Huyton with Roby. | 5,194 | 39 | 34 | 2 | — | 75 | 14·4 | 26 | 19 | 45 | 8·7 | 2 | 27 | 5·7 |
| Ince in Makerfield. | 24,020 | 283 | 246 | 8 | 15 | 552 | 23·0 | 161 | 146 | 307 | 12·8 | 60 | 109 | 10·2 |
| Irlam .. .. | 11,300 | 146 | 131 | 2 | 1 | 280 | 24·8 | 55 | 45 | 100 | 8·8 | 19 | 68 | 16·0 |
| Kearsley .. | 10,130 | 98 | 88 | 3 | 3 | 192 | 19·0 | 72 | 74 | 146 | 14·4 | 17 | 89 | 4·6 |
| Kirkham .. | 3,836 | 42 | 34 | 5 | 5 | 86 | 22·4 | 25 | 26 | 51 | 13·3 | 4 | 47 | 9·1 |
| Lancaster M.B. | 40,990 | 338 | 325 | 22 | 21 | 706 | 17·2 | 244 | 253 | 497 | 12·1 | 59 | 84 | 5·1 |
| Lathom and Burscough. | 7,691 | 78 | 76 | 4 | 1 | 159 | 20·7 | 44 | 42 | 86 | 11·2 | 15 | 94 | 9·5 |
| Lees .. .. | 4,893 | 40 | 41 | 1 | — | 82 | 16·8 | 39 | 35 | 74 | 15·1 | 12 | 146 | 1·7 |
| Leigh M.B. .. | 46,750 | 423 | 404 | 12 | 14 | 853 | 18·2 | 319 | 249 | 568 | 12·1 | 73 | 86 | 6·1 |
| Leyland .. .. | 9,212 | 72 | 81 | 1 | 3 | 157 | 17·0 | 59 | 66 | 125 | 13·6 | 13 | 83 | 3·4 |
| Litherland .. | 17,090 | 170 | 209 | 5 | 6 | 390 | 22·8 | 94 | 84 | 178 | 10·4 | 32 | 82 | 12·4 |
| Littleborough.. | 11,660 | 102 | 80 | 1 | 6 | 189 | 16·2 | 94 | 90 | 184 | 15·8 | 20 | 106 | 0·4 |
| Little Crosby .. | 1,155 | 6 | 13 | — | — | 19 | 16·5 | 4 | 2 | 6 | 5·2 | — | — | 11·3 |
| Little Hulton.. | 8,206 | 69 | 65 | 3 | 1 | 138 | 16·8 | 41 | 50 | 91 | 11·1 | 16 | 116 | 5·7 |
| Little Lever .. | 5,032 | 43 | 35 | 1 | 2 | 81 | 16·1 | 48 | 40 | 88 | 17·5 | 22 | 272 | −1·4 |

† Death-rates based upon estimated civilian populations as follows :—Fulwood U.D., 6,007.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| LANCASHIRE—*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Longridge .. | 4,323 | 39 | 32 | — | 2 | 73 | 16·9 | 23 | 25 | 48 | 11·1 | 7 | 96 | 5·8 |
| Lytham | 20,910 | 125 | 113 | 3 | — | 241 | 11·5 | 116 | 145 | 261 | 12·5 | 11 | 46 | −1·0 |
| St. Anne's M.B. | | | | | | | | | | | | | | |
| Middleton M.B. | 28,870 | 224 | 190 | 6 | 6 | 426 | 14·8 | 179 | 177 | 356 | 12·3 | 31 | 73 | 2·5 |
| Milnrow .. .. | 8,563 | 77 | 53 | 4 | 4 | 138 | 16·1 | 51 | 48 | 99 | 11·6 | 7 | 51 | 4·5 |
| Morecambe M.B. | 13,910 | 97 | 82 | 3 | 4 | 186 | 13·4 | 113 | 119 | 232 | 16·7 | 12 | 65 | −3·3 |
| Mossley M.B. .. | 12,900 | 94 | 106 | 4 | 7 | 211 | 16·4 | 95 | 91 | 186 | 14·4 | 18 | 85 | 2·0 |
| Nelson M.B. .. | 40,380 | 300 | 255 | 8 | 11 | 574 | 14·2 | 234 | 215 | 449 | 11·1 | 44 | 77 | 3·1 |
| Newton-in-Makerfield. | 19,520 | 199 | 188 | 6 | 5 | 398 | 20·4 | 113 | 91 | 204 | 10·5 | 36 | 90 | 9·9 |
| Norden .. .. | 4,153 | 31 | 34 | 1 | — | 66 | 15·9 | 30 | 30 | 60 | 14·4 | 3 | 45 | 1·5 |
| Ormskirk .. | 7,553 | 71 | 53 | 3 | 3 | 130 | 17·2 | 55 | 46 | 101 | 13·4 | 4 | 31 | 3·8 |
| Orrell .. .. | 7,053 | 72 | 66 | 3 | 1 | 142 | 20·1 | 44 | 46 | 90 | 12·8 | 16 | 113 | 7·3 |
| Oswaldtwistle | 15,370 | 141 | 132 | 4 | 6 | 283 | 18·4 | 95 | 105 | 200 | 13·0 | 21 | 74 | 5·4 |
| Padiham .. | 12,720 | 82 | 107 | 7 | 5 | 201 | 15·8 | 88 | 61 | 149 | 11·7 | 16 | 80 | 4·1 |
| Poulton le Fylde | 2,755 | 29 | 18 | 1 | — | 48 | 17·4 | 17 | 23 | 40 | 14·5 | 4 | 83 | 2·9 |
| Preesall .. .. | 1,735 | 18 | 16 | 1 | 2 | 37 | 21·3 | 12 | 10 | 22 | 12·7 | 2 | 54 | 8·6 |
| Prescot .. .. | 9,586 | 97 | 99 | 5 | 3 | 204 | 21·3 | 51 | 49 | 100 | 10·4 | 8 | 39 | 10·9 |
| Prestwich .. | 19,140 | 132 | 135 | 3 | 4 | 274 | 14·3 | 98 | 91 | 189 | 9·9 | 10 | 36 | 4·4 |
| Radcliffe .. | 25,290 | 199 | 206 | 8 | 5 | 418 | 16·5 | 183 | 161 | 344 | 13·6 | 31 | 74 | 2·9 |
| Rainford .. | 3,553 | 37 | 31 | — | 1 | 69 | 19·4 | 23 | 16 | 39 | 11·0 | 8 | 116 | 8·4 |
| Ramsbottom .. | 15,420 | 110 | 95 | 3 | 4 | 212 | 13·7 | 99 | 103 | 202 | 13·1 | 11 | 52 | 0·6 |
| Rawtenstall .. M.B. | 29,020 | 233 | 257 | 7 | 9 | 506 | 17·4 | 193 | 199 | 392 | 13·5 | 38 | 75 | 3·9 |
| Rishton .. .. | 7,135 | 56 | 45 | — | — | 101 | 14·2 | 46 | 34 | 80 | 11·2 | 8 | 79 | 3·0 |
| Royton .. .. | 17,680 | 154 | 117 | 9 | 6 | 286 | 16·2 | 115 | 138 | 253 | 14·3 | 30 | 105 | 1·9 |
| Skelmersdale .. | 6,946 | 60 | 69 | 3 | 3 | 135 | 19·4 | 38 | 33 | 71 | 10·2 | 18 | 133 | 9·2 |
| Standish with Langtree. | 7,553 | 74 | 82 | — | — | 156 | 20·7 | 35 | 50 | 85 | 11·3 | 15 | 96 | 9·4 |
| Stretford .. | 47,920 | 409 | 362 | 16 | 16 | 803 | 16·8 | 289 | 291 | 580 | 12·1 | 61 | 76 | 4·7 |
| Swinton and Pendlebury | 32,000 | 269 | 252 | 11 | 12 | 544 | 17·0 | 209 | 186 | 395 | 12·3 | 57 | 105 | 4·7 |
| Thornton .. | 5,501 | 49 | 57 | 2 | 1 | 109 | 19·8 | 43 | 30 | 73 | 13·3 | 7 | 64 | 6·5 |
| Tottington .. | 6,817 | 47 | 48 | 1 | 1 | 97 | 14·2 | 35 | 41 | 76 | 11·1 | 9 | 93 | 3·1 |
| Trawden .. | 2,777 | 19 | 19 | — | 1 | 39 | 14·0 | 22 | 24 | 46 | 16·6 | 3 | 77 | −2·6 |
| Turton .. .. | 12,280 | 89 | 83 | 3 | 6 | 181 | 14·7 | 71 | 67 | 138 | 11·2 | 7 | 39 | 3·5 |
| Tyldesley with Shakerley. | 16,170 | 147 | 150 | 6 | 5 | 308 | 19·0 | 122 | 89 | 211 | 13·0 | 28 | 91 | 6·0 |
| Ulverston .. | 10,120 | 78 | 80 | 6 | 2 | 166 | 16·4 | 66 | 66 | 132 | 13·0 | 11 | 66 | 3·4 |
| Upholland .. | 5,593 | 57 | 66 | 1 | 2 | 126 | 22·5 | 30 | 29 | 59 | 10·5 | 11 | 87 | 12·0 |
| Urmston .. | 8,367 | 64 | 63 | 3 | 2 | 132 | 15·8 | 32 | 50 | 82 | 9·8 | 5 | 38 | 6·0 |
| Walton-le-Dale | 12,360 | 111 | 96 | 2 | 6 | 215 | 17·4 | 67 | 74 | 141 | 11·4 | 13 | 60 | 6·0 |
| Wardle .. .. | 4,538 | 40 | 36 | 3 | — | 79 | 17·4 | 35 | 24 | 59 | 13·0 | 6 | 76 | 4·4 |
| Waterloo with Seaforth. | 30,090 | 311 | 243 | 16 | 7 | 577 | 19·2 | 183 | 180 | 363 | 12·1 | 48 | 83 | 7·1 |
| Westhoughton | 16,260 | 143 | 149 | 2 | 5 | 299 | 18·4 | 98 | 103 | 201 | 12·4 | 31 | 104 | 6·0 |
| Whitefield .. | 7,099 | 55 | 52 | 1 | 4 | 112 | 15·8 | 43 | 49 | 92 | 13·0 | 11 | 98 | 2·8 |
| Whitworth .. | 8,871 | 72 | 57 | 4 | 4 | 137 | 15·4 | 78 | 64 | 142 | 16·0 | 14 | 102 | −0·6 |
| Widnes M.B. .. | 40,870 | 531 | 480 | 12 | 13 | 1,036 | 25·3 | 260 | 196 | 456 | 11·2 | 71 | 69 | 14·1 |
| Withnell .. | 3,470 | 18 | 27 | 1 | 2 | 48 | 13·8 | 20 | 22 | 42 | 12·1 | 5 | 104 | 1·7 |
| Worsley .. .. | 14,430 | 79 | 113 | 1 | 3 | 196 | 13·6 | 69 | 95 | 164 | 11·4 | 12 | 61 | 2·2 |

TABLE 14.—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| LANCASHIRE—*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS. | 246,000 | 1,982 | 1,943 | 68 | 63 | 4,056 | 16·5 | 1,432 | 1,384 | 2,816 | 11·5† | 273 | 67 | 5·0 |
| Barton-upon-Irwell | 10,040 | 68 | 68 | 1 | 1 | 138 | 13·7 | 56 | 58 | 114 | 11·4 | 8 | 58 | 2·3 |
| Blackburn .. | 10,120 | 77 | 83 | — | 3 | 163 | 16·1 | 49 | 56 | 105 | 10·4 | 11 | 67 | 5·7 |
| Burnley .. .. | 19,520 | 131 | 147 | 5 | 5 | 288 | 14·8 | 108 | 121 | 229 | 11·7 | 18 | 63 | 3·1 |
| Bury .. .. | 9,632 | 69 | 75 | 1 | 2 | 147 | 15·3 | 56 | 56 | 112 | 11·6 | 10 | 68 | 3·7 |
| Chorley .. .. | 22,380 | 203 | 188 | 3 | 4 | 398 | 17·8 | 145 | 135 | 280 | 12·5 | 33 | 83 | 5·3 |
| Clitheroe.. .. | 6,825 | 46 | 54 | 1 | 2 | 103 | 15·1 | 49 | 49 | 98 | 14·4 | 6 | 58 | 0·7 |
| Fylde .. .. | 12,910 | 104 | 109 | 1 | 5 | 219 | 17·0 | 78 | 73 | 151 | 11·7 | 15 | 68 | 5·3 |
| Garstang.. .. | 10,930 | 99 | 91 | 5 | 7 | 202 | 18·5 | 68 | 64 | 132 | 12·1 | 16 | 79 | 6·4 |
| Lancaster .. | 9,392 | 69 | 84 | 8 | 3 | 164 | 17·5 | 61 | 64 | 125 | 13·3 | 6 | 37 | 4 2 |
| Leigh .. .. | 11,330 | 103 | 111 | 1 | 2 | 217 | 19·2 | 64 | 64 | 128 | 11·3 | 17 | 78 | 7·9 |
| Limehurst .. | 9,568 | 102 | 74 | — | 3 | 179 | 18·7 | 49 | 67 | 116 | 12·5† | 14 | 78 | 6·2 |
| Lunesdale .. | 6,516 | 60 | 56 | 5 | — | 121 | 18·6 | 39 | 36 | 75 | 11·5 | 10 | 83 | 7·1 |
| Preston .. .. | 23,450 | 195 | 166 | 7 | 5 | 373 | 15·9 | 123 | 116 | 239 | 10·2 | 25 | 67 | 5·7 |
| Sefton .. .. | 4,595 | 34 | 29 | 3 | 1 | 67 | 14·6 | 19 | 24 | 43 | 9·4 | 3 | 45 | 5·2 |
| Ulverston .. | 18,000 | 131 | 130 | 15 | 9 | 285 | 15·8 | 124 | 113 | 237 | 13·2 | 16 | 56 | 2·6 |
| Warrington .. | 12,530 | 114 | 113 | 3 | 4 | 234 | 18·7 | 68 | 47 | 115 | 9·2 | 20 | 85 | 9·5 |
| West Lancashire | 21,690 | 158 | 161 | 3 | 5 | 327 | 15·1 | 129 | 126 | 255 | 11·8 | 19 | 58 | 3·3 |
| Whiston .. .. | 20,260 | 168 | 156 | 5 | 1 | 330 | 16·3 | 106 | 87 | 193 | 9·5 | 12 | 36 | 6·8 |
| Wigan .. .. | 6,312 | 51 | 48 | 1 | 1 | 101 | 16·0 | 41 | 28 | 69 | 10·9 | 14 | 139 | 5·1 |
| LEICESTERSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Leicester .. | 239,700 | 2,219 | 2,149 | 123 | 102 | 4,593 | 19·2 | 1,401 | 1,386 | 2,787 | 11·6 | 383 | 83 | 7·6 |
| ADMINISTRATIVE COUNTY. | 268,600 | 2,585 | 2,526 | 104 | 104 | 5,319 | 19·8 | 1,508 | 1,420 | 2,928 | 10·9 | 328 | 62 | 8·9 |
| MUNICIPAL BORO' AND URBAN DISTRICTS. | 112,000 | 1,145 | 1,041 | 44 | 44 | 2,274 | 20·3 | 623 | 566 | 1,189 | 10·6 | 147 | 65 | 9·7 |
| Ashby de la Zouch. | 5,077 | 51 | 47 | 4 | 2 | 104 | 20·5 | 26 | 30 | 56 | 11·0 | 9 | 87 | 9·5 |
| Ashby Woulds | 3,448 | 45 | 40 | — | — | 85 | 24·7 | 17 | 7 | 24 | 7·0 | 4 | 47 | 17·7 |
| Coalville .. .. | 21,600 | 232 | 224 | 9 | 8 | 473 | 21·9 | 133 | 106 | 239 | 11·1 | 35 | 74 | 10·8 |
| Hinckley .. | 14,350 | 148 | 167 | 6 | 10 | 331 | 23·1 | 77 | 75 | 152 | 10·6 | 20 | 60 | 12·5 |
| Loughborough M.B. | 26,480 | 250 | 235 | 8 | 14 | 507 | 19·1 | 144 | 147 | 291 | 11·0 | 42 | 83 | 8·1 |
| Market Harboro' | 8,758 | 70 | 72 | — | 2 | 144 | 16·4 | 39 | 46 | 85 | 9·7 | 3 | 21 | 6·7 |
| Melton Mowbray | 9,560 | 117 | 72 | 9 | 3 | 201 | 21·0 | 53 | 40 | 93 | 9·7 | 10 | 50 | 11·3 |
| Oadby .. .. | 3,112 | 33 | 22 | 1 | 3 | 59 | 19·0 | 21 | 13 | 34 | 10·9 | 5 | 85 | 8·1 |
| Quorndon .. | 2,457 | 29 | 11 | — | 1 | 41 | 16·7 | 11 | 12 | 23 | 9·4 | 1 | 24 | 7·3 |
| Shepshed .. | 5,746 | 52 | 47 | — | — | 99 | 17·2 | 35 | 50 | 85 | 14·8 | 7 | 71 | 2·4 |
| Thurmaston .. | 2,400 | 29 | 25 | 1 | — | 55 | 22·9 | 12 | 6 | 18 | 7·5 | 3 | 55 | 15·4 |
| Wigston Magna | 9,012 | 89 | 79 | 6 | 1 | 175 | 19·4 | 55 | 34 | 89 | 9·9 | 8 | 46 | 9·5 |
| RURAL DISTRICTS. | 156,600 | 1,440 | 1,485 | 60 | 60 | 3,045 | 19·4 | 885 | 854 | 1,739 | 11·1 | 181 | 59 | 8·3 |
| Ashby de la Zouch. | 17,670 | 176 | 211 | 5 | 6 | 398 | 22·5 | 102 | 95 | 197 | 11·1 | 20 | 50 | 11·4 |
| Barrow upon Soar. | 25,910 | 211 | 234 | 10 | 9 | 464 | 17·9 | 144 | 155 | 299 | 11·5 | 34 | 73 | 6·4 |
| Belvoir .. .. | 3,282 | 28 | 21 | 2 | 2 | 53 | 16·1 | 24 | 23 | 47 | 14·3 | 9 | 170 | 1·8 |
| Billesdon.. .. | 7,639 | 67 | 55 | 1 | 4 | 127 | 16·6 | 34 | 47 | 81 | 10·6 | 6 | 47 | 6 0 |
| Blaby .. .. | 17,850 | 141 | 165 | 4 | 9 | 319 | 17·9 | 94 | 79 | 173 | 9·7 | 14 | 44 | 8·2 |
| Castle Donington | 6,332 | 51 | 62 | 3 | 3 | 119 | 18·8 | 32 | 35 | 67 | 10·6 | 2 | 17 | 8·2 |
| Hallaton .. | 1,748 | 10 | 16 | 1 | 1 | 28 | 16·0 | 6 | 11 | 17 | 9·7 | 1 | 36 | 6·3 |
| Hinckley .. | 15,090 | 165 | 133 | 6 | 3 | 307 | 20·3 | 81 | 73 | 154 | 10·2 | 19 | 62 | 10·1 |

† Death-rates based upon estimated civilian populations as follows:—Lancashire—Rural Districts, 245,749; Limehurst R.D. 9,317.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| LEICESTERSHIRE —*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| Loughborough | 4,546 | 41 | 34 | 1 | 1 | 77 | 16·9 | 33 | 27 | 60 | 13·2 | 3 | 39 | 3·7 |
| Lutterworth .. | 10,330 | 95 | 91 | 6 | 4 | 196 | 19·0 | 71 | 67 | 138 | 13·4 | 9 | 46 | 5·6 |
| Market Bosworth | 23,950 | 257 | 255 | 7 | 10 | 529 | 22·1 | 140 | 126 | 266 | 11·1 | 42 | 79 | 11·0 |
| Market Harboro' | 7,603 | 71 | 69 | 6 | 2 | 148 | 19·5 | 44 | 38 | 82 | 10·8 | 4 | 27 | 8·7 |
| Melton Mowbray | 14,650 | 127 | 139 | 8 | 6 | 280 | 19·1 | 80 | 78 | 158 | 10·8 | 18 | 64 | 8·3 |
| LINCOLNSHIRE: (Pts. of Holland) ADMINISTRATIVE COUNTY. | 86,660 | 885 | 896 | 56 | 61 | 1,898 | 21·9 | 529 | 490 | 1,019 | 11·8 | 121 | 64 | 10·1 |
| MUNICIPAL BORO' AND URBAN DISTRICTS. | 38,250 | 394 | 389 | 24 | 23 | 830 | 21·7 | 242 | 236 | 478 | 12·5 | 49 | 59 | 9·2 |
| Boston M.B. .. | 16,230 | 166 | 166 | 12 | 8 | 352 | 21·7 | 109 | 110 | 219 | 13·5 | 25 | 71 | 8·2 |
| Holbeach .. | 5,574 | 68 | 57 | 2 | 4 | 131 | 23·5 | 28 | 20 | 48 | 8·6 | 2 | 15 | 14·9 |
| Long Sutton .. | 3,286 | 28 | 31 | 4 | 4 | 67 | 20·4 | 23 | 17 | 40 | 12·2 | 7 | 104 | 8·2 |
| Spalding .. | 10,780 | 103 | 120 | 5 | 7 | 235 | 21·8 | 65 | 73 | 138 | 12·8 | 10 | 43 | 9·0 |
| Sutton Bridge | 2,380 | 29 | 15 | 1 | — | 45 | 18·9 | 17 | 16 | 33 | 13·9 | 5 | 111 | 5·0 |
| RURAL DISTRICTS. | 48,410 | 491 | 507 | 32 | 38 | 1,068 | 22·1 | 287 | 254 | 541 | 11·2 | 72 | 67 | 10·9 |
| Boston .. .. | 22,390 | 237 | 234 | 13 | 20 | 504 | 22·5 | 141 | 132 | 273 | 12·2 | 40 | 79 | 10·3 |
| Crowland .. | 2,770 | 27 | 27 | 5 | 2 | 61 | 22·0 | 17 | 11 | 28 | 10·1 | 3 | 49 | 11·9 |
| East Elloe .. | 9,730 | 101 | 105 | 4 | 5 | 215 | 22·1 | 53 | 46 | 99 | 10·2 | 12 | 56 | 11·9 |
| Spalding (pt.) ‡ | 13,520 | 126 | 141 | 10 | 11 | 288 | 21·3 | 76 | 65 | 141 | 10·4 | 17 | 59 | 10·9 |
| LINCOLNSHIRE: (Parts of Kesteven) ADMINISTRATIVE COUNTY. | 109,190 | 1,000 | 974 | 70 | 63 | 2,107 | 19·3 | 661 | 631 | 1,292 | 12·0† | 116 | 55 | 7·3 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 41,430 | 353 | 379 | 29 | 26 | 787 | 19·0 | 250 | 237 | 487 | 11·8 | 33 | 42 | 7·2 |
| Bourne .. .. | 4,310 | 39 | 43 | 3 | 3 | 88 | 20·4 | 25 | 19 | 44 | 10·2 | 3 | 34 | 10·2 |
| Grantham M.B. | 19,110 | 165 | 192 | 13 | 14 | 384 | 20·1 | 111 | 112 | 223 | 11·7 | 16 | 42 | 8·4 |
| Ruskington .. | 1,093 | 9 | 10 | — | — | 19 | 17·4 | 10 | 6 | 16 | 14·6 | 2 | 105 | 2·8 |
| Sleaford .. .. | 6,952 | 58 | 53 | 10 | 6 | 127 | 18·3 | 40 | 44 | 84 | 12·1 | 5 | 39 | 6·2 |
| Stamford M.B. | 9,965 | 82 | 81 | 3 | 3 | 169 | 17·0 | 64 | 56 | 120 | 12·0 | 7 | 41 | 5·0 |
| RURAL DISTRICTS. | 67,760 | 647 | 595 | 41 | 37 | 1,320 | 19·5 | 411 | 394 | 805 | 12·2† | 83 | 63 | 7·3 |
| Bourne .. .. | 12,700 | 130 | 121 | 6 | 11 | 268 | 21·1 | 96 | 81 | 177 | 13·9 | 16 | 60 | 7·2 |
| Branston.. .. | 13,950 | 111 | 106 | 7 | 3 | 227 | 16·3 | 69 | 78 | 147 | 10·5 | 17 | 75 | 5·8 |
| Claypole .. .. | 7,857 | 66 | 70 | 7 | 6 | 149 | 19·0 | 70 | 54 | 124 | 15·8 | 14 | 94 | 3·2 |
| Grantham .. | 12,100 | 135 | 115 | 7 | 8 | 265 | 21·9 | 78 | 68 | 146 | 12·1 | 17 | 64 | 9·8 |
| Sleaford .. .. | 19,080 | 186 | 155 | 13 | 8 | 362 | 19·0 | 92 | 107 | 199 | 11·6† | 17 | 47 | 7·4 |
| Spalding (pt.)§ | 638 | 10 | 4 | — | — | 14 | 21·9 | 3 | 2 | 5 | 7·8 | 2 | 143 | 14·1 |
| Uffington .. | 1,435 | 9 | 24 | 1 | 1 | 35 | 24·4 | 3 | 4 | 7 | 4·9 | — | — | 19·5 |
| LINCOLNSHIRE: (Pts. of Lindsey) COUNTY BORO'S. | 152,530 | 1,526 | 1,422 | 107 | 81 | 3,136 | 20·6 | 896 | 776 | 1,672 | 11·0 | 229 | 73 | 9·6 |
| Grimsby .. .. | 85,620 | 964 | 880 | 66 | 53 | 1,963 | 22·9 | 499 | 419 | 918 | 10·7 | 154 | 78 | 12·[illegible] |
| Lincoln .. .. | 66,910 | 562 | 542 | 41 | 28 | 1,173 | 17·5 | 397 | 357 | 754 | 11·3 | 75 | 64 | 6·[illegible] |
| ADMINISTRATIVE COUNTY. | 256,600 | 2,509 | 2,404 | 142 | 166 | 5,221 | 20·3 | 1,500 | 1,445 | 2,945 | 11·5 | 326 | 62 | 8·[illegible] |

† Death-rates based upon estimated civilian populations as follows:—Lincolnshire (Kesteven) Administrative County, 107,305; Rural Districts 65,875; Sleaford R.D., 17,195.

‡ The remainder of Spalding Rural District is in Lincolnshire (Kesteven).

§ The remainder of Spalding Rural District is in Lincolnshire (Holland).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| INCOLNSHIRE: (Pts. of Lindsey) —*cont.* | | | | | | | | | | | | | | |
| UNICIPAL BORO' AND URBAN DISTRICTS. | 119,351* | 1,205 | 1,120 | 58 | 78 | 2,461 | 20·6 | 688 | 648 | 1,336 | 11·2 | 157 | 64 | 9·4 |
| Alford .. .. | 2,192 | 17 | 14 | 1 | 1 | 33 | 15·1 | 13 | 15 | 28 | 12·8 | 1 | 30 | 2·3 |
| Barton-upon-Humber. | 6,521 | 63 | 59 | 5 | 2 | 129 | 19·8 | 35 | 37 | 72 | 11·0 | 11 | 85 | 8·8 |
| Brigg .. .. | 3,363 | 33 | 26 | 4 | 3 | 66 | 19·6 | 15 | 18 | 33 | 9·8 | 2 | 30 | 9·8 |
| Broughton§ .. | 1,332* | 18 | 17 | 1 | — | 36 | 27·0 | 10 | 4 | 14 | 10·5 | 2 | 56 | 16·5 |
| Cleethorpes .. | 28,200 | 276 | 277 | 11 | 21 | 585 | 20·7 | 136 | 113 | 249 | 8·8 | 34 | 58 | 11·9 |
| Crowle .. .. | 3,021 | 29 | 36 | 2 | 1 | 68 | 22·5 | 17 | 27 | 44 | 14·6 | 6 | 88 | 7·9 |
| Gainsborough.. | 19,800 | 185 | 169 | 6 | 15 | 375 | 18·9 | 115 | 125 | 240 | 12·1 | 21 | 56 | 6·8 |
| Horncastle .. | 3,421 | 27 | 27 | 4 | 7 | 65 | 19·0 | 29 | 28 | 57 | 16·7 | 5 | 77 | 2·3 |
| Louth M.B. .. | 9,554 | 98 | 76 | 4 | 4 | 182 | 19·0 | 71 | 69 | 140 | 14·7 | 10 | 55 | 4·3 |
| Mablethorpe .. | 2,037 | 10 | 6 | — | 1 | 17 | 8·3 | 10 | 6 | 16 | 7·9 | — | — | 0·4 |
| Market Rasen | 2,113 | 14 | 19 | — | 2 | 35 | 16·6 | 16 | 19 | 35 | 16·6 | 2 | 57 | — |
| Roxby-cum-Risby. | 632 | 8 | 6 | 2 | 1 | 17 | 26·9 | 1 | 7 | 8 | 12·7 | 2 | 118 | 14·2 |
| Scunthorpe and Frodingham. | 29,420 | 361 | 334 | 14 | 16 | 725 | 24·6 | 175 | 118 | 293 | 10·0 | 53 | 73 | 14·6 |
| Skegness .. | 4,571 | 36 | 32 | 1 | 2 | 71 | 15·5 | 24 | 31 | 55 | 12·0 | 3 | 42 | 3·5 |
| Winterton .. | 1,724 | 21 | 13 | 2 | — | 36 | 20·9 | 15 | 17 | 32 | 18·6 | 5 | 139 | 2·3 |
| Woodhall Spa | 1,450 | 9 | 9 | 1 | 2 | 21 | 14·5 | 6 | 14 | 20 | 13·8 | — | — | 0·7 |
| URAL DISTRICTS. | 137,249* | 1,304 | 1,284 | 84 | 88 | 2,760 | 20·1 | 812 | 797 | 1,609 | 11·7 | 169 | 61 | 8·4 |
| Caistor .. .. | 12,920 | 136 | 121 | 11 | 7 | 275 | 21·3 | 73 | 68 | 141 | 10·9 | 15 | 55 | 10·4 |
| Gainsborough.. | 14,340 | 120 | 131 | 10 | 5 | 266 | 18·5 | 75 | 72 | 147 | 10·3 | 16 | 60 | 8·2 |
| Glanford Brigg | 26,179* | 260 | 277 | 15 | 18 | 570 | 21·8 | 134 | 160 | 294 | 11·2 | 38 | 67 | 10·6 |
| Grimsby .. .. | 12,710 | 151 | 143 | 6 | 3 | 303 | 23·8 | 70 | 48 | 118 | 9·3 | 17 | 56 | 14·5 |
| Horncastle .. | 12,040 | 109 | 123 | 7 | 5 | 244 | 20·3 | 70 | 85 | 155 | 12·9 | 19 | 78 | 7·4 |
| Isle of Axholme | 6,852 | 54 | 63 | 6 | 6 | 129 | 18·8 | 40 | 33 | 73 | 10·7 | 5 | 39 | 8·1 |
| Louth .. .. | 17,250 | 158 | 145 | 4 | 20 | 327 | 19·0 | 118 | 108 | 226 | 13·1 | 19 | 58 | 5·9 |
| Sibsey .. .. | 3,048 | 28 | 20 | 3 | 5 | 56 | 18·4 | 27 | 9 | 36 | 11·8 | 3 | 54 | 6·6 |
| Spilsby .. .. | 21,050 | 198 | 168 | 11 | 12 | 389 | 18·5 | 141 | 149 | 290 | 13·8 | 30 | 77 | 4·7 |
| Welton .. .. | 10,860 | 90 | 93 | 11 | 7 | 201 | 18·5 | 64 | 65 | 129 | 11·9 | 7 | 35 | 6·6 |
| REATER LONDON‡ | 7625461 | 73,196 | 70,094 | 2,787 | 2,812 | 148,889 | 19·5 | 41,017 | 40,259 | 81,276 | 10·7† | 8,504 | 57 | 8·8 |
| ONDON: Administrative County, City and Inner and Middle Temples. | 4570109 | 44,995 | 42,976 | 1,854 | 1,837 | 91,662 | 20·1 | 26,467 | 25,524 | 51,991 | 11·4† | 5,615 | 61 | 8·7 |
| TY OF LONDON. | 13,480 | 49 | 55 | 5 | 2 | 111 | 8·2 | 88 | 69 | 157 | 11·6 | 9 | 81 | −3·4 |
| NER AND MIDDLE TEMPLES. | 292 | 3 | — | — | — | 3 | 10·3 | 1 | — | 1 | 3·4 | — | — | 6·9 |
| ETROPOLITAN BOROUGHS: | | | | | | | | | | | | | | |
| Battersea .. | 170,600 | 1,696 | 1,623 | 63 | 52 | 3,434 | 20·1 | 930 | 909 | 1,839 | 10·8 | 170 | 50 | 9·3 |
| Bermondsey .. | 121,700 | 1,558 | 1,406 | 27 | 29 | 3,020 | 24·8 | 770 | 711 | 1,481 | 12·2 | 220 | 73 | 12·6 |
| Bethnal Green | 118,700 | 1,425 | 1,390 | 34 | 31 | 2,880 | 24·3 | 728 | 621 | 1,349 | 11·4 | 201 | 70 | 12·9 |
| Camberwell .. | 272,300 | 2,810 | 2,712 | 72 | 63 | 5,657 | 20·8 | 1,527 | 1,490 | 3,017 | 11·1 | 320 | 57 | 9·7 |
| Chelsea .. .. | 64,480 | 492 | 455 | 38 | 30 | 1,015 | 15·7 | 417 | 392 | 809 | 12·5 | 57 | 56 | 3·2 |

* Population adjusted to allow for changes in boundary during the year.
† Death-rates based upon estimated civilian populations as follows:—Greater London, 7,616,229; London 4,564,109.
‡ See footnote on second page of Table 13.
§ Abolished 1st October, 1923.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| LONDON—*cont.* | | | | | | | | | | | | | | |
| METROPOLITAN BORO'S—*cont.* | | | | | | | | | | | | | | |
| Deptford .. | 114,900 | 1,177 | 1,194 | 33 | 24 | 2,428 | 21·1 | 671 | 601 | 1,272 | 11·1 | 143 | 59 | 10·0 |
| Finsbury .. | 77,230 | 954 | 831 | 34 | 26 | 1,845 | 23·9 | 571 | 451 | 1,022 | 13·2 | 112 | 61 | 10·7 |
| Fulham .. .. | 161,600 | 1,544 | 1,431 | 82 | 66 | 3,123 | 19·3 | 875 | 841 | 1,716 | 10·6 | 202 | 65 | 8·7 |
| Greenwich .. | 102,777 | 1,053 | 1,002 | 33 | 31 | 2,119 | 20·6 | 614 | 516 | 1,130 | 11·0 | 131 | 62 | 9·6 |
| Hackney .. .. | 226,400 | 2,229 | 2,114 | 44 | 46 | 4,433 | 19·6 | 1,212 | 1,220 | 2,432 | 10·7 | 260 | 59 | 8·9 |
| Hammersmith | 133,600 | 1,326 | 1,245 | 58 | 72 | 2,701 | 20·2 | 730 | 755 | 1,485 | 11·1 | 174 | 64 | 9·1 |
| Hampstead .. | 87,410 | 600 | 562 | 30 | 46 | 1,238 | 14·2 | 418 | 529 | 947 | 10·8 | 54 | 44 | 3·4 |
| Holborn .. .. | 43,376 | 71 | 276 | 24 | 24 | 595 | 13·7 | 292 | 234 | 526 | 12·1 | 47 | 79 | 1·6 |
| Islington .. | 336,600 | 3,363 | 3,475 | 124 | 155 | 7,117 | 21·1 | 1,984 | 1,953 | 3,937 | 11·7 | 476 | 67 | 9·4 |
| Kensington .. | 178,500 | 1,494 | 1,422 | 101 | 104 | 3,121 | 17·5 | 1,001 | 1,222 | 2,223 | 12·5 | 218 | 70 | 5·0 |
| Lambeth .. | 308,500 | 3,012 | 2,901 | 150 | 179 | 6,242 | 20·2 | 1,830 | 1,757 | 3,587 | 11·6 | 366 | 59 | 8·6 |
| Lewisham .. | 182,400 | 1,590 | 1,586 | 60 | 61 | 3,297 | 18·1 | 895 | 971 | 1,866 | 10·2 | 157 | 48 | 7·9 |
| Paddington .. | 146,200 | 1,230 | 1,174 | 119 | 94 | 2,617 | 17·9 | 821 | 902 | 1,723 | 11·8 | 181 | 69 | 6·1 |
| Poplar .. .. | 166,400 | 2,150 | 2,011 | 54 | 41 | 4,256 | 25·6 | 1,046 | 833 | 1,879 | 11·3 | 255 | 60 | 14·3 |
| St. Marylebone | 105,400 | 778 | 727 | 84 | 67 | 1,656 | 15·7 | 601 | 651 | 1,252 | 11·9 | 114 | 69 | 3·8 |
| St. Pancras .. | 214,400 | 2,135 | 1,983 | 128 | 120 | 4,366 | 20·4 | 1,387 | 1,211 | 2,598 | 12·1 | 273 | 63 | 8·3 |
| Shoreditch .. | 106,200 | 1,395 | 1,366 | 46 | 57 | 2,864 | 27·0 | 726 | 667 | 1,393 | 13·1 | 237 | 83 | 13·9 |
| Southwark .. | 187,464 | 2,326 | 2,050 | 94 | 88 | 4,558 | 24·3 | 1,333 | 1,103 | 2,436 | 13·0 | 318 | 70 | 11·3 |
| Stepney .. .. | 253,850 | 2,974 | 2,790 | 76 | 73 | 5,913 | 23·3 | 1,632 | 1,350 | 2,982 | 11·7 | 372 | 63 | 11·6 |
| Stoke Newington | 52,820 | 466 | 464 | 16 | 14 | 960 | 18·2 | 277 | 296 | 573 | 10·8 | 46 | 48 | 7·4 |
| Wandsworth .. | 336,100 | 2,647 | 2,605 | 105 | 117 | 5,474 | 16·3 | 1,610 | 1,861 | 3,471 | 10·3 | 295 | 54 | 6·0 |
| Westminster .. | 142,900 | 826 | 755 | 85 | 86 | 1,752 | 12·3 | 760 | 741 | 1,501 | 10·7† | 84 | 48 | 1·6 |
| Woolwich .. | 143,530 | 1,422 | 1,371 | 35 | 39 | 2,867 | 20·0 | 720 | 667 | 1,387 | 9·9† | 123 | 43 | 10·1 |
| MIDDLESEX. | | | | | | | | | | | | | | |
| Administrative County | 1278080 | 11,452 | 10,905 | 387 | 428 | 23,172 | 18·1 | 5,975 | 6,161 | 12,136 | 9·5† | 1198 | 52 | 8·6 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 1220200 | 10,929 | 10,412 | 369 | 397 | 22,107 | 18·1 | 5,705 | 5,902 | 11,607 | 9·5† | 1153 | 52 | 8·6 |
| Acton M.B. .. | 62,720 | 560 | 568 | 22 | 21 | 1,171 | 18·7 | 313 | 296 | 609 | 9·7 | 78 | 67 | 9·0 |
| Brentford .. | 17,520 | 191 | 215 | 7 | 8 | 421 | 24·0 | 100 | 94 | 194 | 11·1 | 27 | 64 | 12·9 |
| Chiswick .. | 40,880 | 359 | 332 | 15 | 18 | 724 | 17·7 | 218 | 253 | 471 | 11·5 | 41 | 57 | 6·2 |
| Ealing M.B. .. | 68,120 | 531 | 482 | 19 | 28 | 1,060 | 15·6 | 314 | 411 | 725 | 10·6 | 62 | 58 | 5·0 |
| Edmonton .. | 69,590 | 734 | 732 | 25 | 29 | 1,520 | 21·8 | 346 | 305 | 651 | 9·4 | 84 | 55 | 12·4 |
| Enfield .. .. | 62,380 | 541 | 552 | 26 | 16 | 1,135 | 18·2 | 287 | 266 | 553 | 8·9 | 62 | 55 | 9·3 |
| Feltham .. .. | 6,571 | 69 | 59 | 2 | 2 | 132 | 20·1 | 37 | 28 | 65 | 9·9 | 6 | 45 | 10·2 |
| Finchley .. | 47,020 | 359 | 349 | 13 | 17 | 738 | 15·7 | 191 | 236 | 427 | 9·1 | 28 | 38 | 6·6 |
| Friern Barnet | 17,810 | 138 | 146 | 3 | 7 | 294 | 16·5 | 80 | 68 | 148 | 8·3 | 13 | 44 | 8·2 |
| Greenford .. | 1,458 | 19 | 12 | 1 | 2 | 34 | 23·3 | 5 | 4 | 9 | 6·2 | 1 | 29 | 17·1 |
| Hampton .. | 10,720 | 83 | 79 | 1 | 3 | 166 | 15·5 | 65 | 52 | 117 | 10·9 | 3 | 18 | 4·6 |
| Hampton Wick | 3,137 | 18 | 13 | — | 2 | 33 | 10·5 | 11 | 20 | 31 | 9·9 | 3 | 91 | 0·6 |
| Hanwell .. .. | 20,850 | 168 | 151 | 5 | 2 | 326 | 15·6 | 86 | 106 | 192 | 9·2 | 18 | 55 | 6·4 |
| Harrow-on-the-Hill. | 19,640 | 143 | 141 | 1 | 4 | 289 | 14·7 | 85 | 114 | 199 | 10·1 | 11 | 38 | 4·6 |
| Hayes .. .. | 7,419 | 103 | 102 | 4 | 3 | 212 | 28·6 | 32 | 34 | 66 | 8·9 | 5 | 24 | 19·7 |
| Hendon .. .. | 56,690 | 476 | 418 | 14 | 17 | 925 | 16·3 | 233 | 216 | 449 | 7·9 | 43 | 46 | 8·4 |
| Heston and Isleworth. | 48,030 | 435 | 380 | 8 | 15 | 838 | 17·4 | 240 | 216 | 456 | 9·8† | 46 | 55 | 7·6 |
| Hornsey M.B. | 87,430 | 629 | 606 | 24 | 18 | 1,277 | 14·6 | 429 | 499 | 928 | 10·6 | 65 | 51 | 4·0 |
| Kingsbury .. | 1,971 | 18 | 24 | 1 | 2 | 45 | 22·8 | 15 | 6 | 21 | 10·7 | 2 | 44 | 12·1 |
| Ruislip Northwood. | 9,414 | 83 | 64 | 3 | 2 | 152 | 16·1 | 24 | 34 | 58 | 6·3† | 5 | 33 | 9·8 |
| Southall Norwood. | 31,360 | 250 | 265 | 15 | 7 | 537 | 17·1 | 127 | 119 | 246 | 7·8 | 19 | 35 | 9·3 |
| Southgate .. | 38,910 | 265 | 240 | 11 | 6 | 522 | 13·4 | 165 | 178 | 343 | 8·8 | 21 | 40 | 4·6 |
| Staines .. .. | 7,338 | 64 | 55 | 6 | 4 | 129 | 17·6 | 46 | 31 | 77 | 10·5 | 4 | 31 | 7·1 |

† Death-rates based upon estimated civilian populations as follows:—City of Westminster, 140,430; Woolwich Met. Boro', 140,000. Middlesex—Administrative County, 1,274,848; Municipal Boroughs and Urban Districts, 1,216,968; Heston and Isleworth U.D., 46,505. Ruislip Northwood U.D., 9,165.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| MIDDLESEX—*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTS.—*cont.* | | | | | | | | | | | | | | |
| Sunbury-on-Thames. | 5,570 | 68 | 62 | 3 | 4 | 137 | 24·6 | 28 | 30 | 58 | 10·4 | 9 | 66 | 14·2 |
| Teddington .. | 21,500 | 203 | 216 | 9 | 6 | 434 | 20·2 | 101 | 119 | 220 | 10·2 | 28 | 65 | 10·0 |
| Tottenham .. | 151,700 | 1,583 | 1,431 | 34 | 45 | 3,093 | 20·4 | 711 | 699 | 1,410 | 9·3 | 179 | 58 | 11·1 |
| Twickenham .. | 35,080 | 335 | 319 | 7 | 18 | 679 | 19·4 | 167 | 189 | 356 | 10·1 | 49 | 72 | 9·3 |
| Uxbridge .. | 13,200 | 121 | 120 | 7 | 4 | 252 | 19·1 | 57 | 76 | 133 | 11·3† | 12 | 48 | 7·8 |
| Wealdstone .. | 13,750 | 132 | 133 | 7 | 2 | 274 | 19·9 | 62 | 63 | 125 | 9·1 | 10 | 36 | 10·8 |
| Wembley .. | 16,910 | 161 | 161 | 1 | 4 | 327 | 19·3 | 66 | 61 | 127 | 7·5 | 12 | 37 | 11·8 |
| Willesden .. | 168,700 | 1,561 | 1,503 | 56 | 61 | 3,181 | 18·9 | 785 | 818 | 1,603 | 9·5 | 164 | 52 | 9·4 |
| Wood Green .. | 51,540 | 447 | 415 | 17 | 17 | 896 | 17·4 | 253 | 238 | 491 | 9·5 | 34 | 38 | 7·9 |
| Yiewsley .. | 5,272 | 82 | 67 | 2 | 3 | 154 | 29·2 | 26 | 23 | 49 | 9·3 | 9 | 58 | 19·9 |
| URAL DISTRICTS. | 57,880 | 523 | 493 | 18 | 31 | 1,065 | 18·4 | 270 | 259 | 529 | 9·1 | 45 | 42 | 9·3 |
| Hendon .. .. | 17,870 | 139 | 122 | 3 | 12 | 276 | 15·4 | 78 | 79 | 157 | 8·8 | 12 | 43 | 6·6 |
| South Mimms | 3,200 | 24 | 23 | — | 3 | 50 | 15·6 | 15 | 13 | 28 | 8·8 | — | — | 6·8 |
| Staines .. .. | 25,620 | 251 | 222 | 10 | 13 | 496 | 19·4 | 125 | 113 | 238 | 9·3 | 22 | 44 | 10·1 |
| Uxbridge .. | 11,190 | 109 | 126 | 5 | 3 | 243 | 21·7 | 52 | 54 | 106 | 9·5 | 11 | 45 | 12·2 |
| ORFOLK: | | | | | | | | | | | | | | |
| OUNTY BORO'S: | 180,840 | 1,665 | 1,629 | 96 | 98 | 3,488 | 19·3 | 980 | 1,121 | 2,101 | 11·6 | 220 | 63 | 7·7 |
| Great Yarmouth | 57,240 | 537 | 485 | 25 | 34 | 1,081 | 18·9 | 339 | 402 | 741 | 12·9 | 64 | 59 | 6·0 |
| Norwich .. .. | 123,600 | 1,128 | 1,144 | 71 | 64 | 2,407 | 19·5 | 641 | 719 | 1,360 | 11·0 | 156 | 65 | 8·5 |
| DMINISTRATIVE COUNTY. | 318,970 | 2,843 | 2,736 | 172 | 182 | 5,933 | 18·6 | 1,879 | 1,854 | 3,733 | 11·7 | 347 | 58 | 6·9 |
| UNICIPAL BORO'S AND URBAN DISTRICTS. | 61,070 | 510 | 539 | 23 | 39 | 1,111 | 18·2 | 389 | 397 | 786 | 12·9 | 69 | 62 | 5·3 |
| Cromer .. .. | 4,094 | 38 | 39 | — | — | 77 | 18·8 | 16 | 18 | 34 | 8·3 | 3 | 39 | 10·5 |
| Diss .. .. | 3,521 | 31 | 31 | — | 2 | 64 | 18·2 | 23 | 31 | 54 | 15·3 | 3 | 47 | 2·9 |
| DownhamMarket | 2,327 | 31 | 16 | 3 | 1 | 51 | 21·9 | 20 | 26 | 46 | 19·8 | 3 | 59 | 2·1 |
| East Dereham | 5,692 | 52 | 51 | 3 | 7 | 113 | 19·9 | 34 | 35 | 69 | 12·1 | 7 | 62 | 7·8 |
| King's LynnM.B. | 20,180 | 179 | 179 | 6 | 16 | 380 | 18·8 | 146 | 129 | 275 | 13·6 | 39 | 103 | 5·2 |
| New Hunstanton | 3,044 | 7 | 14 | 1 | — | 22 | 7·2 | 13 | 11 | 24 | 7·9 | — | — | −0·7 |
| North Walsham | 4,228 | 33 | 43 | 3 | 2 | 81 | 19·2 | 19 | 27 | 46 | 10·9 | 3 | 37 | 8·3 |
| Sheringham .. | 3,716 | 26 | 28 | 2 | — | 56 | 15·1 | 21 | 26 | 47 | 12·6 | 2 | 36 | 2·5 |
| Swaffham .. | 2,879 | 23 | 19 | — | — | 42 | 14·6 | 16 | 21 | 37 | 12·9 | 1 | 24 | 1·7 |
| Thetford M.B. | 4,751 | 32 | 43 | — | 3 | 78 | 16·4 | 28 | 23 | 51 | 10·7 | 4 | 51 | 5·7 |
| Walsoken .. | 3,991 | 34 | 53 | 2 | 5 | 94 | 23·6 | 33 | 32 | 65 | 16·3 | 2 | 21 | 7·3 |
| Wells .. .. | 2,647 | 24 | 23 | 3 | 3 | 53 | 20·0 | 20 | 18 | 38 | 14·4 | 2 | 38 | 5·6 |
| RAL DISTRICTS. | 257,900 | 2,333 | 2,197 | 149 | 143 | 4,822 | 18·7 | 1,490 | 1,457 | 2,947 | 11·4 | 278 | 58 | 7·3 |
| ylsham .. | 16,600 | 141 | 151 | 5 | 16 | 313 | 18·9 | 99 | 99 | 198 | 11·9 | 15 | 48 | 7·0 |
| lofield .. .. | 12,490 | 106 | 100 | 11 | 10 | 227 | 18·2 | 56 | 52 | 108 | 8·6 | 9 | 40 | 9·6 |
| epwade.. .. | 19,090 | 173 | 156 | 11 | 11 | 351 | 18·4 | 114 | 119 | 233 | 12·2 | 20 | 57 | 6·2 |
| ocking .. .. | 16,800 | 143 | 151 | 19 | 12 | 325 | 19·3 | 114 | 124 | 238 | 14·2 | 23 | 71 | 5·1 |
| own ham .. | 14,840 | 147 | 134 | 9 | 14 | 304 | 20·5 | 93 | 71 | 164 | 11·1 | 16 | 53 | 9·4 |
| ast and West Flegg. | 10,350 | 105 | 75 | 4 | 4 | 188 | 18·2 | 54 | 47 | 101 | 9·8 | 16 | 85 | 8·4 |
| rpingham .. | 17,440 | 136 | 126 | 8 | 9 | 279 | 16·0 | 78 | 92 | 170 | 9·7 | 13 | 47 | 6·3 |
| orehoe .. .. | 11,620 | 113 | 98 | 8 | 5 | 224 | 19·3 | 74 | 72 | 146 | 12·6 | 15 | 67 | 6·7 |
| reebridge Lynn | 11,820 | 94 | 93 | 5 | 4 | 196 | 16·6 | 77 | 71 | 148 | 12·5 | 11 | 56 | 4·1 |
| enstead .. | 10,030 | 89 | 85 | 5 | 5 | 184 | 18·3 | 62 | 63 | 125 | 12·5 | 10 | 54 | 5·8 |

† Death-rate based upon estimated civilian population as follows :—Uxbridge U.D., 11,742.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| Area. | Estimated Population (Middle 1923). | Births. Legitimate. M. | Births. Legitimate. F. | Births. Illegitimate. M. | Births. Illegitimate. F. | Births. Total. | Births. Crude Rate per 1,000. Total Population. | Deaths. M. | Deaths. F. | Deaths. Total. | Deaths. Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Deaths under 1 year. Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| NORFOLK—*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| King's Lynn .. | 896 | 5 | 8 | — | — | 13 | 14·5 | 2 | 2 | 4 | 4·5 | — | — | 10·0 |
| Loddon and Clavering | 12,280 | 121 | 114 | 8 | 4 | 247 | 20·1 | 71 | 78 | 149 | 12·1 | 13 | 53 | 8·0 |
| Marshland .. | 14,290 | 162 | 143 | 1 | 9 | 315 | 22·0 | 64 | 86 | 150 | 10·5 | 23 | 73 | 11·5 |
| Mitford and Launditch. | 18,040 | 140 | 146 | 12 | 8 | 306 | 17·0 | 109 | 105 | 214 | 11·9 | 16 | 52 | 5·1 |
| St. Faith's .. | 11,230 | 103 | 100 | 4 | 1 | 208 | 18·5 | 61 | 52 | 113 | 10·1 | 10 | 48 | 8·4 |
| Smallburgh .. | 13,930 | 137 | 111 | 9 | 7 | 264 | 19·0 | 95 | 98 | 193 | 13·9 | 13 | 49 | 5·1 |
| Swaffham .. | 7,257 | 65 | 72 | 5 | 2 | 144 | 19·8 | 35 | 34 | 69 | 9·5 | 8 | 56 | 10·3 |
| Thetford .. | 9,487 | 101 | 96 | 6 | 7 | 210 | 22·1 | 49 | 50 | 99 | 10·4 | 16 | 76 | 11·7 |
| Walsingham .. | 16,250 | 143 | 118 | 13 | 9 | 283 | 17·4 | 88 | 72 | 160 | 9·8 | 15 | 53 | 7·6 |
| Wayland .. | 13,160 | 109 | 120 | 6 | 6 | 241 | 18·3 | 95 | 70 | 165 | 12·5 | 16 | 66 | 5·8 |
| NORTHAMPTONSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Northampton | 93,230 | 768 | 838 | 29 | 27 | 1,662 | 17·8 | 534 | 559 | 1,093 | 11·7 | 95 | 57 | 6·1 |
| ADMINISTRATIVE COUNTY. | 214,820 | 1,830 | 1,714 | 79 | 63 | 3,686 | 17·2 | 1,236 | 1,239 | 2,475 | 11·5† | 225 | 61 | 5·7 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 98,796* | 813 | 765 | 32 | 32 | 1,642 | 16·6 | 536 | 546 | 1,082 | 11·0 | 117 | 71 | 5·6 |
| Brackley M.B. | 2,353 | 19 | 20 | — | 2 | 41 | 17·4 | 18 | 24 | 42 | 17·8 | 5 | 122 | −0·4 |
| Burton Latimer§ | 876* | 3 | 11 | — | — | 14 | 16·0 | 4 | 8 | 12 | 13·7 | 1 | 71 | 2·3 |
| Daventry M.B. | 3,515 | 34 | 22 | — | 1 | 57 | 16·2 | 27 | 23 | 50 | 14·2 | 5 | 88 | 2·0 |
| Desborough .. | 4,259 | 30 | 25 | 1 | 2 | 58 | 13·6 | 16 | 17 | 33 | 7·7 | 2 | 34 | 5·9 |
| Finedon .. .. | 4,120 | 43 | 37 | 2 | 4 | 86 | 20·9 | 21 | 23 | 44 | 10·7 | 11 | 128 | 10·2 |
| Higham Ferrers M.B. | 2,944 | 28 | 25 | — | 1 | 54 | 18·3 | 14 | 22 | 36 | 12·2 | 2 | 37 | 6·1 |
| Irthlingborough | 4,956 | 32 | 33 | 3 | 1 | 69 | 13·9 | 22 | 28 | 50 | 10·1 | 6 | 87 | 3·8 |
| Kettering .. | 30,340 | 270 | 221 | 13 | 11 | 515 | 17·0 | 183 | 171 | 354 | 11·7 | 44 | 85 | 5·3 |
| Oundle .. .. | 2,672 | 11 | 13 | — | — | 24 | 9·0 | 17 | 13 | 30 | 11·2 | 2 | 83 | −2·2 |
| Raunds .. | 3,822 | 22 | 30 | — | 1 | 53 | 13·9 | 21 | 25 | 46 | 12·0 | 7 | 132 | 1·9 |
| Rothwell .. | 4,439 | 33 | 36 | 2 | — | 71 | 16·0 | 17 | 19 | 36 | 8·1 | 2 | 28 | 7·9 |
| Rushden .. | 13,790 | 122 | 116 | 4 | 1 | 243 | 17·6 | 65 | 66 | 131 | 9·5 | 12 | 49 | 8·1 |
| Wellingborough | 20,710 | 166 | 176 | 7 | 8 | 357 | 17·2 | 111 | 107 | 218 | 10·5 | 18 | 50 | 6·7 |
| RURAL DISTRICTS: | 116,024* | 1,017 | 949 | 47 | 31 | 2,044 | 17·6 | 700 | 693 | 1,393 | 12·1† | 108 | 53 | 5·5 |
| Brackley .. | 6,585 | 54 | 56 | 3 | 2 | 115 | 17·5 | 51 | 38 | 89 | 13·5 | 6 | 52 | 4·0 |
| Brixworth .. | 11,790 | 101 | 97 | 3 | 2 | 203 | 17·2 | 65 | 56 | 121 | 10·3 | 7 | 34 | 6·9 |
| Crick .. .. | 2,405 | 22 | 18 | 1 | — | 41 | 17·0 | 13 | 24 | 37 | 15·4 | 1 | 24 | 1·6 |
| Daventry .. | 14,300 | 161 | 123 | 9 | 7 | 300 | 21·0 | 82 | 93 | 175 | 12·7† | 12 | 40 | 8·3 |
| Easton-on-the-Hill. | 1,424 | 13 | 19 | — | 1 | 33 | 23·2 | 7 | 11 | 18 | 12·6 | 1 | 30 | 10·6 |
| Gretton .. .. | 1,402 | 20 | 7 | — | 1 | 28 | 20·0 | 10 | 8 | 18 | 12·8 | — | — | 7·2 |
| Hardingstone | 7,643 | 53 | 55 | 6 | 3 | 117 | 15·3 | 47 | 41 | 88 | 11·5 | 7 | 60 | 3·8 |
| Kettering .. | 11,964* | 94 | 97 | 4 | 2 | 197 | 16·5 | 59 | 78 | 137 | 11·5 | 12 | 61 | 5·0 |
| MiddletonCheney | 2,513 | 18 | 22 | 3 | 3 | 46 | 18·3 | 14 | 21 | 35 | 13·9 | 4 | 87 | 4·4 |
| Northampton | 7,666 | 73 | 65 | 1 | 2 | 141 | 18·4 | 30 | 44 | 74 | 9·7 | 9 | 64 | 8·7 |
| Oundle (part of)‡ | 6,550 | 61 | 50 | 2 | 3 | 116 | 17·7 | 56 | 43 | 99 | 15·1 | 6 | 52 | 2·6 |
| Oxenden .. | 4,010 | 34 | 30 | 1 | — | 65 | 16·2 | 31 | 26 | 57 | 14·2 | 3 | 46 | 2·0 |
| Potterspury .. | 4,748 | 28 | 44 | 2 | — | 74 | 15·6 | 26 | 38 | 64 | 13·5 | 6 | 81 | 2·1 |
| Thrapston (part of)‡. | 10,450 | 91 | 83 | 4 | 1 | 179 | 17·1 | 56 | 61 | 117 | 11·2 | 8 | 45 | 5·9 |
| Towcester .. | 9,944 | 89 | 75 | 5 | 2 | 171 | 17·2 | 66 | 54 | 120 | 12·1 | 9 | 53 | 5·1 |
| Wellingborough | 12,630 | 105 | 108 | 3 | 2 | 218 | 17·3 | 87 | 57 | 144 | 11·4 | 17 | 78 | 5·9 |

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Administrative County, 214,331; Rural Districts, 115,535*; Daventry R.D., 13,811.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire.

§ Created on 1st October, 1923.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| NORTHUMBERLAND: | | | | | | | | | | | | | | |
| COUNTY BORO's. | 349,130 | 3,867 | 3,764 | 168 | 141 | 7,940 | 22·7 | 2,427 | 2,097 | 4,524 | 13·0 | 766 | 96 | 9·7 |
| Newcastle-upon-Tyne. | 283,800 | 3,106 | 3,017 | 132 | 112 | 6,367 | 22·4 | 2,005 | 1,681 | 3,686 | 13·0 | 626 | 98 | 9·4 |
| Tynemouth .. | 65,330 | 761 | 747 | 36 | 29 | 1,573 | 24·1 | 422 | 416 | 838 | 12·8 | 140 | 89 | 11·3 |
| ADMINISTRATIVE COUNTY. | 405,900 | 4,500 | 4,262 | 194 | 202 | 9,158 | 22·6 | 2,394 | 2,205 | 4,599 | 11·3 | 700 | 76 | 11·3 |
| MUNICIPAL BORO's AND URBAN DISTRICTS. | 301,700 | 3,612 | 3,403 | 132 | 144 | 7,291 | 24·2 | 1,823 | 1,627 | 3,450 | 11·4 | 582 | 80 | 12·8 |
| Alnwick .. .. | 7,051 | 61 | 66 | 3 | 4 | 134 | 19·0 | 40 | 48 | 88 | 12·5 | 6 | 45 | 6·5 |
| Amble .. .. | 4,801 | 54 | 59 | 1 | 1 | 115 | 24·0 | 29 | 27 | 56 | 11·7 | 4 | 35 | 12·3 |
| Ashington .. | 30,910 | 466 | 396 | 11 | 16 | 889 | 28·8 | 202 | 137 | 339 | 11·0 | 80 | 90 | 17·8 |
| Bedlingtonshire | 27,750 | 360 | 305 | 18 | 19 | 702 | 25·3 | 177 | 136 | 313 | 11·3 | 60 | 85 | 14·0 |
| Berwick-upon-Tweed M.B. | 12,500 | 133 | 127 | 7 | 7 | 274 | 21·9 | 62 | 82 | 144 | 11·5 | 18 | 66 | 10·4 |
| Blyth M.B. .. | 32,950 | 412 | 421 | 9 | 23 | 865 | 26·3 | 214 | 206 | 420 | 12·7 | 87 | 101 | 13·6 |
| Cramlington .. | 8,930 | 128 | 125 | 4 | 8 | 265 | 29·7 | 58 | 38 | 96 | 10·8 | 14 | 53 | 18·9 |
| Earsdon .. .. | 11,720 | 135 | 134 | 4 | 5 | 278 | 23·7 | 64 | 62 | 126 | 10·8 | 23 | 83 | 12·9 |
| Gosforth .. | 15,670 | 119 | 104 | 7 | 4 | 234 | 14·9 | 91 | 69 | 160 | 10·2 | 12 | 51 | 4·7 |
| Hexham .. .. | 8,567 | 89 | 97 | 7 | 8 | 201 | 23·5 | 58 | 57 | 115 | 13·4 | 16 | 80 | 10·1 |
| Longbenton .. | 14,180 | 146 | 155 | 3 | 3 | 307 | 21·7 | 98 | 70 | 168 | 11·8 | 26 | 85 | 9·9 |
| Morpeth M.B. | 7,732 | 80 | 106 | 6 | 8 | 200 | 25·9 | 51 | 45 | 96 | 12·4 | 14 | 70 | 13·5 |
| Newbiggin by the Sea | 6,681 | 91 | 77 | 6 | 3 | 177 | 26·5 | 40 | 38 | 78 | 11·7 | 17 | 96 | 14·8 |
| Newburn.. .. | 19,840 | 252 | 218 | 4 | 7 | 481 | 24·2 | 125 | 93 | 218 | 11·0 | 33 | 69 | 13·2 |
| Prudhoe .. .. | 9,187 | 106 | 104 | 7 | 3 | 220 | 23·9 | 40 | 37 | 77 | 8·4 | 18 | 82 | 15·5 |
| Rothbury .. | 1,197 | 10 | 9 | — | — | 19 | 15·9 | 9 | 7 | 16 | 13·4 | — | — | 2·5 |
| Seaton Delaval | 8,072 | 78 | 89 | 5 | 1 | 173 | 21·4 | 45 | 55 | 100 | 12·4 | 14 | 81 | 9·0 |
| Seghill .. .. | 2,056 | 29 | 25 | — | 3 | 57 | 27·7 | 15 | 10 | 25 | 12·2 | 3 | 53 | 15·5 |
| Wallsend M.B. | 45,030 | 603 | 570 | 23 | 15 | 1,211 | 26·9 | 256 | 254 | 510 | 11·3 | 96 | 79 | 15·6 |
| Weetslade .. | 7,216 | 107 | 93 | 2 | 2 | 204 | 28·3 | 48 | 51 | 99 | 13·7 | 21 | 103 | 14·6 |
| Whitley and Monkseaton | 19,660 | 153 | 123 | 5 | 4 | 285 | 14·5 | 101 | 105 | 206 | 10·5 | 20 | 70 | 4·0 |
| RURAL DISTRICTS | 104,200 | 888 | 859 | 62 | 58 | 1,867 | 17·9 | 571 | 578 | 1,149 | 11·0 | 118 | 63 | 6·9 |
| Alnwick .. .. | 12,530 | 106 | 110 | 7 | 9 | 232 | 18·5 | 70 | 77 | 147 | 11·7 | 13 | 56 | 6·8 |
| Belford .. .. | 4,950 | 43 | 31 | 1 | 2 | 77 | 15·6 | 32 | 31 | 63 | 12·7 | 4 | 52 | 2·9 |
| Bellingham .. | 5,687 | 53 | 57 | 4 | 4 | 118 | 20·7 | 36 | 32 | 68 | 12·0 | 7 | 59 | 8·7 |
| Castle Ward .. | 12,860 | 110 | 96 | 8 | 2 | 216 | 16·8 | 54 | 51 | 105 | 8·2 | 15 | 69 | 8·6 |
| Glendale .. | 8,124 | 57 | 55 | 6 | 5 | 123 | 15·1 | 50 | 61 | 111 | 13·7 | 11 | 89 | 1·4 |
| Haltwhistle .. | 9,403 | 92 | 86 | 5 | 8 | 191 | 20·3 | 55 | 55 | 110 | 11·7 | 9 | 47 | 8·6 |
| Hexham .. .. | 22,160 | 177 | 182 | 17 | 18 | 394 | 17·8 | 133 | 124 | 257 | 11·6 | 31 | 79 | 6·2 |
| Morpeth .. .. | 18,270 | 168 | 181 | 8 | 7 | 364 | 19·9 | 94 | 95 | 189 | 10·3 | 22 | 60 | 9·6 |
| Newcastle-upon-Tyne (Moot Hall and precincts) | 6 | 1 | — | — | — | 1 | 166·7 | — | — | — | — | — | — | 166·7 |
| Norham and Islandshires | 5,396 | 46 | 33 | 1 | 1 | 81 | 15·0 | 27 | 29 | 56 | 10·4 | 4 | 49 | 4·6 |
| Rothbury .. | 4,814 | 35 | 28 | 5 | 2 | 70 | 14·5 | 20 | 23 | 43 | 8·9 | 2 | 29 | 5·6 |
| NOTTINGHAMSHIRE | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Nottingham .. | 269,300 | 2,607 | 2,440 | 182 | 167 | 5,396 | 20·0 | 1,667 | 1,625 | 3,292 | 12·2 | 466 | 86 | 7·8 |
| ADMINISTRATIVE COUNTY. | 388,600 | 3,908 | 3,779 | 178 | 158 | 8,023 | 20·6 | 2,191 | 2,069 | 4,260 | 11·0† | 619 | 77 | 9·6 |

† Death-rate based upon estimated civilian population as follows :—Nottinghamshire Administrative County, 388,019.

TABLE 14.—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| Area. | Estimated Population (Middle 1923). | Births. Legitimate. M. | Births. Legitimate. F. | Births. Illegitimate. M. | Births. Illegitimate. F. | Births. Total. | Births. Crude Rate per 1,000. Total Population. | Deaths. M. | Deaths. F. | Deaths. Total. | Deaths. Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Deaths under 1 year. Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| NOTTINGHAMSHIRE—*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 250,900 | 2,612 | 2,524 | 124 | 112 | 5,372 | 21·4 | 1,382 | 1,333 | 2,715 | 10·8 | 443 | 82 | 10·6 |
| Arnold .. .. | 12,090 | 127 | 129 | 2 | 3 | 261 | 21·6 | 82 | 64 | 146 | 12·1 | 20 | 77 | 9·5 |
| Beeston .. .. | 12,820 | 106 | 105 | 14 | 5 | 230 | 17·9 | 53 | 60 | 113 | 8·8 | 13 | 57 | 9·1 |
| Carlton .. .. | 19,120 | 195 | 209 | 12 | 7 | 423 | 22·1 | 75 | 102 | 177 | 9·3 | 17 | 40 | 12·8 |
| East Retford M.B. | 13,420 | 141 | 128 | 12 | 12 | 293 | 21·8 | 83 | 88 | 171 | 12·7 | 31 | 106 | 9·1 |
| Eastwood .. | 5,334 | 68 | 47 | 4 | 3 | 122 | 22·9 | 33 | 31 | 64 | 12·0 | 10 | 82 | 10·9 |
| Hucknall.. .. | 17,510 | 192 | 195 | 7 | 7 | 401 | 22·9 | 95 | 107 | 202 | 11·5 | 36 | 90 | 11·4 |
| Huthwaite .. | 5,641 | 63 | 58 | 2 | 6 | 129 | 22·9 | 30 | 29 | 59 | 10·5 | 14 | 109 | 12·4 |
| Kirkby-in-Ashfield. | 18,220 | 189 | 169 | 7 | 9 | 374 | 20·5 | 90 | 97 | 187 | 10·3 | 31 | 83 | 10·2 |
| Mansfield M.B. | 46,270 | 485 | 490 | 16 | 21 | 1,012 | 21·9 | 255 | 237 | 492 | 10·6 | 94 | 93 | 11·3 |
| Mansfield Woodhouse. | 14,070 | 185 | 162 | 8 | 5 | 360 | 25·6 | 66 | 78 | 144 | 10·2 | 34 | 94 | 15·4 |
| Newark M.B. | 17,000 | 153 | 141 | 11 | 4 | 309 | 18·2 | 128 | 94 | 222 | 13·1 | 33 | 107 | 5·1 |
| Sutton-in-Ashfield. | 24,800 | 271 | 271 | 12 | 14 | 568 | 22·9 | 155 | 122 | 277 | 11·2 | 54 | 95 | 11·7 |
| Warsop .. .. | 7,595 | 88 | 82 | 4 | 1 | 175 | 23·0 | 30 | 31 | 61 | 8·0 | 7 | 40 | 15·0 |
| West Bridgford | 13,210 | 65 | 56 | 3 | 2 | 126 | 9·5 | 59 | 70 | 129 | 9·8 | 4 | 32 | −0·3 |
| Worksop .. | 23,800 | 284 | 282 | 10 | 13 | 589 | 24·7 | 148 | 123 | 271 | 11·4 | 45 | 76 | 13·3 |
| RURAL DISTRICTS: | 137,700 | 1,296 | 1,255 | 54 | 46 | 2,651 | 19·3 | 809 | 736 | 1,545 | 11·3† | 176 | 66 | 8·0 |
| Basford .. .. | 44,410 | 398 | 401 | 13 | 11 | 823 | 18·5 | 257 | 222 | 479 | 10·8 | 64 | 78 | 7·7 |
| Bingham .. | 14,470 | 134 | 107 | 5 | 8 | 254 | 17·6 | 91 | 78 | 169 | 11·7 | 17 | 67 | 5·9 |
| Blyth and Cuckney. | 5,238 | 47 | 70 | — | 1 | 118 | 22·5 | 43 | 21 | 64 | 12·2 | 8 | 68 | 10·3 |
| East Retford .. | 14,710 | 136 | 133 | 8 | 7 | 284 | 19·3 | 78 | 85 | 163 | 11·1 | 9 | 32 | 8·2 |
| Leake .. .. | 3,717 | 35 | 28 | 2 | 1 | 66 | 17·8 | 17 | 9 | 26 | 7·0 | 1 | 15 | 10·8 |
| Misterton .. | 4,164 | 39 | 43 | — | 3 | 85 | 20·4 | 28 | 14 | 42 | 10·1 | 3 | 35 | 10·3 |
| Newark .. .. | 8,912 | 104 | 84 | 6 | 3 | 197 | 22·1 | 66 | 67 | 133 | 14·9 | 15 | 76 | 7·2 |
| Nottingham (Shire Hall) | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Skegby .. .. | 9,516 | 103 | 114 | 4 | 3 | 224 | 23·5 | 55 | 41 | 96 | 10·1 | 25 | 112 | 13·4 |
| Southwell .. | 20,130 | 184 | 164 | 11 | 8 | 367 | 18·2 | 110 | 135 | 245 | 12·2 | 13 | 35 | 6·0 |
| Stapleford .. | 12,030 | 113 | 108 | 5 | 1 | 227 | 18·9 | 63 | 63 | 126 | 11·0† | 20 | 88 | 7·9 |
| Civil Parishes of Kingston upon Soar and Ratcliffe upon Soar administered by R.D.C. of Shardlow (Derbyshire). | 397 | 3 | 3 | — | — | 6 | 15·1 | 1 | 1 | 2 | 5·0 | 1 | 167 | 10·1 |
| OXFORDSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Oxford .. .. | 56,920 | 432 | 404 | 19 | 21 | 876 | 15·4 | 284 | 310 | 594 | 10·4 | 39 | 45 | 5·0 |
| ADMINISTRATIVE COUNTY. | 133,180 | 1,174 | 1,122 | 70 | 67 | 2,433 | 18·3 | 812 | 829 | 1,641 | 12·3 | 119 | 49 | 6·0 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 35,550 | 287 | 304 | 16 | 16 | 623 | 17·5 | 222 | 229 | 451 | 12·7 | 28 | 45 | 4·8 |
| Banbury M.B. | 13,630 | 108 | 124 | 3 | 4 | 239 | 17·5 | 74 | 110 | 184 | 13·5 | 10 | 42 | 4·0 |
| Bicester .. .. | 3,014 | 29 | 29 | 4 | 2 | 64 | 21·2 | 30 | 22 | 52 | 17·3 | 6 | 94 | 3·9 |
| Chipping Norton M.B. | 3,509 | 34 | 27 | 3 | — | 64 | 18·2 | 23 | 19 | 42 | 12·0 | 5 | 78 | 6·2 |

† Death-rates based upon estimated civilian populations as follows:—Nottinghamshire, Rural Districts 137,119; Stapleford R.D. 11,449.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| OXFORDSHIRE —*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Henley-on-Thames M.B. | 6,568 | 49 | 62 | 3 | 7 | 121 | 18·4 | 41 | 27 | 68 | 10·4 | 2 | 17 | 8·0 |
| Thame .. .. | 2,923 | 21 | 22 | 2 | — | 45 | 15·4 | 17 | 18 | 35 | 12·0 | 1 | 22 | 3·4 |
| Wheatley .. | 921 | 3 | 5 | — | — | 8 | 8·7 | 5 | 6 | 11 | 11·9 | — | — | −3·2 |
| Witney .. .. | 3,437 | 24 | 19 | — | 2 | 45 | 13·1 | 23 | 17 | 40 | 11·6 | 2 | 44 | 1·5 |
| Woodstock M.B. | 1,548 | 19 | 16 | 1 | 1 | 37 | 23·9 | 9 | 10 | 19 | 12·3 | 2 | 54 | 11·6 |
| RURAL DISTRICTS. | 97,630 | 887 | 818 | 54 | 51 | 1,810 | 18·5 | 590 | 600 | 1,190 | 12·2 | 91 | 50 | 6·3 |
| Banbury .. | 11,250 | 111 | 87 | 7 | 5 | 210 | 18·7 | 77 | 80 | 157 | 14·0 | 14 | 67 | 4·7 |
| Bicester .. .. | 8,662 | 81 | 81 | 7 | 1 | 170 | 19·6 | 56 | 49 | 105 | 12·1 | 7 | 41 | 7·5 |
| Chipping Norton | 10,340 | 89 | 83 | 9 | 4 | 185 | 17·9 | 64 | 66 | 130 | 12·6 | 15 | 81 | 5·3 |
| Crowmarsh .. | 5,055 | 56 | 43 | 1 | 3 | 103 | 20·4 | 24 | 34 | 58 | 11·5 | 4 | 39 | 8·9 |
| Culham .. .. | 2,511 | 16 | 19 | — | — | 35 | 13·9 | 16 | 15 | 31 | 12·3 | 3 | 86 | 1·6 |
| Goring .. .. | 3,211 | 26 | 18 | 1 | 1 | 46 | 14·3 | 20 | 29 | 49 | 15·3 | 1 | 22 | −1·0 |
| Headington .. | 14,230 | 152 | 139 | 9 | 12 | 312 | 21·9 | 74 | 59 | 133 | 9·3 | 10 | 32 | 12·6 |
| Henley .. .. | 10,700 | 83 | 86 | 5 | 5 | 179 | 16·7 | 59 | 57 | 116 | 10·8 | 7 | 39 | 5·9 |
| Thame .. .. | 5,101 | 48 | 43 | 2 | 10 | 103 | 20·2 | 33 | 34 | 67 | 13·1 | 3 | 29 | 7·1 |
| Witney .. .. | 16,190 | 138 | 136 | 9 | 3 | 286 | 17·7 | 103 | 114 | 217 | 13·4 | 18 | 63 | 4·3 |
| Woodstock .. | 10,380 | 87 | 83 | 4 | 7 | 181 | 17·4 | 64 | 63 | 127 | 12·2 | 9 | 50 | 5·2 |
| PETERBOROUGH SOKE OF: Administrative County. | 47,930 | 431 | 393 | 16 | 18 | 858 | 17·9 | 273 | 229 | 502 | 10·5 | 38 | 44 | 7·4 |
| MUNICIPAL BORO': Peterborough M.B. | 36,200 | 310 | 281 | 11 | 11 | 613 | 16·9 | 211 | 171 | 382 | 10·6 | 29 | 47 | 6·3 |
| RURAL DISTRICTS. | 11,730 | 121 | 112 | 5 | 7 | 245 | 20·9 | 62 | 58 | 120 | 10·2 | 9 | 37 | 10·7 |
| Barnack .. .. | 1,933 | 16 | 17 | 1 | 1 | 35 | 18·1 | 12 | 10 | 22 | 11·4 | — | — | 6·7 |
| Peterborough | 9,797 | 105 | 95 | 4 | 6 | 210 | 21·4 | 50 | 48 | 98 | 10·0 | 9 | 43 | 11·4 |
| RUTLANDSHIRE: Administrative County. | 18,382 | 141 | 148 | 10 | 7 | 306 | 16·6 | 115 | 94 | 209 | 11·4 | 17 | 56 | 5·2 |
| URBAN DISTRICT: Oakham .. .. | 3,312 | 24 | 24 | 2 | — | 50 | 15·1 | 21 | 14 | 35 | 10·6 | 3 | 60 | 4·5 |
| RURAL DISTRICTS. | 15,070 | 117 | 124 | 8 | 7 | 256 | 17·0 | 94 | 80 | 174 | 11·5 | 14 | 55 | 5·5 |
| Ketton .. .. | 2,874 | 23 | 20 | 2 | 1 | 46 | 16·0 | 11 | 10 | 21 | 7·3 | 2 | 43 | 8·7 |
| Oakham .. .. | 6,016 | 51 | 60 | 4 | 4 | 119 | 19·8 | 42 | 39 | 81 | 13·5 | 6 | 50 | 6·3 |
| Uppingham .. | 6,180 | 43 | 44 | 2 | 2 | 91 | 14·7 | 41 | 31 | 72 | 11·7 | 6 | 66 | 3·0 |
| SHROPSHIRE: Administrative County. | 245,600 | 2,283 | 2,297 | 172 | 148 | 4,900 | 20·0 | 1,554 | 1,492 | 3,046 | 12·4 | 291 | 59 | 7·6 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 113,700 | 1,024 | 1,033 | 78 | 71 | 2,206 | 19·4 | 736 | 743 | 1,479 | 13·0 | 120 | 54 | 6·4 |
| Bishop's Castle M.B. | 1,269 | 7 | 2 | — | 2 | 11 | 8·7 | 12 | 9 | 21 | 16·5 | 2 | 182 | −7·8 |
| Bridgnorth M.B. | 5,099 | 43 | 32 | 3 | 2 | 80 | 15·7 | 25 | 37 | 62 | 12·2 | 5 | 63 | 3·5 |
| Church Stretton | 1,514 | 14 | 8 | 1 | 1 | 24 | 15·9 | 8 | 12 | 20 | 13·2 | — | — | 2·7 |
| Dawley .. .. | 7,534 | 81 | 79 | 5 | 3 | 168 | 22·3 | 48 | 38 | 86 | 11·4 | 7 | 42 | 10·9 |
| Ellesmere .. | 1,849 | 13 | 7 | — | 1 | 21 | 11·4 | 15 | 8 | 23 | 12·4 | 1 | 48 | −1·0 |

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| SHROPSHIRE—*cont* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Ludlow M.B. | 5,584 | 38 | 57 | 6 | 1 | 102 | 18·3 | 45 | 39 | 84 | 15·0 | 5 | 49 | 3·3 |
| Market Drayton | 4,762 | 51 | 37 | 2 | 4 | 94 | 19·7 | 35 | 46 | 81 | 17·0 | 8 | 85 | 2·7 |
| Newport .. | 3,103 | 22 | 32 | 2 | 2 | 58 | 18·7 | 20 | 25 | 45 | 14·5 | 2 | 34 | 4·2 |
| Oakengates .. | 11,830 | 132 | 131 | 5 | 4 | 272 | 23·0 | 73 | 69 | 142 | 12·0 | 16 | 59 | 11·0 |
| Oswestry M.B. | 9,878 | 84 | 99 | 4 | 2 | 189 | 19·1 | 73 | 80 | 153 | 15·5 | 14 | 74 | 3·6 |
| Shrewsbury M.B. | 31,600 | 69 | 300 | 30 | 28 | 627 | 19·8 | 203 | 199 | 402 | 12·7 | 39 | 62 | 7·1 |
| Wellington .. | 8,073 | 64 | 62 | 4 | 12 | 142 | 17·6 | 46 | 43 | 89 | 11·0 | 5 | 35 | 6·6 |
| Wem .. .. | 2,218 | 21 | 15 | 1 | 2 | 39 | 17·6 | 10 | 23 | 33 | 14·9 | 2 | 51 | 2·7 |
| Wenlock M.B. | 13,780 | 132 | 119 | 11 | 5 | 267 | 19·4 | 75 | 73 | 148 | 10·7 | 9 | 34 | 8·7 |
| Whitchurch .. | 5,607 | 53 | 53 | 4 | 2 | 112 | 20·0 | 48 | 42 | 90 | 16·1 | 5 | 45 | 3·9 |
| RURAL DISTRICTS. | 131,900 | 1,259 | 1,264 | 94 | 77 | 2,694 | 20·4 | 818 | 749 | 1,567 | 11·9 | 171 | 63 | 8·5 |
| Atcham .. .. | 22,200 | 220 | 194 | 17 | 14 | 445 | 20·0 | 136 | 126 | 262 | 11·8 | 25 | 56 | 8·2 |
| Bridgnorth .. | 8,604 | 86 | 71 | 9 | — | 166 | 19·3 | 58 | 48 | 106 | 12·3 | 11 | 66 | 7·0 |
| Burford .. .. | 1,258 | 13 | 8 | — | — | 21 | 16·7 | 8 | 6 | 14 | 11·1 | 2 | 95 | 5·6 |
| Chirbury .. | 3,299 | 37 | 37 | 1 | — | 75 | 22·7 | 13 | 32 | 45 | 13·6 | 4 | 53 | 9·1 |
| Church Stretton | 4,494 | 43 | 43 | 1 | 3 | 90 | 20·0 | 34 | 33 | 67 | 14·9 | 7 | 78 | 5·1 |
| Cleobury Mortimer | 7,609 | 80 | 81 | 2 | 4 | 167 | 21·9 | 35 | 35 | 70 | 9·2 | 11 | 66 | 12·7 |
| Clun.. .. .. | 6,314 | 49 | 75 | 1 | 2 | 127 | 20·1 | 39 | 40 | 79 | 12·5 | 10 | 79 | 7·6 |
| Drayton .. .. | 7,292 | 69 | 72 | 5 | 7 | 153 | 21·0 | 49 | 57 | 106 | 14·5 | 11 | 72 | 6·5 |
| Ellesmere .. | 8,106 | 67 | 69 | 6 | 6 | 148 | 18·3 | 51 | 42 | 93 | 11·5 | 10 | 68 | 6·8 |
| Ludlow .. .. | 8,969 | 79 | 103 | 9 | 6 | 197 | 22·0 | 56 | 51 | 107 | 11·9 | 11 | 56 | 10·1 |
| Newport .. .. | 5,834 | 45 | 50 | 4 | 5 | 104 | 17·8 | 29 | 28 | 57 | 9·8 | 5 | 48 | 8·0 |
| Oswestry.. .. | 16,620 | 167 | 177 | 18 | 13 | 375 | 22·6 | 118 | 106 | 224 | 13·5 | 26 | 69 | 9·1 |
| Shifnal .. .. | 7,636 | 85 | 70 | 6 | 3 | 164 | 21·5 | 39 | 28 | 67 | 8·8 | 7 | 43 | 12·7 |
| Teme .. .. | 1,673 | 14 | 18 | 1 | 2 | 35 | 20·9 | 11 | 5 | 16 | 9·6 | 1 | 29 | 11·3 |
| Wellington .. | 11,280 | 99 | 100 | 7 | 6 | 212 | 18·8 | 66 | 60 | 126 | 11·2 | 18 | 85 | 7·6 |
| Wem .. .. | 8,626 | 83 | 87 | 5 | 5 | 180 | 20·9 | 56 | 47 | 103 | 11·9 | 11 | 61 | 9·0 |
| Whitchurch .. | 2,086 | 23 | 9 | 2 | 1 | 35 | 16·8 | 20 | 5 | 25 | 12·0 | 1 | 29 | 4·8 |
| SOMERSETSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Bath .. .. | 68,760 | 520 | 458 | 23 | 24 | 1,025 | 14·9 | 375 | 501 | 876 | 12·7 | 48 | 47 | 2·2 |
| ADMINISTRATIVE COUNTY. | 392,300 | 3,461 | 3,102 | 133 | 125 | 6,821 | 17·4 | 2,156 | 2,298 | 4,454 | 11·4 | 313 | 46 | 6·0 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 164,700 | 1,362 | 1,187 | 56 | 46 | 2,651 | 16·1 | 874 | 978 | 1,852 | 11·2 | 118 | 45 | 4·9 |
| Bridgwater M.B. | 16,240 | 175 | 143 | 1 | 7 | 326 | 20·1 | 83 | 90 | 173 | 10·7 | 14 | 43 | 9·4 |
| Burnham-on-Sea | 4,898 | 34 | 28 | 2 | 1 | 65 | 13·3 | 29 | 26 | 55 | 11·2 | 2 | 31 | 2·1 |
| Chard M.B. .. | 4,408 | 39 | 35 | 1 | — | 75 | 17·0 | 34 | 28 | 62 | 14·1 | 3 | 40 | 2·9 |
| Clevedon .. | 6,240 | 39 | 28 | 5 | 2 | 74 | 11·9 | 31 | 62 | 93 | 14·9 | 4 | 54 | −3·0 |
| Crewkerne .. | 3,739 | 35 | 30 | 2 | 1 | 68 | 18·2 | 21 | 21 | 42 | 11·2 | 5 | 74 | 7·0 |
| Frome .. .. | 10,670 | 87 | 81 | 3 | 3 | 174 | 16·3 | 54 | 62 | 116 | 10·9 | 9 | 52 | 5·4 |
| Glastonbury M.B. | 4,356 | 44 | 35 | — | 2 | 81 | 18·6 | 20 | 30 | 50 | 11·5 | 5 | 62 | 7·1 |
| Highbridge .. | 2,488 | 17 | 22 | 1 | 1 | 41 | 16·5 | 13 | 12 | 25 | 10·0 | 1 | 24 | 6·5 |
| Ilminster.. .. | 2,322 | 14 | 14 | 3 | — | 31 | 13·4 | 15 | 11 | 26 | 11·2 | — | — | 2·2 |
| Midsomer Norton | 7,981 | 89 | 70 | 1 | 1 | 161 | 20·2 | 36 | 36 | 72 | 9·0 | 4 | 25 | 11·2 |
| Minehead .. | 5,181 | 33 | 48 | 1 | — | 82 | 15·8 | 25 | 42 | 67 | 12·9 | 3 | 37 | 2·9 |
| Portishead .. | 3,752 | 29 | 22 | 3 | 2 | 56 | 14·9 | 34 | 31 | 65 | 17·3 | 1 | 18 | −2·4 |

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES. COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| SOMERSETSHIRE —*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Radstock .. | 3,765 | 41 | 35 | — | — | 76 | 20·2 | 14 | 13 | 27 | 7·2 | 3 | 39 | 13·0 |
| Shepton Mallet | 4,294 | 26 | 34 | 3 | 2 | 65 | 15·1 | 21 | 18 | 39 | 9·1 | 5 | 77 | 6·0 |
| Street .. .. | 4,433 | 32 | 31 | — | 3 | 66 | 14·9 | 24 | 26 | 50 | 11·3 | 3 | 45 | 3·6 |
| Taunton M.B. | 24,500 | 187 | 179 | 11 | 6 | 383 | 15·6 | 111 | 147 | 258 | 10·5 | 22 | 57 | 5·1 |
| Watchet .. .. | 1,819 | 22 | 13 | 1 | — | 36 | 19·8 | 7 | 20 | 27 | 14·8 | — | — | 5·0 |
| Wellington .. | 7,102 | 57 | 39 | 6 | 2 | 104 | 14·6 | 57 | 49 | 106 | 14·9 | 6 | 58 | −0·3 |
| Wells M.B. .. | 4,346 | 41 | 35 | 2 | 2 | 80 | 18·4 | 27 | 18 | 45 | 10·4 | 2 | 25 | 8·0 |
| Weston-super-Mare. | 25,320 | 175 | 138 | 3 | 7 | 323 | 12·8 | 142 | 172 | 314 | 12·4 | 15 | 46 | 0·4 |
| Wiveliscombe.. | 1,256 | 12 | 13 | — | 1 | 26 | 20·7 | 8 | 8 | 16 | 12·7 | 2 | 77 | 8·0 |
| Yeovil M.B. .. | 15,590 | 134 | 114 | 7 | 3 | 258 | 16·5 | 68 | 56 | 124 | 8·0 | 9 | 35 | 8·5 |
| RURAL DISTRICTS. | 227,600 | 2,099 | 1,915 | 77 | 79 | 4,170 | 18·3 | 1,282 | 1,320 | 2,602 | 11·4 | 195 | 47 | 6·9 |
| Axbridge.. .. | 23,220 | 205 | 207 | 5 | 7 | 424 | 18·3 | 137 | 161 | 298 | 12·8 | 17 | 40 | 5·5 |
| Bath .. .. | 14,740 | 118 | 104 | 6 | 6 | 234 | 15·9 | 70 | 76 | 146 | 9·9 | 14 | 60 | 6·0 |
| Bridgwater .. | 17,570 | 182 | 162 | 7 | 5 | 356 | 20·3 | 111 | 136 | 247 | 14·1 | 24 | 67 | 6·2 |
| Chard .. .. | 12,690 | 101 | 116 | 1 | 4 | 222 | 17·5 | 69 | 78 | 147 | 11·6 | 15 | 68 | 5·9 |
| Clutton .. .. | 16,180 | 170 | 155 | 5 | 6 | 336 | 20·8 | 69 | 81 | 150 | 9·3 | 14 | 42 | 11·5 |
| Dulverton .. | 4,524 | 41 | 40 | 2 | 3 | 86 | 19·0 | 39 | 25 | 64 | 14·1 | 10 | 116 | 4·9 |
| Frome .. .. | 10,820 | 103 | 81 | 5 | 4 | 193 | 17·8 | 67 | 65 | 132 | 12·2 | 11 | 57 | 5·6 |
| Keynsham .. | 10,760 | 90 | 72 | 3 | 5 | 170 | 15·8 | 47 | 43 | 90 | 8·4 | 7 | 41 | 7·4 |
| Langport .. | 12,690 | 134 | 95 | 3 | 2 | 234 | 18·4 | 95 | 85 | 180 | 14·2 | 7 | 30 | 4·2 |
| Long Ashton .. | 18,050 | 173 | 155 | 6 | 3 | 337 | 18·7 | 103 | 89 | 192 | 10·6 | 10 | 30 | 8·1 |
| Shepton Mallet | 9,778 | 96 | 72 | 5 | 4 | 177 | 18·1 | 53 | 54 | 107 | 10·9 | 6 | 34 | 7·2 |
| Taunton .. .. | 16,100 | 159 | 120 | 8 | 12 | 299 | 18·6 | 89 | 89 | 178 | 11·1 | 10 | 33 | 7·5 |
| Wellington .. | 5,808 | 47 | 45 | 2 | 2 | 96 | 16·5 | 29 | 33 | 62 | 10·7 | 1 | 10 | 5·8 |
| Wells .. .. | 10,290 | 85 | 86 | 4 | 5 | 180 | 17·5 | 62 | 56 | 118 | 11·5 | 20 | 111 | 6·0 |
| Williton .. .. | 11,640 | 91 | 102 | 3 | 3 | 199 | 17·1 | 73 | 65 | 138 | 11·9 | 6 | 30 | 5·2 |
| Wincanton .. | 15,900 | 144 | 136 | 8 | 5 | 293 | 18·4 | 89 | 98 | 187 | 11·8 | 14 | 48 | 6·6 |
| Yeovil .. .. | 16,840 | 160 | 167 | 4 | 3 | 334 | 19·8 | 80 | 86 | 166 | 9·9 | 9 | 27 | 9·9 |
| SOUTHAMPTON: | | | | | | | | | | | | | | |
| COUNTY BORO'S. | 499,700 | 4,644 | 4,458 | 227 | 222 | 9,551 | 19·1 | 2,791 | 2,805 | 5,596 | 11·7† | 520 | 54 | 7·4 |
| Bournemouth.. | 82,200 | 516 | 479 | 36 | 37 | 1,068 | 13·0 | 479 | 641 | 1,120 | 13·6 | 64 | 60 | −0·6 |
| Portsmouth .. | 252,300 | 2,529 | 2,466 | 117 | 130 | 5,242 | 20·8 | 1,345 | 1,272 | 2,617 | 11·3† | 281 | 54 | 9·5 |
| Southampton .. | 165,200 | 1,599 | 1,513 | 74 | 55 | 3,241 | 19·6 | 967 | 892 | 1,859 | 11·3 | 175 | 54 | 8·3 |
| ADMINISTRATIVE COUNTY. | 416,100 | 3,935 | 3,702 | 179 | 185 | 8,001 | 19·2 | 2,151 | 1,972 | 4,123 | 10·4† | 409 | 51 | 8·8 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 188,000 | 1,891 | 1,703 | 80 | 87 | 3,761 | 20·0 | 937 | 875 | 1,812 | 10·4† | 203 | 54 | 9·6 |
| Aldershot M.B. | 30,920 | 348 | 348 | 13 | 15 | 724 | 23·4 | 124 | 114 | 238 | 9·8† | 43 | 59 | 13·6 |
| Alton .. .. | 5,529 | 38 | 52 | 3 | 3 | 96 | 17·4 | 26 | 22 | 48 | 8·7 | 3 | 31 | 8·7 |
| Andover M.B. | 8,539 | 88 | 79 | 2 | 4 | 173 | 20·3 | 36 | 34 | 70 | 8·2 | 10 | 58 | 12·1 |
| Basingstoke M.B. | 12,920 | 128 | 110 | 8 | 6 | 252 | 19·5 | 72 | 76 | 148 | 11·5 | 10 | 40 | 8·0 |
| Christchurch M.B. | 7,060 | 57 | 42 | 3 | 3 | 105 | 14·9 | 35 | 33 | 68 | 10·2† | 9 | 86 | 4·7 |
| Eastleigh and Bishopstoke. | 15,890 | 167 | 152 | 2 | 5 | 326 | 20·5 | 86 | 63 | 149 | 9·4 | 16 | 49 | 11·1 |
| Fareham .. | 10,260 | 83 | 95 | 3 | 3 | 184 | 17·9 | 49 | 40 | 89 | 8·9† | 9 | 49 | 9·0 |
| Farnborough .. | 13,030 | 144 | 127 | 2 | 2 | 275 | 21·1 | 37 | 44 | 81 | 7·8† | 12 | 44 | 13·3 |

† Death-rates based upon estimated civilian populations as follows:—County Boroughs, 478,118; Portsmouth C.B., 230,718; Administrative County, 395,978; Municipal Boroughs and Urban Districts, 173,539; Aldershot M.B., 24,329; Christchurch M.B., 6,669; Fareham U.D., 10,010; Farnborough U.D., 10,441.

TABLE 14.—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| SOUTHAMPTON —*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Fleet .. .. | 3,599 | 30 | 24 | 5 | 3 | 62 | 17·2 | 20 | 34 | 54 | 15·0 | 4 | 65 | 2·2 |
| Gosport M.B... | 34,280 | 371 | 302 | 16 | 22 | 711 | 20·7 | 188 | 149 | 337 | 11·1† | 41 | 58 | 9·6 |
| Havant .. .. | 4,394 | 31 | 42 | — | — | 73 | 16·6 | 34 | 18 | 52 | 11·8 | 2 | 27 | 4·8 |
| Lymington M.B. | 4,570 | 42 | 22 | 3 | 5 | 72 | 15·8 | 26 | 37 | 63 | 13·8 | 5 | 69 | 2·0 |
| Petersfield .. | 3,912 | 36 | 24 | 3 | 1 | 64 | 16·4 | 20 | 22 | 42 | 10·7 | 2 | 31 | 5·7 |
| Romsey M.B. | 4,827 | 54 | 47 | 2 | 2 | 105 | 21·8 | 43 | 17 | 60 | 12·4 | 2 | 19 | 9·4 |
| Warblington .. | 3,940 | 43 | 30 | 4 | — | 77 | 19·5 | 15 | 24 | 39 | 9·9 | 4 | 52 | 9·6 |
| Winchester M.B. | 24,330 | 231 | 207 | 11 | 13 | 462 | 19·0 | 126 | 148 | 274 | 11·6† | 31 | 67 | 7·4 |
| RURAL DISTRICTS. | 228,100 | 2,044 | 1,999 | 99 | 98 | 4,240 | 18·6 | 1,214 | 1,097 | 2,311 | 10·4† | 206 | 49 | 8·2 |
| Alresford.. .. | 7,482 | 63 | 68 | 6 | 2 | 139 | 18·6 | 49 | 32 | 81 | 10·8 | 4 | 29 | 7·8 |
| Alton .. .. | 16,240 | 181 | 167 | 6 | 5 | 359 | 22·1 | 86 | 61 | 147 | 9·8† | 14 | 39 | 12·3 |
| Andover .. .. | 12,070 | 137 | 133 | 3 | 2 | 275 | 22·8 | 59 | 57 | 116 | 10·4† | 14 | 51 | 12·4 |
| Basingstoke .. | 12,670 | 121 | 88 | 6 | 8 | 223 | 17·6 | 75 | 44 | 119 | 9·4 | 11 | 49 | 8·2 |
| Catherington .. | 3,929 | 28 | 31 | 6 | 2 | 67 | 17·1 | 25 | 19 | 44 | 11·2 | 1 | 15 | 5·9 |
| Christchurch | 5,261 | 47 | 48 | 1 | 2 | 98 | 18·6 | 25 | 22 | 47 | 8·9 | 3 | 31 | 9·7 |
| Droxford.. .. | 13,180 | 115 | 107 | 4 | 7 | 233 | 17·7 | 79 | 63 | 142 | 10·8 | 13 | 56 | 6·9 |
| Fareham .. | 15,120 | 150 | 136 | 8 | 1 | 295 | 19·5 | 76 | 68 | 144 | 9·9† | 19 | 64 | 9·6 |
| Fordingbridge | 6,272 | 43 | 53 | 5 | 6 | 107 | 17·1 | 29 | 41 | 70 | 11·2 | 4 | 37 | 5·9 |
| Hartley Wintney | 20,710 | 207 | 180 | 10 | 10 | 407 | 19·7 | 88 | 104 | 192 | 9·7† | 19 | 47 | 10·0 |
| Havant .. .. | 6,854 | 47 | 60 | 3 | 1 | 111 | 16·2 | 51 | 39 | 90 | 13·1 | 5 | 45 | 3·1 |
| Hursley .. .. | 4,604 | 44 | 49 | 1 | 1 | 95 | 20·6 | 27 | 24 | 51 | 11·1 | 6 | 63 | 9·5 |
| Kingsclere .. | 8,532 | 83 | 78 | 3 | 6 | 170 | 19·9 | 37 | 45 | 82 | 9·6 | 7 | 41 | 10·3 |
| Lymington .. | 12,680 | 110 | 114 | 3 | 5 | 232 | 18·3 | 64 | 59 | 123 | 9·7 | 12 | 52 | 8·6 |
| New Forest .. | 18,790 | 157 | 171 | 8 | 8 | 344 | 18·3 | 96 | 98 | 194 | 10·3 | 14 | 41 | 8·0 |
| Petersfield .. | 11,670 | 88 | 86 | 8 | 8 | 190 | 16·3 | 75 | 52 | 127 | 11·3† | 10 | 53 | 5·0 |
| Ringwood .. | 7,387 | 68 | 52 | 5 | 3 | 128 | 17·3 | 48 | 52 | 100 | 13·5 | 5 | 39 | 3·8 |
| Romsey .. .. | 7,079 | 52 | 68 | 1 | 6 | 127 | 17·9 | 41 | 32 | 73 | 10·3 | 8 | 63 | 7·6 |
| South Stoneham | 12,510 | 94 | 128 | 2 | 6 | 230 | 18·4 | 54 | 60 | 114 | 9·7† | 16 | 70 | 8·7 |
| Stockbridge .. | 6,272 | 43 | 42 | 2 | 2 | 89 | 14·2 | 32 | 32 | 64 | 10·2 | 6 | 67 | 4·0 |
| Whitchurch .. | 6,438 | 63 | 58 | 2 | 2 | 125 | 19·4 | 36 | 49 | 85 | 13·2 | 6 | 48 | 6·2 |
| Winchester .. | 12,350 | 103 | 82 | 6 | 5 | 196 | 15·9 | 62 | 44 | 106 | 9·1† | 9 | 46 | 6·8 |
| STAFFORDSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO'S. | 688,920 | 7,851 | 7,454 | 295 | 258 | 15,858 | 23·0 | 4,522 | 3,869 | 8,391 | 12·2 | 1,369 | 86 | 10·8 |
| Burton-upon-Trent. | 49,670 | 509 | 455 | 26 | 19 | 1,009 | 20·3 | 330 | 273 | 603 | 12·1 | 76 | 75 | 8·2 |
| Smethwick .. | 78,450 | 759 | 783 | 22 | 24 | 1,588 | 20·2 | 475 | 378 | 853 | 10·9 | 104 | 65 | 9·3 |
| Stoke-on-Trent | 276,100 | 3,282 | 3,216 | 147 | 131 | 6,776 | 24·5 | 1,911 | 1,625 | 3,536 | 12·8 | 633 | 93 | 11·7 |
| Walsall .. .. | 100,400 | 1,163 | 1,125 | 27 | 27 | 2,342 | 23·3 | 636 | 540 | 1,176 | 11·7 | 219 | 94 | 11·6 |
| West Bromwich | 77,600 | 1,006 | 804 | 30 | 26 | 1,866 | 24·0 | 530 | 443 | 973 | 12·5 | 164 | 88 | 11·5 |
| Wolverhampton | 106,700 | 1,132 | 1,071 | 43 | 31 | 2,277 | 21·3 | 640 | 610 | 1,250 | 11·7 | 173 | 76 | 9·6 |
| ADMINISTRATIVE COUNTY. | 710,900 | 7,644 | 7,205 | 229 | 264 | 15,342 | 21·6 | 4,197 | 3,788 | 7,985 | 11·2† | 1,113 | 73 | 10·4 |

† Death-rates based upon estimated civilian populations as follows:—Southampton—Gosport M.B., 30,407; Winchester M.B., 23,563; Rural Districts, 222,439; Alton R.D., 15,045; Andover R.D., 11,119; Fareham R.D., 14,609; Hartley Wintney R.D., 19,694; Petersfield R.D., 11,238; South Stoneham R.D. 11,700; Winchester R.D., 11,604; Staffordshire—Administrative County, 709,913.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| STAFFORDSHIRE —*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 499,600 | 5,565 | 5,234 | 161 | 179 | 11,139 | 22·3 | 3,077 | 2,683 | 5,760 | 11·5 | 854 | 77 | 10·8 |
| Amblecote .. | 3,221 | 31 | 28 | — | — | 59 | 18·3 | 19 | 17 | 36 | 11·2 | — | — | 7·1 |
| Audley .. .. | 15,150 | 152 | 132 | 7 | 10 | 301 | 19·9 | 76 | 68 | 144 | 9·5 | 18 | 60 | 10·4 |
| Biddulph .. | 8,353 | 93 | 87 | 3 | 2 | 185 | 22·1 | 45 | 36 | 81 | 9·7 | 12 | 65 | 12·4 |
| Bilston .. .. | 29,440 | 422 | 384 | 10 | 9 | 825 | 28·0 | 217 | 186 | 403 | 13·7 | 82 | 99 | 14·3 |
| Brierley Hill .. | 12,920 | 130 | 136 | 3 | 5 | 274 | 21·2 | 88 | 93 | 181 | 14·0 | 26 | 95 | 7·2 |
| Brownhills .. | 19,400 | 229 | 236 | 6 | 3 | 474 | 24·4 | 118 | 101 | 219 | 11·3 | 42 | 89 | 13·1 |
| Cannock .. .. | 33,810 | 420 | 407 | 7 | 15 | 849 | 25·1 | 204 | 163 | 367 | 10·9 | 72 | 85 | 14·2 |
| Coseley .. .. | 25,510 | 288 | 248 | 9 | 7 | 552 | 21·6 | 140 | 116 | 256 | 10·0 | 30 | 54 | 11·6 |
| Darlaston .. | 19,040 | 229 | 219 | 5 | 6 | 459 | 24·1 | 103 | 92 | 195 | 10·2 | 39 | 85 | 13·9 |
| Heathtown or Wednesfield Heath. | 13,930 | 140 | 122 | 3 | 2 | 267 | 19·2 | 91 | 62 | 153 | 11·0 | 20 | 75 | 8·2 |
| Kidsgrove .. | 10,130 | 136 | 111 | 1 | 5 | 253 | 25·0 | 59 | 65 | 124 | 12·2 | 18 | 71 | 12·8 |
| Leek .. .. | 17,070 | 172 | 154 | 9 | 6 | 341 | 20·0 | 114 | 122 | 236 | 13·8 | 28 | 82 | 6·2 |
| Lichfield M.B. | 8,445 | 86 | 80 | 3 | 4 | 173 | 20·5 | 52 | 39 | 91 | 10·8 | 7 | 40 | 9·7 |
| Newcastle-under-Lyme M.B. | 21,420 | 254 | 218 | 8 | 14 | 494 | 23·1 | 152 | 144 | 296 | 13·8 | 43 | 87 | 9·3 |
| Perry Barr .. | 2,795 | 24 | 21 | — | 1 | 46 | 16·5 | 15 | 14 | 29 | 10·4 | 4 | 87 | 6·1 |
| Quarry Bank.. | 8,311 | 93 | 80 | 1 | 5 | 179 | 21·5 | 42 | 36 | 78 | 9·4 | 10 | 56 | 12·1 |
| Rowley Regis.. | 42,070 | 436 | 415 | 5 | 14 | 870 | 20·7 | 240 | 205 | 445 | 10·6 | 77 | 89 | 10·1 |
| Rugeley .. .. | 4,800 | 66 | 40 | 4 | 3 | 113 | 23·5 | 32 | 34 | 66 | 13·8 | 2 | 18 | 9·7 |
| Sedgley .. .. | 18,710 | 213 | 220 | 5 | 4 | 442 | 23·6 | 112 | 110 | 222 | 11·9 | 28 | 63 | 11·7 |
| Short Heath .. | 4,663 | 45 | 65 | 3 | 1 | 114 | 24·4 | 35 | 27 | 62 | 13·3 | 5 | 44 | 11·1 |
| Stafford M.B. | 29,370 | 238 | 229 | 7 | 17 | 491 | 16·7 | 136 | 123 | 259 | 8·8 | 27 | 55 | 7·9 |
| Stone .. .. | 5,583 | 47 | 45 | 5 | 3 | 100 | 17·9 | 31 | 29 | 60 | 10·7 | 1 | 10 | 7·2 |
| Tamworth M.B. | 8,256 | 77 | 92 | 4 | 2 | 175 | 21·2 | 58 | 38 | 96 | 11·6 | 13 | 74 | 9·6 |
| Tettenhall .. | 5,421 | 60 | 34 | 1 | 1 | 96 | 17·7 | 27 | 37 | 64 | 11·8 | 3 | 31 | 5·9 |
| Tipton .. .. | 35,450 | 427 | 445 | 9 | 16 | 897 | 25·3 | 232 | 226 | 458 | 12·9 | 84 | 94 | 12·4 |
| Uttoxeter .. | 5,547 | 55 | 48 | 8 | 3 | 114 | 20·6 | 36 | 33 | 69 | 12·4 | 10 | 88 | 8·2 |
| Wednesbury M.B. | 32,050 | 402 | 356 | 8 | 6 | 772 | 24·1 | 210 | 156 | 366 | 11·4 | 64 | 83 | 12·7 |
| Wednesfield .. | 7,895 | 89 | 68 | 4 | 1 | 162 | 20·5 | 53 | 28 | 81 | 10·3 | 12 | 74 | 10·2 |
| Willenhall .. | 20,780 | 233 | 235 | 3 | 8 | 479 | 23·1 | 169 | 117 | 286 | 13·8 | 38 | 79 | 9·3 |
| Wolstanton United. | 30,060 | 278 | 279 | 20 | 6 | 583 | 19·4 | 171 | 166 | 337 | 11·2 | 39 | 67 | 8·2 |
| RURAL DISTRICTS. | 211,300 | 2,079 | 1,971 | 68 | 85 | 4,203 | 19·9 | 1,120 | 1,105 | 2,225 | 10·6† | 259 | 62 | 9·3 |
| Bloore Heath | 2,436 | 19 | 22 | 2 | 2 | 45 | 18·5 | 10 | 21 | 31 | 12·7 | 5 | 111 | 5·8 |
| Cannock .. .. | 22,760 | 247 | 254 | 5 | 9 | 515 | 22·6 | 114 | 124 | 238 | 10·5 | 38 | 74 | 12·1 |
| Cheadle .. .. | 26,180 | 266 | 245 | 5 | 14 | 530 | 20·2 | 146 | 146 | 292 | 11·2 | 48 | 91 | 9·0 |
| Dudley .. .. | 23 | — | — | — | — | — | — | 1 | — | 1 | 43·5 | — | — | −43·5 |
| Gnosall .. .. | 4,757 | 54 | 38 | 4 | 3 | 99 | 20·8 | 24 | 25 | 49 | 10·3 | 4 | 40 | 10·5 |
| Kingswinford | 22,980 | 242 | 215 | 1 | 8 | 466 | 20·3 | 134 | 141 | 275 | 12·0 | 30 | 64 | 8·3 |
| Leek .. .. | 14,490 | 114 | 137 | 5 | 4 | 260 | 17·9 | 72 | 72 | 144 | 9·9 | 17 | 65 | 8·0 |
| Lichfield .. | 31,530 | 326 | 280 | 9 | 6 | 621 | 19·7 | 159 | 149 | 308 | 10·1† | 36 | 58 | 9·6 |
| Mayfield .. .. | 3,943 | 28 | 42 | 2 | 1 | 73 | 18·5 | 21 | 20 | 41 | 10·4 | 2 | 27 | 8·1 |
| Newcastle-under-Lyme. | 6,308 | 58 | 50 | 2 | 5 | 115 | 18·2 | 25 | 30 | 55 | 8·7 | 9 | 78 | 9·5 |
| Seisdon .. .. | 17,180 | 139 | 150 | 9 | 9 | 307 | 17·9 | 86 | 98 | 184 | 10·7 | 17 | 55 | 7·2 |
| Stafford .. .. | 9,350 | 99 | 74 | 4 | 3 | 180 | 19·3 | 43 | 35 | 78 | 8·3 | 5 | 28 | 11·0 |
| Stone .. .. | 12,110 | 114 | 102 | 4 | 6 | 226 | 18·7 | 85 | 74 | 159 | 13·1 | 20 | 88 | 5·6 |
| Tamworth (part of).§ | 5,652 | 75 | 59 | 3 | 2 | 139 | 24·6 | 30 | 25 | 55 | 9·7 | 5 | 36 | 14·9 |

† Death-rates based upon estimated civilian populations as follows:—Staffordshire—Rural Districts, 210,313; Lichfield R.D., 30,543.

§ The remainder of Tamworth Rural District is in Warwickshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| STAFFORDSHIRE —*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| Tutbury .. .. | 9,040 | 81 | 80 | 5 | 4 | 170 | 18·8 | 60 | 43 | 103 | 11·4 | 8 | 47 | 7·4 |
| Uttoxeter .. | 8,268 | 67 | 75 | 3 | 6 | 151 | 18·3 | 37 | 41 | 78 | 9·4 | 2 | 13 | 8·9 |
| Walsall .. .. | 13,620 | 140 | 143 | 5 | 3 | 291 | 21·4 | 69 | 56 | 125 | 9·2 | 12 | 41 | 12·2 |
| Civil Parishes of Blymhill and Weston under Lizard, administered by R.D.C. of Shifnal (Shropshire). | 673 | 10 | 5 | — | — | 15 | 22·3 | 4 | 5 | 9 | 13·4 | 1 | 67 | 8·9 |
| SUFFOLK EAST: | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Ipswich .. .. | 81,710 | 752 | 735 | 29 | 33 | 1,549 | 19·0 | 415 | 428 | 843 | 10·3 | 79 | 51 | 8·7 |
| ADMINISTRATIVE COUNTY. | 210,890 | 1,974 | 1,835 | 117 | 107 | 4,033 | 19·1 | 1,040 | 1,113 | 2,153 | 10·3† | 199 | 49 | 8·8 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 89,390 | 877 | 778 | 38 | 41 | 1,734 | 19·4 | 395 | 475 | 870 | 9·8† | 92 | 53 | 9·6 |
| Aldeburgh M.B. | 2,543 | 22 | 17 | — | — | 39 | 15·3 | 11 | 16 | 27 | 10·6 | — | — | 4·7 |
| Beccles M.B. .. | 7,071 | 48 | 50 | 2 | 4 | 104 | 14·7 | 32 | 39 | 71 | 10·0 | 4 | 38 | 4·7 |
| Bungay .. .. | 3,176 | 37 | 28 | — | 2 | 67 | 21·1 | 16 | 15 | 31 | 9·8 | 5 | 75 | 11·3 |
| Eye M.B. .. | 1,835 | 22 | 20 | 2 | 1 | 45 | 24·5 | 9 | 11 | 20 | 10·9 | 2 | 44 | 13·6 |
| Felixstowe .. | 9,612 | 88 | 51 | 4 | 5 | 148 | 15·4 | 38 | 53 | 91 | 9·8† | 7 | 47 | 5·6 |
| Halesworth .. | 2,100 | 28 | 27 | 2 | 3 | 60 | 28·6 | 16 | 10 | 26 | 12·4 | 2 | 33 | 16·2 |
| Leiston cum Sizewell. | 4,756 | 43 | 37 | 4 | 3 | 87 | 18·3 | 21 | 30 | 51 | 10·7 | 7 | 80 | 7·6 |
| Lowestoft M.B. | 45,320 | 485 | 458 | 21 | 17 | 981 | 21·6 | 190 | 213 | 403 | 8·9 | 52 | 53 | 12·7 |
| Saxmundham.. | 1,348 | 8 | 8 | — | 1 | 17 | 12·6 | 5 | 10 | 15 | 11·1 | — | — | 1·5 |
| Southwold M.B. | 2,783 | 20 | 14 | 1 | — | 35 | 12·6 | 15 | 14 | 29 | 10·4 | 2 | 57 | 2·2 |
| Stowmarket .. | 4,253 | 35 | 29 | 1 | 4 | 69 | 16·2 | 19 | 33 | 52 | 12·2 | 5 | 72 | 4·0 |
| Woodbridge .. | 4,593 | 41 | 39 | 1 | 1 | 82 | 17·9 | 23 | 31 | 54 | 11·8 | 6 | 73 | 6·1 |
| RURAL DISTRICTS. | 121,500 | 1,097 | 1,057 | 79 | 66 | 2,299 | 18·9 | 645 | 638 | 1,283 | 10·8† | 107 | 47 | 8·1 |
| Blything .. | 17,830 | 151 | 139 | 13 | 12 | 315 | 17·7 | 104 | 97 | 201 | 11·3 | 14 | 44 | 6·4 |
| Bosmere and Claydon. | 14,090 | 148 | 152 | 10 | 5 | 315 | 22·4 | 81 | 81 | 162 | 11·5 | 14 | 44 | 10·9 |
| East Stow .. | 6,465 | 70 | 61 | 5 | 3 | 139 | 21·5 | 30 | 34 | 64 | 9·9 | 3 | 22 | 11·6 |
| Hartismere .. | 10,920 | 109 | 88 | 5 | 10 | 212 | 19·4 | 63 | 56 | 119 | 10·9 | 10 | 47 | 8·5 |
| Hoxne .. .. | 9,696 | 101 | 97 | 6 | 8 | 212 | 21·9 | 64 | 52 | 116 | 12·0 | 12 | 57 | 9·9 |
| Mutford and Lothingland. | 11,910 | 112 | 106 | 6 | 5 | 229 | 19·2 | 55 | 56 | 111 | 9·3 | 9 | 39 | 9·9 |
| Plomesgate .. | 15,040 | 129 | 123 | 16 | 9 | 277 | 18·4 | 79 | 86 | 165 | 11·0 | 13 | 47 | 7·4 |
| Samford .. .. | 14,720 | 119 | 111 | 6 | 3 | 239 | 16·2 | 57 | 71 | 128 | 10·2† | 11 | 46 | 6·0 |
| Wangford .. | 4,649 | 41 | 53 | 4 | 2 | 100 | 21·5 | 31 | 23 | 54 | 11·6 | 6 | 60 | 9·9 |
| Woodbridge .. | 16,180 | 117 | 127 | 8 | 9 | 261 | 16·1 | 81 | 82 | 163 | 10·1 | 15 | 57 | 6·0 |
| SUFFOLK WEST: Administrative County. | 109,720 | 986 | 885 | 47 | 61 | 1,979 | 18·0 | 605 | 663 | 1,268 | 11·6 | 96 | 49 | 6·4 |

† Death-rates based upon estimated civilian populations as follows:—Suffolk East—Administrative County, 208,359; Municipal Boroughs and Urban Districts, 89,034; Felixstowe U.D., 9,256; Rural Districts, 119,325; Samford R.D., 12,545.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| FFOLK WEST —*cont.* | | | | | | | | | | | | | | |
| NICIPAL BORO'S AND URBAN DISTRICTS. | 41,630 | 380 | 313 | 18 | 24 | 735 | 17·7 | 216 | 273 | 489 | 11·7 | 35 | 48 | 6·0 |
| Bury St. Edmunds M.B. | 16,060 | 158 | 119 | 10 | 7 | 294 | 18·3 | 81 | 100 | 181 | 11·3 | 11 | 37 | 7·0 |
| Glemsford .. | 1,465 | 12 | 9 | — | — | 21 | 14·3 | 11 | 13 | 24 | 16·4 | — | — | −2·1 |
| Hadleigh .. | 3,060 | 41 | 27 | — | 2 | 70 | 22·9 | 23 | 24 | 47 | 15·4 | 6 | 86 | 7·5 |
| Haverhill .. | 4,125 | 37 | 29 | 1 | — | 67 | 16·2 | 22 | 29 | 51 | 12·4 | 4 | 60 | 3·8 |
| Newmarket .. | 9,850 | 80 | 74 | 4 | 11 | 169 | 17·2 | 46 | 55 | 101 | 10·3 | 9 | 53 | 6·9 |
| Sudbury M.B. | 7,070 | 52 | 55 | 3 | 4 | 114 | 16·1 | 33 | 52 | 85 | 12·0 | 5 | 44 | 4·1 |
| RAL DISTRICTS. | 68,090 | 606 | 572 | 29 | 37 | 1,244 | 18·3 | 389 | 390 | 779 | 11·4 | 61 | 49 | 6·9 |
| Brandon .. | 5,740 | 47 | 54 | 3 | 2 | 106 | 18·5 | 27 | 32 | 59 | 10·3 | 3 | 28 | 8·2 |
| Clare .. .. | 7,400 | 52 | 70 | 5 | 4 | 131 | 17·7 | 27 | 39 | 66 | 8·9 | 3 | 23 | 8·8 |
| Cosford .. .. | 10,460 | 97 | 74 | 5 | 8 | 184 | 17·6 | 53 | 57 | 110 | 10·5 | 8 | 43 | 7·1 |
| Melford .. .. | 12,250 | 109 | 97 | 7 | 5 | 218 | 17·8 | 81 | 84 | 165 | 13·5 | 12 | 55 | 4·3 |
| Mildenhall .. | 8,120 | 79 | 65 | 2 | 3 | 149 | 18·3 | 44 | 39 | 83 | 10·2 | 11 | 74 | 8·1 |
| Moulton .. .. | 2,150 | 16 | 16 | — | 2 | 34 | 15·8 | 9 | 8 | 17 | 7·9 | 2 | 59 | 7·9 |
| Thedwastre .. | 8,480 | 77 | 80 | 2 | — | 159 | 18·8 | 70 | 54 | 124 | 14·6 | 8 | 50 | 4·2 |
| Thingoe .. .. | 13,490 | 129 | 116 | 5 | 13 | 263 | 19·5 | 78 | 77 | 155 | 11·5 | 14 | 53 | 8·0 |
| RREY: | | | | | | | | | | | | | | |
| UNTY BORO': | | | | | | | | | | | | | | |
| Croydon .. .. | 193,400 | 1,583 | 1,641 | 68 | 78 | 3,370 | 17·4 | 932 | 1,076 | 2,008 | 10·4 | 178 | 53 | 7·0 |
| MINISTRATIVE COUNTY. | 740,800 | 5,911 | 5,439 | 254 | 279 | 11,883 | 16·0 | 3,509 | 3,626 | 7,135 | 9·7† | 534 | 45 | 6·3 |
| NICIPAL BORO'S AND URBAN DISTRICTS. | 574,300 | 4,615 | 4,256 | 196 | 223 | 9,290 | 16·2 | 2,646 | 2,807 | 5,453 | 9·5† | 410 | 44 | 6·7 |
| Barnes .. .. | 34,400 | 279 | 257 | 12 | 10 | 558 | 16·2 | 173 | 169 | 342 | 9·9 | 26 | 47 | 6·3 |
| Beddington and Wallington. | 16,340 | 118 | 100 | 3 | — | 221 | 13·5 | 75 | 97 | 172 | 10·5 | 11 | 50 | 3·0 |
| Carshalton .. | 14,610 | 142 | 124 | 6 | 3 | 275 | 18·8 | 65 | 60 | 125 | 8·6 | 10 | 36 | 10·2 |
| Caterham .. | 12,370 | 101 | 71 | 2 | 4 | 178 | 14·4 | 42 | 43 | 85 | 7·6† | 10 | 56 | 6·8 |
| Chertsey .. | 15,070 | 118 | 95 | 10 | 8 | 231 | 15·3 | 64 | 62 | 126 | 8·4 | 11 | 48 | 6·9 |
| Coulsdon and Purley. | 22,000 | 148 | 145 | 8 | 4 | 305 | 13·9 | 78 | 86 | 164 | 7·5 | 11 | 36 | 6·4 |
| Dorking .. .. | 8,004 | 60 | 46 | 4 | 6 | 116 | 14·5 | 49 | 48 | 97 | 12·1 | 4 | 34 | 2·4 |
| East and West Molesey. | 7,354 | 59 | 38 | 1 | 2 | 100 | 13·6 | 37 | 44 | 81 | 11·0 | 3 | 30 | 2·6 |
| Egham .. .. | 13,620 | 106 | 99 | 8 | 7 | 220 | 16·2 | 75 | 81 | 156 | 11·5 | 10 | 45 | 4·7 |
| Epsom ‡ .. .. | 19,230 | 134 | 110 | 2 | 11 | 257 | 13·4 | 79 | 73 | 152 | 7·9 | 14 | 54 | 5·5 |
| Esher and the Dittons. | 14,260 | 93 | 92 | 3 | 4 | 192 | 13·5 | 60 | 58 | 118 | 8·3 | 3 | 16 | 5·2 |
| Farnham.. .. | 12,180 | 111 | 85 | 4 | 4 | 204 | 16·7 | 71 | 60 | 131 | 10·8 | 9 | 44 | 5·9 |
| Frimley .. .. | 13,590 | 116 | 104 | 7 | 6 | 233 | 17·1 | 43 | 69 | 112 | 9·6† | 5 | 21 | 7·5 |
| Godalming M.B. | 9,238 | 60 | 77 | 2 | — | 139 | 15·0 | 39 | 56 | 95 | 10·3 | 4 | 29 | 4·7 |
| Guildford M.B. | 25,830 | 229 | 210 | 11 | 11 | 461 | 17·8 | 120 | 136 | 256 | 9·9 | 17 | 37 | 7·9 |
| Ham .. .. | 1,542 | 10 | 10 | 1 | — | 21 | 13·6 | 8 | 4 | 12 | 7·8 | 1 | 48 | 5·8 |
| Haslemere .. | 3,753 | 27 | 20 | 2 | 3 | 52 | 13·9 | 21 | 20 | 41 | 10·9 | 5 | 96 | 3·0 |
| Kingston-on-Thames M.B. | 40,320 | 342 | 333 | 14 | 17 | 706 | 17·5 | 219 | 197 | 416 | 10·3 | 46 | 65 | 7·2 |
| Leatherhead .. | 5,855 | 52 | 41 | 5 | 5 | 103 | 17·6 | 23 | 29 | 52 | 8·9 | 6 | 58 | 8·7 |
| Merton and Morden. | 18,290 | 173 | 161 | 4 | 3 | 341 | 18·6 | 72 | 81 | 153 | 8·4 | 8 | 23 | 10·2 |

† Death-rates based upon estimated civilian populations as follows:—Surrey Administrative County, 737,754; Municipal Boroughs and Urban Districts, 571,254; Caterham U.D., 11,240; Frimley U.D., 11,674.

‡ A considerable proportion of the population of this area was enumerated in County Lunatic Asylums, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| SURREY—*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Mitcham .. | 36,460 | 394 | 368 | 9 | 15 | 786 | 21·6 | 178 | 165 | 343 | 9·4 | 47 | 60 | 12·2 |
| Reigate M.B. .. | 28,710 | 199 | 201 | 3 | 11 | 414 | 14·4 | 134 | 155 | 289 | 10·1 | 16 | 39 | 4·3 |
| Richmond M.B. | 35,120 | 268 | 248 | 17 | 21 | 554 | 15·8 | 191 | 211 | 402 | 11·4 | 32 | 58 | 4·4 |
| Surbiton .. | 19,670 | 169 | 151 | 17 | 11 | 348 | 17·7 | 101 | 116 | 217 | 11·0 | 9 | 26 | 6·7 |
| Sutton .. .. | 21,120 | 189 | 178 | 7 | 7 | 381 | 18·0 | 100 | 121 | 221 | 10·5 | 16 | 42 | 7·5 |
| The Maldens and Coombe. | 14,780 | 113 | 112 | 3 | 8 | 236 | 16·0 | 70 | 75 | 145 | 9·8 | 8 | 34 | 6·2 |
| Walton-upon-Thames. | 14,690 | 118 | 112 | 5 | 5 | 240 | 16·3 | 66 | 52 | 118 | 8·0 | 12 | 50 | 8·3 |
| Weybridge .. | 6,403 | 49 | 44 | — | 2 | 95 | 14·8 | 21 | 23 | 44 | 6·9 | 2 | 21 | 7·9 |
| Wimbledon M.B. | 58,000 | 401 | 429 | 15 | 23 | 868 | 15·0 | 260 | 287 | 547 | 9·4 | 39 | 45 | 5·6 |
| Windlesham .. | 4,721 | 31 | 34 | — | 2 | 67 | 14·2 | 21 | 28 | 49 | 10·4 | 4 | 60 | 3·8 |
| Woking .. .. | 26,770 | 206 | 161 | 11 | 10 | 388 | 14·5 | 91 | 101 | 192 | 7·2 | 11 | 28 | 7·3 |
| RURAL DISTRICTS: | 166,500 | 1,296 | 1,183 | 58 | 56 | 2,593 | 15·6 | 863 | 819 | 1,682 | 10·1 | 124 | 48 | 5·5 |
| Chertsey .. | 11,150 | 91 | 82 | 3 | — | 176 | 15·8 | 46 | 62 | 108 | 9·7 | 8 | 45 | 6·1 |
| Dorking .. .. | 10,250 | 82 | 82 | 4 | 8 | 176 | 17·2 | 69 | 59 | 128 | 12·5 | 9 | 51 | 4·7 |
| Epsom .. .. | 34,630 | 243 | 241 | 10 | 15 | 509 | 14·7 | 147 | 127 | 274 | 7·9 | 14 | 28 | 6·8 |
| Farnham.. .. | 18,220 | 177 | 152 | 4 | 5 | 338 | 18·6 | 109 | 105 | 214 | 11·7 | 23 | 68 | 6·9 |
| Godstone .. | 25,340 | 197 | 173 | 8 | 7 | 385 | 15·2 | 135 | 127 | 262 | 10·3 | 19 | 49 | 4·9 |
| Guildford .. | 21,350 | 156 | 144 | 10 | 5 | 315 | 14·8 | 90 | 107 | 197 | 9·2 | 14 | 44 | 5·6 |
| Hambledon .. | 22,860 | 176 | 152 | 9 | 7 | 344 | 15·0 | 134 | 122 | 256 | 11·2 | 22 | 64 | 3·8 |
| Reigate .. .. | 22,700 | 174 | 157 | 10 | 9 | 350 | 15·4 | 133 | 110 | 243 | 10·7 | 15 | 43 | 4·7 |
| SUSSEX EAST: | | | | | | | | | | | | | | |
| COUNTY BORO'S. | 249,842* | 1,741 | 1,736 | 134 | 129 | 3,740 | 15·0 | 1,392 | 1,646 | 3,038 | 12·2 | 196 | 52 | 2·8 |
| Brighton .. | 135,802* | 1,009 | 1,018 | 78 | 80 | 2,185 | 16·1 | 781 | 912 | 1,693 | 12·5 | 132 | 60 | 3·6 |
| Eastbourne .. | 53,900 | 321 | 353 | 26 | 19 | 719 | 13·3 | 226 | 297 | 523 | 9·7 | 28 | 39 | 3·6 |
| Hastings .. | 60,140 | 411 | 365 | 30 | 30 | 836 | 13·9 | 385 | 437 | 822 | 13·7 | 36 | 43 | 0·2 |
| ADMINISTRATIVE COUNTY. | 255,998* | 1,903 | 1,773 | 99 | 93 | 3,868 | 15·1 | 1,357 | 1,498 | 2,855 | 11·3† | 175 | 45 | 3·8 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 123,900 | 852 | 791 | 48 | 47 | 1,738 | 14·0 | 681 | 816 | 1,497 | 12·1 | 76 | 44 | 1·9 |
| Battle .. .. | 2,948 | 27 | 36 | — | 1 | 64 | 21·7 | 21 | 19 | 40 | 13·6 | 2 | 31 | 8·1 |
| Bexhill M.B. .. | 17,810 | 112 | 109 | 9 | 6 | 236 | 13·3 | 89 | 119 | 208 | 11·7 | 7 | 30 | 1·6 |
| Burgess Hill .. | 5,547 | 37 | 39 | 3 | 1 | 80 | 14·4 | 32 | 39 | 71 | 12·8 | 4 | 50 | 1·6 |
| Cuckfield.. .. | 1,863 | 8 | 13 | — | — | 21 | 11·3 | 13 | 13 | 26 | 14·0 | 2 | 95 | −2·7 |
| East Grinstead | 7,637 | 51 | 57 | 4 | 3 | 115 | 15·1 | 34 | 45 | 79 | 10·3 | 4 | 35 | 4·8 |
| Haywards Heath | 4,941 | 29 | 32 | 2 | 1 | 64 | 13·0 | 21 | 32 | 53 | 10·7 | — | — | 2·3 |
| Hove M.B. .. | 44,340 | 239 | 217 | 18 | 14 | 488 | 11·0 | 266 | 353 | 619 | 14·0 | 25 | 51 | −3·0 |
| Lewes M.B. .. | 10,930 | 96 | 74 | 8 | 5 | 183 | 16·7 | 59 | 71 | 130 | 11·9 | 6 | 33 | 4·8 |
| Newhaven .. | 6,575 | 64 | 61 | 2 | 5 | 132 | 20·1 | 37 | 31 | 68 | 10·3 | 7 | 53 | 9·8 |
| Portslade-by-Sea | 7,904 | 92 | 66 | 1 | 5 | 164 | 20·7 | 54 | 32 | 86 | 10·9 | 6 | 37 | 9·8 |
| Rye M.B. .. | 3,823 | 43 | 20 | 1 | 2 | 66 | 17·3 | 20 | 24 | 44 | 11·5 | 4 | 61 | 5·8 |
| Seaford .. .. | 6,195 | 24 | 36 | — | 4 | 64 | 10·3 | 19 | 28 | 47 | 7·6 | 6 | 94 | 2·7 |
| Uckfield .. .. | 3,387 | 30 | 31 | — | — | 61 | 18·0 | 16 | 10 | 26 | 7·7 | 3 | 49 | 10·3 |
| RURAL DISTRICTS. | 132,098* | 1,051 | 982 | 51 | 46 | 2,130 | 16·1 | 676 | 682 | 1,358 | 10·5† | 99 | 46 | 5·6 |
| Battle .. .. | 6,284 | 63 | 36 | 3 | — | 102 | 16·2 | 32 | 32 | 64 | 10·2 | 3 | 29 | 6·0 |
| Chailey .. .. | 12,670 | 99 | 95 | 2 | 4 | 200 | 15·8 | 70 | 55 | 125 | 9·9 | 10 | 50 | 5·9 |
| Cuckfield.. .. | 16,440 | 133 | 109 | 6 | 2 | 250 | 15·2 | 96 | 91 | 187 | 11·4 | 11 | 44 | 3·8 |

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Sussex East—Administrative County, 253,770*; Rural Districts, 129,870*.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| SSEX EAST —*cont.* RAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| Eastbourne .. | 5,793 | 55 | 50 | 2 | 3 | 110 | 19·0 | 17 | 30 | 47 | 8·1 | 3 | 27 | 10·9 |
| East Grinstead | 13,760 | 82 | 108 | 4 | 4 | 198 | 14·4 | 72 | 70 | 142 | 10·3 | 13 | 66 | 4·1 |
| Hailsham .. | 18,320 | 143 | 160 | 10 | 10 | 323 | 17·6 | 97 | 97 | 194 | 10·6 | 12 | 37 | 7·0 |
| Hastings .. | 1,835 | 11 | 12 | — | 2 | 25 | 13·6 | 9 | 11 | 20 | 10·9 | 1 | 40 | 2·7 |
| Newhaven .. | 6,449 | 55 | 51 | — | 1 | 107 | 16·6 | 27 | 23 | 50 | 7·8 | 8 | 75 | 8·8 |
| Rye .. .. | 6,886 | 60 | 57 | 3 | 1 | 121 | 17·6 | 38 | 44 | 82 | 11·9 | 6 | 50 | 5·7 |
| Steyning East | *4,321 | 60 | 45 | — | 2 | 107 | 24·8 | 22 | 17 | 39 | 9·0 | 3 | 28 | 15·8 |
| Ticehurst .. | 12,870 | 103 | 84 | 6 | 5 | 198 | 15·4 | 73 | 62 | 135 | 10·5 | 13 | 66 | 4·9 |
| Uckfield .. .. | 26,470 | 187 | 175 | 15 | 12 | 389 | 14·7 | 123 | 150 | 273 | 11·3† | 16 | 41 | 3·4 |
| SSEX WEST: Administrative County. | 187,310 | 1,376 | 1,331 | 72 | 66 | 2,845 | 15·2 | 963 | 1,032 | 1,995 | 10·7 | 123 | 43 | 4·5 |
| NICIPAL BORO'S AND URBAN DISTRICTS. | 90,890 | 641 | 558 | 31 | 27 | 1,257 | 13·8 | 470 | 572 | 1,042 | 11·5 | 58 | 46 | 2·3 |
| Arundel M.B... | 2,723 | 19 | 17 | — | — | 36 | 13·2 | 14 | 11 | 25 | 9·2 | 3 | 83 | 4·0 |
| Bognor .. .. | 11,670 | 64 | 39 | 2 | 4 | 109 | 9·3 | 44 | 57 | 101 | 8·7 | 7 | 64 | 0·6 |
| Chichester M.B. | 12,680 | 102 | 95 | 4 | 4 | 205 | 16·2 | 64 | 78 | 142 | 11·2 | 9 | 44 | 5·0 |
| Horsham.. .. | 11,360 | 96 | 64 | 2 | 5 | 167 | 14·7 | 58 | 59 | 117 | 10·3 | 8 | 48 | 4·4 |
| Littlehampton | 8,844 | 73 | 60 | 6 | 1 | 140 | 15·8 | 44 | 62 | 106 | 12·0 | 4 | 29 | 3·8 |
| Shoreham-by-Sea. | 7,283 | 53 | 59 | 1 | 3 | 116 | 15·9 | 34 | 46 | 80 | 11·0 | 6 | 52 | 4·9 |
| Southwick .. | 4,890 | 36 | 44 | — | 3 | 83 | 17·0 | 21 | 22 | 43 | 8·8 | 3 | 36 | 8·2 |
| Worthing M.B. | 31,440 | 198 | 180 | 16 | 7 | 401 | 12·8 | 191 | 237 | 428 | 13·6 | 18 | 45 | —0·8 |
| RAL DISTRICTS. | 96,420 | 735 | 773 | 41 | 39 | 1,588 | 16·5 | 493 | 460 | 953 | 9·9 | 65 | 41 | 6·6 |
| East Preston .. | 7,268 | 45 | 70 | 4 | 2 | 121 | 16·6 | 36 | 34 | 70 | 9·6 | 3 | 25 | 7·0 |
| Horsham.. .. | 21,280 | 145 | 155 | 9 | 5 | 314 | 14·8 | 92 | 110 | 202 | 9·5 | 7 | 22 | 5·3 |
| Midhurst .. | 14,760 | 112 | 108 | 4 | 8 | 232 | 15·7 | 63 | 70 | 133 | 9·0 | 7 | 30 | 6·7 |
| Petworth .. | 8,087 | 58 | 59 | — | 1 | 118 | 14·6 | 50 | 43 | 93 | 11·5 | 6 | 51 | 3·1 |
| Steyning West | 10,060 | 73 | 79 | 5 | 4 | 161 | 16·0 | 65 | 47 | 112 | 11·1 | 6 | 37 | 4·9 |
| Thakeham .. | 8,308 | 77 | 78 | 7 | 3 | 165 | 19·9 | 49 | 48 | 97 | 11·7 | 9 | 55 | 8·2 |
| Westbourne .. | 8,957 | 84 | 95 | 6 | 5 | 190 | 21·2 | 49 | 40 | 89 | 9·9 | 12 | 63 | 11·3 |
| Westhampnett | 17,700 | 141 | 129 | 6 | 11 | 287 | 16·2 | 89 | 68 | 157 | 8·9 | 15 | 52 | 7·3 |
| RWICKSHIRE: | | | | | | | | | | | | | | |
| NTY BORO'S. | 1,077,600 | 10,304 | 10,336 | 358 | 307 | 21,305 | 19·8 | 5,878 | 5,644 | 11,522 | 10·7 | 1,519 | 71 | 9·1 |
| Birmingham .. | 946,400 | 9,217 | 9,247 | 328 | 282 | 19,074 | 20·2 | 5,240 | 5,050 | 10,290 | 10·9 | 1,370 | 72 | 9·3 |
| Coventry.. .. | 131,200 | 1,087 | 1,089 | 30 | 25 | 2,231 | 17·0 | 638 | 594 | 1,232 | 9·4 | 149 | 67 | 7·6 |
| MINISTRATIVE COUNTY. | 351,800 | 3,493 | 3,220 | 115 | 122 | 6,950 | 19·8 | 1,849 | 1,771 | 3,620 | 10·3 | 429 | 62 | 9·5 |
| NICIPAL BORO'S AND URBAN DISTRICTS. | 153,100 | 1,455 | 1,320 | 46 | 49 | 2,870 | 18·7 | 779 | 815 | 1,594 | 10·4 | 176 | 61 | 8·3 |
| Bulkington .. | 2,335 | 27 | 27 | — | 1 | 55 | 23·6 | 11 | 12 | 23 | 9·9 | 3 | 55 | 13·7 |
| Kenilworth .. | 6,875 | 76 | 72 | 2 | 1 | 151 | 22·0 | 41 | 49 | 90 | 13·1 | 9 | 60 | 8·9 |
| Nuneaton M.B. | 44,030 | 513 | 459 | 8 | 16 | 996 | 22·6 | 217 | 199 | 416 | 9·4 | 75 | 75 | 13·2 |
| Royal Leamington Spa M.B. | 28,790 | 221 | 227 | 14 | 7 | 469 | 16·3 | 163 | 227 | 390 | 13·5 | 27 | 58 | 2·8 |
| Rugby .. .. | 25,460 | 212 | 195 | 6 | 6 | 419 | 16·5 | 110 | 121 | 231 | 9·1 | 19 | 45 | 7·4 |
| Stratford-on-Avon M.B. | 9,160 | 88 | 68 | 5 | 3 | 164 | 17·9 | 49 | 59 | 108 | 11·8 | 7 | 43 | 6·1 |

* Population adjusted to allow for changes in boundary during the year.
† Death-rates based upon estimated civilian populations as follows:—Sussex East—Uckfield R.D., 24,242.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| WARWICKSHIRE —*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Sutton Coldfield M.B. | 23,210 | 193 | 148 | 3 | 8 | 352 | 15·2 | 112 | 107 | 219 | 9·4 | 28 | 80 | 5·8 |
| Warwick M.B. | 13,240 | 125 | 124 | 8 | 7 | 264 | 19·9 | 76 | 41 | 117 | 8·8 | 8 | 30 | 11·1 |
| RURAL DISTRICTS. | 198,700 | 2,038 | 1,900 | 69 | 73 | 4,080 | 20·5 | 1,070 | 956 | 2,026 | 10·2 | 253 | 62 | 10·3 |
| Alcester .. . | 12,480 | 102 | 112 | 7 | 5 | 226 | 18·1 | 69 | 62 | 131 | 10·5 | 13 | 58 | 7·6 |
| Atherstone .. | 21,900 | 267 | 230 | 9 | 9 | 515 | 23·5 | 136 | 117 | 253 | 11·6 | 47 | 91 | 11·9 |
| Brailes .. .. | 5,693 | 43 | 39 | 4 | 4 | 90 | 15·8 | 40 | 32 | 72 | 12·6 | 5 | 56 | 3·2 |
| Coventry.. .. | 6,031 | 109 | 90 | 3 | 1 | 203 | 33·7 | 33 | 18 | 51 | 8·5 | 11 | 54 | 25·2 |
| Farnborough .. | 1,389 | 10 | 11 | 1 | — | 22 | 15·8 | 10 | 5 | 15 | 10·8 | 1 | 45 | 5·0 |
| Foleshill .. .. | 35,250 | 438 | 429 | 4 | 13 | 884 | 25·1 | 161 | 140 | 301 | 8·5 | 58 | 66 | 16·6 |
| Meriden .. .. | 17,440 | 168 | 146 | 5 | 6 | 325 | 18·6 | 112 | 91 | 203 | 11·6 | 21 | 65 | 7·0 |
| Monks Kirby | 1,504 | 10 | 9 | — | 1 | 20 | 13·3 | 11 | 5 | 16 | 10·6 | 2 | 100 | 2·7 |
| Nuneaton .. | 3,543 | 54 | 43 | — | 3 | 100 | 28·2 | 26 | 19 | 45 | 12·7 | 8 | 80 | 15·5 |
| Rugby .. .. | 20,120 | 199 | 190 | 5 | 6 | 400 | 19·9 | 99 | 103 | 202 | 10·0 | 17 | 43 | 9·9 |
| Solihull .. .. | 21,160 | 141 | 140 | 9 | 6 | 296 | 14·0 | 80 | 98 | 178 | 8·4 | 12 | 41 | 5·6 |
| Southam .. | 10,070 | 88 | 112 | 5 | 6 | 211 | 21·0 | 55 | 54 | 109 | 10·8 | 7 | 33 | 10·2 |
| Stratford-on-Avon. | 10,950 | 87 | 81 | 4 | 1 | 173 | 15·8 | 69 | 60 | 129 | 11·8 | 11 | 64 | 4·0 |
| Tamworth (part of)‡. | 18,480 | 227 | 161 | 9 | 8 | 405 | 21·9 | 94 | 92 | 186 | 10·1 | 26 | 64 | 11·8 |
| Warwick .. | 12,690 | 95 | 107 | 4 | 4 | 210 | 16·5 | 75 | 60 | 135 | 10·6 | 14 | 67 | 5·9 |
| WESTMORLAND: Administrative County | 62,230 | 534 | 496 | 41 | 27 | 1,098 | 17·6 | 401 | 370 | 771 | 12·4 | 66 | 60 | 5·2 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 26,620 | 213 | 194 | 13 | 14 | 434 | 16·3 | 162 | 167 | 329 | 12·4 | 28 | 65 | 3·9 |
| Ambleside .. | 2,272 | 13 | 13 | — | — | 26 | 11·4 | 12 | 16 | 28 | 12·3 | 2 | 77 | −0·9 |
| Appleby M.B. | 1,653 | 11 | 13 | 1 | 4 | 29 | 17·5 | 12 | 13 | 25 | 15·1 | — | — | 2·4 |
| Grasmere .. | 878 | 13 | 3 | — | — | 16 | 18·2 | 3 | 7 | 10 | 11·4 | — | — | 6·8 |
| Kendal M.B. .. | 14,230 | 122 | 113 | 6 | 7 | 248 | 17·4 | 94 | 91 | 185 | 13·0 | 21 | 85 | 4·4 |
| Kirkby Lonsdale | 1,341 | 14 | 9 | 1 | — | 24 | 17·9 | 7 | 13 | 20 | 14·9 | 2 | 83 | 3·0 |
| Shap .. .. | 1,004 | 14 | 9 | 2 | 1 | 26 | 25·9 | 5 | 4 | 9 | 9·0 | 1 | 38 | 16·9 |
| Windermere .. | 5,242 | 26 | 34 | 3 | 2 | 65 | 12·4 | 29 | 23 | 52 | 9·9 | 2 | 31 | 2·5 |
| RURAL DISTRICTS. | 35,610 | 321 | 302 | 28 | 13 | 664 | 18·6 | 239 | 203 | 442 | 12·4 | 38 | 57 | 6·2 |
| East Westmorland. | 10,880 | 108 | 104 | 17 | 5 | 234 | 21·5 | 84 | 61 | 145 | 13·3 | 13 | 56 | 8·2 |
| South Westmorland. | 18,660 | 160 | 151 | 6 | 3 | 320 | 17·1 | 122 | 113 | 235 | 12·6 | 20 | 63 | 4·5 |
| West Ward .. | 6,070 | 53 | 47 | 5 | 5 | 110 | 18·1 | 33 | 29 | 62 | 10·2 | 5 | 45 | 7·9 |
| WIGHT, ISLE OF: Administrative County | 85,710 | 609 | 596 | 42 | 31 | 1,278 | 14·9 | 470 | 511 | 981 | 11·4 | 49 | 38 | 3·5 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 56,700* | 388 | 393 | 33 | 24 | 838 | 14·8 | 313 | 366 | 679 | 12·0 | 35 | 42 | 2·8 |
| Cowes .. .. | 10,590* | 75 | 62 | 12 | 6 | 155 | 14·6 | 69 | 57 | 126 | 11·9 | 5 | 32 | 2·7 |
| East Cowes .. | 4,753 | 31 | 36 | — | 3 | 70 | 14·7 | 26 | 25 | 51 | 10·7 | 3 | 43 | 4·0 |
| Newport M. B. | 11,180 | 106 | 102 | 7 | 5 | 220 | 19·7 | 63 | 66 | 129 | 11·5 | 8 | 36 | 8·2 |

* Population adjusted to allow for changes in boundary during the year.
‡ The remainder of Tamworth Rural District is in Staffordshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| VIGHT, ISLE OF —*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Ryde M.B. .. | 10,480 | 70 | 80 | 4 | 4 | 158 | 15·1 | 56 | 90 | 146 | 13·9 | 6 | 38 | 1·2 |
| St. Helens .. | 5,073 | 20 | 33 | 6 | 3 | 62 | 12·2 | 24 | 28 | 52 | 10·3 | 6 | 97 | 1·9 |
| Sandown .. | 5,434 | 28 | 32 | 1 | — | 61 | 11·2 | 29 | 36 | 65 | 12·0 | 2 | 33 | −0·8 |
| Shanklin .. | 4,270 | 26 | 19 | 2 | 1 | 48 | 11·2 | 21 | 27 | 48 | 11·2 | 2 | 42 | — |
| Ventnor .. .. | 4,920 | 32 | 29 | 1 | 2 | 64 | 13·0 | 25 | 37 | 62 | 12·6 | 3 | 47 | 0·4 |
| RURAL DISTRICT. | | | | | | | | | | | | | | |
| Isle of Wight | 29,010* | 221 | 203 | 9 | 7 | 440 | 15·2 | 157 | 145 | 302 | 10·4 | 14 | 32 | 4·8 |
| VILTSHIRE: Administrative County | 296,600 | 2,662 | 2,495 | 142 | 124 | 5,423 | 18·3 | 1,617 | 1,578 | 3,195 | 11·0† | 279 | 51 | 7·3 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 135,100 | 1,122 | 1,046 | 48 | 51 | 2,267 | 16·8 | 678 | 703 | 1,381 | 10·2 | 125 | 55 | 6·6 |
| Bradford-on-Avon. | 4,832 | 30 | 29 | 1 | 4 | 64 | 13·2 | 25 | 26 | 51 | 10·6 | 7 | 109 | 2·6 |
| Calne M.B. .. | 3,667 | 33 | 26 | 1 | — | 60 | 16·4 | 21 | 15 | 36 | 9·8 | 2 | 33 | 6·6 |
| Chippenham M.B. | 7,874 | 56 | 54 | 3 | — | 113 | 14·4 | 33 | 47 | 80 | 10·2 | 7 | 62 | 4·2 |
| Devizes M.B. | 6,035 | 52 | 53 | 2 | 2 | 109 | 18·1 | 51 | 29 | 80 | 13·3 | 8 | 73 | 4·8 |
| Malmesbury M.B. | 2,397 | 20 | 17 | 1 | 1 | 39 | 16·3 | 19 | 19 | 38 | 15·9 | 3 | 77 | 0·4 |
| Marlborough M.B. | 4,192 | 17 | 22 | 3 | 3 | 45 | 10·7 | 23 | 24 | 47 | 11·2 | 6 | 133 | −0·5 |
| Melksham .. | 3,624 | 26 | 25 | — | — | 51 | 14·1 | 15 | 17 | 32 | 8·8 | 4 | 78 | 5·3 |
| Salisbury M.B. | 23,010 | 191 | 168 | 8 | 16 | 383 | 16·6 | 129 | 111 | 240 | 10·4 | 17 | 44 | 6·2 |
| Swindon M.B. | 55,980 | 505 | 454 | 19 | 17 | 995 | 17·8 | 248 | 271 | 519 | 9·3 | 53 | 53 | 8·5 |
| Trowbridge .. | 12,280 | 105 | 96 | 5 | 5 | 211 | 17·2 | 56 | 60 | 116 | 9·4 | 10 | 47 | 7·8 |
| Warminster .. | 5,450 | 31 | 47 | 1 | 3 | 82 | 15·0 | 24 | 28 | 52 | 9·5 | 4 | 49 | 5·5 |
| Westbury .. | 3,741 | 34 | 37 | 2 | — | 73 | 19·5 | 20 | 37 | 57 | 15·2 | 3 | 41 | 4·3 |
| Wilton M.B. .. | 2,018 | 22 | 18 | 2 | — | 42 | 20·8 | 14 | 19 | 33 | 16·4 | 1 | 24 | 4·4 |
| RURAL DISTRICTS. | 161,500 | 1,540 | 1,449 | 94 | 73 | 3,156 | 19·5 | 939 | 875 | 1,814 | 11·6† | 154 | 49 | 7·9 |
| Amesbury .. | 16,450 | 183 | 194 | 10 | 4 | 391 | 23·8 | 52 | 45 | 97 | 8·1† | 13 | 33 | 15·7 |
| Bradford-on-Avon. | 5,505 | 47 | 47 | 1 | — | 95 | 17·3 | 27 | 41 | 68 | 12·4 | 9 | 95 | 4·9 |
| Calne .. .. | 4,682 | 32 | 49 | — | 3 | 84 | 17·9 | 26 | 27 | 53 | 11·3 | — | — | 6·6 |
| Chippenham .. | 14,410 | 141 | 120 | 7 | 6 | 274 | 19·0 | 89 | 97 | 186 | 12·9 | 13 | 47 | 6·1 |
| Cricklade and Wootton Bassett. | 10,900 | 115 | 125 | 11 | 7 | 258 | 23·7 | 68 | 78 | 146 | 13·4 | 12 | 47 | 10·3 |
| Devizes .. .. | 12,420 | 107 | 103 | 3 | 7 | 220 | 17·7 | 67 | 61 | 128 | 10·3 | 7 | 32 | 7·4 |
| Highworth .. | 16,460 | 208 | 161 | 7 | 8 | 384 | 23·3 | 104 | 82 | 186 | 11·3 | 18 | 47 | 12·0 |
| Malmesbury .. | 8,487 | 62 | 75 | 7 | 3 | 147 | 17·3 | 58 | 64 | 122 | 14·4 | 13 | 88 | 2·9 |
| Marlborough | 4,215 | 37 | 39 | 3 | 1 | 80 | 19·0 | 22 | 24 | 46 | 10·9 | 4 | 50 | 8·1 |
| Melksham .. | 5,123 | 51 | 47 | 4 | 1 | 103 | 20·1 | 25 | 24 | 49 | 9·6 | 3 | 29 | 10·5 |
| Mere .. .. | 4,647 | 31 | 37 | 4 | 1 | 73 | 15·7 | 31 | 31 | 62 | 13·3 | 6 | 82 | 2·4 |
| Pewsey .. .. | 13,520 | 135 | 119 | 16 | 9 | 279 | 20·6 | 81 | 53 | 134 | 10·7† | 17 | 61 | 9·9 |
| Ramsbury .. | 6,243 | 54 | 54 | 2 | 5 | 115 | 18·4 | 49 | 50 | 99 | 15·9 | 3 | 26 | 2·5 |
| Salisbury .. | 10,270 | 84 | 86 | 10 | 2 | 182 | 17·7 | 62 | 48 | 110 | 10·9† | 8 | 44 | 6·8 |
| Tetbury (pt. of)‡ | 366 | 2 | 3 | — | — | 5 | 13·7 | — | — | — | — | — | — | 13·7 |

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Wiltshire Administrative County, 290,880; Rural Districts, 155,780; Amesbury R.D., 11,980; Pewsey R.D., 12,478; Salisbury R.D., 10,062.

‡ The remainder of Tetbury Rural District is in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| WILTSHIRE—*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Tisbury .. .. | 7,176 | 51 | 43 | 4 | 2 | 100 | 13·9 | 45 | 33 | 78 | 10·9 | 4 | 40 | 3·0 |
| Warminster .. | 5,982 | 65 | 40 | — | 1 | 106 | 17·7 | 39 | 35 | 74 | 12·4 | 8 | 75 | 5·3 |
| Westbury and Whorwellsdown. | 6,586 | 52 | 48 | 2 | 6 | 108 | 16·4 | 41 | 31 | 72 | 10·9 | 7 | 65 | 5·5 |
| Wilton .. .. | 8,058 | 83 | 59 | 3 | 7 | 152 | 18·9 | 53 | 51 | 104 | 12·9 | 9 | 59 | 6·0 |
| WORCESTERSHIRE: COUNTY BORO'S. | 108,010 | 1,072 | 1,113 | 34 | 41 | 2,260 | 20·9 | 648 | 626 | 1,274 | 11·8 | 157 | 69 | 9·1 |
| Dudley .. .. | 58,150 | 634 | 656 | 17 | 22 | 1,329 | 22·9 | 374 | 348 | 722 | 12·4 | 104 | 78 | 10·5 |
| Worcester .. | 49,860 | 438 | 457 | 17 | 19 | 931 | 18·7 | 274 | 278 | 552 | 11·1 | 53 | 57 | 7·6 |
| ADMINISTRATIVE COUNTY. | 305,600 | 2,833 | 2,654 | 94 | 93 | 5,674 | 18·6 | 1,723 | 1,698 | 3,421 | 11·2 | 368 | 65 | 7·4 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 169,400 | 1,616 | 1,528 | 50 | 45 | 3,239 | 19·1 | 961 | 923 | 1,884 | 11·1 | 223 | 69 | 8·0 |
| Bewdley M.B... | 2,674 | 20 | 27 | 1 | 1 | 49 | 18·3 | 18 | 10 | 28 | 10·5 | 3 | 61 | 7·8 |
| Bromsgrove .. | 9,695 | 91 | 91 | 4 | — | 186 | 19·2 | 58 | 50 | 108 | 11·1 | 10 | 54 | 8·1 |
| Droitwich M.B. | 3,894 | 39 | 37 | 2 | 4 | 82 | 21·1 | 31 | 36 | 67 | 17·2 | 7 | 85 | 3·9 |
| Evesham M.B. | 8,640 | 77 | 81 | 2 | 2 | 162 | 18·8 | 49 | 42 | 91 | 10·5 | 9 | 56 | 8·3 |
| Kidderminster M.B. | 27,400 | 219 | 215 | 9 | 14 | 457 | 16·7 | 147 | 169 | 316 | 11·5 | 38 | 83 | 5·2 |
| Lye and Wollescote. | 12,630 | 155 | 145 | 1 | 1 | 302 | 23·9 | 75 | 55 | 130 | 10·3 | 18 | 60 | 13·6 |
| Malvern .. .. | 16,940 | 89 | 110 | 4 | 6 | 209 | 12·3 | 75 | 98 | 173 | 10·2 | 6 | 29 | 2·1 |
| North Bromsgrove. | 8,497 | 69 | 53 | 7 | 1 | 130 | 15·3 | 42 | 36 | 78 | 9·2 | 7 | 54 | 6·1 |
| Oldbury .. .. | 38,970 | 473 | 431 | 8 | 4 | 916 | 23·5 | 231 | 203 | 434 | 11·1 | 71 | 78 | 12·4 |
| Redditch.. .. | 16,690 | 143 | 120 | 4 | 1 | 268 | 16·1 | 96 | 85 | 181 | 10·8 | 23 | 86 | 5·3 |
| Stourbridge M.B. | 18,500 | 191 | 176 | 6 | 10 | 383 | 20·7 | 109 | 110 | 219 | 11·8 | 24 | 63 | 8·9 |
| Stourport .. | 4,870 | 50 | 42 | 2 | 1 | 95 | 19·5 | 30 | 29 | 59 | 12·1 | 7 | 74 | 7·4 |
| RURAL DISTRICTS. | 136,200 | 1,217 | 1,126 | 44 | 48 | 2,435 | 17·9 | 762 | 775 | 1,537 | 11·3 | 145 | 60 | 6·6 |
| Bromsgrove .. | 17,130 | 156 | 116 | 7 | 7 | 286 | 16·7 | 83 | 94 | 177 | 10·3 | 10 | 35 | 6·4 |
| Droitwich .. | 12,800 | 88 | 109 | 4 | 8 | 209 | 16·3 | 54 | 60 | 114 | 8·9 | 7 | 33 | 7·4 |
| Evesham .. | 9,944 | 101 | 78 | 1 | 2 | 182 | 18·3 | 55 | 49 | 104 | 10·5 | 4 | 22 | 7·8 |
| Feckenham .. | 5,507 | 36 | 28 | 4 | 4 | 72 | 13·1 | 23 | 30 | 53 | 9·6 | 3 | 42 | 3·5 |
| Halesowen .. | 29,920 | 312 | 302 | 3 | 2 | 619 | 20·7 | 183 | 147 | 330 | 11·0 | 63 | 102 | 9·7 |
| Kidderminster | 7,603 | 68 | 64 | 2 | 1 | 135 | 17·8 | 45 | 45 | 90 | 11·8 | 5 | 37 | 6·0 |
| Martley .. .. | 12,460 | 118 | 107 | 9 | 9 | 243 | 19·5 | 92 | 74 | 166 | 13·3 | 22 | 91 | 6·2 |
| Pershore .. | 12,970 | 108 | 103 | 6 | 3 | 220 | 17·0 | 69 | 70 | 139 | 10·7 | 9 | 41 | 6·3 |
| Rock .. .. | 2,169 | 18 | 21 | 1 | 4 | 44 | 20·3 | 15 | 23 | 38 | 17·5 | 3 | 68 | 2·8 |
| Shipston-on-Stour. | 4,248 | 34 | 38 | 2 | — | 74 | 17·4 | 20 | 33 | 53 | 12·5 | 1 | 14 | 4·9 |
| Stow on the Wold (part of)‡ | 280 | 3 | 1 | — | — | 4 | 14·3 | 3 | 4 | 7 | 25·0 | — | — | −10·7 |
| Tenbury .. | 4,443 | 37 | 44 | 3 | 4 | 88 | 19·8 | 31 | 29 | 60 | 13·5 | 3 | 34 | 6·3 |
| Tewkesbury (part of)‡ | 2,129 | 19 | 15 | — | 1 | 35 | 16·4 | 17 | 18 | 35 | 16·4 | 3 | 86 | — |
| Upton on Severn | 13,490 | 105 | 95 | 2 | 3 | 205 | 15·2 | 62 | 90 | 152 | 11·3 | 12 | 59 | 3·9 |
| Winchcomb (part of)‡ | 101 | 1 | — | — | — | 1 | 9·9 | — | 1 | 1 | 9·9 | — | — | — |
| Civil Parishes of Redmarley d'Abitôt and Staunton, administered by R.D.C. of Newent (Glos) | 1,006 | 13 | 5 | — | — | 18 | 17·9 | 10 | 8 | 18 | 17·9 | — | — | — |

‡ The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000, Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000, Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| RKSHIRE: | | | | | | | | | | | | | | |
| AST RIDING: | | | | | | | | | | | | | | |
| NTY BORO': Kingston-upon-Hull. | 296,900 | 3,358 | 3,234 | 133 | 173 | 6,898 | 23·2 | 1,835 | 1,575 | 3,410 | 11·5 | 571 | 83 | 11·7 |
| MINISTRATIVE COUNTY. | 165,170 | 1,565 | 1,468 | 111 | 100 | 3,244 | 19·6 | 973 | 922 | 1,895 | 11·5 | 188 | 58 | 8·1 |
| NICIPAL BORO'S AND URBAN DISTRICTS. | 65,253* | 565 | 537 | 42 | 32 | 1,176 | 18·0 | 394 | 416 | 810 | 12·4 | 62 | 53 | 5·6 |
| everley M.B. | 13,690 | 132 | 132 | 7 | 7 | 278 | 20·3 | 94 | 75 | 169 | 12·3 | 10 | 36 | 8·0 |
| ridlington M.B. | 15,303* | 125 | 107 | 15 | 9 | 256 | 16·7 | 91 | 106 | 197 | 12·9 | 15 | 59 | 3·8 |
| ottingham .. | 5,223 | 45 | 35 | 2 | 1 | 83 | 15·9 | 33 | 35 | 68 | 13·0 | 10 | 120 | 2·9 |
| iley .. .. | 3,455 | 17 | 20 | 2 | 1 | 40 | 11·6 | 17 | 20 | 37 | 10·7 | 4 | 100 | 0·9 |
| reat Driffield | 5,663 | 40 | 53 | 7 | 3 | 103 | 18·2 | 43 | 44 | 87 | 15·4 | 5 | 49 | 2·8 |
| edon M.B. .. | 1,380 | 9 | 10 | 1 | — | 20 | 14·5 | 8 | 9 | 17 | 12·3 | 1 | 50 | 2·2 |
| essle .. .. | 6,199 | 66 | 57 | 3 | — | 126 | 20·3 | 27 | 32 | 59 | 9·5 | 5 | 40 | 10·8 |
| ornsea .. .. | 3,864 | 40 | 40 | 2 | 5 | 87 | 22·5 | 24 | 27 | 51 | 13·2 | 5 | 57 | 9·3 |
| orton .. .. | 3,860 | 38 | 33 | 2 | 1 | 74 | 19·2 | 24 | 34 | 58 | 15·0 | 4 | 54 | 4·2 |
| ocklington .. | 2,669 | 27 | 25 | — | 2 | 54 | 20·2 | 16 | 12 | 28 | 10·5 | 2 | 37 | 9·7 |
| ithernsea .. | 3,947 | 26 | 25 | 1 | 3 | 55 | 13·9 | 17 | 22 | 39 | 9·9 | 1 | 18 | 4·0 |
| RAL DISTRICTS. | 99,917* | 1,000 | 931 | 69 | 68 | 2,068 | 20·7 | 579 | 506 | 1,085 | 10·9 | 126 | 61 | 9·8 |
| everley .. | 11,990 | 124 | 114 | 7 | 6 | 251 | 20·9 | 56 | 57 | 113 | 9·4 | 16 | 64 | 11·5 |
| ridlington .. | 7,861* | 86 | 67 | 5 | 5 | 163 | 20·7 | 51 | 32 | 83 | 10·6 | 17 | 104 | 10·1 |
| riffield .. .. | 11,730 | 108 | 109 | 10 | 8 | 235 | 20·0 | 77 | 63 | 140 | 11·9 | 13 | 55 | 8·1 |
| scrick .. .. | 5,940 | 59 | 53 | 5 | 4 | 121 | 20·4 | 26 | 32 | 58 | 9·8 | 8 | 66 | 10·6 |
| owden .. .. | 13,180 | 128 | 125 | 11 | 8 | 272 | 20·6 | 67 | 63 | 130 | 9·9 | 7 | 26 | 10·7 |
| orton .. .. | 5,390 | 53 | 52 | 7 | 10 | 122 | 22·6 | 36 | 40 | 76 | 14·1 | 8 | 66 | 8·5 |
| atrington .. | 7,522 | 75 | 71 | 7 | 9 | 162 | 21·5 | 56 | 45 | 101 | 13·4 | 12 | 74 | 8·1 |
| ocklington .. | 10,950 | 110 | 106 | 7 | 8 | 231 | 21·1 | 78 | 57 | 135 | 12·3 | 14 | 61 | 8·8 |
| iccall .. .. | 5,436 | 66 | 59 | 2 | 2 | 129 | 23·7 | 30 | 23 | 53 | 9·7 | 11 | 85 | 14·0 |
| culcoates .. | 10,610 | 102 | 96 | 3 | 1 | 202 | 19·0 | 57 | 50 | 107 | 10·1 | 15 | 74 | 8·9 |
| herburn.. .. | 2,129 | 24 | 20 | 3 | 4 | 51 | 24·0 | 11 | 9 | 20 | 9·4 | — | — | 14·6 |
| kirlaugh .. | 7,179 | 65 | 59 | 2 | 3 | 129 | 18·0 | 34 | 35 | 69 | 9·6 | 5 | 39 | 8·4 |
| RKSHIRE: | | | | | | | | | | | | | | |
| ORTH RIDING: | | | | | | | | | | | | | | |
| NTY BORO': iddlesbrough | 135,400 | 1,810 | 1,763 | 82 | 73 | 3,728 | 27·5 | 1,007 | 774 | 1,781 | 13·2 | 323 | 87 | 14·3 |
| MINISTRATIVE COUNTY. | 314,800 | 3,012 | 2,859 | 194 | 177 | 6,242 | 19·8 | 1,939 | 1,854 | 3,793 | 12·1† | 435 | 70 | 7·7 |
| NICIPAL BORO'S AND URBAN DISTRICTS. | 177,600 | 1,786 | 1,757 | 106 | 93 | 3,742 | 21·1 | 1,153 | 1,066 | 2,219 | 12·5† | 286 | 76 | 8·6 |
| ston .. .. | 32,730 | 433 | 425 | 16 | 11 | 885 | 27·0 | 259 | 203 | 462 | 14·1 | 82 | 93 | 12·9 |
| uisborough .. | 7,120 | 63 | 67 | 5 | 4 | 139 | 19·5 | 45 | 34 | 79 | 11·1 | 8 | 58 | 8·4 |
| inderwell .. | 2,574 | 23 | 15 | 2 | — | 40 | 15·5 | 18 | 12 | 30 | 11·7 | 1 | 25 | 3·8 |
| irklington cum Upsland .. | 240 | 1 | 3 | — | — | 4 | 16·7 | — | 1 | 1 | 4·2 | — | — | 12·5 |
| oftus .. .. | 9,248 | 77 | 86 | 4 | 3 | 170 | 18·4 | 37 | 38 | 75 | 8·1 | 8 | 47 | 10·3 |
| alton .. .. | 4,432 | 46 | 33 | 7 | 4 | 90 | 20·3 | 27 | 30 | 57 | 12·9 | 10 | 111 | 7·4 |
| asham .. .. | 2,130 | 27 | 16 | 1 | 1 | 45 | 21·1 | 15 | 12 | 27 | 12·7 | 4 | 89 | 8·4 |
| orthallerton | 4,813 | 39 | 43 | 4 | 5 | 91 | 18·9 | 39 | 24 | 63 | 13·1 | 9 | 99 | 5·8 |
| ickering .. | 3,405 | 24 | 36 | 6 | 3 | 69 | 20·3 | 29 | 28 | 57 | 16·7 | 3 | 43 | 3·6 |
| edcar M.B. .. | 15,240‡ | 144 | 151 | 5 | 5 | 305 | 20·0 | 83 | 92 | 175 | 11·5 | 24 | 79 | 8·5 |

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—North Riding—Administrative County, 312,992; icipal Boroughs and Urban Districts, 177,248.

‡ From later information it appears that this estimate of population should be increased to 15,600, the crude birth, death, natural increase rates being accordingly 19·6, 11·2 and 8·4 per 1,000 population respectively.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| YORKSHIRE: | | | | | | | | | | | | | | |
| NORTH RIDING —*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Richmond M.B. | 3,886 | 36 | 41 | 4 | 2 | 83 | 21·4 | 19 | 23 | 42 | 11·6† | 11 | 133 | 9·8 |
| Saltburn by the Sea. | 3,814 | 19 | 20 | — | 4 | 43 | 11·3 | 19 | 27 | 46 | 12·1 | 3 | 70 | —0·8 |
| Scalby .. .. | 1,448 | 14 | 11 | — | 1 | 26 | 18·0 | 12 | 8 | 20 | 14·7† | 4 | 154 | 3·3 |
| Scarborough M.B. | 37,970 | 299 | 286 | 26 | 22 | 633 | 16·7 | 246 | 277 | 523 | 13·8 | 42 | 66 | 2·9 |
| Skelton and Brotton. | 15,890 | 171 | 167 | 6 | 8 | 352 | 22·2 | 106 | 75 | 181 | 11·4 | 23 | 65 | 10·8 |
| Thornaby-on-Tees M.B. | 20,520 | 269 | 248 | 10 | 14 | 541 | 26·4 | 132 | 105 | 237 | 11·5 | 45 | 83 | 14·9 |
| Whitby .. .. | 12,140 | 101 | 109 | 10 | 6 | 226 | 18·6 | 67 | 77 | 144 | 11·9 | 9 | 40 | 6·7 |
| RURAL DISTRICTS. | 137,200 | 1,226 | 1,102 | 88 | 84 | 2,500 | 18·2 | 786 | 788 | 1,574 | 11·6† | 149 | 60 | 6·6 |
| Aysgarth.. .. | 4,253 | 31 | 41 | 2 | 2 | 76 | 17·9 | 31 | 29 | 60 | 14·1 | 5 | 66 | 3·8 |
| Bedale .. .. | 6,602 | 62 | 41 | 5 | 5 | 113 | 17·1 | 35 | 42 | 77 | 11·7 | 9 | 80 | 5·4 |
| Croft .. .. | 2,218 | 26 | 23 | — | 2 | 51 | 23·0 | 19 | 12 | 31 | 14·0 | 5 | 98 | 9·0 |
| Easingwold .. | 9,876 | 83 | 86 | 14 | 5 | 188 | 19·0 | 67 | 66 | 133 | 13·5 | 7 | 37 | 5·5 |
| Flaxton .. .. | 10,110 | 71 | 62 | 3 | 2 | 138 | 13·6 | 40 | 34 | 74 | 7·7† | 7 | 51 | 5·9 |
| Guisborough .. | 8,220 | 94 | 82 | 6 | 2 | 184 | 22·4 | 36 | 36 | 72 | 8·8 | 11 | 60 | 13·6 |
| Helmsley .. | 4,890 | 41 | 35 | 6 | 3 | 85 | 17·4 | 30 | 28 | 58 | 11·9 | 5 | 59 | 5·5 |
| Kirkby Moorside | 4,833 | 49 | 34 | 3 | 5 | 91 | 18·8 | 34 | 36 | 70 | 14·5 | 3 | 33 | 4·3 |
| Leyburn .. .. | 6,139 | 45 | 62 | 2 | 1 | 110 | 17·9 | 44 | 35 | 79 | 12·9 | 11 | 100 | 5·0 |
| Malton .. .. | 5,837 | 49 | 39 | 4 | 2 | 94 | 16·1 | 33 | 25 | 58 | 9·9 | 5 | 53 | 6·2 |
| Middlesbrough | 2,472 | 11 | 25 | 1 | — | 37 | 15·0 | 12 | 5 | 17 | 6·9 | 1 | 27 | 8·1 |
| Northallerton.. | 7,653 | 84 | 65 | 8 | 6 | 163 | 21·3 | 50 | 29 | 79 | 10·3 | 10 | 61 | 11·0 |
| Pickering .. | 6,005 | 54 | 58 | 4 | 9 | 125 | 20·8 | 44 | 42 | 86 | 14·3 | 5 | 40 | 6·5 |
| Reeth .. .. | 2,382 | 28 | 14 | 2 | — | 44 | 18·5 | 17 | 16 | 33 | 13·9 | 3 | 68 | 4·6 |
| Richmond .. | 9,216 | 82 | 74 | 10 | 9 | 175 | 19·0 | 47 | 41 | 88 | 10·6† | 14 | 80 | 8·4 |
| Scarborough .. | 6,138 | 43 | 34 | 2 | 1 | 80 | 13·0 | 30 | 45 | 75 | 12·2 | 5 | 63 | 0·8 |
| Startforth .. | 4,664 | 53 | 41 | 1 | 7 | 102 | 21·9 | 20 | 26 | 46 | 9·9 | 5 | 49 | 12·0 |
| Stokesley .. | 12,480 | 125 | 92 | 5 | 5 | 227 | 18·2 | 61 | 77 | 138 | 11·1 | 10 | 44 | 7·1 |
| Thirsk .. .. | 12,410 | 102 | 111 | 10 | 12 | 235 | 18·9 | 91 | 93 | 184 | 14·8 | 22 | 94 | 4·1 |
| Wath .. .. | 2,065 | 20 | 13 | — | 2 | 35 | 16·9 | 9 | 13 | 22 | 10·7 | 2 | 57 | 6·2 |
| Whitby .. .. | 8,737 | 73 | 70 | — | 4 | 147 | 16·8 | 36 | 58 | 94 | 10·8 | 4 | 27 | 6·0 |
| YORKSHIRE: | | | | | | | | | | | | | | |
| WEST RIDING: | | | | | | | | | | | | | | |
| COUNTY BORO'S: | 1,746,020 | 15,887 | 15,421 | 799 | 723 | 32,830 | 18·8 | 11,319 | 10,683 | 22,002 | 12·6 | 2,888 | 88 | 6·2 |
| Barnsley .. | 70,120 | 830 | 848 | 43 | 26 | 1,747 | 24·9 | 459 | 401 | 860 | 12·3 | 170 | 97 | 12·6 |
| Bradford .. | 290,800 | 2,538 | 2,477 | 144 | 131 | 5,290 | 18·2 | 2,054 | 1,965 | 4,019 | 13·8 | 415 | 78 | 4·4 |
| Dewsbury .. | 55,120 | 493 | 414 | 19 | 16 | 942 | 17·1 | 409 | 392 | 801 | 14·5 | 78 | 83 | 2·6 |
| Halifax .. | 99,840 | 733 | 699 | 46 | 41 | 1,519 | 15·2 | 641 | 739 | 1,380 | 13·8 | 137 | 90 | 1·4 |
| Huddersfield .. | 111,800 | 848 | 825 | 39 | 40 | 1,752 | 15·7 | 701 | 710 | 1,411 | 12·6 | 127 | 72 | 3·1 |
| Leeds .. .. | 469,900 | 4,183 | 4,064 | 221 | 217 | 6,885 | 18·5 | 3,082 | 2,903 | 5,985 | 12·7 | 772 | 89 | 5·8 |
| Rotherham .. | 70,260 | 775 | 774 | 36 | 30 | 1,615 | 23·0 | 449 | 379 | 828 | 11·8 | 171 | 106 | 11·2 |
| Sheffield .. .. | 524,200 | 4,977 | 4,787 | 223 | 208 | 10,195 | 19·4 | 3,157 | 2,855 | 6,012 | 11·5 | 915 | 90 | 7·9 |
| Wakefield .. | 53,980 | 510 | 533 | 28 | 14 | 1,085 | 20·1 | 367 | 339 | 706 | 13·1 | 103 | 95 | 7·0 |
| ADMINISTRATIVE COUNTY. | 1,506,600 | 15,112 | 14,543 | 674 | 658 | 30,987 | 20·6 | 9,367 | 8,944 | 18,311 | 12·2 | 2,519 | 81 | 8·4 |

† Death-rates based upon estimated civilian populations as follows:—Richmond M.B., 3,621; Scalby U.D., 1,361; Rural Districts, 135,744; Flaxton R.D., 9,559; Richmond R.D., 8,311.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| ORKSHIRE: WEST RIDING —*cont.* | | | | | | | | | | | | | | |
| UNICIPAL BORO'S AND URBAN DISTRICTS. | 1122597* | 10,833 | 10,350 | 467 | 463 | 22,113 | 19·7 | 7,102 | 6,866 | 13,968 | 12·4 | 1,824 | 82 | 7·3 |
| Adwick le Street | 13,420 | 210 | 214 | 9 | 7 | 440 | 32·8 | 65 | 73 | 138 | 10·3 | 36 | 82 | 22·5 |
| Altofts .. .. | 5,214 | 56 | 58 | 3 | — | 117 | 22·4 | 25 | 22 | 47 | 9·0 | 9 | 77 | 13·4 |
| Ardsley East and West. | 8,745 | 91 | 100 | 1 | 1 | 193 | 22·1 | 48 | 46 | 94 | 10·7 | 13 | 67 | 11·4 |
| Baildon .. .. | 6,627 | 56 | 45 | 1 | 2 | 104 | 15·7 | 45 | 39 | 84 | 12·7 | 6 | 58 | 3·0 |
| Barkisland .. | 1,602 | 12 | 14 | — | 2 | 28 | 17·5 | 5 | 8 | 13 | 8·1 | — | — | 9·4 |
| Barnoldswick .. | 12,347* | 92 | 80 | 4 | 8 | 184 | 14·9 | 63 | 53 | 116 | 9·4 | 11 | 60 | 5·5 |
| Batley M.B. .. | 36,930 | 340 | 332 | 18 | 18 | 708 | 19·2 | 265 | 231 | 496 | 13·4 | 60 | 85 | 5·8 |
| Bentley with Arksey. | 14,010 | 187 | 183 | 5 | 2 | 377 | 26·9 | 77 | 66 | 143 | 10·2 | 28 | 74 | 16·7 |
| Bingley .. .. | 19,320 | 135 | 162 | 8 | 11 | 316 | 16·4 | 111 | 136 | 247 | 12·8 | 22 | 70 | 3·6 |
| Birkenshaw .. | 2,721 | 21 | 16 | 3 | 1 | 41 | 15·1 | 17 | 17 | 34 | 12·5 | 2 | 49 | 2·6 |
| Birstal .. .. | 7,255 | 60 | 69 | 1 | 4 | 134 | 18·5 | 34 | 50 | 84 | 11·6 | 10 | 75 | 6·9 |
| Bolton-upon-Dearne | 13,190 | 244 | 193 | 8 | 8 | 453 | 34·3 | 60 | 67 | 127 | 9·6 | 45 | 99 | 24·7 |
| Brighouse M.B. | 20,390 | 135 | 135 | 4 | 11 | 285 | 14·0 | 129 | 143 | 272 | 13·3 | 16 | 56 | 0·7 |
| Burley in Wharfedale. | 3,832 | 26 | 26 | — | 1 | 53 | 13·8 | 17 | 18 | 35 | 9·1 | 3 | 57 | 4·7 |
| Calverley .. | 3,386 | 10 | 19 | 1 | 1 | 31 | 9·2 | 24 | 22 | 46 | 13·6 | 1 | 32 | −4·4 |
| Castleford .. | 24,790 | 254 | 271 | 14 | 10 | 549 | 22·1 | 189 | 153 | 342 | 13·8 | 50 | 91 | 8·3 |
| Clayton .. .. | 5,125 | 37 | 38 | 1 | 2 | 78 | 15·2 | 33 | 30 | 63 | 12·3 | 7 | 90 | 2·9 |
| Clayton West | 2,028 | 9 | 17 | — | — | 26 | 12·8 | 13 | 8 | 21 | 10·4 | — | — | 2·4 |
| Conisbrough | 16,690 | 290 | 248 | 11 | 13 | 562 | 33·7 | 123 | 105 | 228 | 13·7 | 60 | 107 | 20·0 |
| Cudworth .. | 8,180 | 122 | 119 | 8 | 11 | 260 | 31·8 | 49 | 44 | 93 | 11·4 | 20 | 77 | 20·4 |
| Darfield .. .. | 5,736 | 83 | 54 | 4 | 1 | 142 | 24·8 | 33 | 31 | 64 | 11·2 | 13 | 92 | 13·6 |
| Darton .. .. | 11,690 | 164 | 144 | 5 | 7 | 320 | 27·4 | 83 | 59 | 142 | 12·1 | 25 | 78 | 15·3 |
| Denby and Cumberworth. | 3,639 | 30 | 27 | — | 1 | 58 | 15·8 | 21 | 23 | 44 | 12·0 | 5 | 86 | 3·8 |
| Denholme .. | 3,030 | 23 | 22 | 2 | 1 | 48 | 15·8 | 24 | 25 | 49 | 16·2 | 2 | 42 | −0·4 |
| Dodworth .. | 3,484 | 39 | 51 | 1 | 2 | 93 | 26·7 | 22 | 13 | 35 | 10·0 | 8 | 86 | 16·7 |
| Doncaster M.B. | 55,220 | 565 | 534 | 35 | 21 | 1,155 | 20·9 | 363 | 314 | 677 | 12·3 | 93 | 81 | 8·6 |
| Drighlington .. | 4,159 | 46 | 38 | 3 | 3 | 90 | 21·6 | 34 | 22 | 56 | 13·5 | 4 | 44 | 8·1 |
| Earby .. .. | 5,995 | 50 | 45 | — | 1 | 96 | 16·0 | 37 | 29 | 66 | 11·0 | 5 | 52 | 5·0 |
| Elland .. .. | 10,700 | 74 | 71 | 2 | 4 | 151 | 14·1 | 65 | 74 | 139 | 13·0 | 16 | 106 | 1·1 |
| Emley .. .. | 1,747 | 12 | 21 | — | — | 33 | 18·9 | 7 | 6 | 13 | 7·4 | 3 | 91 | 11·5 |
| Farnley Tyas | 487 | 2 | 9 | — | 3 | 14 | 28·7 | 3 | 2 | 5 | 10·3 | — | — | 18·4 |
| Farsley .. .. | 6,134 | 35 | 44 | 1 | — | 80 | 13·0 | 32 | 44 | 76 | 12·4 | 6 | 75 | 0·6 |
| Featherstone .. | 15,470 | 181 | 177 | 9 | 6 | 373 | 24·1 | 109 | 90 | 199 | 12·9 | 37 | 99 | 11·2 |
| Flockton .. | 1,424 | 14 | 13 | — | 1 | 28 | 19·7 | 9 | 6 | 15 | 10·5 | — | — | 9·2 |
| Garforth .. | 3,950 | 39 | 33 | 2 | 1 | 75 | 19·0 | 24 | 20 | 44 | 11·1 | 2 | 27 | 7·9 |
| Gildersome .. | 2,895 | 21 | 21 | 1 | — | 43 | 14·9 | 19 | 15 | 34 | 11·7 | 2 | 47 | 3·2 |
| Golcar .. .. | 10,490 | 85 | 68 | 3 | — | 156 | 14·9 | 66 | 68 | 134 | 12·8 | 11 | 71 | 2·1 |
| Goole .. .. | 19,810 | 249 | 237 | 11 | 15 | 512 | 25·8 | 136 | 120 | 256 | 12·9 | 46 | 90 | 12·9 |
| Greasbrough .. | 3,232 | 29 | 36 | 2 | 2 | 69 | 21·3 | 21 | 22 | 43 | 13·3 | 4 | 58 | 8·0 |
| Greetland .. | 4,353 | 27 | 20 | — | 1 | 48 | 11·0 | 23 | 33 | 56 | 12·9 | 3 | 63 | −1·9 |
| Guiseley .. .. | 5,414 | 48 | 42 | 4 | 2 | 96 | 17·7 | 38 | 20 | 58 | 10·7 | 9 | 94 | 7·0 |
| Gunthwaite and Ingbirchworth | 321 | 4 | 5 | — | — | 9 | 28·0 | 5 | 2 | 7 | 21·8 | 1 | 111 | 6·2 |
| Harrogate M.B. | 34,280 | 225 | 215 | 20 | 20 | 480 | 14·0 | 180 | 184 | 364 | 10·6 | 30 | 63 | 3·4 |
| Haworth .. | 6,596 | 40 | 33 | 1 | 5 | 79 | 12·0 | 43 | 40 | 83 | 12·6 | 8 | 101 | −0·6 |
| Hebden Bridge | 6,507 | 45 | 31 | 1 | 1 | 78 | 12·0 | 37 | 53 | 90 | 13·8 | 5 | 64 | −1·8 |

* Population adjusted to allow for changes in boundary during the year.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| YORKSHIRE: | | | | | | | | | | | | | | |
| WEST RIDING —*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Heckmondwike | 9,087 | 69 | 60 | 11 | 4 | 144 | 15·8 | 46 | 53 | 99 | 10·9 | 11 | 76 | 4·9 |
| Hemsworth .. | 12,020 | 200 | 188 | 7 | 8 | 403 | 33·5 | 89 | 67 | 156 | 13·0 | 34 | 84 | 20·5 |
| Hipperholme .. | 4,759 | 31 | 28 | 2 | 1 | 62 | 13·0 | 32 | 37 | 69 | 14·5 | 4 | 65 | −1·5 |
| Holme .. .. | 346 | 6 | 3 | — | — | 9 | 26·0 | 2 | 4 | 6 | 17·3 | 1 | 111 | 8·7 |
| Holmfirth .. | 10,550 | 75 | 82 | 1 | 2 | 160 | 15·2 | 73 | 55 | 128 | 12·1 | 6 | 38 | 3·1 |
| Honley .. .. | 4,722 | 19 | 29 | 1 | — | 49 | 10·4 | 27 | 23 | 50 | 10·6 | 2 | 41 | −0·2 |
| Horbury .. .. | 8,035 | 77 | 71 | 2 | 4 | 154 | 19·2 | 59 | 54 | 113 | 14·1 | 22 | 143 | 5·1 |
| Horsforth .. | 9,638 | 75 | 60 | 2 | 3 | 140 | 14·5 | 61 | 68 | 129 | 13·4 | 7 | 50 | 1·1 |
| Hoyland Nether | 15,740 | 193 | 180 | 5 | 4 | 382 | 24·3 | 87 | 88 | 175 | 11·1 | 29 | 76 | 13·2 |
| Hoyland Swaine | 697 | 5 | 8 | 1 | — | 14 | 20·1 | 2 | 3 | 5 | 7·2 | — | — | 12·9 |
| Hunsworth .. | 1,322 | 9 | 15 | — | — | 24 | 18·2 | 6 | 8 | 14 | 10·6 | 2 | 83 | 7·6 |
| Ilkley .. .. | 8,555 | 48 | 49 | 4 | 2 | 103 | 12·0 | 38 | 66 | 104 | 12·2 | 7 | 68 | −0·2 |
| Keighley M.B. | 42,170 | 351 | 304 | 5 | 18 | 678 | 16·1 | 303 | 276 | 579 | 13·7 | 79 | 117 | 2·4 |
| Kirkburton .. | 3,476 | 27 | 25 | — | — | 52 | 15·0 | 25 | 19 | 44 | 12·7 | 3 | 58 | 2·3 |
| Kirkheaton .. | 2,743 | 23 | 32 | — | — | 55 | 20·1 | 23 | 19 | 42 | 15·7 | 5 | 91 | 4·4 |
| Knaresborough | 5,350 | 52 | 39 | 4 | 5 | 100 | 18·7 | 56 | 39 | 95 | 17·8 | 11 | 110 | 0·9 |
| Knottingley .. | 6,997 | 102 | 88 | 1 | 3 | 194 | 27·7 | 52 | 40 | 92 | 13·1 | 18 | 93 | 14·6 |
| Lepton .. .. | 3,236 | 22 | 24 | 1 | — | 47 | 14·5 | 14 | 19 | 33 | 10·2 | 1 | 21 | 4·3 |
| Linthwaite .. | 9,893 | 75 | 75 | 2 | 1 | 153 | 15·5 | 62 | 54 | 116 | 11·7 | 12 | 78 | 3·8 |
| Luddenden Foot | 2,869 | 29 | 25 | — | — | 54 | 18·8 | 18 | 15 | 33 | 11·5 | 4 | 74 | 7·3 |
| Marsden .. .. | 5,972 | 47 | 52 | 4 | 2 | 105 | 17·6 | 34 | 34 | 68 | 11·4 | 2 | 19 | 6·2 |
| Meltham .. .. | 5,057 | 40 | 47 | 1 | 1 | 89 | 17·6 | 31 | 41 | 72 | 14·2 | 5 | 56 | 3·4 |
| Methley .. .. | 4,563 | 48 | 36 | 1 | 3 | 88 | 19·3 | 33 | 16 | 49 | 10·7 | 9 | 102 | 8·6 |
| Mexborough .. | 16,080 | 199 | 177 | 15 | 7 | 398 | 24·8 | 108 | 101 | 209 | 13·0 | 47 | 118 | 11·8 |
| Midgley .. .. | 1,965 | 9 | 10 | — | — | 19 | 9·7 | 10 | 21 | 31 | 15·8 | 1 | 53 | −6·1 |
| Mirfield .. .. | 12,410 | 126 | 97 | 7 | 7 | 237 | 19·1 | 80 | 86 | 166 | 13·4 | 19 | 80 | 5·7 |
| Morley M.B. .. | 24,180 | 226 | 209 | 7 | 9 | 451 | 18·7 | 155 | 162 | 317 | 13·1 | 34 | 75 | 5·6 |
| Mytholmroyd.. | 4,180 | 27 | 20 | 1 | 1 | 49 | 11·7 | 33 | 41 | 74 | 17·7 | 6 | 122 | −6·0 |
| New Mill .. | 4,504 | 37 | 36 | — | 1 | 74 | 16·4 | 29 | 31 | 60 | 13·3 | 3 | 41 | 3·1 |
| Normanton .. | 16,520 | 216 | 188 | 10 | 9 | 423 | 25·6 | 96 | 101 | 197 | 11·9 | 41 | 97 | 13·7 |
| Oakworth .. | 4,193 | 29 | 31 | 2 | — | 62 | 14·8 | 20 | 34 | 54 | 12·9 | 5 | 81 | 1·9 |
| Ossett M.B. .. | 15,120 | 137 | 126 | 7 | 5 | 275 | 18·2 | 95 | 119 | 214 | 14·2 | 26 | 95 | 4·0 |
| Otley .. .. | 9,645 | 83 | 74 | 4 | 5 | 166 | 17·2 | 75 | 61 | 136 | 14·1 | 14 | 84 | 3·1 |
| Oxenhope .. | 2,379 | 20 | 15 | — | — | 35 | 14·7 | 14 | 15 | 29 | 12.2 | — | — | 2·5 |
| Penistone .. | 3,916 | 34 | 35 | 2 | — | 71 | 18·1 | 26 | 24 | 50 | 12·8 | 8 | 113 | 5·3 |
| Pontefract M.B. | 17,630 | 242 | 208 | 9 | 15 | 474 | 26·9 | 118 | 106 | 224 | 12·7 | 51 | 108 | 14·2 |
| Pudsey M.B. .. | 14,350 | 107 | 100 | 3 | 4 | 214 | 14·9 | 84 | 83 | 167 | 11·6 | 17 | 79 | 3·3 |
| Queensbury .. | 5,903 | 42 | 43 | 1 | 3 | 89 | 15·1 | 36 | 37 | 73 | 12·4 | 3 | 34 | 2·7 |
| Rawdon .. .. | 3,802 | 22 | 30 | 2 | — | 54 | 14·2 | 21 | 16 | 37 | 9·7 | 1 | 19 | 4·5 |
| Rawmarsh .. | 18,490 | 210 | 189 | 7 | 9 | 415 | 22·4 | 117 | 85 | 202 | 10·9 | 40 | 96 | 11·5 |
| Ripon M.B. .. | 8,245 | 62 | 69 | 7 | 6 | 144 | 17·5 | 44 | 54 | 98 | 11·9 | 3 | 21 | 5·6 |
| Rishworth .. | 886 | 2 | 5 | — | — | 7 | 7·9 | 2 | 4 | 6 | 6·8 | — | — | 1·1 |
| Rothwell .. | 15,620 | 160 | 129 | 2 | 1 | 292 | 18·7 | 89 | 76 | 165 | 10·6 | 24 | 82 | 8·1 |
| Royston .. .. | 6,832 | 92 | 92 | 4 | 4 | 192 | 28·1 | 42 | 35 | 77 | 11·3 | 16 | 83 | 16·8 |
| Saddleworth .. | 12,650 | 89 | 84 | 4 | 2 | 179 | 14·2 | 88 | 96 | 184 | 14·5 | 9 | 50 | −0·3 |
| Scammonden .. | 392 | 3 | 3 | 1 | — | 7 | 17·9 | 4 | 3 | 7 | 17·9 | — | — | — |
| Selby .. .. | 10,160 | 99 | 100 | 5 | 6 | 210 | 20·7 | 59 | 51 | 110 | 10·8 | 10 | 48 | 9·9 |

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| RKSHIRE: | | | | | | | | | | | | | | |
| WEST RIDING —*cont.* | | | | | | | | | | | | | | |
| NICIPAL BORO'S AND URBAN DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| Shelf .. .. | 2,459 | 11 | 13 | 2 | 1 | 27 | 11·0 | 16 | 22 | 38 | 15·5 | 1 | 37 | −4·5 |
| Shelley .. .. | 1,734 | 17 | 9 | 1 | — | 27 | 15·6 | 5 | 15 | 20 | 11·5 | 2 | 74 | 4·1 |
| Shepley .. .. | 1,740 | 8 | 10 | — | — | 18 | 10·3 | 12 | 9 | 21 | 12·1 | 1 | 56 | −1·8 |
| Shipley .. .. | 28,730 | 243 | 267 | 12 | 7 | 529 | 18·4 | 179 | 210 | 389 | 13·5 | 46 | 87 | 4·9 |
| Silsden .. .. | 4,834 | 35 | 33 | — | 1 | 69 | 14·3 | 37 | 43 | 80 | 16·5 | 3 | 43 | −2·2 |
| Skelmanthorpe | 3,941 | 27 | 29 | — | 2 | 58 | 14·7 | 19 | 22 | 41 | 10·4 | 4 | 69 | 4·3 |
| Skipton .. .. | 12,130 | 106 | 79 | 5 | 5 | 195 | 16·1 | 74 | 82 | 156 | 12·9 | 13 | 67 | 3·2 |
| Slaithwaite .. | 5,440 | 49 | 40 | 1 | — | 90 | 16·5 | 30 | 39 | 69 | 12·7 | 5 | 56 | 3·8 |
| South Crosland | 3,047 | 25 | 12 | 1 | — | 38 | 12·5 | 22 | 17 | 39 | 12·8 | 4 | 105 | −0·3 |
| Southowram .. | 2,682 | 24 | 20 | — | 1 | 45 | 16·8 | 18 | 14 | 32 | 11·9 | 5 | 111 | 4·9 |
| Sowerby .. .. | 3,217 | 43 | 19 | 2 | 1 | 65 | 20·2 | 28 | 22 | 50 | 15·5 | 4 | 62 | 4·7 |
| Sowerby Bridge | 11,640 | 78 | 93 | 6 | 5 | 182 | 15·6 | 70 | 93 | 163 | 14·0 | 16 | 88 | 1·6 |
| Soyland .. .. | 2,792 | 12 | 17 | — | — | 29 | 10·4 | 17 | 24 | 41 | 14·7 | — | — | −4·3 |
| Spenborough .. | 31,520 | 254 | 235 | 4 | 9 | 502 | 15·9 | 209 | 214 | 423 | 13·4 | 48 | 96 | 2·5 |
| Springhead .. | 5,085 | 47 | 36 | 3 | 1 | 87 | 17·1 | 33 | 31 | 64 | 12·6 | 10 | 115 | 4·5 |
| Stainland .. | 4,546 | 32 | 45 | 1 | 2 | 80 | 17·6 | 20 | 41 | 61 | 13·4 | 3 | 38 | 4·2 |
| Stanley .. .. | 15,060 | 144 | 167 | 9 | 7 | 327 | 21·7 | 109 | 94 | 203 | 13·5 | 38 | 116 | 8·2 |
| Stocksbridge .. | 9,338 | 104 | 100 | 1 | 3 | 208 | 22·3 | 55 | 40 | 95 | 10·2 | 15 | 72 | 12·1 |
| Swinton .. .. | 14,430 | 157 | 177 | 9 | 10 | 353 | 24·5 | 95 | 78 | 173 | 12·0 | 34 | 96 | 12·5 |
| Thurlstone .. | 2,643 | 19 | 23 | 1 | 1 | 44 | 16·6 | 24 | 20 | 44 | 16·6 | 6 | 136 | — |
| Thurnscoe .. | 5,996 | 101 | 108 | 2 | 1 | 212 | 35·4 | 33 | 33 | 66 | 11·0 | 11 | 52 | 24·4 |
| Thurstonland‡ | 2,506 | 8 | 3 | 1 | — | 12 | 4·8 | 6 | 6 | 12 | 4·8 | 1 | 83 | — |
| Tickhill .. .. | 2,103 | 35 | 18 | 4 | 3 | 60 | 28·5 | 13 | 15 | 28 | 13·3 | 4 | 67 | 15·2 |
| Todmorden M.B. | 23,980 | 159 | 174 | 11 | 7 | 351 | 14·6 | 143 | 161 | 304 | 12·7 | 18 | 51 | 1·9 |
| Wath-upon-Dearne. | 13,600 | 152 | 186 | 7 | 7 | 352 | 25·9 | 65 | 76 | 141 | 10·4 | 35 | 99 | 15·5 |
| Whitley Upper | 852 | 7 | 7 | — | — | 14 | 16·4 | 7 | 3 | 10 | 10·6 | 1 | 71 | 5·8 |
| Whitwood .. | 6,194 | 84 | 72 | 3 | 2 | 161 | 26·0 | 61 | 29 | 90 | 14·5 | 15 | 93 | 11·5 |
| Wombwell .. | 20,040 | 232 | 235 | 12 | 11 | 490 | 24·5 | 132 | 101 | 233 | 11·6 | 56 | 114 | 12·9 |
| Worsborough.. | 12,280 | 140 | 139 | 3 | 9 | 291 | 23·7 | 76 | 70 | 146 | 11·9 | 31 | 107 | 11·8 |
| Yeadon .. .. | 7,594 | 67 | 64 | 4 | 1 | 136 | 17·9 | 50 | 56 | 106 | 14·0 | 5 | 37 | 3·9 |
| URAL DISTRICTS. | 384,003* | 4,279 | 4,193 | 207 | 195 | 8,874 | 23·1 | 2,265 | 2,078 | 4,343 | 11·3 | 695 | 78 | 11·8 |
| Barnsley .. | 4,317 | 50 | 45 | — | — | 95 | 22·0 | 18 | 24 | 42 | 9·7 | 9 | 95 | 12·3 |
| Bishopthorpe.. | 2,093 | 23 | 16 | 3 | — | 42 | 20·1 | 16 | 8 | 24 | 11·5 | 3 | 71 | 8·6 |
| Bowland .. | 5,537 | 39 | 41 | 2 | 1 | 83 | 15·0 | 30 | 19 | 49 | 8·8 | 3 | 36 | 6·2 |
| Doncaster .. | 28,490 | 436 | 437 | 23 | 19 | 915 | 32·1 | 172 | 139 | 311 | 10·9 | 67 | 73 | 21·2 |
| Goole .. .. | 8,585 | 87 | 97 | 13 | 10 | 207 | 24·1 | 45 | 53 | 98 | 11·4 | 18 | 87 | 12·7 |
| Great Ouseburn | 11,030 | 88 | 99 | 2 | 5 | 194 | 17·6 | 72 | 53 | 125 | 11·3 | 17 | 88 | 6·3 |
| Halifax .. .. | 6,373 | 55 | 46 | 2 | 2 | 105 | 16·5 | 26 | 37 | 63 | 9·9 | 4 | 38 | 6·6 |
| Hemsworth .. | 39,200 | 577 | 568 | 29 | 26 | 1,200 | 30·6 | 238 | 193 | 431 | 11·0 | 106 | 88 | 19·6 |
| Hunslet .. .. | 7,492 | 86 | 84 | 3 | 3 | 176 | 23·5 | 50 | 53 | 103 | 13·7 | 14 | 80 | 9·8 |
| Keighley.. .. | 6,915 | 44 | 45 | — | 2 | 91 | 13·2 | 31 | 45 | 76 | 11·0 | 7 | 77 | 2·2 |
| Kiveton Park.. | 15,930 | 185 | 167 | 5 | 8 | 365 | 22·9 | 74 | 67 | 141 | 8·9 | 26 | 71 | 14·0 |
| Knaresborough | 8,609 | 62 | 58 | 7 | 2 | 129 | 15·0 | 44 | 51 | 95 | 11·0 | 7 | 54 | 4·0 |
| Pateley Bridge | 7,137 | 59 | 62 | 5 | 2 | 128 | 17·9 | 64 | 49 | 113 | 15·8 | 14 | 109 | 2·1 |
| Penistone .. | 5,809 | 55 | 57 | 1 | 2 | 115 | 19·8 | 27 | 37 | 64 | 11·0 | 8 | 70 | 8·8 |
| Pontefract .. | 19,200 | 296 | 280 | 12 | 16 | 604 | 31·5 | 130 | 98 | 228 | 11·9 | 45 | 75 | 19·6 |
| Ripon .. .. | 5,195 | 51 | 38 | 3 | 6 | 98 | 18·9 | 34 | 36 | 70 | 13·5 | 8 | 82 | 5·4 |
| Rotherham .. | 40,350 | 518 | 529 | 18 | 27 | 1,092 | 27·1 | 217 | 197 | 414 | 10·3 | 98 | 90 | 16·8 |
| Sedbergh.. .. | 3,927 | 37 | 25 | 3 | — | 63 | 16·6 | 31 | 25 | 56 | 14·3 | 3 | 46 | 2·3 |

* Population adjusted to allow for changes in boundary during the year.
‡ A considerable proportion of the population of this area was enumerated in a County Lunatic Asylum, the deaths in which allocated to the area in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| YORKSHIRE: | | | | | | | | | | | | | | |
| WEST RIDING —*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| Selby .. .. | 6,182 | 68 | 61 | 3 | 6 | 138 | 22·3 | 30 | 32 | 62 | 10·0 | 7 | 51 | 12·3 |
| Settle .. .. | 15,050 | 121 | 142 | 2 | 2 | 267 | 17·7 | 103 | 99 | 202 | 13·4 | 24 | 90 | 4·3 |
| Skipton .. .. | 19,013* | 156 | 164 | 4 | 3 | 327 | 17·2 | 126 | 134 | 260 | 13·7 | 28 | 86 | 3·5 |
| Tadcaster .. | 29,080 | 318 | 302 | 16 | 16 | 652 | 22·4 | 163 | 143 | 306 | 10·5 | 49 | 75 | 11·9 |
| Thorne .. .. | 12,050 | 199 | 193 | 14 | 12 | 418 | 34·7 | 89 | 69 | 158 | 13·1 | 29 | 69 | 21·6 |
| Todmorden .. | 4,509 | 35 | 22 | 2 | — | 59 | 13·1 | 38 | 34 | 72 | 16·0 | 8 | 136 | −2·9 |
| Wakefield .. | 18,070 | 217 | 204 | 10 | 5 | 436 | 24·1 | 117 | 101 | 218 | 12·1 | 40 | 92 | 12·0 |
| Wetherby .. | 14,430 | 118 | 117 | 10 | 5 | 250 | 17·3 | 56 | 90 | 146 | 10·1 | 10 | 40 | 7·2 |
| Wharfedale:— | | | | | | | | | | | | | | |
| North .. | 3,890 | 23 | 38 | 1 | 3 | 65 | 16·7 | 28 | 19 | 47 | 12·1 | 3 | 46 | 4·6 |
| South .. | 6,660 | 34 | 28 | — | 3 | 65 | 9·8 | 25 | 30 | 55 | 8·3 | 3 | 46 | 1·5 |
| Wortley .. .. | 28,880 | 242 | 228 | 14 | 9 | 493 | 17·1 | 171 | 143 | 314 | 10·9 | 37 | 75 | 6·2 |
| COUNTY BORO': | | | | | | | | | | | | | | |
| York .. .. | 85,600 | 805 | 743 | 54 | 45 | 1,647 | 19·2 | 410 | 480 | 890 | 10·4 | 83 | 50 | 8·8 |
| **WALES AND MONMOUTH.** | | | | | | | | | | | | | | |
| ANGLESEY: | | | | | | | | | | | | | | |
| Administrative County. | 51,940 | 479 | 429 | 45 | 47 | 1,000 | 19·3 | 376 | 379 | 755 | 14·5 | 84 | 84 | 4· |
| MUNICIPAL BORO' AND URBAN DISTRICTS. | 19,870 | 182 | 162 | 11 | 19 | 374 | 18·8 | 154 | 139 | 293 | 14·7 | 35 | 94 | 4· |
| Amlwch .. | 2,649 | 16 | 26 | 5 | 6 | 53 | 20·0 | 22 | 24 | 46 | 17·4 | 5 | 94 | 2· |
| Beaumaris M.B. | 1,728 | 14 | 10 | 1 | 2 | 27 | 15·6 | 15 | 13 | 28 | 16·2 | 3 | 111 | −0· |
| Holyhead .. | 12,050 | 114 | 102 | 4 | 4 | 224 | 18·6 | 91 | 81 | 172 | 14·3 | 24 | 107 | 4· |
| Llangefni .. | 1,720 | 20 | 14 | 1 | 4 | 39 | 22·7 | 15 | 8 | 23 | 13·4 | 2 | 51 | 9· |
| Menai Bridge | 1,723 | 18 | 10 | — | 3 | 31 | 18·0 | 11 | 13 | 24 | 13·9 | 1 | 32 | 4· |
| RURAL DISTRICTS. | 32,070 | 297 | 267 | 34 | 28 | 626 | 19·5 | 222 | 240 | 462 | 14·4 | 49 | 78 | 5· |
| Aethwy .. .. | 8,284 | 74 | 69 | 9 | 4 | 156 | 18·8 | 61 | 52 | 113 | 13·6 | 14 | 90 | 5· |
| Dwyran .. .. | 2,918 | 35 | 23 | 2 | 3 | 63 | 21·6 | 24 | 23 | 47 | 16·1 | 2 | 32 | 5· |
| Twrcelyn .. | 9,248 | 86 | 73 | 7 | 8 | 174 | 18·8 | 57 | 76 | 133 | 14·4 | 13 | 75 | 4· |
| Valley .. .. | 11,620 | 102 | 102 | 16 | 13 | 233 | 20·1 | 80 | 89 | 169 | 14·5 | 20 | 86 | 5· |
| BRECKNOCKSHIRE Administrative County. | 61,900 | 614 | 568 | 26 | 18 | 1,226 | 19·8 | 370 | 334 | 704 | 11·4† | 88 | 72 | 8· |
| MUNICIPAL BORO' AND URBAN DISTRICTS. | 18,050 | 181 | 166 | 13 | 1 | 361 | 20·0 | 114 | 108 | 222 | 12·4† | 19 | 53 | 7· |
| Brecknock, M.B. | 5,633 | 52 | 53 | 2 | 1 | 108 | 19·2 | 34 | 32 | 66 | 12·1† | 5 | 46 | 7· |
| Brynmawr .. | 8,460 | 86 | 80 | 6 | — | 172 | 20·3 | 50 | 46 | 96 | 11·3 | 11 | 64 | 9 |
| Builth Wells .. | 1,645 | 18 | 13 | 1 | — | 32 | 19·5 | 15 | 10 | 25 | 15·2 | 1 | 31 | 4 |
| Hay .. .. | 1,541 | 15 | 12 | 2 | — | 29 | 18·8 | 8 | 13 | 21 | 13·6 | 1 | 34 | 5 |
| Llanwrtyd .. | 771 | 10 | 8 | 2 | — | 20 | 25·9 | 7 | 7 | 14 | 18·2 | 1 | 50 | 7 |
| RURAL DISTRICTS. | 43,850 | 433 | 402 | 13 | 17 | 865 | 19·7 | 256 | 226 | 482 | 11·0 | 69 | 80 | 8 |
| Brecknock:— | | | | | | | | | | | | | | |
| Defynnock Div. | 3,335 | 32 | 38 | — | 1 | 71 | 21·3 | 22 | 26 | 48 | 14·4 | 1 | 14 | 6 |
| Llangorse Div. | 3,277 | 26 | 28 | — | — | 54 | 16·5 | 18 | 18 | 36 | 11·0 | 3 | 56 | 5 |
| Merthyr Cynog. Div. | 2,174 | 26 | 25 | — | 1 | 52 | 23·9 | 14 | 13 | 27 | 12·4 | 1 | 19 | 11 |
| Builth .. .. | 4,004 | 35 | 39 | 3 | 1 | 78 | 19·5 | 26 | 18 | 44 | 11·0 | 3 | 38 | 8 |
| Crickhowell .. | 8,292 | 76 | 50 | 3 | 2 | 131 | 15·8 | 39 | 41 | 80 | 9·6 | 10 | 76 | 6 |
| Hay .. .. | 4,250 | 35 | 31 | — | 2 | 68 | 16·0 | 24 | 18 | 42 | 9·9 | 4 | 59 | 6 |
| Vaynor and Penderyn. | 5,918 | 58 | 53 | 1 | 2 | 114 | 19·3 | 44 | 37 | 81 | 13·7 | 21 | 184 | 5 |

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Brecknockshire—Administrative County, 61,724; Municipal Borough and Urban Districts, 17,874; Brecknock M.B., 5,457.

TABLE 14.—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| ECKNOCKSHIRE —*cont.* | | | | | | | | | | | | | | |
| RAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| 'stradgynlais.. | 11,590 | 136 | 131 | 5 | 7 | 279 | 24·1 | 67 | 50 | 117 | 10·1 | 26 | 93 | 14·0 |
| .P. of Llanwrthwl administered by R.D.C. of Rhayader (Radnor). | 355 | 3 | 4 | — | — | 7 | 19·7 | — | 3 | 3 | 8·5 | — | — | 11·2 |
| .P. of Ystradfellte administered by R.D.C. of Neath (Glam.) | 655 | 6 | 3 | 1 | 1 | 11 | 16·8 | 2 | 2 | 4 | 6·1 | — | — | 10·7 |
| DIGANSHIRE: dministrative County. | 57,860 | 436 | 404 | 30 | 38 | 908 | 15·7 | 413 | 499 | 912 | 15·8 | 69 | 76 | − 0·1 |
| ICIPAL BORO'S AND URBAN DISTRICTS. | 16,520 | 103 | 107 | 6 | 4 | 220 | 13·3 | 101 | 128 | 229 | 13·9 | 15 | 68 | − 0·6 |
| erayron .. | 1,240 | 8 | 11 | 1 | — | 20 | 16·1 | 11 | 14 | 25 | 20·2 | 1 | 50 | − 4·1 |
| erystwyth M.B. | 9,027 | 54 | 48 | 3 | 3 | 108 | 12·0 | 50 | 50 | 100 | 11·1 | 6 | 56 | 0·9 |
| rdigan M.B. | 3,400 | 23 | 25 | 1 | 1 | 50 | 14·7 | 15 | 39 | 54 | 15·9 | 3 | 60 | − 1·2 |
| mpeter M.B. | 1,757 | 13 | 15 | 1 | — | 29 | 16·5 | 16 | 18 | 34 | 19·4 | 5 | 172 | − 2·9 |
| w Quay .. | 1,096 | 5 | 8 | — | — | 13 | 11·9 | 9 | 7 | 16 | 14·6 | — | — | − 2·7 |
| AL DISTRICTS. | 41,340 | 333 | 297 | 24 | 34 | 688 | 16·6 | 312 | 371 | 683 | 16·5 | 54 | 78 | 0·1 |
| berayron .. | 7,490 | 52 | 59 | 7 | 5 | 123 | 16·4 | 51 | 68 | 119 | 15·9 | 6 | 49 | 0·5 |
| berystwyth:— | | | | | | | | | | | | | | |
| North | 6,855 | 54 | 41 | 1 | 5 | 101 | 14·7 | 49 | 54 | 103 | 15·0 | 7 | 69 | − 0·3 |
| South | 5,075 | 43 | 31 | 3 | 5 | 82 | 16·2 | 54 | 42 | 96 | 18·9 | 7 | 85 | − 2·7 |
| ardigan .. | 3,095 | 26 | 22 | 1 | 4 | 53 | 17·1 | 11 | 23 | 34 | 11·0 | 2 | 38 | 6·1 |
| ampeter .. | 3,493 | 36 | 26 | 2 | 3 | 67 | 19·2 | 22 | 31 | 53 | 15·2 | 3 | 45 | 4·0 |
| landyssil .. | 7,993 | 69 | 60 | 3 | 7 | 139 | 17·4 | 56 | 81 | 137 | 17·1 | 14 | 101 | 0·3 |
| regaron .. | 7,010 | 50 | 56 | 7 | 5 | 118 | 16·8 | 69 | 69 | 138 | 19·7 | 15 | 127 | − 2·9 |
| vil Parish of YsguboryCoed administered by R.D.C. of Machynlleth (Montgomeryshire). | 329 | 3 | 2 | — | — | 5 | 15·2 | — | 3 | 3 | 9·1 | — | — | 6·1 |
| MARTHENSHIRE: dministrative County. | 180,060 | 1,822 | 1,820 | 71 | 66 | 3,779 | 21·0 | 1,077 | 1,007 | 2,084 | 11·6 | 271 | 72 | 9·4 |
| ICIPAL BORO'S AND URBAN DISTRICTS. | 75,660 | 781 | 786 | 28 | 24 | 1,619 | 21·4 | 425 | 403 | 828 | 10·9 | 111 | 69 | 10·5 |
| mmanford .. | 7,360 | 62 | 80 | 1 | 4 | 147 | 20·0 | 35 | 40 | 75 | 10·2 | 15 | 102 | 9·8 |
| rry Port .. | 6,264 | 68 | 65 | 5 | 2 | 140 | 22·3 | 37 | 35 | 72 | 11·5 | 9 | 64 | 10·8 |
| armarthen .. M.B. | 10,110 | 88 | 88 | 4 | — | 180 | 17·8 | 59 | 70 | 129 | 12·8 | 13 | 72 | 5·0 |
| wmamman .. | 5,504 | 39 | 53 | 2 | 3 | 97 | 17·6 | 28 | 21 | 49 | 8·9 | 6 | 62 | 8·7 |
| idwelly M.B. | 3,305 | 37 | 37 | 2 | — | 76 | 23·0 | 18 | 16 | 34 | 10·3 | 2 | 26 | 12·7 |
| landilo .. .. | 2,054 | 19 | 7 | 1 | — | 27 | 13·1 | 14 | 10 | 24 | 11·7 | 1 | 37 | 1·4 |
| landovery M.B. | 1,976 | 25 | 24 | 1 | 1 | 51 | 25·8 | 12 | 13 | 25 | 12·7 | 2 | 39 | 13·1 |
| lanelly M.B. | 38,250 | 439 | 426 | 12 | 12 | 889 | 23·2 | 217 | 193 | 410 | 10·7 | 62 | 70 | 12·5 |
| ewcastle Emlyn | 837 | 4 | 6 | — | 2 | 12 | 14·3 | 5 | 5 | 10 | 11·9 | 1 | 83 | 2·4 |

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| CARMARTHENSHIRE—*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS. | 104,400 | 1,041 | 1,034 | 43 | 42 | 2,160 | 20·7 | 652 | 604 | 1,256 | 12·0 | 160 | 74 | 8·7 |
| Carmarthen .. | 24,500 | 270 | 233 | 5 | 12 | 520 | 21·2 | 159 | 149 | 308 | 12·6 | 30 | 58 | 8·6 |
| Llandilo Fawr | 22,360 | 221 | 225 | 11 | 10 | 467 | 20·9 | 134 | 120 | 254 | 11·4 | 47 | 101 | 9·5 |
| Llandovery .. | 6,912 | 56 | 48 | 5 | 1 | 110 | 15·9 | 48 | 37 | 85 | 12·3 | 8 | 73 | 3·6 |
| Llanelly .. .. | 35,810 | 402 | 398 | 13 | 14 | 827 | 23·1 | 220 | 187 | 407 | 11·4 | 63 | 76 | 11·7 |
| Llanybyther .. | 3,485 | 16 | 39 | 1 | — | 56 | 16·1 | 25 | 33 | 58 | 16·6 | 7 | 125 | −0·5 |
| Newcastle-in-Emlyn. | 6,259 | 37 | 39 | 3 | 4 | 83 | 13·3 | 38 | 46 | 84 | 13·4 | 3 | 36 | −0·1 |
| Whitland .. | 5,074 | 39 | 52 | 5 | 1 | 97 | 19·1 | 28 | 32 | 60 | 11·8 | 2 | 21 | 7·3 |
| CARNARVONSHIRE: Administrative County. | 120,213* | 970 | 929 | 69 | 62 | 2,030 | 16·9 | 847 | 886 | 1,733 | 14·4 | 159 | 78 | 2·5 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 60,290 | 479 | 431 | 29 | 31 | 970 | 16·1 | 393 | 424 | 817 | 13·6 | 72 | 74 | 2·5 |
| Bangor M.B. .. | 10,900 | 78 | 73 | 6 | 7 | 164 | 15·0 | 67 | 71 | 138 | 12·7 | 14 | 85 | 2·3 |
| Bethesda.. .. | 4,144 | 37 | 31 | 3 | 3 | 74 | 17·9 | 40 | 43 | 83 | 20·0 | 5 | 68 | −2·1 |
| Bettws y Coed | 870 | 13 | 9 | — | 1 | 23 | 26·4 | 10 | 3 | 13 | 14·9 | 1 | 43 | 11·5 |
| Carnarvon M.B. | 8,230 | 85 | 67 | 6 | 7 | 165 | 20·0 | 63 | 77 | 140 | 17·0 | 12 | 73 | 3·0 |
| Conway M.B. | 6,442 | 55 | 56 | 1 | 1 | 113 | 17·5 | 34 | 29 | 63 | 9·8 | 4 | 35 | 7·7 |
| Criccieth .. | 1,764 | 10 | 6 | 1 | — | 17 | 9·6 | 8 | 14 | 22 | 12·5 | 2 | 118 | −2·9 |
| Llandudno .. | 12,990 | 63 | 70 | 5 | 6 | 144 | 11·1 | 65 | 69 | 134 | 10·3 | 8 | 56 | 0·8 |
| Llanfairfechan | 3,108 | 31 | 30 | 2 | — | 63 | 20·3 | 25 | 28 | 53 | 17·1 | 10 | 159 | 3·2 |
| Penmaenmawr | 4,090 | 33 | 24 | — | — | 57 | 13·9 | 24 | 28 | 52 | 12·7 | 6 | 105 | 1·2 |
| Portmadoc .. | 4,187 | 46 | 39 | 2 | 3 | 90 | 21·5 | 35 | 38 | 73 | 17·4 | 9 | 100 | 4·1 |
| Pwllheli M.B. | 3,565 | 28 | 26 | 3 | 3 | 60 | 16·8 | 22 | 24 | 46 | 12·9 | 1 | 17 | 3·9 |
| RURAL DISTRICTS. | 59,923* | 491 | 498 | 40 | 31 | 1,060 | 17·7 | 454 | 462 | 916 | 15·3 | 87 | 82 | 2·4 |
| Conway .. .. | 6,245* | 51 | 60 | 2 | 3 | 116 | 18·6 | 26 | 42 | 68 | 10·9 | 9 | 78 | 7·7 |
| Geirionydd .. | 4,090 | 24 | 31 | 1 | 4 | 60 | 14·7 | 27 | 31 | 58 | 14·2 | 3 | 50 | 0·5 |
| Glaslyn .. .. | 3,036 | 33 | 26 | — | 1 | 60 | 19·8 | 15 | 19 | 34 | 11·2 | 1 | 17 | 8·6 |
| Gwyrfai .. .. | 24,120 | 192 | 202 | 18 | 7 | 419 | 17·4 | 224 | 192 | 416 | 17·2 | 39 | 93 | 0·2 |
| Lleyn .. .. | 16,670 | 152 | 134 | 16 | 14 | 316 | 19·0 | 116 | 135 | 251 | 15·1 | 24 | 76 | 3·9 |
| Ogwen .. .. | 5,762 | 39 | 45 | 3 | 2 | 89 | 15·4 | 46 | 43 | 89 | 15·4 | 11 | 124 | — |
| DENBIGHSHIRE: Administrative County. | 155,737* | 1,436 | 1,348 | 96 | 73 | 2,953 | 19·0 | 1,001 | 917 | 1,918 | 12·3 | 213 | 72 | 6·7 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 55,137* | 447 | 396 | 25 | 23 | 891 | 16·2 | 364 | 359 | 723 | 13·1 | 73 | 82 | 3·1 |
| Abergele and Pensarn. | 2,262 | 25 | 13 | 1 | 1 | 40 | 17·7 | 21 | 13 | 34 | 15·0 | 4 | 100 | 2·7 |
| Colwyn Bay and Colwyn. | 18,257* | 122 | 106 | 5 | 5 | 238 | 13·0 | 105 | 124 | 229 | 12·5 | 17 | 71 | 0·5 |
| Denbigh M.B... | 6,795 | 46 | 56 | 5 | 2 | 109 | 16·0 | 42 | 49 | 91 | 13·4 | 14 | 128 | 2·6 |
| Llangollen .. | 3,298 | 15 | 22 | — | 3 | 40 | 12·1 | 18 | 17 | 35 | 10·6 | 1 | 25 | 1·5 |
| Llanrwst .. | 2,334 | 33 | 18 | 2 | 1 | 54 | 23·1 | 17 | 22 | 39 | 16·7 | 4 | 74 | 6·4 |
| Ruthin M.B. .. | 2,771 | 18 | 22 | 1 | 3 | 44 | 15·9 | 20 | 23 | 43 | 15·5 | 4 | 91 | 0·4 |
| Wrexham M.B. | 19,420 | 188 | 159 | 11 | 8 | 366 | 18·8 | 141 | 111 | 252 | 13·0 | 29 | 79 | 5·8 |
| RURAL DISTRICTS | 100,600 | 989 | 952 | 71 | 50 | 2,062 | 20·5 | 637 | 558 | 1,195 | 11·9 | 140 | 68 | 8·6 |
| Chirk .. .. | 4,741 | 56 | 39 | 1 | 4 | 100 | 21·1 | 23 | 32 | 55 | 11·6 | 7 | 70 | 9·5 |
| Llangollen .. | 3,658 | 38 | 32 | 2 | — | 72 | 19·7 | 25 | 19 | 44 | 12·0 | 1 | 14 | 7·7 |
| Llanrwst .. | 4,316 | 34 | 39 | 4 | 1 | 78 | 18·1 | 39 | 24 | 63 | 14·6 | 7 | 90 | 3·5 |
| Llansilin .. .. | 2,916 | 22 | 21 | 3 | 2 | 48 | 16·5 | 16 | 25 | 41 | 14·1 | 1 | 21 | 2·4 |

* Population adjusted to allow for changes in boundary during the year.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| DENBIGHSHIRE —*cont.* | | | | | | | | | | | | | | |
| RURAL DISTRICTS —*cont.* | | | | | | | | | | | | | | |
| Ruthin .. .. | 9,157 | 74 | 76 | 4 | 3 | 157 | 17·1 | 57 | 57 | 114 | 12·4 | 5 | 32 | 4·7 |
| St. Asaph (Denbigh). | 6,785 | 45 | 52 | 12 | 3 | 112 | 16·5 | 42 | 37 | 79 | 11·6 | 8 | 71 | 4·9 |
| Uwchaled .. | 2,128 | 22 | 23 | 4 | 3 | 52 | 24·4 | 15 | 7 | 22 | 10·3 | 1 | 19 | 14·1 |
| Wrexham .. | 65,140 | 683 | 660 | 36 | 33 | 1,412 | 21·7 | 408 | 342 | 750 | 11·5 | 108 | 76 | 10·2 |
| C.P. of Llanelianyn Rhôs and Llansantffraid Glan Conway administered by R.D.C. of Conway (Carnarvonshire). | 1,759 | 15 | 10 | 5 | 1 | 31 | 17·6 | 12 | 15 | 27 | 15·3 | 2 | 65 | 2·3 |
| FLINTSHIRE: | | | | | | | | | | | | | | |
| Administrative County. | 103,380 | 1,014 | 956 | 48 | 45 | 2,063 | 20·0 | 672 | 663 | 1,335 | 12·9 | 140 | 68 | 7·1 |
| MUNICIPAL BORO' AND URBAN DISTRICTS. | 39,820 | 397 | 359 | 18 | 22 | 796 | 20·0 | 236 | 246 | 482 | 12·1 | 46 | 58 | 7·9 |
| Buckley .. .. | 6,878 | 70 | 64 | 1 | 5 | 140 | 20·4 | 36 | 29 | 65 | 9·5 | 4 | 29 | 10·9 |
| Connah's Quay | 5,332 | 59 | 51 | 3 | 1 | 114 | 21·4 | 29 | 28 | 57 | 10·7 | 9 | 79 | 10·7 |
| Flint M.B. .. | 6,579 | 91 | 75 | 2 | 4 | 172 | 26·1 | 31 | 43 | 74 | 11·2 | 14 | 81 | 14·9 |
| Holywell .. | 2,898 | 38 | 29 | 1 | 3 | 71 | 24·5 | 33 | 16 | 49 | 16·9 | 7 | 99 | 7·6 |
| Mold .. .. | 4,744 | 56 | 43 | 4 | 4 | 107 | 22·6 | 33 | 35 | 68 | 14·3 | 9 | 84 | 8·3 |
| Prestatyn .. | 2,959 | 18 | 17 | — | — | 35 | 11·8 | 22 | 17 | 39 | 13·2 | 1 | 29 | −1·4 |
| Rhyl .. .. | 10,430 | 65 | 80 | 7 | 5 | 157 | 15·1 | 52 | 78 | 130 | 12·5 | 2 | 13 | 2·6 |
| RURAL DISTRICTS. | 63,560 | 617 | 597 | 30 | 23 | 1,267 | 19·9 | 436 | 417 | 853 | 13·4 | 94 | 74 | 6·5 |
| Hawarden .. | 24,790 | 243 | 243 | 8 | 8 | 502 | 20·3 | 162 | 128 | 290 | 11·7 | 43 | 86 | 8·6 |
| Holywell:— | | | | | | | | | | | | | | |
| Holywell Div. | 17,180 | 187 | 154 | 9 | 3 | 353 | 20·5 | 134 | 132 | 266 | 15·5 | 25 | 71 | 5·0 |
| Mold Div. .. | 8,700 | 85 | 78 | 3 | 6 | 172 | 19·8 | 59 | 65 | 124 | 14·3 | 13 | 76 | 5·5 |
| Overton .. .. | 5,160 | 47 | 53 | 1 | 2 | 103 | 20·0 | 30 | 26 | 56 | 10·9 | 4 | 39 | 9·1 |
| St. Asaph (Flint) | 7,730 | 55 | 69 | 9 | 4 | 137 | 17·7 | 51 | 66 | 117 | 15·1 | 9 | 66 | 2·6 |
| GLAMORGANSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO's.. | 470,660 | 5,148 | 4,789 | 162 | 147 | 10,246 | 21·8 | 3,078 | 2,565 | 5,643 | 12·0 | 791 | 77 | 9·8 |
| Cardiff .. .. | 226,200 | 2,537 | 2,351 | 87 | 75 | 5,050 | 22·3 | 1,524 | 1,211 | 2,735 | 12·1 | 371 | 73 | 10·2 |
| Merthyr Tydfil | 82,760 | 881 | 828 | 36 | 36 | 1,781 | 21·5 | 535 | 474 | 1,009 | 12·2 | 155 | 87 | 9·3 |
| Swansea .. .. | 161,700 | 1,730 | 1,610 | 39 | 36 | 3,415 | 21·1 | 1,019 | 880 | 1,899 | 11·7 | 265 | 78 | 9·4 |
| ADMINISTRATIVE COUNTY. | 827,900 | 9,556 | 9,246 | 303 | 292 | 19,397 | 23·4 | 4,739 | 4,002 | 8,741 | 10·6 | 1,458 | 75 | 12·8 |
| MUNICIPAL BORO's AND URBAN DISTRICTS. | 627,500 | 7,361 | 7,090 | 219 | 234 | 14,904 | 23·7 | 3,657 | 3,082 | 6,739 | 10·7 | 1,141 | 77 | 13·0 |
| Aberdare.. .. | 57,030 | 592 | 613 | 16 | 17 | 1,238 | 21·7 | 324 | 307 | 631 | 11·1 | 96 | 78 | 10·6 |
| Barry .. .. | 39,710 | 439 | 395 | 22 | 16 | 872 | 22·0 | 237 | 188 | 425 | 10·7 | 68 | 78 | 11·3 |
| Bridgend.. .. | 9,435 | 105 | 95 | 5 | 3 | 208 | 22·0 | 58 | 39 | 97 | 10·3 | 11 | 53 | 11·7 |
| Caerphilly .. | 39,000 | 513 | 499 | 15 | 15 | 1,042 | 26·7 | 244 | 183 | 427 | 10·9 | 96 | 92 | 15·8 |
| Cowbridge M.B. | 1,146 | 11 | 9 | — | — | 20 | 17·5 | 7 | 5 | 12 | 10·5 | 1 | 50 | 7·0 |
| Gelligaer .. | 45,780 | 565 | 530 | 20 | 24 | 1,139 | 24·9 | 236 | 229 | 465 | 10·2 | 101 | 89 | 14·7 |
| Glyncorwg .. | 11,470 | 147 | 159 | 4 | 3 | 313 | 27·3 | 61 | 57 | 118 | 10·3 | 25 | 80 | 17·0 |
| Maesteg .. .. | 29,920 | 389 | 361 | 19 | 24 | 793 | 26·5 | 157 | 146 | 303 | 10·1 | 57 | 72 | 16·4 |

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | Total. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | Total. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| GLAMORGANSHIRE —*cont.* | | | | | | | | | | | | | | |
| MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | | | |
| Mountain Ash | 45,490 | 546 | 547 | 12 | 15 | 1,120 | 24·6 | 254 | 207 | 461 | 10·1 | 72 | 64 | 14·5 |
| Neath M.B. .. | 34,140 | 360 | 355 | 11 | 6 | 732 | 21·4 | 203 | 194 | 397 | 11·6 | 51 | 70 | 9·8 |
| Ogmore and Garw. | 31,630 | 420 | 371 | 15 | 7 | 813 | 25·7 | 149 | 127 | 276 | 8·7 | 48 | 59 | 17·0 |
| Penarth .. .. | 17,520 | 180 | 174 | 3 | 3 | 360 | 20·6 | 101 | 79 | 180 | 10·3 | 18 | 50 | 10·3 |
| Pontypridd .. | 49,230 | 599 | 605 | 15 | 14 | 1,233 | 25·0 | 346 | 237 | 583 | 11·8 | 90 | 73 | 13·2 |
| Porthcawl .. | 5,789 | 53 | 53 | 2 | 1 | 109 | 18·8 | 28 | 27 | 55 | 9·5 | 5 | 46 | 9·3 |
| Port Talbot .. | 42,310 | 498 | 485 | 11 | 21 | 1,015 | 24·0 | 223 | 203 | 426 | 10·1 | 66 | 65 | 13·9 |
| Rhondda.. .. | 167,900 | 1,944 | 1,839 | 49 | 65 | 3,897 | 23·2 | 1,029 | 854 | 1,883 | 11·2 | 336 | 86 | 12·0 |
| RURAL DISTRICTS. | 200,400 | 2,195 | 2,156 | 84 | 58 | 4,493 | 22·4 | 1,082 | 920 | 2,002 | 10·0 | 317 | 71 | 12·4 |
| Cardiff .. | 23,660 | 198 | 210 | 7 | 7 | 422 | 17·8 | 118 | 111 | 229 | 9·7 | 25 | 59 | 8·1 |
| Cowbridge .. | 10,100 | 116 | 114 | 8 | 5 | 243 | 24·1 | 55 | 47 | 102 | 10·1 | 19 | 78 | 14·0 |
| Gower .. .. | 9,470 | 90 | 77 | 2 | 1 | 170 | 18·0 | 40 | 48 | 88 | 9·3 | 10 | 59 | 8·7 |
| Llantrisant and Llantwitfardre | 26,720 | 382 | 327 | 14 | 10 | 733 | 27·4 | 151 | 122 | 273 | 10·2 | 54 | 74 | 17·2 |
| Neath .. .. | 38,650 | 463 | 460 | 22 | 8 | 953 | 24·7 | 228 | 193 | 421 | 10·9 | 74 | 78 | 13·8 |
| Penybont .. | 29,510 | 312 | 330 | 16 | 11 | 669 | 22·7 | 153 | 106 | 259 | 8·8 | 38 | 57 | 13·9 |
| Pontardawe .. | 36,160 | 365 | 369 | 9 | 10 | 753 | 20·8 | 197 | 168 | 365 | 10·1 | 59 | 78 | 10·7 |
| Swansea .. .. | 26,130 | 269 | 269 | 6 | 6 | 550 | 21·0 | 140 | 125 | 265 | 10·1 | 38 | 69 | 10·9 |
| MERIONETHSHIRE Administrative County. | 42,320 | 358 | 339 | 47 | 28 | 772 | 18·2 | 354 | 317 | 671 | 15·9 | 59 | 76 | 2·3 |
| URBAN DISTRICTS. | 18,342* | 160 | 152 | 18 | 15 | 345 | 18·8 | 154 | 138 | 292 | 15·9 | 30 | 87 | 2·9 |
| Bala.. .. .. | 1,425 | 13 | 12 | 1 | 1 | 27 | 18·9 | 12 | 9 | 21 | 14·7 | — | — | 4·2 |
| Barmouth .. | 2,054 | 13 | 9 | — | — | 22 | 10·7 | 16 | 9 | 25 | 12·2 | 1 | 45 | −1·5 |
| Dolgelly .. .. | 2,019* | 19 | 14 | 6 | 3 | 42 | 20·8 | 20 | 17 | 37 | 18·3 | 5 | 119 | 2·5 |
| Ffestiniog .. | 8,350 | 78 | 86 | 9 | 8 | 181 | 21·7 | 74 | 73 | 147 | 17·6 | 16 | 88 | 4·1 |
| Mallwyd .. .. | 696 | 7 | 4 | 1 | — | 12 | 17·2 | 11 | 6 | 17 | 24·4 | 2 | 167 | −7·2 |
| Towyn .. .. | 3,798 | 30 | 27 | 1 | 3 | 61 | 16·1 | 21 | 24 | 45 | 11·8 | 6 | 98 | 4·3 |
| RURAL DISTRICTS. | 23,978* | 198 | 187 | 29 | 13 | 427 | 17·8 | 200 | 179 | 379 | 15·8 | 29 | 68 | 2·0 |
| Deudraeth .. | 7,209 | 63 | 64 | 7 | 6 | 140 | 19·4 | 62 | 66 | 128 | 17·8 | 8 | 57 | 1·6 |
| Dolgelly .. .. | 7,814* | 63 | 53 | 6 | 5 | 127 | 16·3 | 52 | 56 | 108 | 13·8 | 7 | 55 | 2·5 |
| Edeirnion .. | 4,875 | 41 | 33 | 11 | — | 85 | 17·4 | 49 | 31 | 80 | 16·4 | 11 | 129 | 1·0 |
| Penllyn .. .. | 3,674 | 30 | 35 | 5 | 2 | 72 | 19·6 | 34 | 24 | 58 | 15·8 | 3 | 42 | 3·8 |
| C.P. of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire). | 406 | 1 | 2 | — | — | 3 | 7·4 | 3 | 2 | 5 | 12·3 | — | — | −4·9 |
| MONMOUTHSHIRE: | | | | | | | | | | | | | | |
| COUNTY BORO': | | | | | | | | | | | | | | |
| Newport .. | 95,490 | 1,026 | 1,017 | 36 | 31 | 2,110 | 22·1 | 553 | 471 | 1,024 | 10·7 | 138 | 65 | 11·4 |
| ADMINISTRATIVE COUNTY. | 371,100 | 4,312 | 4,151 | 144 | 130 | 8,737 | 23·5 | 2,083 | 1,777 | 3,860 | 10·4 | 638 | 73 | 13·1 |

* Populations adjusted to allow for changes in boundary during the year.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASES, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | BIRTHS. Legitimate. F. | BIRTHS. Illegitimate. M. | BIRTHS. Illegitimate. F. | BIRTHS. TOTAL. | BIRTHS. Crude Rate per 1,000. Total Population. | DEATHS. M. | DEATHS. F. | DEATHS. TOTAL. | DEATHS. Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Deaths under 1 year. Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| ONMOUTHSHIRE —*cont.* | | | | | | | | | | | | | | |
| UNICIPAL BORO'S AND URBAN DISTRICTS. | 323,800 | 3,896 | 3,699 | 124 | 108 | 7,827 | 24·2 | 1,783 | 1,531 | 3,314 | 10·2 | 590 | 75 | 14·0 |
| Abercarn.. .. | 20,990 | 268 | 233 | 11 | 3 | 515 | 24·5 | 124 | 92 | 216 | 10·3 | 35 | 68 | 14·2 |
| Abergavenny M.B. | 9,090 | 77 | 78 | 7 | 4 | 166 | 18·3 | 47 | 54 | 101 | 11·1 | 4 | 24 | 7·2 |
| Abersychan .. | 28,410 | 329 | 309 | 5 | 13 | 656 | 23·1 | 143 | 117 | 260 | 9·2 | 47 | 72 | 13·9 |
| Abertillery .. | 39,960 | 463 | 451 | 17 | 10 | 941 | 23·5 | 178 | 156 | 334 | 8·4 | 70 | 74 | 15·1 |
| Bedwas and Machen. | 9,060 | 133 | 125 | 4 | 5 | 267 | 29·5 | 64 | 63 | 127 | 14·0 | 26 | 97 | 15·5 |
| Bedwellty .. | 32,790 | 469 | 508 | 15 | 13 | 1005 | 30·6 | 189 | 172 | 361 | 11·0 | 78 | 78 | 19·6 |
| Blaenavon .. | 12,960 | 142 | 124 | 2 | 2 | 270 | 20·8 | 82 | 87 | 169 | 13·0 | 30 | 111 | 7·8 |
| Caerleon .. .. | 2,307 | 22 | 10 | 3 | 1 | 36 | 15·6 | 11 | 18 | 29 | 12·6 | 2 | 56 | 3·0 |
| Chepstow .. | 5,073 | 49 | 50 | 2 | 3 | 104 | 20·5 | 32 | 21 | 53 | 10·4 | 6 | 58 | 10·1 |
| Ebbw Vale .. | 36,830 | 410 | 404 | 13 | 16 | 843 | 22·9 | 209 | 165 | 374 | 10·2 | 70 | 83 | 12·7 |
| Llanfrechfa Upper. | 4,876 | 63 | 52 | 1 | 1 | 117 | 24·0 | 27 | 19 | 46 | 9·4 | 8 | 68 | 14·6 |
| Llantarnam .. | 7,724 | 85 | 85 | 1 | 6 | 177 | 22·9 | 47 | 47 | 94 | 12·2 | 13 | 73 | 10·7 |
| Monmouth M.B. | 5,110 | 54 | 48 | 3 | 1 | 106 | 20·7 | 42 | 28 | 70 | 13·7 | 8 | 75 | 7·0 |
| Mynyddislwyn | 15,530 | 227 | 191 | 4 | 5 | 427 | 27·5 | 76 | 65 | 141 | 9·1 | 35 | 82 | 18·4 |
| Nantyglo and Blaina. | 16,990 | 160 | 182 | 6 | 2 | 350 | 20·6 | 96 | 67 | 163 | 9·6 | 33 | 94 | 11·0 |
| Panteg .. .. | 11,360 | 109 | 118 | 7 | 1 | 235 | 20·7 | 64 | 61 | 125 | 11·0 | 13 | 55 | 9·7 |
| Pontypool .. | 7,280 | 94 | 82 | 1 | 4 | 181 | 24·9 | 53 | 36 | 89 | 12·2 | 12 | 66 | 12·7 |
| Rhymney .. | 12,230 | 167 | 144 | 6 | 6 | 323 | 26·4 | 66 | 78 | 144 | 11·8 | 31 | 96 | 14·6 |
| Risca .. .. | 17,540 | 217 | 182 | 3 | 3 | 405 | 23·1 | 75 | 52 | 127 | 7·2 | 19 | 47 | 15·9 |
| Tredegar .. | 26,230 | 345 | 310 | 11 | 9 | 675 | 25·7 | 152 | 130 | 282 | 10·8 | 48 | 71 | 14·9 |
| Usk .. .. .. | 1,460 | 13 | 13 | 2 | — | 28 | 19·2 | 6 | 3 | 9 | 6·2 | 2 | 71 | 13·0 |
| RAL DISTRICTS. | 47,300 | 416 | 452 | 20 | 22 | 910 | 19·2 | 300 | 246 | 546 | 11·5 | 48 | 53 | 7·7 |
| Abergavenny | 9,302 | 94 | 60 | 4 | 3 | 161 | 17·3 | 64 | 51 | 115 | 12·4 | 10 | 62 | 4·9 |
| Chepstow .. | 8,804 | 77 | 85 | 3 | 6 | 171 | 19·4 | 55 | 45 | 100 | 11·4 | 8 | 47 | 8·0 |
| Magor .. .. | 5,560 | 44 | 61 | 2 | 3 | 110 | 19·8 | 35 | 34 | 69 | 12·4 | 6 | 55 | 7·4 |
| Monmouth .. | 6,564 | 62 | 61 | 5 | 5 | 133 | 20·3 | 53 | 37 | 90 | 13·7 | 4 | 30 | 6·6 |
| Pontypool .. | 5,310 | 40 | 58 | 2 | 1 | 101 | 19·0 | 31 | 30 | 61 | 11·5 | 7 | 69 | 7·5 |
| St. Mellons .. | 11,760 | 99 | 127 | 4 | 4 | 234 | 19·9 | 62 | 49 | 111 | 9·4 | 13 | 56 | 10·5 |
| ONTGOMERYSHIRE | | | | | | | | | | | | | | |
| Administrative County. | 51,240 | 484 | 444 | 39 | 44 | 1,011 | 19·7 | 376 | 353 | 729 | 14·2 | 59 | 58 | 5·5 |
| UNICIPAL BORO'S AND URBAN DISTRICTS. | 18,430 | 164 | 136 | 12 | 15 | 327 | 17·7 | 126 | 138 | 264 | 14·3 | 15 | 46 | 3·4 |
| Llanfyllin M.B. | 1,569 | 12 | 12 | 1 | — | 25 | 15·9 | 18 | 12 | 30 | 19·1 | 3 | 120 | —3·2 |
| Llanidloes M.B. | 2,488 | 15 | 21 | — | 1 | 37 | 14·9 | 23 | 27 | 50 | 20·1 | — | — | —5·2 |
| Machynlleth .. | 1,881 | 22 | 10 | — | 3 | 35 | 18·6 | 11 | 16 | 27 | 14·4 | 1 | 29 | 4·2 |
| Montgomery M.B. | 957 | 9 | 6 | 2 | — | 17 | 17·8 | 6 | 6 | 12 | 12·5 | 3 | 176 | 5·3 |
| Newtown and Llanllwchaiarn. | 5,782 | 49 | 44 | 5 | 6 | 104 | 18·0 | 28 | 35 | 63 | 10·9 | 3 | 29 | 7·1 |
| Welshpool M.B. | 5,753 | 57 | 43 | 4 | 5 | 109 | 18·9 | 40 | 42 | 82 | 14·3 | 5 | 46 | 4·6 |
| RAL DISTRICTS. | 32,810 | 320 | 308 | 27 | 29 | 684 | 20·8 | 250 | 215 | 465 | 14·2 | 44 | 64 | 6·6 |
| Forden .. .. | 5,639 | 61 | 63 | 5 | 5 | 134 | 23·8 | 36 | 41 | 77 | 13·7 | 9 | 67 | 10·1 |
| Llanfyllin .. | 12,060 | 122 | 122 | 13 | 5 | 262 | 21·7 | 108 | 75 | 183 | 15·2 | 20 | 76 | 6·5 |
| Machynlleth .. | 3,811 | 26 | 21 | 2 | 5 | 54 | 14·2 | 27 | 29 | 56 | 14·7 | 5 | 93 | —0·5 |
| Newtown and Llanidloes. | 11,300 | 111 | 102 | 7 | 14 | 234 | 20·7 | 79 | 70 | 149 | 13·2 | 10 | 43 | 7·5 |

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASES, 1923.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

| AREA. | Estimated Population (Middle 1923). | BIRTHS. Legitimate. M. | Legitimate. F. | Illegitimate. M. | Illegitimate. F. | TOTAL. | Crude Rate per 1,000. Total Population. | DEATHS. M. | F. | TOTAL. | Crude Rate per 1,000. Total Population. | Deaths under 1 year. Number. | Rate per 1,000 births. | Natural Increase per 1,000 Population. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Col. 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| PEMBROKESHIRE: Administrative County. | 92,140 | 892 | 828 | 41 | 34 | 1,795 | 19·5 | 579 | 566 | 1,145 | 12·5† | 122 | 68 | 7·0 |
| MUNICIPAL BORO'S AND URBAN DISTRICTS. | 42,545* | 412 | 394 | 15 | 15 | 836 | 19·6 | 256 | 244 | 500 | 11·9† | 61 | 73 | 7·7 |
| Fishguard .. | 3,046 | 29 | 32 | 1 | — | 62 | 20·4 | 10 | 15 | 25 | 8·2 | 1 | 16 | 12·2 |
| Goodwick‡ .. | 1,847* | 21 | 12 | 1 | — | 34 | 18·4 | 10 | 11 | 21 | 11·4 | 4 | 118 | 7·0 |
| Haverfordwest M.B. | 5,908 | 66 | 68 | 4 | 5 | 143 | 24·2 | 44 | 46 | 90 | 15·2 | 10 | 70 | 9·0 |
| Milford Haven | 8,234 | 109 | 93 | 4 | 4 | 210 | 25·5 | 45 | 37 | 82 | 10·0 | 14 | 67 | 15·5 |
| Narberth.. .. | 1,128 | 4 | 10 | — | — | 14 | 12·4 | 4 | 9 | 13 | 11·5 | 2 | 143 | 0·9 |
| Neyland .. .. | 2,705 | 21 | 24 | 1 | 2 | 48 | 17·7 | 14 | 14 | 28 | 10·4 | 3 | 63 | 7·3 |
| Pembroke M.B. | 15,500 | 130 | 125 | 3 | 3 | 261 | 16·8 | 105 | 92 | 197 | 13·3† | 21 | 80 | 3·5 |
| Tenby M.B. .. | 4,177 | 32 | 30 | 1 | 1 | 64 | 15·3 | 24 | 20 | 44 | 10·5 | 6 | 94 | 4·8 |
| RURAL DISTRICTS. | 49,595* | 480 | 434 | 26 | 19 | 959 | 19·3 | 323 | 322 | 645 | 13·0 | 61 | 64 | 6·3 |
| Haverfordwest | 19,745* | 216 | 171 | 12 | 5 | 404 | 20·5 | 119 | 116 | 235 | 11·9 | 30 | 74 | 8·6 |
| Llanfyrnach .. | 2,339 | 17 | 18 | 2 | — | 37 | 15·8 | 16 | 23 | 39 | 16·7 | 1 | 27 | —0·9 |
| Narberth.. .. | 10,920 | 94 | 104 | 6 | 6 | 210 | 19·2 | 79 | 76 | 155 | 14·2 | 10 | 48 | 5·0 |
| Pembroke .. | 8,744 | 79 | 79 | 3 | 2 | 163 | 18·6 | 52 | 49 | 101 | 11·6 | 12 | 74 | 7·0 |
| St. Dogmells .. | 7,847 | 74 | 62 | 3 | 6 | 145 | 18·5 | 57 | 58 | 115 | 14·7 | 8 | 55 | 3·8 |
| RADNORSHIRE: Administrative County. | 22,089 | 205 | 183 | 14 | 19 | 421 | 19·1 | 159 | 124 | 283 | 12·8 | 20 | 48 | 6·3 |
| URBAN DISTRICTS. | 5,679 | 37 | 47 | 4 | 3 | 91 | 16·0 | 44 | 35 | 79 | 13·9 | 3 | 33 | 2·1 |
| Knighton .. | 1,702 | 12 | 18 | 1 | 2 | 33 | 19·4 | 12 | 9 | 21 | 12·3 | 1 | 30 | 7·1 |
| Llandrindod Wells. | 2,813 | 18 | 19 | 3 | 1 | 41 | 14·6 | 23 | 18 | 41 | 14·6 | 2 | 49 | — |
| Presteigne .. | 1,164 | 7 | 10 | — | — | 17 | 14·6 | 9 | 8 | 17 | 14·6 | — | — | — |
| RURAL DISTRICTS. | 16,410 | 168 | 136 | 10 | 16 | 330 | 20·1 | 115 | 89 | 204 | 12·4 | 17 | 52 | 7·7 |
| Colwyn .. .. | 2,102 | 18 | 26 | 1 | 2 | 47 | 22·4 | 7 | 11 | 18 | 8·6 | 5 | 106 | 13·8 |
| Knighton .. | 4,284 | 53 | 37 | 4 | 3 | 97 | 22·6 | 31 | 20 | 51 | 11·9 | 6 | 62 | 10·7 |
| New Radnor .. | 2,679 | 24 | 22 | 2 | 1 | 49 | 18·3 | 20 | 19 | 39 | 14·6 | 1 | 20 | 3·7 |
| Painscastle .. | 2,275 | 31 | 14 | 1 | 1 | 47 | 20·7 | 15 | 12 | 27 | 11·9 | 1 | 21 | 8·8 |
| Rhayader .. | 5,070 | 42 | 37 | 2 | 9 | 90 | 17·8 | 42 | 27 | 69 | 13·6 | 4 | 44 | 4·2 |

* Population adjusted to allow for changes in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Pembrokeshire—Administrative County, 91,459; Municipal Boroughs and Urban Districts, 41,864*; Pembroke M.B., 14,819.

‡ Created on 1st April, 1923.

TABLE 15.—ENGLAND AND WALES.—DEATHS at EACH YEAR of AGE REGISTERED in the YEAR 1923. (Total deaths registered.)

| Age last birth-day. | Persons. | Males. | Females. | | | | Age last birth-day. | Persons. | Males. | Females. | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total. | Single. | Married. | Widowed. | | | | Total. | Single. | Married. | Widowed. |
| **All Ages** | **444,785** | **226,858** | **217,927** | **75,052** | **70,658** | **72,217** | **50-54** | **24,462** | **13,397** | **11,065** | **1,775** | **7,515** | **1,775** |
| | | | | | | | 50 | 4,589 | 2,591 | 1,998 | 337 | 1,386 | 275 |
| | | | | | | | 51 | 4,219 | 2,278 | 1,941 | 330 | 1,346 | 265 |
| **0-4** | **78,574** | **44,006** | **34,568** | **34,568** | — | — | 52 | 4,994 | 2,741 | 2,253 | 370 | 1,530 | 353 |
| 0 | 52,582 | 30,324 | 22,258 | 22,258 | — | — | 53 | 5,245 | 2,860 | 2,385 | 354 | 1,605 | 426 |
| 1 | 14,111 | 7,459 | 6,652 | 6,652 | — | — | 54 | 5,415 | 2,927 | 2,488 | 384 | 1,648 | 456 |
| 2 | 5,964 | 3,129 | 2,835 | 2,835 | — | — | **55-59** | **29,165** | **16,103** | **13,062** | **2,092** | **7,958** | **3,012** |
| 3 | 3,852 | 2,024 | 1,828 | 1,828 | — | — | 55 | 4,966 | 2,787 | 2,179 | 364 | 1,401 | 414 |
| 4 | 2,065 | 1,070 | 995 | 995 | — | — | 56 | 5,654 | 3,080 | 2,574 | 449 | 1,581 | 544 |
| **5-9** | **7,228** | **3,775** | **3,453** | **3,453** | — | — | 57 | 5,753 | 3,192 | 2,561 | 424 | 1,569 | 568 |
| 5 | 1,742 | 919 | 823 | 823 | — | — | 58 | 6,278 | 3,481 | 2,797 | 428 | 1,653 | 716 |
| 6 | 1,553 | 792 | 761 | 761 | — | — | 59 | 6,514 | 3,563 | 2,951 | 427 | 1,754 | 770 |
| 7 | 1,421 | 764 | 657 | 657 | — | — | **60-64** | **35,241** | **19,074** | **16,167** | **2,371** | **8,533** | **5,263** |
| 8 | 1,244 | 644 | 600 | 600 | — | — | 60 | 6,426 | 3,549 | 2,877 | 460 | 1,632 | 785 |
| 9 | 1,268 | 656 | 612 | 612 | — | — | 61 | 6,159 | 3,341 | 2,818 | 418 | 1,561 | 839 |
| **10-14** | **5,892** | **2,965** | **2,927** | **2,927** | — | — | 62 | 7,338 | 3,989 | 3,349 | 454 | 1,807 | 1,088 |
| 10 | 1,128 | 585 | 543 | 543 | — | — | 63 | 7,795 | 4,167 | 3,628 | 558 | 1,822 | 1,248 |
| 11 | 1,035 | 539 | 496 | 496 | — | — | 64 | 7,523 | 4,028 | 3,495 | 481 | 1,711 | 1,303 |
| 12 | 1,095 | 574 | 521 | 521 | — | — | **65-69** | **40,739** | **21,408** | **19,331** | **2,651** | **8,127** | **8,553** |
| 13 | 1,247 | 601 | 646 | 646 | — | — | 65 | 8,072 | 4,330 | 3,742 | 524 | 1,698 | 1,520 |
| 14 | 1,387 | 666 | 721 | 721 | — | — | 66 | 7,512 | 4,016 | 3,496 | 496 | 1,569 | 1,431 |
| **15-19** | **9,024** | **4,551** | **4,473** | **4,351** | **121** | **1** | 67 | 7,891 | 4,099 | 3,792 | 540 | 1,624 | 1,628 |
| 15 | 1,578 | 806 | 772 | 772 | — | — | 68 | 8,633 | 4,500 | 4,133 | 548 | 1,668 | 1,917 |
| 16 | 1,650 | 779 | 871 | 868 | 3 | — | 69 | 8,631 | 4,463 | 4,168 | 543 | 1,568 | 2,057 |
| 17 | 1,808 | 922 | 886 | 881 | 5 | — | **70-74** | **44,100** | **21,519** | **22,581** | **2,948** | **6,674** | **12,959** |
| 18 | 1,960 | 1,011 | 949 | 915 | 33 | 1 | 70 | 8,563 | 4,289 | 4,274 | 584 | 1,446 | 2,244 |
| 19 | 2,028 | 1,033 | 995 | 915 | 80 | — | 71 | 8,324 | 4,065 | 4,259 | 522 | 1,400 | 2,337 |
| **20-24** | **10,359** | **5,304** | **5,055** | **3,582** | **1,461** | **12** | 72 | 9,484 | 4,622 | 4,862 | 624 | 1,463 | 2,775 |
| 20 | 2,062 | 1,074 | 988 | 843 | 144 | 1 | 73 | 9,111 | 4,401 | 4,710 | 621 | 1,271 | 2,818 |
| 21 | 2,081 | 1,064 | 1,017 | 796 | 221 | — | 74 | 8,618 | 4,142 | 4,476 | 597 | 1,094 | 2,785 |
| 22 | 2,084 | 1,033 | 1,051 | 761 | 288 | 2 | **75-79** | **40,333** | **18,433** | **21,900** | **2,749** | **4,217** | **14,934** |
| 23 | 2,036 | 1,064 | 972 | 597 | 371 | 4 | 75 | 8,431 | 3,962 | 4,469 | 580 | 1,029 | 2,860 |
| 24 | 2,096 | 1,069 | 1,027 | 585 | 437 | 5 | 76 | 8,504 | 3,993 | 4,511 | 536 | 984 | 2,991 |
| **25-29** | **10,353** | **5,016** | **5,337** | **2,210** | **3,031** | **96** | 77 | 7,963 | 3,637 | 4,326 | 559 | 820 | 2,947 |
| 25 | 2,040 | 1,002 | 1,038 | 528 | 500 | 10 | 78 | 8,091 | 3,602 | 4,489 | 556 | 761 | 3,172 |
| 26 | 2,034 | 992 | 1,042 | 479 | 548 | 15 | 79 | 7,344 | 3,239 | 4,105 | 518 | 623 | 2,964 |
| 27 | 2,080 | 998 | 1,082 | 426 | 640 | 16 | **80-84** | **29,132** | **12,011** | **17,121** | **2,116** | **1,832** | **13,173** |
| 28 | 2,108 | 994 | 1,114 | 411 | 676 | 27 | 80 | 6,719 | 2,900 | 3,819 | 469 | 468 | 2,882 |
| 29 | 2,091 | 1,030 | 1,061 | 366 | 667 | 28 | 81 | 5,942 | 2,539 | 3,403 | 443 | 411 | 2,549 |
| **30-34** | **10,972** | **5,440** | **5,532** | **1,401** | **3,918** | **213** | 82 | 6,280 | 2,604 | 3,676 | 447 | 398 | 2,831 |
| 30 | 2,092 | 1,005 | 1,087 | 314 | 746 | 27 | 83 | 5,555 | 2,223 | 3,332 | 370 | 325 | 2,637 |
| 31 | 2,101 | 1,019 | 1,082 | 301 | 732 | 49 | 84 | 4,636 | 1,745 | 2,891 | 387 | 230 | 2,274 |
| 32 | 2,319 | 1,162 | 1,157 | 277 | 835 | 45 | **85-89** | **14,329** | **5,356** | **8,973** | **1,134** | **512** | **7,327** |
| 33 | 2,255 | 1,153 | 1,102 | 252 | 804 | 46 | 85 | 3,963 | 1,559 | 2,404 | 305 | 164 | 1,935 |
| 34 | 2,205 | 1,101 | 1,104 | 257 | 801 | 46 | 86 | 3,455 | 1,342 | 2,113 | 279 | 136 | 1,698 |
| **35-39** | **13,190** | **6,890** | **6,300** | **1,208** | **4,697** | **395** | 87 | 2,765 | 1,036 | 1,729 | 188 | 89 | 1,452 |
| 35 | 2,412 | 1,251 | 1,161 | 240 | 863 | 58 | 88 | 2,269 | 794 | 1,475 | 199 | 75 | 1,201 |
| 36 | 2,388 | 1,204 | 1,184 | 240 | 854 | 90 | 89 | 1,877 | 625 | 1,252 | 163 | 48 | 1,041 |
| 37 | 2,556 | 1,325 | 1,231 | 233 | 924 | 74 | **90-94** | **4,123** | **1,330** | **2,793** | **351** | **74** | **2,368** |
| 38 | 2,926 | 1,576 | 1,350 | 255 | 1,010 | 85 | 90 | 1,418 | 478 | 940 | 118 | 33 | 789 |
| 39 | 2,908 | 1,534 | 1,374 | 240 | 1,046 | 88 | 91 | 880 | 309 | 571 | 79 | 16 | 476 |
| **40-44** | **16,364** | **8,851** | **7,513** | **1,443** | **5,434** | **636** | 92 | 804 | 244 | 560 | 65 | 14 | 481 |
| 40 | 3,028 | 1,590 | 1,438 | 284 | 1,047 | 107 | 93 | 606 | 172 | 434 | 55 | 9 | 370 |
| 41 | 3,052 | 1,637 | 1,415 | 290 | 1,013 | 112 | 94 | 415 | 127 | 288 | 34 | 2 | 252 |
| 42 | 3,494 | 1,926 | 1,568 | 292 | 1,136 | 140 | **95-99** | **751** | **201** | **550** | **84** | **6** | **460** |
| 43 | 3,401 | 1,901 | 1,500 | 284 | 1,078 | 138 | 95 | 273 | 82 | 191 | 28 | 1 | 162 |
| 44 | 3,389 | 1,797 | 1,592 | 293 | 1,160 | 139 | 96 | 191 | 53 | 138 | 27 | 1 | 110 |
| **45-49** | **20,358** | **11,206** | **9,152** | **1,626** | **6,548** | **978** | 97 | 142 | 32 | 110 | 16 | 1 | 93 |
| 45 | 3,805 | 2,126 | 1,679 | 283 | 1,237 | 159 | 98 | 90 | 18 | 72 | 9 | 2 | 61 |
| 46 | 3,883 | 2,165 | 1,718 | 293 | 1,263 | 162 | 99 | 55 | 16 | 39 | 4 | 1 | 34 |
| 47 | 3,988 | 2,158 | 1,830 | 359 | 1,290 | 181 | **100–** | **96** | **22** | **74** | **12** | — | **62** |
| 48 | 4,311 | 2,330 | 1,981 | 362 | 1,386 | 233 | 100 | 38 | 9 | 29 | 6 | — | 23 |
| 49 | 4,371 | 2,427 | 1,944 | 329 | 1,372 | 243 | 101– | 58 | 13 | 45 | 6 | — | 39 |

NOTE.—The 444,785 deaths at all ages include 623 cases (362 males and 261 females) in which only approximate ages were stated; these have been included under the stated age (*e.g.*, age "about 40" under age 40). In 34 cases (25 males and 9 females) the ages were stated to be within certain limits (*e.g.*, age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 11 cases (8 males and 3 females) the ages were stated to be unknown; these have been distributed to the particular ages, with regard as far as possible to the cause of death.

Of the 217,927 deaths of females, 214 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 45 divorced women are included with the deaths of widows.

TABLE 16.

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGHS, 1923.
(Civilian population only).

| Age. | Sex. | Greater London.* | City of London. | Inner and Middle Temples. | Battersea. | Bermondsey. | Bethnal Green. | Camberwell. | Chelsea. | Deptford. | Finsbury. | Fulham. | Greenwich. | Hackney. | Hammersmith. | Hampstead. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Ages .. | M | 41017 | 88 | 1 | 930 | 770 | 728 | 1527 | 417 | 671 | 571 | 875 | 614 | 1212 | 730 | 418 |
| | F | 40259 | 69 | — | 909 | 711 | 621 | 1490 | 392 | 601 | 451 | 841 | 516 | 1220 | 755 | 529 |
| Under 1 month | M | 2246 | 2 | — | 39 | 52 | 42 | 86 | 15 | 39 | 20 | 50 | 49 | 77 | 56 | 13 |
| | F | 1562 | 1 | — | 37 | 31 | 30 | 60 | 8 | 17 | 16 | 32 | 17 | 39 | 33 | 13 |
| 1–3 months | M | 815 | 1 | — | 17 | 21 | 20 | 29 | 7 | 12 | 11 | 26 | 12 | 28 | 14 | 7 |
| | F | 578 | 1 | — | 13 | 15 | 12 | 16 | 5 | 10 | 9 | 11 | 5 | 15 | 15 | 2 |
| 3–6 months | M | 788 | 1 | — | 10 | 18 | 19 | 24 | 4 | 11 | 15 | 21 | 8 | 22 | 17 | 5 |
| | F | 653 | 1 | — | 16 | 20 | 23 | 19 | 5 | 17 | 9 | 14 | 8 | 20 | 13 | 3 |
| 6–12 months | M | 1042 | 2 | — | 22 | 35 | 28 | 55 | 7 | 22 | 21 | 23 | 19 | 37 | 9 | 5 |
| | F | 820 | — | — | 16 | 28 | 27 | 31 | 6 | 15 | 11 | 25 | 13 | 22 | 17 | 6 |
| Total under 1 year | M | 4891 | 6 | — | 88 | 126 | 109 | 194 | 33 | 84 | 67 | 120 | 88 | 164 | 96 | 30 |
| | F | 3613 | 3 | — | 82 | 94 | 92 | 126 | 24 | 59 | 45 | 82 | 43 | 96 | 78 | 24 |
| 1— | M | 1028 | — | — | 28 | 41 | 33 | 42 | 4 | 19 | 27 | 33 | 11 | 34 | 12 | 5 |
| | F | 890 | — | — | 24 | 32 | 21 | 37 | 3 | 17 | 23 | 24 | 12 | 28 | 12 | 1 |
| 2— | M | 427 | — | — | 9 | 13 | 13 | 20 | 2 | 4 | 11 | 6 | 11 | 13 | 14 | 2 |
| | F | 405 | — | — | 10 | 12 | 12 | 22 | 6 | 3 | 4 | 9 | 2 | 14 | 5 | 3 |
| 3— | M | 338 | — | — | 9 | 10 | 8 | 21 | 1 | 6 | 6 | 10 | 11 | 12 | 3 | 1 |
| | F | 293 | — | — | 15 | 10 | 11 | 16 | 2 | 7 | 2 | 6 | 4 | 8 | 5 | 1 |
| 4— | M | 182 | — | — | 5 | 3 | 2 | 8 | 2 | 8 | 6 | 8 | 1 | 6 | 2 | 4 |
| | F | 183 | — | — | 9 | 5 | 4 | 20 | 2 | 7 | 2 | 5 | 7 | 1 | — | — |
| Total under 5 years | M | 6866 | 6 | — | 139 | 193 | 165 | 285 | 42 | 121 | 117 | 177 | 122 | 229 | 127 | 42 |
| | F | 5384 | 3 | — | 140 | 153 | 140 | 221 | 37 | 93 | 76 | 126 | 68 | 147 | 100 | 29 |
| 5— | M | 668 | — | — | 16 | 16 | 19 | 26 | 5 | 17 | 9 | 13 | 11 | 17 | 21 | 7 |
| | F | 625 | — | — | 17 | 16 | 8 | 37 | 5 | 16 | 7 | 14 | 14 | 19 | 13 | 3 |
| 10— | M | 542 | — | — | 11 | 14 | 18 | 23 | 2 | 9 | 12 | 9 | 7 | 17 | 6 | 3 |
| | F | 505 | 1 | — | 13 | 17 | 7 | 19 | 6 | 9 | 9 | 9 | 7 | 15 | 10 | 6 |
| 15— | M | 815 | 1 | — | 17 | 18 | 17 | 40 | 4 | 9 | 9 | 19 | 17 | 20 | 16 | 7 |
| | F | 866 | — | — | 13 | 21 | 22 | 33 | 6 | 17 | 6 | 19 | 18 | 22 | 17 | 6 |
| 20— | M | 956 | 5 | — | 24 | 23 | 16 | 30 | 9 | 15 | 15 | 22 | 27 | 25 | 13 | 8 |
| | F | 1004 | 1 | — | 24 | 22 | 16 | 47 | 4 | 12 | 15 | 22 | 23 | 29 | 18 | 11 |
| 25— | M | 888 | 3 | — | 13 | 17 | 11 | 29 | 8 | 18 | 11 | 20 | 16 | 31 | 16 | 6 |
| | F | 948 | — | — | 15 | 16 | 18 | 30 | 16 | 10 | 10 | 14 | 16 | 34 | 19 | 10 |
| 30— | M | 1028 | 1 | — | 33 | 18 | 14 | 38 | 9 | 14 | 12 | 14 | 19 | 27 | 15 | 9 |
| | F | 1073 | 2 | — | 20 | 18 | 23 | 41 | 7 | 16 | 7 | 22 | 10 | 37 | 28 | 12 |
| 35— | M | 1322 | 3 | — | 28 | 22 | 27 | 43 | 9 | 20 | 11 | 28 | 19 | 44 | 25 | 16 |
| | F | 1184 | 4 | — | 32 | 25 | 23 | 35 | 7 | 17 | 11 | 24 | 16 | 32 | 22 | 15 |
| 40— | M | 1847 | 3 | — | 47 | 27 | 41 | 82 | 12 | 37 | 27 | 31 | 31 | 49 | 27 | 12 |
| | F | 1481 | 1 | — | 32 | 33 | 29 | 41 | 16 | 22 | 23 | 34 | 14 | 56 | 21 | 27 |
| 45— | M | 2296 | 10 | — | 49 | 38 | 41 | 84 | 20 | 43 | 41 | 56 | 22 | 63 | 42 | 29 |
| | F | 1813 | 1 | — | 38 | 22 | 26 | 64 | 20 | 40 | 23 | 34 | 19 | 61 | 40 | 18 |
| 50— | M | 2882 | 10 | — | 61 | 66 | 41 | 105 | 31 | 40 | 45 | 58 | 36 | 87 | 52 | 27 |
| | F | 2162 | 6 | — | 54 | 38 | 30 | 65 | 22 | 31 | 24 | 58 | 28 | 65 | 35 | 28 |
| 55— | M | 3259 | 4 | — | 99 | 55 | 50 | 108 | 25 | 54 | 40 | 71 | 41 | 103 | 70 | 30 |
| | F | 2473 | 5 | — | 47 | 38 | 39 | 83 | 26 | 32 | 31 | 59 | 25 | 75 | 40 | 30 |
| 60— | M | 3702 | 8 | — | 71 | 61 | 69 | 127 | 42 | 62 | 58 | 81 | 54 | 97 | 65 | 45 |
| | F | 3060 | 8 | — | 70 | 47 | 49 | 130 | 33 | 53 | 24 | 57 | 47 | 90 | 47 | 43 |
| 65— | M | 3968 | 10 | — | 106 | 64 | 70 | 155 | 57 | 61 | 49 | 83 | 45 | 115 | 66 | 44 |
| | F | 3526 | 8 | — | 77 | 68 | 41 | 119 | 39 | 45 | 51 | 66 | 46 | 124 | 52 | 34 |
| 70— | M | 3660 | 9 | 1 | 93 | 59 | 52 | 134 | 49 | 59 | 50 | 66 | 44 | 119 | 67 | 58 |
| | F | 4160 | 8 | — | 86 | 62 | 59 | 163 | 32 | 57 | 45 | 86 | 50 | 137 | 99 | 60 |
| 75— | M | 3135 | 7 | — | 56 | 46 | 34 | 115 | 38 | 45 | 38 | 65 | 52 | 87 | 57 | 40 |
| | F | 4120 | 6 | — | 99 | 48 | 39 | 156 | 55 | 49 | 39 | 77 | 41 | 100 | 82 | 82 |
| 80— | M | 2034 | 6 | — | 48 | 24 | 29 | 67 | 35 | 28 | 21 | 40 | 36 | 51 | 28 | 20 |
| | F | 3341 | 4 | — | 65 | 38 | 27 | 117 | 35 | 42 | 29 | 69 | 49 | 100 | 72 | 56 |
| 85— | M | 1149 | 2 | — | 19 | 9 | 14 | 36 | 20 | 19 | 6 | 22 | 15 | 31 | 17 | 15 |
| | F | 2534 | 11 | — | 67 | 29 | 25 | 89 | 26 | 40 | 21 | 51 | 25 | 77 | 40 | 59 |

* See footnote on p. 58

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGHS, 1923.
(Civilian population only).

| Age. | Sex. | Holborn. | Islington. | Kensington. | Lambeth. | Lewisham. | Paddington. | Poplar. | St. Marylebone. | St. Pancras. | Shoreditch. | Southwark. | Stepney. | Stoke Newington. | Wandsworth. | Westminster. | Woolwich. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Ages .. | M | 292 | 1984 | 1001 | 1830 | 895 | 821 | 1046 | 601 | 1387 | 726 | 1333 | 1632 | 277 | 1610 | 760 | 720 |
| | F | 234 | 1953 | 1222 | 1757 | 971 | 902 | 833 | 651 | 1211 | 667 | 1103 | 1350 | 296 | 1861 | 741 | 667 |
| Under 1 month | M | 7 | 103 | 31 | 95 | 49 | 54 | 78 | 33 | 75 | 46 | 68 | 82 | 14 | 68 | 28 | 38 |
| | F | 11 | 89 | 32 | 73 | 25 | 25 | 39 | 17 | 53 | 43 | 57 | 47 | 9 | 61 | 19 | 34 |
| 1–3 months | M | 7 | 43 | 18 | 34 | 20 | 13 | 21 | 11 | 21 | 30 | 21 | 39 | 2 | 24 | 5 | 7 |
| | F | 2 | 32 | 15 | 27 | 4 | 10 | 16 | 11 | 15 | 17 | 19 | 25 | 4 | 18 | 8 | 8 |
| 3–6 months | M | 5 | 49 | 27 | 30 | 17 | 18 | 25 | 7 | 25 | 26 | 46 | 31 | 6 | 29 | 7 | 7 |
| | F | 1 | 59 | 30 | 31 | 10 | 22 | 13 | 10 | 22 | 8 | 24 | 43 | 4 | 28 | 7 | 8 |
| 6–12 months | M | 7 | 59 | 30 | 41 | 21 | 24 | 32 | 10 | 38 | 36 | 47 | 60 | 3 | 32 | 6 | 12 |
| | F | 7 | 42 | 35 | 35 | 11 | 15 | 31 | 15 | 24 | 31 | 36 | 45 | 4 | 35 | 4 | 9 |
| Total under 1 year | M | 26 | 254 | 106 | 200 | 107 | 109 | 156 | 61 | 159 | 138 | 182 | 212 | 25 | 153 | 46 | 64 |
| | F | 21 | 222 | 112 | 166 | 50 | 72 | 99 | 53 | 114 | 99 | 136 | 160 | 21 | 142 | 38 | 59 |
| 1— | M | 3 | 45 | 32 | 49 | 16 | 18 | 51 | 14 | 34 | 30 | 47 | 62 | 3 | 34 | 7 | 8 |
| | F | 1 | 49 | 34 | 41 | 14 | 20 | 29 | 14 | 33 | 29 | 50 | 41 | 7 | 22 | 9 | 4 |
| 2— | M | 1 | 19 | 9 | 24 | 12 | 8 | 19 | 2 | 20 | 12 | 16 | 24 | 2 | 14 | 3 | 7 |
| | F | 4 | 22 | 3 | 22 | 11 | 9 | 10 | 2 | 17 | 12 | 28 | 25 | — | 11 | 6 | 4 |
| 3— | M | 3 | 23 | 5 | 13 | 7 | 8 | 11 | 5 | 14 | 4 | 12 | 13 | 3 | 9 | 1 | 2 |
| | F | 2 | 14 | 5 | 13 | 10 | 5 | 8 | 4 | 7 | 10 | 10 | 11 | — | 13 | 3 | 2 |
| 4— | M | — | 10 | 3 | 10 | 3 | 2 | 5 | 1 | 10 | 5 | 7 | 5 | — | 7 | — | 1 |
| | F | — | 6 | 4 | 5 | 7 | 3 | 2 | 2 | 2 | 5 | 8 | 3 | 3 | 3 | — | 4 |
| Total under 5 years | M | 33 | 351 | 155 | 296 | 145 | 145 | 242 | 83 | 237 | 189 | 264 | 316 | 33 | 217 | 57 | 82 |
| | F | 28 | 313 | 158 | 247 | 92 | 109 | 148 | 75 | 173 | 155 | 232 | 240 | 31 | 191 | 56 | 73 |
| 5— | M | 3 | 26 | 16 | 27 | 14 | 9 | 27 | 7 | 16 | 14 | 26 | 32 | 6 | 30 | 5 | 8 |
| | F | 5 | 32 | 12 | 25 | 14 | 16 | 21 | 5 | 21 | 17 | 26 | 21 | 5 | 10 | 5 | 13 |
| 10— | M | 1 | 26 | 8 | 20 | 20 | 8 | 14 | 4 | 18 | 9 | 17 | 18 | 2 | 16 | 4 | 11 |
| | F | 3 | 23 | 5 | 17 | 6 | 4 | 12 | 8 | 13 | 10 | 15 | 26 | 3 | 21 | 5 | 12 |
| 15— | M | 3 | 33 | 18 | 35 | 18 | 12 | 22 | 7 | 27 | 15 | 19 | 30 | 4 | 31 | 9 | 16 |
| | F | 4 | 37 | 20 | 36 | 16 | 10 | 30 | 10 | 19 | 16 | 32 | 29 | 6 | 38 | 6 | 14 |
| 20— | M | 5 | 32 | 25 | 39 | 24 | 10 | 22 | 14 | 17 | 18 | 33 | 42 | 10 | 35 | 12 | 21 |
| | F | 2 | 41 | 12 | 41 | 28 | 13 | 30 | 16 | 27 | 20 | 37 | 38 | 5 | 38 | 16 | 21 |
| 25— | M | 5 | 42 | 20 | 41 | 18 | 10 | 31 | 9 | 30 | 18 | 31 | 35 | 4 | 39 | 9 | 17 |
| | F | 3 | 48 | 23 | 36 | 20 | 18 | 22 | 17 | 20 | 15 | 23 | 35 | 6 | 49 | 17 | 28 |
| 30— | M | 7 | 58 | 10 | 48 | 23 | 16 | 20 | 18 | 42 | 29 | 32 | 47 | 6 | 36 | 22 | 15 |
| | F | 6 | 50 | 35 | 54 | 25 | 16 | 18 | 15 | 47 | 20 | 19 | 42 | 8 | 41 | 19 | 18 |
| 35— | M | 14 | 61 | 34 | 60 | 28 | 29 | 43 | 12 | 42 | 23 | 58 | 51 | 4 | 50 | 13 | 23 |
| | F | 9 | 48 | 45 | 56 | 34 | 22 | 28 | 20 | 32 | 27 | 36 | 45 | 8 | 53 | 19 | 18 |
| 40— | M | 16 | 97 | 36 | 72 | 25 | 40 | 46 | 31 | 59 | 37 | 68 | 71 | 17 | 70 | 43 | 32 |
| | F | 12 | 75 | 53 | 55 | 34 | 31 | 33 | 20 | 36 | 23 | 50 | 56 | 13 | 55 | 31 | 22 |
| 45— | M | 23 | 124 | 58 | 97 | 53 | 42 | 52 | 32 | 89 | 40 | 77 | 97 | 8 | 102 | 43 | 38 |
| | F | 22 | 74 | 40 | 87 | 34 | 56 | 31 | 34 | 54 | 34 | 43 | 59 | 12 | 99 | 32 | 38 |
| 50— | M | 28 | 145 | 64 | 127 | 48 | 65 | 90 | 56 | 108 | 57 | 98 | 128 | 10 | 99 | 75 | 64 |
| | F | 10 | 120 | 57 | 96 | 58 | 36 | 48 | 32 | 70 | 42 | 54 | 87 | 11 | 103 | 51 | 37 |
| 55— | M | 17 | 163 | 73 | 138 | 78 | 57 | 67 | 50 | 106 | 56 | 119 | 139 | 25 | 142 | 74 | 60 |
| | F | 14 | 103 | 88 | 96 | 72 | 60 | 49 | 57 | 91 | 39 | 72 | 100 | 18 | 126 | 46 | 38 |
| 60— | M | 34 | 196 | 98 | 184 | 77 | 75 | 78 | 64 | 137 | 67 | 113 | 165 | 25 | 145 | 79 | 74 |
| | F | 27 | 140 | 96 | 144 | 52 | 74 | 59 | 46 | 100 | 49 | 79 | 105 | 16 | 140 | 68 | 48 |
| 65— | M | 41 | 162 | 98 | 214 | 67 | 90 | 85 | 55 | 146 | 52 | 124 | 151 | 33 | 167 | 92 | 71 |
| | F | 17 | 181 | 105 | 154 | 84 | 78 | 66 | 64 | 112 | 49 | 90 | 132 | 29 | 162 | 73 | 53 |
| 70— | M | 22 | 190 | 96 | 161 | 85 | 83 | 83 | 64 | 115 | 50 | 95 | 120 | 25 | 152 | 85 | 67 |
| | F | 21 | 192 | 120 | 173 | 95 | 110 | 81 | 80 | 127 | 56 | 106 | 127 | 33 | 199 | 107 | 75 |
| 75— | M | 20 | 145 | 85 | 134 | 76 | 69 | 64 | 52 | 113 | 32 | 81 | 107 | 39 | 128 | 72 | 54 |
| | F | 25 | 202 | 113 | 191 | 118 | 121 | 67 | 62 | 112 | 60 | 89 | 107 | 37 | 203 | 91 | 54 |
| 80— | M | 12 | 91 | 65 | 86 | 54 | 34 | 41 | 27 | 47 | 13 | 56 | 57 | 15 | 101 | 42 | 42 |
| | F | 14 | 167 | 130 | 153 | 111 | 67 | 45 | 51 | 98 | 24 | 57 | 68 | 36 | 193 | 65 | 60 |
| 85— | M | 8 | 42 | 42 | 51 | 42 | 27 | 19 | 16 | 38 | 7 | 22 | 26 | 11 | 50 | 24 | 25 |
| | F | 12 | 107 | 110 | 96 | 78 | 61 | 45 | 39 | 59 | 11 | 43 | 33 | 19 | 140 | 34 | 45 |

TABLE 16.—*contd.*

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1923.
(Civilian population only).

| Age. | Sex. | Barnsley. | Barrow-in-Furness. | Bath. | Birkenhead. | Birmingham. | Blackburn. | Blackpool. | Bolton. | Bootle. | Bournemouth. | Bradford. | Brighton. | Bristol. | Burnley. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Ages .. | M | 459 | 448 | 375 | 882 | 5240 | 873 | 538 | 1161 | 583 | 479 | 2054 | 781 | 2097 | 720 |
| | F | 401 | 353 | 501 | 798 | 5050 | 869 | 551 | 1201 | 489 | 641 | 1965 | 912 | 2274 | 685 |
| Under 1 month | M | 46 | 45 | 14 | 65 | 346 | 67 | 18 | 72 | 40 | 18 | 116 | 38 | 127 | 45 |
| | F | 31 | 28 | 15 | 42 | 245 | 33 | 18 | 49 | 30 | 10 | 78 | 21 | 77 | 24 |
| 1–3 months | M | 12 | 10 | 6 | 21 | 138 | 21 | 9 | 28 | 10 | 9 | 34 | 19 | 43 | 14 |
| | F | 10 | 6 | — | 10 | 94 | 11 | 5 | 18 | 11 | 5 | 35 | 10 | 31 | 19 |
| 3–6 months | M | 11 | 9 | 4 | 15 | 112 | 23 | 8 | 17 | 23 | 5 | 48 | 12 | 43 | 22 |
| | F | 9 | 7 | 2 | 7 | 95 | 7 | 7 | 9 | 12 | 1 | 21 | 6 | 21 | 12 |
| 6–12 months | M | 30 | 12 | 5 | 26 | 192 | 27 | 8 | 45 | 31 | 8 | 47 | 16 | 66 | 20 |
| | F | 21 | 4 | 2 | 21 | 148 | 20 | 5 | 37 | 14 | 8 | 36 | 10 | 48 | 31 |
| Total under 1 year | M | 99 | 76 | 29 | 127 | 788 | 138 | 43 | 162 | 104 | 40 | 245 | 85 | 279 | 101 |
| | F | 71 | 45 | 19 | 80 | 582 | 71 | 35 | 113 | 67 | 24 | 170 | 47 | 177 | 86 |
| 1— | M | 29 | 12 | 13 | 27 | 200 | 25 | 6 | 40 | 37 | 5 | 77 | 13 | 63 | 32 |
| | F | 21 | 11 | 5 | 23 | 188 | 18 | 7 | 29 | 31 | 5 | 61 | 12 | 67 | 19 |
| 2— | M | 14 | 6 | 1 | 8 | 82 | 15 | 1 | 12 | 13 | 2 | 28 | 4 | 27 | 9 |
| | F | 9 | 6 | 5 | 13 | 79 | 9 | 1 | 22 | 15 | 2 | 16 | 12 | 24 | 18 |
| 3— | M | 10 | 2 | — | 10 | 61 | 6 | 1 | 8 | 7 | 1 | 16 | 9 | 25 | 9 |
| | F | 4 | 2 | 1 | 4 | 53 | 4 | 1 | 12 | 5 | 2 | 14 | 8 | 21 | 9 |
| 4— | M | 2 | 2 | 2 | 4 | 32 | 3 | — | 3 | 3 | 1 | 4 | 3 | 13 | 4 |
| | F | 1 | 3 | 1 | 7 | 32 | 2 | — | 5 | 5 | 1 | 6 | 4 | 12 | 3 |
| Total under 5 years | M | 154 | 98 | 45 | 176 | 1163 | 187 | 51 | 225 | 164 | 49 | 370 | 114 | 407 | 155 |
| | F | 106 | 67 | 31 | 127 | 934 | 104 | 44 | 181 | 123 | 34 | 267 | 83 | 301 | 135 |
| 5— | M | 7 | 10 | 2 | 23 | 102 | 13 | 12 | 16 | 7 | 6 | 31 | 16 | 44 | 14 |
| | F | 7 | 5 | 4 | 16 | 113 | 12 | 4 | 22 | 8 | 3 | 20 | 8 | 28 | 12 |
| 10— | M | 6 | 4 | 3 | 17 | 61 | 13 | 5 | 19 | 11 | 4 | 16 | 11 | 30 | 14 |
| | F | 9 | 8 | 1 | 6 | 93 | 7 | 2 | 8 | 8 | 6 | 22 | 7 | 30 | 10 |
| 15— | M | 14 | 6 | 6 | 15 | 109 | 16 | 9 | 29 | 15 | 7 | 41 | 9 | 37 | 11 |
| | F | 8 | 7 | 5 | 16 | 105 | 20 | 4 | 21 | 14 | 8 | 25 | 9 | 61 | 14 |
| 20— | M | 13 | 13 | 5 | 25 | 110 | 13 | 10 | 22 | 10 | 8 | 38 | 16 | 50 | 21 |
| | F | 17 | 10 | — | 13 | 116 | 25 | 12 | 24 | 8 | 5 | 37 | 13 | 50 | 16 |
| 25— | M | 11 | 10 | 4 | 23 | 122 | 15 | 6 | 25 | 15 | 8 | 46 | 7 | 39 | 10 |
| | F | 12 | 8 | 5 | 16 | 147 | 12 | 16 | 30 | 22 | 7 | 41 | 12 | 69 | 13 |
| 30— | M | 9 | 6 | 5 | 25 | 140 | 19 | 10 | 22 | 21 | 13 | 44 | 18 | 50 | 13 |
| | F | 11 | 9 | 2 | 33 | 126 | 31 | 11 | 38 | 12 | 12 | 56 | 14 | 63 | 8 |
| 35— | M | 21 | 15 | 5 | 35 | 169 | 32 | 13 | 40 | 14 | 16 | 76 | 30 | 59 | 37 |
| | F | 18 | 16 | 6 | 20 | 128 | 35 | 17 | 34 | 28 | 12 | 57 | 21 | 64 | 16 |
| 40— | M | 18 | 22 | 12 | 33 | 240 | 42 | 25 | 37 | 21 | 16 | 96 | 26 | 77 | 34 |
| | F | 17 | 20 | 11 | 30 | 189 | 32 | 11 | 43 | 16 | 13 | 71 | 28 | 85 | 29 |
| 45— | M | 26 | 27 | 13 | 41 | 300 | 43 | 34 | 60 | 44 | 18 | 113 | 42 | 115 | 42 |
| | F | 15 | 18 | 14 | 47 | 219 | 34 | 24 | 66 | 28 | 16 | 100 | 33 | 80 | 35 |
| 50— | M | 25 | 33 | 26 | 58 | 351 | 69 | 48 | 67 | 30 | 18 | 140 | 42 | 126 | 42 |
| | F | 22 | 24 | 26 | 48 | 296 | 61 | 38 | 88 | 26 | 43 | 125 | 43 | 127 | 41 |
| 55— | M | 25 | 36 | 26 | 71 | 438 | 66 | 38 | 94 | 38 | 32 | 177 | 51 | 130 | 63 |
| | F | 18 | 19 | 33 | 45 | 283 | 76 | 52 | 81 | 23 | 41 | 112 | 67 | 156 | 59 |
| 60— | M | 27 | 31 | 34 | 62 | 411 | 100 | 64 | 132 | 49 | 44 | 202 | 74 | 176 | 62 |
| | F | 24 | 17 | 35 | 62 | 369 | 85 | 62 | 107 | 29 | 56 | 186 | 73 | 141 | 58 |
| 65— | M | 41 | 39 | 48 | 81 | 427 | 79 | 69 | 128 | 42 | 53 | 227 | 75 | 182 | 66 |
| | F | 31 | 25 | 41 | 64 | 441 | 76 | 65 | 127 | 33 | 62 | 235 | 92 | 205 | 79 |
| 70— | M | 29 | 37 | 53 | 76 | 486 | 81 | 60 | 102 | 41 | 62 | 200 | 92 | 231 | 64 |
| | F | 41 | 31 | 71 | 76 | 476 | 113 | 67 | 121 | 42 | 89 | 251 | 96 | 245 | 59 |
| 75— | M | 22 | 33 | 34 | 60 | 328 | 50 | 46 | 97 | 37 | 63 | 153 | 75 | 162 | 42 |
| | F | 26 | 35 | 68 | 83 | 440 | 76 | 53 | 110 | 34 | 78 | 176 | 129 | 233 | 58 |
| 80— | M | 8 | 22 | 30 | 36 | 179 | 21 | 25 | 30 | 17 | 34 | 55 | 44 | 107 | 26 |
| | F | 15 | 26 | 78 | 53 | 342 | 52 | 52 | 74 | 27 | 80 | 129 | 104 | 201 | 33 |
| 85— | M | 3 | 6 | 24 | 25 | 104 | 14 | 13 | 16 | 7 | 28 | 29 | 39 | 75 | 4 |
| | F | 4 | 8 | 70 | 43 | 233 | 18 | 17 | 26 | 8 | 76 | 55 | 80 | 135 | 10 |

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1923.
(Civilian population only).

| Age. | Sex. | Burton-on-Trent. | Bury. | Canterbury. | Carlisle. | Chester. | Coventry. | Croydon. | Darlington. | Derby. | Dewsbury. | Dudley. | Eastbourne. | East Ham. | Exeter. | Gateshead. | Gloucester. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Ages .. | M | 330 | 452 | 133 | 374 | 279 | 638 | 932 | 418 | 779 | 409 | 374 | 226 | 693 | 346 | 894 | 318 |
| | F | 273 | 468 | 147 | 382 | 267 | 594 | 1076 | 384 | 762 | 392 | 348 | 297 | 626 | 387 | 756 | 328 |
| Under 1 month | M | 25 | 20 | 7 | 23 | 15 | 50 | 37 | 20 | 43 | 27 | 24 | 8 | 38 | 20 | 75 | 18 |
| | F | 14 | 21 | 4 | 26 | 10 | 24 | 37 | 22 | 38 | 11 | 19 | 9 | 35 | 9 | 54 | 13 |
| 1–3 months | M | 4 | 7 | 3 | 6 | 7 | 20 | 20 | 8 | 19 | 3 | 10 | 1 | 14 | 9 | 26 | 10 |
| | F | 4 | 3 | 1 | 8 | 7 | 11 | 18 | 9 | 8 | 4 | 4 | 3 | 9 | 5 | 20 | 5 |
| 3–6 months | M | 6 | 7 | 3 | 4 | 6 | 11 | 14 | 5 | 16 | 5 | 8 | 2 | 12 | 7 | 23 | 8 |
| | F | 5 | 6 | 2 | 5 | 4 | 7 | 12 | 12 | 11 | 3 | 6 | 1 | 5 | 5 | 20 | 4 |
| 6–12 months | M | 8 | 9 | 1 | 17 | 14 | 12 | 25 | 11 | 22 | 11 | 22 | 3 | 21 | 2 | 49 | 6 |
| | F | 10 | 14 | 1 | 13 | 6 | 14 | 15 | 10 | 10 | 14 | 11 | 1 | 12 | 5 | 35 | 9 |
| Total under 1 year | M | 43 | 43 | 14 | 50 | 42 | 93 | 96 | 44 | 100 | 46 | 64 | 14 | 85 | 38 | 173 | 42 |
| | F | 33 | 44 | 8 | 52 | 27 | 56 | 82 | 53 | 67 | 32 | 40 | 14 | 61 | 24 | 129 | 31 |
| 1— | M | 6 | 10 | 2 | 20 | 11 | 20 | 17 | 28 | 24 | 23 | 30 | 4 | 14 | 10 | 67 | 7 |
| | F | 11 | 6 | 1 | 23 | 5 | 17 | 18 | 26 | 20 | 13 | 28 | 1 | 8 | 2 | 56 | 10 |
| 2— | M | 3 | 5 | 1 | 10 | 3 | 11 | 7 | 10 | 15 | 10 | 12 | 2 | 4 | 1 | 26 | 2 |
| | F | 2 | 3 | 1 | 10 | 3 | 15 | 6 | 13 | 14 | 7 | 16 | 4 | 3 | 5 | 24 | 3 |
| 3— | M | 1 | 1 | — | 9 | 5 | 6 | 4 | 7 | 5 | 8 | 7 | 2 | 3 | 1 | 11 | 2 |
| | F | 3 | 4 | — | 9 | 2 | 5 | 2 | 6 | 6 | 5 | 9 | 1 | 3 | — | 16 | 1 |
| 4— | M | 1 | 2 | — | 3 | 1 | 2 | 7 | 5 | 1 | 1 | 2 | — | 2 | 1 | 2 | 3 |
| | F | — | 1 | — | 2 | — | 2 | 3 | — | 2 | 3 | 2 | 1 | 3 | — | 10 | 2 |
| Total under 5 years | M | 54 | 61 | 17 | 92 | 62 | 132 | 131 | 94 | 145 | 88 | 115 | 22 | 108 | 51 | 279 | 56 |
| | F | 49 | 58 | 10 | 96 | 37 | 95 | 111 | 98 | 109 | 60 | 95 | 21 | 78 | 31 | 235 | 47 |
| 5— | M | 2 | 5 | 1 | 7 | — | 8 | 12 | 12 | 14 | 7 | 8 | 2 | 12 | 7 | 30 | 7 |
| | F | 2 | 4 | 3 | 8 | 6 | 9 | 22 | 5 | 8 | 7 | 8 | 1 | 12 | 7 | 14 | 5 |
| 10— | M | 5 | 3 | 2 | 7 | 2 | 7 | 15 | 3 | 6 | 6 | 7 | 1 | 11 | 3 | 16 | 3 |
| | F | 2 | 4 | 2 | 3 | 4 | 11 | 14 | 7 | 12 | 4 | 8 | 1 | 11 | 10 | 21 | 5 |
| 15— | M | 6 | 5 | — | 4 | 7 | 13 | 26 | 11 | 10 | 6 | 8 | 3 | 18 | 3 | 21 | 8 |
| | F | 4 | 6 | 3 | 4 | 2 | 16 | 27 | 12 | 8 | 5 | 12 | 5 | 19 | 8 | 15 | 7 |
| 20— | M | 4 | 11 | 4 | 10 | 6 | 12 | 31 | 13 | 18 | 9 | 11 | 4 | 20 | 4 | 21 | 7 |
| | F | 3 | 5 | 9 | 6 | 5 | 15 | 29 | 9 | 12 | 11 | 4 | 2 | 22 | 9 | 16 | 9 |
| 25— | M | 7 | 11 | 6 | 5 | 7 | 18 | 21 | 9 | 20 | 9 | 7 | 3 | 16 | 5 | 30 | 7 |
| | F | 8 | 8 | 3 | 9 | 8 | 12 | 21 | 7 | 26 | 9 | 7 | 4 | 23 | 4 | 15 | 9 |
| 30— | M | 10 | 14 | 1 | 6 | 8 | 18 | 27 | 6 | 18 | 7 | 8 | 8 | 23 | 3 | 30 | 7 |
| | F | 5 | 9 | 1 | 8 | 5 | 17 | 26 | 9 | 17 | 8 | 16 | 11 | 14 | 10 | 17 | 11 |
| 35— | M | 18 | 21 | 1 | 11 | 11 | 25 | 26 | 14 | 20 | 18 | 7 | 10 | 27 | 8 | 18 | 9 |
| | F | 7 | 19 | 5 | 5 | 7 | 18 | 19 | 12 | 30 | 10 | 15 | 4 | 30 | 10 | 27 | 10 |
| 40— | M | 5 | 23 | 3 | 13 | 11 | 40 | 37 | 17 | 35 | 11 | 15 | 8 | 39 | 12 | 36 | 10 |
| | F | 7 | 18 | 3 | 14 | 9 | 23 | 32 | 17 | 23 | 21 | 14 | 9 | 20 | 7 | 41 | 8 |
| 45— | M | 30 | 27 | 12 | 17 | 14 | 45 | 42 | 23 | 42 | 18 | 23 | 9 | 39 | 15 | 45 | 14 |
| | F | 15 | 17 | 4 | 17 | 10 | 30 | 53 | 20 | 42 | 24 | 10 | 12 | 30 | 13 | 33 | 8 |
| 50— | M | 20 | 37 | 6 | 23 | 15 | 48 | 76 | 25 | 42 | 28 | 16 | 12 | 42 | 23 | 55 | 23 |
| | F | 18 | 27 | 7 | 14 | 13 | 33 | 42 | 20 | 37 | 26 | 11 | 21 | 40 | 16 | 27 | 14 |
| 55— | M | 19 | 53 | 7 | 30 | 16 | 49 | 65 | 28 | 47 | 37 | 16 | 20 | 57 | 31 | 57 | 26 |
| | F | 12 | 42 | 7 | 23 | 18 | 35 | 55 | 26 | 34 | 29 | 12 | 18 | 35 | 28 | 38 | 20 |
| 60— | M | 30 | 39 | 6 | 32 | 24 | 58 | 79 | 33 | 72 | 38 | 22 | 22 | 72 | 32 | 57 | 22 |
| | F | 27 | 44 | 15 | 22 | 20 | 44 | 76 | 26 | 49 | 40 | 17 | 22 | 54 | 36 | 54 | 16 |
| 65— | M | 37 | 49 | 15 | 23 | 29 | 53 | 93 | 34 | 89 | 53 | 31 | 25 | 63 | 38 | 70 | 25 |
| | F | 23 | 60 | 13 | 26 | 22 | 53 | 97 | 26 | 68 | 31 | 24 | 31 | 53 | 38 | 50 | 18 |
| 70— | M | 38 | 40 | 16 | 41 | 22 | 48 | 75 | 34 | 80 | 37 | 36 | 25 | 56 | 41 | 62 | 33 |
| | F | 25 | 64 | 20 | 51 | 34 | 64 | 119 | 20 | 93 | 42 | 36 | 38 | 41 | 43 | 47 | 44 |
| 75— | M | 20 | 33 | 17 | 35 | 27 | 28 | 83 | 39 | 69 | 21 | 24 | 22 | 45 | 31 | 39 | 32 |
| | F | 23 | 51 | 18 | 28 | 38 | 54 | 124 | 29 | 87 | 40 | 38 | 33 | 73 | 50 | 53 | 32 |
| 80— | M | 17 | 15 | 15 | 14 | 13 | 20 | 57 | 17 | 32 | 11 | 17 | 17 | 30 | 27 | 20 | 22 |
| | F | 29 | 19 | 16 | 29 | 17 | 36 | 104 | 23 | 64 | 15 | 14 | 33 | 46 | 34 | 39 | 42 |
| 85— | M | 8 | 5 | 4 | 4 | 5 | 16 | 36 | 6 | 20 | 5 | 3 | 13 | 15 | 12 | 8 | 7 |
| | F | 14 | 13 | 8 | 19 | 12 | 29 | 105 | 18 | 43 | 10 | 7 | 31 | 25 | 33 | 14 | 23 |

TABLE 16.—*contd.*

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1923.
(Civilian population only).

| Age. | Sex. | Great Yarmouth. | Grimsby. | Halifax. | Hastings. | Huddersfield. | Ipswich. | Kingston-upon-Hull. | Leeds. | Leicester. | Lincoln. | Liverpool. | Manchester. | Middlesbrough. | Newcastle-upon-Tyne. | Northampton. | Norwich. | Nottingham. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Ages .. | M | 339 | 499 | 641 | 385 | 701 | 415 | 1835 | 3082 | 1401 | 397 | 6040 | 5222 | 1007 | 2005 | 534 | 641 | 1667 |
| | F | 402 | 419 | 739 | 437 | 710 | 428 | 1575 | 2903 | 1386 | 357 | 5396 | 4856 | 774 | 1681 | 559 | 719 | 1625 |
| Under 1 month | M | 15 | 43 | 31 | 10 | 41 | 26 | 129 | 181 | 94 | 23 | 389 | 323 | 85 | 145 | 25 | 50 | 105 |
| | F | 15 | 21 | 40 | 10 | 26 | 15 | 95 | 181 | 74 | 10 | 278 | 236 | 56 | 97 | 26 | 34 | 88 |
| 1–3 months | M | 9 | 18 | 11 | 4 | 10 | 13 | 67 | 59 | 39 | 7 | 196 | 120 | 23 | 61 | 10 | 19 | 52 |
| | F | 7 | 15 | 12 | 4 | 11 | 3 | 40 | 51 | 20 | 8 | 163 | 83 | 21 | 40 | 7 | 5 | 35 |
| 3–6 months | M | 3 | 15 | 9 | 2 | 5 | 6 | 48 | 67 | 36 | 6 | 218 | 102 | 19 | 41 | 7 | 13 | 46 |
| | F | 3 | 15 | 5 | 1 | 4 | 3 | 54 | 58 | 29 | 3 | 148 | 84 | 19 | 51 | 5 | 7 | 27 |
| 6–12 months | M | 8 | 13 | 18 | 2 | 21 | 7 | 73 | 102 | 56 | 7 | 375 | 240 | 60 | 103 | 10 | 17 | 59 |
| | F | 4 | 14 | 11 | 3 | 9 | 6 | 65 | 73 | 35 | 11 | 298 | 172 | 40 | 88 | 5 | 11 | 54 |
| Total under 1 year | M | 35 | 89 | 69 | 18 | 77 | 52 | 317 | 409 | 225 | 43 | 1178 | 785 | 187 | 350 | 52 | 99 | 262 |
| | F | 29 | 65 | 68 | 18 | 50 | 27 | 254 | 363 | 158 | 32 | 887 | 575 | 136 | 276 | 43 | 57 | 204 |
| 1— | M | 4 | 15 | 18 | 8 | 14 | 7 | 67 | 98 | 39 | 7 | 450 | 245 | 84 | 142 | 5 | 30 | 55 |
| | F | 9 | 15 | 13 | 1 | 12 | 6 | 66 | 92 | 33 | 13 | 387 | 213 | 55 | 101 | 10 | 25 | 59 |
| 2— | M | 4 | 3 | 10 | 1 | 6 | 8 | 28 | 42 | 13 | 4 | 141 | 96 | 33 | 49 | 6 | 6 | 18 |
| | F | 3 | 3 | 9 | — | 5 | 4 | 21 | 36 | 10 | 5 | 132 | 69 | 23 | 43 | 3 | 5 | 15 |
| 3— | M | 6 | 2 | 1 | — | 2 | 1 | 13 | 28 | 9 | 3 | 71 | 62 | 16 | 30 | 4 | 7 | 13 |
| | F | 3 | 1 | 2 | — | — | 5 | 15 | 19 | 16 | 3 | 75 | 56 | 19 | 24 | 4 | 9 | 12 |
| 4— | M | — | 1 | 1 | 1 | 1 | 2 | 7 | 19 | 3 | 2 | 39 | 25 | 16 | 12 | — | 3 | 9 |
| | F | 2 | 2 | 1 | 1 | 1 | 1 | 8 | 10 | 5 | — | 27 | 30 | 6 | 12 | 5 | 2 | 3 |
| Total under 5 years | M | 49 | 110 | 99 | 28 | 100 | 70 | 432 | 596 | 289 | 59 | 1879 | 1213 | 336 | 583 | 67 | 145 | 357 |
| | F | 46 | 86 | 93 | 20 | 68 | 43 | 364 | 520 | 222 | 53 | 1508 | 943 | 239 | 456 | 65 | 98 | 293 |
| 5— | M | 6 | 8 | 7 | 4 | 3 | 6 | 20 | 47 | 16 | 2 | 115 | 80 | 23 | 39 | 7 | 14 | 15 |
| | F | 4 | 9 | 6 | 4 | 9 | 3 | 27 | 38 | 18 | 6 | 107 | 75 | 17 | 35 | 5 | 14 | 23 |
| 10— | M | 6 | 5 | 4 | 3 | 11 | 4 | 23 | 31 | 18 | 2 | 91 | 73 | 13 | 26 | 9 | 14 | 14 |
| | F | 6 | 6 | 4 | 3 | 13 | 6 | 22 | 49 | 18 | 2 | 87 | 67 | 12 | 28 | 5 | 8 | 13 |
| 15— | M | 9 | 12 | 11 | 4 | 15 | 9 | 55 | 61 | 22 | 6 | 139 | 128 | 15 | 44 | 8 | 13 | 43 |
| | F | 11 | 11 | 11 | 5 | 12 | 11 | 38 | 79 | 31 | 6 | 112 | 115 | 17 | 41 | 9 | 19 | 33 |
| 20— | M | 10 | 10 | 13 | 6 | 14 | 7 | 52 | 65 | 30 | 5 | 158 | 126 | 28 | 46 | 13 | 12 | 32 |
| | F | 2 | 19 | 13 | 12 | 17 | 9 | 30 | 72 | 34 | 7 | 152 | 134 | 21 | 47 | 11 | 19 | 35 |
| 25— | M | 11 | 12 | 14 | 6 | 17 | 8 | 40 | 75 | 39 | 13 | 133 | 100 | 19 | 42 | 10 | 15 | 29 |
| | F | 10 | 11 | 18 | 8 | 15 | 7 | 41 | 88 | 45 | 9 | 137 | 124 | 27 | 47 | 23 | 21 | 40 |
| 30— | M | 4 | 13 | 10 | 4 | 17 | 9 | 41 | 73 | 32 | 10 | 168 | 127 | 25 | 50 | 8 | 18 | 30 |
| | F | 12 | 10 | 16 | 8 | 21 | 4 | 56 | 81 | 39 | 5 | 158 | 120 | 16 | 41 | 14 | 20 | 34 |
| 35— | M | 15 | 17 | 23 | 6 | 25 | 14 | 67 | 101 | 55 | 8 | 193 | 175 | 41 | 56 | 14 | 22 | 45 |
| | F | 8 | 21 | 22 | 5 | 27 | 4 | 60 | 80 | 43 | 9 | 186 | 151 | 31 | 52 | 17 | 20 | 40 |
| 40— | M | 9 | 25 | 21 | 5 | 49 | 16 | 70 | 148 | 58 | 14 | 257 | 270 | 44 | 73 | 23 | 21 | 57 |
| | F | 11 | 19 | 28 | 10 | 34 | 16 | 78 | 103 | 56 | 16 | 191 | 201 | 27 | 61 | 16 | 17 | 58 |
| 45— | M | 11 | 28 | 39 | 16 | 48 | 25 | 106 | 188 | 77 | 24 | 328 | 344 | 54 | 102 | 17 | 23 | 99 |
| | F | 18 | 21 | 34 | 12 | 37 | 22 | 78 | 141 | 61 | 11 | 254 | 236 | 34 | 54 | 21 | 24 | 73 |
| 50— | M | 15 | 34 | 55 | 24 | 46 | 35 | 114 | 215 | 82 | 24 | 380 | 384 | 64 | 125 | 39 | 39 | 104 |
| | F | 21 | 19 | 41 | 32 | 39 | 14 | 69 | 142 | 74 | 20 | 269 | 281 | 35 | 93 | 38 | 39 | 92 |
| 55— | M | 19 | 37 | 60 | 29 | 74 | 14 | 127 | 236 | 97 | 33 | 424 | 411 | 71 | 137 | 52 | 41 | 112 |
| | F | 18 | 31 | 44 | 22 | 57 | 34 | 87 | 184 | 72 | 14 | 305 | 342 | 39 | 101 | 45 | 32 | 113 |
| 60— | M | 25 | 31 | 68 | 31 | 73 | 34 | 150 | 264 | 125 | 35 | 431 | 433 | 61 | 150 | 51 | 42 | 136 |
| | F | 24 | 24 | 59 | 25 | 61 | 27 | 104 | 252 | 97 | 24 | 366 | 389 | 58 | 141 | 35 | 48 | 123 |
| 65— | M | 32 | 58 | 65 | 41 | 77 | 41 | 151 | 290 | 129 | 44 | 457 | 472 | 65 | 175 | 54 | 59 | 177 |
| | F | 31 | 37 | 89 | 36 | 76 | 45 | 113 | 282 | 131 | 27 | 369 | 468 | 54 | 122 | 40 | 62 | 157 |
| 70— | M | 34 | 41 | 75 | 57 | 67 | 47 | 153 | 337 | 120 | 33 | 388 | 416 | 71 | 143 | 50 | 51 | 157 |
| | F | 51 | 31 | 93 | 57 | 88 | 48 | 126 | 289 | 135 | 38 | 447 | 492 | 69 | 128 | 68 | 80 | 182 |
| 75— | M | 33 | 33 | 44 | 57 | 38 | 30 | 128 | 188 | 101 | 37 | 293 | 275 | 42 | 118 | 44 | 55 | 148 |
| | F | 41 | 24 | 77 | 67 | 56 | 57 | 111 | 257 | 139 | 42 | 361 | 355 | 35 | 110 | 52 | 70 | 138 |
| 80— | M | 34 | 17 | 26 | 36 | 19 | 22 | 69 | 114 | 67 | 32 | 138 | 143 | 23 | 65 | 42 | 39 | 66 |
| | F | 57 | 19 | 65 | 62 | 46 | 46 | 104 | 164 | 100 | 43 | 249 | 225 | 30 | 74 | 53 | 84 | 114 |
| 85— | M | 17 | 8 | 7 | 28 | 8 | 24 | 37 | 53 | 44 | 16 | 68 | 52 | 12 | 31 | 26 | 18 | 46 |
| | F | 31 | 21 | 26 | 49 | 34 | 32 | 67 | 82 | 71 | 25 | 138 | 138 | 13 | 50 | 42 | 44 | 64 |

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1923.
(Civilian population only).

| Age. | Sex. | Oldham. | Oxford. | Plymouth. | Portsmouth. | Preston. | Reading. | Rochdale. | Rotherham. | St. Helens. | Salford. | Sheffield. | Smethwick. | Southampton. | Southend-on-Sea. | Southport. | South Shields. | Stockport. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Ages .. | M | 1214 | 284 | 1173 | 1345 | 841 | 522 | 635 | 449 | 729 | 1660 | 3157 | 475 | 967 | 485 | 453 | 919 | 789 |
| | F | 1186 | 310 | 1275 | 1272 | 833 | 511 | 658 | 379 | 548 | 1617 | 2855 | 378 | 892 | 546 | 524 | 797 | 801 |
| Under 1 month | M | 63 | 17 | 64 | 77 | 58 | 30 | 38 | 43 | 67 | 114 | 221 | 28 | 40 | 21 | 19 | 61 | 46 |
| | F | 57 | 7 | 38 | 50 | 42 | 19 | 28 | 46 | 37 | 73 | 175 | 21 | 35 | 12 | 15 | 59 | 31 |
| 1–3 months | M | 33 | 2 | 20 | 39 | 21 | 7 | 8 | 15 | 12 | 42 | 90 | 7 | 15 | 7 | 5 | 21 | 20 |
| | F | 23 | 4 | 19 | 17 | 20 | 4 | 5 | 10 | 15 | 33 | 58 | 5 | 16 | 3 | 3 | 15 | 13 |
| 3–6 months | M | 37 | 1 | 15 | 26 | 19 | 5 | 13 | 14 | 28 | 45 | 86 | 11 | 20 | 4 | 6 | 25 | 19 |
| | F | 19 | 2 | 10 | 16 | 17 | 2 | 3 | 9 | 19 | 44 | 57 | 5 | 11 | 5 | 5 | 22 | 27 |
| 6–12 months | M | 36 | 1 | 24 | 34 | 35 | 11 | 18 | 22 | 36 | 81 | 134 | 17 | 17 | 8 | 10 | 50 | 24 |
| | F | 32 | 5 | 22 | 22 | 26 | 9 | 8 | 12 | 25 | 64 | 94 | 10 | 21 | 11 | 2 | 44 | 24 |
| Total under 1 year | M | 169 | 21 | 123 | 176 | 133 | 53 | 77 | 94 | 143 | 282 | 531 | 63 | 92 | 40 | 40 | 157 | 109 |
| | F | 131 | 18 | 89 | 105 | 105 | 34 | 44 | 77 | 96 | 214 | 384 | 41 | 83 | 31 | 25 | 140 | 95 |
| 1— | M | 47 | 2 | 24 | 50 | 27 | 9 | 26 | 14 | 36 | 79 | 121 | 25 | 30 | 7 | 14 | 75 | 24 |
| | F | 52 | 3 | 22 | 31 | 27 | 8 | 18 | 28 | 40 | 77 | 137 | 20 | 14 | 2 | 13 | 59 | 20 |
| 2— | M | 16 | 3 | 13 | 23 | 14 | 5 | 13 | 9 | 14 | 27 | 54 | 5 | 8 | 3 | 6 | 27 | 10 |
| | F | 11 | 2 | 11 | 9 | 10 | 5 | 7 | 6 | 18 | 30 | 54 | 7 | 23 | 4 | 1 | 26 | 9 |
| 3— | M | 17 | 2 | 11 | 15 | 5 | 5 | 3 | 5 | 6 | 17 | 21 | 12 | 8 | 7 | — | 16 | 6 |
| | F | 6 | 1 | 6 | 18 | 3 | — | 2 | 1 | 4 | 18 | 34 | 4 | 10 | 3 | 3 | 9 | 3 |
| 4— | M | 5 | 1 | 9 | 9 | 8 | 2 | 2 | 3 | 6 | 6 | 16 | 3 | 4 | — | — | 7 | 4 |
| | F | 5 | — | 3 | 11 | 3 | 1 | 3 | 3 | 3 | 14 | 9 | 4 | 2 | 2 | 2 | 6 | 2 |
| Total under 5 years | M | 254 | 29 | 180 | 273 | 187 | 74 | 121 | 125 | 205 | 411 | 743 | 108 | 142 | 57 | 60 | 282 | 153 |
| | F | 205 | 24 | 131 | 174 | 148 | 48 | 74 | 115 | 161 | 353 | 618 | 76 | 132 | 42 | 44 | 240 | 129 |
| 5— | M | 32 | 5 | 19 | 21 | 9 | 7 | 10 | 8 | 20 | 17 | 57 | 15 | 12 | 6 | 5 | 27 | 16 |
| | F | 25 | 4 | 22 | 24 | 12 | 7 | 9 | 6 | 13 | 31 | 39 | 10 | 20 | 11 | 3 | 34 | 14 |
| 10— | M | 13 | 3 | 12 | 18 | 12 | 3 | 11 | 4 | 9 | 32 | 45 | 6 | 4 | 7 | 2 | 28 | 8 |
| | F | 19 | 4 | 14 | 28 | 13 | 7 | 9 | 6 | 8 | 23 | 42 | 7 | 13 | 10 | 2 | 15 | 10 |
| 15— | M | 21 | 3 | 20 | 18 | 19 | 10 | 7 | 12 | 13 | 37 | 62 | 8 | 23 | 5 | 4 | 24 | 16 |
| | F | 17 | 7 | 34 | 18 | 11 | 6 | 9 | 7 | 13 | 55 | 61 | 5 | 15 | 7 | 5 | 20 | 14 |
| 20— | M | 24 | 7 | 27 | 22 | 11 | 9 | 15 | 10 | 22 | 36 | 71 | 13 | 24 | 5 | 8 | 26 | 13 |
| | F | 30 | 5 | 28 | 31 | 12 | 21 | 12 | 6 | 9 | 49 | 70 | 10 | 30 | 18 | 6 | 28 | 16 |
| 25— | M | 35 | 9 | 34 | 23 | 16 | 18 | 9 | 12 | 31 | 50 | 64 | 10 | 15 | 11 | 4 | 27 | 10 |
| | F | 36 | 7 | 26 | 39 | 26 | 15 | 11 | 7 | 23 | 40 | 61 | 16 | 29 | 19 | 10 | 33 | 21 |
| 30— | M | 27 | 10 | 30 | 23 | 24 | 9 | 16 | 14 | 20 | 43 | 68 | 7 | 37 | 10 | 7 | 26 | 15 |
| | F | 41 | 8 | 42 | 38 | 24 | 17 | 14 | 9 | 14 | 45 | 91 | 12 | 30 | 23 | 11 | 25 | 17 |
| 35— | M | 39 | 5 | 42 | 33 | 27 | 12 | 29 | 10 | 16 | 77 | 121 | 15 | 41 | 16 | 11 | 38 | 24 |
| | F | 44 | 3 | 40 | 55 | 21 | 9 | 22 | 5 | 20 | 61 | 89 | 17 | 27 | 14 | 14 | 27 | 24 |
| 40— | M | 56 | 15 | 44 | 57 | 34 | 17 | 22 | 22 | 24 | 81 | 136 | 19 | 51 | 15 | 14 | 25 | 28 |
| | F | 32 | 7 | 40 | 44 | 27 | 20 | 29 | 13 | 21 | 62 | 109 | 15 | 30 | 19 | 14 | 23 | 27 |
| 45— | M | 75 | 6 | 66 | 68 | 63 | 22 | 36 | 16 | 32 | 106 | 163 | 39 | 58 | 40 | 19 | 56 | 53 |
| | F | 62 | 8 | 59 | 43 | 35 | 14 | 37 | 16 | 22 | 64 | 137 | 15 | 33 | 26 | 26 | 37 | 40 |
| 50— | M | 72 | 15 | 67 | 97 | 60 | 21 | 47 | 19 | 53 | 120 | 217 | 22 | 51 | 30 | 29 | 36 | 59 |
| | F | 82 | 10 | 77 | 74 | 41 | 19 | 46 | 18 | 26 | 75 | 141 | 19 | 42 | 27 | 17 | 29 | 48 |
| 55— | M | 104 | 21 | 88 | 86 | 62 | 31 | 56 | 25 | 50 | 135 | 248 | 36 | 74 | 38 | 40 | 45 | 53 |
| | F | 89 | 11 | 74 | 86 | 55 | 24 | 53 | 19 | 36 | 96 | 158 | 13 | 48 | 35 | 41 | 42 | 55 |
| 60— | M | 114 | 24 | 100 | 105 | 66 | 37 | 72 | 40 | 46 | 136 | 257 | 42 | 97 | 48 | 46 | 62 | 69 |
| | F | 108 | 29 | 80 | 84 | 77 | 27 | 69 | 25 | 39 | 131 | 224 | 27 | 76 | 44 | 50 | 42 | 69 |
| 65— | M | 137 | 24 | 113 | 118 | 76 | 59 | 56 | 38 | 75 | 114 | 319 | 47 | 87 | 49 | 48 | 72 | 90 |
| | F | 125 | 29 | 134 | 106 | 89 | 48 | 80 | 33 | 39 | 143 | 259 | 28 | 69 | 52 | 58 | 57 | 74 |
| 70— | M | 102 | 28 | 129 | 123 | 81 | 64 | 60 | 44 | 52 | 134 | 266 | 31 | 82 | 49 | 60 | 46 | 87 |
| | F | 125 | 47 | 125 | 113 | 90 | 70 | 67 | 30 | 46 | 138 | 263 | 41 | 68 | 49 | 68 | 52 | 102 |
| 75— | M | 64 | 41 | 95 | 105 | 55 | 65 | 36 | 29 | 46 | 85 | 187 | 33 | 95 | 56 | 48 | 54 | 58 |
| | F | 83 | 40 | 136 | 139 | 83 | 74 | 69 | 32 | 29 | 129 | 247 | 21 | 89 | 71 | 64 | 45 | 75 |
| 80— | M | 36 | 22 | 66 | 89 | 29 | 33 | 23 | 13 | 8 | 38 | 96 | 19 | 42 | 28 | 34 | 35 | 24 |
| | F | 44 | 40 | 126 | 94 | 44 | 54 | 32 | 17 | 17 | 86 | 162 | 27 | 77 | 51 | 54 | 29 | 41 |
| 85— | M | 9 | 17 | 41 | 66 | 10 | 31 | 9 | 8 | 7 | 8 | 37 | 5 | 32 | 15 | 14 | 10 | 13 |
| | F | 19 | 27 | 87 | 82 | 25 | 31 | 16 | 15 | 12 | 36 | 84 | 19 | 64 | 28 | 37 | 19 | 25 |

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1923.
(Civilian population only).

| Age. | Sex. | Stoke-on-Trent. | Sunderland. | Tynemouth. | Wakefield. | Wallasey. | Walsall. | Warrington. | West Bromwich. | West Ham. | West Hartlepool. | Wigan. | Wolverhampton. | Worcester. | York. | Cardiff. | Merthyr Tydfil. | Newport (Mon.) | Swansea. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Ages .. | M | 1911 | 1163 | 422 | 367 | 459 | 636 | 473 | 530 | 1803 | 425 | 635 | 640 | 274 | 410 | 1524 | 535 | 553 | 1019 |
| | F | 1625 | 1124 | 416 | 339 | 503 | 540 | 395 | 443 | 1528 | 363 | 596 | 610 | 278 | 480 | 1211 | 474 | 471 | 880 |
| Under 1 month | M | 155 | 84 | 29 | 26 | 24 | 59 | 34 | 39 | 116 | 34 | 64 | 50 | 9 | 21 | 81 | 30 | 34 | 68 |
| | F | 107 | 61 | 18 | 22 | 19 | 47 | 14 | 28 | 93 | 31 | 32 | 33 | 19 | 20 | 67 | 14 | 23 | 67 |
| 1–3 months | M | 55 | 39 | 11 | 7 | 7 | 19 | 15 | 19 | 48 | 20 | 19 | 16 | 3 | 5 | 40 | 13 | 13 | 31 |
| | F | 42 | 22 | 14 | 11 | 6 | 9 | 9 | 8 | 33 | 11 | 9 | 6 | 4 | 6 | 29 | 16 | 15 | 20 |
| 3–6 months | M | 64 | 33 | 11 | 8 | 8 | 17 | 16 | 14 | 58 | 12 | 13 | 14 | 3 | 6 | 34 | 17 | 16 | 22 |
| | F | 42 | 29 | 11 | 11 | 3 | 13 | 12 | 14 | 33 | 6 | 16 | 9 | 2 | 5 | 21 | 20 | 4 | 8 |
| 6–12 months | M | 95 | 58 | 31 | 10 | 9 | 28 | 23 | 21 | 50 | 26 | 36 | 28 | 8 | 8 | 59 | 26 | 17 | 29 |
| | F | 73 | 71 | 15 | 8 | 8 | 27 | 10 | 21 | 35 | 20 | 19 | 17 | 5 | 12 | 40 | 19 | 16 | 20 |
| Total under 1 year | M | 369 | 214 | 82 | 51 | 48 | 123 | 88 | 93 | 272 | 92 | 132 | 108 | 23 | 40 | 214 | 86 | 80 | 150 |
| | F | 264 | 183 | 58 | 52 | 36 | 96 | 45 | 71 | 194 | 68 | 76 | 65 | 30 | 43 | 157 | 69 | 58 | 115 |
| 1— | M | 103 | 100 | 25 | 14 | 7 | 42 | 29 | 36 | 55 | 18 | 25 | 28 | 11 | 12 | 52 | 32 | 31 | 37 |
| | F | 90 | 92 | 35 | 13 | 10 | 32 | 25 | 27 | 55 | 21 | 32 | 20 | 6 | 13 | 35 | 35 | 24 | 29 |
| 2— | M | 34 | 35 | 13 | 3 | 2 | 10 | 8 | 21 | 21 | 10 | 12 | 6 | 3 | 3 | 18 | 17 | 4 | 12 |
| | F | 38 | 34 | 16 | 6 | 4 | 21 | 8 | 21 | 22 | 7 | 12 | 13 | 3 | 4 | 17 | 11 | 3 | 19 |
| 3— | M | 19 | 17 | 10 | 2 | 7 | 8 | 7 | 9 | 14 | 4 | 4 | 7 | 1 | 2 | 8 | 12 | 6 | 13 |
| | F | 21 | 14 | 7 | 2 | 2 | 8 | 5 | 9 | 17 | 6 | 5 | 6 | 3 | 4 | 8 | 5 | 5 | 5 |
| 4— | M | 9 | 13 | 2 | — | — | 5 | 3 | 7 | 9 | 2 | 8 | 1 | 1 | 1 | 9 | 4 | 4 | 3 |
| | F | 9 | 9 | 3 | — | — | 6 | 3 | 7 | 9 | 2 | 2 | 5 | 4 | 3 | 6 | 5 | 5 | 4 |
| Total under 5 years | M | 534 | 379 | 132 | 70 | 64 | 188 | 135 | 166 | 371 | 126 | 181 | 150 | 39 | 58 | 301 | 151 | 125 | 215 |
| | F | 422 | 332 | 119 | 73 | 52 | 163 | 86 | 135 | 297 | 104 | 127 | 109 | 46 | 67 | 223 | 125 | 95 | 172 |
| 5— | M | 31 | 32 | 17 | 6 | 5 | 14 | 8 | 23 | 29 | 10 | 8 | 8 | 4 | 4 | 20 | 15 | 9 | 27 |
| | F | 30 | 27 | 15 | 4 | 4 | 13 | 8 | 12 | 22 | 3 | 7 | 6 | 3 | 7 | 17 | 12 | 10 | 7 |
| 10— | M | 29 | 28 | 1 | 6 | 8 | 15 | 8 | 12 | 33 | 5 | 12 | 5 | 3 | 2 | 18 | 11 | 7 | 14 |
| | F | 18 | 25 | 7 | 3 | 8 | 9 | 7 | 8 | 30 | 10 | 12 | 3 | 6 | 9 | 22 | 10 | 6 | 25 |
| 15— | M | 42 | 17 | 10 | 5 | 6 | 8 | 14 | 17 | 47 | 9 | 15 | 8 | 8 | 10 | 42 | 14 | 14 | 25 |
| | F | 34 | 29 | 11 | 14 | 11 | 7 | 8 | 7 | 55 | 14 | 14 | 12 | 6 | 10 | 37 | 14 | 9 | 19 |
| 20— | M | 43 | 35 | 8 | 11 | 9 | 14 | 16 | 15 | 50 | 9 | 16 | 8 | 3 | 12 | 55 | 22 | 21 | 30 |
| | F | 41 | 33 | 10 | 13 | 10 | 13 | 12 | 12 | 37 | 8 | 11 | 3 | 4 | 15 | 49 | 23 | 23 | 29 |
| 25— | M | 39 | 23 | 10 | 8 | 9 | 11 | 11 | 12 | 47 | 9 | 19 | 6 | 5 | 10 | 62 | 15 | 14 | 16 |
| | F | 44 | 31 | 7 | 7 | 10 | 15 | 12 | 14 | 50 | 8 | 19 | 20 | 6 | 14 | 47 | 19 | 19 | 33 |
| 30— | M | 40 | 27 | 7 | 11 | 9 | 15 | 14 | 10 | 53 | 11 | 14 | 15 | 9 | 10 | 54 | 10 | 14 | 34 |
| | F | 39 | 27 | 12 | 11 | 15 | 12 | 6 | 10 | 34 | 8 | 19 | 11 | 8 | 6 | 34 | 16 | 16 | 26 |
| 35— | M | 63 | 32 | 16 | 12 | 18 | 17 | 16 | 16 | 72 | 7 | 31 | 17 | 5 | 10 | 58 | 12 | 20 | 37 |
| | F | 51 | 30 | 9 | 6 | 16 | 15 | 17 | 16 | 48 | 9 | 25 | 16 | 8 | 13 | 57 | 10 | 14 | 32 |
| 40— | M | 96 | 39 | 12 | 30 | 22 | 24 | 12 | 12 | 80 | 15 | 28 | 35 | 12 | 17 | 72 | 23 | 25 | 58 |
| | F | 59 | 43 | 12 | 13 | 20 | 15 | 15 | 14 | 53 | 11 | 26 | 26 | 8 | 20 | 56 | 20 | 18 | 35 |
| 45— | M | 111 | 56 | 22 | 15 | 34 | 26 | 27 | 20 | 99 | 20 | 27 | 35 | 11 | 13 | 83 | 30 | 31 | 56 |
| | F | 79 | 52 | 17 | 11 | 23 | 20 | 19 | 13 | 63 | 14 | 21 | 25 | 8 | 10 | 42 | 14 | 25 | 27 |
| 50— | M | 126 | 60 | 24 | 20 | 36 | 37 | 29 | 25 | 120 | 17 | 40 | 34 | 19 | 25 | 91 | 23 | 30 | 73 |
| | F | 88 | 41 | 20 | 14 | 33 | 33 | 22 | 22 | 83 | 22 | 32 | 23 | 10 | 22 | 78 | 39 | 20 | 42 |
| 55— | M | 170 | 59 | 31 | 22 | 34 | 39 | 33 | 30 | 139 | 25 | 53 | 61 | 22 | 32 | 104 | 36 | 47 | 81 |
| | F | 92 | 62 | 26 | 18 | 32 | 22 | 20 | 19 | 85 | 23 | 38 | 39 | 17 | 18 | 76 | 34 | 36 | 52 |
| 60— | M | 162 | 86 | 35 | 34 | 54 | 41 | 35 | 30 | 155 | 36 | 47 | 44 | 23 | 34 | 133 | 53 | 58 | 96 |
| | F | 129 | 73 | 30 | 22 | 41 | 28 | 26 | 26 | 116 | 21 | 39 | 46 | 16 | 40 | 88 | 25 | 31 | 54 |
| 65— | M | 143 | 87 | 32 | 44 | 50 | 44 | 39 | 52 | 148 | 39 | 47 | 64 | 33 | 47 | 124 | 40 | 35 | 69 |
| | F | 134 | 72 | 25 | 26 | 45 | 34 | 43 | 24 | 146 | 34 | 57 | 53 | 31 | 43 | 63 | 22 | 36 | 72 |
| 70— | M | 137 | 83 | 29 | 29 | 36 | 60 | 37 | 35 | 145 | 42 | 49 | 69 | 25 | 45 | 125 | 41 | 38 | 80 |
| | F | 127 | 88 | 27 | 49 | 52 | 44 | 37 | 36 | 136 | 24 | 68 | 59 | 24 | 54 | 98 | 38 | 32 | 86 |
| 75— | M | 89 | 77 | 23 | 21 | 32 | 48 | 25 | 31 | 110 | 28 | 30 | 32 | 28 | 40 | 86 | 27 | 26 | 67 |
| | F | 111 | 72 | 37 | 29 | 62 | 48 | 34 | 42 | 119 | 29 | 48 | 68 | 34 | 61 | 96 | 28 | 35 | 86 |
| 80— | M | 34 | 33 | 9 | 18 | 26 | 25 | 12 | 19 | 74 | 13 | 7 | 28 | 16 | 22 | 66 | 9 | 23 | 28 |
| | F | 84 | 54 | 18 | 18 | 51 | 33 | 11 | 23 | 95 | 15 | 20 | 57 | 24 | 43 | 79 | 19 | 28 | 53 |
| 85— | M | 22 | 10 | 4 | 5 | 7 | 10 | 2 | 5 | 31 | 4 | 11 | 21 | 9 | 19 | 30 | 3 | 16 | 13 |
| | F | 43 | 33 | 14 | 8 | 18 | 16 | 12 | 10 | 59 | 6 | 13 | 34 | 19 | 28 | 49 | 6 | 18 | 30 |

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1923.

(Civilian population only).

| Age. | Sex. | Bedfordshire. | | Berkshire. | | Buckinghamshire. | | Cambridgeshire. | | Cheshire. | | Cornwall. | | Cumberland. | | Derbyshire. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | U | R | U | R | U | R | U | R | U | R | U | R | U | R | U | R |
| All Ages | M | 603 | 465 | 391 | 741 | 507 | 745 | 290 | 404 | 2597 | 1012 | 895 | 1122 | 839 | 605 | 1694 | 1589 |
| | F | 685 | 467 | 408 | 686 | 525 | 759 | 337 | 458 | 2553 | 939 | 1049 | 1167 | 815 | 534 | 1694 | 1455 |
| Under 1 month | M | 34 | 22 | 23 | 33 | 22 | 23 | 10 | 22 | 145 | 56 | 27 | 74 | 56 | 43 | 128 | 128 |
| | F | 29 | 17 | 11 | 26 | 21 | 36 | 12 | 19 | 105 | 39 | 29 | 31 | 31 | 27 | 104 | 94 |
| 1–3 months | M | 16 | 14 | 7 | 15 | 6 | 11 | 3 | 3 | 54 | 16 | 17 | 16 | 19 | 11 | 43 | 40 |
| | F | 8 | 8 | 3 | 4 | 8 | 7 | 3 | 1 | 36 | 10 | 10 | 15 | 22 | 4 | 37 | 28 |
| 3–6 months | M | 10 | 6 | 5 | 8 | 4 | 4 | 2 | 2 | 51 | 11 | 8 | 8 | 23 | 12 | 45 | 27 |
| | F | 4 | 1 | 4 | 6 | 5 | 2 | 3 | 7 | 20 | 16 | 2 | 6 | 11 | 8 | 22 | 32 |
| 6–12 months | M | 9 | 10 | 5 | 13 | 6 | 8 | 4 | 5 | 67 | 33 | 18 | 17 | 31 | 16 | 77 | 62 |
| | F | 9 | 4 | 5 | 7 | 6 | 5 | 4 | 10 | 49 | 13 | 11 | 13 | 22 | 8 | 43 | 38 |
| Total under 1 year | M | 69 | 52 | 40 | 69 | 38 | 46 | 19 | 32 | 317 | 116 | 70 | 115 | 129 | 82 | 293 | 257 |
| | F | 50 | 30 | 23 | 43 | 40 | 50 | 22 | 37 | 210 | 78 | 52 | 65 | 86 | 47 | 206 | 192 |
| 1— | M | 14 | 8 | 6 | 15 | 9 | 11 | 4 | 6 | 71 | 18 | 14 | 13 | 37 | 17 | 48 | 67 |
| | F | 9 | 2 | 8 | 14 | 6 | 7 | 3 | 5 | 57 | 11 | 18 | 13 | 25 | 20 | 67 | 50 |
| 2— | M | 4 | 5 | 4 | 8 | 4 | 4 | 4 | 2 | 27 | 9 | 8 | 3 | 16 | 3 | 21 | 26 |
| | F | 5 | — | 5 | 7 | 6 | 2 | 2 | 2 | 29 | 11 | 6 | 4 | 13 | 7 | 26 | 27 |
| 3— | M | 5 | 4 | 3 | 5 | 2 | 4 | 2 | 1 | 24 | 12 | 6 | 4 | 10 | 3 | 17 | 14 |
| | F | 4 | 3 | 4 | 3 | 8 | 3 | 1 | 1 | 25 | 1 | 3 | 4 | 9 | 2 | 11 | 18 |
| 4— | M | 1 | 3 | 1 | 3 | 2 | 3 | 1 | — | 10 | 2 | — | 3 | 7 | 2 | 7 | 10 |
| | F | 1 | — | 4 | 1 | 1 | 1 | — | — | 13 | 4 | 3 | 2 | 3 | 3 | 9 | 6 |
| Total under 5 years | M | 93 | 72 | 54 | 100 | 55 | 68 | 30 | 41 | 449 | 157 | 98 | 138 | 199 | 107 | 386 | 374 |
| | F | 69 | 35 | 44 | 68 | 61 | 63 | 28 | 45 | 334 | 105 | 82 | 88 | 136 | 79 | 319 | 293 |
| 5— | M | 11 | 2 | 3 | 13 | 6 | 16 | 3 | 3 | 44 | 15 | 6 | 11 | 19 | 7 | 46 | 24 |
| | F | 7 | 10 | 2 | 8 | 6 | 8 | 6 | 2 | 40 | 11 | 9 | 5 | 27 | 12 | 19 | 20 |
| 10— | M | 9 | 5 | 3 | 11 | 3 | 4 | 6 | 1 | 28 | 20 | 15 | 9 | 17 | 5 | 19 | 18 |
| | F | 7 | 4 | 8 | 8 | 9 | 4 | 4 | 3 | 24 | 6 | 7 | 12 | 14 | 9 | 29 | 22 |
| 15— | M | 14 | 13 | 7 | 13 | 5 | 14 | 7 | 5 | 42 | 15 | 22 | 20 | 19 | 8 | 31 | 36 |
| | F | 14 | 5 | 5 | 8 | 4 | 9 | — | 6 | 37 | 12 | 19 | 16 | 13 | 8 | 36 | 25 |
| 20— | M | 16 | 6 | 9 | 17 | 13 | 19 | 6 | 4 | 45 | 19 | 16 | 17 | 21 | 10 | 25 | 41 |
| | F | 14 | 15 | 6 | 22 | 4 | 10 | 9 | 3 | 48 | 17 | 16 | 25 | 17 | 10 | 33 | 35 |
| 25— | M | 15 | 11 | 5 | 17 | 8 | 13 | 6 | 7 | 60 | 19 | 15 | 23 | 17 | 14 | 35 | 21 |
| | F | 12 | 8 | 9 | 12 | 10 | 14 | 3 | 12 | 44 | 23 | 27 | 29 | 25 | 14 | 49 | 44 |
| 30— | M | 9 | 12 | 12 | 16 | 10 | 17 | 6 | 8 | 67 | 21 | 11 | 25 | 23 | 9 | 51 | 31 |
| | F | 14 | 9 | 9 | 9 | 7 | 14 | 7 | 7 | 58 | 22 | 20 | 26 | 27 | 12 | 38 | 32 |
| 35— | M | 27 | 10 | 10 | 11 | 14 | 20 | 8 | 6 | 95 | 32 | 26 | 29 | 24 | 13 | 51 | 44 |
| | F | 14 | 12 | 11 | 15 | 14 | 17 | 7 | 11 | 67 | 18 | 20 | 24 | 26 | 18 | 55 | 39 |
| 40— | M | 16 | 6 | 19 | 17 | 21 | 19 | 11 | 8 | 119 | 24 | 32 | 38 | 32 | 13 | 51 | 46 |
| | F | 27 | 17 | 14 | 23 | 13 | 18 | 6 | 13 | 107 | 38 | 28 | 28 | 30 | 11 | 55 | 46 |
| 45— | M | 29 | 15 | 16 | 25 | 22 | 29 | 9 | 16 | 139 | 46 | 37 | 47 | 41 | 15 | 80 | 65 |
| | F | 34 | 11 | 13 | 23 | 30 | 33 | 11 | 10 | 115 | 42 | 37 | 41 | 31 | 9 | 78 | 46 |
| 50— | M | 28 | 19 | 20 | 32 | 28 | 35 | 12 | 16 | 167 | 51 | 62 | 39 | 45 | 31 | 95 | 72 |
| | F | 24 | 14 | 16 | 39 | 22 | 50 | 20 | 14 | 147 | 51 | 46 | 53 | 43 | 29 | 88 | 44 |
| 55— | M | 43 | 29 | 21 | 46 | 32 | 62 | 21 | 18 | 192 | 66 | 71 | 70 | 58 | 33 | 107 | 92 |
| | F | 38 | 18 | 20 | 47 | 37 | 43 | 26 | 21 | 176 | 56 | 62 | 63 | 41 | 26 | 102 | 98 |
| 60— | M | 53 | 29 | 36 | 62 | 44 | 68 | 30 | 37 | 249 | 96 | 89 | 91 | 52 | 42 | 130 | 117 |
| | F | 59 | 31 | 38 | 52 | 29 | 57 | 26 | 32 | 223 | 72 | 71 | 83 | 56 | 32 | 150 | 112 |
| 65— | M | 58 | 49 | 44 | 81 | 57 | 64 | 31 | 39 | 284 | 94 | 79 | 116 | 71 | 62 | 178 | 150 |
| | F | 52 | 55 | 39 | 65 | 47 | 76 | 25 | 38 | 240 | 92 | 100 | 106 | 71 | 48 | 160 | 125 |
| 70— | M | 65 | 42 | 42 | 83 | 61 | 86 | 37 | 47 | 248 | 129 | 85 | 145 | 87 | 71 | 152 | 162 |
| | F | 79 | 53 | 47 | 73 | 69 | 85 | 50 | 45 | 297 | 116 | 125 | 151 | 87 | 62 | 173 | 147 |
| 75— | M | 55 | 63 | 48 | 84 | 56 | 93 | 32 | 65 | 195 | 97 | 114 | 151 | 65 | 72 | 155 | 136 |
| | F | 94 | 58 | 54 | 86 | 63 | 91 | 38 | 77 | 268 | 105 | 162 | 169 | 96 | 65 | 145 | 126 |
| 80— | M | 40 | 61 | 30 | 64 | 45 | 77 | 22 | 45 | 125 | 69 | 66 | 96 | 31 | 53 | 63 | 98 |
| | F | 70 | 58 | 53 | 70 | 57 | 88 | 31 | 54 | 202 | 94 | 122 | 128 | 50 | 54 | 101 | 122 |
| 85— | M | 22 | 21 | 12 | 49 | 27 | 41 | 13 | 38 | 49 | 42 | 51 | 57 | 18 | 40 | 39 | 62 |
| | F | 57 | 54 | 20 | 58 | 43 | 79 | 40 | 65 | 126 | 59 | 96 | 120 | 25 | 36 | 64 | 79 |

TABLE 16.—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1923.

(Civilian population only).

| Age. | Sex. | Devonshire. | | Dorsetshire. | | Durham. | | Ely, Isle of. | | Essex. | | Gloucestershire. | | Herefordshire. | | Hertfordshire. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | U | R | U | R | U | R | U | R | U | R | U | R | U | R | U | R |
| All Ages .. | M | 1273 | 1246 | 624 | 589 | 3563 | 2727 | 243 | 203 | 3015 | 1615 | 568 | 1309 | 278 | 531 | 1111 | 557 |
| | F | 1450 | 1317 | 688 | 619 | 3100 | 2245 | 251 | 227 | 3043 | 1523 | 681 | 1321 | 262 | 393 | 1091 | 501 |
| Under 1 month | M | 45 | 45 | 28 | 35 | 307 | 272 | 18 | 16 | 161 | 90 | 21 | 64 | 21 | 37 | 67 | 31 |
| | F | 30 | 46 | 33 | 31 | 253 | 207 | 7 | 10 | 109 | 71 | 12 | 55 | 14 | 16 | 27 | 21 |
| 1–3 months | M | 18 | 22 | 14 | 11 | 105 | 69 | 6 | 3 | 44 | 27 | 10 | 15 | 8 | 7 | 15 | 10 |
| | F | 14 | 13 | 5 | 6 | 85 | 44 | 3 | 5 | 39 | 12 | 10 | 9 | 3 | 2 | 8 | 1 |
| 3–6 months | M | 13 | 15 | 9 | 9 | 94 | 72 | 4 | 3 | 55 | 8 | 5 | 10 | 4 | 8 | 11 | 3 |
| | F | 6 | 8 | 5 | 2 | 56 | 54 | 2 | 1 | 31 | 16 | 11 | 8 | 3 | 3 | 5 | 3 |
| 6–12 months | M | 21 | 22 | 11 | 8 | 159 | 145 | 4 | 4 | 47 | 22 | 9 | 17 | 3 | 7 | 18 | 8 |
| | F | 8 | 14 | 8 | 7 | 132 | 111 | 5 | 5 | 45 | 17 | 9 | 19 | 10 | 6 | 15 | 3 |
| Total under 1 year | M | 97 | 104 | 62 | 63 | 665 | 558 | 32 | 26 | 307 | 147 | 45 | 106 | 36 | 59 | 111 | 52 |
| | F | 58 | 81 | 51 | 46 | 526 | 416 | 17 | 21 | 224 | 116 | 42 | 91 | 30 | 27 | 55 | 28 |
| 1— | M | 12 | 21 | 9 | 6 | 257 | 165 | 8 | 4 | 39 | 12 | 8 | 16 | 15 | 6 | 13 | 7 |
| | F | 15 | 18 | 10 | 4 | 225 | 161 | 5 | 6 | 35 | 13 | 12 | 16 | 7 | 6 | 17 | 5 |
| 2— | M | 10 | 6 | 3 | 5 | 109 | 81 | 2 | 1 | 22 | 11 | 3 | 7 | 3 | 4 | 6 | 6 |
| | F | 6 | 10 | 2 | 1 | 92 | 64 | 1 | 6 | 20 | 9 | 4 | 12 | 6 | 4 | 7 | 3 |
| 3— | M | 8 | 6 | 4 | 1 | 57 | 46 | 1 | 2 | 23 | 9 | 7 | 8 | — | 3 | 3 | 6 |
| | F | 4 | 6 | 5 | 3 | 60 | 45 | 2 | 2 | 17 | 5 | 4 | 10 | — | 2 | 7 | — |
| 4— | M | 4 | 6 | 2 | 2 | 35 | 25 | — | — | 15 | 2 | 2 | 4 | 1 | 1 | 6 | — |
| | F | 3 | — | 2 | 1 | 27 | 14 | — | 1 | 17 | 4 | 2 | 5 | 1 | — | 4 | — |
| Total under 5 years | M | 131 | 143 | 80 | 77 | 1123 | 875 | 43 | 33 | 406 | 181 | 65 | 141 | 55 | 73 | 139 | 71 |
| | F | 86 | 115 | 70 | 55 | 930 | 700 | 25 | 36 | 313 | 147 | 64 | 134 | 44 | 39 | 90 | 36 |
| 5— | M | 17 | 10 | 7 | 3 | 101 | 67 | 3 | 5 | 42 | 16 | 10 | 14 | 9 | 7 | 11 | 8 |
| | F | 11 | 15 | 3 | 8 | 94 | 47 | 4 | — | 40 | 15 | 10 | 16 | 1 | 3 | 15 | 7 |
| 10— | M | 8 | 11 | 7 | 6 | 61 | 59 | — | 2 | 43 | 19 | 4 | 17 | 3 | 4 | 14 | 6 |
| | F | 7 | 10 | 5 | 4 | 78 | 52 | 4 | 5 | 27 | 16 | 6 | 16 | 3 | 5 | 12 | 5 |
| 15— | M | 19 | 26 | 16 | 9 | 96 | 81 | 5 | 1 | 51 | 23 | 17 | 29 | 4 | 5 | 17 | 16 |
| | F | 22 | 19 | 11 | 7 | 80 | 52 | 5 | 5 | 78 | 23 | 14 | 17 | 6 | 8 | 16 | 9 |
| 20— | M | 33 | 16 | 13 | 9 | 93 | 83 | 4 | 3 | 84 | 29 | 9 | 26 | 5 | 12 | 19 | 8 |
| | F | 21 | 32 | 8 | 8 | 96 | 54 | 4 | 1 | 84 | 29 | 15 | 32 | 3 | 7 | 29 | 8 |
| 25— | M | 16 | 35 | 14 | 11 | 79 | 66 | 6 | 6 | 67 | 31 | 19 | 23 | 7 | 9 | 22 | 13 |
| | F | 34 | 36 | 12 | 17 | 88 | 59 | 6 | 4 | 63 | 18 | 10 | 24 | 3 | 7 | 16 | 10 |
| 30— | M | 28 | 26 | 15 | 11 | 85 | 66 | 1 | 5 | 67 | 41 | 18 | 30 | 7 | 11 | 25 | 12 |
| | F | 27 | 28 | 10 | 19 | 92 | 68 | 10 | 1 | 84 | 36 | 13 | 25 | 6 | 7 | 27 | 15 |
| 35— | M | 29 | 24 | 15 | 15 | 100 | 57 | 5 | 5 | 91 | 38 | 13 | 29 | 10 | 14 | 36 | 12 |
| | F | 26 | 31 | 13 | 10 | 91 | 88 | 6 | 4 | 86 | 40 | 12 | 41 | 3 | 12 | 30 | 10 |
| 40— | M | 30 | 27 | 20 | 14 | 139 | 77 | 7 | 5 | 117 | 47 | 20 | 44 | 5 | 16 | 34 | 22 |
| | F | 50 | 38 | 24 | 17 | 99 | 79 | 7 | 5 | 120 | 32 | 20 | 42 | 8 | 9 | 35 | 22 |
| 45— | M | 41 | 49 | 34 | 25 | 138 | 89 | 9 | 5 | 173 | 59 | 22 | 51 | 3 | 21 | 58 | 14 |
| | F | 53 | 48 | 35 | 26 | 117 | 86 | 9 | 12 | 129 | 64 | 27 | 36 | 11 | 13 | 59 | 20 |
| 50— | M | 72 | 64 | 28 | 25 | 169 | 106 | 17 | 13 | 212 | 74 | 31 | 63 | 19 | 22 | 68 | 20 |
| | F | 63 | 62 | 24 | 25 | 142 | 92 | 7 | 5 | 158 | 66 | 30 | 55 | 10 | 23 | 53 | 24 |
| 55— | M | 85 | 86 | 40 | 43 | 195 | 149 | 13 | 7 | 251 | 86 | 36 | 64 | 11 | 38 | 99 | 37 |
| | F | 80 | 76 | 40 | 36 | 159 | 126 | 14 | 8 | 160 | 101 | 27 | 74 | 14 | 19 | 63 | 26 |
| 60— | M | 99 | 107 | 48 | 39 | 252 | 200 | 16 | 15 | 233 | 111 | 49 | 122 | 14 | 43 | 105 | 38 |
| | F | 98 | 90 | 44 | 56 | 190 | 151 | 15 | 10 | 250 | 98 | 53 | 79 | 12 | 24 | 74 | 35 |
| 65— | M | 132 | 123 | 61 | 64 | 259 | 223 | 24 | 13 | 312 | 158 | 60 | 133 | 38 | 49 | 98 | 60 |
| | F | 158 | 130 | 65 | 50 | 218 | 151 | 24 | 31 | 288 | 143 | 70 | 135 | 23 | 32 | 106 | 58 |
| 70— | M | 157 | 142 | 79 | 54 | 269 | 197 | 25 | 25 | 289 | 196 | 47 | 163 | 30 | 52 | 112 | 73 |
| | F | 182 | 141 | 92 | 85 | 250 | 142 | 20 | 28 | 332 | 161 | 73 | 161 | 28 | 43 | 123 | 62 |
| 75— | M | 171 | 157 | 68 | 75 | 228 | 169 | 27 | 26 | 272 | 187 | 76 | 155 | 28 | 69 | 126 | 67 |
| | F | 191 | 150 | 87 | 82 | 193 | 138 | 31 | 29 | 340 | 207 | 74 | 185 | 35 | 68 | 120 | 58 |
| 80— | M | 138 | 122 | 46 | 63 | 127 | 100 | 23 | 20 | 189 | 168 | 50 | 132 | 22 | 50 | 77 | 45 |
| | F | 178 | 160 | 75 | 67 | 124 | 103 | 39 | 25 | 257 | 169 | 89 | 138 | 24 | 41 | 122 | 52 |
| 85— | M | 67 | 78 | 33 | 46 | 49 | 63 | 15 | 14 | 116 | 151 | 22 | 73 | 8 | 36 | 51 | 35 |
| | F | 163 | 136 | 70 | 47 | 59 | 57 | 21 | 18 | 234 | 158 | 74 | 111 | 28 | 33 | 101 | 44 |

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1923.

(Civilian population only).

| Age. | Sex. | Huntingdonshire. | | Kent. | | Lancashire. | | Leicestershire. | | Lincolnshire (Parts of Holland). | | Lincolnshire (Parts of Kesteven). | | Lincolnshire (Parts of Lindsey). | | Middlesex. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | U | R | U | R | U | R | U | R | U | R | U | R | U | R | U | R |
| ll Ages .. | M | 140 | 204 | 3993 | 1658 | 9631 | 1432 | 623 | 885 | 242 | 287 | 250 | 411 | 688 | 812 | 5705 | 270 |
| | F | 128 | 188 | 4058 | 1609 | 9372 | 1384 | 566 | 854 | 236 | 254 | 237 | 394 | 648 | 797 | 5902 | 259 |
| Under 1 month | M | 10 | 14 | 204 | 90 | 578 | 90 | 39 | 61 | 10 | 20 | 4 | 22 | 50 | 49 | 347 | 13 |
| | F | 9 | 7 | 142 | 65 | 432 | 55 | 32 | 46 | 7 | 16 | 12 | 16 | 24 | 36 | 236 | 8 |
| 1–3 months | M | 2 | 5 | 69 | 24 | 243 | 35 | 11 | 19 | 7 | 9 | 3 | 11 | 15 | 16 | 130 | 5 |
| | F | 1 | 1 | 46 | 20 | 145 | 18 | 7 | 8 | 8 | 6 | — | 1 | 10 | 9 | 90 | 7 |
| 3–6 months | M | 3 | 3 | 52 | 16 | 187 | 16 | 14 | 8 | 5 | 5 | 3 | 10 | 13 | 12 | 86 | 6 |
| | F | — | — | 45 | 17 | 106 | 14 | 12 | 8 | 2 | 4 | 1 | 8 | 7 | 13 | 63 | — |
| 6–12 months | M | 3 | 2 | 64 | 22 | 285 | 29 | 20 | 12 | 4 | 7 | 7 | 8 | 17 | 15 | 119 | 5 |
| | F | 2 | 2 | 56 | 17 | 219 | 16 | 12 | 19 | 6 | 5 | 3 | 7 | 21 | 19 | 82 | 1 |
| Total under 1 year | M | 18 | 24 | 389 | 152 | 1293 | 170 | 84 | 100 | 26 | 41 | 17 | 51 | 95 | 92 | 682 | 29 |
| | F | 12 | 10 | 289 | 119 | 902 | 103 | 63 | 81 | 23 | 31 | 16 | 32 | 62 | 77 | 471 | 16 |
| 1— | M | 2 | 1 | 93 | 24 | 312 | 35 | 15 | 23 | 6 | 4 | 10 | 9 | 16 | 16 | 107 | 8 |
| | F | 2 | 1 | 53 | 27 | 260 | 28 | 23 | 23 | 8 | 4 | 7 | 10 | 23 | 9 | 97 | 5 |
| 2— | M | 2 | 1 | 25 | 10 | 153 | 13 | 3 | 9 | 6 | 4 | 4 | 4 | 8 | 4 | 50 | 3 |
| | F | 1 | — | 25 | 13 | 125 | 14 | 3 | 12 | 3 | — | 2 | 3 | 7 | 3 | 53 | — |
| 3— | M | — | — | 30 | 6 | 87 | 7 | 4 | 8 | 2 | 1 | — | 1 | 3 | 8 | 45 | 3 |
| | F | — | 1 | 23 | 5 | 67 | 5 | 5 | 4 | 2 | — | 2 | 1 | 10 | 3 | 41 | — |
| 4— | M | — | — | 11 | 6 | 43 | 2 | 2 | 6 | — | — | 2 | — | 8 | 2 | 22 | 1 |
| | F | 1 | — | 14 | 2 | 38 | 2 | 2 | 5 | 1 | 1 | 2 | 1 | 4 | 2 | 24 | 1 |
| Total under 5 years | M | 22 | 26 | 548 | 198 | 1888 | 227 | 108 | 146 | 40 | 50 | 33 | 65 | 130 | 122 | 906 | 44 |
| | F | 16 | 12 | 404 | 166 | 1392 | 152 | 96 | 125 | 37 | 36 | 29 | 47 | 106 | 94 | 686 | 22 |
| 5— | M | 5 | 2 | 52 | 15 | 152 | 22 | 11 | 23 | 2 | 3 | 3 | 7 | 9 | 9 | 94 | 2 |
| | F | 2 | 1 | 51 | 19 | 157 | 19 | 9 | 12 | 4 | 2 | 1 | 4 | 5 | 9 | 83 | 3 |
| 10— | M | 4 | — | 43 | 27 | 133 | 15 | 7 | 16 | 3 | 2 | 4 | 1 | 8 | 7 | 73 | 5 |
| | F | 1 | 1 | 36 | 24 | 117 | 19 | 9 | 8 | 1 | 1 | 3 | 1 | 13 | 10 | 82 | 1 |
| 15— | M | — | 5 | 67 | 20 | 178 | 32 | 9 | 21 | 7 | 5 | 4 | 3 | 21 | 15 | 119 | 5 |
| | F | 4 | 4 | 61 | 31 | 194 | 27 | 16 | 18 | 5 | 4 | 7 | 8 | 13 | 14 | 125 | 12 |
| 20— | M | 4 | 3 | 89 | 34 | 252 | 32 | 13 | 12 | 3 | 7 | 10 | 14 | 22 | 16 | 130 | 6 |
| | F | — | 2 | 95 | 37 | 198 | 22 | 14 | 22 | 4 | 5 | 4 | 10 | 9 | 22 | 145 | 6 |
| 25— | M | 8 | 3 | 95 | 37 | 207 | 27 | 10 | 18 | 3 | 6 | 9 | 8 | 15 | 14 | 131 | 9 |
| | F | — | 5 | 90 | 36 | 237 | 29 | 13 | 19 | 5 | 9 | 11 | 8 | 11 | 22 | 161 | 6 |
| 30— | M | 4 | 6 | 87 | 39 | 259 | 34 | 12 | 21 | 2 | 5 | 4 | 6 | 21 | 18 | 151 | 2 |
| | F | 4 | 2 | 104 | 48 | 236 | 46 | 11 | 21 | 8 | 5 | 5 | 7 | 20 | 11 | 163 | 11 |
| 35— | M | 3 | 5 | 118 | 41 | 289 | 44 | 17 | 23 | 9 | 7 | 5 | 6 | 17 | 18 | 191 | 2 |
| | F | 4 | 3 | 126 | 63 | 269 | 57 | 11 | 32 | 4 | 10 | 7 | 7 | 17 | 7 | 186 | 7 |
| 40— | M | 3 | 9 | 145 | 57 | 399 | 46 | 25 | 29 | 6 | 6 | 5 | 10 | 30 | 22 | 290 | 9 |
| | F | 4 | 5 | 130 | 51 | 355 | 38 | 14 | 33 | 6 | 5 | 7 | 5 | 26 | 25 | 242 | 4 |
| 45— | M | 5 | 4 | 165 | 57 | 513 | 53 | 35 | 31 | 9 | 13 | 9 | 9 | 24 | 21 | 315 | 17 |
| | F | 2 | 8 | 158 | 65 | 437 | 67 | 22 | 26 | 6 | 6 | 7 | 13 | 28 | 26 | 261 | 8 |
| 50— | M | 6 | 6 | 228 | 70 | 645 | 69 | 35 | 35 | 16 | 13 | 8 | 13 | 36 | 27 | 355 | 21 |
| | F | 3 | 6 | 207 | 57 | 506 | 60 | 22 | 36 | 10 | 7 | 20 | 15 | 37 | 31 | 308 | 7 |
| 55— | M | 5 | 13 | 276 | 88 | 738 | 106 | 43 | 49 | 13 | 14 | 25 | 22 | 45 | 41 | 451 | 18 |
| | F | 4 | 3 | 263 | 98 | 686 | 76 | 43 | 47 | 12 | 10 | 11 | 20 | 36 | 41 | 365 | 19 |
| 60— | M | 10 | 19 | 345 | 131 | 886 | 154 | 63 | 61 | 23 | 17 | 18 | 33 | 57 | 52 | 499 | 23 |
| | F | 6 | 13 | 319 | 116 | 820 | 125 | 39 | 49 | 13 | 15 | 18 | 20 | 44 | 45 | 425 | 19 |
| 65— | M | 10 | 19 | 398 | 174 | 993 | 157 | 59 | 96 | 21 | 21 | 31 | 37 | 76 | 84 | 532 | 29 |
| | F | 10 | 24 | 351 | 134 | 966 | 143 | 52 | 73 | 26 | 31 | 17 | 35 | 54 | 88 | 489 | 24 |
| 70— | M | 20 | 23 | 394 | 183 | 960 | 141 | 61 | 109 | 29 | 30 | 29 | 42 | 64 | 92 | 522 | 33 |
| | F | 16 | 15 | 438 | 183 | 1097 | 175 | 63 | 88 | 23 | 24 | 21 | 37 | 58 | 87 | 623 | 26 |
| 75— | M | 14 | 30 | 424 | 219 | 639 | 131 | 55 | 82 | 28 | 40 | 21 | 56 | 55 | 86 | 454 | 25 |
| | F | 18 | 36 | 496 | 170 | 903 | 152 | 61 | 84 | 24 | 34 | 25 | 54 | 77 | 94 | 634 | 33 |
| 80— | M | 12 | 17 | 308 | 160 | 370 | 93 | 38 | 63 | 17 | 25 | 14 | 48 | 36. | 105 | 318 | 12 |
| | F | 15 | 26 | 380 | 147 | 528 | 114 | 46 | 88 | 27 | 23 | 30 | 61 | 52 | 102 | 525 | 22 |
| 85— | M | 5 | 14 | 211 | 108 | 130 | 49 | 22 | 50 | 11 | 23 | 18 | 31 | 22 | 63 | 174 | 8 |
| | F | 19 | 22 | 349 | 164 | 274 | 63 | 25 | 73 | 21 | 27 | 14 | 42 | 42 | 69 | 399 | 29 |

TABLE 16.—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1923.

(Civilian population only).

| Age. | Sex. | Norfolk. | | Northamptonshire. | | Northumberland. | | Nottinghamshire. | | Oxfordshire. | | Peterborough, Soke of. | | Rutlandshire. | | Shropshire. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | U | R | U | R | U | R | U | R | U | R | U | R | U | R | U | R |
| All Ages .. | M | 389 | 1490 | 536 | 700 | 1823 | 571 | 1382 | 809 | 222 | 590 | 211 | 62 | 21 | 94 | 736 | 818 |
| | F | 397 | 1457 | 546 | 693 | 1627 | 578 | 1333 | 736 | 229 | 600 | 171 | 58 | 14 | 80 | 743 | 749 |
| Under 1 month | M | 9 | 87 | 42 | 33 | 150 | 36 | 119 | 51 | 10 | 30 | 9 | 2 | 1 | 3 | 38 | 62 |
| | F | 19 | 73 | 27 | 25 | 116 | 31 | 96 | 27 | 7 | 27 | 4 | 5 | — | 4 | 22 | 41 |
| 1–3 months | M | 10 | 25 | 13 | 11 | 58 | 13 | 40 | 16 | 3 | 8 | 8 | 1 | 2 | 1 | 10 | 8 |
| | F | 5 | 19 | 8 | 8 | 25 | 7 | 22 | 13 | — | 4 | — | — | — | 1 | 5 | 12 |
| 3–6 months | M | 3 | 19 | 7 | 5 | 54 | 5 | 30 | 18 | 2 | 8 | 1 | 1 | — | — | 8 | 12 |
| | F | 3 | 13 | 4 | 10 | 32 | 4 | 33 | 6 | 1 | 3 | — | — | — | 4 | 3 | 8 |
| 6–12 months | M | 14 | 19 | 6 | 8 | 76 | 14 | 59 | 23 | 2 | 3 | 3 | — | — | — | 13 | 17 |
| | F | 6 | 23 | 10 | 8 | 71 | 8 | 44 | 22 | 3 | 8 | 4 | — | — | 1 | 21 | 11 |
| Total under 1 year | M | 36 | 150 | 68 | 57 | 338 | 68 | 248 | 108 | 17 | 49 | 21 | 4 | 3 | 4 | 69 | 99 |
| | F | 33 | 128 | 49 | 51 | 244 | 50 | 195 | 68 | 11 | 42 | 8 | 5 | — | 10 | 51 | 72 |
| 1— | M | 4 | 23 | 11 | 7 | 103 | 11 | 84 | 12 | 4 | 2 | 1 | 3 | 1 | 1 | 19 | 10 |
| | F | 6 | 14 | 10 | 6 | 85 | 12 | 68 | 14 | 6 | 5 | 2 | 1 | — | — | 16 | 15 |
| 2— | M | 7 | 8 | — | 4 | 42 | 8 | 21 | 15 | 1 | 1 | 2 | — | 1 | — | 10 | 4 |
| | F | 1 | 7 | 7 | 4 | 42 | 7 | 22 | 9 | — | 1 | — | — | — | — | 9 | 4 |
| 3— | M | 5 | 4 | 3 | 5 | 14 | 7 | 16 | 7 | — | 2 | 1 | — | 1 | — | 11 | 8 |
| | F | 3 | 4 | 1 | 5 | 20 | 5 | 12 | 12 | 1 | 5 | 1 | — | — | — | 10 | 7 |
| 4— | M | — | 2 | — | — | 13 | 5 | 15 | 2 | — | 2 | — | — | — | — | 4 | 3 |
| | F | — | 2 | 3 | 6 | 15 | — | 5 | 3 | 1 | — | — | — | — | — | 3 | 1 |
| Total under 5 years | M | 52 | 187 | 82 | 73 | 510 | 99 | 384 | 144 | 22 | 56 | 25 | 7 | 6 | 5 | 113 | 124 |
| | F | 43 | 155 | 70 | 72 | 406 | 74 | 302 | 106 | 19 | 53 | 11 | 6 | — | 10 | 89 | 99 |
| 5— | M | 7 | 16 | 4 | 14 | 45 | 7 | 31 | 10 | 2 | 9 | 1 | — | — | — | 7 | 6 |
| | F | 3 | 15 | 4 | 5 | 38 | 9 | 29 | 13 | 1 | 8 | 1 | — | — | 1 | 9 | 11 |
| 10— | M | 8 | 16 | 10 | 6 | 28 | 5 | 25 | 15 | 3 | 7 | — | — | — | — | 10 | 5 |
| | F | 9 | 17 | 8 | 3 | 22 | 7 | 23 | 7 | 1 | 4 | 2 | — | — | 1 | 14 | 10 |
| 15— | M | 8 | 20 | 7 | 12 | 25 | 12 | 43 | 21 | 2 | 5 | 2 | — | — | 2 | 16 | 13 |
| | F | 9 | 21 | 14 | 16 | 35 | 11 | 35 | 15 | 2 | 9 | 3 | 1 | — | 1 | 11 | 20 |
| 20— | M | 16 | 21 | 19 | 9 | 50 | 13 | 33 | 17 | 8 | 8 | 3 | 2 | — | 2 | 20 | 18 |
| | F | 10 | 17 | 23 | 13 | 48 | 14 | 40 | 11 | 2 | 9 | 3 | 1 | — | 2 | 17 | 14 |
| 25— | M | 12 | 28 | 13 | 21 | 45 | 8 | 29 | 18 | 5 | 4 | 6 | — | — | — | 12 | 20 |
| | F | 7 | 26 | 18 | 10 | 50 | 13 | 36 | 12 | 8 | 5 | 3 | — | — | — | 16 | 16 |
| 30— | M | 3 | 24 | 13 | 11 | 44 | 18 | 27 | 17 | 3 | 16 | 3 | 3 | — | 3 | 12 | 18 |
| | F | 3 | 27 | 13 | 13 | 38 | 17 | 38 | 22 | 6 | 12 | 2 | 4 | — | — | 19 | 11 |
| 35— | M | 8 | 30 | 11 | 10 | 47 | 21 | 32 | 20 | 8 | 19 | 7 | 1 | — | — | 24 | 13 |
| | F | 4 | 32 | 15 | 11 | 55 | 14 | 55 | 13 | 8 | 15 | 5 | 1 | 2 | 1 | 13 | 16 |
| 40— | M | 7 | 37 | 19 | 18 | 92 | 11 | 44 | 16 | 12 | 18 | 7 | 3 | — | 4 | 26 | 19 |
| | F | 8 | 37 | 19 | 17 | 45 | 17 | 60 | 27 | 5 | 12 | 9 | 1 | — | 1 | 21 | 28 |
| 45— | M | 20 | 51 | 23 | 22 | 79 | 17 | 66 | 28 | 9 | 18 | 6 | 2 | — | 4 | 18 | 28 |
| | F | 15 | 47 | 26 | 19 | 72 | 19 | 65 | 39 | 8 | 20 | 7 | 1 | — | 2 | 29 | 27 |
| 50— | M | 15 | 58 | 29 | 33 | 91 | 25 | 63 | 30 | 12 | 33 | 13 | 1 | — | 3 | 39 | 30 |
| | F | 12 | 63 | 28 | 34 | 83 | 32 | 64 | 29 | 13 | 25 | 17 | 4 | 1 | 4 | 33 | 39 |
| 55— | M | 22 | 76 | 32 | 35 | 108 | 31 | 75 | 43 | 14 | 41 | 15 | 4 | 1 | 9 | 47 | 54 |
| | F | 14 | 67 | 29 | 34 | 94 | 36 | 82 | 42 | 11 | 29 | 11 | 6 | 1 | 7 | 41 | 31 |
| 60— | M | 37 | 108 | 47 | 63 | 146 | 42 | 112 | 74 | 20 | 47 | 15 | 4 | 3 | 6 | 60 | 76 |
| | F | 35 | 106 | 30 | 53 | 97 | 42 | 77 | 48 | 19 | 42 | 11 | 3 | — | 7 | 69 | 50 |
| 65— | M | 40 | 139 | 50 | 61 | 148 | 59 | 110 | 83 | 27 | 62 | 22 | 5 | 2 | 10 | 77 | 87 |
| | F | 42 | 121 | 44 | 56 | 130 | 65 | 85 | 71 | 27 | 53 | 18 | 3 | 4 | 9 | 61 | 58 |
| 70— | M | 46 | 167 | 70 | 94 | 127 | 68 | 120 | 75 | 19 | 65 | 31 | 9 | 5 | 13 | 86 | 84 |
| | F | 48 | 155 | 57 | 93 | 146 | 64 | 96 | 75 | 26 | 74 | 19 | 10 | 4 | 7 | 77 | 77 |
| 75— | M | 40 | 198 | 51 | 104 | 133 | 66 | 101 | 77 | 26 | 87 | 26 | 11 | 1 | 16 | 79 | 92 |
| | F | 55 | 193 | 59 | 94 | 118 | 64 | 105 | 86 | 28 | 85 | 19 | 7 | — | 11 | 98 | 98 |
| 80— | M | 34 | 175 | 34 | 70 | 66 | 38 | 56 | 80 | 18 | 54 | 23 | 3 | 1 | 11 | 57 | 81 |
| | F | 44 | 168 | 45 | 74 | 83 | 46 | 86 | 75 | 21 | 83 | 18 | 5 | 2 | 11 | 63 | 81 |
| 85— | M | 14 | 139 | 22 | 44 | 39 | 31 | 31 | 41 | 12 | 41 | 6 | 7 | 2 | 6 | 33 | 50 |
| | F | 36 | 190 | 44 | 76 | 67 | 34 | 55 | 45 | 24 | 62 | 12 | 5 | — | 5 | 63 | 63 |

TABLE 16.—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1923.

(Civilian population only).

| Age. | Sex. | Somerset-shire. | | Southamp-ton. | | Stafford-shire. | | Suffolk, East. | | Suffolk, West. | | Surrey. | | Sussex, East. | | Sussex, West. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | U | R | U | R | U | R | U | R | U | R | U | R | U | R | U | R |
| All Ages .. | M | 874 | 1282 | 937 | 1214 | 3077 | 1120 | 395 | 645 | 216 | 389 | 2646 | 863 | 681 | 676 | 470 | 493 |
| | F | 978 | 1320 | 875 | 1097 | 2683 | 1105 | 475 | 638 | 273 | 390 | 2807 | 819 | 816 | 682 | 572 | 460 |
| Under 1 month | M | 37 | 62 | 63 | 65 | 207 | 79 | 26 | 37 | 11 | 24 | 135 | 44 | 23 | 34 | 18 | 23 |
| | F | 23 | 39 | 40 | 43 | 145 | 56 | 23 | 24 | 11 | 13 | 101 | 29 | 12 | 22 | 11 | 14 |
| 1–3 months | M | 14 | 22 | 22 | 21 | 86 | 26 | 12 | 7 | 2 | 7 | 45 | 16 | 7 | 11 | 8 | 8 |
| | F | 7 | 15 | 13 | 11 | 53 | 16 | 10 | 7 | 4 | 5 | 19 | 3 | 5 | 4 | 3 | 3 |
| 3–6 months | M | 7 | 12 | 17 | 11 | 76 | 23 | 4 | 6 | 1 | 6 | 32 | 3 | 4 | 6 | 4 | 4 |
| | F | 4 | 8 | 14 | 12 | 58 | 15 | 1 | 9 | 2 | 1 | 16 | 4 | 7 | 3 | 1 | 5 |
| 6–12 months | M | 15 | 18 | 23 | 28 | 116 | 23 | 9 | 10 | — | 2 | 39 | 14 | 10 | 12 | 7 | 5 |
| | F | 11 | 19 | 11 | 15 | 113 | 21 | 7 | 7 | 4 | 3 | 23 | 11 | 8 | 7 | 6 | 3 |
| Total under 1 year | M | 73 | 114 | 125 | 125 | 485 | 151 | 51 | 60 | 14 | 39 | 251 | 77 | 44 | 63 | 37 | 40 |
| | F | 45 | 81 | 78 | 81 | 369 | 108 | 41 | 47 | 21 | 22 | 159 | 47 | 32 | 36 | 21 | 25 |
| 1— | M | 19 | 14 | 9 | 18 | 191 | 39 | 3 | 10 | 5 | 5 | 37 | 18 | 9 | 4 | 6 | 9 |
| | F | 26 | 16 | 16 | 16 | 159 | 31 | 6 | 11 | 1 | 3 | 35 | 9 | 6 | 4 | 8 | 3 |
| 2— | M | 10 | 3 | 10 | 12 | 81 | 23 | 3 | 6 | 1 | — | 24 | 3 | 9 | 7 | 4 | 3 |
| | F | 9 | 9 | 8 | 14 | 53 | 17 | 3 | 7 | — | 2 | 18 | 8 | 7 | 7 | 3 | 1 |
| 3— | M | 8 | 6 | 7 | 9 | 43 | 16 | — | 1 | 2 | 2 | 12 | — | 6 | 1 | 2 | 2 |
| | F | 3 | 4 | 6 | 9 | 36 | 11 | 2 | 3 | 2 | 1 | 11 | 4 | 1 | 2 | 2 | 2 |
| 4— | M | 2 | 4 | 2 | 7 | 20 | 3 | 2 | 6 | — | 1 | 4 | 1 | — | 1 | 2 | 1 |
| | F | 8 | — | 5 | — | 23 | 3 | 2 | 1 | — | — | 10 | 2 | 1 | 1 | 2 | — |
| Total under 5 years | M | 112 | 141 | 153 | 171 | 820 | 232 | 59 | 83 | 22 | 47 | 328 | 99 | 68 | 76 | 51 | 55 |
| | F | 91 | 110 | 113 | 120 | 640 | 170 | 54 | 69 | 24 | 28 | 233 | 70 | 47 | 50 | 36 | 31 |
| 5— | M | 10 | 11 | 19 | 22 | 62 | 19 | 8 | 6 | 2 | 2 | 39 | 12 | 10 | 9 | 7 | 3 |
| | F | 12 | 10 | 15 | 16 | 68 | 14 | 9 | 7 | 3 | 2 | 36 | 18 | 6 | 6 | 7 | 3 |
| 10— | M | 7 | 17 | 11 | 9 | 47 | 16 | 3 | 5 | 2 | 4 | 29 | 7 | 8 | 7 | 7 | 7 |
| | F | 8 | 11 | 10 | 14 | 36 | 13 | 5 | 6 | — | 5 | 30 | 7 | 12 | 1 | 2 | 4 |
| 15— | M | 9 | 11 | 13 | 25 | 66 | 26 | 11 | 14 | 3 | 3 | 55 | 11 | 7 | 10 | 7 | 8 |
| | F | 22 | 25 | 19 | 15 | 85 | 20 | 6 | 5 | 2 | 10 | 44 | 13 | 13 | 12 | 7 | 8 |
| 20— | M | 19 | 31 | 23 | 25 | 61 | 21 | 9 | 11 | 7 | 9 | 42 | 18 | 21 | 21 | 9 | 4 |
| | F | 15 | 29 | 18 | 19 | 58 | 30 | 5 | 13 | 3 | 7 | 56 | 14 | 14 | 12 | 5 | 4 |
| 25— | M | 16 | 17 | 16 | 22 | 77 | 22 | 6 | 9 | 1 | 8 | 43 | 15 | 14 | 16 | 4 | 9 |
| | F | 25 | 29 | 20 | 14 | 60 | 25 | 11 | 13 | 2 | 9 | 42 | 10 | 18 | 16 | 4 | 15 |
| 30— | M | 26 | 28 | 18 | 24 | 99 | 20 | 11 | 14 | 1 | 5 | 60 | 17 | 11 | 13 | 15 | 12 |
| | F | 21 | 31 | 23 | 17 | 69 | 31 | 8 | 17 | 5 | 12 | 64 | 15 | 7 | 12 | 12 | 9 |
| 35— | M | 22 | 33 | 28 | 31 | 79 | 24 | 10 | 10 | 5 | 6 | 79 | 21 | 16 | 14 | 7 | 9 |
| | F | 19 | 26 | 23 | 31 | 89 | 24 | 13 | 19 | 9 | 7 | 68 | 22 | 20 | 13 | 8 | 10 |
| 40— | M | 43 | 43 | 32 | 34 | 94 | 31 | 19 | 14 | 2 | 11 | 97 | 32 | 26 | 21 | 19 | 22 |
| | F | 26 | 41 | 27 | 28 | 91 | 33 | 17 | 12 | 6 | 11 | 88 | 24 | 26 | 18 | 16 | 18 |
| 45— | M | 35 | 50 | 46 | 47 | 135 | 50 | 16 | 12 | 13 | 18 | 152 | 31 | 30 | 30 | 31 | 21 |
| | F | 36 | 52 | 43 | 39 | 101 | 42 | 13 | 16 | 11 | 14 | 132 | 33 | 27 | 21 | 18 | 11 |
| 50— | M | 43 | 62 | 52 | 45 | 152 | 59 | 19 | 28 | 19 | 16 | 176 | 39 | 37 | 23 | 20 | 22 |
| | F | 45 | 62 | 32 | 64 | 115 | 53 | 23 | 22 | 11 | 17 | 150 | 44 | 34 | 29 | 28 | 23 |
| 55— | M | 68 | 79 | 62 | 89 | 184 | 70 | 27 | 32 | 16 | 26 | 213 | 40 | 51 | 46 | 25 | 35 |
| | F | 57 | 67 | 51 | 61 | 131 | 57 | 19 | 33 | 14 | 17 | 175 | 55 | 55 | 43 | 42 | 28 |
| 60— | M | 88 | 116 | 85 | 83 | 260 | 85 | 31 | 53 | 12 | 35 | 203 | 64 | 67 | 65 | 41 | 29 |
| | F | 79 | 91 | 58 | 77 | 175 | 77 | 35 | 35 | 25 | 28 | 208 | 53 | 64 | 51 | 52 | 42 |
| 65— | M | 89 | 126 | 84 | 117 | 251 | 101 | 36 | 70 | 33 | 40 | 275 | 101 | 71 | 55 | 43 | 47 |
| | F | 89 | 104 | 63 | 118 | 227 | 93 | 52 | 50 | 27 | 30 | 238 | 76 | 79 | 67 | 55 | 40 |
| 70— | M | 102 | 171 | 89 | 120 | 277 | 109 | 36 | 81 | 25 | 37 | 285 | 111 | 70 | 90 | 49 | 70 |
| | F | 109 | 162 | 102 | 121 | 258 | 123 | 59 | 79 | 44 | 40 | 313 | 97 | 119 | 88 | 68 | 51 |
| 75— | M | 83 | 143 | 85 | 153 | 216 | 111 | 35 | 84 | 27 | 50 | 265 | 107 | 77 | 74 | 61 | 54 |
| | F | 125 | 173 | 97 | 122 | 213 | 117 | 47 | 92 | 33 | 57 | 350 | 116 | 88 | 95 | 80 | 68 |
| 80— | M | 62 | 129 | 77 | 125 | 141 | 77 | 36 | 58 | 15 | 37 | 192 | 77 | 61 | 58 | 44 | 56 |
| | F | 92 | 163 | 90 | 111 | 162 | 106 | 54 | 89 | 27 | 47 | 314 | 86 | 88 | 80 | 70 | 57 |
| 85— | M | 40 | 74 | 44 | 72 | 56 | 47 | 23 | 61 | 11 | 35 | 113 | 61 | 36 | 48 | 30 | 30 |
| | F | 107 | 134 | 71 | 110 | 105 | 77 | 45 | 61 | 27 | 49 | 266 | 66 | 99 | 68 | 62 | 38 |

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1923.

(Civilian population only).

| Age. | Sex. | Warwickshire. | | Westmorland. | | Wight, Isle of. | | Wiltshire. | | Worcestershire. | | Yorkshire, East Riding. | | Yorkshire, North Riding. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | U | R | U | R | U | R | U | R | U | R | U | R | U | R |
| All Ages .. | M | 779 | 1070 | 162 | 239 | 313 | 157 | 678 | 939 | 961 | 762 | 394 | 579 | 1153 | 786 |
| | F | 815 | 956 | 167 | 203 | 366 | 145 | 703 | 875 | 923 | 775 | 416 | 506 | 1066 | 788 |
| Under 1 month | M | 50 | 81 | 8 | 14 | 8 | 4 | 46 | 62 | 55 | 33 | 21 | 40 | 72 | 42 |
| | F | 42 | 56 | 6 | 8 | 12 | 3 | 29 | 37 | 39 | 36 | 12 | 26 | 63 | 34 |
| 1–3 months | M | 15 | 15 | 2 | 5 | 6 | — | 7 | 15 | 30 | 23 | 6 | 11 | 19 | 15 |
| | F | 11 | 19 | — | 3 | 1 | 1 | 9 | 10 | 19 | 7 | 4 | 3 | 25 | 13 |
| 3–6 months | M | 11 | 13 | 2 | 2 | 3 | 2 | 4 | 2 | 18 | 13 | 6 | 15 | 27 | 11 |
| | F | 9 | 10 | 2 | 1 | 2 | — | 3 | 3 | 14 | 4 | 3 | 7 | 11 | 2 |
| 6–12 months | M | 21 | 38 | 6 | 3 | 2 | 2 | 15 | 17 | 32 | 18 | 6 | 18 | 39 | 17 |
| | F | 17 | 21 | 2 | 2 | 1 | 2 | 12 | 8 | 16 | 11 | 4 | 6 | 30 | 15 |
| Total under 1 year | M | 97 | 147 | 18 | 24 | 19 | 8 | 72 | 96 | 135 | 87 | 39 | 84 | 157 | 85 |
| | F | 79 | 106 | 10 | 14 | 16 | 6 | 53 | 58 | 88 | 58 | 23 | 42 | 129 | 64 |
| 1— | M | 28 | 24 | 1 | 7 | 4 | 6 | 10 | 24 | 32 | 10 | 8 | 10 | 56 | 16 |
| | F | 24 | 30 | 2 | — | 3 | 1 | 9 | 5 | 28 | 13 | 6 | 9 | 53 | 7 |
| 2— | M | 9 | 20 | 3 | 2 | 4 | — | 5 | 6 | 13 | 5 | 2 | 1 | 26 | 9 |
| | F | 9 | 12 | 1 | 2 | 1 | 1 | 7 | 3 | 7 | 5 | 3 | 4 | 27 | 2 |
| 3— | M | 5 | 13 | 1 | 2 | 1 | — | 5 | 3 | 12 | 5 | 2 | 5 | 14 | 6 |
| | F | 5 | 6 | 2 | 2 | 1 | 3 | 2 | 5 | 10 | 4 | 2 | 2 | 16 | 3 |
| 4— | M | 4 | 9 | — | — | 1 | — | 1 | 3 | 6 | 4 | — | 1 | 6 | 2 |
| | F | — | 5 | 1 | — | 1 | — | 4 | 3 | 5 | 2 | 2 | 1 | 12 | 1 |
| Total under 5 years | M | 143 | 213 | 23 | 35 | 29 | 14 | 93 | 132 | 198 | 111 | 51 | 101 | 259 | 118 |
| | F | 117 | 159 | 16 | 18 | 22 | 11 | 75 | 74 | 138 | 82 | 36 | 58 | 237 | 77 |
| 5— | M | 17 | 22 | 2 | 4 | 2 | 1 | 11 | 9 | 16 | 8 | 7 | 8 | 26 | 5 |
| | F | 7 | 13 | 2 | 3 | 4 | 2 | 9 | 12 | 14 | 12 | 4 | 9 | 16 | 6 |
| 10— | M | 10 | 22 | 2 | 1 | 2 | 1 | 8 | 7 | 7 | 10 | 3 | 12 | 7 | 5 |
| | F | 12 | 11 | 1 | 4 | 2 | 3 | 12 | 8 | 14 | 9 | 4 | 2 | 18 | 8 |
| 15— | M | 14 | 12 | 2 | 2 | 6 | 2 | 15 | 10 | 14 | 13 | 5 | 7 | 23 | 17 |
| | F | 13 | 18 | 2 | 2 | 4 | 3 | 8 | 11 | 21 | 19 | 6 | 16 | 18 | 17 |
| 20— | M | 13 | 24 | 2 | 2 | 5 | 3 | 13 | 17 | 19 | 13 | 7 | 19 | 29 | 20 |
| | F | 15 | 26 | 4 | 2 | 7 | 1 | 14 | 12 | 20 | 18 | 9 | 11 | 19 | 15 |
| 25— | M | 18 | 33 | 4 | 5 | 5 | 1 | 17 | 22 | 25 | 9 | 8 | 14 | 32 | 14 |
| | F | 25 | 13 | 5 | 3 | 6 | 3 | 13 | 18 | 16 | 16 | 8 | 14 | 16 | 15 |
| 30— | M | 19 | 26 | 2 | 7 | 7 | 1 | 13 | 12 | 24 | 19 | 6 | 7 | 22 | 7 |
| | F | 16 | 22 | 3 | 7 | 7 | 2 | 15 | 20 | 25 | 16 | 8 | 10 | 28 | 13 |
| 35— | M | 23 | 29 | 3 | 4 | 12 | 6 | 17 | 13 | 31 | 23 | 14 | 17 | 28 | 21 |
| | F | 19 | 24 | 1 | 4 | 11 | 6 | 20 | 23 | 25 | 12 | 10 | 12 | 31 | 23 |
| 40— | M | 27 | 26 | 4 | 3 | 6 | 8 | 29 | 24 | 32 | 31 | 9 | 17 | 39 | 20 |
| | F | 23 | 32 | 4 | 3 | 8 | 4 | 17 | 20 | 38 | 25 | 13 | 19 | 36 | 18 |
| 45— | M | 24 | 50 | 7 | 13 | 14 | 5 | 27 | 27 | 36 | 23 | 18 | 16 | 41 | 25 |
| | F | 25 | 43 | 4 | 4 | 12 | 11 | 28 | 28 | 33 | 25 | 13 | 29 | 57 | 28 |
| 50— | M | 47 | 56 | 10 | 4 | 16 | 11 | 37 | 38 | 38 | 39 | 25 | 10 | 67 | 32 |
| | F | 41 | 48 | 11 | 6 | 13 | 13 | 30 | 60 | 42 | 27 | 22 | 16 | 60 | 44 |
| 55— | M | 42 | 65 | 6 | 13 | 25 | 12 | 46 | 71 | 62 | 53 | 27 | 31 | 72 | 47 |
| | F | 52 | 49 | 10 | 10 | 22 | 8 | 51 | 54 | 45 | 36 | 26 | 26 | 52 | 40 |
| 60— | M | 61 | 80 | 22 | 16 | 34 | 15 | 72 | 70 | 82 | 57 | 29 | 42 | 80 | 50 |
| | F | 60 | 78 | 16 | 20 | 21 | 4 | 57 | 61 | 55 | 61 | 41 | 35 | 70 | 67 |
| 65— | M | 74 | 87 | 16 | 27 | 28 | 12 | 69 | 87 | 95 | 74 | 48 | 54 | 105 | 94 |
| | F | 77 | 66 | 18 | 26 | 43 | 13 | 84 | 79 | 95 | 69 | 39 | 39 | 88 | 78 |
| 70— | M | 88 | 113 | 17 | 29 | 34 | 14 | 62 | 122 | 105 | 90 | 41 | 69 | 116 | 96 |
| | F | 90 | 84 | 29 | 31 | 41 | 11 | 74 | 87 | 117 | 84 | 51 | 57 | 92 | 89 |
| 75— | M | 80 | 100 | 22 | 32 | 33 | 19 | 63 | 143 | 91 | 84 | 44 | 53 | 123 | 96 |
| | F | 94 | 108 | 15 | 23 | 49 | 21 | 84 | 109 | 87 | 110 | 45 | 51 | 95 | 117 |
| 80— | M | 50 | 67 | 9 | 25 | 35 | 15 | 45 | 75 | 51 | 61 | 33 | 59 | 50 | 78 |
| | F | 59 | 92 | 17 | 23 | 50 | 14 | 59 | 109 | 81 | 83 | 53 | 56 | 74 | 78 |
| 85— | M | 29 | 45 | 9 | 17 | 20 | 17 | 41 | 60 | 35 | 44 | 19 | 43 | 34 | 41 |
| | F | 70 | 70 | 9 | 14 | 44 | 15 | 53 | 90 | 57 | 71 | 28 | 46 | 59 | 55 |

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1923.

(Civilian population only).

| Age. | Sex. | Yorkshire, West Riding. | | Anglesey. | | Brecknockshire. | | Cardiganshire. | | Carmarthenshire. | | Carnarvonshire. | | Denbighshire. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | U | R | U | R | U | R | U | R | U | R | U | R | U | R |
| All Ages .. | M | 7102 | 2265 | 154 | 222 | 114 | 256 | 101 | 312 | 425 | 652 | 393 | 454 | 364 | 637 |
| | F | 6866 | 2078 | 139 | 240 | 108 | 226 | 128 | 371 | 403 | 604 | 424 | 462 | 359 | 558 |
| Under 1 month | M | 462 | 168 | 8 | 12 | 10 | 19 | 6 | 14 | 27 | 42 | 19 | 23 | 24 | 43 |
| | F | 357 | 163 | 11 | 8 | 5 | 11 | 2 | 11 | 26 | 31 | 18 | 9 | 7 | 23 |
| 1–3 months | M | 179 | 62 | 3 | 6 | — | 13 | 3 | 13 | 9 | 20 | 9 | 6 | 6 | 21 |
| | F | 133 | 56 | 1 | 11 | 2 | 2 | 2 | 3 | 8 | 16 | 6 | 9 | 6 | 8 |
| 3–6 months | M | 137 | 62 | 6 | 3 | — | 3 | — | 2 | 10 | 18 | 4 | 10 | 8 | 9 |
| | F | 106 | 39 | 3 | 2 | — | 5 | — | 1 | 7 | 8 | 3 | 12 | 9 | 8 |
| 6–12 months | M | 268 | 89 | 1 | 2 | — | 9 | 1 | 8 | 9 | 18 | 11 | 6 | 7 | 13 |
| | F | 182 | 56 | 2 | 5 | 2 | 7 | 1 | 2 | 15 | 7 | 2 | 12 | 6 | 15 |
| Total under 1 year | M | 1046 | 381 | 18 | 23 | 10 | 44 | 10 | 37 | 55 | 98 | 43 | 45 | 45 | 86 |
| | F | 778 | 314 | 17 | 26 | 9 | 25 | 5 | 17 | 56 | 62 | 29 | 42 | 28 | 54 |
| 1— | M | 251 | 73 | 4 | 3 | 4 | 3 | 2 | 3 | 10 | 7 | 2 | 7 | 6 | 11 |
| | F | 227 | 84 | 3 | 2 | 3 | 9 | 2 | 4 | 10 | 11 | 8 | 4 | 8 | 13 |
| 2— | M | 117 | 39 | — | 2 | 2 | 5 | 2 | 3 | 3 | 4 | 5 | 1 | 5 | 13 |
| | F | 97 | 38 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 4 | 3 | 2 | — | 2 |
| 3— | M | 61 | 19 | 1 | 4 | 3 | 2 | — | 1 | — | 8 | 1 | — | 2 | 6 |
| | F | 84 | 14 | — | 1 | 1 | 3 | 1 | 1 | 3 | 4 | 1 | 3 | 1 | 2 |
| 4— | M | 43 | 12 | 1 | 1 | — | 1 | 1 | 2 | 3 | 2 | — | — | — | 3 |
| | F | 35 | 15 | — | — | 1 | 4 | — | — | 4 | 4 | — | — | — | 1 |
| Total under 5 years | M | 1518 | 524 | 24 | 33 | 19 | 55 | 15 | 46 | 71 | 119 | 51 | 53 | 58 | 119 |
| | F | 1221 | 465 | 21 | 30 | 16 | 44 | 9 | 23 | 74 | 85 | 41 | 51 | 37 | 72 |
| 5— | M | 134 | 38 | 3 | 2 | 1 | 3 | 4 | 1 | 7 | 13 | — | 5 | 2 | 8 |
| | F | 134 | 41 | 3 | 5 | 3 | 6 | 2 | — | 7 | 10 | 5 | 3 | 7 | 8 |
| 10— | M | 101 | 41 | 3 | 2 | 2 | 1 | — | 5 | 4 | 12 | 3 | 1 | 5 | 7 |
| | F | 97 | 22 | 2 | 4 | 4 | 6 | 1 | 3 | 5 | 6 | 1 | 9 | 4 | 10 |
| 15— | M | 174 | 50 | 5 | 4 | 4 | 2 | 4 | 4 | 11 | 18 | 16 | 7 | 6 | 8 |
| | F | 148 | 50 | 4 | 4 | 4 | 6 | 4 | 8 | 11 | 23 | 5 | 8 | 7 | 13 |
| 20— | M | 154 | 67 | 5 | 5 | 4 | 6 | 3 | 6 | 9 | 14 | 14 | 9 | 4 | 19 |
| | F | 147 | 46 | 3 | 6 | 2 | 5 | 1 | 8 | 13 | 24 | 12 | 9 | 4 | 13 |
| 25— | M | 136 | 57 | 5 | 6 | 4 | 7 | 1 | 2 | 17 | 25 | 9 | 6 | 6 | 18 |
| | F | 164 | 35 | 6 | 8 | 3 | 6 | 5 | 7 | 11 | 20 | 11 | 12 | 5 | 27 |
| 30— | M | 156 | 60 | 2 | 1 | 5 | 3 | 1 | 7 | 15 | 20 | 8 | 9 | 12 | 11 |
| | F | 164 | 49 | 5 | 9 | 3 | 4 | 3 | 15 | 9 | 16 | 12 | 12 | 7 | 23 |
| 35— | M | 205 | 60 | 8 | 4 | 2 | 10 | 5 | 11 | 12 | 27 | 6 | 14 | 17 | 10 |
| | F | 187 | 61 | 5 | 5 | 4 | 2 | 4 | 6 | 16 | 23 | 12 | 13 | 5 | 16 |
| 40— | M | 271 | 74 | 6 | 8 | — | 8 | 3 | 6 | 20 | 31 | 15 | 12 | 14 | 20 |
| | F | 230 | 61 | 2 | 11 | 3 | 10 | 5 | 8 | 11 | 13 | 15 | 16 | 14 | 15 |
| 45— | M | 342 | 83 | 9 | 7 | 4 | 15 | 5 | 11 | 24 | 25 | 23 | 16 | 16 | 25 |
| | F | 281 | 88 | 5 | 8 | 4 | 9 | 3 | 9 | 18 | 23 | 15 | 21 | 23 | 28 |
| 50— | M | 438 | 111 | 7 | 2 | 5 | 6 | 4 | 16 | 28 | 30 | 15 | 23 | 20 | 32 |
| | F | 357 | 95 | 6 | 11 | 6 | 4 | 7 | 6 | 17 | 28 | 17 | 23 | 24 | 28 |
| 55— | M | 546 | 127 | 16 | 10 | 13 | 19 | 6 | 21 | 28 | 41 | 29 | 26 | 30 | 48 |
| | F | 456 | 112 | 8 | 16 | 5 | 12 | 3 | 23 | 20 | 39 | 26 | 25 | 20 | 32 |
| 60— | M | 624 | 142 | 16 | 24 | 9 | 26 | 14 | 25 | 37 | 57 | 32 | 38 | 38 | 59 |
| | F | 530 | 140 | 6 | 17 | 10 | 12 | 6 | 22 | 44 | 42 | 31 | 44 | 27 | 49 |
| 65— | M | 710 | 229 | 11 | 28 | 13 | 23 | 10 | 31 | 51 | 56 | 41 | 62 | 41 | 62 |
| | F | 668 | 185 | 9 | 21 | 7 | 16 | 14 | 36 | 38 | 56 | 38 | 35 | 33 | 60 |
| 70— | M | 703 | 206 | 9 | 22 | 10 | 27 | 10 | 31 | 33 | 56 | 52 | 51 | 39 | 75 |
| | F | 731 | 212 | 17 | 20 | 14 | 28 | 18 | 42 | 38 | 47 | 55 | 51 | 35 | 47 |
| 75— | M | 495 | 187 | 6 | 22 | 10 | 22 | 9 | 35 | 28 | 54 | 42 | 59 | 31 | 60 |
| | F | 659 | 186 | 18 | 26 | 6 | 22 | 19 | 63 | 29 | 73 | 57 | 56 | 47 | 43 |
| 80— | M | 279 | 141 | 14 | 29 | 6 | 12 | 4 | 31 | 23 | 28 | 29 | 44 | 16 | 39 |
| | F | 458 | 131 | 13 | 20 | 9 | 16 | 17 | 49 | 24 | 45 | 36 | 39 | 38 | 52 |
| 85— | M | 116 | 68 | 5 | 13 | 3 | 11 | 3 | 23 | 7 | 26 | 8 | 19 | 9 | 17 |
| | F | 234 | 99 | 6 | 19 | 5 | 18 | 7 | 43 | 18 | 31 | 35 | 35 | 22 | 22 |

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1923.

(Civilian population only.)

| Age. | Sex. | Flintshire. | | Glamorganshire. | | Merionethshire. | | Monmouthshire. | | Montgomeryshire. | | Pembrokeshire. | | Radnorshire. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | U | R | U | R | U | R | U | R | U | R | U | R | U | R |
| All Ages .. | M | 236 | 436 | 3657 | 1082 | 154 | 200 | 1783 | 300 | 126 | 250 | 256 | 323 | 44 | 115 |
| | F | 246 | 417 | 3082 | 920 | 138 | 179 | 1531 | 246 | 138 | 215 | 244 | 322 | 35 | 89 |
| Under 1 month | M | 13 | 34 | 294 | 90 | 9 | 6 | 155 | 12 | 5 | 13 | 18 | 21 | 2 | 5 |
| | F | 8 | 15 | 224 | 66 | 6 | 6 | 118 | 13 | 3 | 7 | 13 | 11 | — | 3 |
| 1–3 months | M | 3 | 7 | 97 | 35 | 4 | 7 | 40 | 4 | 2 | 8 | 7 | 12 | — | 4 |
| | F | 2 | 9 | 68 | 18 | 1 | 3 | 41 | 5 | — | 1 | 8 | 3 | — | 1 |
| 3–6 months | M | 3 | 8 | 86 | 28 | 4 | 1 | 34 | 3 | 1 | 5 | 3 | 4 | 1 | 3 |
| | F | 3 | 4 | 82 | 21 | 1 | — | 28 | 2 | 1 | 4 | 3 | 5 | — | — |
| 6–12 months | M | 6 | 10 | 176 | 35 | 3 | 3 | 87 | 5 | — | 3 | 5 | 4 | — | 1 |
| | F | 8 | 7 | 114 | 24 | 2 | 3 | 87 | 4 | 3 | 3 | 4 | 1 | — | — |
| Total under 1 year | M | 25 | 59 | 653 | 188 | 20 | 17 | 316 | 24 | 8 | 29 | 33 | 41 | 3 | 13 |
| | F | 21 | 35 | 488 | 129 | 10 | 12 | 274 | 24 | 7 | 15 | 28 | 20 | — | 4 |
| 1— | M | 4 | 6 | 165 | 31 | 7 | 4 | 98 | 6 | 1 | 5 | 3 | 5 | 1 | 3 |
| | F | 1 | 4 | 213 | 33 | 2 | 1 | 89 | 4 | 6 | 2 | 4 | 4 | — | 3 |
| 2— | M | 4 | 8 | 80 | 17 | — | 1 | 51 | 3 | — | 1 | 3 | 1 | 1 | — |
| | F | 3 | 3 | 71 | 9 | 2 | 2 | 28 | 2 | 1 | 1 | 1 | 3 | 1 | — |
| 3— | M | 2 | 5 | 42 | 14 | 1 | 1 | 19 | 2 | 1 | 2 | 4 | — | 1 | — |
| | F | 2 | 3 | 38 | 6 | — | 2 | 27 | 1 | — | 1 | 2 | 2 | — | — |
| 4— | M | 3 | — | 28 | 8 | — | 2 | 11 | 1 | 1 | — | 2 | 1 | — | — |
| | F | — | 3 | 26 | 5 | — | 1 | 23 | 1 | — | 1 | 1 | 1 | — | — |
| Total under 5 years | M | 38 | 78 | 968 | 258 | 28 | 25 | 495 | 36 | 11 | 37 | 45 | 48 | 6 | 16 |
| | F | 27 | 48 | 836 | 182 | 14 | 18 | 441 | 32 | 14 | 20 | 36 | 30 | 1 | 7 |
| 5— | M | 3 | 5 | 92 | 25 | 3 | 2 | 44 | 9 | 1 | 2 | 8 | 4 | — | — |
| | F | 5 | 5 | 81 | 21 | — | 3 | 43 | 4 | — | 3 | 5 | 4 | — | — |
| 10— | M | 3 | 4 | 66 | 22 | 2 | 4 | 35 | 3 | 1 | 3 | 4 | 5 | — | 1 |
| | F | 4 | 7 | 65 | 15 | — | 1 | 42 | 8 | 2 | 6 | 2 | 5 | — | — |
| 15— | M | 3 | 10 | 106 | 26 | 4 | 6 | 39 | 4 | 1 | 3 | 6 | 5 | 1 | 1 |
| | F | 2 | 5 | 94 | 31 | — | 4 | 48 | 12 | 2 | 1 | 5 | 3 | — | 3 |
| 20— | M | 7 | 15 | 112 | 30 | 1 | 8 | 53 | 5 | 8 | 1 | 7 | 9 | 2 | 3 |
| | F | 3 | 8 | 120 | 30 | 5 | 4 | 42 | 6 | 5 | 6 | 10 | 9 | 1 | 2 |
| 25— | M | 8 | 4 | 120 | 29 | 2 | 5 | 41 | 8 | 4 | 2 | 9 | 5 | 2 | 2 |
| | F | 9 | 13 | 112 | 43 | 1 | 5 | 54 | 10 | 4 | 3 | 4 | 10 | 1 | 4 |
| 30— | M | 11 | 7 | 99 | 39 | 3 | 4 | 49 | 8 | 1 | 4 | 12 | 10 | — | 6 |
| | F | 5 | 3 | 109 | 23 | 6 | 5 | 52 | 6 | — | 8 | 11 | 6 | 1 | 3 |
| 35— | M | 5 | 15 | 149 | 35 | 4 | 4 | 62 | 5 | 5 | 5 | 3 | 10 | 1 | 2 |
| | F | 6 | 16 | 94 | 33 | 4 | 10 | 59 | 5 | 4 | 5 | 5 | 9 | 2 | 3 |
| 40— | M | 12 | 20 | 159 | 37 | 3 | 2 | 62 | 17 | 5 | 8 | 7 | 8 | 1 | 9 |
| | F | 10 | 15 | 125 | 31 | 3 | 5 | 57 | 2 | 3 | 7 | 4 | 8 | — | 2 |
| 45— | M | 9 | 24 | 197 | 60 | 5 | 4 | 88 | 5 | 5 | 12 | 11 | 8 | 2 | 3 |
| | F | 17 | 16 | 128 | 37 | 9 | 5 | 66 | 7 | 6 | 10 | 4 | 4 | 1 | 3 |
| 50— | M | 17 | 21 | 201 | 62 | 7 | 6 | 99 | 20 | 7 | 8 | 9 | 23 | 5 | 4 |
| | F | 12 | 22 | 158 | 46 | 9 | 5 | 57 | 12 | 8 | 13 | 16 | 12 | 2 | 4 |
| 55— | M | 16 | 33 | 277 | 59 | 10 | 16 | 100 | 18 | 13 | 16 | 20 | 25 | 2 | 5 |
| | F | 18 | 29 | 161 | 56 | 7 | 13 | 70 | 10 | 8 | 15 | 15 | 25 | 2 | 4 |
| 60— | M | 13 | 38 | 307 | 73 | 13 | 15 | 157 | 23 | 11 | 16 | 26 | 25 | 4 | 4 |
| | F | 15 | 32 | 188 | 56 | 15 | 11 | 90 | 13 | 11 | 11 | 23 | 25 | 2 | 6 |
| 65— | M | 23 | 35 | 251 | 87 | 20 | 23 | 145 | 38 | 13 | 33 | 21 | 38 | 8 | 10 |
| | F | 21 | 36 | 184 | 68 | 19 | 12 | 89 | 26 | 13 | 23 | 22 | 25 | 7 | 13 |
| 70— | M | 20 | 57 | 257 | 97 | 16 | 19 | 155 | 26 | 19 | 28 | 34 | 34 | 4 | 13 |
| | F | 28 | 46 | 226 | 75 | 13 | 23 | 115 | 30 | 12 | 19 | 28 | 51 | 3 | 3 |
| 75— | M | 29 | 30 | 152 | 84 | 17 | 21 | 88 | 40 | 11 | 26 | 19 | 32 | 3 | 10 |
| | F | 25 | 50 | 206 | 88 | 13 | 22 | 99 | 26 | 15 | 31 | 24 | 43 | 5 | 16 |
| 80— | M | 12 | 26 | 108 | 35 | 12 | 23 | 45 | 25 | 8 | 30 | 12 | 25 | 3 | 17 |
| | F | 19 | 41 | 127 | 51 | 11 | 13 | 73 | 22 | 18 | 19 | 18 | 37 | 2 | 8 |
| 85— | M | 7 | 14 | 36 | 24 | 4 | 13 | 26 | 10 | 2 | 16 | 3 | 9 | — | 9 |
| | F | 20 | 25 | 68 | 34 | 9 | 20 | 34 | 15 | 13 | 15 | 12 | 16 | 5 | 8 |

## Causes of Death at different Age-Periods, 1923. (Total Deaths Registered).

Note.—The sequence of causes of death followed in this table is that of the International List of Causes of Death. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus, **2** Typhus 5, 15, 20, *50*, denotes that the deaths of three males in age-groups 5–10, 15–20 and 20–25 and one female in age-group 50–55 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

| Causes of Death | All Causes | | I. 1–42 Epidemic, Endemic and Infectious Diseases. | | 1 Enteric fever. | | 1 (*a*) Typhoid fever. | | 1 (*b*) Paratyphoid fever. | | 2, 3, 4* 5 Malaria. | | 6* 7 Measles. | | 8 Scarlet fever. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 226858 | 217927 | 35656 | 31381 | 227 | 223 | 211 | 208 | 16 | 15 | 76 | 5 | 2881 | 2435 | 503 | 490 |
| 0—1 | 30324 | 22258 | 3143 | 2535 | — | — | — | — | — | — | — | — | 666 | 468 | 20 | 5 |
| 1—5 | 13682 | 12310 | 5727 | 5434 | 3 | 3 | 3 | 3 | — | — | 1 | — | 2022 | 1776 | 250 | 231 |
| 5—10 | 3775 | 3453 | 1498 | 1630 | 9 | 12 | 8 | 12 | 1 | — | — | — | 162 | 155 | 135 | 121 |
| 10—15 | 2965 | 2927 | 933 | 1278 | 13 | 19 | 13 | 18 | — | 1 | — | — | 13 | 16 | 42 | 57 |
| 15—20 | 4551 | 4473 | 1800 | 2588 | 37 | 35 | 34 | 34 | 3 | 1 | — | — | 4 | 7 | 20 | 25 |
| 20—25 | 5304 | 5055 | 2613 | 2725 | 20 | 27 | 17 | 24 | 3 | 3 | 6 | — | 2 | 4 | 11 | 15 |
| 25—30 | 5016 | 5337 | 2362 | 2525 | 24 | 25 | 24 | 25 | — | — | 8 | 1 | 3 | 2 | 6 | 8 |
| 30—35 | 5440 | 5532 | 2242 | 2063 | 33 | 16 | 31 | 15 | 2 | 1 | 14 | 1 | 1 | — | 3 | 12 |
| 35—40 | 6890 | 6300 | 2424 | 1827 | 16 | 22 | 14 | 20 | 2 | 2 | 14 | — | — | 3 | 6 | 7 |
| 40—45 | 8851 | 7513 | 2585 | 1668 | 11 | 16 | 10 | 15 | 1 | 1 | 7 | 1 | 1 | 1 | 4 | 4 |
| 45—50 | 11206 | 9152 | 2560 | 1382 | 14 | 16 | 13 | 14 | 1 | 2 | 7 | 2 | 1 | 1 | 3 | 1 |
| 50—55 | 13397 | 11065 | 2046 | 1117 | 17 | 12 | 16 | 10 | 1 | 2 | 6 | — | 2 | — | 3 | 2 |
| 55—60 | 16103 | 13062 | 1839 | 962 | 15 | 7 | 14 | 6 | 1 | 1 | 5 | — | 2 | — | — | 1 |
| 60—65 | 19074 | 16167 | 1426 | 939 | 7 | 6 | 6 | 6 | 1 | — | 3 | — | — | 1 | — | 1 |
| 65—70 | 21408 | 19331 | 1114 | 856 | 5 | 4 | 5 | 4 | — | — | 2 | — | — | — | — | — |
| 70—75 | 21519 | 22581 | 649 | 757 | 2 | — | 2 | — | — | — | 1 | — | 2 | — | — | — |
| 75—80 | 18433 | 21900 | 402 | 567 | 1 | 2 | 1 | 1 | — | 1 | 1 | — | — | 1 | — | — |
| 80 and upwards | 18920 | 29511 | 293 | 528 | — | 1 | — | 1 | — | — | 1 | — | — | — | — | — |

* **2.** Typhus 65; **3.** Relapsing fever (Spirillum obermeieri) —. **4.** Mediterranean fever *30*; **6.** Small-pox 0, 5, 15, 55, 55; *0, 25*.

| Causes of Death. | 9 Whooping cough. | | 10 Diphtheria. | | 11 Influenza. | | 11 (*a*) 1. With pneumonic complications. | | 11 (*a*) 2. With other pulmonary complications. | | 11 (*b*) 1. With non-pulmonary complications. | | 11 (*b*) 2. Without stated complication. | | 12* 13 Mumps. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1909 | 2253 | 1317 | 1405 | 4305 | 4156 | 2021 | 1561 | 755 | 907 | 952 | 963 | 577 | 725 | 12 | 7 |
| 0—1 | 949 | 958 | 70 | 49 | 163 | 128 | 76 | 53 | 29 | 18 | 42 | 43 | 16 | 14 | 2 | 1 |
| 1—5 | 898 | 1228 | 682 | 642 | 177 | 148 | 69 | 70 | 24 | 13 | 71 | 50 | 13 | 15 | 5 | 2 |
| 5—10 | 51 | 56 | 393 | 511 | 70 | 55 | 21 | 17 | 10 | 3 | 28 | 19 | 11 | 16 | 2 | 2 |
| 10—15 | 4 | 2 | 117 | 130 | 59 | 70 | 20 | 30 | 7 | 4 | 27 | 29 | 5 | 7 | 1 | 1 |
| 15—20 | 2 | 3 | 23 | 29 | 133 | 103 | 66 | 46 | 9 | 6 | 41 | 37 | 17 | 14 | — | — |
| 20—25 | 1 | — | 5 | 11 | 123 | 111 | 72 | 56 | 9 | 11 | 33 | 33 | 9 | 11 | 1 | — |
| 25—30 | — | — | 6 | 5 | 129 | 150 | 81 | 74 | 9 | 12 | 26 | 48 | 13 | 16 | — | — |
| 30—35 | — | 1 | 9 | 3 | 168 | 149 | 103 | 85 | 18 | 18 | 27 | 32 | 20 | 14 | — | — |
| 35—40 | — | — | 3 | 5 | 228 | 173 | 157 | 96 | 18 | 17 | 36 | 40 | 17 | 20 | 1 | — |
| 40—45 | — | — | 1 | 4 | 279 | 179 | 175 | 80 | 32 | 29 | 47 | 50 | 25 | 20 | — | — |
| 45—50 | — | — | 4 | 5 | 295 | 178 | 180 | 82 | 49 | 31 | 49 | 41 | 17 | 24 | — | — |
| 50—55 | 1 | — | — | 2 | 319 | 214 | 167 | 85 | 48 | 46 | 69 | 60 | 35 | 23 | — | — |
| 55—60 | — | — | 1 | 2 | 404 | 264 | 212 | 114 | 61 | 67 | 92 | 57 | 39 | 26 | — | — |
| 60—65 | 1 | 1 | — | 4 | 413 | 390 | 166 | 169 | 87 | 84 | 93 | 96 | 67 | 41 | — | — |
| 65—70 | — | 1 | — | — | 456 | 450 | 209 | 159 | 107 | 125 | 78 | 100 | 62 | 66 | — | — |
| 70—75 | 1 | 1 | 2 | 2 | 374 | 514 | 139 | 154 | 92 | 146 | 83 | 101 | 60 | 113 | — | 1 |
| 75—80 | — | 1 | — | — | 281 | 436 | 70 | 116 | 80 | 146 | 64 | 59 | 67 | 115 | — | — |
| 80 and upwards | 1 | 1 | 1 | 1 | 234 | 444 | 38 | 75 | 66 | 131 | 46 | 68 | 84 | 170 | — | — |

***12** Miliary fever —.

TABLE 17—*contd.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (TOTAL DEATHS REGISTERED).

| Causes of Death. | 14* 15 Cholera nostras. | | 16 Dysentery. | | 16 (*a*) Amœbic. | | 16 (*b*) Bacillary. | | 16 (*c*) Other or unspecified. | | 17, 18, 19, 20* 21 Erysipelas. | | 22 Acute poliomyelitis. | | 22 (1) Poliomyelitis. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | — | 91 | 58 | 8 | 5 | 7 | 5 | 76 | 48 | 306 | 316 | 60 | 59 | 36 | 43 |
| 0—1 | — | — | 1 | 1 | — | — | — | 1 | 1 | — | 39 | 46 | 15 | 3 | 9 | 2 |
| 1—5 | — | — | 4 | 1 | — | — | 1 | — | 3 | 1 | 5 | 8 | 18 | 30 | 12 | 21 |
| 5—10 | — | — | 4 | 1 | — | — | 2 | — | 2 | 1 | 3 | 3 | 7 | 6 | 4 | 5 |
| 10—15 | — | — | 4 | — | — | — | — | — | 4 | — | 5 | 7 | 6 | 10 | 4 | 7 |
| 15—20 | — | — | 3 | 1 | — | — | — | — | 3 | 1 | 8 | 6 | 4 | 6 | 3 | 6 |
| 20—25 | — | — | 4 | — | — | — | 1 | — | 3 | — | 8 | 12 | 2 | — | 1 | — |
| 25—30 | — | — | 9 | 2 | 1 | — | — | 1 | 8 | 1 | 8 | 9 | 3 | 1 | 1 | 1 |
| 30—35 | — | — | 7 | 1 | 4 | — | — | — | 3 | 1 | 6 | 7 | — | — | — | — |
| 35—40 | — | — | 10 | 7 | — | 1 | — | — | 10 | 6 | 14 | 13 | — | — | — | — |
| 40—45 | — | — | 12 | 7 | 1 | 1 | 2 | — | 9 | 6 | 18 | 15 | 1 | — | — | — |
| 45—50 | — | — | 6 | 6 | — | 1 | — | — | 6 | 5 | 22 | 25 | 1 | 2 | 1 | — |
| 50—55 | — | — | 6 | 6 | 1 | 1 | — | — | 5 | 5 | 30 | 28 | — | — | — | — |
| 55—60 | — | — | 4 | 5 | 1 | — | 1 | — | 2 | 5 | 27 | 19 | — | — | — | — |
| 60—65 | — | — | 5 | 4 | — | — | — | — | 5 | 4 | 34 | 17 | 1 | 1 | — | 1 |
| 65—70 | — | — | 5 | 7 | — | — | — | 1 | 5 | 6 | 31 | 27 | 1 | — | 1 | — |
| 70—75 | — | — | 3 | 5 | — | 1 | — | 1 | 3 | 3 | 25 | 25 | — | — | — | — |
| 75—80 | — | — | 2 | 2 | — | — | — | 1 | | 1 | 11 | 24 | — | — | — | — |
| 80 and upwards | — | — | 2 | 2 | — | — | — | — | 2 | 2 | 12 | 25 | 1 | — | — | — |

* **14.** Asiatic cholera —; **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis-ictero-hæmorrhagica *25*; **20.** Leprosy 45, 75,

| Causes of Death. | 22 (2) Polioencephalitis. | | 23 Encephalitis lethargica. | | 24 Meningococcal meningitis. | | 25 Other epidemic diseases. | | 25 (1) German measles. | | 25 (2) Varicella. | | 25 (3) Other diseases included under 25. | | 26* 27 Anthrax. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 24 | 16 | 276 | 255 | 144 | 140 | 47 | 28 | 7 | 10 | 36 | 16 | 4 | 2 | 13 | — |
| 0—1 | 6 | 1 | 2 | 4 | 45 | 41 | 20 | 15 | 2 | 4 | 18 | 11 | — | — | — | — |
| 1—5 | 6 | 9 | 27 | 29 | 38 | 28 | 22 | 9 | 5 | 4 | 17 | 4 | 1 | — | — | — |
| 5—10 | 3 | 1 | 24 | 15 | 16 | 16 | 1 | 3 | — | 2 | 1 | 1 | — | — | — | — |
| 10—15 | 2 | 3 | 19 | 16 | 13 | 17 | — | — | — | — | — | — | — | — | — | — |
| 15—20 | 1 | — | 26 | 18 | 9 | 13 | — | — | — | — | — | — | — | — | — | — |
| 20—25 | 1 | — | 13 | 18 | 5 | 12 | — | — | — | — | — | — | — | — | 1 | — |
| 25—30 | 2 | — | 15 | 21 | 9 | 6 | 2 | — | — | — | — | — | 2 | — | 1 | — |
| 30—35 | — | — | 12 | 9 | 2 | — | — | — | — | — | — | — | — | — | 2 | — |
| 35—40 | — | — | 24 | 18 | 1 | 4 | — | — | — | — | — | — | — | — | 1 | — |
| 40—45 | 1 | — | 17 | 17 | 3 | — | — | — | — | — | — | — | — | — | 3 | — |
| 45—50 | — | 2 | 15 | 19 | 1 | 3 | 2 | — | — | — | — | — | 2 | — | — | — |
| 50—55 | — | — | 29 | 17 | 1 | — | — | — | — | — | — | — | — | — | 3 | — |
| 55—60 | — | — | 22 | 23 | 1 | — | — | — | — | — | — | — | — | — | 2 | — |
| 60—65 | 1 | — | 17 | 14 | — | — | — | 1 | — | — | — | — | — | 1 | — | — |
| 65—70 | — | — | 9 | 12 | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |

* **26.** Glanders —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | 28* 29 Tetanus. | | 30 Mycoses. | | 30 (1) Actino-mycosis. | | 30 (2) Other mycoses. | | Tuberculosis. 31–37 All forms. | | 31 Respiratory system. | | 32 Nervous system. | | 33 Intestines and peritoneum. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 127 | 47 | 77 | 51 | 33 | 15 | 44 | 36 | 22085 | 18703 | 17571 | 14526 | 1677 | 1579 | 951 | 1001 |
| 0—1 | 12 | 8 | 28 | 16 | — | — | 28 | 16 | 602 | 434 | 76 | 54 | 281 | 215 | 137 | 92 |
| 1—5 | 3 | 1 | 1 | 3 | — | — | 1 | 3 | 1517 | 1253 | 211 | 160 | 712 | 643 | 312 | 249 |
| 5—10 | 9 | 3 | — | — | — | — | — | — | 599 | 656 | 108 | 188 | 261 | 276 | 90 | 92 |
| 10—15 | 16 | 2 | 2 | — | 2 | — | — | — | 596 | 919 | 226 | 546 | 159 | 175 | 63 | 76 |
| 15—20 | 22 | 3 | 4 | 2 | 4 | 2 | — | — | 1481 | 2321 | 1120 | 1961 | 92 | 99 | 69 | 94 |
| 20—25 | 7 | — | 3 | 3 | 3 | 3 | — | — | 2377 | 2487 | 2054 | 2215 | 57 | 56 | 56 | 70 |
| 25—30 | 4 | 7 | 5 | 2 | 4 | — | 1 | 2 | 2096 | 2258 | 1902 | 2042 | 30 | 42 | 36 | 63 |
| 30—35 | 7 | 4 | 5 | — | 4 | — | 1 | — | 1936 | 1839 | 1761 | 1666 | 25 | 20 | 27 | 62 |
| 35—40 | 8 | 6 | 8 | 1 | 5 | 1 | 3 | — | 2052 | 1536 | 1900 | 1385 | 20 | 14 | 34 | 48 |
| 40—45 | 6 | 6 | 3 | — | 2 | — | 1 | — | 2151 | 1385 | 2021 | 1252 | 12 | 11 | 26 | 46 |
| 45—50 | 8 | 2 | 4 | 3 | 3 | 3 | 1 | — | 2089 | 1085 | 1957 | 958 | 17 | 16 | 38 | 30 |
| 50—55 | 11 | 1 | 4 | 6 | 1 | 3 | 3 | 3 | 1548 | 798 | 1468 | 703 | 5 | 5 | 19 | 24 |
| 55—60 | 6 | 2 | 3 | 3 | 1 | 1 | 2 | 2 | 1272 | 603 | 1176 | 517 | 5 | 4 | 19 | 22 |
| 60—65 | 6 | 1 | — | 5 | — | 1 | — | 4 | 885 | 466 | 810 | 371 | 1 | 1 | 14 | 20 |
| 65—70 | 1 | — | 1 | 3 | — | — | 1 | 3 | 558 | 332 | 514 | 267 | — | 1 | 6 | 7 |
| 70—75 | 1 | — | 1 | 1 | — | — | 1 | 1 | 210 | 195 | 176 | 157 | — | — | 5 | 2 |
| 75—80 | — | — | 5 | — | 4 | — | 1 | — | 85 | 93 | 70 | 65 | — | — | — | 1 |
| 80 and upwards | — | 1 | — | 3 | — | 1 | — | 2 | 31 | 43 | 21 | 19 | — | 1 | — | 3 |

* **28.** Rabies —.

| Causes of Death. | Tuberculosis—*continued.* 34 Vertebral column. | | 35 Joints. | | 36 Other organs. | | 36 (*a*) Skin and subcutaneous tissue. | | 36 (*b*) Bones (vertebral column excepted). | | 36 (*c*) Lymphatic system (abdominal glands excptd). | | 36 (*d*) Genito-urinary system. | | 36 (*e*) Others in 36. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 332 | 271 | 156 | 118 | 305 | 259 | 25 | 48 | 58 | 40 | 47 | 60 | 158 | 102 | 17 | 9 |
| 0—1 | — | 1 | 2 | — | 19 | 5 | — | — | 3 | 1 | 9 | 3 | — | — | 7 | 1 |
| 1—5 | 14 | 5 | 8 | 7 | 24 | 11 | — | 1 | 4 | 2 | 14 | 8 | 3 | — | 3 | — |
| 5—10 | 18 | 10 | 4 | 8 | 10 | 9 | — | — | 3 | 2 | 2 | 5 | 5 | 1 | — | 1 |
| 10—15 | 39 | 17 | 18 | 8 | 11 | 5 | — | — | 1 | 2 | 3 | 2 | 6 | 1 | 1 | — |
| 15—20 | 32 | 21 | 20 | 11 | 18 | 14 | — | 5 | 7 | 2 | 2 | — | 8 | 6 | 1 | 1 |
| 20—25 | 50 | 22 | 20 | 5 | 33 | 23 | — | 1 | 3 | 4 | 2 | 2 | 28 | 15 | — | 1 |
| 25—30 | 41 | 18 | 5 | 4 | 21 | 19 | 3 | 1 | 3 | 1 | 1 | 5 | 14 | 12 | — | — |
| 30—35 | 26 | 16 | 6 | 6 | 26 | 20 | 2 | 2 | 1 | 1 | 3 | 2 | 20 | 14 | — | 1 |
| 35—40 | 16 | 23 | 10 | 2 | 20 | 17 | 4 | 1 | 3 | 4 | — | 3 | 13 | 9 | — | — |
| 40—45 | 17 | 22 | 7 | 8 | 23 | 17 | 1 | 3 | 3 | 3 | 2 | 3 | 17 | 8 | — | — |
| 45—50 | 14 | 27 | 9 | 6 | 18 | 21 | — | 5 | 4 | 2 | 1 | 2 | 12 | 12 | 1 | — |
| 50—55 | 17 | 22 | 10 | 6 | 12 | 14 | 1 | — | 4 | 3 | 1 | 3 | 6 | 7 | — | 1 |
| 55—60 | 17 | 17 | 5 | 8 | 17 | 15 | 2 | 3 | 5 | 2 | 1 | 4 | 8 | 5 | 1 | 1 |
| 60—65 | 11 | 19 | 12 | 12 | 18 | 21 | 2 | 4 | 1 | 3 | 3 | 5 | 10 | 8 | 2 | 1 |
| 65—70 | 11 | 16 | 11 | 8 | 9 | 12 | 2 | 5 | 3 | 2 | — | 2 | 4 | 2 | — | 1 |
| 70—75 | 6 | 8 | 5 | 7 | 13 | 14 | 3 | 6 | 5 | 2 | 2 | 5 | 3 | 1 | — | — |
| 75—80 | — | 3 | 3 | 9 | 7 | 12 | 3 | 5 | 4 | 2 | — | 5 | — | — | — | — |
| 80 and upwards | 3 | 4 | 1 | 3 | 6 | 10 | 2 | 6 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | — |

## ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (TOTAL DEATHS REGISTERED).

| Causes of Death. | Tuberculosis—*continued.* 37 Disseminated tuberculosis. | | 37 (*a*) Acute. | | 37 (*b*) Chronic or unstated. | | 38 Syphilis. | | 39* 40 Gonococcal infection. | | 40 (1) Gonococcal infection (ophthalmia excepted). | | 40 (2) Gonorrhœal or purulent ophthalmia. | | 41 Purulent infection, septicæmia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1093 | 949 | 393 | 404 | 700 | 545 | 857 | 532 | 21 | 21 | 15 | 11 | 6 | 10 | 314 | 193 |
| 0—1 | 87 | 67 | 44 | 30 | 43 | 37 | 478 | 319 | 7 | 11 | 1 | 1 | 6 | 10 | 23 | 27 |
| 1—5 | 236 | 178 | 101 | 82 | 135 | 96 | 39 | 31 | — | 1 | — | 1 | — | — | 15 | 10 |
| 5—10 | 108 | 73 | 40 | 37 | 68 | 36 | — | 3 | — | — | — | — | — | — | 12 | 12 |
| 10—15 | 80 | 92 | 27 | 42 | 53 | 50 | 4 | 2 | — | — | — | — | — | — | 19 | 10 |
| 15—20 | 130 | 121 | 47 | 64 | 83 | 57 | 3 | 4 | — | 3 | — | 3 | — | — | 20 | 9 |
| 20—25 | 107 | 96 | 28 | 41 | 79 | 55 | 6 | 13 | 1 | — | 1 | — | — | — | 17 | 12 |
| 25—30 | 61 | 70 | 16 | 33 | 45 | 37 | 16 | 13 | 1 | 4 | 1 | 4 | — | — | 17 | 9 |
| 30—35 | 65 | 49 | 18 | 17 | 47 | 32 | 22 | 14 | 1 | — | 1 | — | — | — | 14 | 6 |
| 35—40 | 52 | 47 | 21 | 20 | 31 | 27 | 24 | 20 | 1 | 2 | 1 | 2 | — | — | 13 | 10 |
| 40—45 | 45 | 29 | 16 | 8 | 29 | 21 | 48 | 19 | — | — | — | — | — | — | 20 | 14 |
| 45—50 | 36 | 27 | 15 | 10 | 21 | 17 | 55 | 21 | 4 | — | 4 | — | — | — | 28 | 13 |
| 50—55 | 17 | 24 | 6 | 7 | 11 | 17 | 42 | 19 | 3 | — | 3 | — | — | — | 21 | 12 |
| 55—60 | 33 | 20 | 8 | 4 | 25 | 16 | 43 | 21 | 1 | — | 1 | — | — | — | 29 | 12 |
| 60—65 | 19 | 22 | 5 | 4 | 14 | 18 | 35 | 15 | 2 | — | 2 | — | — | — | 17 | 12 |
| 65—70 | 7 | 21 | 1 | 2 | 6 | 19 | 24 | 9 | — | — | — | — | — | — | 20 | 11 |
| 70—75 | 5 | 7 | — | 3 | 5 | 4 | 10 | 6 | — | — | — | — | — | — | 14 | 5 |
| 75—80 | 5 | 3 | — | — | 5 | 3 | 6 | 2 | — | — | — | — | — | — | 8 | 3 |
| 80 and upwards | — | 3 | — | — | — | 3 | 2 | 1 | — | — | — | — | — | — | 7 | 6 |

* **39.** Soft chancre —.

| Causes of Death. | 41 (1), 42* 41 (2) Other forms. | | II. 43–69 General diseases not included in I. 1–42. | | Cancer, Malignant Disease. 43–49 Total Deaths. | | 43 Buccal cavity. | | 44 Pharynx, œsophagus, stomach, liver and annexa. | | 45 Peritoneum, intestines, and rectum. | | 46 Female genital organs. | | 47 Breast. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 311 | 188 | 28664 | 35270 | 22065 | 26603 | 2548 | 414 | 8335 | 7070 | 5010 | 5338 | — | 5572 | 34 | 4996 |
| 0—1 | 21 | 27 | 284 | 186 | 9 | 11 | — | — | 2 | 1 | — | — | — | — | — | — |
| 1—5 | 15 | 10 | 392 | 267 | 47 | 40 | 3 | 2 | 3 | — | 4 | 1 | — | 1 | — | — |
| 5—10 | 12 | 10 | 240 | 182 | 26 | 27 | 1 | 1 | 2 | — | 1 | 1 | — | 3 | — | — |
| 10—15 | 19 | 9 | 281 | 295 | 54 | 21 | 5 | — | 5 | 5 | 4 | 1 | — | 4 | — | — |
| 15—20 | 19 | 8 | 332 | 339 | 67 | 46 | 1 | 1 | 4 | 1 | 7 | — | — | 13 | — | 1 |
| 20—25 | 17 | 12 | 273 | 341 | 93 | 77 | 4 | 4 | 8 | 6 | 15 | 18 | — | 15 | — | 2 |
| 25—30 | 17 | 9 | 284 | 399 | 107 | 144 | 6 | 2 | 15 | 12 | 25 | 32 | — | 41 | — | 10 |
| 30—35 | 14 | 6 | 387 | 636 | 197 | 360 | 5 | 2 | 64 | 47 | 42 | 49 | — | 134 | — | 67 |
| 35—40 | 13 | 10 | 527 | 1104 | 303 | 740 | 15 | 10 | 94 | 123 | 83 | 84 | — | 283 | — | 161 |
| 40—45 | 20 | 14 | 986 | 1903 | 676 | 1459 | 48 | 17 | 274 | 242 | 117 | 202 | — | 447 | 2 | 387 |
| 45—50 | 28 | 13 | 1767 | 2916 | 1374 | 2331 | 138 | 33 | 557 | 392 | 261 | 338 | — | 708 | 1 | 634 |
| 50—55 | 21 | 11 | 2768 | 3625 | 2261 | 2925 | 323 | 37 | 907 | 623 | 443 | 460 | — | 820 | 1 | 687 |
| 55—60 | 29 | 12 | 3738 | 4152 | 3107 | 3405 | 449 | 50 | 1211 | 875 | 645 | 611 | — | 818 | 5 | 652 |
| 60—65 | 17 | 12 | 4595 | 4549 | 3891 | 3535 | 521 | 45 | 1541 | 1048 | 836 | 706 | — | 707 | 5 | 607 |
| 65—70 | 20 | 11 | 4500 | 4657 | 3743 | 3636 | 404 | 74 | 1454 | 1188 | 924 | 834 | — | 585 | 5 | 548 |
| 70—75 | 14 | 5 | 3757 | 4389 | 3138 | 3505 | 325 | 58 | 1204 | 1204 | 812 | 846 | — | 492 | 7 | 502 |
| 75—80 | 8 | 3 | 2275 | 2996 | 1893 | 2454 | 178 | 35 | 652 | 787 | 522 | 680 | — | 307 | 4 | 372 |
| 80 and upwards | 7 | 6 | 1278 | 2334 | 1079 | 1887 | 122 | 43 | 338 | 516 | 269 | 475 | — | 194 | 4 | 366 |

* **41.** (1) Vaccinia 0, 0, 15, *5, 5, 10, 15, 50* ; **42.** Other infectious diseases —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | Cancer—*continued.* 48 Skin. | | 49 Other or unspecified organs. | | 50 Tumours not returned as malignant. (brain and female genital organs excptd). | | 51 Rheumatic fever. | | 52 Chronic rheumatism, osteo-arthritis, gout. | | 52 (1) Chronic rheumatism, chronic arthritis. | | 52 (2) Rheumatoid and osteo-arthritis. | | 52 (3) Gout | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 756 | 427 | 5382 | 2786 | 397 | 325 | 770 | 857 | 829 | 1595 | 179 | 233 | 502 | 1331 | 148 | 31 |
| 0—1 | 1 | 1 | 6 | 9 | 3 | 5 | 2 | 2 | — | — | — | — | — | — | — | — |
| 1—5 | 1 | — | 36 | 36 | 11 | 5 | 33 | 21 | 1 | 1 | — | — | 1 | 1 | — | — |
| 5—10 | — | — | 22 | 22 | 1 | 1 | 117 | 99 | — | 1 | — | — | — | 1 | — | — |
| 10—15 | 1 | 1 | 39 | 10 | 4 | 4 | 136 | 170 | 1 | — | — | — | 1 | — | — | — |
| 15—20 | — | — | 55 | 30 | 5 | 7 | 118 | 131 | — | 1 | — | — | — | 1 | — | — |
| 20—25 | 3 | 1 | 63 | 31 | 6 | 5 | 42 | 80 | 3 | 1 | — | — | 3 | 1 | — | — |
| 25—30 | 5 | 3 | 56 | 44 | 3 | 3 | 39 | 49 | 4 | 8 | 1 | — | 3 | 8 | — | — |
| 30—35 | 7 | 4 | 79 | 57 | 12 | 10 | 30 | 41 | 6 | 7 | — | — | 6 | 7 | — | — |
| 35—40 | 10 | 9 | 101 | 70 | 13 | 5 | 37 | 42 | 11 | 19 | 1 | — | 10 | 19 | — | — |
| 40—45 | 19 | 13 | 216 | 151 | 12 | 17 | 34 | 48 | 14 | 38 | 1 | 7 | 12 | 31 | 1 | — |
| 45—50 | 41 | 13 | 376 | 213 | 25 | 20 | 44 | 33 | 38 | 56 | 9 | 4 | 22 | 52 | 7 | — |
| 50—55 | 52 | 24 | 535 | 274 | 38 | 23 | 34 | 28 | 59 | 83 | 10 | 7 | 40 | 76 | 9 | — |
| 55—60 | 83 | 41 | 714 | 358 | 52 | 22 | 34 | 23 | 82 | 134 | 15 | 15 | 52 | 116 | 15 | 3 |
| 60—65 | 113 | 32 | 875 | 390 | 46 | 38 | 22 | 26 | 111 | 217 | 17 | 23 | 71 | 190 | 23 | 4 |
| 65—70 | 106 | 47 | 850 | 360 | 53 | 51 | 29 | 27 | 150 | 290 | 33 | 34 | 78 | 251 | 39 | 5 |
| 70—75 | 105 | 70 | 685 | 333 | 51 | 35 | 12 | 19 | 146 | 304 | 39 | 51 | 87 | 248 | 20 | 5 |
| 75—80 | 103 | 60 | 434 | 213 | 30 | 39 | 3 | 11 | 121 | 211 | 30 | 46 | 75 | 156 | 16 | 9 |
| 80 and upwards | 106 | 108 | 240 | 185 | 32 | 35 | 4 | 7 | 82 | 224 | 23 | 46 | 41 | 173 | 18 | 5 |

| Causes of Death. | 53 Scurvy. | | 54, 55* 56 Rickets. | | 57 Diabetes. | | 58 Anæmia, chlorosis. | | 58 (*a*) Pernicious anæmia. | | 58 (*b*) Other anæmias and chlorosis. | | 59* 60 Diseases of the thyroid gland. | | 60 (*a*) Exophthalmic goitre. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 11 | 11 | 280 | 193 | 1927 | 2439 | 1110 | 1556 | 998 | 1366 | 112 | 190 | 134 | 834 | 56 | 569 |
| 0—1 | 5 | 7 | 109 | 58 | — | — | 12 | 17 | 2 | 3 | 10 | 14 | 3 | 6 | — | — |
| 1—5 | 3 | 2 | 155 | 125 | 8 | 5 | 24 | 15 | 5 | 5 | 19 | 10 | 21 | 10 | — | — |
| 5—10 | 1 | — | 11 | 3 | 17 | 16 | 9 | 5 | 4 | 1 | 5 | 4 | 2 | 2 | — | — |
| 10—15 | — | — | — | 4 | 32 | 37 | 14 | 15 | 8 | 9 | 6 | 6 | 5 | 6 | 1 | 2 |
| 15—20 | — | — | 3 | — | 53 | 45 | 16 | 30 | 13 | 17 | 3 | 13 | 15 | 32 | 8 | 26 |
| 20—25 | — | — | — | 1 | 57 | 61 | 20 | 33 | 11 | 26 | 9 | 7 | 7 | 44 | 4 | 34 |
| 25—30 | — | 1 | — | — | 65 | 63 | 18 | 56 | 13 | 47 | 5 | 9 | 4 | 42 | 3 | 40 |
| 30—35 | — | — | 1 | — | 61 | 76 | 30 | 58 | 24 | 50 | 6 | 8 | 8 | 41 | 5 | 36 |
| 35—40 | 1 | — | 1 | — | 65 | 82 | 40 | 94 | 38 | 81 | 2 | 13 | 4 | 55 | 4 | 49 |
| 40—45 | — | — | — | — | 85 | 89 | 75 | 113 | 69 | 102 | 6 | 11 | 8 | 82 | 5 | 66 |
| 45—50 | — | — | — | — | 83 | 129 | 92 | 156 | 88 | 139 | 4 | 17 | 5 | 110 | 4 | 92 |
| 50—55 | — | — | — | — | 134 | 209 | 140 | 185 | 134 | 169 | 6 | 16 | 10 | 102 | 7 | 78 |
| 55—60 | 1 | — | — | 2 | 213 | 245 | 152 | 167 | 143 | 154 | 9 | 13 | 9 | 86 | 5 | 60 |
| 60—65 | — | — | — | — | 256 | 381 | 172 | 225 | 166 | 212 | 6 | 13 | 12 | 71 | 6 | 41 |
| 65—70 | — | — | — | — | 304 | 378 | 150 | 162 | 145 | 153 | 5 | 9 | 8 | 66 | 2 | 24 |
| 70—75 | — | 1 | — | — | 266 | 320 | 92 | 132 | 86 | 119 | 6 | 13 | 7 | 43 | 1 | 15 |
| 75—80 | — | — | — | — | 163 | 172 | 44 | 67 | 40 | 59 | 4 | 8 | 5 | 22 | 1 | 2 |
| 80 and upwards | — | — | — | — | 65 | 131 | 10 | 26 | 9 | 20 | 1 | 6 | 1 | 14 | — | 4 |

* **54** Pellagra 40, 45, 55, 75, *5, 20, 30, 35, 35, 40, 40, 50, 60*; **55** Beri-beri 25; **59** Diseases of the pituitary gland 1, 25, 30, 45, 45, 55, 55, 55, 55, *15, 20, 25, 35, 40, 45.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | 60 (*b*) (1) Myxœdema. | | 60 (*b*) (2) Cretinism. | | 60 (*b*) (3) Other diseases of the thyroid gland. | | 61 * / 62 Diseases of the thymus. | | 63 Diseases of the adrenals. | | 64 Diseases of the spleen. | | 65 Leukæmia, lymph-adenoma. | | 65 (*a*) Leukæmia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 19 | 138 | 26 | 27 | 33 | 100 | 106 | 52 | 101 | 126 | 17 | 15 | 494 | 383 | 270 | 236 |
| 0—1 | — | — | 2 | 5 | 1 | 1 | 69 | 37 | — | — | 1 | — | 9 | 4 | 8 | 4 |
| 1—5 | 1 | 1 | 17 | 9 | 3 | — | 19 | 3 | 1 | — | 2 | — | 32 | 21 | 24 | 18 |
| 5—10 | — | — | 2 | 2 | — | — | 7 | 3 | 1 | — | — | — | 32 | 15 | 23 | 9 |
| 10—15 | 1 | 1 | — | — | 3 | 3 | 4 | 5 | — | — | — | 2 | 20 | 19 | 10 | 13 |
| 15—20 | — | — | — | 4 | 7 | 2 | — | 2 | 3 | 3 | — | — | 35 | 26 | 21 | 20 |
| 20—25 | — | 2 | 1 | 4 | 2 | 4 | 3 | — | 5 | 6 | — | — | 26 | 21 | 12 | 7 |
| 25—30 | 1 | 1 | — | — | — | 1 | 2 | 1 | 5 | 8 | 1 | 1 | 22 | 17 | 12 | 7 |
| 30—35 | 1 | 1 | 2 | 1 | — | 3 | 2 | 1 | 8 | 12 | 2 | 1 | 24 | 15 | 10 | 8 |
| 35—40 | — | 2 | — | 1 | — | 3 | — | — | 9 | 15 | — | — | 23 | 29 | 11 | 20 |
| 40—45 | — | 7 | 1 | 1 | 2 | 8 | — | — | 11 | 9 | 2 | 2 | 36 | 29 | 18 | 18 |
| 45—50 | — | 6 | — | — | 1 | 12 | — | — | 15 | 23 | 1 | 1 | 38 | 33 | 18 | 22 |
| 50—55 | 1 | 16 | — | — | 2 | 8 | — | — | 10 | 13 | 2 | — | 42 | 36 | 21 | 20 |
| 55—60 | 1 | 18 | — | — | 3 | 8 | — | — | 6 | 8 | 1 | 1 | 39 | 42 | 21 | 24 |
| 60—65 | 2 | 19 | — | — | 4 | 11 | — | — | 14 | 13 | 2 | 4 | 50 | 22 | 29 | 13 |
| 65—70 | 3 | 29 | — | — | 3 | 13 | — | — | 7 | 9 | 2 | 2 | 33 | 21 | 20 | 15 |
| 70—75 | 5 | 13 | — | — | 1 | 15 | — | — | 4 | 2 | — | 1 | 27 | 17 | 11 | 9 |
| 75—80 | 2 | 17 | 1 | — | 1 | 3 | — | — | 2 | 3 | 1 | — | 5 | 13 | 1 | 8 |
| 80 and upwards | 1 | 5 | — | — | — | 5 | — | — | — | 2 | — | — | 1 | 3 | — | 1 |

* **61.** Diseases of the parathyroid glands 1, *45*.

| Causes of Death. | 65 (*b*) Lymph-adenoma. (Hodgkin's disease). | | 66 Alcoholism (acute or chronic). | | 67 Chronic poisoning by mineral substances. | | 67 (1) Occupational lead poisoning | | 67 (2), 68 * / 69 Other general diseases. | | 69 (1) Purpura. | | 69 (2) Hæmophilia. | | 69 (3) Other diseases included under 69. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 224 | 147 | 104 | 47 | 55 | 6 | 51 | 4 | 248 | 207 | 110 | 135 | 81 | 29 | 57 | 43 |
| 0—1 | 1 | — | — | — | — | — | — | — | 62 | 39 | 22 | 17 | 34 | 20 | 6 | 2 |
| 1—5 | 8 | 3 | — | — | — | — | — | — | 33 | 19 | 11 | 13 | 10 | — | 12 | 6 |
| 5—10 | 9 | 6 | — | — | — | — | — | — | 16 | 9 | 7 | 5 | 5 | 1 | 4 | 3 |
| 10—15 | 10 | 6 | — | — | — | — | — | — | 11 | 12 | 9 | 10 | 1 | 1 | 1 | 1 |
| 15—20 | 14 | 6 | — | — | 1 | — | — | — | 16 | 15 | 10 | 12 | 5 | 2 | 1 | 1 |
| 20—25 | 14 | 14 | — | — | — | — | — | — | 11 | 10 | 6 | 10 | 4 | — | 1 | — |
| 25—30 | 10 | 10 | 1 | — | — | — | — | — | 11 | 5 | 3 | 3 | 5 | — | 3 | 2 |
| 30—35 | 14 | 7 | 2 | 2 | — | — | — | — | 3 | 11 | 1 | 7 | 1 | 1 | 1 | 3 |
| 35—40 | 12 | 9 | 13 | 8 | 2 | 2 | 2 | 1 | 5 | 10 | 2 | 8 | 2 | 1 | 1 | 1 |
| 40—45 | 18 | 11 | 12 | 8 | 9 | 1 | 9 | 1 | 11 | 5 | 5 | 2 | 4 | — | 2 | 3 |
| 45—50 | 20 | 11 | 27 | 8 | 11 | — | 11 | — | 11 | 11 | 4 | 7 | 6 | 2 | 1 | 2 |
| 50—55 | 21 | 16 | 17 | 7 | 11 | 1 | 10 | — | 10 | 12 | 4 | 11 | 2 | — | 4 | 1 |
| 55—60 | 18 | 18 | 16 | 3 | 11 | 1 | 11 | 1 | 9 | 12 | 4 | 7 | — | — | 5 | 5 |
| 60—65 | 21 | 9 | 4 | 5 | 2 | 1 | — | 1 | 13 | 10 | 5 | 2 | 2 | — | 6 | 8 |
| 65—70 | 13 | 6 | 7 | 3 | 6 | — | 6 | — | 8 | 11 | 3 | 8 | — | 1 | 5 | 2 |
| 70—75 | 16 | 8 | 5 | 3 | 1 | — | 1 | — | 8 | 7 | 6 | 5 | — | — | 2 | 2 |
| 75—80 | 4 | 5 | — | — | — | — | — | — | 7 | 4 | 5 | 3 | — | — | 2 | 1 |
| 80 and upwards | 1 | 2 | — | — | 1 | — | 1 | — | 3 | 5 | 3 | 5 | — | — | — | — |

* **67** (2) Other chronic poisoning by mineral substances 15, 50, 60, 60, *35*, *50*; **68.** Chronic poisoning by organic substances 55, *45*, *45*, *45*, *55*, *65*.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | III. 70–86 Diseases of the nervous system and sense organs. | | 70 Encephalitis. | | 70 (1) Cerebral abscess. | | 70 (2) Other diseases included under 70. | | 71 Meningitis. | | 72 Tabes dorsalis (locomotor ataxy). | | 73 Other diseases of the spinal cord. | | 74 Cerebral hæmorrhage, apoplexy, etc. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 23195 | 24444 | 176 | 130 | 113 | 74 | 63 | 56 | 1097 | 971 | 597 | 131 | 823 | 614 | 11641 | 14905 |
| 0—1 | 2347 | 1614 | 5 | 11 | 2 | 5 | 3 | 6 | 301 | 210 | — | — | 2 | 4 | 4 | 3 |
| 1—5 | 869 | 835 | 7 | 7 | 4 | 2 | 3 | 5 | 341 | 324 | — | — | 2 | 2 | 8 | 10 |
| 5—10 | 314 | 263 | 18 | 4 | 13 | 3 | 5 | 1 | 100 | 87 | — | — | 8 | 5 | 6 | 7 |
| 10—15 | 296 | 288 | 7 | 12 | 4 | 10 | 3 | 2 | 78 | 68 | — | — | 17 | 7 | 10 | 10 |
| 15—20 | 326 | 293 | 20 | 10 | 17 | 9 | 3 | 1 | 33 | 57 | 2 | — | 25 | 14 | 14 | 8 |
| 20—25 | 286 | 281 | 12 | 15 | 9 | 12 | 3 | 3 | 38 | 32 | — | 1 | 18 | 14 | 17 | 29 |
| 25—30 | 324 | 263 | 16 | 9 | 11 | 7 | 5 | 2 | 28 | 22 | 1 | 1 | 21 | 16 | 29 | 24 |
| 30—35 | 384 | 348 | 8 | 5 | 7 | 3 | 1 | 2 | 27 | 27 | 5 | 1 | 23 | 18 | 46 | 54 |
| 35—40 | 574 | 442 | 18 | 3 | 14 | 2 | 4 | 1 | 27 | 26 | 19 | 6 | 27 | 26 | 80 | 109 |
| 40—45 | 839 | 678 | 9 | 6 | 3 | 3 | 6 | 3 | 17 | 25 | 47 | 13 | 44 | 31 | 182 | 242 |
| 45—50 | 1120 | 955 | 11 | 11 | 10 | 6 | 1 | 5 | 19 | 12 | 70 | 12 | 64 | 50 | 364 | 464 |
| 50—55 | 1372 | 1382 | 9 | 10 | 6 | 5 | 3 | 5 | 22 | 24 | 84 | 25 | 93 | 69 | 607 | 853 |
| 55—60 | 1796 | 1758 | 15 | 9 | 8 | 2 | 7 | 7 | 22 | 19 | 117 | 21 | 108 | 77 | 1008 | 1178 |
| 60—65 | 2248 | 2289 | 6 | 3 | 1 | 1 | 5 | 2 | 15 | 12 | 97 | 26 | 120 | 74 | 1487 | 1681 |
| 65—70 | 2710 | 2840 | 7 | 5 | 3 | 2 | 4 | 3 | 11 | 11 | 84 | 11 | 106 | 88 | 1973 | 2182 |
| 70—75 | 2967 | 3352 | 4 | 3 | 1 | — | 3 | 3 | 9 | 7 | 43 | 10 | 78 | 56 | 2251 | 2689 |
| 75—80 | 2428 | 3216 | 1 | 4 | — | 2 | 1 | 2 | 3 | 4 | 24 | 1 | 44 | 40 | 1900 | 2602 |
| 80 and upwards | 1995 | 3347 | 3 | 3 | — | — | 3 | 3 | 6 | 4 | 4 | 3 | 23 | 23 | 1655 | 2760 |

| Causes of Death. | 74 (*a*) (1) Cerebral hæmorrhage so returned. | | 74 (*a*) (2) Apoplexy, lesion unstated. | | 74 (*b*) (1) Cerebral embolism. | | 74 (*b*) (2) Cerebral thrombosis. | | 75 Paralysis of unstated origin. | | 75 (*a*) Hemiplegia. | | 75 (*b*) Other forms of paralysis. | | 76 General paralysis of the insane. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 9012 | 11430 | 1271 | 1610 | 303 | 440 | 1055 | 1425 | 981 | 1282 | 860 | 1143 | 121 | 139 | 1402 | 305 |
| 0—1 | 2 | — | 2 | 3 | — | — | — | — | 3 | — | 2 | — | 1 | — | — | — |
| 1—5 | 6 | 7 | 2 | 2 | — | 1 | — | — | 3 | 7 | 3 | 2 | — | 5 | — | — |
| 5—10 | 2 | 2 | 2 | 2 | — | — | 2 | 3 | 1 | 3 | — | — | 1 | 3 | — | 1 |
| 10—15 | 5 | 6 | 1 | 1 | 1 | 1 | 3 | 2 | 2 | 3 | — | — | 2 | 3 | 3 | — |
| 15—20 | 10 | 5 | — | 1 | 1 | — | 3 | 2 | 10 | 4 | 1 | — | 9 | 4 | 7 | 7 |
| 20—25 | 10 | 16 | — | 2 | 2 | 2 | 5 | 9 | 1 | 4 | — | — | 1 | 4 | 6 | 5 |
| 25—30 | 18 | 13 | 2 | 1 | 4 | 9 | 5 | 1 | 3 | 2 | 1 | — | 2 | 2 | 19 | 7 |
| 30—35 | 33 | 37 | 3 | 5 | 3 | 6 | 7 | 6 | 2 | 3 | — | 2 | 2 | 1 | 81 | 19 |
| 35—40 | 62 | 81 | 7 | 7 | 5 | 9 | 6 | 12 | 5 | 9 | 2 | 6 | 3 | 3 | 196 | 42 |
| 40—45 | 139 | 190 | 24 | 23 | 8 | 15 | 11 | 14 | 10 | 22 | 8 | 18 | 2 | 4 | 301 | 56 |
| 45—50 | 298 | 367 | 35 | 53 | 8 | 13 | 23 | 31 | 22 | 27 | 18 | 25 | 4 | 2 | 276 | 60 |
| 50—55 | 505 | 687 | 43 | 80 | 16 | 31 | 43 | 55 | 41 | 40 | 36 | 31 | 5 | 9 | 228 | 45 |
| 55—60 | 806 | 938 | 104 | 131 | 27 | 29 | 71 | 80 | 55 | 69 | 45 | 65 | 10 | 4 | 149 | 31 |
| 60—65 | 1168 | 1341 | 174 | 189 | 34 | 46 | 111 | 105 | 123 | 118 | 115 | 107 | 8 | 11 | 79 | 15 |
| 65—70 | 1526 | 1735 | 225 | 210 | 45 | 58 | 177 | 179 | 159 | 185 | 141 | 169 | 18 | 16 | 28 | 7 |
| 70—75 | 1734 | 2070 | 258 | 298 | 51 | 69 | 208 | 252 | 222 | 243 | 200 | 224 | 22 | 19 | 16 | 8 |
| 75—80 | 1431 | 1940 | 210 | 309 | 54 | 69 | 205 | 284 | 185 | 267 | 172 | 249 | 13 | 18 | 9 | 2 |
| 80 and upwards | 1257 | 1995 | 179 | 293 | 44 | 82 | 175 | 390 | 134 | 276 | 116 | 245 | 18 | 31 | 4 | — |

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923 (TOTAL DEATHS REGISTERED).

| Causes of Death. | 77 Other forms of insanity. | | 78 Epilepsy. | | 79 & 80 Convulsions (non-puerperal) | | 81 Chorea. | | 82 Hysteria and neuritis. | | 83 Cerebral softening. | | 84 Other diseases of the nervous system. | | 84 (1) Idiocy, imbecility. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 284 | 528 | 1096 | 1041 | 2226 | 1613 | 15 | 55 | 93 | 155 | 379 | 423 | 1689 | 1755 | 126 | 155 |
| 0—1 | — | — | 21 | 12 | 1894 | 1277 | — | — | — | — | — | — | 40 | 40 | 17 | 26 |
| 1—5 | — | — | 35 | 34 | 311 | 313 | — | 2 | 1 | 2 | — | 1 | 75 | 57 | 40 | 35 |
| 5—10 | — | — | 35 | 24 | 14 | 10 | 6 | 13 | — | 1 | — | 1 | 48 | 41 | 18 | 18 |
| 10—15 | — | 1 | 59 | 45 | 1 | 4 | 5 | 19 | — | — | — | — | 51 | 41 | 11 | 13 |
| 15—20 | 2 | 7 | 88 | 77 | — | 1 | 2 | 14 | 1 | 2 | — | — | 50 | 49 | 12 | 14 |
| 20—25 | 7 | 16 | 86 | 80 | 1 | — | 1 | 5 | 1 | 3 | — | 1 | 42 | 43 | 4 | 10 |
| 25—30 | 5 | 19 | 96 | 79 | — | 2 | 1 | — | 1 | 5 | — | — | 55 | 54 | 4 | 5 |
| 30—35 | 13 | 27 | 79 | 89 | 1 | — | — | 2 | — | 1 | 1 | 2 | 56 | 71 | 2 | 1 |
| 35—40 | 10 | 33 | 62 | 66 | — | — | — | — | 2 | 10 | — | 5 | 82 | 84 | 4 | 5 |
| 40—45 | 15 | 56 | 77 | 76 | — | — | — | — | 5 | 8 | 10 | 14 | 96 | 114 | 4 | 6 |
| 45—50 | 32 | 56 | 81 | 86 | 1 | 1 | — | — | 16 | 15 | 4 | 5 | 125 | 138 | 1 | 8 |
| 50—55 | 42 | 64 | 63 | 74 | 1 | 3 | — | — | 10 | 16 | 19 | 13 | 132 | 130 | 3 | 4 |
| 55—60 | 47 | 70 | 88 | 78 | — | — | — | — | 10 | 14 | 20 | 35 | 147 | 140 | 2 | 3 |
| 60—65 | 41 | 57 | 57 | 67 | 1 | — | — | — | 11 | 19 | 40 | 37 | 164 | 166 | 1 | 2 |
| 65—70 | 29 | 61 | 64 | 57 | 1 | 1 | — | — | 11 | 14 | 61 | 43 | 166 | 164 | 2 | 3 |
| 70—75 | 21 | 31 | 51 | 45 | — | — | — | — | 9 | 23 | 80 | 84 | 175 | 143 | 1 | 1 |
| 75—80 | 16 | 20 | 34 | 28 | — | 1 | — | — | 8 | 11 | 77 | 79 | 120 | 156 | — | 1 |
| 80 and upwards | 4 | 10 | 20 | 24 | — | — | — | — | 7 | 11 | 67 | 103 | 65 | 124 | — | — |

| Causes of Death. | 84 (2) Cerebral tumour. | | 84 (3) Disseminated sclerosis. | | 84 (4) Paralysis agitans. | | 84 (5) Other diseases included under 84. | | 85 Diseases of the eye and annexa. | | 86 Diseases of the ear and of the mastoid sinus. | | 86 (1) Diseases of the mastoid sinus. | | 86 (2) Diseases of the ear. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 541 | 524 | 326 | 370 | 389 | 399 | 307 | 307 | 39 | 31 | 657 | 505 | 200 | 136 | 457 | 369 |
| 0—1 | 8 | 1 | — | — | — | — | 15 | 13 | 5 | 2 | 72 | 55 | 20 | 13 | 52 | 42 |
| 1—5 | 14 | 14 | — | — | — | — | 21 | 8 | 8 | 4 | 78 | 72 | 28 | 23 | 50 | 49 |
| 5—10 | 23 | 22 | — | — | — | — | 7 | 1 | 1 | 2 | 77 | 64 | 24 | 15 | 53 | 49 |
| 10—15 | 35 | 22 | 2 | 3 | — | — | 3 | 3 | — | 2 | 63 | 76 | 26 | 17 | 37 | 59 |
| 15—20 | 33 | 26 | 3 | 3 | — | — | 2 | 6 | 2 | — | 70 | 43 | 21 | 12 | 49 | 31 |
| 20—25 | 25 | 23 | 6 | 4 | — | — | 7 | 6 | — | 1 | 56 | 32 | 16 | 13 | 40 | 19 |
| 25—30 | 31 | 24 | 11 | 16 | — | 1 | 9 | 8 | — | 1 | 49 | 22 | 14 | 8 | 35 | 14 |
| 30—35 | 41 | 41 | 7 | 23 | — | — | 6 | 6 | 1 | 1 | 41 | 28 | 16 | 9 | 25 | 19 |
| 35—40 | 43 | 47 | 26 | 24 | 2 | 3 | 7 | 5 | 2 | — | 44 | 23 | 10 | 6 | 34 | 17 |
| 40—45 | 59 | 50 | 24 | 33 | 1 | 8 | 8 | 17 | 1 | 1 | 25 | 14 | 8 | 1 | 17 | 13 |
| 45—50 | 71 | 68 | 28 | 43 | 2 | 6 | 23 | 13 | 1 | 2 | 34 | 16 | 11 | 6 | 23 | 10 |
| 50—55 | 63 | 56 | 40 | 48 | 13 | 7 | 13 | 15 | 3 | 1 | 18 | 15 | 4 | 4 | 14 | 11 |
| 55—60 | 36 | 43 | 57 | 45 | 26 | 25 | 26 | 24 | 3 | 1 | 7 | 16 | 2 | 4 | 5 | 12 |
| 60—65 | 27 | 42 | 52 | 47 | 57 | 45 | 27 | 30 | 1 | 4 | 6 | 10 | — | 3 | 6 | 7 |
| 65—70 | 23 | 20 | 29 | 28 | 74 | 77 | 38 | 36 | 5 | 3 | 5 | 8 | — | — | 5 | 8 |
| 70—75 | 7 | 14 | 22 | 20 | 107 | 83 | 38 | 25 | 2 | 5 | 6 | 5 | — | — | 6 | 5 |
| 75—80 | 2 | 6 | 14 | 21 | 70 | 82 | 34 | 46 | 2 | — | 5 | 1 | — | — | 5 | 1 |
| 80 and upwards | — | 5 | 5 | 12 | 37 | 62 | 23 | 45 | 2 | 1 | 1 | 5 | — | 2 | 1 | 3 |

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | IV. 87–96 Diseases of the circulatory system. | | 87–90 Heart diseases. | | 87 Pericarditis. | | 88 Acute endocarditis and myocarditis. | | 88 (1) Infective endo-carditis. | | 88 (2) Other acute endo-carditis. | | 88 (3) Acute myocarditis. | | 89 Angina pectoris. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 36078 | 37850 | 26223 | 30663 | 205 | 118 | 956 | 931 | 553 | 479 | 274 | 286 | 129 | 166 | 1058 | 505 |
| 0—1 | 31 | 16 | 14 | 3 | 5 | 3 | 6 | — | 4 | — | 1 | — | 1 | — | — | — |
| 1—5 | 61 | 64 | 51 | 52 | 12 | 10 | 21 | 15 | 4 | 2 | 13 | 10 | 4 | 3 | — | — |
| 5—10 | 166 | 177 | 162 | 175 | 11 | 10 | 33 | 51 | 13 | 11 | 19 | 37 | 1 | 3 | — | — |
| 10—15 | 242 | 314 | 238 | 313 | 8 | 12 | 58 | 66 | 23 | 37 | 33 | 26 | 2 | 3 | — | — |
| 15—20 | 347 | 365 | 344 | 363 | 18 | 9 | 78 | 86 | 44 | 49 | 26 | 33 | 8 | 4 | — | 1 |
| 20—25 | 362 | 373 | 354 | 362 | 7 | 5 | 78 | 105 | 52 | 75 | 25 | 24 | 1 | 6 | — | — |
| 25—30 | 413 | 427 | 398 | 414 | 5 | 3 | 110 | 78 | 70 | 45 | 34 | 23 | 6 | 10 | — | 1 |
| 30—35 | 484 | 519 | 466 | 495 | 15 | 3 | 114 | 81 | 76 | 49 | 27 | 20 | 11 | 12 | 6 | 3 |
| 35—40 | 723 | 719 | 651 | 682 | 10 | 7 | 111 | 103 | 70 | 40 | 24 | 33 | 17 | 30 | 18 | 3 |
| 40—45 | 1058 | 997 | 928 | 932 | 9 | 8 | 119 | 113 | 58 | 37 | 25 | 39 | 36 | 37 | 24 | 6 |
| 45—50 | 1554 | 1364 | 1291 | 1260 | 19 | 5 | 51 | 31 | 41 | 27 | 6 | 4 | 4 | — | 60 | 12 |
| 50—55 | 2241 | 1973 | 1755 | 1744 | 13 | 3 | 42 | 38 | 22 | 19 | 12 | 11 | 8 | 8 | 117 | 24 |
| 55—60 | 3173 | 2710 | 2463 | 2357 | 14 | 5 | 41 | 46 | 31 | 34 | 5 | 6 | 5 | 6 | 139 | 43 |
| 60—65 | 4375 | 3914 | 3220 | 3332 | 17 | 8 | 32 | 36 | 16 | 18 | 6 | 6 | 10 | 12 | 196 | 83 |
| 65—70 | 5669 | 5174 | 4089 | 4278 | 19 | 11 | 30 | 32 | 18 | 18 | 9 | 4 | 3 | 10 | 204 | 109 |
| 70—75 | 5830 | 6145 | 3955 | 4872 | 9 | 6 | 10 | 21 | 5 | 8 | 4 | 6 | 1 | 7 | 145 | 85 |
| 75—80 | 4868 | 5912 | 3210 | 4458 | 7 | 8 | 16 | 16 | 5 | 8 | 2 | 2 | 9 | 6 | 103 | 78 |
| 80 and upwards | 4481 | 6687 | 2634 | 4571 | 7 | 2 | 6 | 13 | 1 | 2 | 3 | 2 | 2 | 9 | 46 | 57 |

| Causes of Death. | 90 Other diseases of the heart. | | 90 (1) Aortic valve disease. | | 90 (2) Mitral valve disease. | | 90 (3) Aortic and mitral valve disease. | | 90 (4) Other or unspecified valve disease. | | 90 (5) Fatty heart. | | 90 (6) Cardiac dilatation, cause unspecified. | | 90 (7) Other or unspecified myocardial disease. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 24004 | 29109 | 1965 | 971 | 3321 | 5528 | 451 | 403 | 5356 | 6643 | 1230 | 1540 | 418 | 446 | 6098 | 7347 |
| 0—1 | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| 1—5 | 18 | 27 | — | — | 5 | 6 | — | 1 | 8 | 9 | — | — | — | — | 2 | — |
| 5—10 | 118 | 114 | 1 | — | 42 | 40 | 3 | 6 | 35 | 44 | 1 | — | 1 | — | — | 2 |
| 10—15 | 172 | 235 | 5 | 3 | 61 | 92 | 5 | 6 | 75 | 94 | — | — | — | 1 | 2 | 2 |
| 15—20 | 248 | 267 | 18 | 7 | 87 | 88 | 12 | 11 | 87 | 102 | — | 2 | 5 | — | 2 | 1 |
| 20—25 | 269 | 252 | 25 | 8 | 77 | 108 | 16 | 2 | 87 | 81 | 2 | 4 | 8 | 1 | 7 | 2 |
| 25—30 | 283 | 332 | 40 | 10 | 72 | 141 | 13 | 15 | 102 | 92 | 3 | 4 | 4 | 1 | 3 | 14 |
| 30—35 | 331 | 408 | 40 | 12 | 78 | 144 | 16 | 19 | 113 | 121 | 7 | 10 | 4 | 8 | 14 | 15 |
| 35—40 | 512 | 569 | 67 | 22 | 92 | 200 | 23 | 6 | 154 | 161 | 24 | 37 | 8 | 8 | 41 | 40 |
| 40—45 | 776 | 805 | 102 | 31 | 160 | 265 | 38 | 23 | 220 | 235 | 45 | 46 | 9 | 5 | 56 | 65 |
| 45—50 | 1161 | 1212 | 157 | 55 | 205 | 322 | 38 | 26 | 282 | 367 | 82 | 92 | 14 | 15 | 155 | 123 |
| 50—55 | 1583 | 1679 | 188 | 67 | 226 | 377 | 43 | 27 | 397 | 465 | 116 | 125 | 28 | 21 | 298 | 254 |
| 55—60 | 2269 | 2263 | 247 | 106 | 304 | 483 | 55 | 26 | 557 | 595 | 180 | 165 | 26 | 28 | 442 | 373 |
| 60—65 | 2975 | 3205 | 302 | 105 | 389 | 592 | 54 | 46 | 686 | 840 | 188 | 226 | 49 | 48 | 664 | 674 |
| 65—70 | 3836 | 4126 | 293 | 147 | 449 | 716 | 44 | 60 | 861 | 965 | 209 | 261 | 74 | 68 | 1054 | 961 |
| 70—75 | 3791 | 4760 | 217 | 146 | 503 | 773 | 35 | 49 | 753 | 944 | 177 | 261 | 66 | 87 | 1163 | 1390 |
| 75—80 | 3084 | 4356 | 160 | 133 | 332 | 626 | 41 | 39 | 535 | 854 | 120 | 163 | 73 | 60 | 1070 | 1472 |
| 80 and upwards | 2575 | 4499 | 103 | 119 | 239 | 555 | 15 | 41 | 404 | 674 | 75 | 144 | 49 | 95 | 1124 | 1959 |

TABLE 17—*contd.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (TOTAL DEATHS REGISTERED).

| Causes of Death. | 90 (8) Disordered action of the heart. | | 90 (9) Heart disease (undefined). | | 91 Diseases of the arteries. | | 91 (*a*) Aneurism. | | 91 (*b*) Arterio-sclerosis. | | 91 (*b*) (1) With record of cerebral vascular lesion. | | 91 (*b*) (2) Without record of cerebral vascular lesion. | | 91 (*c*) Other diseases of the arteries. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 332 | 475 | 4833 | 5756 | 9510 | 6711 | 774 | 218 | 8622 | 6397 | 2685 | 2292 | 5937 | 4105 | 114 | 96 |
| 0—1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | 3 | 11 | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | 2 | — | 33 | 22 | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 1 | 1 | 23 | 36 | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| 15—20 | 2 | 5 | 35 | 51 | — | 2 | — | 2 | — | — | — | — | — | — | — | — |
| 20—25 | 3 | 3 | 44 | 43 | 2 | 3 | 1 | 3 | 1 | — | 1 | — | — | — | — | — |
| 25—30 | — | 5 | 46 | 50 | 10 | 4 | 3 | 3 | 5 | 1 | 5 | — | — | 1 | 2 | — |
| 30—35 | 2 | 4 | 57 | 75 | 14 | 7 | 7 | 2 | 7 | 5 | — | 3 | 7 | 2 | — | — |
| 35—40 | 8 | 6 | 95 | 89 | 56 | 19 | 32 | 5 | 23 | 12 | 6 | 5 | 17 | 7 | 1 | 2 |
| 40—45 | 12 | 15 | 134 | 120 | 116 | 41 | 64 | 11 | 46 | 24 | 15 | 17 | 31 | 7 | 6 | 6 |
| 45—50 | 11 | 28 | 217 | 184 | 237 | 71 | 102 | 15 | 126 | 55 | 52 | 33 | 74 | 22 | 9 | 1 |
| 50—55 | 20 | 31 | 267 | 312 | 439 | 177 | 126 | 23 | 304 | 147 | 125 | 94 | 179 | 53 | 9 | 7 |
| 55—60 | 29 | 34 | 429 | 453 | 665 | 301 | 141 | 28 | 513 | 268 | 224 | 149 | 289 | 119 | 11 | 5 |
| 60—65 | 47 | 56 | 596 | 618 | 1118 | 527 | 119 | 29 | 991 | 489 | 374 | 246 | 617 | 243 | 8 | 9 |
| 65—70 | 63 | 86 | 789 | 862 | 1544 | 835 | 83 | 33 | 1438 | 791 | 500 | 354 | 938 | 437 | 23 | 11 |
| 70—75 | 53 | 64 | 824 | 1046 | 1840 | 1230 | 46 | 31 | 1779 | 1180 | 574 | 467 | 1205 | 713 | 15 | 19 |
| 75—80 | 42 | 75 | 711 | 934 | 1638 | 1416 | 22 | 22 | 1600 | 1375 | 436 | 435 | 1164 | 940 | 16 | 19 |
| 80 and upwards | 37 | 62 | 529 | 850 | 1830 | 2078 | 27 | 11 | 1789 | 2050 | 373 | 489 | 1416 | 1561 | 14 | 17 |

| Causes of Death. | 92 Embolism and thrombosis (not cerebral). | | 93 Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.). | | 94 Diseases of the lymphatic system (lymphangitis, etc.). | | 96* 95 Hæmorrhage without stated cause. | | V. 97–107 Diseases of the respiratory system. | | 97 Diseases of the nasal fossæ and annexa. | | 97 (1) Diseases of the nose. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 149 | 173 | 134 | 254 | 44 | 33 | 18 | 16 | 38551 | 33160 | 79 | 63 | 24 | 20 |
| 0—1 | 1 | 3 | — | — | 12 | 7 | 4 | 3 | 6059 | 4392 | 11 | 7 | 10 | 6 |
| 1—5 | 1 | 1 | 1 | — | 8 | 10 | — | 1 | 4239 | 3841 | 4 | 4 | 3 | 3 |
| 5—10 | 1 | 1 | 1 | — | 1 | 1 | 1 | — | 520 | 466 | 1 | 1 | 1 | — |
| 10—15 | 1 | 1 | 1 | — | 1 | — | — | — | 244 | 258 | 6 | 5 | 2 | — |
| 15—20 | 2 | — | — | — | 1 | — | — | — | 431 | 265 | 8 | 9 | — | 2 |
| 20—25 | 5 | 4 | — | 3 | 1 | — | — | 1 | 523 | 283 | 5 | 3 | 1 | — |
| 25—30 | 2 | 4 | 2 | 3 | 1 | 2 | — | — | 532 | 377 | 8 | 7 | 1 | 3 |
| 30—35 | 1 | 7 | 1 | 9 | 2 | 1 | — | — | 715 | 447 | 5 | 2 | — | 1 |
| 35—40 | 5 | 10 | 7 | 8 | 1 | — | 3 | — | 1121 | 568 | 4 | 4 | — | 1 |
| 40—45 | 8 | 11 | 6 | 11 | — | — | — | 2 | 1390 | 664 | 5 | 6 | 2 | 3 |
| 45—50 | 12 | 11 | 12 | 22 | — | — | 2 | — | 1777 | 835 | 10 | 4 | 2 | — |
| 50—55 | 23 | 16 | 23 | 32 | — | 2 | 1 | 2 | 2085 | 1074 | 3 | 1 | — | — |
| 55—60 | 19 | 21 | 23 | 31 | 2 | — | 1 | — | 2415 | 1488 | 4 | 4 | — | — |
| 60—65 | 16 | 16 | 17 | 37 | 2 | 1 | 2 | 1 | 2963 | 2177 | 1 | — | — | — |
| 65—70 | 18 | 20 | 10 | 39 | 6 | 1 | 2 | 1 | 3474 | 2900 | 2 | 2 | — | — |
| 70—75 | 14 | 16 | 15 | 23 | 6 | 2 | — | 2 | 3652 | 3794 | 1 | 2 | 1 | — |
| 75—80 | 11 | 14 | 8 | 19 | — | 4 | 1 | 1 | 3188 | 4007 | — | 2 | — | 1 |
| 80 and upwards | 9 | 17 | 7 | 17 | — | 2 | 1 | 2 | 3223 | 5324 | 1 | — | 1 | — |

* **96.** Other diseases of the circulatory system :—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | 97 (2) Diseases of the accessory nasal sinuses. | | 98 Diseases of the larynx. | | 98 (1) Laryngismus stridulus. | | 98 (2) Laryngitis. | | 98 (3) Other diseases of the larynx. | | 99 Bronchitis. | | 99 (*a*) Acute. | | 99 (*b*) Chronic. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 55 | 43 | 243 | 183 | 64 | 43 | 174 | 137 | 5 | 3 | 16106 | 16601 | 3640 | 4605 | 5888 | 4735 |
| 0—1 | 1 | 1 | 63 | 39 | 29 | 19 | 34 | 20 | — | — | 1970 | 1476 | 902 | 648 | 32 | 13 |
| 1—5 | 1 | 1 | 101 | 96 | 27 | 21 | 72 | 75 | 2 | — | 652 | 662 | 335 | 321 | 19 | 14 |
| 5—10 | — | 1 | 31 | 13 | 8 | 3 | 22 | 10 | 1 | — | 49 | 48 | 21 | 31 | 8 | 4 |
| 10—15 | 4 | 5 | 1 | 3 | — | — | 1 | 3 | — | — | 27 | 24 | 10 | 6 | 12 | 13 |
| 15—20 | 8 | 7 | 1 | 3 | — | — | 1 | 2 | — | 1 | 16 | 18 | 3 | 5 | 8 | 6 |
| 20—25 | 4 | 3 | — | 1 | — | — | — | 1 | — | — | 45 | 34 | 9 | 16 | 26 | 7 |
| 25—30 | 7 | 4 | — | 4 | — | — | — | 4 | — | — | 46 | 54 | 9 | 16 | 24 | 24 |
| 30—35 | 5 | 1 | 1 | 3 | — | — | 1 | 2 | — | 1 | 92 | 58 | 16 | 21 | 45 | 19 |
| 35—40 | 4 | 3 | 5 | — | — | — | 4 | — | 1 | — | 171 | 89 | 34 | 31 | 85 | 34 |
| 40—45 | 3 | 3 | 4 | 5 | — | — | 4 | 5 | — | — | 284 | 151 | 51 | 57 | 140 | 49 |
| 45—50 | 8 | 4 | 4 | 2 | — | — | 4 | 2 | — | — | 460 | 257 | 94 | 85 | 220 | 94 |
| 50—55 | 3 | 1 | 8 | 1 | — | — | 8 | 1 | — | — | 672 | 420 | 116 | 113 | 332 | 178 |
| 55—60 | 4 | 4 | 5 | 1 | — | — | 5 | 1 | — | — | 988 | 688 | 179 | 172 | 475 | 284 |
| 60—65 | 1 | — | 4 | 4 | — | — | 4 | 3 | — | 1 | 1415 | 1234 | 227 | 306 | 693 | 486 |
| 65—70 | 2 | 2 | 6 | 5 | — | — | 6 | 5 | — | — | 1978 | 1755 | 308 | 434 | 977 | 640 |
| 70—75 | — | 2 | 5 | 3 | — | — | 5 | 3 | — | — | 2459 | 2558 | 422 | 639 | 1091 | 856 |
| 75—80 | — | 1 | 2 | — | — | — | 1 | — | 1 | — | 2290 | 2926 | 418 | 696 | 895 | 938 |
| 80 and upwards | — | — | 2 | — | — | — | 2 | — | — | — | 2492 | 4149 | 486 | 1008 | 806 | 1076 |

| Causes of Death. | 99 (*c* & *d*) Not stated whether acute or chronic. | | 100 & 101 Pneumonia (all forms). | | 100 Broncho-pneumonia. | | 101 Pneumonia (lobar and not otherwise defined). | | 101 (*a*) Pneumonia, lobar. | | 101 (*b*) Pneumonia, not otherwise defined. | | 102 Pleurisy. | | 102 (1) Empyema. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 6578 | 7261 | 19283 | 14130 | 8941 | 7676 | 10342 | 6454 | 5807 | 3382 | 4535 | 3072 | 797 | 503 | 308 | 140 |
| 0—1 | 1036 | 815 | 3924 | 2808 | 3297 | 2316 | 627 | 492 | 210 | 160 | 417 | 332 | 12 | 9 | 8 | 4 |
| 1—5 | 298 | 327 | 3377 | 3008 | 2575 | 2342 | 802 | 666 | 334 | 253 | 468 | 413 | 77 | 47 | 65 | 42 |
| 5—10 | 20 | 13 | 398 | 382 | 193 | 198 | 205 | 184 | 112 | 104 | 93 | 80 | 21 | 12 | 15 | 9 |
| 10—15 | 5 | 5 | 196 | 211 | 48 | 81 | 148 | 130 | 79 | 64 | 69 | 66 | 8 | 10 | 7 | 7 |
| 15—20 | 5 | 7 | 373 | 209 | 49 | 50 | 324 | 159 | 192 | 95 | 132 | 64 | 22 | 14 | 13 | 10 |
| 20—25 | 10 | 11 | 432 | 218 | 63 | 41 | 369 | 177 | 226 | 113 | 143 | 64 | 23 | 13 | 15 | 7 |
| 25—30 | 13 | 14 | 418 | 275 | 77 | 48 | 341 | 227 | 231 | 162 | 110 | 65 | 42 | 14 | 27 | 6 |
| 30—35 | 31 | 18 | 554 | 344 | 74 | 62 | 480 | 282 | 319 | 179 | 161 | 103 | 32 | 12 | 13 | 2 |
| 35—40 | 52 | 24 | 829 | 405 | 116 | 90 | 713 | 315 | 452 | 201 | 261 | 114 | 46 | 28 | 21 | 7 |
| 40—45 | 93 | 45 | 951 | 420 | 176 | 78 | 775 | 342 | 501 | 220 | 274 | 122 | 41 | 24 | 15 | 7 |
| 45—50 | 146 | 78 | 1075 | 470 | 184 | 125 | 891 | 345 | 544 | 209 | 347 | 136 | 77 | 31 | 28 | 6 |
| 50—55 | 224 | 129 | 1168 | 519 | 222 | 162 | 946 | 357 | 596 | 201 | 350 | 156 | 68 | 37 | 18 | 11 |
| 55—60 | 334 | 232 | 1144 | 634 | 261 | 207 | 883 | 427 | 505 | 245 | 378 | 182 | 72 | 33 | 26 | 6 |
| 60—65 | 495 | 442 | 1241 | 758 | 343 | 246 | 898 | 512 | 532 | 295 | 366 | 217 | 65 | 39 | 15 | 9 |
| 65—70 | 693 | 681 | 1144 | 914 | 351 | 372 | 793 | 542 | 430 | 292 | 363 | 250 | 74 | 42 | 16 | 5 |
| 70—75 | 946 | 1063 | 916 | 937 | 355 | 399 | 561 | 538 | 302 | 264 | 259 | 274 | 38 | 51 | 2 | 2 |
| 75—80 | 977 | 1292 | 652 | 812 | 308 | 405 | 344 | 407 | 142 | 187 | 202 | 220 | 46 | 45 | 4 | — |
| 80 and upwards | 1200 | 2065 | 491 | 806 | 249 | 454 | 242 | 352 | 100 | 138 | 142 | 214 | 33 | 42 | — | — |

TABLE 17—*contd.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | 102 (2) Other pleurisy. | | 103 Congestion and hæmorrhagic infarct of lung. | | 104 Gangrene of the lung. | | 105 Asthma. | | 106 Pulmonary emphysema. | | 107 Other diseases of the respiratory system. | | 107 (*a*) Chronic interstitial pneumonia. | | 107 (*b*) Diseases of the mediastinum. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 489 | 363 | 531 | 674 | 48 | 14 | 1016 | 834 | 160 | 42 | 288 | 116 | 175 | 53 | 2 | 5 |
| 0—1 | 4 | 5 | 70 | 46 | — | — | 1 | 1 | — | — | 8 | 6 | — | — | — | — |
| 1—5 | 12 | 5 | 15 | 17 | 2 | — | 4 | 6 | — | — | 7 | 1 | 1 | — | 1 | — |
| 5—10 | 6 | 3 | 7 | 4 | 4 | — | 6 | 3 | — | — | 3 | 3 | 1 | — | — | 1 |
| 10—15 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | 2 | — | — | 2 | — | — | — | — | — |
| 15—20 | 9 | 4 | 4 | 1 | 1 | 4 | 3 | 5 | 1 | — | 2 | 2 | — | — | — | 1 |
| 20—25 | 8 | 6 | 3 | 3 | 3 | — | 7 | 10 | 1 | — | 4 | 1 | 1 | — | — | — |
| 25—30 | 15 | 8 | 4 | 2 | 2 | — | 8 | 12 | — | 1 | 4 | 8 | 1 | 3 | — | — |
| 30—35 | 19 | 10 | 4 | 2 | 2 | 1 | 16 | 20 | 1 | — | 8 | 5 | 3 | 2 | — | 1 |
| 35—40 | 25 | 21 | 7 | 6 | 2 | — | 40 | 25 | 3 | 1 | 14 | 10 | 8 | 5 | — | — |
| 40—45 | 26 | 17 | 12 | 6 | 3 | 1 | 67 | 45 | 2 | — | 21 | 6 | 9 | 3 | — | — |
| 45—50 | 49 | 25 | 13 | 10 | 7 | 1 | 86 | 51 | 14 | 1 | 31 | 8 | 23 | 6 | — | 1 |
| 50—55 | 50 | 26 | 10 | 14 | 3 | 1 | 96 | 70 | 19 | 3 | 38 | 8 | 29 | 5 | — | — |
| 55—60 | 46 | 27 | 19 | 15 | 4 | 2 | 120 | 97 | 18 | 2 | 41 | 12 | 28 | 6 | — | — |
| 60—65 | 50 | 30 | 31 | 23 | 4 | 1 | 144 | 104 | 16 | 2 | 42 | 12 | 28 | 7 | — | — |
| 65—70 | 58 | 37 | 42 | 52 | 5 | — | 159 | 114 | 30 | 8 | 34 | 8 | 24 | 5 | 1 | — |
| 70—75 | 36 | 49 | 59 | 94 | 5 | 1 | 129 | 125 | 20 | 9 | 20 | 14 | 14 | 6 | — | 1 |
| 75—80 | 42 | 45 | 94 | 125 | — | — | 81 | 78 | 17 | 11 | 6 | 8 | 4 | 4 | — | — |
| 80 and upwards | 33 | 42 | 135 | 253 | — | — | 48 | 66 | 18 | 4 | 3 | 4 | 1 | 1 | — | — |

| Causes of Death. | 107 (*c*) Other diseases included under 107. | | VI. 108–127 Diseases of the digestive system. | | 108 Diseases of the buccal cavity and annexa. | | 108 (1) Diseases of the teeth and gums. | | 108 (2) Ludwig's angina. | | 108 (3) Other diseases included under 108. | | 109 Diseases of the pharynx and tonsils. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 111 | 58 | 14380 | 12431 | 260 | 210 | 173 | 149 | 64 | 35 | 23 | 26 | 241 | 245 |
| 0—1 | 8 | 6 | 3815 | 2628 | 27 | 19 | 16 | 12 | 8 | 6 | 3 | 1 | 16 | [illegible] |
| 1—5 | 5 | 1 | 1131 | 965 | 29 | 25 | 18 | 19 | 9 | 5 | 2 | 1 | 48 | 53 |
| 5—10 | 2 | 2 | 308 | 342 | 7 | 1 | 5 | 1 | 2 | — | — | — | 35 | 36 |
| 10—15 | 2 | — | 310 | 214 | 5 | 4 | 2 | 3 | 2 | 1 | 1 | — | 19 | 20 |
| 15—20 | 2 | 1 | 317 | 215 | 12 | 10 | 4 | 7 | 8 | 3 | — | — | 15 | 13 |
| 20—25 | 3 | 1 | 323 | 212 | 11 | 9 | 4 | 7 | 5 | 1 | 2 | 1 | 11 | 13 |
| 25—30 | 3 | 5 | 272 | 276 | 6 | 4 | 2 | 3 | 4 | — | — | 1 | 14 | 1 |
| 30—35 | 5 | 2 | 329 | 311 | 7 | 9 | 4 | 9 | 2 | — | 1 | — | 11 | 1 |
| 35—40 | 6 | 5 | 450 | 374 | 11 | 13 | 9 | 10 | 2 | 2 | — | 1 | 10 | |
| 40—45 | 12 | 3 | 651 | 501 | 15 | 20 | 12 | 14 | 3 | 4 | — | 2 | 11 | 1 |
| 45—50 | 8 | 1 | 808 | 620 | 19 | 19 | 14 | 17 | 2 | 1 | 3 | 1 | 10 | 1 |
| 50—55 | 9 | 3 | 918 | 728 | 16 | 22 | 13 | 15 | 3 | 3 | — | 4 | 10 | |
| 55—60 | 13 | 6 | 996 | 789 | 23 | 13 | 16 | 8 | 7 | 3 | — | 2 | 10 | |
| 60—65 | 14 | 5 | 968 | 905 | 19 | 10 | 14 | 6 | 1 | — | 4 | 4 | 7 | 1 |
| 65—70 | 9 | 3 | 934 | 913 | 21 | 10 | 17 | 5 | 2 | 2 | 2 | 3 | 3 | |
| 70—75 | 6 | 7 | 749 | 864 | 16 | 7 | 13 | 3 | 2 | 2 | 1 | 2 | 3 | |
| 75—80 | 2 | 4 | 580 | 734 | 10 | 10 | 6 | 7 | 2 | 1 | 2 | 2 | 7 | |
| 80 and upwards | 2 | 3 | 521 | 840 | 6 | 5 | 4 | 3 | — | 1 | 2 | 1 | 1 | |

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | 109 (1) Tonsillitis, etc., adenoid vegetations. | | 109 (2) Other diseases included under 109. | | 110 Diseases of the œsophagus. | | 111 Ulcer of the stomach or duodenum. | | 111 (*a*) Ulcer of the stomach. | | 111 (*b*) Ulcer of the duodenum. | | 112 Other diseases of the stomach. | | 112 (1) Inflammation of the stomach. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 198 | 199 | 43 | 46 | 38 | 23 | 2106 | 906 | 1353 | 752 | 753 | 154 | 1137 | 1130 | 935 | 988 |
| 0—1 | 9 | 5 | 7 | 4 | 2 | — | — | 3 | — | 1 | — | 2 | 374 | 262 | 358 | 252 |
| 1—5 | 41 | 45 | 7 | 10 | — | 1 | 2 | — | 1 | — | 1 | — | 75 | 84 | 64 | 79 |
| 5—10 | 33 | 31 | 2 | 5 | 1 | — | 1 | 2 | 1 | 1 | — | 1 | 15 | 21 | 13 | 17 |
| 10—15 | 15 | 20 | 4 | — | — | — | 2 | 3 | 1 | 3 | 1 | — | 12 | 11 | 9 | 9 |
| 15—20 | 13 | 12 | 2 | 1 | 1 | — | 21 | 18 | 15 | 15 | 6 | 3 | 9 | 3 | 9 | 3 |
| 20—25 | 9 | 10 | 2 | 2 | — | 1 | 66 | 23 | 40 | 23 | 26 | — | 12 | 8 | 7 | 3 |
| 25—30 | 12 | 10 | 2 | 4 | 1 | 1 | 77 | 45 | 45 | 43 | 32 | 2 | 15 | 10 | 13 | 9 |
| 30—35 | 10 | 10 | 1 | 2 | — | 1 | 121 | 52 | 75 | 47 | 46 | 5 | 12 | 12 | 10 | 8 |
| 35—40 | 8 | 5 | 2 | 2 | — | 1 | 187 | 69 | 122 | 58 | 65 | 11 | 22 | 22 | 15 | 12 |
| 40—45 | 11 | 8 | — | 2 | 1 | 1 | 279 | 94 | 184 | 80 | 95 | 14 | 21 | 17 | 14 | 15 |
| 45—50 | 7 | 10 | 3 | 2 | 7 | 1 | 291 | 108 | 184 | 94 | 107 | 14 | 43 | 34 | 23 | 29 |
| 50—55 | 8 | 3 | 2 | — | 3 | 2 | 269 | 113 | 173 | 84 | 96 | 29 | 50 | 35 | 35 | 27 |
| 55—60 | 6 | 2 | 4 | 2 | 2 | 2 | 242 | 95 | 156 | 76 | 86 | 19 | 67 | 57 | 46 | 50 |
| 60—65 | 6 | 9 | 1 | 4 | 7 | 2 | 205 | 97 | 129 | 81 | 76 | 16 | 66 | 70 | 53 | 63 |
| 65—70 | 1 | 5 | 2 | 2 | 4 | 2 | 171 | 76 | 106 | 65 | 65 | 11 | 76 | 66 | 59 | 52 |
| 70—75 | 3 | 6 | — | 3 | 3 | 1 | 97 | 55 | 65 | 43 | 32 | 12 | 86 | 114 | 63 | 98 |
| 75—80 | 5 | 1 | 2 | — | 4 | 4 | 52 | 31 | 37 | 23 | 15 | 8 | 82 | 125 | 68 | 104 |
| 80 and upwards | 1 | 7 | — | 1 | 2 | 3 | 23 | 22 | 19 | 15 | 4 | 7 | 100 | 179 | 76 | 158 |

| Causes of Death. | 112 (2) Other diseases included under 112. | | 113 & 114 Diarrhœa and enteritis. | | 113 & 114 (1) Ulceration of the intestines. | | 113 & 114 (2) Colitis. | | 113 & 114 (3) Other diseases included under 113 & 114. | | 115* 116 Diseases due to other intestinal parasites. | | 116* (*a, b, c, d, e, f*) 117 Appendicitis and typhlitis. | | 118 Hernia, intestinal obstruction. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 202 | 142 | 4515 | 3867 | 116 | 155 | 194 | 271 | 4205 | 3441 | 6 | 8 | 1608 | 1218 | 2106 | 2172 |
| 0—1 | 16 | 10 | 3026 | 2143 | 4 | 3 | 81 | 62 | 2941 | 2078 | — | — | 8 | 2 | 309 | 159 |
| 1—5 | 11 | 5 | 732 | 635 | 2 | 1 | 15 | 23 | 715 | 611 | 5 | 1 | 79 | 54 | 103 | 53 |
| 5—10 | 2 | 4 | 51 | 53 | — | — | 2 | 1 | 49 | 52 | — | 1 | 136 | 132 | 44 | 20 |
| 10—15 | 3 | 2 | 22 | 24 | 2 | 4 | — | 3 | 20 | 17 | — | — | 206 | 114 | 30 | 22 |
| 15—20 | — | — | 20 | 17 | 4 | 5 | 1 | 3 | 15 | 9 | — | — | 181 | 121 | 39 | 15 |
| 20—25 | 5 | 5 | 13 | 34 | 4 | 11 | 1 | 1 | 8 | 22 | — | — | 136 | 76 | 53 | 24 |
| 25—30 | 2 | 1 | 11 | 39 | 7 | 11 | 2 | 9 | 2 | 19 | 1 | 1 | 98 | 72 | 33 | 42 |
| 30—35 | 2 | 4 | 17 | 40 | 5 | 18 | 3 | 13 | 9 | 9 | — | 1 | 77 | 59 | 44 | 51 |
| 35—40 | 7 | 10 | 24 | 42 | 10 | 14 | 4 | 12 | 10 | 16 | — | — | 72 | 78 | 61 | 61 |
| 40—45 | 7 | 2 | 35 | 53 | 13 | 16 | 5 | 13 | 17 | 24 | — | — | 91 | 68 | 63 | 94 |
| 45—50 | 20 | 5 | 50 | 43 | 14 | 13 | 7 | 11 | 29 | 19 | — | — | 88 | 83 | 94 | 127 |
| 50—55 | 15 | 8 | 50 | 71 | 11 | 12 | 6 | 14 | 33 | 45 | — | 1 | 107 | 77 | 116 | 147 |
| 55—60 | 21 | 7 | 53 | 66 | 12 | 11 | 11 | 13 | 30 | 42 | — | — | 96 | 84 | 145 | 170 |
| 60—65 | 13 | 7 | 62 | 100 | 11 | 16 | 9 | 17 | 42 | 67 | — | — | 96 | 64 | 202 | 228 |
| 65—70 | 17 | 14 | 65 | 98 | 5 | 7 | 8 | 22 | 52 | 69 | — | — | 69 | 53 | 209 | 255 |
| 70—75 | 23 | 16 | 86 | 121 | 4 | 7 | 11 | 25 | 71 | 89 | — | 2 | 41 | 40 | 207 | 247 |
| 75—80 | 14 | 21 | 92 | 117 | 5 | 4 | 16 | 16 | 71 | 97 | — | — | 18 | 27 | 175 | 217 |
| 80 and upwards | 24 | 21 | 106 | 171 | 3 | 2 | 12 | 13 | 91 | 156 | — | 1 | 9 | 14 | 179 | 240 |

***115.** Ankylostomiasis —; **116** (*a*). Cestodes (hydatids of the liver excepted) 25, *25*, *30*, *50*, *70*, *80* ; **116** (*b*). Trematodes — ; **116** (*c*). Nematodes 1, 1, 1, *5* ; **116** (*d*). Coccidia —; **116** (*e*). Other parasites — ; **116** (*f*). Undefined parasites 1, 1, *1*, *70*.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | 118 (*a*) Hernia. | | 118 (*b*) Intestinal obstruction. | | 119 Other diseases of the intestines. | | 120 Acute yellow atrophy of the liver. | | 121 Hydatid tumour of the liver. | | 122 Cirrhosis of the liver. | | 122 (*a*) Returned as alcoholic. | | 122 (*b*) Not returned as alcoholic. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 822 | 916 | 1284 | 1256 | 234 | 238 | 22 | 51 | 13 | 10 | 1169 | 605 | 98 | 54 | 1071 | 551 |
| 0—1 | 59 | 11 | 250 | 148 | 27 | 11 | 1 | — | — | — | 2 | 2 | — | — | 2 | 2 |
| 1—5 | 17 | 8 | 86 | 45 | 20 | 8 | 5 | 2 | — | — | 2 | 3 | — | — | 2 | 3 |
| 5—10 | 2 | 2 | 42 | 18 | 4 | 1 | 2 | 1 | — | — | 1 | 1 | — | — | 1 | 1 |
| 10—15 | 2 | 3 | 28 | 19 | 2 | 1 | — | 1 | — | — | 1 | 1 | — | — | 1 | 1 |
| 15—20 | 5 | 1 | 34 | 14 | 2 | 2 | — | 3 | — | 1 | 2 | 1 | — | — | 2 | 1 |
| 20—25 | 12 | 3 | 41 | 21 | — | 1 | 3 | 6 | 2 | — | 2 | 4 | — | — | 2 | 4 |
| 25—30 | 3 | 6 | 30 | 36 | 1 | 3 | 4 | 11 | — | 3 | 3 | 4 | — | 1 | 3 | 3 |
| 30—35 | 8 | 11 | 36 | 40 | 5 | 10 | 1 | 8 | — | — | 15 | 9 | 2 | 2 | 13 | 7 |
| 35—40 | 14 | 14 | 47 | 47 | 6 | 9 | 3 | 7 | 1 | 2 | 24 | 12 | 8 | 1 | 16 | 11 |
| 40—45 | 25 | 27 | 38 | 67 | 18 | 7 | — | 6 | 4 | — | 67 | 51 | 5 | 6 | 62 | 45 |
| 45—50 | 35 | 51 | 59 | 76 | 9 | 13 | 1 | 2 | 1 | 1 | 122 | 70 | 16 | 7 | 106 | 63 |
| 50—55 | 57 | 81 | 59 | 66 | 23 | 21 | — | 1 | 2 | — | 189 | 84 | 16 | 9 | 173 | 75 |
| 55—60 | 74 | 93 | 71 | 77 | 17 | 19 | 1 | 1 | — | 1 | 210 | 99 | 15 | 9 | 195 | 90 |
| 60—65 | 94 | 127 | 108 | 101 | 19 | 15 | 1 | 1 | 2 | 1 | 179 | 93 | 18 | 5 | 161 | 88 |
| 65—70 | 109 | 142 | 100 | 113 | 23 | 29 | — | 1 | 1 | — | 171 | 75 | 13 | 5 | 158 | 70 |
| 70—75 | 119 | 134 | 88 | 113 | 22 | 23 | — | — | — | 1 | 113 | 56 | 4 | 3 | 109 | 53 |
| 75—80 | 91 | 106 | 84 | 111 | 21 | 17 | — | — | — | — | 46 | 24 | 1 | 5 | 45 | 19 |
| 80 and upwards | 96 | 96 | 83 | 144 | 15 | 48 | — | — | — | — | 20 | 16 | — | 1 | 20 | 15 |

| Causes of Death. | 123 Biliary calculi. | | 124 Other diseases of the liver. | | 125 Diseases of the pancreas. | | 127* 126 Peritonitis of unstated origin. | | VII. 128–142 Non-puerperal diseases of the genito-urinary system. | | 128 Acute nephritis (including unspecified under 10 years of age). | | 129 Chronic nephritis (including unspecified over 10 years of age). | | 130* 131 Other diseases of the kidneys and annexa. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 261 | 769 | 390 | 576 | 122 | 138 | 152 | 265 | 10511 | 7780 | 711 | 633 | 5755 | 5401 | 284 | 297 |
| 0—1 | — | — | 8 | 11 | 2 | — | 13 | 7 | 81 | 39 | 38 | 22 | 1 | — | 10 | 5 |
| 1—5 | — | — | 16 | 3 | 1 | — | 14 | 41 | 115 | 91 | 87 | 59 | 13 | 20 | 5 | 9 |
| 5—10 | — | — | 1 | 4 | — | 1 | 10 | 68 | 97 | 64 | 61 | 39 | 33 | 22 | 2 | — |
| 10—15 | — | — | 7 | 2 | — | — | 4 | 11 | 82 | 105 | 30 | 29 | 45 | 62 | 1 | 8 |
| 15—20 | — | 2 | 2 | 4 | 4 | — | 9 | 5 | 109 | 128 | 36 | 31 | 63 | 72 | 4 | 5 |
| 20—25 | — | — | 3 | 6 | 3 | 2 | 8 | 6 | 149 | 181 | 36 | 34 | 80 | 87 | 13 | 9 |
| 25—30 | 1 | 6 | 4 | 6 | 1 | 4 | 2 | 11 | 151 | 220 | 30 | 36 | 95 | 108 | 10 | 9 |
| 30—35 | 4 | 12 | 8 | 14 | 1 | 4 | 6 | 17 | 193 | 278 | 23 | 35 | 133 | 127 | 10 | 17 |
| 35—40 | 4 | 15 | 11 | 15 | 9 | 9 | 5 | 12 | 265 | 384 | 34 | 41 | 175 | 194 | 16 | 22 |
| 40—45 | 7 | 34 | 16 | 20 | 7 | 7 | 16 | 19 | 378 | 470 | 42 | 47 | 261 | 246 | 20 | 24 |
| 45—50 | 14 | 48 | 29 | 28 | 16 | 18 | 14 | 13 | 529 | 662 | 56 | 39 | 372 | 418 | 25 | 33 |
| 50—55 | 23 | 79 | 29 | 45 | 17 | 18 | 14 | 9 | 779 | 705 | 49 | 58 | 569 | 476 | 25 | 22 |
| 55—60 | 45 | 88 | 51 | 60 | 24 | 20 | 10 | 10 | 958 | 747 | 38 | 39 | 662 | 583 | 33 | 26 |
| 60—65 | 43 | 99 | 40 | 79 | 13 | 22 | 7 | 11 | 1253 | 810 | 56 | 38 | 785 | 658 | 24 | 26 |
| 65—70 | 46 | 140 | 50 | 75 | 15 | 20 | 10 | 6 | 1524 | 944 | 42 | 37 | 849 | 775 | 29 | 25 |
| 70—75 | 31 | 91 | 36 | 80 | 3 | 6 | 5 | 11 | 1482 | 798 | 28 | 28 | 686 | 638 | 19 | 13 |
| 75—80 | 30 | 80 | 33 | 73 | 6 | 3 | 4 | 5 | 1245 | 631 | 14 | 13 | 556 | 512 | 16 | 21 |
| 80 and upwards | 13 | 75 | 46 | 51 | — | 4 | 1 | 3 | 1121 | 523 | 11 | 8 | 377 | 403 | 22 | 23 |

* **127.** Other diseases of the digestive system —; **130.** Chyluria —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (TOTAL DEATHS REGISTERED).

| Causes of Death. | 132 Calculi of the urinary passages. | | 133 Diseases of the bladder. | | 133 (1) Cystitis. | | 133 (2) Other diseases of the bladder. | | 134 Diseases of the urethra, urinary abscess, etc. | | 134 (*a*) Stricture of the urethra. | | 134 (*b*) Other diseases of the urethra, etc. | | 135 Diseases of the prostate. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 213 | 99 | 791 | 255 | 732 | 235 | 59 | 20 | 411 | 10 | 336 | — | 75 | 10 | 2288 | — |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | 1 | — | 4 | — | 3 | — | 1 | — | — | — | — | — | — | — | — | — |
| 5—10 | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 2 | 1 | 4 | 2 | 2 | 2 | 2 | — | — | — | — | — | — | — | — | — |
| 15—20 | 2 | 3 | — | 2 | — | 2 | — | — | 2 | — | 2 | — | — | — | 1 | — |
| 20—25 | 12 | 3 | 4 | 3 | 4 | 3 | — | — | 3 | — | 1 | — | 2 | — | — | — |
| 25—30 | 7 | 5 | 4 | 9 | 3 | 8 | 1 | 1 | 5 | — | 5 | — | — | — | — | — |
| 30—35 | 13 | 7 | 7 | 6 | 5 | 6 | 2 | — | 5 | 1 | 4 | — | 1 | 1 | 2 | — |
| 35—40 | 12 | 2 | 11 | 11 | 11 | 10 | — | 1 | 13 | — | 7 | — | 6 | — | 3 | — |
| 40—45 | 16 | 9 | 16 | 5 | 16 | 4 | — | 1 | 22 | 1 | 17 | — | 5 | 1 | 1 | — |
| 45—50 | 17 | 11 | 21 | 8 | 20 | 8 | 1 | — | 27 | 1 | 25 | — | 2 | 1 | 8 | — |
| 50—55 | 22 | 12 | 30 | 14 | 26 | 14 | 4 | — | 50 | 2 | 41 | — | 9 | 2 | 33 | — |
| 55—60 | 23 | 13 | 50 | 9 | 45 | 8 | 5 | 1 | 65 | 2 | 53 | — | 12 | 2 | 86 | — |
| 60—65 | 22 | 5 | 65 | 20 | 57 | 19 | 8 | 1 | 71 | — | 58 | — | 13 | — | 228 | — |
| 65—70 | 19 | 10 | 95 | 29 | 87 | 28 | 8 | 1 | 68 | — | 53 | — | 15 | — | 420 | — |
| 70—75 | 16 | 8 | 130 | 41 | 123 | 38 | 7 | 3 | 44 | 1 | 40 | — | 4 | 1 | 552 | — |
| 75—80 | 17 | 7 | 157 | 41 | 148 | 38 | 9 | 3 | 23 | 2 | 20 | — | 3 | 2 | 461 | — |
| 80 and upwards | 11 | 3 | 193 | 54 | 182 | 46 | 11 | 8 | 13 | — | 10 | — | 3 | — | 493 | — |

| Causes of Death. | 136 Non-venereal diseases of the male genital organs. | | 137 Cysts and other tumours of the ovary not returned as malignant. | | 138 Salpingitis and pelvic abscess. | | 138 (1) Salpingitis. | | 138 (2) Pelvic abscess. | | 139 Tumours of the uterus not returned as malignant. | | 140 Uterine hæmorrhage. | | 141 Other diseases of the female genital organs. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 54 | — | — | 272 | — | 247 | — | 195 | — | 52 | — | 358 | — | 33 | — | 154 |
| 0—1 | 28 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 1—5 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 5—10 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | 1 |
| 10—15 | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | 1 | — | — |
| 15—20 | 1 | — | — | — | — | 10 | — | 7 | — | 3 | — | — | — | 3 | — | 2 |
| 20—25 | 1 | — | — | 5 | — | 32 | — | 24 | — | 8 | — | 1 | — | 3 | — | 4 |
| 25—30 | — | — | — | 6 | — | 27 | — | 21 | — | 6 | — | 4 | — | 1 | — | 14 |
| 30—35 | — | — | — | 17 | — | 41 | — | 41 | — | — | — | 12 | — | 2 | — | 13 |
| 35—40 | 1 | — | — | 18 | — | 42 | — | 38 | — | 4 | — | 35 | — | 5 | — | 14 |
| 40—45 | — | — | — | 21 | — | 31 | — | 29 | — | 2 | — | 60 | — | 7 | — | 19 |
| 45—50 | 3 | — | — | 29 | — | 20 | — | 15 | — | 5 | — | 81 | — | 7 | — | 15 |
| 50—55 | 1 | — | — | 29 | — | 9 | — | 5 | — | 4 | — | 58 | — | 3 | — | 20 |
| 55—60 | 1 | — | — | 27 | — | 11 | — | 7 | — | 4 | — | 23 | — | — | — | 14 |
| 60—65 | 2 | — | — | 19 | — | 9 | — | 2 | — | 7 | — | 25 | — | 1 | — | 7 |
| 65—70 | 2 | — | — | 32 | — | 7 | — | 2 | — | 5 | — | 22 | — | — | — | 6 |
| 70—75 | 7 | — | — | 39 | — | 4 | — | 2 | — | 2 | — | 20 | — | — | — | 6 |
| 75—80 | 1 | — | — | 14 | — | 1 | — | — | — | 1 | — | 12 | — | — | — | 6 |
| 80 and upwards | 1 | — | — | 16 | — | — | — | — | — | — | — | 5 | — | — | — | 7 |

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (TOTAL DEATHS REGISTERED).

| Causes of Death. | 141 (1) Other diseases of the uterus. | | 141 (2) Diseases of the other female genital organs not included in other headings. | | 142 Non-puerperal diseases of the breast. | | VIII. 143–150 The puerperal state. | | 143 Accidents of pregnancy. | | 143 (*a*) Abortion. | | 143 (*b*) Ectopic gestation. | | 143 (*c*) Other accidents. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 121 | — | 33 | 4 | 21 | — | 2892 | — | 352 | — | 100 | — | 97 | — | 155 |
| 0—1 | — | — | — | 4 | 4 | 8 | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | 2 | — | — | — | — | — | 63 | — | 6 | — | 2 | — | 1 | — | 3 |
| 20—25 | — | 3 | — | 1 | — | — | — | 418 | — | 37 | — | 7 | — | 10 | — | 20 |
| 25—30 | — | 9 | — | 5 | — | 1 | — | 621 | — | 56 | — | 17 | — | 18 | — | 21 |
| 30—35 | — | 9 | — | 4 | — | — | — | 747 | — | 99 | — | 38 | — | 30 | — | 31 |
| 35—40 | — | 11 | — | 3 | — | — | — | 645 | — | 87 | — | 22 | — | 26 | — | 39 |
| 40—45 | — | 16 | — | 3 | — | — | — | 352 | — | 59 | — | 14 | — | 9 | — | 36 |
| 45—50 | — | 12 | — | 3 | — | — | — | 46 | — | 8 | — | — | — | 3 | — | 5 |
| 50—55 | — | 18 | — | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — |
| 55—60 | — | 12 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | 7 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — |
| 65—70 | — | 5 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | 4 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | 6 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | 6 | — | 1 | — | 4 | — | — | — | — | — | — | — | — | — | — |

| Causes of Death. | 144 Puerperal hæmorrhage. | | 145 Other accidents of childbirth. | | 146 Puerperal sepsis. | | 147 Phlegmasia alba dolens, puerperal embolism, etc. | | 147 (1) Phlegmasia alba dolens not returned as septic. | | 147 (2) Embolism and sudden death. | | 148 Puerperal albuminuria and convulsions. | | 150* 149 Childbirth not assignable to other headings (puerperal insanity). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 429 | — | 304 | — | 985 | — | 277 | — | 61 | — | 216 | — | 518 | — | 23 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | 7 | — | 2 | — | 27 | — | — | — | — | — | — | — | 21 | — | — |
| 20—25 | — | 31 | — | 44 | — | 167 | — | 35 | — | 7 | — | 28 | — | 102 | — | 2 |
| 25—30 | — | 76 | — | 63 | — | 238 | — | 55 | — | 13 | — | 42 | — | 128 | — | 5 |
| 30—35 | — | 120 | — | 61 | — | 256 | — | 85 | — | 16 | — | 69 | — | 117 | — | 8 |
| 35—40 | — | 114 | — | 82 | — | 186 | — | 62 | — | 15 | — | 47 | — | 106 | — | 6 |
| 40—45 | — | 73 | — | 46 | — | 99 | — | 35 | — | 10 | — | 25 | — | 38 | — | 1 |
| 45—50 | — | 8 | — | 6 | — | 12 | — | 5 | — | — | — | 5 | — | 6 | — | 1 |
| 50—55 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

150 Puerperal diseases of the breast *30, 35, 35, 40.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | IX. 151–154 Diseases of the skin and cellular tissue. | | 151 Gangrene. | | 151 (1) Senile gangrene. | | 151 (2) Other gangrene. | | 152 Furuncle. | | 153 Phlegmon, acute abscess. | | 153 (1) Phlegmon. | | 153 (2) Acute abscess. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1581 | 1410 | 555 | 586 | 520 | 534 | 35 | 52 | 234 | 109 | 367 | 297 | 263 | 199 | 104 | 98 |
| 0—1 | 267 | 198 | 3 | 7 | — | — | 3 | 7 | 7 | 5 | 60 | 65 | 35 | 30 | 25 | 35 |
| 1—5 | 36 | 43 | 4 | 8 | — | — | 4 | 8 | — | 1 | 18 | 15 | 8 | 6 | 10 | 9 |
| 5—10 | 11 | 14 | 1 | 1 | — | — | 1 | 1 | — | 2 | 9 | 11 | 8 | 7 | 1 | 4 |
| 10—15 | 15 | 12 | 1 | 1 | — | — | 1 | 1 | 3 | 1 | 10 | 8 | 8 | 6 | 2 | 2 |
| 15—20 | 29 | 19 | — | 1 | — | — | — | 1 | 12 | 4 | 17 | 13 | 13 | 10 | 4 | 3 |
| 20—25 | 32 | 23 | 2 | 1 | — | — | 2 | 1 | 10 | 4 | 17 | 14 | 12 | 13 | 5 | 1 |
| 25—30 | 13 | 26 | 1 | 2 | — | — | 1 | 2 | 8 | 6 | 3 | 10 | 3 | 5 | — | 5 |
| 30—35 | 20 | 19 | — | 1 | — | — | — | 1 | 12 | 4 | 6 | 8 | 5 | 6 | 1 | 2 |
| 35—40 | 32 | 29 | 1 | 3 | — | — | 1 | 3 | 10 | 7 | 15 | 10 | 10 | 9 | 5 | 1 |
| 40—45 | 36 | 27 | 1 | 2 | — | — | 1 | 2 | 13 | 4 | 17 | 13 | 12 | 10 | 5 | 3 |
| 45—50 | 47 | 24 | — | 1 | — | — | — | 1 | 19 | 4 | 23 | 9 | 17 | 5 | 6 | 4 |
| 50—55 | 52 | 45 | 5 | 5 | 1 | — | 4 | 5 | 18 | 8 | 20 | 19 | 18 | 17 | 2 | 2 |
| 55—60 | 83 | 47 | 15 | 9 | 9 | 6 | 6 | 3 | 25 | 11 | 25 | 10 | 20 | 10 | 5 | — |
| 60—65 | 125 | 76 | 27 | 35 | 24 | 32 | 3 | 3 | 31 | 5 | 33 | 16 | 27 | 10 | 6 | 6 |
| 65—70 | 138 | 112 | 57 | 56 | 52 | 53 | 5 | 3 | 21 | 12 | 30 | 16 | 22 | 11 | 8 | 5 |
| 70—75 | 185 | 168 | 103 | 103 | 102 | 101 | 1 | 2 | 21 | 8 | 28 | 16 | 17 | 12 | 11 | 4 |
| 75—80 | 241 | 183 | 173 | 109 | 171 | 102 | 2 | 7 | 17 | 10 | 17 | 20 | 12 | 14 | 5 | 6 |
| 80 and upwards | 219 | 345 | 161 | 241 | 161 | 240 | — | 1 | 7 | 13 | 19 | 24 | 16 | 18 | 3 | 6 |

| Causes of Death. | 154 Other diseases of the skin and its annexa. | | 154 (1) Ulcer, bedsore. | | 154 (2) Eczema. | | 154 (3) Pemphigus. | | 154 (4) Other diseases included under 154. | | X. 155–158 Diseases of the bones and organs of locomotion. | | 155 Diseases of the bones. | | 155 (1) Infective osteomyelitis and periostitis. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 425 | 418 | 126 | 156 | 93 | 45 | 72 | 77 | 134 | 140 | 518 | 285 | 399 | 214 | 301 | 123 |
| 0—1 | 197 | 121 | 1 | — | 66 | 28 | 60 | 55 | 70 | 38 | 26 | 16 | 18 | 13 | 13 | 11 |
| 1—5 | 14 | 19 | — | 1 | 7 | 4 | — | — | 7 | 14 | 50 | 26 | 40 | 24 | 37 | 23 |
| 5—10 | 1 | — | — | — | — | — | — | — | 1 | — | 61 | 31 | 56 | 30 | 55 | 27 |
| 10—15 | 1 | 2 | 1 | — | — | — | — | — | — | 2 | 95 | 37 | 87 | 30 | 79 | 26 |
| 15—20 | — | 1 | — | — | — | — | — | — | — | 1 | 51 | 11 | 47 | 9 | 44 | 6 |
| 20—25 | 3 | 4 | 1 | — | — | — | — | — | 2 | 4 | 22 | 6 | 18 | 4 | 15 | 3 |
| 25—30 | 1 | 8 | 1 | — | — | — | — | — | — | 8 | 13 | 4 | 11 | 3 | 9 | 2 |
| 30—35 | 2 | 6 | — | 1 | — | — | — | 2 | 2 | 3 | 16 | 3 | 13 | — | 7 | — |
| 35—40 | 6 | 9 | 1 | 3 | 1 | — | 1 | 3 | 3 | 3 | 18 | 4 | 12 | 2 | 9 | — |
| 40—45 | 5 | 8 | 1 | 2 | — | — | 1 | 1 | 3 | 5 | 11 | 14 | 8 | 8 | 5 | 3 |
| 45—50 | 5 | 10 | 1 | 7 | 1 | — | 2 | 2 | 1 | 1 | 21 | 12 | 13 | 9 | 5 | 4 |
| 50—55 | 9 | 13 | 4 | 6 | 1 | — | — | 2 | 4 | 5 | 23 | 21 | 11 | 16 | 7 | 5 |
| 55—60 | 18 | 17 | 10 | 10 | 3 | — | 1 | 1 | 4 | 6 | 26 | 13 | 14 | 7 | 5 | 3 |
| 60—65 | 34 | 20 | 24 | 12 | 3 | 1 | 2 | 1 | 5 | 6 | 24 | 19 | 15 | 13 | 4 | 2 |
| 65—70 | 30 | 28 | 20 | 17 | 3 | 1 | — | 2 | 7 | 8 | 18 | 22 | 8 | 17 | 1 | 4 |
| 70—75 | 33 | 41 | 19 | 28 | 4 | 3 | 3 | — | 7 | 10 | 17 | 16 | 11 | 10 | 3 | 2 |
| 75—80 | 34 | 44 | 21 | 25 | 3 | 4 | — | 4 | 10 | 11 | 15 | 13 | 10 | 8 | 3 | — |
| 80 and upwards | 32 | 67 | 21 | 44 | 1 | 4 | 2 | 4 | 8 | 15 | 11 | 17 | 7 | 11 | — | 2 |

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (TOTAL DEATHS REGISTERED).

| Causes of Death. | 155 (2) Other diseases of the bones. | | 156 Diseases of the joints. | | 157* 158 Other diseases of the organs of locomotion. | | XI. 159 Mal-formations. | | 159 (1) Congenital hydro-cephalus. | | 159 (2) Congenital mal-formation of heart. | | 159 (3) Other congenital malformations. | | XII. 160–163 Diseases of early infancy. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 98 | 91 | 89 | 54 | 30 | 17 | 2033 | 1565 | 195 | 116 | 803 | 580 | 1035 | 869 | 12047 | 8939 |
| 0—1 | 5 | 2 | 8 | 2 | — | 1 | 1776 | 1380 | 122 | 80 | 682 | 496 | 972 | 804 | 12047 | 8939 |
| 1—5 | 3 | 1 | 10 | 2 | — | — | 132 | 104 | 56 | 31 | 40 | 36 | 36 | 37 | — | — |
| 5—10 | 1 | 3 | 4 | 1 | 1 | — | 32 | 22 | 8 | 3 | 20 | 11 | 4 | 8 | — | — |
| 10—15 | 8 | 4 | 5 | 6 | 3 | 1 | 23 | 14 | 7 | — | 14 | 11 | 2 | 3 | — | — |
| 15—20 | 3 | 3 | 4 | 1 | — | 1 | 28 | 10 | 1 | 1 | 23 | 8 | 4 | 1 | — | — |
| 20—25 | 3 | 1 | 3 | 2 | 1 | — | 12 | 7 | — | — | 8 | 6 | 4 | 1 | — | — |
| 25—30 | 2 | 1 | 1 | 1 | 1 | — | 5 | 4 | — | — | 5 | 3 | — | 1 | — | — |
| 30—35 | 6 | — | 3 | 3 | — | — | 2 | 3 | 1 | — | 1 | 1 | — | 2 | — | — |
| 35—40 | 3 | 2 | 4 | 2 | 2 | — | 7 | 3 | — | — | 3 | 2 | 4 | 1 | — | — |
| 40—45 | 3 | 5 | 2 | 4 | 1 | 2 | 2 | 5 | — | 1 | — | 2 | 2 | 2 | — | — |
| 45—50 | 8 | 5 | 8 | 2 | — | 1 | 5 | 6 | — | — | 3 | 1 | 2 | 5 | — | — |
| 50—55 | 4 | 11 | 8 | 4 | 4 | 1 | 3 | 4 | — | — | 2 | 2 | 1 | 2 | — | — |
| 55—60 | 9 | 4 | 7 | 6 | 5 | — | 2 | 1 | — | — | 1 | — | 1 | 1 | — | — |
| 60—65 | 11 | 11 | 6 | 4 | 3 | 2 | 1 | — | — | — | 1 | — | — | — | — | — |
| 65—70 | 7 | 13 | 5 | 4 | 5 | 1 | 3 | 2 | — | — | — | 1 | 3 | 1 | — | — |
| 70—75 | 8 | 8 | 4 | 4 | 2 | 2 | — | — | — | — | — | — | — | — | — | — |
| 75—80 | 7 | 8 | 3 | 3 | 2 | 2 | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | 7 | 9 | 4 | 3 | — | 3 | — | — | — | — | — | — | — | — | — | — |

* **157.** Amputation —.

| Causes of Death. | 160 Congenital debility, sclerema and icterus. | | 160 (1) Congenital debility and sclerema. | | 160 (2) Icterus. | | 161 Premature birth, injury at birth. | | 161 (1) Premature birth. | | 161 (2) Injury at birth. | | 162 Other diseases peculiar to early infancy. | | 162 (1) Diseases of the umbilicus. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 2933 | 1951 | 2570 | 1761 | 363 | 190 | 8190 | 6245 | 7564 | 5815 | 626 | 430 | 810 | 624 | 62 | 57 |
| 0—1 | 2933 | 1951 | 2570 | 1761 | 363 | 190 | 8190 | 6245 | 7564 | 5815 | 626 | 430 | 810 | 624 | 62 | 57 |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 20—25 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25—30 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30—35 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 35—40 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 40—45 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 45—50 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 50—55 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | 162 (2) Atelectasis. | | 162 (3) Other diseases included under 162. | | 163 Lack of care. | | XIII. 164 Old age. | | 164 (1) Senile dementia. | | 164 (2) Other forms of senile decay. | | XIV. 165–203 External causes. | | Suicide. 165–174 Total. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 671 | 457 | 77 | 110 | 114 | 119 | 10549 | 14795 | 645 | 796 | 9904 | 13999 | 12113 | 4994 | 2887 | 1062 |
| 0—1 | 671 | 457 | 77 | 110 | 114 | 119 | — | — | — | — | — | — | 399 | 279 | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | 839 | 549 | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | 515 | 253 | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | 437 | 107 | 1 | 2 |
| 15—20 | — | — | — | — | — | — | — | — | — | — | — | — | 772 | 170 | 56 | 42 |
| 20—25 | — | — | — | — | — | — | — | — | — | — | — | — | 691 | 196 | 118 | 83 |
| 25—30 | — | — | — | — | — | — | — | — | — | — | — | — | 633 | 181 | 119 | 79 |
| 30—35 | — | — | — | — | — | — | — | — | — | — | — | — | 651 | 144 | 154 | 65 |
| 35—40 | — | — | — | — | — | — | — | — | — | — | — | — | 723 | 186 | 226 | 96 |
| 40—45 | — | — | — | — | — | — | — | — | — | — | — | — | 871 | 205 | 304 | 109 |
| 45—50 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | 951 | 271 | 321 | 146 |
| 50—55 | — | — | — | — | — | — | 2 | 3 | — | 2 | 2 | 1 | 1032 | 329 | 423 | 145 |
| 55—60 | — | — | — | — | — | — | 27 | 22 | 10 | 8 | 17 | 14 | 920 | 282 | 351 | 103 |
| 60—65 | — | — | — | — | — | — | 109 | 115 | 41 | 36 | 68 | 79 | 814 | 268 | 310 | 83 |
| 65—70 | — | — | — | — | — | — | 426 | 455 | 89 | 77 | 337 | 378 | 697 | 307 | 257 | 53 |
| 70—75 | — | — | — | — | — | — | 1722 | 1958 | 148 | 188 | 1574 | 1770 | 493 | 325 | 126 | 30 |
| 75—80 | — | — | — | — | — | — | 2800 | 3290 | 164 | 197 | 2636 | 3093 | 376 | 342 | 83 | 16 |
| 80 and upwards | — | — | — | — | — | — | 5463 | 8951 | 193 | 288 | 5270 | 8663 | 299 | 600 | 38 | 10 |

| Causes of Death. | Suicide—*continued.* 165 & 166 By solid or liquid poisons and corrosive substances. | | 167 By poisonous gas. | | 168 By hanging or strangulation. | | 169 By drowning. | | 170 By firearms. | | 171 By cutting or piercing instruments. | | 172 By jumping from high places. | | 173 By crushing. | | 174 By other means. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 240 | 177 | 449 | 239 | 619 | 130 | 537 | 315 | 231 | 16 | 568 | 101 | 72 | 54 | 163 | 18 | 8 | 12 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 1 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — |
| 15—20 | 4 | 8 | 9 | 2 | 16 | 1 | 8 | 27 | 8 | 1 | — | — | 1 | 1 | 10 | 2 | — | — |
| 20—25 | 12 | 22 | 19 | 11 | 21 | 3 | 18 | 34 | 19 | 1 | 14 | 4 | 1 | 4 | 14 | 3 | — | 1 |
| 25—30 | 14 | 22 | 18 | 12 | 18 | 4 | 16 | 25 | 16 | 5 | 18 | 6 | 5 | 3 | 13 | 1 | 1 | 1 |
| 30—35 | 17 | 12 | 27 | 13 | 22 | 6 | 24 | 15 | 17 | 2 | 33 | 8 | 2 | 6 | 10 | — | 2 | 3 |
| 35—40 | 24 | 19 | 42 | 24 | 37 | 8 | 45 | 28 | 25 | — | 30 | 8 | 8 | 7 | 14 | 1 | 1 | 1 |
| 40—45 | 29 | 20 | 59 | 27 | 55 | 10 | 48 | 30 | 11 | 3 | 70 | 12 | 8 | 2 | 24 | 4 | — | 1 |
| 45—50 | 38 | 18 | 49 | 38 | 67 | 26 | 53 | 32 | 23 | — | 67 | 19 | 8 | 6 | 15 | 3 | 1 | 4 |
| 50—55 | 31 | 22 | 74 | 40 | 88 | 20 | 75 | 42 | 33 | — | 91 | 13 | 9 | 7 | 22 | 1 | — | — |
| 55—60 | 28 | 19 | 55 | 25 | 76 | 13 | 69 | 34 | 24 | 1 | 72 | 7 | 9 | 3 | 16 | 1 | 2 | — |
| 60—65 | 19 | 6 | 44 | 21 | 76 | 20 | 70 | 16 | 21 | 1 | 62 | 11 | 7 | 6 | 10 | 2 | 1 | — |
| 65—70 | 11 | 7 | 35 | 14 | 70 | 8 | 63 | 15 | 14 | — | 52 | 4 | 3 | 4 | 9 | — | — | 1 |
| 70—75 | 6 | 1 | 11 | 3 | 32 | 6 | 27 | 11 | 9 | 2 | 28 | 4 | 8 | 3 | 5 | — | — | — |
| 75—80 | 6 | 1 | 5 | 6 | 28 | 4 | 15 | 3 | 10 | — | 16 | 2 | 2 | — | 1 | — | — | — |
| 80 and upwards | — | — | 2 | 3 | 13 | 1 | 6 | 1 | 1 | — | 15 | 3 | 1 | 2 | — | — | — | — |

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | 175–196 201–203 Violent d'ths excluding suicide and homicide. | | 175 Food poisoning. | | 176 Poisoning by venomous animals. | | 177 Other acute accidental poisonings. | | 178 Conflagration. | | 179 Burns (conflagration excepted). | | 180 Accidental mechanical suffocation. | | 181 Accidental absorption of irrespirable or poisonous gas. | | 182 Accidental drowning. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 9096 | 3822 | 21 | 17 | 5 | 12 | 67 | 44 | 20 | 12 | 752 | 856 | 321 | 225 | 92 | 60 | 1385 | 310 |
| 0—1 | 361 | 253 | — | — | 2 | — | 1 | — | 1 | — | 58 | 34 | 255 | 180 | 3 | — | 9 | 9 |
| 1—5 | 823 | 535 | 1 | 1 | 1 | 3 | 13 | 7 | 3 | 1 | 459 | 317 | 10 | 11 | 2 | — | 104 | 48 |
| 5—10 | 511 | 246 | — | 1 | — | — | 2 | 1 | — | 2 | 46 | 91 | 5 | 5 | 1 | 1 | 117 | 12 |
| 10—15 | 431 | 103 | 3 | 4 | — | 2 | 2 | — | 2 | — | 8 | 36 | 2 | — | 5 | — | 92 | 6 |
| 15—20 | 713 | 125 | 2 | 1 | — | 1 | 1 | 4 | — | — | 15 | 44 | 3 | 1 | 3 | 6 | 149 | 23 |
| 20—25 | 568 | 94 | — | — | — | 1 | 3 | 1 | 2 | — | 9 | 13 | 2 | — | 7 | 1 | 97 | 23 |
| 25—30 | 507 | 92 | — | 2 | — | — | 4 | 4 | 2 | — | 15 | 19 | 2 | 2 | 4 | 3 | 73 | 22 |
| 30—35 | 488 | 72 | 3 | 1 | — | — | 1 | — | 1 | — | 4 | 16 | 1 | — | 7 | 3 | 63 | 15 |
| 35—40 | 486 | 85 | 1 | 1 | 1 | 1 | 6 | 3 | — | — | 5 | 17 | 4 | 2 | 8 | 3 | 81 | 6 |
| 40—45 | 561 | 93 | 1 | — | — | — | 7 | 1 | 2 | — | 18 | 20 | 7 | 2 | 6 | 3 | 93 | 20 |
| 45—50 | 622 | 121 | 3 | 1 | — | — | 6 | 2 | — | — | 10 | 13 | 4 | — | 10 | 8 | 107 | 27 |
| 50—55 | 603 | 181 | 2 | 1 | — | 1 | 6 | 5 | 2 | 4 | 12 | 24 | 3 | 2 | 8 | 3 | 112 | 27 |
| 55—60 | 565 | 177 | 2 | 1 | — | 1 | 8 | 6 | 3 | — | 13 | 21 | 7 | 2 | 6 | 4 | 76 | 20 |
| 60—65 | 499 | 182 | 2 | — | — | 1 | 1 | 2 | 1 | 2 | 10 | 27 | 7 | 2 | 4 | 4 | 66 | 21 |
| 65—70 | 438 | 254 | 1 | 1 | — | 1 | 2 | 5 | — | 1 | 16 | 23 | 4 | 6 | 7 | 3 | 72 | 14 |
| 70—75 | 366 | 294 | — | 1 | 1 | — | 3 | 2 | — | 1 | 13 | 36 | 1 | 3 | 4 | 4 | 39 | 7 |
| 75—80 | 293 | 325 | — | 1 | — | — | 1 | 1 | — | — | 19 | 51 | 2 | 3 | 2 | 7 | 25 | 8 |
| 80 and upwards | 261 | 590 | — | — | — | — | — | — | 1 | 1 | 22 | 54 | 2 | 4 | 5 | 7 | 10 | 2 |

| Causes of Death. | 183 Accidental injury by firearms. | | 184 Accidental injury by cutting or piercing instruments. | | 185 Accidental injury by fall. | | 186 Accidental injury in mines and quarries. | | 187 Accidental injury by machinery. | | 188 Accidental injury by other forms of crushing (vehicles, railways, etc.). | | 189 Injury by animals (poisoning excepted). | | 190 Wounds of war. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 76 | 6 | 13 | 1 | 1361 | 1302 | 1106 | 1 | 202 | 11 | 3009 | 742 | 57 | 6 | 75 | — |
| 0—1 | — | — | 1 | — | 12 | 5 | — | — | — | — | 3 | 4 | — | — | — | — |
| 1—5 | 2 | 1 | — | — | 46 | 31 | — | — | 2 | 2 | 144 | 88 | 6 | 2 | — | — |
| 5—10 | 3 | — | 1 | — | 13 | 9 | — | — | 1 | 1 | 299 | 116 | 5 | — | — | — |
| 10—15 | 6 | — | 2 | 1 | 39 | 10 | 28 | — | 7 | 2 | 205 | 37 | 1 | — | — | — |
| 15—20 | 13 | — | — | — | 52 | 6 | 154 | 1 | 25 | — | 255 | 33 | 6 | — | — | — |
| 20—25 | 9 | 2 | 2 | — | 41 | 11 | 117 | — | 14 | 1 | 225 | 31 | 2 | — | 4 | — |
| 25—30 | 5 | 1 | — | — | 43 | 8 | 103 | — | 16 | 2 | 186 | 14 | 2 | — | 26 | — |
| 30—35 | 6 | — | 2 | — | 48 | 12 | 126 | — | 20 | — | 152 | 19 | 6 | 1 | 20 | — |
| 35—40 | 4 | — | 1 | — | 46 | 11 | 98 | — | 21 | — | 159 | 28 | 4 | 1 | 18 | — |
| 40—45 | 7 | — | — | — | 75 | 13 | 90 | — | 19 | — | 196 | 25 | 4 | — | 5 | — |
| 45—50 | 7 | 2 | 1 | — | 85 | 26 | 124 | — | 16 | 1 | 208 | 31 | 5 | — | 2 | — |
| 50—55 | 5 | — | 1 | — | 91 | 51 | 87 | — | 15 | — | 212 | 50 | 5 | — | — | — |
| 55—60 | 5 | — | — | — | 113 | 61 | 76 | — | 19 | 1 | 205 | 50 | 2 | — | — | — |
| 60—65 | 3 | — | — | — | 117 | 73 | 61 | — | 19 | — | 157 | 44 | 3 | — | — | — |
| 65—70 | — | — | 1 | — | 116 | 132 | 28 | — | 3 | 1 | 148 | 52 | 1 | — | — | — |
| 70—75 | 1 | — | 1 | — | 132 | 176 | 13 | — | 4 | — | 120 | 50 | 3 | 1 | — | — |
| 75—80 | — | — | — | — | 127 | 201 | 1 | — | 1 | — | 91 | 40 | 1 | — | — | — |
| 80 and upwards | — | — | — | — | 165 | 466 | — | — | — | — | 44 | 30 | 1 | 1 | — | — |

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(TOTAL DEATHS REGISTERED).

| Causes of Death. | 191* 192 Hunger or thirst. | | 193 Excessive cold. | | 194 Excessive heat. | | 195* 196 Electricity (lightning excepted). | | Homicide. 197–199 Total. | | 197 By firearms. | | 198 By cutting or piercing instruments. | | 199 By other means. | | 200* 201 Fracture (cause not specified). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 9 | 3 | 23 | 11 | 217 | 107 | 25 | — | 130 | 110 | 12 | 13 | 15 | 25 | 103 | 72 | 26 | 5 |
| 0—1 | — | — | — | 1 | 8 | 8 | — | — | 38 | 26 | — | — | 3 | 2 | 35 | 24 | — | 1 |
| 1—5 | — | — | — | — | 5 | 12 | 3 | — | 16 | 14 | — | — | 3 | 5 | 13 | 9 | — | — |
| 5—10 | — | — | — | — | 3 | 5 | 1 | — | 4 | 7 | — | 1 | 1 | 3 | 3 | 3 | — | — |
| 10—15 | — | — | — | — | 5 | 2 | 2 | — | 5 | 2 | — | — | 3 | 1 | 2 | 1 | — | — |
| 15—20 | — | — | — | — | 5 | 1 | 4 | — | 3 | 3 | — | — | — | 2 | 3 | 1 | 2 | — |
| 20—25 | — | — | — | — | 7 | 2 | 4 | — | 5 | 19 | 3 | 4 | — | 7 | 2 | 8 | 2 | — |
| 25—30 | — | — | 1 | — | 3 | 3 | — | — | 7 | 10 | 2 | 4 | — | 1 | 5 | 5 | 1 | — |
| 30—35 | — | — | 1 | — | 5 | — | 5 | — | 9 | 7 | 1 | 1 | 2 | 1 | 6 | 5 | 3 | — |
| 35—40 | — | — | 1 | — | 7 | 2 | 2 | — | 11 | 5 | 2 | 1 | — | — | 9 | 4 | 2 | 1 |
| 40—45 | — | — | 2 | — | 15 | 4 | — | — | 6 | 3 | — | — | — | 2 | 6 | 1 | 1 | — |
| 45—50 | — | — | 3 | — | 14 | 5 | 3 | — | 8 | 4 | 2 | — | 1 | 1 | 5 | 3 | 3 | 1 |
| 50—55 | — | 1 | 2 | — | 25 | 4 | — | — | 6 | 3 | 1 | — | — | — | 5 | 3 | 2 | 1 |
| 55—60 | 1 | — | — | 2 | 18 | 7 | — | — | 4 | 2 | — | — | 1 | — | 3 | 2 | 2 | — |
| 60—65 | — | — | 5 | — | 30 | 5 | 1 | — | 5 | 3 | 1 | 1 | — | — | 4 | 2 | 1 | — |
| 65—70 | 5 | 2 | 2 | 2 | 22 | 9 | — | — | 2 | — | — | — | 1 | — | 1 | — | 3 | — |
| 70—75 | 2 | — | 2 | 1 | 22 | 10 | — | — | 1 | 1 | — | 1 | — | — | 1 | — | 2 | — |
| 75—80 | 1 | — | 1 | 1 | 16 | 10 | — | — | — | 1 | — | — | — | — | — | 1 | 1 | — |
| 80 and upwards | — | — | 3 | 4 | 7 | 18 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |

* **191.** Execution of civilians by belligerent armies —. **195.** Lightning 10, 15, 15, 35, 45, 55, 65, 75.
**200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

| Causes of Death. | 202 Other external violence. | | 203 Violent deaths of unknown causation. | | XV. 204–205 Ill-defined diseases. | | 204 Sudden death. | | 205 Cause of death unstated or ill-defined. | | 205 (1) Heart failure 1–70 years. | | 205 (2) Other ill-defined causes. | | 205 (3) Cause not specified. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M | F. | M. | F. | M. | F. |
| All Ages | 216 | 87 | 10 | 4 | 982 | 731 | 200 | 125 | 782 | 606 | 504 | 373 | 234 | 210 | 44 | 23 |
| 0—1 | 8 | 11 | — | — | 49 | 36 | — | — | 49 | 36 | — | — | 28 | 23 | 21 | 13 |
| 1—5 | 22 | 10 | — | 1 | 91 | 91 | — | — | 91 | 91 | 6 | 5 | 85 | 86 | — | — |
| 5—10 | 13 | 2 | 1 | — | 13 | 9 | 1 | 1 | 12 | 8 | 6 | 5 | 6 | 3 | — | — |
| 10—15 | 20 | 3 | 1 | — | 7 | 5 | — | — | 7 | 5 | 3 | 5 | 4 | — | — | — |
| 15—20 | 22 | 4 | — | — | 9 | 7 | 2 | 2 | 7 | 5 | 3 | 2 | 4 | 3 | — | — |
| 20—25 | 21 | 8 | — | — | 18 | 9 | 5 | 3 | 13 | 6 | 9 | 3 | 3 | 3 | 1 | — |
| 25—30 | 20 | 12 | 1 | — | 14 | 14 | 4 | 5 | 10 | 9 | 9 | 8 | 1 | 1 | — | — |
| 30—35 | 13 | 5 | 1 | — | 17 | 14 | 2 | 3 | 15 | 11 | 12 | 8 | 3 | 2 | — | 1 |
| 35—40 | 14 | 8 | 2 | 1 | 26 | 15 | 5 | 2 | 21 | 13 | 17 | 10 | 2 | 2 | 2 | 1 |
| 40—45 | 13 | 5 | — | — | 44 | 29 | 12 | 9 | 32 | 20 | 22 | 16 | 6 | 4 | 4 | — |
| 45—50 | 10 | 4 | — | — | 67 | 58 | 15 | 12 | 52 | 46 | 44 | 35 | 7 | 11 | 1 | — |
| 50—55 | 12 | 7 | 1 | — | 76 | 59 | 15 | 18 | 61 | 41 | 51 | 34 | 9 | 7 | 1 | — |
| 55—60 | 7 | — | 1 | 1 | 130 | 91 | 39 | 24 | 91 | 67 | 84 | 56 | 4 | 9 | 3 | 2 |
| 60—65 | 11 | 1 | — | — | 173 | 106 | 54 | 19 | 119 | 87 | 98 | 76 | 18 | 9 | 3 | 2 |
| 65—70 | 6 | 1 | — | 1 | 201 | 149 | 46 | 27 | 155 | 122 | 140 | 110 | 15 | 10 | — | 2 |
| 70—75 | 1 | 2 | 2 | — | 16 | 15 | — | — | 16 | 15 | — | — | 15 | 13 | 1 | 2 |
| 75—80 | 3 | 2 | — | — | 15 | 9 | — | — | 15 | 9 | — | — | 12 | 9 | 3 | — |
| 80 and upwards | — | 2 | — | — | 16 | 15 | — | — | 16 | 15 | — | — | 12 | 15 | 4 | — |

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | All Causes. | | I. 1–42 Epidemic, Endemic and Infectious Diseases. | | 1 Enteric fever. | | 1 (*a*) Typhoid fever. | | 1 (*b*) Paratyphoid fevers. | | 2, 3, 4* 5 Malaria. | | 6* 7 Measles. | | 8 Scarlet fever. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 26467 | 25524 | 4440 | 3738 | 18 | 24 | 15 | 23 | 3 | 1 | 9 | 3 | 206 | 180 | 62 | 54 |
| 0—1 | 3203 | 2412 | 308 | 286 | — | — | — | — | — | — | — | — | 56 | 32 | 2 | 2 |
| 1—5 | 1407 | 1242 | 630 | 620 | — | 1 | — | 1 | — | — | — | — | 146 | 140 | 39 | 30 |
| 5—10 | 443 | 417 | 164 | 228 | 1 | 2 | — | 2 | 1 | — | — | — | 4 | 7 | 17 | 13 |
| 10—15 | 327 | 311 | 95 | 128 | 3 | 2 | 3 | 2 | — | — | — | — | — | — | 1 | 2 |
| 15—20 | 493 | 523 | 214 | 296 | 2 | 2 | 2 | 2 | — | — | — | — | — | — | — | 2 |
| 20—25 | 591 | 629 | 302 | 331 | 2 | 1 | 1 | 1 | 1 | — | 1 | — | — | 1 | — | 2 |
| 25—30 | 558 | 588 | 279 | 287 | 3 | 3 | 3 | 3 | — | — | — | — | — | — | — | 1 |
| 30—35 | 652 | 676 | 292 | 248 | 4 | 1 | 3 | 1 | 1 | — | 1 | 1 | — | — | 1 | — |
| 35—40 | 840 | 763 | 318 | 217 | 2 | 2 | 2 | 2 | — | — | 2 | — | — | — | 1 | 1 |
| 40—45 | 1186 | 948 | 351 | 195 | — | 3 | — | 3 | — | — | — | — | — | — | — | — |
| 45—50 | 1513 | 1155 | 370 | 183 | — | 2 | — | 2 | — | — | — | 2 | — | — | 1 | — |
| 50—55 | 1921 | 1396 | 350 | 164 | 1 | 1 | 1 | 1 | — | — | 1 | — | — | — | — | — |
| 55—60 | 2114 | 1599 | 254 | 122 | — | 2 | — | 2 | — | — | 1 | — | — | — | — | — |
| 60—65 | 2451 | 1941 | 218 | 103 | — | 1 | — | 1 | — | — | 2 | — | — | — | — | 1 |
| 65—70 | 2573 | 2219 | 127 | 108 | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | 2353 | 2646 | 91 | 89 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| 75—80 | 1951 | 2525 | 44 | 70 | — | 1 | — | — | — | 1 | — | — | — | — | — | — |
| 80 and upwards | 1891 | 3534 | 33 | 63 | — | — | — | — | — | — | — | — | — | — | — | — |

* **2.** Typhus —; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever —.; **6.** Small-pox 55.

| Causes of Death. | 9 Whooping cough. | | 10 Diphtheria. | | 11 Influenza. | | 11 (*a*) With pulmonary complications. | | 11 (*b*) Without pulmonary complications. | | 12* 13 Mumps. | | 14* 15 Cholera nostras. | | 16 Dysentery. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 174 | 258 | 285 | 331 | 351 | 413 | 259 | 290 | 92 | 123 | 1 | — | — | — | 9 | 10 |
| 0—1 | 86 | 118 | 18 | 12 | 13 | 5 | 8 | 2 | 5 | 3 | — | — | — | — | — | — |
| 1—5 | 85 | 132 | 163 | 169 | 11 | 7 | 8 | 4 | 3 | 3 | — | — | — | — | — | — |
| 5—10 | 2 | 7 | 78 | 111 | 6 | 5 | 3 | 2 | 3 | 3 | — | — | — | — | — | — |
| 10—15 | — | 1 | 18 | 25 | 2 | 3 | 1 | 1 | 1 | 2 | — | — | — | — | — | — |
| 15—20 | 1 | — | 7 | 7 | 7 | 9 | 5 | 8 | 2 | 1 | — | — | — | — | 1 | — |
| 20—25 | — | — | — | 3 | 12 | 12 | 9 | 10 | 3 | 2 | 1 | — | — | — | 1 | — |
| 25—30 | — | — | — | 2 | 9 | 13 | 6 | 10 | 3 | 3 | — | — | — | — | 2 | — |
| 30—35 | — | — | — | — | 12 | 17 | 9 | 14 | 3 | 3 | — | — | — | — | — | 1 |
| 35—40 | — | — | 1 | — | 15 | 18 | 12 | 13 | 3 | 5 | — | — | — | — | 1 | 1 |
| 40—45 | — | — | — | 1 | 20 | 11 | 18 | 9 | 2 | 2 | — | — | — | — | — | 1 |
| 45—50 | — | — | — | — | 35 | 16 | 30 | 13 | 5 | 3 | — | — | — | — | 1 | — |
| 50—55 | — | — | — | — | 32 | 24 | 21 | 17 | 11 | 7 | — | — | — | — | 1 | 2 |
| 55—60 | — | — | — | — | 29 | 25 | 24 | 19 | 5 | 6 | — | — | — | — | — | 1 |
| 60—65 | — | — | — | 1 | 42 | 35 | 29 | 30 | 13 | 5 | — | — | — | — | — | — |
| 65—70 | — | — | — | — | 33 | 53 | 28 | 34 | 5 | 19 | — | — | — | — | 1 | 2 |
| 70—75 | — | — | — | — | 30 | 54 | 20 | 40 | 10 | 14 | — | — | — | — | — | 1 |
| 75—80 | — | — | — | — | 22 | 53 | 14 | 35 | 8 | 18 | — | — | — | — | 1 | 1 |
| 80 and upwards | — | — | — | — | 21 | 53 | 14 | 29 | 7 | 24 | — | — | — | — | — | — |

**12.** Miliary fever —; **14.** Asiatic cholera —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 16 (*a*) Amœbic. | | 16 (*b*) Bacillary. | | 16 (*c*) Other or unspecified. | | 17,18,19,20* 21 Erysipelas. | | 22 Acute poliomyelitis. | | 23 Encephalitis lethargica. | | 24 Meningococcal meningitis. | | 25 Other epidemic and endemic diseases. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1 | 1 | — | 3 | 8 | 6 | 37 | 38 | 10 | 5 | 22 | 30 | 27 | 28 | 7 | 6 |
| 0—1 | — | — | — | — | — | — | 6 | 6 | 1 | — | — | — | 12 | 14 | 3 | 2 |
| 1—5 | — | — | — | — | — | — | 3 | 1 | 3 | — | 2 | 2 | 9 | 9 | 2 | 4 |
| 5—10 | — | — | — | — | — | — | — | 1 | 2 | 1 | — | — | 1 | 1 | — | — |
| 10—15 | — | — | — | — | — | — | — | 1 | 2 | — | 1 | — | 1 | 1 | — | — |
| 15—20 | — | — | — | — | 1 | — | 1 | 1 | 1 | 3 | 1 | 1 | 1 | — | — | — |
| 20—25 | — | — | — | — | 1 | — | 1 | — | — | — | 3 | 2 | — | 1 | — | — |
| 25—30 | 1 | — | — | — | 1 | — | — | — | 1 | — | 3 | 4 | 2 | 1 | 1 | — |
| 30—35 | — | — | — | — | — | 1 | 1 | 2 | — | — | — | — | — | — | — | — |
| 35—40 | — | — | — | — | 1 | 1 | 2 | 1 | — | — | — | 3 | 1 | — | — | — |
| 40—45 | — | — | — | — | — | 1 | 1 | 1 | — | — | 2 | 2 | — | — | — | — |
| 45—50 | — | — | — | — | 1 | — | 4 | 4 | — | 1 | — | 8 | — | 1 | 1 | — |
| 50—55 | — | 1 | — | — | 1 | 1 | 4 | 2 | — | — | 4 | 4 | — | — | — | — |
| 55—60 | — | — | — | — | — | 1 | 2 | 4 | — | — | 1 | 2 | — | — | — | — |
| 60—65 | — | — | — | — | — | — | 2 | 2 | — | — | 3 | — | — | — | — | — |
| 65—70 | — | — | — | 1 | 1 | 1 | 1 | 6 | — | — | 1 | 2 | — | — | — | — |
| 70—75 | — | — | — | 1 | — | — | 5 | 4 | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | 1 | 1 | — | 2 | 1 | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | 2 | 1 | — | — | 1 | — | — | — | — | — |

* **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica —; **20.** Leprosy 45.

| Causes of Death. | 26* 27 Anthrax. | | 28* 29 Tetanus. | | 30 Mycoses. | | Tuberculosis 31–37 All forms. | | 31 Respiratory system. | | 32 Nervous system. | | 33 Intestines and peritoneum. | | 34 Vertebral Column. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 3 | — | 11 | 3 | 10 | 7 | 3029 | 2256 | 2586 | 1846 | 184 | 162 | 52 | 65 | 39 | 22 |
| 0—1 | — | — | 2 | 1 | 1 | 1 | 50 | 61 | 7 | 11 | 27 | 28 | 5 | 6 | — | — |
| 1—5 | — | — | — | — | — | — | 160 | 121 | 19 | 20 | 93 | 65 | 10 | 10 | 1 | 1 |
| 5—10 | — | — | 1 | — | — | — | 49 | 73 | 6 | 18 | 28 | 33 | 2 | 5 | 1 | 1 |
| 10—15 | — | — | — | — | — | — | 63 | 93 | 21 | 56 | 13 | 14 | 5 | 6 | 10 | — |
| 15—20 | — | — | 2 | 1 | — | — | 188 | 267 | 149 | 235 | 10 | 9 | 6 | 7 | 6 | 2 |
| 20—25 | — | — | — | — | 2 | 1 | 274 | 302 | 250 | 279 | 5 | 4 | 3 | 4 | 3 | 4 |
| 25—30 | 1 | — | — | — | 2 | 1 | 251 | 260 | 239 | 240 | 2 | 2 | 1 | 8 | 2 | — |
| 30—35 | 1 | — | — | — | — | — | 265 | 223 | 248 | 205 | 3 | 4 | 1 | 4 | 3 | 1 |
| 35—40 | — | — | 2 | — | — | 1 | 280 | 185 | 272 | 174 | 1 | 2 | 1 | 2 | 1 | 3 |
| 40—45 | — | — | — | — | — | — | 319 | 170 | 308 | 161 | 1 | 1 | 3 | 3 | 1 | — |
| 45—50 | — | — | 1 | — | 1 | — | 312 | 144 | 303 | 131 | 1 | — | 4 | 2 | — | 2 |
| 50—55 | 1 | — | 3 | — | — | 1 | 291 | 127 | 279 | 119 | — | — | 4 | 1 | 4 | 3 |
| 55—60 | — | — | — | 1 | 2 | — | 201 | 82 | 185 | 74 | — | — | 5 | 1 | 3 | 2 |
| 60—65 | — | — | — | — | — | — | 164 | 58 | 151 | 49 | — | — | 2 | 5 | 1 | 1 |
| 65—70 | — | — | — | — | — | 1 | 85 | 40 | 81 | 37 | — | — | — | — | 1 | — |
| 70—75 | — | — | — | — | 1 | — | 51 | 29 | 47 | 23 | — | — | — | 1 | 1 | 1 |
| 75—80 | — | — | — | — | 1 | — | 17 | 13 | 14 | 10 | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | 1 | 9 | 8 | 7 | 4 | — | — | — | — | 1 | 1 |

* **26.** Glanders —; **28.** Rabies —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | Tuberculosis—*contd.* | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 Joints. | | 36 Other organs. | | 36 (*a*) Skin and subcutaneous tissue. | | 36 (*b*) Bones (vertebral column excepted). | | 36 (*c*) Lymphatic system (abdominal glands excepted). | | 36 (*d*) Genito-urinary system. | | 36 (*e*) Others in 36. | | 37 Disseminated. | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 21 | 11 | 27 | 30 | 1 | 5 | 4 | 3 | 4 | 8 | 16 | 14 | 2 | — | 120 | 120 |
| 0—1 | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | 10 | 16 |
| 1—5 | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | 35 | 25 |
| 5—10 | — | — | 1 | 1 | — | — | 1 | — | — | 1 | — | — | — | — | 11 | 15 |
| 10—15 | 2 | 3 | 3 | — | — | — | — | — | — | — | 2 | — | 1 | — | 9 | 14 |
| 15—20 | 3 | — | — | 3 | — | 2 | — | — | — | — | — | 1 | — | — | 14 | 11 |
| 20—25 | 3 | — | 3 | 3 | — | — | — | 1 | — | 1 | 3 | 1 | — | — | 7 | 8 |
| 25—30 | — | 1 | 2 | 2 | — | — | — | — | — | 1 | 2 | 1 | — | — | 5 | 7 |
| 30—35 | — | 1 | 4 | 1 | — | — | — | — | 1 | — | 3 | 1 | — | — | 6 | 7 |
| 35—40 | — | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | 4 | 3 |
| 40—45 | 1 | — | 2 | 2 | — | — | — | — | — | — | 2 | 2 | — | — | 3 | 3 |
| 45—50 | — | 1 | — | 5 | — | 2 | — | — | — | 1 | — | 2 | — | — | 4 | 3 |
| 50—55 | 1 | — | 1 | 3 | — | — | — | — | — | — | 1 | 3 | — | — | 2 | 1 |
| 55—60 | 1 | 1 | 2 | 3 | — | — | 1 | — | — | 1 | 1 | 2 | — | — | 5 | 1 |
| 60—65 | 4 | — | 3 | 1 | — | — | — | — | 1 | — | 1 | 1 | 1 | — | 3 | 2 |
| 65—70 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 70—75 | — | 2 | 2 | 1 | — | — | — | — | 1 | 1 | 1 | — | — | — | 1 | 1 |
| 75—80 | 1 | — | 1 | 3 | — | — | 1 | 1 | — | 2 | — | — | — | — | 1 | — |
| 80 and upwards | 1 | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | 1 |

| Causes of Death. | Tuberculosis—*contd.* | | | | 38 Syphilis. | | 39* | | 40 (1) Gonococcal infection (ophthalmia excepted). | | 40 (2) Gonorrhœal or purulent ophthalmia. | | 42* | | II. 43–69 General diseases not included in I. 1–42. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 37 (*a*) Acute. | | 37 (*b*) Chronic or unstated. | | | | 40 Gonococcal infection. | | | | | | 41 Purulent infection, Septicæmia. | | | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 65 | 77 | 55 | 43 | 128 | 51 | 5 | 5 | 2 | — | 3 | 5 | 34 | 36 | 3591 | 4298 |
| 0—1 | 8 | 15 | 2 | 1 | 52 | 23 | 3 | 5 | — | — | 3 | 5 | 3 | 4 | 36 | 26 |
| 1—5 | 25 | 17 | 10 | 8 | 3 | 2 | — | — | — | — | — | — | 4 | 2 | 48 | 26 |
| 5—10 | 5 | 10 | 6 | 5 | — | — | — | — | — | — | — | — | 3 | 7 | 33 | 23 |
| 10—15 | 2 | 9 | 7 | 5 | 1 | — | — | — | — | — | — | — | 3 | — | 44 | 30 |
| 15—20 | 9 | 7 | 5 | 4 | — | 1 | — | — | — | — | — | — | 2 | 2 | 30 | 44 |
| 20—25 | 2 | 5 | 5 | 3 | 3 | 2 | — | — | — | — | — | — | 2 | 4 | 28 | 46 |
| 25—30 | — | 5 | 5 | 2 | 3 | — | — | — | — | — | — | — | 1 | 2 | 32 | 40 |
| 30—35 | 4 | 3 | 2 | 4 | 6 | 1 | — | — | — | — | — | — | 1 | 2 | 58 | 78 |
| 35—40 | 2 | 1 | 2 | 2 | 9 | 2 | 1 | — | 1 | — | — | — | 1 | 3 | 61 | 142 |
| 40—45 | 2 | — | 1 | 3 | 8 | 4 | — | — | — | — | — | — | 1 | 2 | 135 | 244 |
| 45—50 | 2 | 2 | 2 | 1 | 10 | 3 | 1 | — | 1 | — | — | — | 2 | 2 | 209 | 359 |
| 50—55 | 1 | 1 | 1 | — | 10 | 2 | — | — | — | — | — | — | 2 | 1 | 354 | 420 |
| 55—60 | 2 | — | 3 | 1 | 13 | 4 | — | — | — | — | — | — | 4 | 1 | 498 | 521 |
| 60—65 | 1 | — | 2 | 2 | 3 | 3 | — | — | — | — | — | — | 2 | 2 | 617 | 565 |
| 65—70 | — | 1 | — | 1 | 4 | 2 | — | — | — | — | — | — | 2 | 2 | 551 | 539 |
| 70—75 | — | 1 | 1 | — | 2 | 1 | — | — | — | — | — | — | 1 | — | 438 | 519 |
| 75—80 | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — | 279 | 374 |
| 80 and upwards | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | 140 | 302 |

* **39.** Soft chancre —; **42.** Other infectious diseases —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | Cancer Malignant Disease. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 43–49 Total. | | 43 Buccal cavity. | | 44 Pharynx, œsophagus, stomach, liver and annexa. | | 45 Peritoneum, intestines and rectum. | | 46 Female genital organs. | | 47 Breast. | | 48 Skin. | | 49 Other or unspecified organs. | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 2903 | 3443 | 339 | 43 | 1069 | 765 | 573 | 706 | — | 768 | 5 | 698 | 61 | 40 | 856 | 423 |
| 0—1 | 2 | 2 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | 1 | 1 |
| 1—5 | 8 | 4 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | 6 | 4 |
| 5—10 | 3 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | 3 | 4 |
| 10—15 | 8 | 2 | — | — | — | — | — | — | — | 1 | — | — | 1 | — | 7 | 1 |
| 15—20 | 8 | 13 | — | — | — | — | — | — | — | 8 | — | — | — | — | 8 | 5 |
| 20—25 | 11 | 15 | — | 1 | 1 | 2 | — | 3 | — | 1 | — | 1 | — | — | 10 | 7 |
| 25—30 | 11 | 19 | — | — | 2 | 1 | 3 | 8 | — | 2 | — | 2 | 2 | — | 4 | 6 |
| 30—35 | 39 | 56 | 2 | — | 8 | 11 | 8 | 8 | — | 17 | — | 11 | 2 | — | 19 | 9 |
| 35—40 | 43 | 103 | 1 | 2 | 12 | 17 | 10 | 11 | — | 41 | — | 20 | 1 | 1 | 19 | 11 |
| 40—45 | 101 | 201 | 8 | 1 | 50 | 26 | 12 | 27 | — | 65 | — | 52 | 1 | 1 | 30 | 29 |
| 45—50 | 166 | 304 | 15 | 5 | 68 | 38 | 18 | 41 | — | 93 | 1 | 102 | 1 | 1 | 63 | 24 |
| 50—55 | 306 | 367 | 36 | 4 | 125 | 61 | 58 | 60 | — | 120 | 1 | 78 | 5 | 4 | 81 | 40 |
| 55—60 | 433 | 443 | 63 | 4 | 175 | 109 | 80 | 82 | — | 108 | — | 73 | 5 | 7 | 110 | 60 |
| 60—65 | 545 | 472 | 82 | 4 | 210 | 108 | 96 | 110 | — | 88 | — | 101 | 12 | 4 | 145 | 57 |
| 65—70 | 494 | 445 | 63 | 8 | 170 | 122 | 112 | 93 | — | 81 | 1 | 82 | 10 | 3 | 138 | 56 |
| 70—75 | 360 | 435 | 42 | 5 | 122 | 120 | 76 | 116 | — | 69 | 1 | 61 | 7 | 9 | 112 | 55 |
| 75—80 | 237 | 317 | 18 | 3 | 79 | 92 | 65 | 80 | — | 43 | 1 | 59 | 6 | 5 | 68 | 35 |
| 80 and upwards | 128 | 241 | 9 | 6 | 45 | 57 | 34 | 67 | — | 31 | — | 56 | 8 | 5 | 32 | 19 |

| Causes of Death. | 50 Tumours not returned as malignant (tumours of brain & female genital organs excepted). | | 51 Rheumatic fever. | | 52 Chronic rheumatism, osteo-arthritis, gout. | | 53 Scurvy. | | 54, 55* 56 Rickets. | | 57 Diabetes. | | 58 Anæmia, chlorosis. | | 58 (*a*) Pernicious anæmia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 54 | 37 | 86 | 105 | 77 | 173 | 3 | — | 26 | 11 | 206 | 234 | 85 | 112 | 73 | 96 |
| 0—1 | — | 1 | — | — | — | — | 1 | — | 8 | 5 | — | — | 2 | 2 | — | — |
| 1—5 | 3 | 2 | 2 | 5 | — | — | 2 | — | 17 | 6 | — | 1 | 1 | 1 | — | 1 |
| 5—10 | 1 | — | 16 | 17 | — | — | — | — | — | — | — | — | 2 | — | 1 | — |
| 10—15 | 1 | — | 26 | 16 | — | — | — | — | — | — | 2 | 3 | 1 | 3 | — | 1 |
| 15—20 | 2 | 1 | 9 | 19 | — | — | — | — | — | — | 2 | 2 | 2 | 3 | 2 | 1 |
| 20—25 | — | 1 | 6 | 10 | 1 | — | — | — | — | — | 3 | 3 | 2 | 2 | — | 1 |
| 25—30 | 1 | 1 | 6 | 7 | — | — | — | — | — | — | 6 | 3 | 2 | 3 | — | 3 |
| 30—35 | 1 | 3 | 2 | 3 | 1 | 1 | — | — | — | — | 5 | 3 | 2 | 5 | 1 | 4 |
| 35—40 | 3 | — | 3 | 6 | 2 | — | — | — | 1 | — | 5 | 8 | 2 | 7 | 2 | 5 |
| 40—45 | 1 | 1 | 2 | 6 | 1 | 1 | — | — | — | — | 12 | 10 | 7 | 6 | 6 | 5 |
| 45—50 | 3 | 2 | 5 | 4 | 3 | 5 | — | — | — | — | 12 | 14 | 8 | 10 | 8 | 8 |
| 50—55 | 6 | 3 | — | 1 | 7 | 8 | — | — | — | — | 18 | 23 | 6 | 8 | 6 | 7 |
| 55—60 | 12 | 4 | 3 | 2 | 9 | 9 | — | — | — | — | 26 | 34 | 10 | 14 | 9 | 14 |
| 60—65 | 5 | — | 2 | 4 | 6 | 22 | — | — | — | — | 31 | 45 | 11 | 12 | 11 | 12 |
| 65—70 | 5 | 8 | 2 | 2 | 12 | 33 | — | — | — | — | 22 | 25 | 13 | 12 | 13 | 12 |
| 70—75 | 5 | 3 | 2 | 2 | 18 | 38 | — | — | — | — | 39 | 25 | 8 | 11 | 8 | 11 |
| 75—80 | 3 | 2 | — | — | 12 | 27 | — | — | — | — | 18 | 16 | 6 | 10 | 6 | 9 |
| 80 and upwards | 2 | 5 | — | 1 | 5 | 29 | — | — | — | — | 5 | 19 | — | 3 | — | 2 |

**54.** Pellagra :— **55.** Beri-beri —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 58 (*b*) Other anæmias and chlorosis. | | 59* 60 Diseases of the thyroid gland. | | 60 (*a*) Exophthalmic goitre. | | 60 (*b*) Other diseases of the thyroid gland. | | 61* 62 Diseases of the thymus. | | 63 Diseases of the adrenals. | | 64 Diseases of the spleen. | | 65 Leukæmia, lymph adenoma. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 12 | 16 | 13 | 83 | 7 | 53 | 6 | 30 | 21 | 10 | 8 | 15 | 1 | 3 | 64 | 41 |
| 0—1 | 2 | 2 | — | 2 | — | — | — | 2 | 15 | 9 | — | — | — | — | 2 | 1 |
| 1—5 | 1 | — | 3 | — | — | — | 3 | — | 4 | — | — | — | — | — | 5 | 2 |
| 5—10 | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 8 | 1 |
| 10—15 | 1 | 2 | 1 | 1 | — | 1 | 1 | — | — | 1 | — | — | — | — | 3 | 3 |
| 15—20 | — | 2 | 2 | 3 | 2 | 3 | — | — | — | — | — | — | — | — | 3 | 3 |
| 20—25 | 2 | 1 | — | 5 | — | 5 | — | — | — | — | — | 1 | — | — | 3 | 7 |
| 25—30 | 2 | — | 1 | 2 | 1 | 2 | — | — | — | — | — | 4 | — | — | 2 | 1 |
| 30—35 | 1 | 1 | — | 4 | — | 3 | — | 1 | 1 | — | 1 | — | — | — | 5 | — |
| 35—40 | — | 2 | — | 7 | — | 6 | — | 1 | — | — | 2 | 3 | — | — | — | 5 |
| 40—45 | 1 | 1 | 1 | 14 | 1 | 12 | — | 2 | — | — | — | 1 | — | 1 | 6 | 3 |
| 45—50 | — | 2 | — | 9 | — | 8 | — | 1 | — | — | 1 | 3 | — | — | 4 | 3 |
| 50—55 | — | 1 | 2 | 7 | 2 | 3 | — | 4 | — | — | 1 | 1 | — | — | 4 | — |
| 55—60 | 1 | — | — | 6 | — | 4 | — | 2 | — | — | — | 1 | — | 1 | 4 | 5 |
| 60—65 | — | — | 2 | 5 | 1 | 3 | 1 | 2 | — | — | 2 | — | — | 1 | 11 | 2 |
| 65—70 | — | — | — | 11 | — | 3 | — | 8 | — | — | — | — | 1 | — | 1 | 2 |
| 70—75 | — | — | 1 | 3 | — | — | 1 | 3 | — | — | — | — | — | — | 3 | 2 |
| 75—80 | — | 1 | — | 1 | — | — | — | 1 | — | — | 1 | — | — | — | — | 1 |
| 80 and upwards | — | 1 | — | 3 | — | — | — | 3 | — | — | — | 1 | — | — | — | — |

* **59.** Diseases of the pituitary gland 45. **61.** Diseases of the parathyroid glands — .

| Causes of Death. | 65 (*a*) Leukæmia. | | 65 (*b*) Lymph-adenoma. (Hodgkin's disease). | | 66 Alcoholism (acute or chronic). | | 67 Chronic poisoning by mineral substances. | | 68* 69 Other general diseases. | | III. 70–86 Diseases of the nervous system and sense organs. | | 70 Encephalitis. | | 71 Meningitis. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 42 | 25 | 22 | 16 | 8 | 7 | 6 | 1 | 29 | 23 | 2216 | 2322 | 29 | 17 | 86 | 77 |
| 0—1 | 2 | 1 | — | — | — | — | — | — | 6 | 4 | 131 | 104 | — | 3 | 22 | 22 |
| 1—5 | 5 | 2 | — | — | — | — | — | — | 3 | 5 | 73 | 59 | 3 | — | 26 | 23 |
| 5—10 | 6 | — | 2 | 1 | — | — | — | — | 2 | 1 | 39 | 23 | 7 | — | 3 | 6 |
| 10—15 | 1 | 2 | 2 | 1 | — | — | — | — | 2 | 1 | 34 | 37 | — | 2 | 8 | 7 |
| 15—20 | 3 | 3 | — | — | — | — | — | — | 2 | — | 36 | 31 | 1 | 3 | 2 | 1 |
| 20—25 | 1 | 3 | 2 | 4 | — | — | — | — | 2 | 2 | 37 | 27 | 1 | 1 | 2 | 2 |
| 25—30 | 1 | 1 | 1 | — | — | — | — | — | 3 | — | 34 | 22 | 2 | — | 3 | — |
| 30—35 | 3 | — | 2 | — | — | 2 | — | — | 1 | 1 | 46 | 55 | — | 1 | 4 | 1 |
| 35—40 | — | 2 | — | 3 | — | 1 | — | 1 | — | 1 | 79 | 52 | 4 | 1 | 3 | 1 |
| 40—45 | 2 | 2 | 4 | 1 | 2 | — | 1 | — | 1 | — | 142 | 77 | 5 | 2 | 2 | 2 |
| 45—50 | 3 | 3 | 1 | — | 4 | 3 | 2 | — | — | 2 | 132 | 106 | 2 | — | 2 | 2 |
| 50—55 | 1 | — | 3 | — | 1 | 1 | 2 | — | 1 | 1 | 158 | 145 | 2 | — | 4 | 4 |
| 55—60 | 4 | 3 | — | 2 | 1 | — | — | — | — | 2 | 196 | 180 | 2 | 2 | 2 | 3 |
| 60—65 | 7 | 2 | 4 | — | — | — | — | — | 2 | 2 | 246 | 233 | — | — | 3 | — |
| 65—70 | 1 | 1 | — | 1 | — | — | — | — | 1 | 1 | 259 | 255 | — | 1 | — | 2 |
| 70—75 | | — | 1 | 2 | — | — | 1 | — | 1 | — | 248 | 303 | — | — | — | 1 |
| 75—80 | — | — | — | 1 | — | — | — | — | 2 | — | 175 | 280 | — | 1 | — | — |
| 80 and upwards | — | — | — | — | — | — | — | — | — | — | 151 | 333 | — | — | — | — |

* **68.** Chronic poisoning by organic substances :—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 72 Tabes dorsalis (locomotor ataxy). | | 73 Other diseases of the spinal cord. | | 74 Cerebral hæmorrhage, apoplexy. | | 74 (*a*) Cerebral hæmorrhage. | | 74 (*b*) Cerebral embolism and thrombosis. | | 75 Paralysis of unstated origin. | | 75 (*a*) Hemiplegia. | | 75 (*b*) Other forms of paralysis. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 122 | 22 | 73 | 68 | 996 | 1388 | 830 | 1140 | 166 | 248 | 67 | 102 | 63 | 88 | 4 | 14 |
| 0—1 | — | — | — | 2 | 2 | 1 | 2 | 1 | — | — | — | — | — | — | — | — |
| 1—5 | — | — | 1 | — | 3 | 1 | 3 | 1 | — | — | — | 1 | — | 1 | — | — |
| 5—10 | — | — | 1 | — | 1 | — | — | — | 1 | — | — | 1 | — | — | — | 1 |
| 10—15 | — | — | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| 20—25 | — | — | 1 | 1 | 2 | 3 | 1 | 3 | 1 | — | — | — | — | — | — | — |
| 25—30 | — | — | — | 3 | 4 | 2 | 4 | 1 | — | 1 | 1 | — | 1 | — | — | — |
| 30—35 | 1 | — | 1 | 1 | 5 | 7 | 4 | 5 | 1 | 2 | — | — | — | — | — | — |
| 35—40 | 4 | 1 | 4 | 1 | 16 | 13 | 14 | 11 | 2 | 2 | — | — | — | — | — | — |
| 40—45 | 9 | 2 | 2 | 2 | 26 | 25 | 23 | 22 | 3 | 3 | 1 | 1 | 1 | — | — | 1 |
| 45—50 | 16 | 1 | 4 | 9 | 38 | 45 | 33 | 38 | 5 | 7 | 2 | — | 2 | — | — | — |
| 50—55 | 14 | 4 | 10 | 6 | 47 | 84 | 39 | 70 | 8 | 14 | 2 | 3 | 2 | 1 | — | 2 |
| 55—60 | 22 | 3 | 9 | 10 | 88 | 111 | 75 | 96 | 13 | 15 | 3 | 6 | 3 | 5 | — | 1 |
| 60—65 | 21 | 6 | 9 | 11 | 158 | 155 | 141 | 141 | 17 | 14 | 7 | 13 | 4 | 13 | 3 | — |
| 65—70 | 23 | 1 | 15 | 7 | 174 | 193 | 147 | 160 | 27 | 33 | 14 | 10 | 14 | 7 | — | 3 |
| 70—75 | 10 | 4 | 7 | 4 | 175 | 239 | 149 | 191 | 26 | 48 | 16 | 21 | 16 | 19 | — | 2 |
| 75—80 | 1 | — | 3 | 6 | 136 | 234 | 99 | 189 | 37 | 45 | 13 | 18 | 13 | 16 | — | 2 |
| 80 and upwards | 1 | — | 4 | 3 | 120 | 274 | 95 | 210 | 25 | 64 | 8 | 28 | 7 | 26 | 1 | 2 |

| Causes of Death. | 76 General paralysis of the insane. | | 77 Other forms of insanity. | | 78 Epilepsy. | | 79 & 80 Convulsions (non-puerperal). | | 81 Chorea. | | 82 Hysteria and neuritis. | | 83 Cerebral softening. | | 84 Other diseases of the nervous system. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 270 | 52 | 30 | 64 | 103 | 101 | 104 | 78 | 2 | 6 | 8 | 15 | 29 | 39 | 182 | 202 |
| 0—1 | — | — | — | — | — | 1 | 96 | 65 | — | — | — | — | — | — | 6 | 6 |
| 1—5 | — | — | — | — | 4 | 2 | 7 | 12 | — | — | 1 | — | — | — | 18 | 9 |
| 5—10 | — | — | — | — | 2 | 2 | — | — | 1 | 2 | — | — | — | 1 | 6 | 4 |
| 10—15 | 1 | — | — | 1 | 3 | 4 | — | — | — | 3 | — | — | — | — | 6 | 7 |
| 15—20 | 1 | 1 | — | 1 | 14 | 7 | — | — | 1 | 1 | — | — | — | — | 8 | 6 |
| 20—25 | — | 1 | 4 | 3 | 11 | 9 | — | — | — | — | 1 | — | — | — | 6 | 2 |
| 25—30 | 2 | — | 1 | 3 | 5 | 4 | — | 1 | — | — | — | 1 | — | — | 5 | 4 |
| 30—35 | 19 | 3 | — | 10 | 5 | 10 | 1 | — | — | — | — | — | — | — | 3 | 11 |
| 35—40 | 30 | 6 | 1 | 5 | 5 | 7 | — | — | — | — | — | 1 | — | 1 | 7 | 12 |
| 40—45 | 61 | 7 | — | 3 | 16 | 10 | — | — | — | — | — | 1 | 1 | 1 | 11 | 17 |
| 45—50 | 48 | 10 | 4 | 5 | 5 | 12 | — | — | — | — | — | 2 | — | — | 8 | 16 |
| 50—55 | 49 | 11 | 6 | 5 | 3 | 5 | — | — | — | — | — | 1 | 3 | 1 | 14 | 16 |
| 55—60 | 35 | 9 | 5 | 8 | 12 | 5 | — | — | — | — | — | 2 | 1 | 4 | 13 | 14 |
| 60—65 | 16 | 3 | 2 | 11 | 6 | 10 | — | — | — | — | 1 | 1 | 4 | 2 | 17 | 19 |
| 65—70 | 5 | — | 3 | 6 | 4 | 4 | — | — | — | — | 2 | 1 | 2 | 4 | 14 | 21 |
| 70—75 | 3 | 1 | 3 | 2 | 5 | 6 | — | — | — | — | — | 3 | 7 | 3 | 20 | 19 |
| 75—80 | — | — | — | 1 | 2 | 2 | — | — | — | — | 2 | 1 | 4 | 5 | 13 | 12 |
| 80 and upwards | — | — | 1 | — | 1 | 1 | — | — | — | — | 1 | 1 | 7 | 17 | 7 | 7 |

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 85 Diseases of the eye and annexa. | | 86 Diseases of the ear and of the mastoid sinus. | | IV. 87–96 Diseases of the circulatory system. | | 87–90 Heart disease (all forms). | | 87 Pericarditis. | | 88 Acuté endocarditis and myocarditis. | | 89 Angina pectoris. | | 90 Other diseases of the heart. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 7 | 4 | 108 | 87 | 4558 | 5015 | 3293 | 4000 | 34 | 24 | 161 | 132 | 109 | 43 | 2989 | 3801 |
| 0—1 | 1 | — | 4 | 4 | 6 | 3 | 4 | 2 | 1 | 2 | 3 | — | — | — | — | — |
| 1—5 | — | — | 10 | 11 | 10 | 7 | 7 | 5 | 4 | 2 | 2 | 1 | — | — | 1 | 2 |
| 5—10 | — | — | 18 | 7 | 25 | 23 | 25 | 23 | 5 | — | 6 | 7 | — | — | 14 | 16 |
| 10—15 | — | 1 | 13 | 11 | 35 | 38 | 33 | 38 | 2 | 6 | 8 | 10 | — | — | 23 | 22 |
| 15—20 | 1 | — | 8 | 9 | 51 | 56 | 51 | 55 | 1 | 3 | 13 | 16 | — | — | 37 | 36 |
| 20—25 | — | — | 9 | 5 | 55 | 59 | 54 | 59 | 1 | 1 | 10 | 19 | — | — | 43 | 39 |
| 25—30 | — | — | 11 | 4 | 55 | 61 | 54 | 58 | — | — | 23 | 15 | — | — | 31 | 43 |
| 30—35 | — | — | 7 | 11 | 55 | 70 | 52 | 65 | 2 | — | 21 | 9 | — | — | 29 | 56 |
| 35—40 | — | — | 5 | 3 | 84 | 88 | 68 | 82 | — | — | 19 | 13 | 1 | — | 48 | 69 |
| 40—45 | — | — | 8 | 4 | 148 | 140 | 123 | 127 | 1 | 2 | 15 | 13 | — | 1 | 107 | 111 |
| 45—50 | — | 1 | 3 | 3 | 229 | 182 | 179 | 167 | 2 | — | 9 | 6 | 6 | — | 162 | 161 |
| 50—55 | — | — | 4 | 5 | 350 | 265 | 261 | 227 | 4 | — | 7 | 6 | 10 | 1 | 240 | 220 |
| 55—60 | 1 | — | 3 | 3 | 419 | 324 | 315 | 266 | 3 | 2 | 5 | 7 | 19 | 3 | 288 | 254 |
| 60—65 | — | — | 2 | 2 | 569 | 465 | 393 | 383 | 3 | 2 | 6 | 2 | 18 | 5 | 366 | 374 |
| 65—70 | 2 | 1 | 1 | 4 | 673 | 613 | 483 | 506 | 4 | 1 | 6 | 4 | 25 | 12 | 448 | 489 |
| 70—75 | 1 | — | 1 | — | 667 | 814 | 465 | 619 | — | 1 | 1 | 2 | 14 | 6 | 450 | 610 |
| 75—80 | 1 | — | — | — | 559 | 815 | 371 | 605 | — | 2 | 6 | 1 | 11 | 7 | 354 | 595 |
| 80 and upwards | — | 1 | 1 | 1 | 568 | 992 | 355 | 713 | 1 | — | 1 | 1 | 5 | 8 | 348 | 704 |

| Causes of Death. | 90 (1–4) Valvular disease. | | 90 (5–8) Other defined heart disease. | | 90 (9) Heart disease undefined. | | 91 Diseases of the arteries. | | 91 (*a*) Aneurism. | | 91 (*b*) Arteriosclerosis. | | 91 (*b*) 1 With record of cerebral vascular lesion. | | 91 (*b*) 2 Without record of cerebral vascular lesion. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1195 | 1537 | 1354 | 1723 | 440 | 541 | 1226 | 976 | 174 | 69 | 1034 | 893 | 283 | 286 | 751 | 607 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | 11 | 12 | — | 1 | 3 | 3 | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 18 | 21 | 2 | — | 3 | 1 | 1 | — | 1 | — | — | — | — | — | — | — |
| 15—20 | 33 | 25 | 2 | 1 | 2 | 10 | — | 1 | — | 1 | — | — | — | — | — | — |
| 20—25 | 34 | 31 | 2 | 1 | 7 | 7 | 1 | — | — | — | 1 | — | 1 | — | — | — |
| 25—30 | 23 | 32 | — | 6 | 8 | 5 | — | 2 | — | 2 | — | — | — | — | — | — |
| 30—35 | 22 | 44 | 3 | 3 | 4 | 9 | 3 | 3 | — | 1 | 3 | 2 | — | 1 | 3 | 1 |
| 35—40 | 27 | 47 | 15 | 16 | 6 | 6 | 14 | 3 | 9 | 1 | 5 | 2 | — | 1 | 5 | 1 |
| 40—45 | 65 | 76 | 26 | 25 | 16 | 10 | 23 | 10 | 14 | 4 | 9 | 4 | 3 | 2 | 6 | 2 |
| 45—50 | 96 | 101 | 52 | 46 | 14 | 14 | 48 | 13 | 25 | 5 | 20 | 8 | 5 | 4 | 15 | 4 |
| 50—55 | 112 | 117 | 88 | 77 | 40 | 26 | 82 | 33 | 30 | 5 | 51 | 28 | 19 | 18 | 32 | 10 |
| 55—60 | 141 | 132 | 104 | 81 | 43 | 41 | 98 | 56 | 24 | 7 | 73 | 49 | 32 | 31 | 41 | 18 |
| 60—65 | 148 | 150 | 164 | 176 | 54 | 48 | 174 | 76 | 32 | 11 | 140 | 63 | 49 | 25 | 91 | 38 |
| 65—70 | 138 | 198 | 234 | 213 | 76 | 78 | 187 | 102 | 21 | 12 | 162 | 89 | 47 | 35 | 115 | 54 |
| 70—75 | 141 | 194 | 250 | 315 | 59 | 101 | 196 | 192 | 7 | 12 | 187 | 180 | 49 | 57 | 138 | 123 |
| 75—80 | 99 | 175 | 196 | 328 | 59 | 92 | 188 | 209 | 4 | 6 | 182 | 198 | 39 | 59 | 143 | 139 |
| 80 and upwards | 86 | 180 | 216 | 434 | 46 | 90 | 211 | 276 | 7 | 2 | 201 | 270 | 39 | 53 | 162 | 217 |

DMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 91 (*c*) Other diseases of the arteries. | | 92 Embolism and thrombosis (not cerebral). | | 93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.). | | 94 Diseases of the lymphatic system (Lymphangitis, etc.). | | 96* 95 Hæmorrhage without stated cause. | | V. 97–107 Diseases of the respiratory system. | | 97 Diseases of the nasal fossæ and annexa. | | 98 Diseases of the larynx. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| ll Ages | 18 | 14 | 14 | 18 | 18 | 15 | 6 | 5 | 1 | 1 | 4628 | 4192 | 12 | 9 | 11 | 9 |
| 0—1 | — | — | 1 | — | — | — | — | — | 1 | 1 | 601 | 486 | 4 | 2 | 6 | 2 |
| 1—5 | — | — | — | — | — | — | 3 | 2 | — | — | 397 | 325 | — | — | 4 | 4 |
| 5—10 | — | — | — | — | — | — | — | — | — | — | 51 | 42 | — | — | — | 2 |
| 10—15 | — | — | — | — | 1 | — | — | — | — | — | 12 | 23 | — | — | — | — |
| 15—20 | — | — | — | — | — | — | — | — | — | — | 46 | 30 | 3 | 1 | — | — |
| 20—25 | — | — | — | — | — | — | — | — | — | — | 46 | 32 | — | 1 | — | — |
| 25—30 | — | — | — | — | 1 | — | — | 1 | — | — | 46 | 39 | — | — | — | — |
| 30—35 | — | — | — | 2 | — | — | — | — | — | — | 82 | 40 | — | — | — | — |
| 35—40 | — | — | 1 | 2 | 1 | 1 | — | — | — | — | 122 | 74 | 2 | 1 | 1 | — |
| 40—45 | — | 2 | 2 | 2 | — | 1 | — | — | — | — | 177 | 100 | 1 | 1 | — | — |
| 45—50 | 3 | — | 1 | — | 1 | 2 | — | — | — | — | 274 | 106 | 1 | — | — | — |
| 50—55 | 1 | — | 3 | 2 | 4 | 2 | — | 1 | — | — | 340 | 154 | — | 1 | — | — |
| 55—60 | 1 | — | 2 | 1 | 4 | 1 | — | — | — | — | 346 | 206 | — | 1 | — | — |
| 60—65 | 2 | 2 | 1 | 2 | 1 | 4 | — | — | — | — | 395 | 297 | — | — | — | — |
| 65—70 | 4 | 1 | 1 | 3 | 2 | 2 | — | — | — | — | 440 | 396 | 1 | — | — | — |
| 70—75 | 2 | — | 1 | 2 | 2 | — | 3 | 1 | — | — | 449 | 519 | — | 1 | — | 1 |
| 75—80 | 2 | 5 | — | 1 | — | — | — | — | — | — | 414 | 521 | — | — | — | — |
| 80 and pwards | 3 | 4 | 1 | 1 | 1 | 2 | — | — | — | — | 390 | 802 | — | — | — | — |

* 96. Other diseases of the circulatory system —.

| Causes of Death. | 99 Bronchitis. | | 99 (*a*) Acute. | | 99 (*b*) Chronic. | | 99 (*c* & *d*) Not stated whether acute or chronic. | | 100 & 101 Pneumonia (all forms). | | 100 Broncho-pneumonia. | | 101 Pneumonia (lobar and not otherwise defined). | | 101 (*a*) Pneumonia, lobar. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| ll Ages | 1828 | 1984 | 352 | 533 | 760 | 635 | 716 | 816 | 2435 | 1899 | 1135 | 1074 | 1300 | 825 | 820 | 482 |
| 0—1 | 124 | 99 | 49 | 41 | 1 | — | 74 | 58 | 457 | 374 | 385 | 320 | 72 | 54 | 40 | 22 |
| 1—5 | 33 | 31 | 22 | 16 | 1 | 3 | 10 | 12 | 346 | 285 | 253 | 215 | 93 | 70 | 55 | 42 |
| 5—10 | 3 | 4 | — | 2 | 2 | 1 | 1 | 1 | 44 | 34 | 20 | 14 | 24 | 20 | 14 | 14 |
| 10—15 | 4 | 3 | 1 | — | 2 | 3 | 1 | — | 7 | 19 | — | 8 | 7 | 11 | 5 | 6 |
| 15—20 | 3 | — | — | — | 2 | — | 1 | — | 33 | 26 | 5 | 6 | 28 | 20 | 20 | 13 |
| 20—25 | 6 | 5 | 1 | 3 | 4 | 1 | 1 | 1 | 35 | 22 | 7 | 6 | 28 | 16 | 18 | 11 |
| 25—30 | 3 | 2 | — | 1 | 2 | 1 | 1 | — | 35 | 30 | 9 | 9 | 26 | 21 | 18 | 18 |
| 30—35 | 14 | 5 | 3 | 2 | 8 | 2 | 3 | 1 | 61 | 31 | 11 | 3 | 50 | 28 | 35 | 19 |
| 35—40 | 25 | 10 | 5 | 1 | 10 | 6 | 10 | 3 | 85 | 54 | 13 | 17 | 72 | 37 | 50 | 26 |
| 40—45 | 39 | 25 | 3 | 13 | 25 | 5 | 11 | 7 | 120 | 63 | 24 | 15 | 96 | 48 | 71 | 30 |
| 45—50 | 87 | 28 | 20 | 11 | 46 | 8 | 21 | 9 | 148 | 62 | 35 | 22 | 113 | 40 | 77 | 23 |
| 50—55 | 110 | 58 | 23 | 17 | 59 | 25 | 28 | 16 | 195 | 83 | 40 | 28 | 155 | 55 | 97 | 32 |
| 55—60 | 144 | 107 | 30 | 29 | 69 | 44 | 45 | 34 | 175 | 86 | 50 | 30 | 125 | 56 | 75 | 32 |
| 60—65 | 165 | 146 | 30 | 31 | 83 | 60 | 52 | 55 | 199 | 119 | 60 | 44 | 139 | 75 | 83 | 45 |
| 65—70 | 232 | 231 | 31 | 66 | 127 | 84 | 74 | 81 | 172 | 138 | 56 | 64 | 116 | 74 | 78 | 41 |
| 70—75 | 283 | 310 | 48 | 80 | 126 | 116 | 109 | 114 | 129 | 157 | 59 | 75 | 70 | 82 | 44 | 48 |
| 75—80 | 276 | 351 | 37 | 83 | 106 | 122 | 133 | 146 | 107 | 135 | 58 | 83 | 49 | 52 | 23 | 31 |
| 80 and pwards | 277 | 569 | 49 | 137 | 87 | 154 | 141 | 278 | 87 | 181 | 50 | 115 | 37 | 66 | 17 | 29 |

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 101 (*b*) Pneumonia, not otherwise defined. | | 102 Pleurisy. | | 103 Congestion and hæmorrhagic infarct of lung. | | 104 Gangrene of the lung. | | 105 Asthma. | | 106 Pulmonary emphysema. | | 107 Other diseases of the respiratory system. | | 107 (*a*) Chronic interstitial pneumonia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 480 | 343 | 95 | 66 | 72 | 98 | 9 | 4 | 117 | 106 | 30 | 1 | 19 | 16 | 7 | 10 |
| 0—1 | 32 | 32 | 1 | 1 | 9 | 8 | — | — | — | — | — | — | — | — | — | — |
| 1—5 | 38 | 28 | 10 | 4 | 2 | 1 | 1 | — | — | — | — | — | 1 | — | — | — |
| 5—10 | 10 | 6 | 1 | — | — | 1 | 2 | — | — | 1 | — | — | 1 | — | — | — |
| 10—15 | 2 | 5 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | 8 | 7 | 5 | 2 | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — |
| 20—25 | 10 | 5 | 3 | 3 | — | — | — | — | 2 | 1 | — | — | — | — | — | — |
| 25—30 | 8 | 3 | 5 | 2 | 1 | — | 1 | — | 1 | 3 | — | — | — | 2 | — | 1 |
| 30—35 | 15 | 9 | 3 | 1 | — | — | 1 | — | 3 | 2 | — | — | — | 1 | — | — |
| 35—40 | 22 | 11 | 3 | 4 | 1 | 2 | — | — | 2 | 3 | 2 | — | 1 | — | 1 | — |
| 40—45 | 25 | 18 | 2 | 1 | — | — | — | — | 13 | 8 | 1 | — | 1 | 2 | — | 2 |
| 45—50 | 36 | 17 | 15 | 4 | 5 | — | 2 | 1 | 12 | 11 | 2 | — | 2 | — | — | — |
| 50—55 | 58 | 23 | 8 | 4 | — | 2 | — | 1 | 19 | 4 | 5 | — | 3 | 1 | 2 | 1 |
| 55—60 | 50 | 24 | 13 | 4 | — | — | — | — | 9 | 7 | 2 | — | 3 | 1 | 1 | 1 |
| 60—65 | 56 | 30 | 7 | 12 | 4 | 4 | 1 | — | 14 | 15 | 3 | — | 2 | 1 | — | 1 |
| 65—70 | 38 | 33 | 9 | 8 | 1 | 9 | — | — | 19 | 9 | 5 | — | 1 | 1 | — | — |
| 70—75 | 26 | 34 | 7 | 9 | 11 | 20 | 1 | 1 | 10 | 16 | 5 | — | 3 | 4 | 3 | 1 |
| 75—80 | 26 | 21 | — | 3 | 18 | 12 | — | — | 11 | 16 | 2 | 1 | — | 3 | — | 3 |
| 80 and upwards | 20 | 37 | 2 | 3 | 20 | 39 | — | — | 2 | 10 | 2 | — | — | — | — | — |

| Causes of Death. | 107 (*b*) Diseases of the mediastinum. | | 107 (*c*) Other diseases included under 107. | | VI. 108–127 Diseases of the digestive system. | | 108 Diseases of the buccal cavity and annexa. | | 108 (1) Diseases of the teeth and gums. | | 108 (2 & 3) Other diseases of the buccal cavity and annexa. | | 109 Diseases of the pharynx and tonsils. | | 110 Diseases of the œsophagus. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 1 | 12 | 5 | 1855 | 1571 | 28 | 20 | 20 | 12 | 8 | 8 | 22 | 26 | 7 | [illegible] |
| 0—1 | — | — | — | — | 562 | 382 | 4 | 2 | 2 | — | 2 | 2 | 2 | 1 | 1 | — |
| 1—5 | — | — | 1 | — | 122 | 99 | 3 | 2 | 2 | 1 | 1 | 1 | 5 | 6 | — | |
| 5—10 | — | — | 1 | — | 36 | 33 | 1 | — | 1 | — | — | — | 2 | 1 | — | — |
| 10—15 | — | — | — | — | 29 | 23 | — | — | — | — | — | — | 1 | 4 | — | — |
| 15—20 | — | — | 1 | — | 29 | 25 | 2 | 2 | 1 | — | 1 | 2 | 2 | 1 | 1 | — |
| 20—25 | — | — | — | — | 34 | 30 | — | 2 | — | 2 | — | — | 2 | 1 | — | — |
| 25—30 | — | — | — | 1 | 27 | 35 | 1 | — | 1 | — | — | — | — | 2 | — | — |
| 30—35 | — | — | — | 1 | 33 | 44 | — | — | — | — | — | — | 1 | 2 | — | — |
| 35—40 | — | — | — | — | 49 | 57 | — | 1 | — | 1 | — | — | 2 | — | — | — |
| 40—45 | — | — | 1 | — | 85 | 65 | — | 1 | — | 1 | — | — | — | 2 | — | — |
| 45—50 | — | — | 2 | — | 119 | 82 | 2 | — | 1 | — | 1 | — | 2 | — | 2 | — |
| 50—55 | — | — | 1 | — | 127 | 97 | 1 | 2 | 1 | 2 | — | — | — | 1 | — | |
| 55—60 | — | — | 2 | — | 136 | 105 | 5 | 1 | 4 | 1 | 1 | — | — | 1 | — | — |
| 60—65 | — | — | 2 | — | 123 | 108 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | — | — |
| 65—70 | — | — | 1 | 1 | 145 | 96 | 2 | 1 | 1 | — | 1 | 1 | 1 | — | 2 | — |
| 70—75 | — | 1 | — | 2 | 91 | 99 | 3 | 3 | 3 | 2 | — | 1 | — | 1 | 1 | — |
| 75—80 | — | — | — | — | 63 | 83 | 2 | 1 | 2 | 1 | — | — | 1 | — | — | |
| 80 and upwards | — | — | — | — | 45 | 108 | — | — | — | — | — | — | — | 1 | — | — |

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 111 Ulcer of the stomach or duodenum. | | 111 (*a*) Ulcer of the stomach. | | 111 (*b*) Ulcer of the duodenum. | | 112 Other diseases of the stomach. | | 113 & 114 Diarrhœa and enteritis. | | 115* 116* Diseases due to other intestinal parasites. | | 117 Appendicitis and typhlitis. | | 118 Hernia, Intestinal obstruction. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 335 | 117 | 228 | 105 | 107 | 12 | 77 | 89 | 623 | 541 | 1 | — | 190 | 155 | 262 | 264 |
| 0—1 | — | 1 | — | — | — | 1 | 18 | 11 | 492 | 339 | — | — | 1 | — | 36 | 21 |
| 1—5 | — | — | — | — | — | — | 5 | 5 | 72 | 65 | — | — | 16 | 7 | 19 | 6 |
| 5—10 | — | — | — | — | — | — | — | 2 | 3 | 4 | — | — | 20 | 18 | 8 | — |
| 10—15 | 1 | — | — | — | 1 | — | — | 1 | 3 | 1 | — | — | 20 | 13 | 2 | 3 |
| 15—20 | — | 1 | — | 1 | — | — | — | — | 1 | 2 | — | — | 20 | 16 | 3 | 2 |
| 20—25 | 8 | 5 | 7 | 5 | 1 | — | — | — | 2 | 4 | — | — | 16 | 12 | 3 | 2 |
| 25—30 | 10 | 5 | 5 | 5 | 5 | — | 1 | — | 1 | 9 | 1 | — | 9 | 7 | 3 | 4 |
| 30—35 | 14 | 5 | 8 | 5 | 6 | — | — | 1 | 1 | 7 | — | — | 5 | 7 | 7 | 8 |
| 35—40 | 24 | 9 | 17 | 8 | 7 | 1 | 3 | 4 | 1 | 7 | — | — | 6 | 12 | 7 | 8 |
| 40—45 | 41 | 9 | 29 | 9 | 12 | — | — | — | 5 | 11 | — | — | 10 | 10 | 8 | 11 |
| 45—50 | 59 | 13 | 40 | 11 | 19 | 2 | 4 | 5 | 4 | 7 | — | — | 7 | 10 | 13 | 18 |
| 50—55 | 50 | 13 | 34 | 12 | 16 | 1 | 4 | 5 | 5 | 11 | — | — | 8 | 7 | 15 | 20 |
| 55—60 | 44 | 17 | 31 | 15 | 13 | 2 | 6 | 5 | 7 | 5 | — | — | 22 | 11 | 17 | 25 |
| 60—65 | 32 | 10 | 26 | 9 | 6 | 1 | 6 | 6 | 4 | 16 | — | — | 11 | 8 | 34 | 23 |
| 65—70 | 31 | 13 | 17 | 13 | 14 | — | 11 | 2 | 7 | 6 | — | — | 8 | 7 | 22 | 30 |
| 70—75 | 10 | 10 | 6 | 8 | 4 | 2 | 6 | 8 | 3 | 12 | — | — | 7 | 4 | 34 | 22 |
| 75—80 | 7 | 2 | 5 | 2 | 2 | — | 4 | 15 | 4 | 13 | — | — | 3 | 6 | 16 | 23 |
| 80 and upwards | 4 | 4 | 3 | 2 | 1 | 2 | 9 | 19 | 8 | 22 | — | — | 1 | — | 15 | 38 |

* **115.** Ankylostomiasis — . **116** (*a*) Cestodes (hydatids of the liver excepted) 25.

| Causes of Death. | 118 (*a*) Hernia. | | 118 (*b*) Intestinal obstruction. | | 119 Other diseases of the intestines. | | 120 Acute yellow atrophy of the liver. | | 121 Hydatid tumour of the liver. | | 122 Cirrhosis of the liver. | | 122 (*a*) Returned as alcoholic. | | 122 (*b*) Not returned as alcoholic. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 108 | 119 | 154 | 145 | 39 | 50 | 3 | 10 | 3 | 1 | 172 | 105 | 19 | 16 | 153 | 89 |
| 0—1 | 6 | 1 | 30 | 20 | 7 | 2 | — | — | — | — | — | — | — | — | — | — |
| 1—5 | 2 | 1 | 17 | 5 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 5—10 | 1 | — | 7 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | 1 | 2 | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | 3 | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 20—25 | 1 | — | 2 | 2 | — | — | — | — | — | — | — | 1 | — | — | — | 1 |
| 25—30 | — | — | 3 | 4 | — | 1 | 1 | 3 | — | — | — | 2 | — | 1 | — | 1 |
| 30—35 | 1 | — | 6 | 8 | 1 | 3 | — | 2 | — | — | 2 | 2 | — | — | 2 | 2 |
| 35—40 | 3 | 3 | 4 | 5 | — | 3 | 1 | 2 | — | — | 3 | 4 | 1 | 1 | 2 | 3 |
| 40—45 | 4 | 3 | 4 | 8 | 1 | 3 | — | 1 | 1 | — | 13 | 9 | 2 | 1 | 11 | 8 |
| 45—50 | 3 | 6 | 10 | 12 | — | 2 | 1 | — | — | 1 | 15 | 10 | 1 | 1 | 14 | 9 |
| 50—55 | 7 | 12 | 8 | 8 | 3 | 8 | — | 1 | 1 | — | 32 | 12 | 3 | 2 | 29 | 10 |
| 55—60 | 9 | 16 | 8 | 9 | 1 | 3 | — | — | — | — | 26 | 20 | 1 | 3 | 25 | 17 |
| 60—65 | 17 | 12 | 17 | 11 | 2 | — | — | 1 | — | — | 25 | 17 | 7 | 2 | 18 | 15 |
| 65—70 | 11 | 20 | 11 | 10 | 8 | 7 | — | — | 1 | — | 32 | 10 | 3 | 1 | 29 | 9 |
| 70—75 | 21 | 16 | 13 | 6 | 5 | 6 | — | — | — | — | 12 | 13 | — | 2 | 12 | 11 |
| 75—80 | 10 | 15 | 6 | 8 | 6 | — | — | — | — | — | 11 | 2 | 1 | 1 | 10 | 1 |
| 80 and upwards | 12 | 13 | 3 | 25 | 5 | 9 | — | — | — | — | 1 | 3 | — | 1 | 1 | 2 |

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923
(Civilian population only).

| Causes of Death. | 123 Biliary calculi. | | 124 Other diseases of the liver. | | 125 Diseases of the pancreas. | | 127* 126 Peritonitis of unstated origin. | | VII. 128–142 Non-puerperal diseases of the genito-urinary system. | | 128 Acute nephritis (including unspecified under 10 years of age). | | 129 Chronic nephritis (including unspecified over 10 years of age). | | 130* 131 Other diseases of the kidneys and annex | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 32 | 74 | 25 | 51 | 15 | 22 | 21 | 43 | 1281 | 939 | 65 | 55 | 692 | 678 | 53 | 4 |
| 0—1 | — | — | — | 3 | — | — | 1 | 2 | 12 | 2 | 8 | 1 | — | — | 1 | |
| 1—5 | — | — | — | — | — | — | 2 | 6 | 6 | 9 | 4 | 4 | 1 | 5 | 1 | — |
| 5—10 | — | — | — | 1 | — | — | 2 | 7 | 7 | 5 | 1 | 3 | 5 | 2 | 1 | — |
| 10—15 | — | — | 2 | — | — | — | — | — | 11 | 9 | 2 | 2 | 6 | 6 | — | — |
| 15—20 | — | — | — | — | — | — | — | — | 13 | 12 | 4 | 3 | 8 | 7 | — | — |
| 20—25 | — | — | 1 | 1 | 1 | — | 1 | 2 | 13 | 21 | 2 | 4 | 7 | 13 | 1 | — |
| 25—30 | — | 1 | — | 1 | — | — | — | — | 18 | 25 | 3 | 4 | 13 | 10 | — | |
| 30—35 | — | 1 | — | 3 | 1 | 1 | 1 | 2 | 27 | 36 | 4 | 2 | 18 | 21 | — | |
| 35—40 | — | 1 | 1 | 2 | 1 | 1 | — | 3 | 39 | 38 | 4 | 3 | 25 | 18 | 5 | |
| 40—45 | 1 | 3 | 2 | 1 | 1 | 2 | 2 | 2 | 45 | 64 | 9 | 8 | 27 | 32 | 3 | |
| 45—50 | 3 | 7 | 3 | 2 | 2 | 3 | 2 | 4 | 57 | 83 | 1 | 3 | 38 | 58 | 6 | |
| 50—55 | 3 | 9 | 1 | 6 | — | — | 4 | 1 | 102 | 82 | 8 | 2 | 73 | 55 | 4 | |
| 55—60 | 5 | 7 | — | 4 | 2 | 3 | 1 | 3 | 119 | 88 | 2 | 2 | 77 | 72 | 8 | |
| 60—65 | 2 | 10 | 2 | 7 | — | 4 | 2 | 2 | 146 | 106 | 5 | 3 | 89 | 89 | 5 | |
| 65—70 | 9 | 8 | 4 | 3 | 4 | 5 | 3 | 4 | 211 | 123 | 5 | 4 | 115 | 101 | 8 | |
| 70—75 | 3 | 12 | 5 | 5 | 2 | 1 | — | 2 | 181 | 102 | 3 | 5 | 81 | 79 | 4 | |
| 75—80 | 6 | 9 | 2 | 8 | 1 | 1 | — | 2 | 144 | 75 | — | 2 | 61 | 62 | 4 | |
| 80 and upwards | — | 6 | 2 | 4 | — | 1 | — | 1 | 130 | 59 | — | — | 48 | 48 | 2 | |

* **127.** Other diseases of the digestive system —; **130.** Chyluria —.

| Causes of Death. | 132 Calculi of the urinary passages. | | 133 Diseases of the bladder. | | 134 Diseases of the urethra, urinary abscess, etc. | | 134 (*a*) Stricture of the urethra. | | 134 (*b*) Other diseases of the urethra, etc. | | 135 Diseases of the prostate. | | 136 Non-venereal diseases of the male genital organs. | | 137 Cysts and other tumours of the ovary not returned as malignant. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 31 | 18 | 82 | 36 | 67 | 1 | 58 | — | 9 | 1 | 287 | — | 4 | — | — | 28 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| 20—25 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 25—30 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 30—35 | 4 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | 2 |
| 35—40 | 2 | — | 1 | 1 | 2 | — | 2 | — | — | — | — | — | — | — | — | 2 |
| 40—45 | 2 | 4 | 2 | — | 1 | — | 1 | — | — | — | 1 | — | — | — | — | 2 |
| 45—50 | — | 3 | 4 | 2 | 6 | 1 | 6 | — | — | 1 | 2 | — | — | — | — | 4 |
| 50—55 | 6 | 5 | 1 | 4 | 7 | — | 6 | — | 1 | — | 3 | — | — | — | — | 3 |
| 55—60 | 1 | 1 | 7 | 1 | 11 | — | 7 | — | 4 | — | 13 | — | — | — | — | 2 |
| 60—65 | 3 | — | 7 | 3 | 7 | — | 6 | — | 1 | — | 30 | — | — | — | — | 2 |
| 65—70 | 1 | 1 | 11 | 7 | 12 | — | 11 | — | 1 | — | 59 | — | — | — | — | 4 |
| 70—75 | 2 | 1 | 10 | 6 | 13 | — | 11 | — | 2 | — | 67 | — | 1 | — | — | 3 |
| 75—80 | 5 | 1 | 11 | 4 | 3 | — | 3 | — | — | — | 60 | — | — | — | — | 2 |
| 80 and upwards | 1 | 1 | 24 | 7 | 4 | — | 4 | — | — | — | 51 | — | — | — | — | 1 |

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 138 Salpingitis and pelvic abscess. | | 139 Tumours of the uterus not returned as malignant. | | 140 Uterine hæmorrhage. | | 141 Other diseases of the female genital organs. | | 142 Non-puerperal diseases of the breast. | | VIII. 143–150 The puerperal state. | | 143 Accidents of pregnancy. | | 143 (*a*) Abortion. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 28 | — | 34 | — | — | — | 19 | — | — | — | 265 | — | 30 | — | 6 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | 2 | — | — | — | — | — | — | — | — | — | 8 | — | — | — | — |
| 20—25 | — | 1 | — | — | — | — | — | 2 | — | — | — | 42 | — | 6 | — | 2 |
| 25—30 | — | 2 | — | — | — | — | — | 5 | — | — | — | 49 | — | 4 | — | 1 |
| 30—35 | — | 6 | — | 2 | — | — | — | — | — | — | — | 75 | — | 7 | — | 2 |
| 35—40 | — | 6 | — | 3 | — | — | — | 3 | — | — | — | 57 | — | 6 | — | 1 |
| 40—45 | — | 4 | — | 7 | — | — | — | 2 | — | — | — | 26 | — | 5 | — | — |
| 45—50 | — | 2 | — | 7 | — | — | — | — | — | — | — | 8 | — | 2 | — | — |
| 50—55 | — | — | — | 8 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 55—60 | — | 2 | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — |
| 60—65 | — | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | — | — | 2 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 75—80 | — | 1 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

| Causes of Death. | 143 (*b*) Ectopic gestation. | | 143 (*c*) Other accidents. | | 144 Puerperal hæmorrhage. | | 145 Other accidents of childbirth. | | 146 Puerperal sepsis. | | 147 Phlegmasia alba dolens, puerperal embolism, etc. | | 148 Puerperal albuminuria and convulsions. | | 150* 149 Childbirth not assignable elsewhere (puerperal insanity). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 13 | — | 11 | — | 31 | — | 27 | — | 126 | — | 19 | — | 29 | — | 2 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | 3 | — | — |
| 20—25 | — | 1 | — | 3 | — | 2 | — | 4 | — | 23 | — | 2 | — | 5 | — | — |
| 25—30 | — | 3 | — | — | — | 5 | — | 6 | — | 24 | — | 1 | — | 9 | — | — |
| 30—35 | — | 3 | — | 2 | — | 9 | — | 8 | — | 37 | — | 10 | — | 3 | — | 1 |
| 35—40 | — | 3 | — | 2 | — | 10 | — | 8 | — | 23 | — | 4 | — | 5 | — | — |
| 40—45 | — | 2 | — | 3 | — | 4 | — | 1 | — | 11 | — | 2 | — | 2 | — | 1 |
| 45—50 | — | 1 | — | 1 | — | — | — | — | — | 4 | — | — | — | 2 | — | — |
| 50—55 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

* **150.** Puerperal diseases of the breast *35.*

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | IX. 151–154 Diseases of the skin and cellular tissue. | | 151 Gangrene. | | 152 Furuncle. | | 153 Phlegmon, acute abscess. | | 154 Other diseases of the skin and its annexa. | | X. 155–158 Diseases of the bones and organs of locomotion. | | 155 Diseases of the bones. | | 156 Diseases of the joints. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 175 | 174 | 48 | 60 | 40 | 19 | 40 | 52 | 47 | 43 | 62 | 36 | 49 | 26 | 12 | 7 |
| 0—1 | 26 | 24 | — | 1 | — | 1 | 8 | 13 | 18 | 9 | 2 | 3 | 2 | 1 | — | 1 |
| 1—5 | 4 | 2 | 1 | — | — | — | — | 1 | 3 | 1 | 8 | 7 | 6 | 7 | 2 | — |
| 5—10 | — | 1 | — | — | — | — | — | 1 | — | — | 7 | 4 | 6 | 4 | 1 | — |
| 10—15 | 2 | 5 | 1 | 1 | — | 1 | 1 | 3 | — | — | 13 | 5 | 10 | 4 | 3 | 1 |
| 15—20 | 2 | 2 | — | — | 1 | 2 | 1 | — | — | — | 7 | — | 7 | — | — | — |
| 20—25 | 4 | 5 | — | — | 1 | 1 | 3 | 3 | — | 1 | 2 | 2 | 2 | 1 | — | 1 |
| 25—30 | 3 | 4 | — | — | 1 | 1 | 2 | — | — | 3 | — | 1 | — | 1 | — | — |
| 30—35 | 4 | 2 | — | — | 4 | 1 | — | 1 | — | — | 2 | 1 | 2 | — | — | 1 |
| 35—40 | 5 | 8 | — | 1 | 1 | 1 | 3 | 3 | 1 | 3 | 3 | — | 3 | — | — | — |
| 40—45 | 3 | 5 | — | 1 | — | 2 | 1 | 1 | 2 | 1 | 1 | 3 | 1 | 2 | — | — |
| 45—50 | 6 | 7 | — | — | 1 | 3 | 4 | 1 | 1 | 3 | 2 | 1 | — | — | 2 | 1 |
| 50—55 | 11 | 9 | 1 | — | 6 | 1 | 2 | 6 | 2 | 2 | 4 | 2 | 3 | 1 | 1 | 1 |
| 55—60 | 16 | 5 | 2 | 1 | 6 | 1 | 3 | 2 | 5 | 1 | 1 | 1 | — | 1 | 1 | — |
| 60—65 | 13 | 6 | 1 | — | 5 | 1 | 3 | 1 | 4 | 4 | 4 | 1 | 4 | 1 | — | — |
| 65—70 | 18 | 14 | 7 | 6 | 4 | 1 | 3 | 3 | 4 | 4 | 1 | 2 | — | 1 | 1 | 1 |
| 70—75 | 13 | 14 | 5 | 6 | 4 | — | 1 | 3 | 3 | 5 | 1 | — | 1 | — | — | — |
| 75—80 | 26 | 23 | 19 | 14 | 3 | 2 | 2 | 5 | 2 | 2 | 2 | — | 1 | — | — | — |
| 80 and upwards | 19 | 38 | 11 | 29 | 3 | — | 3 | 5 | 2 | 4 | 2 | 3 | 1 | 2 | 1 | — |

| Causes of Death. | 157* 158 Other diseases of the organs of locomotion. | | XI. 159 Mal-formations. | | XII. 160–163 Diseases of early infancy. | | 160 Congenital debility. | | 161 Premature birth, injury at birth. | | 161 (1) Premature birth. | | 161 (2) Injury at birth. | | 162 Other diseases peculiar to early infancy. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1 | 3 | 224 | 165 | 1249 | 889 | 276 | 177 | 849 | 616 | 769 | 575 | 80 | 41 | 109 | 76 |
| 0—1 | — | 1 | 199 | 155 | 1249 | 889 | 276 | 177 | 849 | 616 | 769 | 575 | 80 | 41 | 109 | 76 |
| 1—5 | — | — | 11 | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 20—25 | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25—30 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30—35 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 35—40 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 40—45 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 45—50 | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 50—55 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

*157. Amputations — .

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 163 Lack of care. | | XIII. 164 Old age. | | XIV. 165–203 External causes. | | Suicide. 165–174 Total. | | 165 & 166 By solid or liquid poisons and corrosive substances. | | 167 By poisonous gas. | | 168 By hanging or strangulation. | | 169 By drowning. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 15 | 20 | 745 | 1166 | 1425 | 736 | 397 | 167 | 63 | 41 | 111 | 52 | 44 | 13 | 38 | 25 |
| 0—1 | 15 | 20 | — | — | 68 | 49 | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | 90 | 74 | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | 80 | 34 | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | 51 | 13 | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | — | — | 61 | 18 | 7 | 4 | 2 | 1 | 1 | — | 1 | — | 1 | 2 |
| 20—25 | — | — | — | — | 67 | 34 | 20 | 15 | 4 | 6 | 7 | 2 | 1 | — | 2 | 5 |
| 25—30 | — | — | — | — | 63 | 25 | 14 | 11 | 2 | 3 | 6 | 5 | 1 | — | 1 | — |
| 30—35 | — | — | — | — | 53 | 26 | 23 | 7 | 5 | 1 | 7 | 2 | 3 | 1 | 1 | — |
| 35—40 | — | — | — | — | 80 | 29 | 38 | 14 | 6 | 4 | 10 | 3 | 3 | 1 | 4 | 3 |
| 40—45 | — | — | — | — | 99 | 28 | 46 | 17 | 9 | 5 | 15 | 5 | — | — | 6 | 4 |
| 45—50 | — | — | — | — | 111 | 37 | 49 | 17 | 10 | 5 | 17 | 4 | 6 | — | 3 | 2 |
| 50—55 | — | — | — | — | 124 | 55 | 48 | 26 | 6 | 7 | 14 | 9 | 7 | 5 | 2 | 3 |
| 55—60 | — | — | 3 | 1 | 123 | 44 | 44 | 19 | 6 | 2 | 8 | 6 | 9 | 3 | 6 | 4 |
| 60—65 | — | — | 22 | 16 | 97 | 41 | 35 | 17 | 4 | 2 | 8 | 7 | 2 | 1 | 5 | 1 |
| 65—70 | — | — | 43 | 29 | 103 | 44 | 36 | 12 | 4 | 5 | 11 | 4 | 8 | 1 | 5 | — |
| 70—75 | — | — | 113 | 127 | 61 | 60 | 14 | 3 | 2 | — | 4 | 1 | 1 | — | 1 | 1 |
| 75—80 | — | — | 193 | 239 | 52 | 45 | 17 | 4 | 3 | — | 2 | 3 | 2 | 1 | 1 | — |
| 80 and upwards | — | — | 371 | 754 | 42 | 80 | 6 | 1 | — | — | 1 | 1 | — | — | — | — |

| Causes of Death. | Suicide—*contd.* 170 By firearms. | | 171 By cutting or piercing instruments. | | 172 By jumping from high places. | | 173 By crushing. | | 174 By other means. | | 175–196 201–203 Violent deaths, excluding suicide and homicide. | | 175 Food poisoning. | | 176 Poisoning by venomous animals. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 29 | 2 | 57 | 10 | 27 | 21 | 26 | 2 | 2 | 1 | 1008 | 534 | 3 | 4 | 2 | 2 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | 63 | 44 | — | — | 1 | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | 89 | 68 | — | — | 1 | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | 80 | 33 | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | 48 | 13 | — | — | — | 1 |
| 15—20 | 1 | 1 | — | — | — | — | 1 | — | — | — | 52 | 13 | — | — | — | — |
| 20—25 | 2 | — | 1 | — | — | 2 | 3 | — | — | — | 45 | 13 | — | — | — | — |
| 25—30 | 1 | 1 | 1 | — | 1 | 2 | 1 | — | — | — | 48 | 11 | — | — | — | — |
| 30—35 | 2 | — | 3 | 1 | — | 2 | 1 | — | 1 | — | 30 | 14 | — | 1 | — | — |
| 35—40 | 2 | — | 4 | 1 | 4 | 2 | 5 | — | — | — | 39 | 14 | — | — | — | — |
| 40—45 | 3 | — | 10 | 2 | 2 | 1 | 1 | — | — | — | 53 | 10 | — | — | — | — |
| 45—50 | 3 | — | 2 | 2 | 4 | 3 | 3 | 1 | 1 | — | 61 | 18 | — | 1 | — | — |
| 50—55 | 3 | — | 8 | — | 4 | 2 | 4 | — | — | — | 76 | 28 | 1 | — | — | — |
| 55—60 | 2 | — | 8 | 2 | 3 | 2 | 2 | — | — | — | 79 | 24 | 2 | 1 | — | — |
| 60—65 | 4 | — | 8 | 2 | 2 | 3 | 2 | 1 | — | — | 61 | 22 | — | — | — | — |
| 65—70 | 1 | — | 2 | — | 3 | 1 | 2 | — | — | 1 | 67 | 32 | — | — | — | 1 |
| 70—75 | 1 | — | 1 | — | 3 | 1 | 1 | — | — | — | 46 | 57 | — | — | — | — |
| 75—80 | 4 | — | 5 | — | — | — | — | — | — | — | 35 | 41 | — | 1 | — | — |
| 80 and upwards | — | — | 4 | — | 1 | — | — | — | — | — | 36 | 79 | — | — | — | — |

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 177 Other acute accidental poisonings. | | 178 Conflagration. | | 179 Burns (conflagration excepted). | | 180 Accidental mechanical suffocation. | | 181 Accidental absorption of irrespirable or poisonous gas. | | 182 Accidental drowning. | | 183 Accidental injury by firearms. | | 184 Accidental injury by cutting or piercing instruments. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 12 | 7 | 3 | 5 | 74 | 84 | 56 | 39 | 15 | 14 | 145 | 22 | 4 | — | 1 | — |
| 0—1 | — | — | — | — | 7 | 4 | 45 | 31 | — | — | 1 | 1 | — | — | 1 | — |
| 1—5 | 1 | 1 | 1 | — | 47 | 38 | 1 | 2 | — | — | 3 | 2 | 1 | — | — | — |
| 5—10 | — | 1 | — | — | 2 | 4 | 1 | 2 | — | 1 | 16 | 2 | — | — | — | — |
| 10—15 | — | — | 1 | — | — | 1 | — | — | 1 | — | 9 | — | — | — | — | — |
| 15—20 | — | — | — | — | — | 5 | — | — | 1 | 1 | 9 | 3 | — | — | — | — |
| 20—25 | — | — | — | — | 1 | 1 | — | — | 1 | — | 16 | 2 | 1 | — | — | — |
| 25—30 | 1 | — | — | — | 1 | — | — | — | 3 | 1 | 11 | 2 | 1 | — | — | — |
| 30—35 | — | — | — | — | 2 | 3 | — | — | — | — | 7 | — | — | — | — | — |
| 35—40 | — | 1 | — | — | 1 | 2 | — | 1 | 1 | 1 | 5 | 1 | — | — | — | — |
| 40—45 | 3 | 1 | — | — | 1 | — | 2 | — | — | — | 6 | 2 | — | — | — | — |
| 45—50 | 2 | — | — | — | — | 1 | 1 | — | 3 | 2 | 14 | 1 | — | — | — | — |
| 50—55 | 3 | 2 | 1 | 3 | 1 | 5 | — | — | — | — | 15 | 2 | — | — | — | — |
| 55—60 | 2 | 1 | — | — | 1 | 3 | — | — | 2 | 1 | 12 | 2 | — | — | — | — |
| 60—65 | — | — | — | 1 | — | 2 | 4 | — | — | 1 | 10 | 1 | — | — | — | — |
| 65—70 | — | — | — | 1 | 2 | 1 | 1 | 1 | 1 | — | 7 | — | — | — | — | — |
| 70—75 | — | — | — | — | 1 | 6 | — | 1 | — | 2 | 1 | 1 | 1 | — | — | — |
| 75—80 | — | — | — | — | 2 | 3 | 1 | — | — | — | 2 | — | — | — | — | — |
| 80 and upwards | — | — | — | — | 5 | 5 | — | 1 | 2 | 4 | 1 | — | — | — | — | — |

| Causes of Death. | 185 Accidental injury by fall. | | 186 Accidental injury in mines and quarries. | | 187 Accidental injury by machinery. | | 188 Accidental injury by other forms of crushing (vehicles, etc.). | | 189 Injury by animals (poisoning excepted). | | 190 Wounds of war. | | 191* 192 Hunger or thirst. | | 193 Excessive cold. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 213 | 173 | — | — | 19 | 3 | 387 | 142 | 4 | 1 | 7 | — | 2 | — | 1 | — |
| 0—1 | 4 | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 1—5 | 10 | 5 | — | — | — | — | 23 | 16 | — | 1 | — | — | — | — | — | — |
| 5—10 | 2 | — | — | — | — | — | 56 | 21 | — | — | — | — | — | — | — | — |
| 10—15 | 5 | 3 | — | — | 1 | 1 | 29 | 6 | — | — | — | — | — | — | — | — |
| 15—20 | 5 | — | — | — | 1 | — | 32 | 4 | 1 | — | — | — | — | — | — | — |
| 20—25 | 6 | 2 | — | — | 1 | — | 18 | 7 | — | — | — | — | — | — | — | — |
| 25—30 | 6 | 1 | — | — | 1 | 2 | 16 | 2 | — | — | 4 | — | — | — | — | — |
| 30—35 | 4 | 3 | — | — | 2 | — | 12 | 6 | — | — | 1 | — | — | — | — | — |
| 35—40 | 7 | 2 | — | — | 3 | — | 17 | 5 | — | — | 2 | — | — | — | — | — |
| 40—45 | 19 | 3 | — | — | 1 | — | 16 | 3 | 1 | — | — | — | — | — | — | — |
| 45—50 | 11 | 6 | — | — | 1 | — | 22 | 6 | — | — | — | — | — | — | 1 | — |
| 50—55 | 14 | 7 | — | — | 4 | — | 31 | 7 | 1 | — | — | — | — | — | — | — |
| 55—60 | 17 | 4 | — | — | 3 | — | 33 | 11 | — | — | — | — | — | — | — | — |
| 60—65 | 25 | 8 | — | — | 1 | — | 18 | 8 | 1 | — | — | — | — | — | — | — |
| 65—70 | 21 | 14 | — | — | — | — | 26 | 12 | — | — | — | — | 1 | — | — | — |
| 70—75 | 22 | 33 | — | — | — | — | 17 | 10 | — | — | — | — | 1 | — | — | — |
| 75—80 | 16 | 24 | — | — | — | — | 12 | 10 | — | — | — | — | — | — | — | — |
| 80 and upwards | 19 | 57 | — | — | — | — | 9 | 7 | — | — | — | — | — | — | — | — |

*191. Execution of civilians by belligerent armies —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 194 Excessive heat. | | 195* 196 Electricity (lightning excepted). | | Homicide. 197–199 All forms. | | 197 By firearms. | | 198 By cutting or piercing instruments. | | 199 By other means. | | 200* 201 Fracture (cause not specified). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 26 | 24 | 3 | — | 20 | 35 | 5 | 4 | 1 | 8 | 14 | 23 | 3 | — |
| 0—1 | 1 | 3 | — | — | 5 | 5 | — | — | — | 1 | 5 | 4 | — | — |
| 1—5 | — | 1 | — | — | 1 | 6 | — | — | — | 2 | 1 | 4 | — | — |
| 5—10 | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — |
| 10—15 | — | 1 | 1 | — | 3 | — | — | — | 1 | — | 2 | — | — | — |
| 15—20 | — | — | — | — | 2 | 1 | — | — | — | 1 | 2 | — | — | — |
| 20—25 | — | — | — | — | 2 | 6 | 1 | — | — | 2 | 1 | 4 | — | — |
| 25—30 | — | 1 | — | — | 1 | 3 | 1 | 1 | — | — | — | 2 | 1 | — |
| 30—35 | — | — | 2 | — | — | 5 | — | 1 | — | 1 | — | 3 | — | — |
| 35—40 | — | — | — | — | 3 | 1 | 1 | 1 | — | — | 2 | — | — | — |
| 40—45 | 4 | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — |
| 45—50 | 2 | — | — | — | 1 | 2 | 1 | — | — | — | — | 2 | — | — |
| 50—55 | 4 | 1 | — | — | — | 1 | — | — | — | — | — | 1 | 1 | — |
| 55—60 | 5 | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — |
| 60—65 | — | 1 | — | — | 1 | 2 | 1 | 1 | — | — | — | 1 | — | — |
| 65—70 | 5 | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 70—75 | 3 | 4 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 75—80 | 2 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — |

***195.** Lightning —; **200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

| Causes of Death. | 202 Other external violence. | | 203 Violent deaths of unknown causation. | | XV. 204–205 Ill-defined diseases. | | 204 Sudden death. | | 205 Cause of death unstated or ill-defined. | | 205 (1) Heart failure, 1–70 years. | | 205 (2 & 3) Others. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 26 | 13 | 2 | 1 | 18 | 18 | 2 | 1 | 16 | 17 | 2 | 3 | 14 | 14 |
| 0—1 | 3 | 3 | — | — | 3 | 3 | — | — | 3 | 3 | — | — | 3 | 3 |
| 1—5 | 1 | 2 | — | — | 8 | 9 | — | — | 8 | 9 | — | — | 8 | 9 |
| 5—10 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 20—25 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25—30 | 3 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 30—35 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 35—40 | 2 | — | 1 | 1 | — | 1 | — | — | — | 1 | — | — | — | 1 |
| 40—45 | — | — | — | — | — | 1 | — | — | — | 1 | — | 1 | — | — |
| 45—50 | 4 | 1 | — | — | 1 | 1 | — | 1 | 1 | — | — | — | 1 | — |
| 50—55 | — | 1 | — | — | 1 | 1 | 1 | — | — | 1 | — | — | — | 1 |
| 55—60 | 2 | — | — | — | 2 | 2 | — | — | 2 | 2 | 1 | 2 | 1 | — |
| 60—65 | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | 1 | — |
| 65—70 | 2 | — | — | — | 2 | — | 1 | — | 1 | — | 1 | — | — | — |
| 70—75 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | All Causes. | | I. 1–42 Epidemic, Endemic and Infectious Diseases. | | 1 Enteric fever. | | 1 (*a*) Typhoid fever. | | 1 (*b*) Paratyphoid fevers. | | 2, 3, 4* 5 Malaria. | | 6* 7 Measles. | | 8 Scarlet fever. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 80972 | 76801 | 14171 | 12187 | 62 | 56 | 56 | 52 | 6 | 4 | 26 | — | 1270 | 1103 | 213 | 226 |
| 0—1 | 12118 | 8974 | 1308 | 1139 | — | — | — | — | — | — | — | — | 298 | 239 | 9 | 1 |
| 1—5 | 5948 | 5371 | 2481 | 2338 | 3 | — | 3 | — | — | — | — | — | 910 | 811 | 109 | 115 |
| 5—10 | 1405 | 1274 | 565 | 595 | 1 | 2 | 1 | 2 | — | — | — | — | 60 | 49 | 53 | 55 |
| 10—15 | 1092 | 1133 | 341 | 490 | 1 | 4 | 1 | 4 | — | — | — | — | — | 4 | 16 | 24 |
| 15—20 | 1680 | 1646 | 719 | 989 | 12 | 8 | 11 | 8 | 1 | — | — | — | 1 | — | 9 | 12 |
| 20—25 | 1886 | 1873 | 1000 | 1033 | 6 | 9 | 5 | 8 | 1 | 1 | 1 | — | — | — | 5 | 9 |
| 25—30 | 1809 | 2048 | 865 | 975 | 6 | 5 | 6 | 5 | — | — | 5 | — | — | — | 3 | 4 |
| 30—35 | 1971 | 2036 | 821 | 767 | 10 | 7 | 9 | 7 | 1 | — | 7 | — | — | — | 1 | 1 |
| 35—40 | 2698 | 2360 | 1009 | 697 | 5 | 4 | 4 | 3 | 1 | 1 | 5 | — | — | — | 3 | 2 |
| 40—45 | 3446 | 2799 | 1086 | 651 | 4 | 5 | 4 | 5 | — | — | 3 | — | — | — | 2 | 1 |
| 45—50 | 4496 | 3355 | 1099 | 530 | 2 | 7 | 2 | 5 | — | 2 | 1 | — | — | — | 1 | — |
| 50—55 | 5189 | 4127 | 798 | 424 | 5 | 2 | 5 | 2 | — | — | 3 | — | — | — | 2 | 1 |
| 55—60 | 6027 | 4681 | 741 | 345 | 2 | 1 | 1 | 1 | 1 | — | — | — | 1 | — | — | 1 |
| 60—65 | 6763 | 5775 | 535 | 344 | 3 | 1 | 2 | 1 | 1 | — | — | — | — | — | — | — |
| 65—70 | 7330 | 6731 | 402 | 302 | 1 | 1 | 1 | 1 | — | — | 1 | — | — | — | — | — |
| 70—75 | 7081 | 7554 | 222 | 252 | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | 5403 | 6827 | 115 | 170 | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| 80 and upwards | 4630 | 8237 | 64 | 146 | — | — | — | — | — | — | — | — | — | — | — | — |

* **2.** Typhus —; **3.** Relapsing fever (Spirillum obermeleri) —; **4.** Mediterranean fever —; **6.** Small-pox 0, 5, 15, 55, *0*.

| Causes of Death. | 9 Whooping cough. | | 10 Diphtheria. | | 11 Influenza. | | 11 (*a*) With pulmonary complications. | | 11 (*b*) Without pulmonary complications. | | 12* 13 Mumps. | | 14* 15 Cholera nostras. | | 16 Dysentery. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 780 | 951 | 493 | 487 | 1566 | 1529 | 1096 | 983 | 470 | 546 | 7 | 2 | — | — | 26 | 17 |
| 0—1 | 355 | 379 | 26 | 25 | 59 | 61 | 36 | 41 | 23 | 20 | 1 | 1 | — | — | — | 1 |
| 1—5 | 403 | 542 | 268 | 232 | 74 | 61 | 41 | 44 | 33 | 17 | 3 | — | — | — | 2 | — |
| 5—10 | 20 | 27 | 136 | 155 | 25 | 18 | 10 | 7 | 15 | 11 | 1 | 1 | — | — | 2 | — |
| 10—15 | — | — | 41 | 52 | 18 | 25 | 11 | 14 | 7 | 11 | 1 | — | — | — | 1 | — |
| 15—20 | — | 1 | 8 | 8 | 52 | 47 | 34 | 26 | 18 | 21 | — | — | — | — | — | 1 |
| 20—25 | 1 | — | 4 | 2 | 40 | 48 | 31 | 30 | 9 | 18 | — | | — | — | 2 | — |
| 25—30 | — | — | 5 | 2 | 59 | 70 | 43 | 46 | 16 | 24 | — | — | — | — | 2 | 1 |
| 30—35 | — | — | 2 | 2 | 74 | 59 | 57 | 42 | 17 | 17 | — | — | — | — | 2 | — |
| 35—40 | — | — | — | 1 | 111 | 68 | 90 | 47 | 21 | 21 | 1 | — | — | — | 4 | 2 |
| 40—45 | — | — | 1 | 1 | 116 | 70 | 89 | 45 | 27 | 25 | — | — | — | — | 2 | 3 |
| 45—50 | — | — | — | 2 | 115 | 72 | 96 | 50 | 19 | 22 | — | — | — | — | 2 | 3 |
| 50—55 | 1 | — | — | — | 126 | 83 | 91 | 57 | 35 | 26 | — | — | — | — | 1 | 2 |
| 55—60 | — | — | — | 1 | 150 | 100 | 106 | 74 | 44 | 26 | — | — | — | — | 1 | — |
| 60—65 | — | — | — | 2 | 138 | 158 | 94 | 99 | 44 | 59 | — | — | — | — | 3 | 2 |
| 65—70 | — | — | — | — | 148 | 158 | 108 | 107 | 40 | 51 | — | — | — | — | 1 | 2 |
| 70—75 | — | 1 | 1 | 1 | 140 | 171 | 89 | 106 | 51 | 65 | — | — | — | — | — | — |
| 75—80 | — | — | — | — | 73 | 137 | 47 | 93 | 26 | 44 | — | — | — | — | — | — |
| 80 and upwards | — | 1 | 1 | 1 | 48 | 123 | 23 | 55 | 25 | 68 | — | — | — | — | 1 | — |

* **12.** Miliary fever —; **14.** Asiatic cholera —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 16 (*a*) Amœbic. | | 16 (*b*) Bacillary. | | 16 (*c*) Other or unspecified. | | 17, 18, 19, 20* 21 Erysipelas. | | 22 Acute poliomyelitis. | | 23 Encephalitis lethargica. | | 24 Meningococcal meningitis. | | 25 Other epidemic and endemic diseases. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 3 | 2 | 4 | 2 | 19 | 13 | 139 | 131 | 22 | 23 | 103 | 102 | 48 | 54 | 20 | 10 |
| 0—1 | — | — | — | 1 | — | — | 15 | 23 | 5 | 1 | 1 | 2 | 18 | 14 | 5 | 5 |
| 1—5 | — | — | 1 | — | 1 | — | 1 | 3 | 10 | 13 | 10 | 13 | 12 | 12 | 13 | 2 |
| 5—10 | — | — | 2 | — | — | — | — | — | — | 2 | 6 | 5 | 5 | 7 | — | 2 |
| 10—15 | — | — | — | — | 1 | — | 1 | 2 | 3 | 5 | 3 | 9 | 2 | 8 | — | — |
| 15—20 | — | — | — | — | — | 1 | 3 | 3 | 1 | 1 | 10 | 6 | 5 | 6 | — | — |
| 20—25 | — | — | — | — | 2 | — | 5 | 4 | 1 | — | 6 | 6 | 3 | 4 | — | — |
| 25—30 | — | — | — | 1 | 2 | — | 3 | 3 | 1 | 1 | 4 | 7 | 1 | 1 | 1 | — |
| 30—35 | 2 | — | — | — | — | — | 2 | 2 | — | — | 4 | 3 | — | — | — | — |
| 35—40 | — | — | — | — | 4 | 2 | 7 | 10 | — | — | 9 | 10 | — | 1 | — | — |
| 40—45 | — | 1 | 1 | — | 1 | 2 | 9 | 6 | — | — | 9 | 7 | 1 | — | — | — |
| 45—50 | — | 1 | — | — | 2 | 2 | 8 | 12 | 1 | — | 9 | 5 | — | 1 | 1 | — |
| 50—55 | 1 | — | — | — | — | 2 | 17 | 12 | — | — | 9 | 9 | 1 | — | — | — |
| 55—60 | — | — | — | — | 1 | — | 16 | 5 | — | — | 10 | 7 | — | — | — | — |
| 60—65 | — | — | — | — | 3 | 2 | 20 | 7 | — | — | 7 | 5 | — | — | — | 1 |
| 65—70 | — | — | — | — | 1 | 2 | 18 | 10 | — | — | 5 | 7 | — | — | — | — |
| 70—75 | — | — | — | — | — | — | 5 | 7 | — | — | 1 | 1 | — | — | — | — |
| 75—80 | — | — | — | — | — | — | 5 | 11 | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | 1 | — | 4 | 11 | — | — | — | — | — | — | — | — |

* **17.** Plague —; **18.** Yellow Fever —; **19.** Spirochætosis ictero-hæmorrhagica *25*; **20.** Leprosy —.

| Causes of Death. | 26* 27 Anthrax. | | 28* 29 Tetanus. | | 30 Mycoses. | | Tuberculosis. 31–37 All forms. | | 31 Respiratory system. | | 32 Nervous system. | | 33 Intestines and peritoneum. | | 34 Vertebral column. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 6 | — | 21 | 15 | 27 | 11 | 8809 | 7125 | 7076 | 5564 | 678 | 637 | 369 | 363 | 115 | 95 |
| 0—1 | — | — | — | 1 | 13 | 6 | 253 | 178 | 31 | 24 | 117 | 90 | 61 | 36 | — | — |
| 1—5 | — | — | 1 | — | — | — | 640 | 513 | 102 | 67 | 299 | 270 | 122 | 100 | 5 | 2 |
| 5—10 | — | — | 1 | — | — | — | 250 | 267 | 50 | 82 | 96 | 108 | 43 | 36 | 7 | 5 |
| 10—15 | — | — | 3 | 1 | 1 | — | 238 | 351 | 95 | 222 | 66 | 63 | 23 | 30 | 14 | 7 |
| 15—20 | — | — | 1 | — | 2 | 1 | 605 | 889 | 461 | 746 | 36 | 44 | 26 | 37 | 12 | 8 |
| 20—25 | — | — | 5 | — | — | 1 | 912 | 945 | 785 | 843 | 26 | 24 | 18 | 23 | 18 | 5 |
| 25—30 | — | — | — | 1 | 2 | 1 | 758 | 866 | 697 | 787 | 9 | 15 | 12 | 20 | 11 | 10 |
| 30—35 | — | — | 3 | 3 | 3 | — | 703 | 687 | 647 | 633 | 10 | 6 | 10 | 24 | 9 | 4 |
| 35—40 | 1 | — | 1 | 5 | 2 | — | 847 | 580 | 800 | 525 | 4 | 7 | 12 | 13 | 6 | 11 |
| 40—45 | 2 | — | — | 2 | 2 | — | 905 | 541 | 868 | 496 | 1 | 2 | 8 | 15 | 4 | 10 |
| 45—50 | — | — | 2 | 1 | — | — | 915 | 416 | 865 | 378 | 11 | 4 | 14 | 7 | 5 | 9 |
| 50—55 | 2 | — | — | 1 | 2 | — | 606 | 305 | 578 | 277 | 2 | 1 | 5 | 6 | 9 | 5 |
| 55—60 | 1 | — | 2 | — | — | 1 | 526 | 216 | 496 | 183 | 1 | 3 | 8 | 9 | 4 | 5 |
| 60—65 | — | — | 2 | — | — | — | 333 | 159 | 312 | 129 | — | — | 4 | 3 | 3 | 5 |
| 65—70 | — | — | — | — | — | 1 | 212 | 116 | 198 | 92 | — | — | 1 | 3 | 4 | 6 |
| 70—75 | — | — | — | — | — | — | 68 | 67 | 58 | 54 | — | — | 2 | 1 | 3 | 3 |
| 75—80 | — | — | — | — | — | — | 30 | 22 | 26 | 20 | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | 8 | 7 | 7 | 6 | — | — | — | — | 1 | — |

* **26.** Glanders —; **28.** Rabies —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only.)

| Causes of Death. | Tuberculosis—*contd.* | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 Joints. | | 36 Other organs. | | 36 (*a*) Skin and subcutaneous tissue. | | 36 (*b*) Bones (vertebral column excepted). | | 36 (*c*) Lymphatic system (abdominal glands excptd). | | 36 (*d*) Genito-urinary system. | | 36 (*e*) Others in 36. | | 37 Disseminated. | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 48 | 34 | 101 | 101 | 9 | 19 | 23 | 17 | 15 | 27 | 48 | 33 | 6 | 5 | 422 | 331 |
| 0—1 | 1 | — | 5 | 4 | — | — | — | 1 | 2 | 2 | — | — | 3 | 1 | 38 | 24 |
| 1—5 | 3 | 1 | 14 | 5 | — | 1 | 4 | — | 7 | 4 | 1 | — | 2 | — | 95 | 68 |
| 5—10 | 2 | 2 | 5 | 5 | — | — | 1 | 2 | 1 | 2 | 3 | 1 | — | — | 47 | 29 |
| 10—15 | 8 | 3 | 2 | 2 | — | — | 1 | — | 1 | 1 | — | 1 | — | — | 30 | 24 |
| 15—20 | 6 | 7 | 8 | 6 | — | 2 | 3 | 1 | 1 | — | 3 | 2 | 1 | 1 | 56 | 41 |
| 20—25 | 6 | 2 | 12 | 10 | — | 1 | 1 | 2 | 2 | — | 9 | 6 | — | 1 | 47 | 38 |
| 25—30 | 1 | 1 | 7 | 6 | 1 | 1 | 1 | — | — | 3 | 5 | 2 | — | — | 21 | 27 |
| 30—35 | 2 | — | 6 | 7 | 1 | 1 | — | 1 | — | — | 5 | 5 | — | — | 19 | 13 |
| 35—40 | 2 | — | 3 | 7 | 2 | — | — | 1 | — | 3 | 1 | 3 | — | — | 20 | 17 |
| 40—45 | — | 3 | 11 | 6 | 1 | 1 | 1 | 1 | — | — | 9 | 4 | — | — | 13 | 9 |
| 45—50 | 5 | 2 | 4 | 7 | — | 1 | 1 | 1 | — | 1 | 3 | 4 | — | — | 11 | 9 |
| 50—55 | 4 | 2 | 4 | 6 | — | — | 2 | 2 | 1 | 2 | 1 | 1 | — | 1 | 4 | 8 |
| 55—60 | — | 2 | 7 | 7 | 1 | 3 | 2 | — | — | 3 | 4 | — | — | 1 | 10 | 7 |
| 60—65 | 1 | 5 | 6 | 9 | 1 | 1 | 1 | 3 | — | 2 | 4 | 3 | — | — | 7 | 8 |
| 65—70 | 5 | 2 | 3 | 5 | 1 | 2 | 2 | 1 | — | 1 | — | 1 | — | — | 1 | 8 |
| 70—75 | 1 | 1 | 2 | 7 | — | 3 | 2 | 1 | — | 3 | — | — | — | — | 2 | 1 |
| 75—80 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | 1 | — |
| 80 and upwards | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |

| Causes of Death. | Tuberculosis—*contd.* | | | | 38 Syphilis. | | 39* | | 40 (1) Gonococcal infection (ophthalmia excepted). | | 40 (2) Gonorrhœal or purulent ophthalmia. | | 42* | | II. 43–69 General diseases not included in I. 1–42. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 37 (*a*) Acute | | 37 (*b*) Chronic or unstated. | | | | 40 Gonococcal infection. | | | | | | 41 Purulent infection, septicæmia. | | | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 157 | 132 | 265 | 199 | 398 | 271 | 8 | 9 | 8 | 6 | — | 3 | 123 | 63 | 9580 | 11458 |
| 0—1 | 19 | 7 | 19 | 17 | 239 | 185 | — | 3 | — | — | — | 3 | 10 | 13 | 115 | 65 |
| 1—5 | 43 | 29 | 52 | 39 | 17 | 17 | — | 1 | — | 1 | — | — | 5 | 3 | 153 | 108 |
| 5—10 | 17 | 12 | 30 | 17 | — | 3 | — | — | — | — | — | — | 4 | 2 | 96 | 59 |
| 10—15 | 10 | 10 | 20 | 14 | 1 | 2 | — | — | — | — | — | — | 11 | 3 | 96 | 112 |
| 15—20 | 22 | 22 | 34 | 19 | 2 | 1 | — | 1 | — | 1 | — | — | 7 | 4 | 108 | 98 |
| 20—25 | 12 | 15 | 35 | 23 | 1 | 2 | 1 | — | 1 | — | — | — | 7 | 3 | 82 | 113 |
| 25—30 | 8 | 11 | 13 | 16 | 5 | 6 | — | 3 | — | 3 | — | — | 10 | 3 | 93 | 161 |
| 30—35 | 1 | 3 | 18 | 10 | 6 | 2 | 1 | — | 1 | — | — | — | 3 | 1 | 122 | 229 |
| 35—40 | 7 | 9 | 13 | 8 | 7 | 9 | — | 1 | — | 1 | — | — | 6 | 4 | 200 | 383 |
| 40—45 | 6 | 4 | 7 | 5 | 24 | 10 | — | — | — | — | — | — | 6 | 5 | 342 | 655 |
| 45—50 | 6 | 3 | 5 | 6 | 29 | 8 | 2 | — | 2 | — | — | — | 11 | 3 | 674 | 993 |
| 50—55 | 1 | 3 | 3 | 5 | 15 | 6 | 3 | — | 3 | — | — | — | 5 | 3 | 1104 | 1256 |
| 55—60 | 3 | 1 | 7 | 6 | 16 | 7 | 1 | — | 1 | — | — | — | 14 | 6 | 1385 | 1370 |
| 60—65 | 2 | 2 | 5 | 6 | 22 | 6 | — | — | — | — | — | — | 7 | 3 | 1583 | 1534 |
| 65—70 | — | 1 | 1 | 7 | 9 | 3 | — | — | — | — | — | — | 7 | 4 | 1426 | 1500 |
| 70—75 | — | — | 2 | 1 | 3 | 3 | — | — | — | — | — | — | 4 | 1 | 1094 | 1345 |
| 75—80 | — | — | 1 | — | 2 | — | — | — | — | — | — | — | 4 | — | 625 | 840 |
| 80 and upwards | — | — | — | — | — | 1 | — | — | — | — | — | — | 2 | 2 | 282 | 637 |

* **39.** Soft chancre —; **42.** Other infectious diseases —.

GGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only.)

| uses of Death. | Cancer, Malignant Disease. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 43–49 Total. | | 43 Buccal cavity. | | 44 Pharynx, œsophagus, stomach, liver and annexa. | | 45 Peritoneum, intestines and rectum. | | 46 Female genital organs. | | 47 Breast. | | 48 Skin. | | 49 Other or unspecified organs. | |
| ges at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| Ages | 7374 | 8585 | 970 | 118 | 2698 | 2282 | 1667 | 1644 | — | 1949 | 13 | 1582 | 249 | 118 | 1777 | 892 |
| )—1 | 5 | 4 | — | — | 1 | — | — | — | — | — | — | — | 1 | 1 | 3 | 3 |
| —5 | 13 | 12 | 1 | 2 | 1 | — | 1 | 1 | — | — | — | — | 1 | — | 9 | 9 |
| 5—10 | 8 | 9 | 1 | — | — | — | — | 1 | — | 1 | — | — | — | — | 7 | 7 |
| )—15 | 20 | 10 | 3 | — | 2 | 1 | 1 | 1 | — | 2 | — | — | — | 1 | 14 | 5 |
| 5—20 | 25 | 9 | 1 | — | 1 | — | 2 | — | — | 1 | — | — | — | — | 21 | 8 |
| )—25 | 31 | 27 | 1 | 1 | 5 | 1 | 4 | 9 | — | 6 | — | 1 | 2 | 1 | 19 | 8 |
| 5—30 | 43 | 68 | — | 1 | 6 | 4 | 9 | 17 | — | 22 | — | 2 | 1 | 2 | 27 | 20 |
| )—35 | 63 | 139 | 1 | 2 | 22 | 14 | 13 | 19 | — | 59 | — | 27 | 2 | 1 | 25 | 17 |
| 5—40 | 115 | 259 | 4 | 5 | 33 | 41 | 38 | 26 | — | 120 | — | 43 | 3 | 1 | 37 | 23 |
| )—45 | 240 | 499 | 19 | 3 | 93 | 83 | 42 | 61 | — | 180 | 2 | 128 | 8 | 1 | 76 | 43 |
| 5—50 | 533 | 804 | 55 | 7 | 205 | 147 | 112 | 127 | — | 244 | — | 197 | 13 | 4 | 148 | 78 |
| )—55 | 920 | 1042 | 157 | 13 | 354 | 230 | 180 | 159 | — | 299 | — | 237 | 18 | 11 | 211 | 93 |
| 5—60 | 1173 | 1124 | 201 | 14 | 427 | 286 | 220 | 184 | — | 269 | 3 | 240 | 32 | 12 | 290 | 119 |
| )—65 | 1350 | 1183 | 203 | 18 | 524 | 351 | 281 | 233 | — | 250 | 2 | 195 | 45 | 7 | 295 | 129 |
| —70 | 1191 | 1176 | 142 | 21 | 462 | 401 | 302 | 264 | — | 200 | 1 | 166 | 37 | 19 | 247 | 105 |
| —75 | 920 | 1052 | 102 | 10 | 347 | 371 | 251 | 249 | — | 151 | 3 | 145 | 33 | 21 | 184 | 105 |
| —80 | 504 | 672 | 50 | 11 | 158 | 219 | 145 | 174 | — | 88 | 1 | 106 | 30 | 13 | 120 | 61 |
| and vards | 220 | 496 | 29 | 10 | 57 | 133 | 66 | 119 | — | 57 | 1 | 95 | 23 | 23 | 44 | 59 |

| uses of eath. | 50 Tumours not returned as malignant (tumours of brain and female genital organs excptd). | | 51 Rheumatic fever. | | 52 Chronic rheumatism, osteo-arthritis, gout. | | 53 Scurvy. | | 54, 55* | | 57 Diabetes. | | 58 Anæmia, chlorosis. | | 58 (*a*) Pernicious anæmia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | 56 Rickets. | | | | | | | |
| ges at eath. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| Ages | 147 | 92 | 268 | 315 | 276 | 518 | 2 | 6 | 132 | 96 | 612 | 825 | 344 | 541 | 307 | 476 |
| —1 | 2 | 3 | 2 | — | — | — | 1 | 4 | 49 | 26 | — | — | 5 | 9 | 1 | 1 |
| —5 | 6 | 2 | 9 | 9 | — | — | 1 | 1 | 74 | 65 | 3 | 1 | 10 | 4 | 2 | 1 |
| —10 | — | — | 49 | 32 | — | — | — | — | 9 | 1 | 3 | 4 | 1 | 3 | — | — |
| —15 | 3 | — | 48 | 70 | 1 | — | — | — | — | 2 | 11 | 10 | 4 | 7 | 4 | 6 |
| —20 | 1 | 2 | 40 | 42 | — | — | — | — | — | — | 13 | 11 | 6 | 5 | 5 | 2 |
| —25 | 1 | 1 | 9 | 28 | — | 1 | — | — | — | 1 | 17 | 19 | 6 | 15 | 5 | 11 |
| —30 | 1 | — | 13 | 21 | 1 | 6 | — | 1 | — | — | 15 | 20 | 7 | 25 | 5 | 22 |
| —35 | 3 | 4 | 9 | 15 | 1 | 1 | — | — | — | — | 19 | 30 | 7 | 18 | 4 | 15 |
| —40 | 8 | 1 | 16 | 12 | 2 | 7 | — | — | — | — | 21 | 30 | 13 | 38 | 13 | 34 |
| —45 | 5 | 6 | 13 | 17 | 5 | 17 | — | — | — | — | 27 | 29 | 24 | 41 | 22 | 37 |
| —50 | 6 | 10 | 14 | 13 | 17 | 15 | — | — | — | — | 26 | 43 | 38 | 61 | 36 | 57 |
| —55 | 17 | 6 | 13 | 12 | 24 | 31 | — | — | — | — | 40 | 67 | 54 | 44 | 50 | 42 |
| —60 | 21 | 4 | 12 | 11 | 29 | 52 | — | — | — | 1 | 85 | 78 | 35 | 63 | 34 | 59 |
| —65 | 18 | 9 | 6 | 7 | 47 | 72 | — | — | — | — | 81 | 138 | 54 | 83 | 50 | 80 |
| —70 | 15 | 11 | 8 | 12 | 45 | 79 | — | — | — | — | 99 | 143 | 44 | 55 | 44 | 52 |
| —75 | 18 | 15 | 3 | 9 | 42 | 96 | — | — | — | — | 80 | 107 | 21 | 42 | 18 | 34 |
| —80 | 12 | 8 | 2 | 3 | 38 | 72 | — | — | — | — | 54 | 47 | 9 | 21 | 8 | 19 |
| and vards | 10 | 10 | 2 | 2 | 24 | 69 | — | — | — | — | 18 | 48 | 6 | 7 | 6 | 4 |

**54.** Pellagra 40, 45, *40*; **55.** Beri-beri 25.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 58 (*b*) Other anæmias and chlorosis. | | 59* 60 Diseases of the thyroid gland. | | 60 (*a*) Exophthalmic goitre. | | 60 (*b*) Other diseases of the thyroid gland. | | 61* 62 Diseases of the thymus. | | 63 Diseases of the adrenals. | | 64 Diseases of the spleen. | | 65 Leukæmia, lymphadenoma. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 37 | 65 | 38 | 226 | 18 | 157 | 20 | 69 | 39 | 13 | 33 | 36 | 7 | 4 | 157 | 118 |
| 0—1 | 4 | 8 | — | — | — | — | — | — | 24 | 6 | — | — | 1 | — | 3 | 2 |
| 1—5 | 8 | 3 | 5 | 1 | — | — | 5 | 1 | 8 | 1 | — | — | — | — | 11 | 8 |
| 5—10 | 1 | 3 | 1 | 1 | — | — | 1 | 1 | 4 | 3 | 1 | — | — | — | 13 | 2 |
| 10—15 | — | 1 | 1 | — | — | — | 1 | — | 1 | 1 | — | — | — | 1 | 6 | 8 |
| 15—20 | 1 | 3 | 3 | 8 | 1 | 5 | 2 | 3 | — | — | 1 | 2 | — | — | 11 | 13 |
| 20—25 | 1 | 4 | 2 | 11 | 2 | 8 | — | 3 | 1 | — | 4 | 2 | — | — | 8 | 5 |
| 25—30 | 2 | 3 | 1 | 13 | 1 | 13 | — | — | 1 | 1 | 1 | 1 | — | — | 5 | 3 |
| 30—35 | 3 | 3 | 4 | 8 | 2 | 8 | 2 | — | — | 1 | 2 | 5 | 2 | 1 | 10 | 3 |
| 35—40 | — | 4 | 1 | 16 | 1 | 15 | — | 1 | — | — | 3 | 2 | — | — | 10 | 1 |
| 40—45 | 2 | 4 | 4 | 24 | 2 | 19 | 2 | 5 | — | — | 3 | 1 | 1 | — | 6 | 12 |
| 45—50 | 2 | 4 | 2 | 28 | 2 | 24 | — | 4 | — | — | 5 | 7 | — | — | 16 | 9 |
| 50—55 | 4 | 2 | 4 | 34 | 3 | 24 | 1 | 10 | — | — | 3 | 4 | 2 | — | 15 | 10 |
| 55—60 | 1 | 4 | 3 | 25 | 2 | 17 | 1 | 8 | — | — | 2 | 1 | — | — | 12 | 6 |
| 60—65 | 4 | 3 | 3 | 24 | 2 | 15 | 1 | 9 | — | — | 4 | 3 | — | 2 | 14 | 9 |
| 65—70 | — | 3 | 3 | 12 | — | 3 | 3 | 9 | — | — | 4 | 3 | 1 | — | 7 | 3 |
| 70—75 | 3 | 8 | — | 11 | — | 5 | — | 6 | — | — | — | 1 | — | — | 8 | 6 |
| 75—80 | 1 | 2 | 1 | 8 | — | 1 | 1 | 7 | — | — | — | 3 | — | — | 2 | 1 |
| 80 and upwards | — | 3 | — | 2 | — | — | — | 2 | — | — | — | 1 | — | — | — | |

* **59.** Diseases of the pituitary gland 25, 55, 55, *15, 20, 25, 40*; **61.** Diseases of the parathyroid glands 1.

| Causes of Death. | 65 (*a*) Leukæmia. | | 65 (*b*) Lymphadenoma. (Hodgkin's disease). | | 66 Alcoholism (acute or chronic). | | 67 Chronic poisoning by mineral substances. | | 68* 69 Other general diseases. | | III. 70–86 Diseases of the Nervous system and sense organs. | | 70 Encephalitis. | | 71 Meningit | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F |
| All Ages | 84 | 73 | 73 | 45 | 27 | 14 | 28 | 3 | 89 | 61 | 7930 | 8191 | 60 | 39 | 435 | 3 |
| 0—1 | 3 | 2 | — | — | — | — | — | — | 23 | 11 | 881 | 601 | 2 | 5 | 124 | |
| 1—5 | 7 | 6 | 4 | 2 | — | — | — | — | 12 | 4 | 326 | 308 | 3 | 1 | 136 | 1 |
| 5—10 | 8 | 3 | 5 | — | — | — | — | — | 7 | 3 | 105 | 91 | 6 | 3 | 36 | |
| 10—15 | 3 | 5 | 3 | 3 | — | — | — | — | 1 | 3 | 117 | 101 | 4 | 1 | 28 | |
| 15—20 | 7 | 9 | 4 | 4 | — | — | 1 | — | 7 | 5 | 122 | 98 | 8 | 5 | 17 | |
| 20—25 | 6 | 3 | 2 | 2 | — | — | — | — | 3 | 2 | 91 | 95 | 4 | 8 | 18 | |
| 25—30 | 1 | 1 | 4 | 2 | — | — | — | — | 3 | 1 | 106 | 100 | 5 | 3 | 6 | |
| 30—35 | 4 | — | 6 | 3 | — | — | — | — | 2 | 4 | 148 | 119 | 3 | 2 | 10 | |
| 35—40 | 4 | 7 | 6 | 4 | 6 | 3 | 2 | — | 3 | 4 | 209 | 168 | 8 | — | 7 | |
| 40—45 | 3 | 8 | 3 | 4 | 5 | 2 | 4 | 1 | 4 | 4 | 306 | 258 | 2 | 1 | 6 | |
| 45—50 | 6 | 7 | 10 | 2 | 7 | 1 | 4 | — | 5 | 2 | 449 | 346 | 7 | 5 | 9 | |
| 50—55 | 6 | 4 | 9 | 6 | 5 | 3 | 5 | — | 2 | 3 | 565 | 526 | 2 | 1 | 6 | |
| 55—60 | 7 | 3 | 5 | 3 | 2 | 1 | 6 | 1 | 3 | 3 | 675 | 608 | 3 | 1 | 6 | |
| 60—65 | 8 | 4 | 6 | 5 | 2 | 1 | 1 | 1 | 3 | 2 | 777 | 772 | — | 2 | 6 | |
| 65—70 | 6 | 4 | 1 | 1 | — | — | 4 | — | 5 | 4 | 934 | 1002 | 1 | — | 5 | |
| 70—75 | 4 | 4 | 4 | 2 | — | 3 | — | — | 2 | 3 | 949 | 1106 | 2 | — | 7 | |
| 75—80 | 1 | 3 | 1 | 1 | — | — | — | — | 3 | 2 | 721 | 941 | — | 1 | 3 | |
| 80 and upwards | — | — | — | 1 | — | — | 1 | — | 1 | 1 | 449 | 951 | — | — | 5 | |

* **68.** Chronic poisoning by organic substances —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 72 Tabes dorsalis (locomotor ataxy). | | 73 Other diseases of the spinal cord. | | 74 Cerebral hæmorrhage, apoplexy. | | 74 (*a*) Cerebral hæmorrhage. | | 74 (*b*) Cerebral embolism and thrombosis. | | 75 Paralysis of unstated origin. | | 75 (*a*) Hemiplegia. | | 75 (*b*) Other forms of paralysis. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| ll Ages | 218 | 62 | 257 | 172 | 3816 | 4891 | 3357 | 4317 | 459 | 574 | 330 | 453 | 289 | 405 | 41 | 48 |
| 0—1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| 1—5 | — | — | — | 1 | 2 | 4 | 2 | 4 | — | — | 2 | 2 | 2 | 1 | — | 1 |
| 5—10 | — | — | 2 | 3 | 2 | 3 | 2 | 1 | — | 2 | — | 1 | — | — | — | 1 |
| 0—15 | — | — | 4 | 2 | 4 | 6 | 2 | 5 | 2 | 1 | 1 | 1 | — | — | 1 | 1 |
| 5—20 | 1 | — | 9 | 4 | 8 | 1 | 7 | 1 | 1 | — | 3 | 1 | 1 | — | 2 | 1 |
| 0—25 | — | 1 | 4 | 6 | 4 | 11 | 2 | 7 | 2 | 4 | — | 2 | — | — | — | 2 |
| 5—30 | 1 | 1 | 8 | 5 | 9 | 10 | 4 | 5 | 5 | 5 | 1 | — | — | — | 1 | — |
| 0—35 | 3 | — | 10 | 7 | 21 | 26 | 17 | 20 | 4 | 6 | — | 2 | — | 1 | — | 1 |
| 5—40 | 8 | 2 | 10 | 8 | 26 | 49 | 22 | 38 | 4 | 11 | 1 | 3 | 1 | 2 | — | 1 |
| 0—45 | 14 | 9 | 22 | 9 | 71 | 100 | 66 | 87 | 5 | 13 | 4 | 8 | 3 | 5 | 1 | 3 |
| 5—50 | 27 | 6 | 27 | 15 | 145 | 161 | 133 | 146 | 12 | 15 | 7 | 17 | 6 | 15 | 1 | 2 |
| 0—55 | 37 | 10 | 31 | 21 | 269 | 335 | 242 | 299 | 27 | 36 | 12 | 23 | 9 | 18 | 3 | 5 |
| 5—60 | 43 | 10 | 36 | 18 | 383 | 425 | 338 | 388 | 45 | 37 | 24 | 27 | 21 | 27 | 3 | — |
| 0—65 | 35 | 10 | 35 | 18 | 516 | 569 | 460 | 515 | 56 | 54 | 51 | 51 | 48 | 45 | 3 | 6 |
| 5—70 | 23 | 6 | 23 | 22 | 692 | 769 | 611 | 690 | 81 | 79 | 62 | 72 | 55 | 67 | 7 | 5 |
| 0—75 | 17 | 3 | 25 | 17 | 722 | 876 | 628 | 784 | 94 | 92 | 77 | 83 | 67 | 77 | 10 | 6 |
| 5—80 | 8 | 1 | 7 | 8 | 570 | 757 | 502 | 661 | 68 | 96 | 55 | 92 | 52 | 87 | 3 | 5 |
| 0 and wards | 1 | 3 | 3 | 8 | 372 | 789 | 319 | 666 | 53 | 123 | 29 | 68 | 24 | 60 | 5 | 8 |

| Causes of Death. | 76 General paralysis of the insane. | | 77 Other forms of insanity. | | 78 Epilepsy. | | 79 & 80 Convulsions (non-puerperal). | | 81 Chorea. | | 82 Hysteria and neuritis. | | 83 Cerebral softening. | | 84 Other diseases of the nervous system. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| l Ages | 555 | 128 | 120 | 175 | 358 | 363 | 819 | 567 | 4 | 22 | 30 | 55 | 128 | 129 | 537 | 548 |
| 0—1 | — | — | — | — | 7 | 3 | 690 | 454 | — | — | — | — | — | — | 18 | 20 |
| 1—5 | — | — | — | — | 8 | 9 | 122 | 110 | — | 1 | — | 2 | — | — | 19 | 13 |
| 5—10 | — | — | — | — | 10 | 8 | 5 | — | — | 4 | — | 1 | — | — | 15 | 9 |
| 0—15 | 1 | — | — | — | 22 | 13 | — | 1 | 3 | 8 | — | — | — | — | 24 | 13 |
| 5—20 | 3 | 3 | 1 | 4 | 34 | 22 | — | — | 1 | 4 | — | 2 | — | — | 10 | 16 |
| 0—25 | 2 | 1 | 2 | 3 | 24 | 26 | 1 | — | — | 3 | — | — | — | — | 13 | 12 |
| 5—30 | 8 | 4 | 3 | 7 | 30 | 34 | — | — | — | — | — | 1 | — | — | 19 | 21 |
| 0—35 | 27 | 9 | 5 | 7 | 31 | 28 | — | — | — | 2 | — | 1 | — | — | 21 | 15 |
| 5—40 | 81 | 19 | 6 | 13 | 17 | 27 | — | — | — | — | 2 | 5 | — | 3 | 28 | 24 |
| 0—45 | 113 | 23 | 11 | 21 | 17 | 27 | — | — | — | — | 3 | 3 | 5 | 1 | 28 | 42 |
| 5—50 | 122 | 25 | 14 | 19 | 23 | 32 | — | — | — | — | 7 | 5 | 2 | 2 | 45 | 47 |
| —55 | 97 | 18 | 20 | 23 | 20 | 25 | 1 | 1 | — | — | 6 | 5 | 9 | 5 | 47 | 48 |
| —60 | 56 | 11 | 14 | 19 | 38 | 31 | — | — | — | — | 3 | 2 | 7 | 11 | 58 | 44 |
| —65 | 28 | 8 | 15 | 15 | 21 | 21 | — | — | — | — | 4 | 10 | 17 | 14 | 48 | 45 |
| —70 | 8 | 4 | 16 | 19 | 22 | 23 | — | 1 | — | — | 2 | 3 | 26 | 18 | 52 | 56 |
| —75 | 6 | 3 | 6 | 12 | 15 | 13 | — | — | — | — | 1 | 6 | 24 | 36 | 46 | 47 |
| —80 | 3 | — | 6 | 7 | 12 | 12 | — | — | — | — | 2 | 5 | 23 | 21 | 30 | 35 |
| and wards | — | — | 1 | 6 | 7 | 9 | — | — | — | — | — | 4 | 15 | 18 | 16 | 41 |

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only.)

| Causes of Death. | 85 Diseases of the eye and annexa. | | 86 Diseases of the ear and of the mastoid sinus. | | IV. 87–96 Diseases of the circulatory system. | | 87–90 Heart disease (all forms). | | 87 Peri-carditis. | | 88 Acute endo-carditis and myocarditis. | | 89 Angina pectoris. | | 90 Other diseases the hear | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F |
| All Ages | 17 | 12 | 246 | 182 | 11964 | 12557 | 8394 | 10014 | 62 | 48 | 375 | 366 | 389 | 180 | 7568 | 94 |
| 0—1 | 3 | 1 | 35 | 22 | 10 | 6 | 3 | 1 | 1 | 1 | 1 | — | — | — | 1 | — |
| 1—5 | 4 | 2 | 30 | 32 | 27 | 29 | 23 | 26 | 2 | 5 | 10 | 10 | — | — | 11 | |
| 5—10 | 1 | 2 | 28 | 15 | 62 | 76 | 61 | 76 | 4 | 6 | 11 | 28 | — | — | 46 | |
| 10—15 | — | — | 26 | 35 | 101 | 139 | 99 | 138 | 1 | 3 | 25 | 23 | — | — | 73 | 1 |
| 15—20 | 1 | — | 26 | 17 | 128 | 142 | 128 | 141 | 5 | 5 | 33 | 34 | — | 1 | 90 | 1 |
| 20—25 | — | — | 19 | 11 | 128 | 148 | 125 | 145 | 2 | 2 | 30 | 44 | — | — | 93 | |
| 25—30 | — | 1 | 16 | 7 | 163 | 169 | 159 | 166 | 2 | 2 | 46 | 20 | — | — | 111 | 1 |
| 30—35 | 1 | 1 | 16 | 10 | 187 | 202 | 181 | 194 | 6 | 2 | 41 | 30 | 2 | 1 | 132 | 1 |
| 35—40 | 2 | — | 13 | 7 | 279 | 290 | 252 | 278 | 4 | 3 | 39 | 42 | 10 | 1 | 199 | 2 |
| 40—45 | — | — | 10 | 4 | 409 | 386 | 361 | 362 | 1 | 3 | 55 | 43 | 11 | 1 | 294 | 3 |
| 45—50 | — | — | 14 | 6 | 628 | 512 | 525 | 476 | 8 | 2 | 22 | 14 | 27 | 6 | 468 | 4 |
| 50—55 | 2 | — | 6 | 4 | 835 | 743 | 640 | 653 | 4 | 1 | 14 | 12 | 47 | 7 | 575 | 6 |
| 55—60 | 1 | — | 3 | 5 | 1140 | 1005 | 853 | 876 | 4 | 1 | 16 | 20 | 42 | 22 | 791 | 8 |
| 60—65 | — | 1 | 1 | 2 | 1513 | 1374 | 1071 | 1121 | 8 | 2 | 7 | 12 | 72 | 27 | 984 | 10 |
| 65—70 | — | 1 | 2 | 2 | 1908 | 1716 | 1317 | 1374 | 5 | 4 | 12 | 13 | 81 | 41 | 1219 | 13 |
| 70—75 | 1 | 3 | — | 2 | 1903 | 1966 | 1178 | 1512 | 2 | 2 | 4 | 10 | 53 | 25 | 1119 | 14 |
| 75—80 | 1 | — | 1 | — | 1388 | 1773 | 819 | 1270 | 3 | 3 | 7 | 5 | 30 | 30 | 779 | 12 |
| 80 and upwards | — | — | — | 1 | 1155 | 1881 | 599 | 1205 | — | 1 | 2 | 6 | 14 | 18 | 583 | 11 |

| Causes of Death. | 90 (1–4) Valvular disease. | | 90 (5–8) Other defined heart disease. | | 90 (9) Heart disease undefined. | | 91 Diseases of the arteries. | | 91 (*a*) Aneurism. | | 91 (*b*) Arterio-sclerosis. | | 91 (*b*) 1 With record of cerebral vascular lesion. | | 91 (*b*) 2 Without record of cerebral vascular lesion. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F |
| All Ages | 3666 | 4590 | 2523 | 3131 | 1379 | 1699 | 3461 | 2389 | 276 | 66 | 3149 | 2292 | 928 | 796 | 2221 | 149 |
| 0—1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | 7 | 4 | 2 | — | 2 | 7 | — | — | — | — | — | — | — | — | — | — |
| 5—10 | 32 | 39 | 1 | — | 13 | 3 | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 60 | 90 | 1 | 3 | 12 | 19 | — | — | — | — | — | — | — | — | — | — |
| 15—20 | 78 | 84 | 3 | 4 | 9 | 13 | — | 1 | — | 1 | — | — | — | — | — | — |
| 20—25 | 74 | 82 | 8 | 5 | 11 | 12 | — | 1 | — | 1 | — | — | — | — | — | — |
| 25—30 | 92 | 119 | 3 | 9 | 16 | 16 | 4 | 1 | 2 | 1 | 2 | — | 2 | — | — | — |
| 30—35 | 99 | 121 | 8 | 11 | 25 | 29 | 3 | 4 | — | 1 | 3 | 3 | — | 2 | 3 | |
| 35—40 | 136 | 163 | 28 | 37 | 35 | 32 | 20 | 7 | 11 | — | 8 | 5 | 1 | 2 | 7 | |
| 40—45 | 208 | 224 | 45 | 45 | 41 | 46 | 42 | 20 | 25 | 4 | 13 | 13 | 4 | 8 | 9 | |
| 45—50 | 277 | 296 | 104 | 98 | 87 | 60 | 90 | 26 | 42 | 6 | 46 | 20 | 19 | 9 | 27 | |
| 50—55 | 313 | 356 | 175 | 158 | 87 | 119 | 178 | 75 | 45 | 12 | 128 | 58 | 51 | 36 | 77 | |
| 55—60 | 402 | 447 | 253 | 232 | 136 | 154 | 275 | 108 | 54 | 10 | 218 | 98 | 83 | 51 | 135 | |
| 60—65 | 479 | 534 | 315 | 348 | 190 | 198 | 432 | 237 | 39 | 8 | 390 | 223 | 137 | 113 | 253 | 1 |
| 65—70 | 533 | 619 | 455 | 449 | 231 | 248 | 584 | 321 | 27 | 7 | 550 | 308 | 184 | 124 | 366 | 1 |
| 70—75 | 434 | 615 | 461 | 567 | 224 | 293 | 718 | 437 | 18 | 6 | 696 | 428 | 207 | 173 | 489 | 2 |
| 75—80 | 270 | 438 | 347 | 538 | 162 | 256 | 563 | 489 | 7 | 7 | 553 | 479 | 139 | 137 | 414 | 3 |
| 80 and upwards | 172 | 359 | 313 | 627 | 98 | 194 | 552 | 662 | 6 | 2 | 542 | 657 | 101 | 141 | 441 | 5 |

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 91 (*c*) Other diseases of the arteries. | | 92 Embolism and thrombosis (not cerebral). | | 93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.). | | 94 Diseases of the lymphatic system (Lymphangitis, etc.). | | 96* / 95 Hæmorrhage without stated cause. | | V. 97–107 Diseases of the respiratory system. | | 97 Diseases of the nasal fossæ and annexa. | | 98 Diseases of the larynx. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 36 | 31 | 47 | 48 | 39 | 92 | 15 | 10 | 8 | 4 | 15600 | 13486 | 27 | 18 | 77 | 59 |
| 0—1 | — | — | — | — | — | — | 5 | 4 | 2 | 1 | 2690 | 1951 | 3 | 1 | 21 | 10 |
| 1—5 | — | — | — | 1 | — | — | 4 | 1 | — | 1 | 1992 | 1854 | 2 | 3 | 26 | 35 |
| 5—10 | — | — | — | — | — | — | — | — | 1 | — | 223 | 190 | — | — | 15 | 2 |
| 10—15 | — | — | 1 | 1 | — | — | 1 | — | — | — | 121 | 114 | 3 | 4 | — | 1 |
| 15—20 | — | — | — | — | — | — | — | — | — | — | 179 | 118 | 2 | — | 1 | 3 |
| 20—25 | — | — | 3 | — | — | 2 | — | — | — | — | 200 | 123 | 2 | 1 | — | — |
| 25—30 | — | — | — | — | — | 2 | — | — | — | — | 240 | 157 | 3 | 3 | — | 2 |
| 30—35 | — | — | 1 | 1 | 1 | 2 | 1 | 1 | — | — | 300 | 186 | 3 | 1 | — | 1 |
| 35—40 | 1 | 2 | 2 | 5 | 3 | — | — | — | 2 | — | 489 | 231 | 1 | — | 2 | — |
| 40—45 | 4 | 3 | 1 | 2 | 5 | 2 | — | — | — | — | 618 | 275 | 1 | 1 | 1 | — |
| 45—50 | 2 | — | 7 | 3 | 5 | 7 | — | — | 1 | — | 810 | 357 | 4 | 1 | 2 | 1 |
| 50—55 | 5 | 5 | 9 | 4 | 8 | 10 | — | — | — | 1 | 881 | 465 | 1 | — | 3 | — |
| 55—60 | 3 | — | 6 | 5 | 5 | 16 | 1 | — | — | — | 1017 | 651 | 2 | 1 | 2 | 1 |
| 60—65 | 3 | 6 | 5 | 4 | 5 | 11 | — | 1 | — | — | 1176 | 961 | — | — | 1 | 2 |
| 65—70 | 7 | 6 | 4 | 5 | — | 16 | 2 | — | 1 | — | 1353 | 1205 | — | — | 1 | — |
| 70—75 | 4 | 3 | 5 | 6 | 1 | 9 | 1 | 1 | — | 1 | 1420 | 1485 | — | 1 | 1 | 1 |
| 75—80 | 3 | 3 | 1 | 6 | 4 | 7 | — | 1 | 1 | — | 1042 | 1481 | — | 1 | 1 | — |
| 80 and upwards | 4 | 3 | 2 | 5 | 2 | 8 | — | 1 | — | — | 849 | 1682 | — | — | — | — |

* 96. Other diseases of the circulatory system — .

| Causes of Death. | 99 Bronchitis. | | 99 (*a*) Acute. | | 99 (*b*) Chronic. | | 99 (*c* & *d*) Not stated whether acute or chronic. | | 100 & 101 Pneumonia (all forms). | | 100 Broncho-pneumonia. | | 101 Pneumonia (lobar, and not otherwise defined). | | 101 (*a*) Pneumonia, lobar. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 6378 | 6747 | 1379 | 1787 | 2291 | 1967 | 2708 | 2993 | 8200 | 5947 | 3999 | 3348 | 4201 | 2599 | 2439 | 1409 |
| 0—1 | 862 | 634 | 375 | 269 | 15 | 6 | 472 | 359 | 1765 | 1284 | 1482 | 1061 | 283 | 223 | 94 | 83 |
| 1—5 | 294 | 301 | 143 | 130 | 11 | 10 | 140 | 161 | 1634 | 1480 | 1290 | 1171 | 344 | 309 | 139 | 102 |
| 5—10 | 20 | 23 | 7 | 14 | 3 | — | 10 | 9 | 169 | 157 | 89 | 83 | 80 | 74 | 43 | 45 |
| 10—15 | 11 | 7 | 4 | 1 | 6 | 5 | 1 | 1 | 102 | 96 | 28 | 36 | 74 | 60 | 40 | 29 |
| 15—20 | 4 | 12 | — | 2 | 1 | 5 | 3 | 5 | 166 | 91 | 19 | 22 | 147 | 69 | 88 | 46 |
| 20—25 | 15 | 15 | 3 | 7 | 8 | 3 | 4 | 5 | 169 | 95 | 17 | 15 | 152 | 80 | 97 | 55 |
| 25—30 | 21 | 24 | 4 | 5 | 12 | 12 | 5 | 7 | 191 | 115 | 33 | 17 | 158 | 98 | 112 | 69 |
| 30—35 | 35 | 26 | 7 | 10 | 12 | 10 | 16 | 6 | 242 | 145 | 38 | 37 | 204 | 108 | 139 | 72 |
| 35—40 | 80 | 42 | 13 | 18 | 49 | 16 | 18 | 8 | 366 | 163 | 55 | 30 | 311 | 133 | 198 | 84 |
| 40—45 | 148 | 65 | 28 | 18 | 74 | 28 | 46 | 19 | 418 | 178 | 75 | 33 | 343 | 145 | 224 | 100 |
| 45—50 | 218 | 125 | 46 | 32 | 97 | 50 | 75 | 43 | 488 | 198 | 88 | 58 | 400 | 140 | 255 | 89 |
| 50—55 | 314 | 202 | 50 | 53 | 144 | 90 | 120 | 59 | 477 | 212 | 105 | 73 | 372 | 139 | 249 | 84 |
| 55—60 | 448 | 333 | 75 | 78 | 217 | 141 | 156 | 114 | 468 | 263 | 112 | 89 | 356 | 174 | 215 | 103 |
| 60—65 | 630 | 594 | 87 | 146 | 307 | 222 | 236 | 226 | 442 | 305 | 129 | 108 | 313 | 197 | 202 | 114 |
| 65—70 | 822 | 779 | 136 | 170 | 377 | 288 | 309 | 321 | 437 | 355 | 140 | 140 | 297 | 215 | 171 | 122 |
| 70—75 | 1014 | 1070 | 144 | 259 | 448 | 356 | 422 | 455 | 330 | 326 | 136 | 131 | 194 | 195 | 101 | 103 |
| 75—80 | 772 | 1121 | 138 | 245 | 304 | 354 | 330 | 522 | 212 | 270 | 104 | 124 | 108 | 146 | 47 | 69 |
| 80 and upwards | 670 | 1374 | 119 | 330 | 206 | 371 | 345 | 673 | 124 | 214 | 59 | 120 | 65 | 94 | 25 | 40 |

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only.)

| Causes of Death. | 101 (*b*) Pneumonia not otherwise defined. | | 102 Pleurisy. | | 103 Congestion and hæmorrhagic infarct of lung. | | 104 Gangrene of the lung. | | 105 Asthma. | | 106 Pulmonary emphysema. | | 107 Other diseases of the respiratory system. | | 107 (*a*) Chronic interstitial pneumonia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1762 | 1190 | 275 | 186 | 179 | 199 | 16 | 2 | 317 | 292 | 43 | 8 | 88 | 28 | 42 | |
| 0—1 | 189 | 140 | 6 | 7 | 28 | 11 | — | — | — | — | — | — | 5 | 4 | — | — |
| 1—5 | 205 | 207 | 30 | 25 | 3 | 8 | — | — | 2 | 2 | — | — | 1 | — | — | — |
| 5—10 | 37 | 29 | 9 | 5 | 6 | 2 | 1 | — | 3 | — | — | — | — | 1 | — | — |
| 10—15 | 34 | 31 | 3 | 5 | — | — | 1 | — | — | 1 | — | — | 1 | — | — | — |
| 15—20 | 59 | 23 | 3 | 7 | 1 | 1 | 1 | 1 | 1 | 2 | — | — | — | 1 | — | — |
| 20—25 | 55 | 25 | 9 | 5 | 1 | 1 | 2 | — | 1 | 5 | 1 | — | — | 1 | — | — |
| 25—30 | 46 | 29 | 19 | 4 | 2 | 2 | — | — | 2 | 6 | — | — | 2 | 1 | 1 | — |
| 30—35 | 65 | 36 | 9 | 4 | 1 | — | 1 | — | 5 | 8 | 1 | — | 3 | 1 | 1 | |
| 35—40 | 113 | 49 | 18 | 8 | 3 | 1 | — | — | 10 | 14 | 1 | 1 | 8 | 2 | 4 | |
| 40—45 | 119 | 45 | 15 | 12 | 7 | 1 | 3 | — | 17 | 15 | — | — | 8 | 3 | 1 | |
| 45—50 | 145 | 51 | 30 | 10 | 4 | 4 | 1 | — | 44 | 17 | 8 | — | 11 | 1 | 7 | |
| 50—55 | 123 | 55 | 21 | 15 | 9 | 4 | 2 | — | 42 | 31 | 2 | — | 10 | 1 | 6 | — |
| 55—60 | 141 | 71 | 24 | 11 | 8 | 6 | — | 1 | 46 | 32 | 8 | 1 | 11 | 2 | 5 | |
| 60—65 | 111 | 83 | 25 | 12 | 10 | 7 | 1 | — | 47 | 41 | 6 | — | 14 | — | 9 | — |
| 65—70 | 126 | 93 | 22 | 15 | 19 | 16 | 3 | — | 35 | 38 | 6 | 1 | 8 | 1 | 4 | — |
| 70—75 | 93 | 92 | 10 | 15 | 16 | 25 | — | — | 40 | 40 | 4 | 2 | 5 | 5 | 4 | |
| 75—80 | 61 | 77 | 12 | 17 | 27 | 46 | — | — | 16 | 21 | 2 | 3 | — | 2 | — | — |
| 80 and upwards | 40 | 54 | 10 | 9 | 34 | 64 | — | — | 6 | 19 | 4 | — | 1 | 2 | — | — |

| Causes of Death. | 107 (*b*) Diseases of the mediastinum. | | 107 (*c*) Other diseases included under 107. | | VI. 108–127 Diseases of the digestive system. | | 108 Diseases of the buccal cavity and annexa. | | 108 (1) Diseases of the teeth and gums. | | 108 (2 & 3) Other diseases of the buccal cavity and annexa. | | 109 Diseases of the pharynx and tonsils. | | 110 Diseases of the œsophagus. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 1 | 46 | 20 | 5234 | 4543 | 86 | 76 | 56 | 52 | 30 | 24 | 96 | 93 | 16 | |
| 0—1 | — | — | 5 | 4 | 1710 | 1162 | 9 | 9 | 5 | 6 | 4 | 3 | 8 | 4 | — | — |
| 1—5 | — | — | 1 | — | 511 | 413 | 10 | 11 | 7 | 8 | 3 | 3 | 26 | 22 | — | — |
| 5—10 | — | 1 | — | — | 108 | 126 | 3 | 1 | 2 | 1 | 1 | — | 16 | 16 | — | — |
| 10—15 | — | — | 1 | — | 100 | 77 | 1 | 2 | 1 | 2 | — | — | 5 | 7 | — | — |
| 15—20 | — | — | — | 1 | 105 | 69 | 3 | 3 | 1 | 2 | 2 | 1 | 4 | 4 | — | — |
| 20—25 | — | — | — | 1 | 111 | 60 | 7 | 1 | 1 | 1 | 6 | — | 3 | 6 | — | — |
| 25—30 | — | — | 1 | 1 | 94 | 109 | 3 | — | — | — | 3 | — | 5 | 6 | — | |
| 30—35 | — | — | 2 | — | 116 | 124 | 1 | 4 | 1 | 4 | — | — | 2 | 3 | — | |
| 35—40 | — | — | 4 | 1 | 157 | 126 | 4 | 3 | 3 | 2 | 1 | 1 | 5 | — | — | |
| 40—45 | — | — | 7 | 2 | 249 | 177 | 7 | 5 | 7 | 4 | — | 1 | 5 | 4 | 1 | |
| 45—50 | — | — | 4 | — | 282 | 228 | 3 | 9 | 3 | 9 | — | — | 4 | 4 | 4 | — |
| 50—55 | — | — | 4 | 1 | 289 | 285 | 4 | 10 | 4 | 6 | — | 4 | 3 | 2 | 2 | — |
| 55—60 | — | — | 6 | 1 | 329 | 254 | 8 | 2 | 8 | 1 | — | 1 | 4 | 2 | 1 | |
| 60—65 | — | — | 5 | — | 314 | 311 | 8 | 4 | 6 | 2 | 2 | 2 | 1 | 2 | 3 | — |
| 65—70 | — | — | 4 | 1 | 287 | 287 | 4 | 6 | 2 | 3 | 2 | 3 | — | 3 | 2 | |
| 70—75 | — | — | 1 | 3 | 214 | 283 | 5 | 2 | 2 | — | 3 | 2 | 1 | 5 | 2 | — |
| 75—80 | — | — | — | 2 | 153 | 223 | 5 | 3 | 2 | 1 | 3 | 2 | 4 | 1 | 1 | — |
| 80 and upwards | — | — | 1 | 2 | 105 | 229 | 1 | 1 | 1 | — | — | 1 | — | 2 | — | — |

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 111 Ulcer of the stomach or duodenum. | | 111 (*a*) Ulcer of the stomach. | | 111 (*b*) Ulcer of the duodenum. | | 112 Other diseases of the stomach. | | 113 & 114 Diarrhœa. and enteritis. | | 115* 116* Diseases due to other intestinal parasites. | | 117 Appendicitis and typhlitis. | | 118 Hernia, intestinal obstruction. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 699 | 311 | 467 | 265 | 232 | 46 | 380 | 431 | 2006 | 1571 | — | 3 | 497 | 398 | 673 | 755 |
| 0—1 | — | 1 | — | — | — | 1 | 141 | 124 | 1406 | 952 | — | — | 2 | — | 126 | 62 |
| 1—5 | 1 | — | 1 | — | — | — | 23 | 41 | 361 | 285 | — | — | 26 | 14 | 41 | 20 |
| 5—10 | 1 | — | 1 | — | — | — | 6 | 12 | 21 | 14 | — | 1 | 41 | 51 | 14 | 6 |
| 10—15 | — | — | — | — | — | — | 6 | 6 | 7 | 8 | — | — | 61 | 40 | 14 | 8 |
| 15—20 | 9 | 1 | 8 | 1 | 1 | — | 2 | 1 | 8 | 5 | — | — | 60 | 41 | 11 | 6 |
| 20—25 | 22 | 8 | 14 | 8 | 8 | — | 7 | 2 | 4 | 10 | — | — | 39 | 18 | 22 | 8 |
| 25—30 | 23 | 20 | 12 | 18 | 11 | 2 | 5 | 3 | 4 | 17 | — | 1 | 35 | 28 | 12 | 13 |
| 30—35 | 47 | 26 | 32 | 25 | 15 | 1 | 6 | 4 | 2 | 17 | — | — | 33 | 26 | 10 | 13 |
| 35—40 | 69 | 22 | 51 | 19 | 18 | 3 | 10 | 9 | 11 | 12 | — | — | 18 | 18 | 22 | 29 |
| 40—45 | 111 | 32 | 66 | 30 | 45 | 2 | 9 | 8 | 10 | 20 | — | — | 25 | 21 | 25 | 33 |
| 45—50 | 101 | 35 | 68 | 31 | 33 | 4 | 13 | 12 | 22 | 15 | — | — | 30 | 23 | 28 | 53 |
| 50—55 | 78 | 49 | 53 | 36 | 25 | 13 | 24 | 13 | 14 | 21 | — | — | 39 | 32 | 27 | 61 |
| 55—60 | 85 | 31 | 56 | 25 | 29 | 6 | 21 | 18 | 16 | 18 | — | — | 20 | 25 | 47 | 59 |
| 60—65 | 65 | 39 | 45 | 32 | 20 | 7 | 22 | 27 | 17 | 32 | — | — | 29 | 22 | 64 | 85 |
| 65—70 | 53 | 19 | 37 | 15 | 16 | 4 | 25 | 19 | 19 | 32 | — | — | 18 | 15 | 70 | 80 |
| 70—75 | 21 | 16 | 13 | 13 | 8 | 3 | 18 | 38 | 32 | 34 | — | — | 14 | 10 | 65 | 91 |
| 75—80 | 11 | 8 | 9 | 8 | 2 | — | 24 | 38 | 32 | 33 | — | — | 4 | 10 | 35 | 65 |
| 80 and upwards | 2 | 4 | 1 | 4 | 1 | — | 18 | 56 | 20 | 46 | — | 1 | 3 | 4 | 40 | 63 |

* **115.** Ankylostomiasis —; *116* (*a*) Cestodes (hydatids of the liver excepted) *25, 80*; *116* (*c*) Nematodes *5*.

| Causes of Death. | 118 (*a*) Hernia. | | 118 (*b*) Intestinal obstruction. | | 119 Other diseases of the intestines. | | 120 Acute yellow atrophy of the liver. | | 121 Hydatid tumour of the liver. | | 122 Cirrhosis of the liver. | | 122 (*a*) Returned as alcoholic. | | 122 (*b*) Not returned as alcoholic. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 257 | 331 | 416 | 424 | 61 | 81 | 5 | 24 | 3 | 5 | 390 | 189 | 38 | 18 | 352 | 171 |
| 0—1 | 25 | 5 | 101 | 57 | 6 | 5 | — | — | — | — | 1 | 1 | — | — | 1 | 1 |
| 1—5 | 9 | 3 | 32 | 17 | 7 | 2 | 1 | 2 | — | — | 1 | 1 | — | — | 1 | 1 |
| 5—10 | — | — | 14 | 6 | 1 | 1 | — | 1 | — | — | 1 | — | — | — | 1 | — |
| 10—15 | 2 | 1 | 12 | 7 | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 |
| 15—20 | 1 | — | 10 | 6 | 1 | 1 | — | 1 | — | 1 | 1 | 1 | — | — | 1 | 1 |
| 20—25 | 3 | 1 | 19 | 7 | — | — | 1 | 3 | 1 | — | — | 1 | — | — | — | 1 |
| 25—30 | — | 3 | 12 | 10 | — | 1 | 1 | 5 | — | 2 | 2 | 1 | — | — | 2 | 1 |
| 30—35 | 2 | 2 | 8 | 11 | 2 | 2 | — | 3 | — | — | 6 | 2 | 1 | 1 | 5 | 1 |
| 35—40 | 4 | 6 | 18 | 23 | 3 | 2 | 1 | 3 | — | 1 | 9 | 4 | 4 | — | 5 | 4 |
| 40—45 | 12 | 9 | 13 | 24 | 6 | 1 | — | 3 | 2 | — | 24 | 19 | 2 | 2 | 22 | 17 |
| 45—50 | 12 | 29 | 16 | 24 | 5 | 7 | — | 1 | — | — | 51 | 27 | 6 | 4 | 45 | 23 |
| 50—55 | 16 | 35 | 11 | 26 | 6 | 5 | — | — | — | — | 61 | 29 | 6 | 2 | 55 | 27 |
| 55—60 | 24 | 34 | 23 | 25 | 3 | 6 | — | 1 | — | — | 77 | 30 | 5 | 2 | 72 | 28 |
| 60—65 | 29 | 54 | 35 | 31 | 6 | 6 | 1 | — | — | 1 | 61 | 19 | 6 | 2 | 55 | 17 |
| 65—70 | 44 | 49 | 26 | 31 | 4 | 10 | — | 1 | — | — | 51 | 26 | 4 | 2 | 47 | 24 |
| 70—75 | 37 | 50 | 28 | 41 | 6 | 10 | — | — | — | — | 31 | 16 | 4 | — | 27 | 16 |
| 75—80 | 17 | 26 | 18 | 39 | 2 | 9 | — | — | — | — | 10 | 9 | — | 3 | 10 | 6 |
| 80 and upwards | 20 | 24 | 20 | 39 | 2 | 13 | — | — | — | — | 3 | 2 | — | — | 3 | 2 |

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 123 Biliary calculi. | | 124 Other diseases of the liver. | | 125 Diseases of the pancreas. | | 127* 126 Peritonitis of unstated origin. | | VII. 128–142 Non-puerperal diseases of the genito-urinary system. | | 128 Acute nephritis (including unspecified under 10 years of age). | | 129 Chronic nephritis (including unspecified over 10 years of age). | | 130* 131 Other diseases of the kidneys and annexa | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 82 | 255 | 145 | 207 | 39 | 46 | 56 | 92 | 3603 | 2708 | 277 | 209 | 2092 | 1883 | 82 | 9 |
| 0—1 | — | — | 3 | 2 | 1 | — | 7 | 2 | 32 | 15 | 13 | 7 | 1 | — | 3 | |
| 1—5 | — | — | 10 | 2 | — | — | 4 | 13 | 36 | 26 | 25 | 17 | 6 | 3 | 1 | |
| 5—10 | — | — | — | 2 | — | — | 4 | 21 | 37 | 25 | 27 | 11 | 10 | 12 | — | — |
| 10—15 | — | — | 3 | — | — | — | 2 | 5 | 30 | 37 | 11 | 10 | 18 | 23 | 1 | |
| 15—20 | — | 1 | — | 1 | 3 | — | 3 | 2 | 40 | 41 | 10 | 10 | 26 | 27 | 3 | — |
| 20—25 | — | — | 2 | 1 | — | 1 | 3 | 1 | 53 | 65 | 13 | 12 | 27 | 26 | 4 | |
| 25—30 | 1 | 2 | 2 | 2 | — | — | 1 | 7 | 51 | 81 | 8 | 13 | 38 | 41 | 1 | |
| 30—35 | 2 | 4 | 3 | 6 | — | 2 | 2 | 11 | 75 | 93 | 13 | 11 | 47 | 51 | 4 | |
| 35—40 | — | 6 | 3 | 7 | 1 | 6 | 1 | 3 | 110 | 138 | 14 | 13 | 74 | 66 | 5 | |
| 40—45 | 3 | 13 | 9 | 8 | 5 | 1 | 7 | 8 | 145 | 184 | 18 | 14 | 101 | 98 | 4 | 1 |
| 45—50 | 3 | 18 | 8 | 16 | 3 | 4 | 7 | 4 | 217 | 251 | 29 | 15 | 156 | 156 | 5 | 1 |
| 50—55 | 10 | 31 | 11 | 17 | 5 | 14 | 5 | 1 | 332 | 269 | 21 | 23 | 249 | 191 | 11 | |
| 55—60 | 13 | 30 | 22 | 21 | 9 | 6 | 3 | 4 | 362 | 289 | 17 | 20 | 256 | 216 | 10 | |
| 60—65 | 18 | 35 | 14 | 30 | 3 | 5 | 2 | 4 | 461 | 282 | 18 | 11 | 296 | 241 | 9 | |
| 65—70 | 12 | 44 | 20 | 25 | 6 | 4 | 3 | 2 | 531 | 329 | 20 | 14 | 291 | 267 | 8 | |
| 70—75 | 8 | 28 | 9 | 28 | — | 2 | 2 | 3 | 475 | 248 | 9 | 3 | 240 | 199 | 5 | |
| 75—80 | 8 | 23 | 14 | 22 | 3 | 1 | — | 1 | 342 | 192 | 5 | 3 | 162 | 158 | 3 | |
| 80 and upwards | 4 | 20 | 12 | 17 | — | — | — | — | 274 | 143 | 6 | 2 | 94 | 108 | 5 | |

* **127.** Other diseases of the digestive system — ; **130.** Chyluria —.

| Causes of Death. | 132 Calculi of the urinary passages. | | 133 Diseases of the bladder. | | 134 Diseases of the urethra, urinary abscess, etc. | | 134 (*a*) Stricture of the urethra. | | 134 (*b*) Other diseases of the urethra, &c. | | 135 Diseases of the prostate. | | 136 Non-venereal diseases of the male genital organs. | | 137 Cysts and other tumours of the ovary not returned as malignant | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 62 | 28 | 241 | 88 | 175 | 5 | 144 | — | 31 | 5 | 651 | — | 21 | — | — | 9 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | 13 | — | — | — |
| 1—5 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | 2 | — | — | — |
| 5—10 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | 1 | — | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| 20—25 | 5 | 1 | 1 | 1 | 3 | — | 1 | — | 2 | — | — | — | — | — | — | |
| 25—30 | 1 | 1 | — | 3 | 3 | — | 3 | — | — | — | — | — | — | — | — | |
| 30—35 | 4 | 3 | 3 | 4 | 3 | 1 | 2 | — | 1 | 1 | 1 | — | — | — | — | |
| 35—40 | 2 | 1 | 5 | 6 | 7 | — | 4 | — | 3 | — | 2 | — | 1 | — | — | |
| 40—45 | 6 | 2 | 6 | 3 | 10 | — | 6 | — | 4 | — | — | — | — | — | — | |
| 45—50 | 7 | 2 | 5 | 4 | 14 | — | 13 | — | 1 | — | 1 | — | — | — | — | |
| 50—55 | 6 | 4 | 11 | 1 | 19 | 1 | 17 | — | 2 | 1 | 14 | — | 1 | — | — | |
| 55—60 | 9 | 5 | 15 | 5 | 28 | 1 | 26 | — | 2 | 1 | 27 | — | — | — | — | |
| 60—65 | 8 | 1 | 24 | 4 | 31 | — | 22 | — | 9 | — | 75 | — | — | — | — | |
| 65—70 | 7 | 2 | 43 | 12 | 28 | — | 24 | — | 4 | — | 133 | — | 1 | — | — | |
| 70—75 | 2 | 3 | 45 | 17 | 15 | 1 | 15 | — | — | 1 | 156 | — | 3 | — | — | |
| 75—80 | 4 | 1 | 41 | 13 | 10 | 1 | 9 | — | 1 | 1 | 117 | — | — | — | — | |
| 80 and upwards | — | 1 | 41 | 13 | 3 | — | 1 | — | 2 | — | 125 | — | — | — | — | |

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 138 Salpingitis and pelvic abscess. | | 139 Tumours of the uterus not returned as malignant. | | 140 Uterine hæmorrhage. | | 141 Other diseases of the female genital organs. | | 142 Non-puerperal diseases of the breast. | | VIII. 143-150 The puerperal state. | | 143 Accidents of pregnancy. | | 143 (*a*) Abortion. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 95 | — | 125 | — | 17 | — | 59 | 2 | 9 | — | 1057 | — | 152 | — | 33 |
| 0—1 | — | — | — | — | — | — | — | 1 | 2 | 4 | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 10—15 | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | 1 | — | — | — | 1 | — | — | — | — | — | 20 | — | 4 | — | 1 |
| 20—25 | — | 14 | — | 1 | — | 2 | — | — | — | — | — | 157 | — | 14 | — | — |
| 25—30 | — | 9 | — | 3 | — | — | — | 5 | — | — | — | 228 | — | 20 | — | 6 |
| 30—35 | — | 9 | — | — | — | 1 | — | 8 | — | — | — | 260 | — | 39 | — | 11 |
| 35—40 | — | 18 | — | 13 | — | 4 | — | 4 | — | — | — | 249 | — | 39 | — | 9 |
| 40—45 | — | 14 | — | 20 | — | 4 | — | 8 | — | — | — | 124 | — | 32 | — | 6 |
| 45—50 | — | 10 | — | 32 | — | 2 | — | 7 | — | — | — | 19 | — | 4 | — | — |
| 50—55 | — | 6 | — | 15 | — | 2 | — | 6 | — | 1 | — | — | — | — | — | — |
| 55—60 | — | 4 | — | 12 | — | — | — | 5 | — | — | — | — | — | — | — | — |
| 60—65 | — | 2 | — | 8 | — | — | — | 3 | — | — | — | — | — | — | — | — |
| 65—70 | — | 6 | — | 7 | — | — | — | 3 | — | 1 | — | — | — | — | — | — |
| 70—75 | — | 1 | — | 7 | — | — | — | 3 | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | 4 | — | — | — | 2 | — | 1 | — | — | — | — | — | — |
| 80 and upwards | — | — | — | 3 | — | — | — | 2 | — | 1 | — | — | — | — | — | — |

| Causes of Death. | 143 (*b*) Ectopic gestation. | | 143 (*c*) Other accidents. | | 144 Puerperal haemorrhage. | | 145 Other accidents of childbirth. | | 146 Puerperal sepsis. | | 147 Phlegmasia alba dolens, puerperal embolism, etc. | | 148 Puerperal albuminuria and convulsions. | | 150* 149 Childbirth not assignable elsewhere (puerperal insanity). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 41 | — | 78 | — | 149 | — | 108 | — | 372 | — | 90 | — | 174 | — | 9 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | — | 3 | — | 4 | — | — | — | 6 | — | — | — | 6 | — | — |
| 20—25 | — | 5 | — | 9 | — | 14 | — | 17 | — | 71 | — | 9 | — | 32 | — | — |
| 25—30 | — | 5 | — | 9 | — | 27 | — | 21 | — | 96 | — | 16 | — | 45 | — | 3 |
| 30—35 | — | 14 | — | 14 | — | 40 | — | 21 | — | 88 | — | 25 | — | 43 | — | 3 |
| 35—40 | — | 11 | — | 19 | — | 34 | — | 34 | — | 75 | — | 25 | — | 39 | — | 2 |
| 40—45 | — | 5 | — | 21 | — | 26 | — | 12 | — | 32 | — | 13 | — | 8 | — | — |
| 45—50 | — | 1 | — | 3 | — | 4 | — | 3 | — | 4 | — | 2 | — | 1 | — | 1 |
| 50—55 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

***150.** Puerperal diseases of the breast *30, 35, 40.*

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only.)

| Causes of Death. | IX. 151–154 Diseases of the skin and cellular tissue. | | 151 Gangrene. | | 152 Furuncle. | | 153 Phlegmon, acute abscess. | | 154 Other diseases of the skin and its annexa. | | X. 155–158 Diseases of the bones and organs of locomotion. | | 155 Diseases of the bones. | | 156 Diseases of the joints. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 521 | 453 | 149 | 170 | 78 | 40 | 144 | 106 | 150 | 137 | 181 | 94 | 144 | 68 | 29 | 2 |
| 0—1 | 115 | 97 | 1 | 3 | 2 | 3 | 27 | 33 | 85 | 58 | 9 | 4 | 6 | 4 | 3 | — |
| 1—5 | 12 | 18 | 2 | 4 | — | — | 8 | 9 | 2 | 5 | 21 | 7 | 17 | 6 | 4 | |
| 5—10 | 3 | 6 | — | 1 | — | 1 | 2 | 4 | 1 | — | 28 | 8 | 25 | 8 | 2 | — |
| 10—15 | 6 | 3 | — | — | 1 | — | 5 | 2 | — | 1 | 27 | 13 | 26 | 10 | 1 | |
| 15—20 | 11 | 7 | — | — | 6 | — | 5 | 7 | — | — | 24 | 7 | 21 | 5 | 3 | |
| 20—25 | 11 | 5 | — | — | 3 | 2 | 7 | 2 | 1 | 1 | 9 | 3 | 7 | 3 | 2 | — |
| 25—30 | 1 | 7 | — | 1 | 1 | 1 | — | 2 | — | 3 | 3 | 2 | 3 | 1 | — | |
| 30—35 | 8 | 6 | — | 1 | 5 | 1 | 2 | 3 | 1 | 1 | 3 | — | 3 | — | — | — |
| 35—40 | 12 | 10 | 1 | — | 4 | 2 | 5 | 6 | 2 | 2 | 6 | — | 5 | — | 1 | — |
| 40—45 | 16 | 9 | — | 1 | 7 | 1 | 9 | 3 | — | 4 | 3 | 2 | 1 | 1 | 2 | |
| 45—50 | 21 | 9 | — | — | 11 | — | 9 | 5 | 1 | 4 | 7 | 4 | 4 | 3 | 3 | |
| 50—55 | 20 | 10 | 1 | 1 | 5 | 4 | 8 | 2 | 6 | 3 | 9 | 8 | 5 | 5 | 2 | |
| 55—60 | 28 | 17 | 7 | 4 | 5 | 4 | 11 | 3 | 5 | 6 | 11 | 5 | 7 | 3 | 2 | |
| 60—65 | 38 | 22 | 9 | 13 | 9 | 1 | 14 | 5 | 6 | 3 | 3 | 6 | 1 | 5 | 2 | |
| 65—70 | 47 | 39 | 18 | 25 | 6 | 5 | 12 | 3 | 11 | 6 | 4 | 9 | 3 | 6 | — | |
| 70—75 | 56 | 52 | 33 | 33 | 3 | 5 | 8 | 4 | 12 | 10 | 6 | 5 | 3 | 2 | 2 | |
| 75—80 | 61 | 56 | 36 | 30 | 8 | 6 | 6 | 6 | 11 | 14 | 4 | 4 | 3 | 1 | — | |
| 80 and upwards | 55 | 80 | 41 | 53 | 2 | 4 | 6 | 7 | 6 | 16 | 4 | 7 | 4 | 5 | — | |

| Causes of Death. | 157* 158 Other diseases of the organs of locomotion. | | XI. 159 Mal-formations. | | XII. 160–163 Diseases of early infancy. | | 160 Congenital debility. | | 161 Premature birth, injury at birth. | | 161 (1) Premature birth. | | 161 (2) Injury at birth. | | 162 Other diseas peculiar to early infanc | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F |
| All Ages | 8 | 6 | 675 | 547 | 4488 | 3343 | 1075 | 736 | 3067 | 2347 | 2847 | 2185 | 220 | 162 | 303 | 2 |
| 0—1 | — | — | 595 | 483 | 4488 | 3343 | 1075 | 736 | 3067 | 2347 | 2847 | 2185 | 220 | 162 | 303 | 2 |
| 1—5 | — | — | 43 | 33 | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | 1 | — | 10 | 9 | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | 1 | 7 | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | 1 | 5 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 20—25 | — | — | 5 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25—30 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30—35 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 35—40 | — | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 40—45 | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 45—50 | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 50—55 | 2 | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

* 157. Amputation —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only.)

| Causes of Death. | 163 Lack of care. | | XIII. 164 Old age. | | XIV. 165–203 External causes. | | Suicide. 165–174 Total. | | 165 & 166 By solid or liquid poisons and corrosive substances. | | 167 By poisonous gas. | | 168 By hanging or strangulation. | | 169 By drowning. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 43 | 35 | 2965 | 4307 | 3790 | 1676 | 984 | 315 | 96 | 47 | 194 | 99 | 212 | 32 | 155 | 79 |
| 0—1 | 43 | 35 | — | — | 150 | 99 | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | 305 | 198 | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | 165 | 85 | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | 144 | 39 | 1 | 1 | 1 | — | — | — | — | — | — | 1 |
| 15—20 | — | — | — | — | 237 | 54 | 19 | 11 | 2 | — | 4 | 1 | 5 | 1 | 2 | 8 |
| 20—25 | — | — | — | — | 191 | 66 | 36 | 27 | 4 | 4 | 8 | 3 | 4 | 1 | 5 | 12 |
| 25—30 | — | — | — | — | 185 | 55 | 44 | 18 | 6 | 5 | 7 | 4 | 7 | 1 | 7 | 5 |
| 30—35 | — | — | — | — | 186 | 46 | 44 | 18 | 5 | 3 | 8 | 2 | 9 | 4 | 5 | 4 |
| 35—40 | — | — | — | — | 219 | 63 | 81 | 29 | 10 | 5 | 20 | 9 | 13 | 2 | 16 | 7 |
| 40—45 | — | — | — | — | 259 | 71 | 97 | 39 | 10 | 6 | 22 | 15 | 14 | 3 | 13 | 6 |
| 45—50 | — | — | — | 1 | 292 | 87 | 107 | 46 | 18 | 6 | 19 | 22 | 21 | 2 | 17 | 9 |
| 50—55 | — | — | 1 | 1 | 327 | 118 | 165 | 44 | 11 | 6 | 38 | 17 | 31 | 4 | 31 | 8 |
| 55—60 | — | — | 14 | 13 | 299 | 95 | 132 | 31 | 11 | 8 | 24 | 14 | 29 | 3 | 18 | 6 |
| 60—65 | — | — | 53 | 54 | 263 | 87 | 110 | 18 | 9 | 1 | 23 | 2 | 28 | 6 | 16 | 5 |
| 65—70 | — | — | 188 | 204 | 194 | 113 | 84 | 19 | 6 | 1 | 17 | 7 | 24 | 2 | 16 | 4 |
| 70—75 | — | — | 580 | 697 | 159 | 112 | 37 | 8 | 1 | 1 | 3 | 1 | 13 | 1 | 6 | 3 |
| 75—80 | — | — | 832 | 1029 | 120 | 116 | 18 | 5 | 2 | 1 | — | 1 | 11 | 2 | 2 | 1 |
| 80 and upwards | — | — | 1297 | 2308 | 95 | 172 | 9 | 1 | — | — | 1 | 1 | 3 | — | 1 | — |

| Causes of Death. | Suicide—*continued.* 170 By firearms. | | 171 By cutting or piercing instruments. | | 172 By jumping from high places. | | 173 By crushing. | | 174 By other means. | | 175–196 201–203 Violent deaths, excluding suicide and homicide. | | 175 Food poisoning. | | 176 Poisoning by venomous animals. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 35 | 5 | 221 | 32 | 27 | 12 | 44 | 4 | — | 5 | 2763 | 1328 | 12 | 6 | — | 2 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | 136 | 87 | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | 302 | 195 | — | — | — | 1 |
| 5—10 | — | — | — | — | — | — | — | — | — | — | 164 | 81 | — | 1 | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | 142 | 37 | 3 | 3 | — | — |
| 15—20 | 1 | — | — | — | 1 | 1 | 4 | — | — | — | 218 | 43 | 1 | — | — | 1 |
| 20—25 | 3 | — | 6 | 4 | 1 | 1 | 5 | 2 | — | — | 154 | 37 | — | — | — | — |
| 25—30 | 2 | 2 | 11 | 1 | 4 | — | — | — | — | — | 138 | 34 | — | — | — | — |
| 30—35 | 3 | — | 10 | 3 | — | 1 | 4 | — | — | 1 | 136 | 27 | 2 | — | — | — |
| 35—40 | 5 | — | 13 | 4 | 2 | 1 | 2 | 1 | — | — | 133 | 31 | 1 | 1 | — | — |
| 40—45 | 1 | 2 | 26 | 6 | 4 | — | 7 | 1 | — | — | 161 | 31 | — | — | — | — |
| 45—50 | 5 | — | 23 | 2 | 2 | 1 | 2 | — | — | 4 | 181 | 39 | 3 | — | — | — |
| 50—55 | 6 | — | 40 | 5 | 2 | 4 | 6 | — | — | — | 161 | 74 | 1 | — | — | — |
| 55—60 | 3 | — | 36 | — | 4 | — | 7 | — | — | — | 166 | 63 | — | — | — | — |
| 60—65 | 3 | — | 23 | 3 | 4 | 1 | 4 | — | — | — | 151 | 69 | — | — | — | — |
| 65—70 | 2 | — | 17 | 4 | — | 1 | 2 | — | — | — | 110 | 94 | 1 | 1 | — | — |
| 70—75 | — | 1 | 10 | — | 3 | 1 | 1 | — | — | — | 122 | 104 | — | — | — | — |
| 75—80 | 1 | — | 2 | — | — | — | — | — | — | — | 102 | 111 | — | — | — | — |
| 80 and upwards | — | — | 4 | — | — | — | — | — | — | — | 86 | 171 | — | — | — | — |

TABLE 17—*contd.*

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 177 Other acute accidental poisonings | | 178 Conflagration. | | 179 Burns (conflagration excepted). | | 180 Accidental mechanical suffocation. | | 181 Accidental absorption of irrespirable or poisonous gas. | | 182 Accidental drowning. | | 183 Accidental injury by firearms. | | 184 Accidental injury by cutting or piercing instruments. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 22 | 14 | 8 | 1 | 291 | 325 | 111 | 84 | 42 | 29 | 404 | 113 | 8 | 3 | 5 | |
| 0—1 | — | — | 1 | — | 25 | 15 | 90 | 63 | 3 | — | 4 | — | — | — | — | — |
| 1—5 | 6 | 1 | 1 | — | 184 | 124 | 3 | 5 | 2 | — | 20 | 16 | — | 1 | — | — |
| 5—10 | 1 | — | — | 1 | 18 | 40 | 1 | — | — | — | 36 | 1 | — | — | — | — |
| 10—15 | — | — | 1 | — | 5 | 15 | — | — | 1 | — | 24 | 1 | 1 | — | 1 | |
| 15—20 | — | 1 | — | — | 8 | 17 | 2 | — | 2 | 3 | 43 | 4 | 1 | — | — | — |
| 20—25 | 2 | 1 | 1 | — | 1 | 5 | 1 | — | 4 | 1 | 29 | 11 | — | 1 | 1 | — |
| 25—30 | 1 | 1 | 1 | — | 3 | 6 | — | 2 | — | 2 | 21 | 6 | 1 | 1 | — | — |
| 30—35 | 1 | — | — | — | 1 | 4 | — | — | 3 | 2 | 18 | 9 | 2 | — | 1 | — |
| 35—40 | 1 | 1 | — | — | 2 | 5 | — | 1 | 4 | 2 | 29 | 3 | 1 | — | 1 | — |
| 40—45 | 1 | — | 2 | — | 6 | 8 | 1 | 1 | 3 | 3 | 32 | 4 | 1 | — | — | — |
| 45—50 | 3 | 2 | — | — | 6 | 2 | 1 | — | 5 | 3 | 31 | 15 | — | — | — | — |
| 50—55 | 1 | 1 | — | — | 3 | 10 | 2 | 1 | 4 | 1 | 28 | 12 | — | — | — | — |
| 55—60 | 2 | 3 | 1 | — | 3 | 5 | 4 | 1 | 2 | 1 | 26 | 7 | — | — | — | — |
| 60—65 | — | — | — | — | 3 | 12 | 2 | 1 | 2 | 3 | 19 | 11 | 1 | — | — | — |
| 65—70 | 1 | 2 | — | — | 5 | 6 | 3 | 4 | 2 | 2 | 23 | 4 | — | — | — | — |
| 70—75 | 1 | 1 | — | — | 5 | 14 | 1 | 2 | 3 | 1 | 12 | 3 | — | — | 1 | — |
| 75—80 | 1 | — | — | — | 6 | 18 | — | 2 | 1 | 4 | 7 | 4 | — | — | — | — |
| 80 and upwards | — | — | — | — | 7 | 19 | — | 1 | 1 | 1 | 2 | 2 | — | — | — | — |

| Causes of Death. | 185 Accidental injury by fall. | | 186 Accidental injury in mines and quarries. | | 187 Accidental injury by machinery. | | 188 Accidental injury by other forms of crushing (vehicles, etc.). | | 189 Injury by animals (poisoning excepted). | | 190 Wounds of war. | | 191* | 192 Hunger or thirst. | 193 Excessiv cold. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F |
| All Ages | 529 | 443 | 151 | — | 84 | 4 | 937 | 241 | 4 | 1 | 22 | — | 3 | 1 | 6 | |
| 0—1 | 3 | 1 | — | — | — | — | 3 | 1 | — | — | — | — | — | — | — | |
| 1—5 | 22 | 11 | — | — | 1 | 1 | 53 | 28 | 1 | — | — | — | — | — | — | — |
| 5—10 | 6 | 2 | — | — | — | — | 94 | 33 | 1 | — | — | — | — | — | — | — |
| 10—15 | 16 | 3 | 3 | — | 2 | — | 76 | 13 | — | — | — | — | — | — | — | — |
| 15—20 | 26 | 3 | 21 | — | 9 | — | 91 | 12 | 1 | — | — | — | — | — | — | — |
| 20—25 | 18 | 6 | 15 | — | 5 | 1 | 67 | 8 | — | — | 1 | — | — | — | — | — |
| 25—30 | 16 | 3 | 17 | — | 12 | — | 57 | 6 | — | — | 6 | — | — | — | 1 | — |
| 30—35 | 23 | 5 | 15 | — | 8 | — | 47 | 5 | — | — | 6 | — | — | — | 1 | — |
| 35—40 | 16 | 3 | 10 | — | 11 | — | 43 | 7 | — | 1 | 6 | — | — | — | — | — |
| 40—45 | 27 | 2 | 8 | — | 9 | — | 60 | 11 | — | — | 2 | — | — | — | 1 | — |
| 45—50 | 35 | 6 | 24 | — | 4 | — | 60 | 8 | 1 | — | 1 | — | — | — | — | — |
| 50—55 | 37 | 23 | 10 | — | 6 | — | 58 | 23 | — | — | — | — | — | — | — | — |
| 55—60 | 45 | 30 | 12 | — | 8 | 1 | 58 | 14 | — | — | — | — | — | — | — | |
| 60—65 | 44 | 25 | 8 | — | 8 | — | 51 | 14 | — | — | — | — | — | — | 2 | — |
| 65—70 | 35 | 49 | 5 | — | — | 1 | 31 | 22 | — | — | — | — | 1 | 1 | — | — |
| 70—75 | 53 | 69 | 3 | — | 1 | — | 35 | 12 | — | — | — | — | 1 | — | 1 | — |
| 75—80 | 49 | 67 | — | — | — | — | 36 | 13 | — | — | — | — | 1 | — | — | — |
| 80 and upwards | 58 | 135 | — | — | — | — | 17 | 11 | — | — | — | — | — | — | — | |

* **191.** Execution of civilians by belligerent armies — .

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 194 Excessive heat. | | 195* 196 Electricity (lightning excepted). | | Homicide. 197–199 All forms. | | 197 By firearms. | | 198 By cutting or piercing instruments. | | 199 By other means. | | 200* 201 Fracture (cause not specified). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| ll Ages | 33 | 22 | 9 | — | 43 | 33 | 3 | 2 | 6 | 8 | 34 | 23 | 10 | 2 |
| 0—1 | 2 | 1 | — | — | 14 | 12 | — | — | 2 | 1 | 12 | 11 | — | — |
| 1—5 | 1 | 3 | — | — | 3 | 3 | — | — | — | 2 | 3 | 1 | — | — |
| 5—10 | 2 | 2 | 1 | — | 1 | 4 | — | 1 | 1 | 1 | — | 2 | — | — |
| 10—15 | 2 | — | 1 | — | 1 | 1 | — | — | 1 | — | — | 1 | — | — |
| 15—20 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 20—25 | — | 1 | 2 | — | 1 | 2 | 1 | — | — | 1 | — | 1 | — | — |
| 25—30 | — | 1 | — | — | 3 | 3 | — | 1 | — | 1 | 3 | 1 | — | — |
| 30—35 | — | — | 1 | — | 6 | 1 | 1 | — | 1 | — | 4 | 1 | 1 | — |
| 35—40 | 1 | 2 | 1 | — | 5 | 3 | 1 | — | — | — | 4 | 3 | — | 1 |
| 40—45 | 2 | 1 | — | — | 1 | 1 | — | — | — | 1 | 1 | — | 1 | — |
| 45—50 | 1 | 2 | 2 | — | 4 | 2 | — | — | 1 | 1 | 3 | 1 | 2 | 1 |
| 50—55 | 4 | 2 | — | — | 1 | — | — | — | — | — | 1 | — | 1 | — |
| 55—60 | 3 | — | — | — | 1 | 1 | — | — | — | — | 1 | 1 | 2 | — |
| 60—65 | 7 | 2 | 1 | — | 2 | — | — | — | — | — | 2 | — | 1 | — |
| 65—70 | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 70—75 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 75—80 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and owards | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |

* **195.** Lightning —. **200** Infanticide. Deaths from this cause are shown under Nos. 197-199.

| auses of Death. | 202 Other external violence. | | 203 Violent deaths of unknown causation. | | XV. 204–205 Ill-defined diseases. | | 204 Sudden death. | | 205 Cause of death unstated or ill-defined. | | 205 (1) Heart failure, 1–70 years. | | 205 (2 & 3) Others. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| l Ages | 69 | 31 | 3 | 2 | 270 | 194 | 65 | 44 | 205 | 150 | 120 | 77 | 85 | 73 |
| 0—1 | 5 | 5 | — | — | 15 | 9 | — | — | 15 | 9 | — | — | 15 | 9 |
| 1—5 | 8 | 3 | — | 1 | 41 | 39 | — | — | 41 | 39 | 1 | 2 | 40 | 37 |
| 5—10 | 4 | 1 | — | — | 3 | 4 | — | 1 | 3 | 3 | 1 | 1 | 2 | 2 |
| 0—15 | 5 | 1 | 1 | — | 2 | 1 | — | — | 2 | 1 | 1 | 1 | 1 | — |
| 5—20 | 11 | 1 | — | — | 2 | 1 | — | — | 2 | 1 | 1 | — | 1 | 1 |
| 0—25 | 7 | 2 | — | — | 5 | 2 | 1 | — | 4 | 2 | 3 | 2 | 1 | — |
| 5—30 | 2 | 6 | — | — | 6 | 4 | 2 | 2 | 4 | 2 | 3 | 2 | 1 | — |
| 0—35 | 6 | 2 | — | — | 5 | 3 | 1 | — | 4 | 3 | 3 | 1 | 1 | 2 |
| 5—40 | 6 | 4 | — | — | 5 | 3 | 1 | — | 4 | 3 | 3 | 3 | 1 | — |
| 0—45 | 5 | 1 | — | — | 12 | 5 | 2 | 3 | 10 | 2 | 6 | 1 | 4 | 1 |
| 5—50 | 2 | — | — | — | 16 | 16 | 6 | 4 | 10 | 12 | 9 | 8 | 1 | 4 |
| 0—55 | 5 | 1 | 1 | — | 26 | 21 | 6 | 11 | 20 | 10 | 18 | 7 | 2 | 3 |
| 5—60 | — | — | — | — | 26 | 28 | 13 | 10 | 13 | 18 | 12 | 14 | 1 | 4 |
| 0—65 | 2 | 1 | — | — | 47 | 28 | 19 | 6 | 28 | 22 | 22 | 18 | 6 | 4 |
| 5—70 | — | 1 | — | 1 | 55 | 24 | 14 | 7 | 41 | 17 | 37 | 17 | 4 | — |
| 0—75 | — | 1 | 1 | — | 3 | 3 | — | — | 3 | 3 | — | — | 3 | 3 |
| 5—80 | 1 | 1 | — | — | — | 2 | — | — | — | 2 | — | — | — | 2 |
| 0 and wards | — | — | — | — | 1 | 1 | — | — | 1 | 1 | — | — | 1 | 1 |

TABLE 17—*contd.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSE OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only.)

| Causes of Death. | All Causes. | | I. 1–42 Epidemic, endemic and Infectious Diseases. | | 1 Enteric fever. | | 1 (*a*) Typhoid fever. | | 1 (*b*) Paratyphoid fevers. | | 2, 3, 4* 5 Malaria. | | 6* 7 Measles. | | 8 Scarlet fever. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 73728 | 72615 | 11056 | 10062 | 92 | 95 | 88 | 91 | 4 | 4 | 25 | 1 | 1025 | 877 | 145 | 1 |
| 0—1 | 9636 | 7035 | 983 | 738 | — | — | — | — | — | — | — | — | 217 | 146 | 7 | |
| 1—5 | 4395 | 4033 | 1864 | 1771 | — | 1 | — | 1 | — | — | — | — | 730 | 639 | 67 | |
| 5—10 | 1303 | 1198 | 514 | 559 | 7 | 7 | 7 | 7 | — | — | — | — | 64 | 78 | 40 | |
| 10—15 | 981 | 980 | 293 | 439 | 6 | 11 | 6 | 11 | — | — | — | — | 7 | 6 | 16 | |
| 15—20 | 1510 | 1498 | 558 | 848 | 16 | 19 | 14 | 18 | 2 | 1 | — | — | 2 | 2 | 6 | |
| 20—25 | 1745 | 1649 | 819 | 864 | 6 | 9 | 6 | 8 | — | 1 | 1 | — | 1 | 1 | 3 | |
| 25—30 | 1641 | 1738 | 752 | 789 | 8 | 14 | 8 | 14 | — | — | 3 | 1 | 3 | 1 | 3 | |
| 30—35 | 1788 | 1817 | 703 | 651 | 14 | 6 | 14 | 5 | — | 1 | 4 | — | — | — | — | |
| 35—40 | 2198 | 2035 | 715 | 580 | 4 | 9 | 3 | 9 | 1 | — | 5 | — | — | 2 | 1 | |
| 40—45 | 2839 | 2512 | 783 | 522 | 5 | 5 | 4 | 4 | 1 | 1 | 2 | — | — | — | — | |
| 45—50 | 3512 | 3065 | 734 | 426 | 9 | 4 | 9 | 4 | — | — | 3 | — | — | 1 | 1 | |
| 50—55 | 4284 | 3610 | 596 | 330 | 7 | 3 | 7 | 0 | — | — | 2 | — | — | — | 1 | |
| 55—60 | 5217 | 4383 | 554 | 321 | 5 | 3 | 5 | 3 | — | — | 3 | — | 1 | — | — | |
| 60—65 | 6308 | 5424 | 426 | 315 | 2 | 1 | 2 | 1 | — | — | — | — | — | — | — | |
| 65—70 | 7057 | 6498 | 362 | 288 | 1 | 2 | 1 | 2 | — | — | 1 | — | — | — | — | |
| 70—75 | 7125 | 7738 | 186 | 262 | 2 | — | 2 | — | — | — | — | — | — | — | — | |
| 75—80 | 6108 | 7435 | 128 | 194 | — | 1 | — | 1 | — | — | 1 | — | — | 1 | — | |
| 80 and upwards | 6081 | 9967 | 86 | 165 | — | — | — | — | — | — | — | — | — | — | — | |

* **2.** Typhus—; **3.** Relapsing fever (Spirillum obermeieri)— ; **4.** Mediterranean fever *30* ; **6.** Small pox, *25*.

| Causes of Death. | 9 Whooping cough. | | 10 Diphtheria. | | 11 Influenza. | | 11 (*a*) With pulmonary complications. | | 11 (*b*) Without pulmonary complications. | | 12* 13 Mumps. | | 14* 15 Cholera nostras. | | 16 Dysente | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | |
| All Ages | 612 | 666 | 346 | 414 | 1431 | 1357 | 895 | 758 | 536 | 599 | 1 | 3 | — | — | 41 | |
| 0—1 | 306 | 292 | 21 | 9 | 46 | 34 | 30 | 15 | 16 | 19 | — | — | — | — | 1 | |
| 1—5 | 285 | 354 | 170 | 192 | 55 | 55 | 27 | 24 | 28 | 31 | — | 1 | — | — | 2 | |
| 5—10 | 19 | 16 | 112 | 163 | 31 | 19 | 14 | 8 | 17 | 11 | 1 | 1 | — | — | 2 | |
| 10—15 | 1 | 1 | 30 | 34 | 20 | 23 | 10 | 11 | 10 | 12 | — | 1 | — | — | 3 | |
| 15—20 | — | — | 5 | 6 | 45 | 32 | 22 | 14 | 23 | 18 | — | — | — | — | 1 | |
| 20—25 | — | — | — | 2 | 45 | 32 | 27 | 19 | 18 | 13 | — | — | — | — | 1 | |
| 25—30 | — | — | — | 1 | 41 | 42 | 27 | 16 | 14 | 26 | — | — | — | — | 3 | |
| 30—35 | — | 1 | 3 | — | 50 | 46 | 38 | 29 | 12 | 17 | — | — | — | — | 3 | |
| 35—40 | — | — | 2 | 2 | 71 | 60 | 52 | 42 | 19 | 18 | — | — | — | — | 4 | |
| 40—45 | — | — | — | — | 96 | 64 | 69 | 39 | 27 | 25 | — | — | — | — | 9 | |
| 45—50 | — | — | 2 | 3 | 101 | 55 | 76 | 35 | 25 | 20 | — | — | — | — | 2 | |
| 50—55 | — | — | — | 1 | 95 | 60 | 65 | 34 | 30 | 26 | — | — | — | — | 2 | |
| 55—60 | — | — | 1 | — | 149 | 95 | 97 | 61 | 52 | 34 | — | — | — | — | 2 | |
| 60—65 | — | 1 | — | — | 143 | 131 | 87 | 85 | 56 | 46 | — | — | — | — | 1 | |
| 65—70 | — | — | — | — | 167 | 155 | 110 | 91 | 57 | 64 | — | — | — | — | 2 | |
| 70—75 | 1 | — | — | 1 | 112 | 181 | 68 | 93 | 44 | 88 | — | — | — | — | 2 | |
| 75—80 | — | 1 | — | — | 91 | 135 | 48 | 75 | 43 | 60 | — | — | — | — | 1 | |
| 80 and upwards | — | — | — | — | 73 | 138 | 28 | 67 | 45 | 71 | — | — | — | — | — | |

* **12.** Miliary Fever—; **14.** Asiatic Cholera —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only.)

| Causes of Death. | 16 (*a*) Amœbic. | | 16 (*b*) Bacillary. | | 16 (*c*) Other or unspecified. | | 17, 18, 19, 20* 21 Erysipelas. | | 22 Acute poliomyelitis. | | 23 Encephalitis lethargica. | | 24 Meningococcal meningitis. | | 25 Other epidemic and endemic diseases. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 4 | 1 | 3 | — | 34 | 18 | 83 | 94 | 13 | 18 | 94 | 81 | 41 | 37 | 15 | 8 |
| 0—1 | — | — | — | — | 1 | — | 11 | 12 | 2 | — | 1 | 1 | 10 | 5 | 9 | 6 |
| 1—5 | — | — | — | — | 2 | 1 | 1 | 3 | 2 | 12 | 9 | 12 | 11 | 5 | 5 | 1 |
| 5—10 | — | — | — | — | 2 | 1 | 2 | 2 | 4 | 1 | 13 | 5 | 4 | 7 | 1 | 1 |
| 10—15 | — | — | — | — | 3 | — | 3 | 2 | — | 3 | 12 | 6 | 6 | 7 | — | — |
| 15—20 | — | — | — | — | 1 | — | 3 | 2 | 1 | 1 | 11 | 6 | 2 | 2 | — | — |
| 20—25 | — | — | 1 | — | — | — | 2 | 4 | 1 | — | 1 | 6 | 2 | 5 | — | — |
| 25—30 | — | — | — | — | 3 | 1 | 1 | 4 | 1 | — | 5 | 4 | 3 | 3 | — | — |
| 30—35 | 2 | — | — | — | 1 | — | 2 | 1 | — | — | 4 | 4 | 1 | — | — | — |
| 35—40 | — | 1 | — | — | 4 | 2 | 5 | — | — | — | 12 | 5 | — | 2 | — | — |
| 40—45 | 1 | — | 1 | — | 7 | — | 7 | 6 | 1 | — | 3 | 6 | — | — | — | — |
| 45—50 | — | — | — | — | 2 | 1 | 6 | 4 | — | 1 | 3 | 4 | 1 | 1 | — | — |
| 50—55 | — | — | — | — | 2 | 1 | 8 | 13 | — | — | 10 | 3 | — | — | — | — |
| 55—60 | 1 | — | 1 | — | — | 3 | 4 | 3 | — | — | 6 | 7 | 1 | — | — | — |
| 60—65 | — | — | — | — | 1 | 2 | 9 | 6 | — | — | 2 | 7 | — | — | — | — |
| 65—70 | — | — | — | — | 2 | 3 | 7 | 7 | 1 | — | 1 | 2 | — | — | — | — |
| 70—75 | — | — | — | — | 2 | 1 | 9 | 11 | — | — | 1 | 1 | — | — | — | — |
| 75—80 | — | — | — | — | 1 | 1 | 1 | 6 | — | — | — | 2 | — | — | — | — |
| 80 and upwards | — | — | — | — | — | 1 | 2 | 8 | — | — | — | — | — | — | — | — |

* **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica —; **20.** Leprosy, —.

| Causes of Death. | 26* 27 Anthrax. | | 28* 29 Tetanus. | | 30 Mycoses. | | Tuberculosis. 31–37 All forms. | | 31 Respiratory system. | | 32 Nervous system. | | 33 Intestines and peritoneum. | | 34 Vertebral column. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 2 | — | 46 | 15 | 23 | 19 | 6677 | 5992 | 5133 | 4604 | 547 | 513 | 365 | 361 | 103 | 92 |
| 0—1 | — | — | 5 | 3 | 7 | 4 | 202 | 135 | 23 | 11 | 87 | 68 | 50 | 35 | — | 1 |
| 1—5 | — | — | 1 | — | 1 | 3 | 507 | 412 | 67 | 55 | 224 | 210 | 130 | 89 | 4 | 2 |
| 5—10 | — | — | 2 | 2 | — | — | 208 | 215 | 30 | 64 | 96 | 94 | 36 | 30 | 7 | 4 |
| 10—15 | — | — | 7 | 1 | — | — | 177 | 319 | 65 | 180 | 47 | 64 | 23 | 31 | 9 | 4 |
| 15—20 | — | — | 7 | — | 1 | — | 452 | 772 | 329 | 661 | 29 | 24 | 25 | 35 | 9 | 7 |
| 20—25 | — | — | 1 | — | — | 1 | 749 | 792 | 637 | 699 | 16 | 18 | 24 | 26 | 19 | 6 |
| 25—30 | — | — | 3 | 3 | — | — | 667 | 702 | 602 | 635 | 15 | 12 | 13 | 23 | 11 | 6 |
| 30—35 | 1 | — | 4 | — | 1 | — | 600 | 572 | 536 | 521 | 7 | 5 | 10 | 17 | 7 | 6 |
| 35—40 | — | — | 3 | — | 3 | — | 595 | 487 | 540 | 431 | 9 | 3 | 13 | 20 | 5 | 6 |
| 40—45 | 1 | — | 3 | 3 | 1 | — | 633 | 426 | 582 | 386 | 7 | 3 | 9 | 11 | 7 | 5 |
| 45—50 | — | — | 3 | 1 | 2 | 1 | 581 | 339 | 539 | 299 | 4 | 7 | 11 | 15 | 6 | 5 |
| 50—55 | — | — | 3 | — | 2 | 4 | 445 | 230 | 413 | 200 | 3 | 3 | 10 | 9 | 3 | 6 |
| 55—60 | — | — | 1 | 1 | 1 | 1 | 361 | 201 | 330 | 171 | 2 | 1 | 6 | 9 | 7 | 8 |
| 60—65 | — | — | 2 | 1 | — | 4 | 250 | 155 | 229 | 115 | 1 | — | 3 | 7 | 3 | 12 |
| 65—70 | — | — | — | — | 1 | 1 | 163 | 114 | 148 | 94 | — | — | 2 | 2 | 4 | 7 |
| 70—75 | — | — | 1 | — | — | — | 53 | 62 | 39 | 51 | — | — | — | — | 1 | 3 |
| 75—80 | — | — | — | — | 3 | — | 26 | 43 | 20 | 27 | — | — | — | 1 | — | 2 |
| 80 and upwards | — | — | — | — | — | — | 8 | 16 | 4 | 4 | — | 1 | — | 1 | 1 | 2 |

**26.** Glanders —; **28.** Rabies —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only).

| Causes of Death. | Tuberculosis—*continued.* | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 Joints. | | 36 Other organs. | | 36 (*a*) Skin and subcutaneous tissue. | | 36 (*b*) Bones (vertebral column excepted). | | 36 (*c*) Lymphatic system (abdominal glands exceptd). | | 36 (*d*) Genito-urinary system. | | 36 (*e*) Others in 36. | | 37 Disseminated. | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 61 | 41 | 113 | 88 | 9 | 12 | 27 | 13 | 17 | 20 | 55 | 40 | 5 | 3 | 355 | 293 |
| 0—1 | 1 | — | 10 | — | — | — | 2 | — | 6 | — | — | — | 2 | — | 31 | 20 |
| 1—5 | 3 | 3 | 8 | 5 | — | — | — | 1 | 5 | 4 | 2 | — | 1 | — | 71 | 48 |
| 5—10 | 2 | 4 | 3 | 1 | — | — | 1 | — | — | 1 | 2 | — | — | — | 34 | 18 |
| 10—15 | 6 | 1 | 2 | 2 | — | — | — | 1 | — | 1 | 2 | — | — | — | 25 | 37 |
| 15—20 | 8 | 3 | 8 | 3 | — | — | 3 | 1 | — | — | 5 | 2 | — | — | 44 | 39 |
| 20—25 | 8 | 3 | 14 | 9 | — | — | 2 | 1 | — | 1 | 12 | 7 | — | — | 31 | 31 |
| 25—30 | 2 | 1 | 7 | 7 | 1 | — | 2 | — | — | — | 4 | 7 | — | — | 17 | 18 |
| 30—35 | 1 | 2 | 11 | 9 | 1 | — | 1 | — | 2 | 2 | 7 | 6 | — | 1 | 28 | 12 |
| 35—40 | 4 | 1 | 7 | 6 | — | — | 1 | 2 | — | — | 6 | 4 | — | — | 17 | 20 |
| 40—45 | 5 | 2 | 5 | 8 | — | 1 | 2 | 2 | 1 | 3 | 2 | 2 | — | — | 18 | 11 |
| 45—50 | 4 | 1 | 7 | 4 | — | 1 | 3 | — | — | — | 4 | 3 | — | — | 10 | 8 |
| 50—55 | 3 | 3 | 6 | 4 | 1 | — | 2 | 1 | — | 1 | 3 | 2 | — | — | 7 | 5 |
| 55—60 | 2 | 1 | 4 | 3 | — | — | 1 | 1 | 1 | — | 1 | 2 | 1 | — | 10 | 8 |
| 60—65 | 5 | 5 | 4 | 9 | 1 | 2 | — | — | — | 3 | 2 | 3 | 1 | 1 | 5 | 7 |
| 65—70 | 3 | 2 | 2 | 3 | — | 1 | 1 | — | — | — | 1 | 1 | — | 1 | 4 | 6 |
| 70—75 | 4 | — | 8 | 5 | 2 | 2 | 3 | 1 | 1 | 1 | 2 | 1 | — | — | 1 | 3 |
| 75—80 | — | 8 | 4 | 5 | 2 | 2 | 2 | 1 | — | 2 | — | — | — | — | 2 | — |
| 80 and upwards | — | 1 | 3 | 5 | 1 | 3 | 1 | 1 | 1 | 1 | — | — | — | — | — | 2 |

| Causes of Death. | Tuberculosis—*continued.* | | | | 38 Syphilis. | | 39* | | 40 (1) Gonococcal infection (ophthalmia excepted). | | 40 (2) Gonorrhœal or purulent ophthalmia. | | 42* | | II. 43–69 General diseases not included in I. 1–42. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 37 (*a*) Acute. | | 37 (*b*) Chronic or unstated. | | | | 40 Gonococcal infection. | | | | | | 41 Purulent infection, septicæmia. | | | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 116 | 112 | 239 | 181 | 237 | 155 | 7 | 5 | 4 | 4 | 3 | 1 | 100 | 53 | 9377 | 12195 |
| 0—1 | 15 | 8 | 16 | 12 | 130 | 82 | 3 | 2 | — | 1 | 3 | 1 | 5 | 5 | 81 | 61 |
| 1—5 | 24 | 18 | 47 | 30 | 14 | 10 | — | — | — | — | — | — | 4 | 4 | 122 | 96 |
| 5—10 | 12 | 9 | 22 | 9 | — | — | — | — | — | — | — | — | 4 | 2 | 78 | 70 |
| 10—15 | 10 | 14 | 15 | 23 | 2 | — | — | — | — | — | — | — | 3 | 5 | 94 | 97 |
| 15—20 | 11 | 20 | 33 | 19 | 1 | — | — | 1 | — | 1 | — | — | 5 | 1 | 107 | 118 |
| 20—25 | 6 | 11 | 25 | 20 | 2 | 6 | — | — | — | — | — | — | 4 | 3 | 100 | 129 |
| 25—30 | 3 | 9 | 14 | 9 | 8 | 7 | 1 | 1 | 1 | 1 | — | — | 2 | 2 | 110 | 134 |
| 30—35 | 11 | 4 | 17 | 8 | 7 | 8 | — | — | — | — | — | — | 9 | 2 | 128 | 218 |
| 35—40 | 9 | 8 | 8 | 12 | 7 | 7 | — | 1 | — | 1 | — | — | 3 | — | 173 | 370 |
| 40—45 | 5 | 2 | 13 | 9 | 11 | 5 | — | — | — | — | — | — | 11 | 5 | 327 | 692 |
| 45—50 | 3 | 4 | 7 | 4 | 10 | 8 | 1 | — | 1 | — | — | — | 9 | 3 | 604 | 987 |
| 50—55 | 3 | 1 | 4 | 4 | 12 | 9 | — | — | — | — | — | — | 9 | 5 | 868 | 1260 |
| 55—60 | 2 | 1 | 8 | 7 | 9 | 4 | — | — | — | — | — | — | 10 | 3 | 1163 | 1411 |
| 60—65 | 1 | 2 | 4 | 5 | 9 | 4 | 2 | — | 2 | — | — | — | 6 | 3 | 1460 | 1525 |
| 65—70 | 1 | — | 3 | 6 | 10 | 2 | — | — | — | — | — | — | 8 | 2 | 1519 | 1607 |
| 70—75 | — | 1 | 1 | 2 | 2 | 2 | — | — | — | — | — | — | 3 | 3 | 1289 | 1544 |
| 75—80 | — | — | 2 | — | 2 | 1 | — | — | — | — | — | — | 3 | 3 | 739 | 1046 |
| 80 and upwards | — | — | — | 2 | 1 | — | — | — | — | — | — | — | 2 | 2 | 415 | 830 |

* **39.** Soft chancre —; **42.** Other infectious diseases —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only).

| Causes of Death. | Cancer, Malignant Disease. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 43–49 Total. | | 43 Buccal cavity. | | 44 Pharynx, œsophagus, stomach, liver and annexa. | | 45 Peritoneum, intestines and rectum. | | 46 Female genital organs. | | 47 Breast. | | 48 Skin. | | 49 Other or unspecified organs. | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 7088 | 9144 | 798 | 147 | 2732 | 2418 | 1590 | 1893 | — | 1870 | 7 | 1764 | 242 | 164 | 1719 | 888 |
| 0—1 | 1 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 5 |
| 1—5 | 13 | 17 | 1 | — | — | — | 2 | — | — | 1 | — | — | — | — | 10 | 16 |
| 5—10 | 8 | 7 | — | — | 2 | — | — | — | — | 1 | — | — | — | — | 6 | 6 |
| 10—15 | 17 | 3 | 2 | — | 2 | 2 | 2 | — | — | 1 | — | — | — | — | 11 | — |
| 15—20 | 20 | 14 | — | — | 2 | 1 | 2 | — | — | 4 | — | — | — | — | 16 | 9 |
| 20—25 | 34 | 25 | 2 | 1 | 1 | 2 | 8 | 3 | — | 5 | — | — | 1 | — | 22 | 14 |
| 25—30 | 39 | 42 | 6 | 1 | 5 | 5 | 8 | 6 | — | 10 | — | 5 | 2 | 1 | 18 | 14 |
| 30—35 | 53 | 116 | — | — | 17 | 16 | 10 | 17 | — | 39 | — | 20 | 1 | 2 | 25 | 22 |
| 35—40 | 94 | 243 | 3 | 1 | 32 | 39 | 25 | 29 | — | 77 | — | 69 | 3 | 6 | 31 | 22 |
| 40—45 | 219 | 513 | 15 | 7 | 83 | 81 | 39 | 81 | — | 144 | — | 137 | 7 | 8 | 75 | 55 |
| 45—50 | 456 | 795 | 52 | 12 | 200 | 134 | 81 | 105 | — | 251 | — | 222 | 18 | 5 | 105 | 66 |
| 50—55 | 685 | 1005 | 93 | 11 | 281 | 226 | 123 | 165 | — | 270 | — | 243 | 21 | 7 | 167 | 83 |
| 55—60 | 949 | 1162 | 128 | 15 | 372 | 295 | 205 | 230 | — | 282 | 1 | 219 | 27 | 13 | 216 | 108 |
| 60—65 | 1217 | 1167 | 156 | 14 | 505 | 342 | 262 | 240 | — | 235 | — | 203 | 27 | 13 | 267 | 120 |
| 65—70 | 1233 | 1252 | 134 | 28 | 465 | 405 | 298 | 282 | — | 203 | 2 | 200 | 36 | 16 | 298 | 118 |
| 70—75 | 1086 | 1230 | 108 | 29 | 425 | 408 | 276 | 298 | — | 171 | 1 | 193 | 36 | 24 | 240 | 107 |
| 75—80 | 617 | 859 | 66 | 13 | 228 | 279 | 157 | 255 | — | 107 | 1 | 124 | 34 | 23 | 131 | 58 |
| 80 and upwards | 347 | 689 | 32 | 15 | 112 | 183 | 92 | 182 | — | 69 | 2 | 129 | 29 | 46 | 80 | 65 |

| Causes of Death. | 50 Tumours not returned as malignant. (tumours of brain and female genital organs excepted). | | 51 Rheumatic fever. | | 52 Chronic rheumatism, osteo-arthritis, gout. | | 53 Scurvy. | | 54, 55* 56 Rickets. | | 57 Diabetes. | | 58 Anæmia, chlorosis. | | 58 (*a*) Pernicious anæmia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 117 | 109 | 272 | 291 | 281 | 528 | 4 | 2 | 80 | 58 | 673 | 878 | 429 | 573 | 392 | 508 |
| 0—1 | 1 | 1 | — | 2 | — | — | 3 | 1 | 32 | 14 | — | — | 3 | 3 | — | 1 |
| 1—5 | 2 | — | 13 | 6 | — | 1 | — | 1 | 43 | 40 | 2 | 2 | 10 | 8 | 2 | 2 |
| 5—10 | — | 1 | 39 | 39 | — | — | — | — | 2 | 2 | 9 | 8 | 5 | 1 | 2 | — |
| 10—15 | — | 2 | 42 | 58 | — | — | — | — | — | 1 | 13 | 11 | 6 | 4 | 4 | 2 |
| 15—20 | 1 | 4 | 36 | 40 | — | — | — | — | 2 | — | 20 | 20 | 3 | 13 | 2 | 9 |
| 20—25 | 2 | 2 | 18 | 34 | 1 | — | — | — | — | — | 23 | 24 | 7 | 13 | 5 | 11 |
| 25—30 | 1 | 1 | 17 | 11 | 1 | 1 | — | — | — | — | 28 | 28 | 5 | 18 | 5 | 13 |
| 30—35 | 5 | — | 13 | 15 | 2 | 4 | — | — | 1 | — | 27 | 27 | 14 | 19 | 14 | 17 |
| 35—40 | 1 | 1 | 14 | 16 | 4 | 7 | — | — | — | — | 26 | 31 | 12 | 31 | 11 | 28 |
| 40—45 | 5 | 5 | 12 | 23 | 3 | 16 | — | — | — | — | 29 | 39 | 24 | 48 | 23 | 44 |
| 45—50 | 11 | 6 | 21 | 8 | 14 | 15 | — | — | — | — | 28 | 51 | 32 | 50 | 30 | 47 |
| 50—55 | 8 | 7 | 14 | 6 | 19 | 21 | — | — | — | — | 50 | 77 | 58 | 87 | 56 | 80 |
| 55—60 | 12 | 7 | 13 | 6 | 28 | 38 | 1 | — | — | 1 | 64 | 86 | 67 | 59 | 64 | 54 |
| 60—65 | 13 | 21 | 6 | 6 | 35 | 77 | — | — | — | — | 86 | 126 | 69 | 83 | 68 | 77 |
| 65—70 | 19 | 17 | 9 | 9 | 57 | 105 | — | — | — | — | 111 | 122 | 63 | 57 | 59 | 53 |
| 70—75 | 14 | 8 | 4 | 5 | 52 | 107 | — | — | — | — | 76 | 117 | 38 | 50 | 36 | 46 |
| 75—80 | 11 | 13 | — | 3 | 39 | 67 | — | — | — | — | 55 | 67 | 11 | 21 | 10 | 17 |
| 80 and upwards | 11 | 13 | 1 | 4 | 26 | 69 | — | — | — | — | 26 | 42 | 2 | 8 | 1 | 7 |

* **54.** Pellagra 75, *20, 30, 35, 50* ; **55.** Beri-beri —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only).

| Causes of Death. | 58 (*b*) Other anæmias and chlorosis. | | 59 * 60 Diseases of the thyroid gland. | | 60 (*a*) Exophthalmic goitre. | | 60 (*b*) Other diseases of the thyroid gland. | | 61 * 62 Diseases of the thymus. | | 63 Diseases of the adrenals. | | 64 Diseases of the spleen. | | 65 Leukæmia, lymphadenoma. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 37 | 65 | 45 | 300 | 19 | 205 | 26 | 95 | 32 | 22 | 38 | 49 | 5 | 6 | 172 | 126 |
| 0—1 | 3 | 2 | — | 1 | — | — | — | 1 | 21 | 18 | — | — | — | — | 3 | — |
| 1—5 | 8 | 6 | 10 | 5 | — | — | 10 | 5 | 6 | 2 | — | — | 1 | — | 8 | 7 |
| 5—10 | 3 | 1 | — | 1 | — | — | — | 1 | 2 | — | — | — | — | — | 8 | 9 |
| 10—15 | 2 | 2 | 3 | 3 | 1 | 1 | 2 | 2 | 2 | 1 | — | — | — | 1 | 8 | 6 |
| 15—20 | 1 | 4 | 6 | 10 | 4 | 9 | 2 | 1 | — | 1 | 1 | — | — | — | 14 | 8 |
| 20—25 | 2 | 2 | 2 | 19 | 1 | 13 | 1 | 6 | — | — | 1 | 2 | — | — | 8 | 5 |
| 25—30 | — | 5 | — | 18 | — | 17 | — | 1 | 1 | — | 2 | 2 | 1 | 1 | 11 | 8 |
| 30—35 | — | 2 | 2 | 21 | 2 | 20 | — | 1 | — | — | 3 | 4 | — | — | 7 | 8 |
| 35—40 | 1 | 3 | 2 | 20 | 2 | 19 | — | 1 | — | — | 2 | 8 | — | — | 11 | 6 |
| 40—45 | 1 | 4 | 1 | 30 | 1 | 25 | — | 5 | — | — | 8 | 3 | — | 1 | 16 | 8 |
| 45—50 | 2 | 3 | 3 | 35 | 2 | 30 | 1 | 5 | — | — | 6 | 7 | — | 1 | 12 | 12 |
| 50—55 | 2 | 7 | 3 | 29 | 2 | 23 | 1 | 6 | — | — | 3 | 5 | — | — | 14 | 14 |
| 55—60 | 3 | 5 | 1 | 27 | 1 | 16 | — | 11 | — | — | 1 | 5 | 1 | — | 12 | 13 |
| 60—65 | 1 | 6 | 3 | 28 | 2 | 15 | 1 | 13 | — | — | 8 | 6 | 1 | — | 16 | 6 |
| 65—70 | 4 | 4 | 3 | 26 | — | 10 | 3 | 16 | — | — | — | 6 | — | 1 | 16 | 5 |
| 70—75 | 2 | 4 | 5 | 17 | 1 | 6 | 4 | 11 | — | — | 2 | 1 | — | 1 | 6 | 5 |
| 75—80 | 1 | 4 | 1 | 8 | — | — | 1 | 8 | — | — | 1 | — | 1 | — | 1 | 6 |
| 80 and upwards | 1 | 1 | — | 2 | — | 1 | — | 1 | — | — | — | — | — | — | 1 | — |

* **59.** Diseases of the pituitary gland 1, 55, 55, *35, 45 ;* **61.** Diseases of the parathyroid glands *45.*

| Causes of Death. | 65 (*a*) Leukæmia. | | 65 (*b*) Lymphadenoma. (Hodgkin's disease). | | 66 Alcoholism (acute or chronic). | | 67 Chronic poisoning by mineral substances. | | 68 * 69 Other general diseases. | | III. 70–86 Diseases of the nervous system and sense organs. | | 70 Encephalitis. | | 71 Meningitis. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 91 | 78 | 81 | 48 | 39 | 18 | 18 | 2 | 79 | 80 | 7940 | 8551 | 48 | 56 | 378 | 326 |
| 0—1 | 2 | — | 1 | — | — | — | — | — | 17 | 16 | 829 | 563 | — | 1 | 102 | 57 |
| 1—5 | 5 | 6 | 3 | 1 | — | — | — | — | 13 | 7 | 298 | 319 | — | 5 | 116 | 124 |
| 5—10 | 7 | 6 | 1 | 3 | — | — | — | — | 5 | 2 | 119 | 103 | 4 | — | 44 | 25 |
| 10—15 | 5 | 5 | 3 | 1 | — | — | — | — | 3 | 7 | 90 | 91 | 1 | 7 | 25 | 27 |
| 15—20 | 6 | 7 | 8 | 1 | — | — | — | — | 4 | 8 | 101 | 98 | 7 | 2 | 7 | 23 |
| 20—25 | 1 | 1 | 7 | 4 | — | — | — | — | 4 | 4 | 100 | 102 | 4 | 6 | 13 | 13 |
| 25—30 | 9 | 3 | 2 | 5 | 1 | — | — | — | 3 | 4 | 115 | 94 | 4 | 6 | 14 | 7 |
| 30—35 | 3 | 5 | 4 | 3 | 1 | — | — | — | — | 3 | 123 | 109 | 3 | 1 | 9 | 11 |
| 35—40 | 7 | 5 | 4 | 1 | 5 | 1 | — | 1 | 2 | 3 | 198 | 151 | 2 | 2 | 10 | 12 |
| 40—45 | 8 | 4 | 8 | 4 | 3 | 5 | 3 | — | 4 | 1 | 267 | 223 | 1 | 3 | 7 | 6 |
| 45—50 | 7 | 5 | 5 | 7 | 11 | 3 | 5 | — | 5 | 1 | 362 | 352 | 1 | 6 | 7 | 3 |
| 50—55 | 7 | 8 | 7 | 6 | 6 | 3 | 3 | 1 | 5 | 4 | 441 | 447 | 2 | 7 | 9 | 9 |
| 55—60 | 6 | 8 | 6 | 5 | 5 | 1 | 5 | — | 1 | 5 | 615 | 605 | 7 | 2 | 9 | 6 |
| 60—65 | 8 | 4 | 8 | 2 | 1 | 2 | — | — | 5 | 3 | 808 | 815 | 4 | — | 4 | 1 |
| 65—70 | 8 | 4 | 8 | 1 | 4 | 3 | 2 | — | 2 | 4 | 933 | 1001 | 5 | 2 | 1 | 1 |
| 70—75 | 2 | 3 | 4 | 2 | 2 | — | — | — | 4 | 3 | 1038 | 1209 | 2 | 2 | 1 | — |
| 75—80 | — | 4 | 1 | 2 | — | — | — | — | 1 | 2 | 857 | 1168 | — | 1 | — | 1 |
| 80 and upwards | — | — | 1 | — | — | — | — | — | 1 | 3 | 646 | 1101 | 1 | 3 | — | — |

* **68.** Chronic poisoning by organic substances 55, *45, 55.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only.)

| Causes of Death. | 72 Tabes dorsalis (locomoter ataxy). | | 73 Other diseases of the spinal cord. | | 74 Cerebral hæmorrhage, apoplexy. | | 74 (*a*) Cerebral hæmorrhage. | | 74 (*b*) Cerebral embolism and thrombosis. | | 75 Paralysis of unstated origin. | | 75 (*a*) Hemiplegia. | | 75 (*b*) Other forms of paralysis. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 179 | 30 | 291 | 237 | 4059 | 5245 | 3644 | 4601 | 415 | 644 | 337 | 420 | 306 | 374 | 31 | 46 |
| 0—1 | — | — | — | 1 | 1 | 2 | 1 | 2 | — | — | 1 | — | 1 | — | — | — |
| 1—5 | — | — | — | — | 2 | 4 | 2 | 3 | — | 1 | 1 | 3 | 1 | — | — | 3 |
| 5—10 | — | — | 3 | 2 | 1 | 2 | — | 1 | 1 | 1 | 1 | 1 | — | — | 1 | 1 |
| 10—15 | — | — | 7 | 2 | 3 | 3 | 1 | 2 | 2 | 1 | — | — | — | — | — | — |
| 15—20 | 1 | — | 7 | 6 | 5 | 3 | 3 | 2 | 2 | 1 | 3 | 1 | — | — | 3 | 1 |
| 20—25 | — | — | 9 | 5 | 7 | 9 | 5 | 7 | 2 | 2 | — | 2 | — | — | — | 2 |
| 25—30 | — | — | 8 | 8 | 13 | 8 | 11 | 4 | 2 | 4 | — | 2 | — | — | — | 2 |
| 30—35 | 1 | 1 | 6 | 8 | 13 | 14 | 11 | 10 | 2 | 4 | 2 | 1 | — | 1 | 2 | — |
| 35—40 | 6 | 2 | 8 | 11 | 30 | 35 | 25 | 33 | 5 | 2 | — | 3 | — | 2 | — | 1 |
| 40—45 | 17 | 2 | 12 | 11 | 61 | 88 | 53 | 77 | 8 | 11 | 4 | 10 | 4 | 10 | — | — |
| 45—50 | 20 | 5 | 18 | 17 | 120 | 182 | 112 | 165 | 8 | 17 | 9 | 7 | 6 | 7 | 3 | — |
| 50—55 | 20 | 7 | 31 | 24 | 208 | 282 | 192 | 260 | 16 | 22 | 16 | 7 | 15 | 6 | 1 | 1 |
| 55—60 | 40 | 5 | 36 | 29 | 363 | 404 | 338 | 371 | 25 | 33 | 16 | 23 | 15 | 22 | 1 | 1 |
| 60—65 | 26 | 6 | 50 | 32 | 543 | 606 | 501 | 546 | 42 | 60 | 48 | 33 | 48 | 30 | — | 3 |
| 65—70 | 27 | 1 | 42 | 42 | 676 | 767 | 608 | 689 | 68 | 78 | 55 | 61 | 50 | 55 | 5 | 6 |
| 70—75 | 9 | 1 | 26 | 20 | 807 | 984 | 727 | 872 | 80 | 112 | 72 | 79 | 67 | 72 | 5 | 7 |
| 75—80 | 11 | — | 20 | 15 | 675 | 945 | 582 | 811 | 93 | 134 | 64 | 90 | 58 | 83 | 6 | 7 |
| 80 and upwards | 1 | — | 8 | 4 | 531 | 907 | 472 | 746 | 59 | 161 | 45 | 97 | 41 | 86 | 4 | 11 |

| Causes of Death. | 76 General paralysis of the insane. | | 77 Other forms of insanity. | | 78 Epilepsy. | | 79 & 80 Convulsions (non-puerperal). | | 81 Chorea. | | 82 Hysteria and neuritis. | | 83 Cerebral softening. | | 84 Other diseases of the nervous system. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 412 | 87 | 74 | 174 | 371 | 360 | 804 | 597 | 7 | 15 | 33 | 65 | 122 | 156 | 606 | 623 |
| 0—1 | — | — | — | — | 8 | 4 | 681 | 468 | — | — | — | — | — | — | 11 | 9 |
| 1—5 | — | — | — | — | 9 | 16 | 115 | 117 | — | 1 | — | — | — | 1 | 28 | 24 |
| 5—10 | — | 1 | — | — | 11 | 14 | 6 | 8 | 4 | 5 | — | — | — | — | 19 | 17 |
| 10—15 | 1 | — | — | — | 21 | 15 | — | 2 | 2 | 4 | — | — | — | — | 15 | 9 |
| 15—20 | 2 | 2 | 1 | — | 25 | 31 | — | 1 | — | 3 | — | — | — | — | 20 | 16 |
| 20—25 | 2 | 2 | 1 | 4 | 31 | 26 | — | — | — | 2 | — | 2 | — | 1 | 15 | 19 |
| 25—30 | 6 | 2 | — | 3 | 36 | 29 | — | 1 | 1 | — | 1 | 3 | — | — | 17 | 19 |
| 30—35 | 29 | 6 | 5 | 6 | 23 | 27 | — | — | — | — | — | — | — | 2 | 19 | 27 |
| 35—40 | 64 | 11 | 1 | 11 | 32 | 20 | — | — | — | — | — | 2 | — | 1 | 26 | 35 |
| 40—45 | 93 | 16 | 2 | 18 | 24 | 23 | — | — | — | — | 1 | 3 | 2 | 6 | 38 | 33 |
| 45—50 | 76 | 17 | 11 | 24 | 31 | 26 | 1 | — | — | — | 6 | 8 | 1 | 2 | 45 | 51 |
| 50—55 | 60 | 13 | 8 | 18 | 31 | 27 | — | — | — | — | 1 | 9 | 3 | 4 | 47 | 37 |
| 55—60 | 38 | 9 | 22 | 26 | 22 | 24 | — | — | — | — | 5 | 8 | 6 | 17 | 50 | 49 |
| 60—65 | 22 | 3 | 10 | 21 | 17 | 27 | 1 | — | — | — | 4 | 5 | 15 | 9 | 62 | 66 |
| 65—70 | 11 | 3 | 4 | 20 | 23 | 20 | — | — | — | — | 4 | 8 | 17 | 17 | 65 | 56 |
| 70—75 | 3 | 2 | 3 | 14 | 14 | 16 | — | — | — | — | 6 | 10 | 31 | 30 | 61 | 50 |
| 75—80 | 3 | — | 4 | 7 | 7 | 8 | — | — | — | — | 2 | 4 | 24 | 28 | 45 | 68 |
| 80 and upwards | 2 | — | 2 | 2 | 6 | 7 | — | — | — | — | 3 | 3 | 23 | 38 | 23 | 38 |

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSE OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only.)

| Causes of Death. | 85 Diseases of the eye and annexa. | | 86 Diseases of the ear and of the mastoid sinus. | | IV. 87–96 Diseases of the circulatory system. | | 87–90 Heart disease (all forms). | | 87 Pericarditis. | | 88 Acute endocarditis and myocarditis. | | 89 Angina pectoris. | | 90 Other diseases of the heart | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 10 | 11 | 209 | 149 | 11666 | 12340 | 8653 | 10105 | 73 | 33 | 295 | 303 | 380 | 187 | 7905 | 958 |
| 0—1 | 1 | 1 | 24 | 20 | 13 | 4 | 6 | — | 2 | — | 2 | — | — | — | 2 | — |
| 1—5 | 2 | 2 | 25 | 22 | 16 | 20 | 14 | 16 | 4 | 1 | 6 | 3 | — | — | 4 | 1 |
| 5—10 | — | — | 26 | 28 | 59 | 51 | 57 | 50 | 2 | 4 | 14 | 9 | — | — | 41 | 3 |
| 10—15 | — | 1 | 15 | 21 | 75 | 106 | 75 | 106 | 5 | 2 | 20 | 27 | — | — | 50 | 7 |
| 15—20 | — | — | 23 | 10 | 116 | 131 | 113 | 131 | 8 | 1 | 20 | 29 | — | — | 85 | 10 |
| 20—25 | — | 1 | 18 | 10 | 127 | 112 | 124 | 106 | 1 | 1 | 27 | 29 | — | — | 96 | 7 |
| 25—30 | — | — | 15 | 6 | 134 | 136 | 128 | 134 | 1 | 1 | 30 | 32 | — | 1 | 97 | 10 |
| 30—35 | — | — | 13 | 5 | 161 | 169 | 155 | 161 | 7 | 1 | 30 | 32 | 4 | 2 | 114 | 12 |
| 35—40 | — | — | 19 | 6 | 244 | 226 | 227 | 216 | 4 | 3 | 37 | 32 | 5 | 1 | 181 | 18 |
| 40—45 | 1 | — | 4 | 4 | 351 | 333 | 313 | 316 | 5 | 1 | 35 | 38 | 10 | 1 | 263 | 27 |
| 45—50 | — | 1 | 16 | 3 | 488 | 460 | 410 | 427 | 6 | 3 | 13 | 8 | 21 | 6 | 370 | 41 |
| 50—55 | 1 | — | 4 | 3 | 759 | 643 | 607 | 577 | 3 | 2 | 15 | 12 | 46 | 13 | 543 | 55 |
| 55—60 | 1 | 1 | — | 2 | 1065 | 918 | 840 | 802 | 6 | 1 | 16 | 13 | 53 | 15 | 765 | 77 |
| 60—65 | 1 | 3 | 1 | 3 | 1468 | 1327 | 1115 | 1159 | 5 | 2 | 11 | 13 | 74 | 35 | 1025 | 110 |
| 65—70 | 2 | 1 | 1 | 2 | 1857 | 1713 | 1352 | 1422 | 6 | 4 | 11 | 11 | 64 | 29 | 1271 | 137 |
| 70—75 | — | — | 3 | 1 | 1869 | 2000 | 1289 | 1601 | 3 | 3 | 4 | 6 | 51 | 39 | 1231 | 155 |
| 75—80 | — | — | 2 | 1 | 1575 | 1864 | 1057 | 1416 | 3 | 2 | 3 | 8 | 39 | 23 | 1012 | 138 |
| 80 and upwards | 1 | — | — | 2 | 1289 | 2127 | 771 | 1465 | 2 | 1 | 1 | 1 | 13 | 22 | 755 | 1441 |

| Causes of Death. | 90 (1–4) Valvular disease. | | 90 (5–8) Other defined heart disease. | | 90 (9) Heart disease undefined. | | 91 Disease of the arteries. | | 91 (*a*) Aneurism. | | 91 (*b*) Arterio-sclerosis. | | 91 (*b*) 1 With record of cerebral vascular lesion. | | 91 (*b*) 2 Without record of cerebral vascular lesion. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 3726 | 4527 | 2530 | 3066 | 1649 | 1989 | 2897 | 2069 | 224 | 49 | 2638 | 1987 | 915 | 765 | 1723 | 1222 |
| 0—1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | 4 | 9 | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — |
| 5—10 | 27 | 24 | 3 | — | 11 | 13 | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 43 | 66 | — | 1 | 7 | 10 | — | — | — | — | — | — | — | — | — | — |
| 15—20 | 64 | 77 | 2 | 2 | 19 | 22 | — | — | — | — | — | — | — | — | — | — |
| 20—25 | 68 | 60 | 7 | 4 | 21 | 12 | 1 | — | 1 | — | — | — | — | — | — | — |
| 25—30 | 77 | 77 | 5 | 7 | 15 | 16 | 4 | 1 | — | — | 2 | 1 | 2 | — | — | 1 |
| 30—35 | 92 | 81 | 10 | 20 | 12 | 25 | 5 | — | 5 | — | — | — | — | — | — | — |
| 35—40 | 116 | 125 | 29 | 26 | 36 | 29 | 13 | 7 | 8 | 4 | 5 | 3 | 3 | 2 | 2 | 1 |
| 40—45 | 181 | 189 | 34 | 41 | 48 | 46 | 35 | 6 | 17 | 3 | 17 | 3 | 5 | 3 | 12 | — |
| 45—50 | 224 | 256 | 77 | 80 | 69 | 74 | 74 | 21 | 26 | 2 | 45 | 19 | 21 | 14 | 24 | 5 |
| 50—55 | 298 | 312 | 151 | 125 | 94 | 113 | 139 | 45 | 37 | 3 | 101 | 41 | 41 | 27 | 60 | 14 |
| 55—60 | 413 | 405 | 206 | 191 | 146 | 177 | 208 | 97 | 51 | 7 | 151 | 86 | 76 | 50 | 75 | 36 |
| 60—65 | 497 | 566 | 327 | 331 | 201 | 212 | 338 | 144 | 33 | 5 | 302 | 139 | 122 | 76 | 180 | 63 |
| 65—70 | 553 | 644 | 441 | 445 | 277 | 289 | 493 | 273 | 21 | 9 | 464 | 261 | 172 | 130 | 292 | 131 |
| 70—75 | 514 | 618 | 441 | 579 | 276 | 356 | 564 | 385 | 11 | 7 | 547 | 366 | 207 | 154 | 340 | 212 |
| 75—80 | 336 | 552 | 428 | 534 | 248 | 297 | 511 | 438 | 5 | 6 | 503 | 426 | 150 | 137 | 353 | 289 |
| 80 and upwards | 219 | 466 | 368 | 680 | 168 | 295 | 512 | 652 | 9 | 3 | 501 | 642 | 116 | 172 | 385 | 470 |

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only.)

| Causes of Death. | 91 (*c*) Other diseases of the arteries. | | 92 Embolism and thrombosis (not cerebral). | | 93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.). | | 94 Diseases of the lymphatic system (Lymphangitis, etc.). | | 96* / 95 Hæmorrhage without stated cause. | | V. 97–107 Diseases of the respiratory system. | | 97 Diseases of the nasal fossæ and annexa. | | 98 Diseases of the larynx. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 35 | 33 | 46 | 60 | 45 | 91 | 18 | 10 | 7 | 5 | 12101 | 10502 | 21 | 24 | 99 | 71 |
| 0—1 | — | — | — | 1 | — | — | 7 | 3 | — | — | 1888 | 1345 | 2 | 1 | 25 | 19 |
| 1—5 | — | — | 1 | — | — | — | 1 | 4 | — | — | 1336 | 1215 | 2 | 1 | 47 | 35 |
| 5—10 | — | — | 1 | — | 1 | — | — | 1 | — | — | 177 | 157 | — | 1 | 10 | 5 |
| 10—15 | — | — | — | — | — | — | — | — | — | — | 72 | 82 | 2 | — | 1 | 1 |
| 15—20 | — | — | 2 | — | — | — | 1 | — | — | — | 144 | 82 | 1 | 6 | — | — |
| 20—25 | — | — | 1 | 4 | — | 1 | 1 | — | — | 1 | 179 | 91 | 1 | — | — | 1 |
| 25—30 | 2 | — | 1 | 1 | 1 | — | — | — | — | — | 179 | 114 | 3 | 3 | — | 2 |
| 30—35 | — | — | — | 2 | — | 6 | 1 | — | — | — | 222 | 150 | 1 | 1 | 1 | 1 |
| 35—40 | — | — | 1 | — | 1 | 3 | 1 | — | 1 | — | 340 | 173 | 1 | 2 | 2 | — |
| 40—45 | 1 | — | 2 | 4 | 1 | 6 | — | — | — | 1 | 437 | 195 | 1 | 3 | — | 2 |
| 45—50 | 3 | — | 1 | 5 | 2 | 7 | — | — | 1 | — | 482 | 265 | 5 | 2 | 1 | 1 |
| 50—55 | 1 | 1 | 7 | 7 | 5 | 13 | — | 1 | 1 | — | 634 | 329 | 1 | — | 3 | — |
| 55—60 | 6 | 4 | 7 | 11 | 9 | 8 | 1 | — | — | — | 744 | 441 | — | 2 | 2 | — |
| 60—65 | 3 | — | 4 | 6 | 7 | 17 | 2 | — | 2 | 1 | 962 | 648 | 1 | — | — | 2 |
| 65—70 | 8 | 3 | 6 | 6 | 4 | 12 | 1 | — | 1 | — | 1110 | 912 | — | 2 | 3 | 2 |
| 70—75 | 6 | 12 | 6 | 4 | 8 | 9 | 2 | — | — | 1 | 1127 | 1231 | — | — | 4 | — |
| 75—80 | 3 | 6 | 4 | 3 | 3 | 7 | — | — | — | — | 1032 | 1313 | — | — | — | — |
| 80 and upwards | 2 | 7 | 2 | 6 | 3 | 2 | — | 1 | 1 | 1 | 1036 | 1759 | — | — | — | — |

* 96. Other diseases of the circulatory system —.

| Causes of Death. | 99 Bronchitis. | | 99 (*a*) Acute. | | 99 (*b*) Chronic. | | 99 (*c* & *d*) Not stated whether acute or chronic. | | 100 & 101 Pneumonia (all forms). | | 100 Broncho-pneumonia. | | 101 Pneumonia (lobar, and not otherwise defined). | | 101 (*a*) Pneumonia, lobar. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 5087 | 5311 | 1245 | 1527 | 1823 | 1451 | 2019 | 2333 | 5936 | 4302 | 2657 | 2300 | 3279 | 2002 | 1717 | 998 |
| 0—1 | 653 | 506 | 324 | 242 | 10 | 6 | 319 | 258 | 1181 | 798 | 980 | 645 | 201 | 153 | 59 | 39 |
| 1—5 | 215 | 227 | 118 | 127 | 4 | 1 | 93 | 99 | 1025 | 929 | 771 | 717 | 254 | 212 | 91 | 81 |
| 5—10 | 21 | 13 | 11 | 8 | 3 | 2 | 7 | 3 | 135 | 128 | 58 | 68 | 77 | 60 | 39 | 27 |
| 10—15 | 7 | 7 | 3 | 1 | 2 | 3 | 2 | 3 | 55 | 70 | 12 | 31 | 43 | 39 | 20 | 20 |
| 15—20 | 8 | 3 | 3 | 2 | 4 | — | 1 | 1 | 122 | 65 | 15 | 18 | 107 | 47 | 61 | 28 |
| 20—25 | 15 | 10 | 3 | 3 | 10 | 3 | 2 | 4 | 148 | 74 | 23 | 14 | 125 | 60 | 77 | 37 |
| 25—30 | 19 | 13 | 4 | 3 | 10 | 8 | 5 | 2 | 137 | 85 | 25 | 15 | 112 | 70 | 68 | 49 |
| 30—35 | 26 | 19 | 4 | 7 | 14 | 5 | 8 | 7 | 169 | 116 | 17 | 18 | 152 | 98 | 97 | 61 |
| 35—40 | 47 | 21 | 12 | 5 | 18 | 9 | 17 | 7 | 245 | 127 | 32 | 29 | 213 | 98 | 129 | 61 |
| 40—45 | 83 | 42 | 17 | 20 | 37 | 8 | 29 | 14 | 303 | 117 | 59 | 19 | 244 | 98 | 152 | 59 |
| 45—50 | 117 | 72 | 17 | 28 | 61 | 27 | 39 | 17 | 312 | 154 | 44 | 35 | 268 | 119 | 149 | 72 |
| 50—55 | 191 | 132 | 39 | 34 | 96 | 49 | 56 | 49 | 354 | 146 | 50 | 45 | 304 | 101 | 186 | 53 |
| 55—60 | 301 | 186 | 54 | 45 | 143 | 75 | 104 | 66 | 346 | 182 | 68 | 62 | 278 | 120 | 152 | 64 |
| 60—65 | 458 | 365 | 82 | 88 | 222 | 150 | 154 | 127 | 405 | 222 | 105 | 68 | 300 | 154 | 159 | 85 |
| 65—70 | 633 | 538 | 91 | 142 | 317 | 193 | 225 | 203 | 354 | 285 | 108 | 115 | 246 | 170 | 116 | 90 |
| 70—75 | 750 | 834 | 155 | 200 | 326 | 278 | 269 | 356 | 280 | 286 | 106 | 129 | 174 | 157 | 91 | 73 |
| 75—80 | 743 | 961 | 144 | 238 | 295 | 297 | 304 | 426 | 207 | 257 | 94 | 122 | 113 | 135 | 40 | 62 |
| 80 and upwards | 800 | 1362 | 164 | 334 | 251 | 337 | 385 | 691 | 158 | 261 | 90 | 150 | 68 | 111 | 31 | 37 |

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSE OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only.)

| Causes of Death. | 101 (*b*) Pneumonia not otherwise defined. | | 102 Pleurisy. | | 103 Congestion and hæmorrhagic infarct of lung. | | 104 Gangrene of the lung. | | 105 Asthma. | | 106 Pulmonary emphysema. | | 107 Other diseases of the respiratory system. | | 107 (*a*) Chronic interstitial pneumonia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1562 | 1004 | 269 | 165 | 156 | 255 | 16 | 3 | 364 | 304 | 51 | 20 | 102 | 47 | 66 | 2 |
| 0—1 | 142 | 114 | 5 | 1 | 21 | 18 | — | — | — | 1 | — | — | 1 | 1 | — | — |
| 1—5 | 163 | 131 | 35 | 15 | 7 | 6 | 1 | — | 2 | 1 | — | — | 2 | 1 | — | — |
| 5—10 | 38 | 33 | 5 | 7 | 1 | 1 | 1 | — | 2 | 1 | — | — | 2 | 1 | 1 | — |
| 10—15 | 23 | 19 | 4 | 2 | 1 | 1 | — | — | 1 | 1 | — | — | 1 | — | — | — |
| 15—20 | 46 | 19 | 8 | 4 | 3 | — | — | 1 | 1 | 3 | — | — | 1 | — | — | — |
| 20—25 | 48 | 23 | 7 | 1 | 1 | 2 | 1 | — | 3 | 3 | — | — | 3 | — | 1 | — |
| 25—30 | 44 | 21 | 13 | 5 | 1 | — | 1 | — | 3 | 2 | — | 1 | 2 | 3 | — | |
| 30—35 | 55 | 37 | 13 | 3 | 2 | 1 | — | — | 7 | 6 | — | — | 3 | 3 | 2 | |
| 35—40 | 84 | 37 | 17 | 10 | 2 | 3 | 1 | — | 22 | 8 | — | — | 3 | 2 | 2 | |
| 40—45 | 92 | 39 | 16 | 8 | 3 | 3 | — | — | 25 | 19 | 1 | — | 5 | 1 | 2 | — |
| 45—50 | 119 | 47 | 18 | 12 | 1 | 4 | 2 | — | 17 | 17 | 2 | 1 | 7 | 2 | 5 | |
| 50—55 | 118 | 48 | 30 | 11 | 1 | 5 | 1 | — | 26 | 28 | 9 | 2 | 18 | 5 | 16 | |
| 55—60 | 126 | 56 | 19 | 14 | 9 | 7 | 2 | 1 | 43 | 40 | 6 | — | 16 | 9 | 11 | |
| 60—65 | 141 | 69 | 14 | 12 | 9 | 4 | 2 | 1 | 56 | 31 | 4 | 2 | 13 | 9 | 8 | |
| 65—70 | 130 | 80 | 21 | 12 | 15 | 19 | 1 | — | 60 | 45 | 11 | 5 | 12 | 4 | 10 | |
| 70—75 | 83 | 84 | 11 | 20 | 14 | 36 | 3 | — | 52 | 48 | 6 | 4 | 7 | 3 | 4 | |
| 75—80 | 73 | 73 | 18 | 13 | 24 | 46 | — | — | 29 | 29 | 7 | 4 | 4 | 3 | 3 | |
| 80 and upwards | 37 | 74 | 15 | 15 | 41 | 99 | — | — | 15 | 21 | 5 | 1 | 2 | — | 1 | — |

| Causes of Death. | 107 (*b*) Diseases of the mediastinum. | | 107 (*c*) Other diseases included under 107. | | VI. 108–127 Diseases of the digestive system. | | 108 Diseases of the buccal cavity and annexa. | | 108 (1) Diseases of the teeth and gums. | | 108 (2 & 3) Other diseases of the buccal cavity and annexa. | | 109 Diseases of the pharynx and tonsils. | | 110 Diseases of the œsophagus. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1 | 1 | 35 | 22 | 4718 | 4100 | 93 | 74 | 63 | 56 | 30 | 18 | 72 | 79 | 10 | 1 |
| 0—1 | — | — | 1 | 1 | 1038 | 763 | 7 | 8 | 5 | 6 | 2 | 2 | 3 | 2 | 1 | — |
| 1—5 | — | — | 2 | 1 | 345 | 301 | 12 | 8 | 7 | 7 | 5 | 1 | 13 | 21 | — | — |
| 5—10 | — | — | 1 | 1 | 100 | 121 | 2 | — | 1 | — | 1 | — | 8 | 12 | — | — |
| 10—15 | — | — | 1 | — | 124 | 70 | 3 | 2 | 1 | 1 | 2 | 1 | 8 | 5 | — | — |
| 15—20 | — | — | 1 | — | 115 | 74 | 3 | 5 | 1 | 5 | 2 | — | 4 | 3 | — | — |
| 20—25 | — | — | 2 | — | 110 | 80 | 1 | 6 | 1 | 4 | — | 2 | 3 | 4 | — | |
| 25—30 | — | — | 2 | 1 | 93 | 85 | — | 2 | — | 1 | — | 1 | 4 | 3 | 1 | — |
| 30—35 | — | 1 | 1 | 1 | 113 | 94 | 5 | 3 | 3 | 3 | 2 | — | 3 | 6 | — | — |
| 35—40 | — | — | 1 | 1 | 156 | 121 | 3 | 5 | 2 | 5 | 1 | — | 2 | 3 | — | — |
| 40—45 | — | — | 3 | 1 | 213 | 171 | 6 | 11 | 5 | 6 | 1 | 5 | 5 | 4 | — | — |
| 45—50 | — | — | 2 | — | 287 | 207 | 9 | 4 | 6 | 3 | 3 | 1 | 4 | 5 | 1 | |
| 50—55 | — | — | 2 | 2 | 351 | 231 | 10 | 4 | 8 | 2 | 2 | 2 | 7 | — | 1 | |
| 55—60 | — | — | 5 | 5 | 351 | 290 | 8 | 6 | 3 | 5 | 5 | 1 | 2 | — | — | — |
| 60—65 | — | — | 5 | 5 | 325 | 311 | 2 | 3 | 2 | 3 | — | — | 3 | 3 | 3 | |
| 65—70 | 1 | — | 1 | 1 | 314 | 332 | 11 | 2 | 10 | 2 | 1 | — | 1 | 4 | — | — |
| 70—75 | — | — | 3 | — | 278 | 323 | 4 | 1 | 4 | 1 | — | — | 2 | 2 | — | |
| 75—80 | — | — | 1 | 2 | 205 | 248 | 3 | 2 | 2 | 1 | 1 | 1 | — | — | 2 | |
| 80 and upwards | — | — | 1 | — | 200 | 278 | 4 | 2 | 2 | 1 | 2 | 1 | — | 2 | 1 | |

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only).

| Causes of Death. | 111 Ulcer of the stomach or duodenum. | | 111 (*a*) Ulcer of the stomach. | | 111 (*b*) Ulcer of the duodenum. | | 112 Other diseases of the stomach. | | 113 & 114 Diarrhœa and enteritis. | | 115* 116* Diseases due to other intestinal parasites. | | 117 Appendicitis and typhlitis. | | 118 Hernia, intestinal obstruction. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 696 | 299 | 429 | 238 | 267 | 61 | 415 | 379 | 1270 | 1182 | 3 | 4 | 596 | 422 | 704 | 722 |
| 0—1 | — | — | — | — | — | — | 135 | 87 | 779 | 605 | — | — | 1 | 1 | 98 | 52 |
| 1—5 | 1 | — | — | — | 1 | — | 35 | 23 | 209 | 189 | 3 | 1 | 25 | 22 | 29 | 19 |
| 5—10 | — | 2 | — | 1 | — | 1 | 6 | 4 | 18 | 22 | — | — | 46 | 38 | 13 | 12 |
| 10—15 | — | 2 | — | 2 | — | — | 4 | 4 | 7 | 10 | — | — | 89 | 33 | 11 | 6 |
| 15—20 | 5 | 12 | 3 | 9 | 2 | 3 | 5 | 2 | 7 | 7 | — | — | 70 | 35 | 13 | 6 |
| 20—25 | 23 | 5 | 12 | 5 | 11 | — | 4 | 5 | 6 | 15 | — | — | 51 | 29 | 14 | 7 |
| 25—30 | 29 | 14 | 19 | 14 | 10 | — | 5 | 5 | 3 | 10 | — | — | 35 | 22 | 9 | 17 |
| 30—35 | 41 | 15 | 23 | 11 | 18 | 4 | 5 | 5 | 11 | 10 | — | 1 | 21 | 16 | 12 | 16 |
| 35—40 | 69 | 26 | 35 | 20 | 34 | 6 | 4 | 6 | 6 | 13 | — | — | 31 | 33 | 19 | 13 |
| 40—45 | 84 | 40 | 60 | 32 | 24 | 8 | 8 | 6 | 11 | 13 | — | — | 38 | 23 | 21 | 29 |
| 45—50 | 100 | 41 | 60 | 37 | 40 | 4 | 18 | 10 | 15 | 14 | — | — | 33 | 35 | 30 | 38 |
| 50—55 | 95 | 30 | 60 | 21 | 35 | 9 | 16 | 15 | 22 | 31 | — | 1 | 42 | 25 | 51 | 41 |
| 55—60 | 72 | 29 | 48 | 23 | 24 | 6 | 27 | 27 | 24 | 28 | — | — | 31 | 32 | 57 | 56 |
| 60—65 | 64 | 22 | 39 | 17 | 25 | 5 | 23 | 20 | 24 | 27 | — | — | 34 | 23 | 60 | 74 |
| 65—70 | 49 | 28 | 29 | 24 | 20 | 4 | 18 | 21 | 18 | 37 | — | — | 27 | 24 | 75 | 91 |
| 70—75 | 39 | 21 | 25 | 14 | 14 | 7 | 39 | 45 | 28 | 52 | — | 1 | 11 | 15 | 69 | 90 |
| 75—80 | 18 | 6 | 10 | 3 | 8 | 3 | 26 | 41 | 37 | 44 | — | — | 9 | 7 | 62 | 74 |
| 80 and upwards | 7 | 6 | 6 | 5 | 1 | 1 | 37 | 53 | 45 | 55 | — | — | 2 | 9 | 61 | 81 |

***115.** Ankylostomiasis — ; **116** (*a*) Cestodes (hydatids of the liver excepted) *30, 50, 70*; **116** (*c*) Nematodes 1, 1; **116** (*f*) Undefined parasites 1, *1*.

| Causes of Death. | 118 (*a*) Hernia. | | 118 (*b*) Intestinal obstruction. | | 119 Other diseases of the intestines. | | 120 Acute yellow atrophy of the liver. | | 121 Hydatid tumour of the liver. | | 122 Cirrhosis of the liver. | | 122 (*a*) Returned as alcoholic. | | 122 (*b*) Not returned as alcoholic. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 278 | 295 | 426 | 427 | 79 | 72 | 10 | 6 | 3 | 2 | 433 | 210 | 25 | 14 | 408 | 196 |
| 0—1 | 15 | 4 | 83 | 48 | 5 | 3 | 1 | — | — | — | — | 1 | — | — | — | 1 |
| 1—5 | 5 | 2 | 24 | 17 | 7 | 2 | 3 | — | — | — | 1 | 1 | — | — | 1 | 1 |
| 5—10 | 1 | 2 | 12 | 10 | 3 | — | 1 | — | — | — | — | 1 | — | — | — | 1 |
| 10—15 | — | — | 11 | 6 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 15—20 | 2 | 1 | 11 | 5 | 1 | — | — | 1 | — | — | 1 | — | — | — | 1 | — |
| 20—25 | 7 | — | 7 | 7 | — | — | 1 | 2 | 1 | — | 1 | — | — | — | 1 | — |
| 25—30 | 2 | 2 | 7 | 15 | 1 | 1 | 2 | 1 | — | 1 | 1 | — | — | — | 1 | — |
| 30—35 | 1 | 6 | 11 | 10 | 1 | 5 | 1 | 1 | — | — | 6 | 4 | — | 1 | 6 | 3 |
| 35—40 | 4 | 3 | 15 | 10 | 3 | 1 | — | — | — | — | 7 | 4 | 2 | — | 5 | 4 |
| 40—45 | 7 | 9 | 14 | 20 | 6 | 2 | — | — | — | — | 22 | 15 | — | 2 | 22 | 13 |
| 45—50 | 11 | 12 | 19 | 26 | 3 | 3 | — | — | 1 | — | 46 | 23 | 6 | 1 | 40 | 22 |
| 50—55 | 25 | 24 | 26 | 17 | 10 | 8 | — | — | — | — | 74 | 30 | 6 | 5 | 68 | 25 |
| 55—60 | 32 | 28 | 25 | 28 | 9 | 6 | 1 | — | — | 1 | 72 | 36 | 4 | 3 | 68 | 33 |
| 60—65 | 31 | 36 | 29 | 38 | 5 | 7 | — | — | 1 | — | 65 | 46 | 3 | 1 | 62 | 45 |
| 65—70 | 31 | 47 | 44 | 44 | 8 | 11 | — | — | — | — | 58 | 23 | 4 | — | 54 | 23 |
| 70—75 | 41 | 44 | 28 | 46 | 5 | 3 | — | — | — | — | 48 | 17 | — | 1 | 48 | 16 |
| 75—80 | 32 | 38 | 30 | 36 | 7 | 7 | — | — | — | — | 19 | 3 | — | — | 19 | 3 |
| 80 and upwards | 31 | 37 | 30 | 44 | 5 | 13 | — | — | — | — | 12 | 6 | — | — | 12 | 6 |

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only.)

| Causes of Death. | 123 Biliary calculi. | | 124 Other diseases of the liver. | | 125 Diseases of the pancreas. | | 127 * 126 Peritonitis of unstated origin. | | VII. 128–142 Non-puerperal diseases of the genito-urinary system. | | 128 Acute nephritis (including unspecified under 10 years of age). | | 129 Chronic nephritis (including unspecified over 10 years of age). | | 130 * 131 Other diseases of the kidneys and annexa | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 97 | 287 | 151 | 211 | 43 | 50 | 43 | 90 | 3407 | 2633 | 237 | 247 | 1817 | 1807 | 98 | 110 |
| 0—1 | — | — | 4 | 3 | 1 | — | 3 | 1 | 26 | 11 | 10 | 6 | — | — | 5 | [illegible] |
| 1—5 | — | — | 4 | 1 | 1 | — | 2 | 14 | 44 | 34 | 33 | 22 | 4 | 7 | 2 | [illegible] |
| 5—10 | — | — | 1 | 1 | — | 1 | 2 | 28 | 26 | 25 | 18 | 18 | 7 | 6 | — | — |
| 10—15 | — | — | — | 2 | — | — | 2 | 5 | 26 | 39 | 10 | 10 | 14 | 23 | — | [illegible] |
| 15—20 | — | — | 1 | 1 | — | — | 5 | 2 | 35 | 52 | 15 | 11 | 15 | 28 | 1 | [illegible] |
| 20—25 | — | — | — | 2 | 2 | 1 | 3 | 3 | 54 | 66 | 15 | 14 | 29 | 32 | 5 | [illegible] |
| 25—30 | — | 3 | 2 | 3 | 1 | 1 | — | 2 | 42 | 78 | 10 | 13 | 22 | 37 | 5 | [illegible] |
| 30—35 | 2 | 5 | 3 | 3 | — | 1 | 2 | 3 | 71 | 109 | 6 | 17 | 53 | 35 | 5 | 10 |
| 35—40 | 3 | 5 | 4 | 4 | 3 | 2 | 2 | 6 | 78 | 121 | 10 | 14 | 54 | 68 | 4 | [illegible] |
| 40—45 | 3 | 11 | 3 | 7 | 1 | 3 | 5 | 7 | 124 | 149 | 12 | 19 | 90 | 83 | 9 | [illegible] |
| 45—50 | 4 | 15 | 16 | 6 | 4 | 9 | 3 | 3 | 163 | 221 | 16 | 13 | 113 | 140 | 8 | 13 |
| 50—55 | 4 | 27 | 7 | 12 | 9 | 1 | 3 | 5 | 230 | 221 | 16 | 21 | 163 | 141 | 8 | [illegible] |
| 55—60 | 15 | 35 | 23 | 25 | 8 | 8 | 2 | 1 | 314 | 245 | 15 | 12 | 209 | 197 | 11 | [illegible] |
| 60—65 | 18 | 44 | 17 | 28 | 5 | 10 | 1 | 2 | 420 | 281 | 21 | 20 | 251 | 225 | 9 | [illegible] |
| 65—70 | 22 | 52 | 19 | 31 | 5 | 8 | 3 | — | 470 | 297 | 9 | 12 | 265 | 245 | 8 | [illegible] |
| 70—75 | 13 | 32 | 18 | 36 | 1 | 2 | 1 | 5 | 496 | 291 | 11 | 16 | 219 | 228 | 4 | [illegible] |
| 75—80 | 7 | 32 | 10 | 27 | 2 | 1 | 3 | 1 | 416 | 213 | 7 | 5 | 184 | 169 | 6 | 12 |
| 80 and upwards | 6 | 26 | 19 | 19 | — | 2 | 1 | 2 | 372 | 180 | 3 | 4 | 125 | 143 | 8 | 10 |

* **127.** Other diseases of the digestive system —; **130.** Chyluria —.

| Causes of Death. | 132 Calculi of the urinary passages. | | 133 Diseases of the bladder. | | 134 Diseases of the urethra, urinary abscess, etc. | | 134 (*a*) Stricture of the urethra. | | 134 (*b*) Other diseases of the urethra, etc. | | 135 Diseases of the prostate. | | 136 Non-venereal diseases of the male genital organs. | | 137 Cysts and other tumours of the ovary not returned as malignant. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 66 | 36 | 275 | 84 | 123 | 2 | 95 | — | 28 | 2 | 768 | — | 21 | — | — | 88 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | 9 | — | — | — |
| 1—5 | — | — | 3 | — | — | — | — | — | — | — | — | — | 2 | — | — | — |
| 5—10 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 1 | 1 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | 2 | 2 | — | 1 | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 20—25 | 2 | 1 | 2 | 2 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| 25—30 | 3 | 3 | 1 | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | 3 |
| 30—35 | 2 | 3 | 4 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | 8 |
| 35—40 | 4 | 1 | 4 | 2 | 2 | — | — | — | 2 | — | — | — | — | — | — | 5 |
| 40—45 | 1 | 2 | 6 | 2 | 6 | 1 | 5 | — | 1 | 1 | — | — | — | — | — | 5 |
| 45—50 | 6 | 5 | 8 | 2 | 6 | — | 5 | — | 1 | — | 4 | — | 2 | — | — | 11 |
| 50—55 | 6 | 1 | 13 | 8 | 17 | — | 11 | — | 6 | — | 7 | — | — | — | — | 7 |
| 55—60 | 10 | 6 | 19 | 2 | 20 | 1 | 16 | — | 4 | 1 | 29 | — | 1 | — | — | 5 |
| 60—65 | 7 | 3 | 25 | 7 | 25 | — | 23 | — | 2 | — | 80 | — | 2 | — | — | 8 |
| 65—70 | 6 | 2 | 28 | 8 | 21 | — | 14 | — | 7 | — | 133 | — | — | — | — | 13 |
| 70—75 | 6 | 4 | 44 | 14 | 12 | — | 10 | — | 2 | — | 198 | — | 2 | — | — | 16 |
| 75—80 | 3 | 2 | 53 | 17 | 7 | — | 5 | — | 2 | — | 155 | — | 1 | — | — | 3 |
| 80 and upwards | 6 | — | 64 | 14 | 4 | — | 3 | — | 1 | — | 162 | — | — | — | — | 4 |

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only).

| Causes of Death. | 138 Salpingitis and pelvic abscess. | | 139 Tumours of the uterus not returned as malignant. | | 140 Uterine hæmorrhage. | | 141 Other diseases of the female genital organs. | | 142 Non-puerperal diseases of the breast. | | VIII. 143–150 The puerperal state. | | 143 Accidents of pregnancy. | | 143 (*a*) Abortion. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 92 | — | 101 | — | 8 | — | 50 | 2 | 8 | — | 983 | — | 122 | — | 48 |
| 0—1 | — | — | — | — | — | — | — | 1 | 2 | 3 | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 5—10 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | 4 | — | — | — | 2 | — | 1 | — | — | — | 17 | — | 1 | — | 1 |
| 20—25 | — | 12 | — | — | — | 1 | — | 2 | — | — | — | 136 | — | 9 | — | 4 |
| 25—30 | — | 12 | — | — | — | — | — | 4 | — | 1 | — | 224 | — | 25 | — | 8 |
| 30—35 | — | 23 | — | 8 | — | 1 | — | 3 | — | — | — | 249 | — | 39 | — | 17 |
| 35—40 | — | 13 | — | 7 | — | — | — | 5 | — | — | — | 215 | — | 32 | — | 12 |
| 40—45 | — | 9 | — | 14 | — | 1 | — | 6 | — | — | — | 130 | — | 14 | — | 6 |
| 45—50 | — | 6 | — | 23 | — | 3 | — | 5 | — | — | — | 12 | — | 2 | — | — |
| 50—55 | — | 2 | — | 22 | — | — | — | 11 | — | 1 | — | — | — | — | — | — |
| 55—60 | — | 4 | — | 5 | — | — | — | 4 | — | — | — | — | — | — | — | — |
| 60—65 | — | 3 | — | 7 | — | — | — | 2 | — | — | — | — | — | — | — | — |
| 65—70 | — | 1 | — | 5 | — | — | — | 2 | — | — | — | — | — | — | — | — |
| 70—75 | — | 2 | — | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | 4 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | — | 2 | — | 3 | — | — | — | — | — | — |

| Causes of Death. | 143 (*b*) Ectopic gestation. | | 143 (*c*) Other accidents. | | 144 Puerperal hæmorrhage. | | 145 Other accidents of childbirth. | | 146 Puerperal sepsis. | | 147 Phlegmasia alba dolens, puerperal embolism, etc. | | 148 Puerperal albuminuria and convulsions. | | 150* 149 Childbirth not assignable elsewhere (puerperal insanity). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 27 | — | 47 | — | 150 | — | 105 | — | 313 | — | 102 | — | 184 | — | 7 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | — | — | — | 1 | — | 1 | — | 5 | — | — | — | 9 | — | — |
| 20—25 | — | 1 | — | 4 | — | 6 | — | 15 | — | 52 | — | 17 | — | 36 | — | 1 |
| 25—30 | — | 7 | — | 10 | — | 29 | — | 22 | — | 81 | — | 20 | — | 46 | — | 1 |
| 30—35 | — | 10 | — | 12 | — | 44 | — | 17 | — | 81 | — | 28 | — | 37 | — | 3 |
| 35—40 | — | 7 | — | 13 | — | 42 | — | 23 | — | 55 | — | 23 | — | 38 | — | 2 |
| 40—45 | — | 1 | — | 7 | — | 27 | — | 24 | — | 35 | — | 13 | — | 17 | — | — |
| 45—50 | — | 1 | — | 1 | — | 1 | — | 3 | — | 4 | — | 1 | — | 1 | — | — |
| 50—55 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

* **150.** Puerperal diseases of the breast —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only).

| Causes of Death. | IX. 151–154 Diseases of the skin and cellular tissue. | | 151 Gangrene. | | 152 Furuncle. | | 153 Phlegmon, acute abscess. | | 154 Other diseases of the skin and its annexa | | X. 155–158 Diseases of the bones and organs of locomotion. | | 155 Diseases of the bones. | | 156 Diseases of the joints. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 497 | 461 | 185 | 205 | 64 | 31 | 112 | 95 | 136 | 130 | 186 | 86 | 137 | 66 | 31 | 17 |
| 0—1 | 71 | 44 | 1 | 1 | 3 | 1 | 12 | 14 | 55 | 28 | 9 | 5 | 8 | 4 | 1 | 1 |
| 1—5 | 15 | 20 | 1 | 4 | — | 1 | 7 | 4 | 7 | 11 | 12 | 8 | 9 | 7 | 3 | 1 |
| 5—10 | 5 | 6 | 1 | — | — | 1 | 4 | 5 | — | — | 19 | 11 | 18 | 10 | 1 | 1 |
| 10—15 | 4 | 2 | — | — | 1 | — | 2 | 2 | 1 | — | 35 | 8 | 33 | 6 | — | 2 |
| 15—20 | 10 | 8 | — | 1 | 3 | 2 | 7 | 4 | — | 1 | 13 | 4 | 12 | 4 | 1 | — |
| 20—25 | 10 | 8 | — | — | 4 | — | 5 | 6 | 1 | 2 | 7 | — | 5 | — | 1 | — |
| 25—30 | 4 | 9 | 1 | — | 3 | 2 | — | 6 | — | 1 | 5 | 1 | 5 | 1 | — | — |
| 30—35 | 6 | 7 | — | — | 1 | 1 | 4 | 4 | 1 | 2 | 7 | — | 6 | — | 1 | — |
| 35—40 | 9 | 8 | — | 1 | 2 | 3 | 5 | 1 | 2 | 3 | 7 | 3 | 2 | 2 | 3 | 1 |
| 40—45 | 10 | 11 | 1 | — | 2 | 1 | 5 | 7 | 2 | 3 | 7 | 6 | 6 | 3 | — | 3 |
| 45—50 | 15 | 6 | — | 1 | 5 | 1 | 7 | 2 | 3 | 2 | 10 | 4 | 8 | 4 | 2 | — |
| 50—55 | 12 | 11 | 1 | — | 4 | 1 | 6 | 5 | 1 | 5 | 8 | 5 | 1 | 4 | 5 | 1 |
| 55—60 | 22 | 18 | 5 | 3 | 7 | 5 | 7 | 4 | 3 | 6 | 8 | 3 | 2 | 1 | 3 | 2 |
| 60—65 | 47 | 28 | 8 | 10 | 13 | 3 | 10 | 8 | 16 | 7 | 14 | 6 | 8 | 3 | 3 | 2 |
| 65—70 | 49 | 37 | 24 | 17 | 5 | 3 | 9 | 6 | 11 | 11 | 10 | 8 | 4 | 7 | 3 | 1 |
| 70—75 | 66 | 65 | 36 | 46 | 8 | — | 12 | 7 | 10 | 12 | 6 | 7 | 4 | 5 | 1 | 1 |
| 75—80 | 68 | 55 | 53 | 36 | 2 | — | 6 | 3 | 7 | 16 | 6 | 3 | 4 | 2 | 2 | 1 |
| 80 and upwards | 74 | 118 | 53 | 85 | 1 | 6 | 4 | 7 | 16 | 20 | 3 | 4 | 2 | 3 | 1 | — |

| Causes of Death. | 157* 158 Other diseases of the organs of locomotion. | | XI. 159 Mal-formations. | | XII. 160–163 Diseases of early infancy. | | 160 Congenital debility. | | 161 Premature birth, injury at birth. | | 161 (1) Premature birth. | | 161 (2) Injury at birth. | | 162 Other diseases peculiar to early infancy. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 18 | 3 | 722 | 533 | 3936 | 2932 | 997 | 669 | 2670 | 2029 | 2472 | 1879 | 198 | 150 | 242 | 192 |
| 0—1 | — | — | 635 | 466 | 3936 | 2932 | 997 | 669 | 2670 | 2029 | 2472 | 1879 | 198 | 150 | 242 | 192 |
| 1—5 | — | — | 41 | 40 | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | 16 | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 2 | — | 7 | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | 12 | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| 20—25 | 1 | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25—30 | — | — | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 30—35 | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 35—40 | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 40—45 | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 45—50 | — | — | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| 50—55 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | 3 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | 3 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

* 157. Amputation —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only.)

| Causes of Death. | 163 Lack of care. | | XIII. 164 Old age. | | XIV. 165–203 External causes. | | Suicide. 165–174 Total. | | 165 & 166 By solid or liquid poisons and corrosive substances. | | 167 By poisonous gas. | | 168 By hanging or strangulation. | | 169 By drowning. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 27 | 42 | 3593 | 5314 | 4140 | 1646 | 902 | 387 | 63 | 65 | 135 | 80 | 181 | 62 | 206 | 114 |
| 0—1 | 27 | 42 | — | — | 112 | 90 | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | 274 | 181 | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | 183 | 85 | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | 157 | 39 | — | 1 | — | — | — | — | — | — | — | 1 |
| 15—20 | — | — | — | — | 296 | 61 | 16 | 18 | — | 5 | 3 | 1 | 6 | — | 3 | 10 |
| 20—25 | — | — | — | — | 229 | 54 | 33 | 26 | 2 | 8 | 4 | 6 | 9 | 2 | 6 | 8 |
| 25—30 | — | — | — | — | 201 | 66 | 29 | 33 | 6 | 10 | 4 | 3 | 2 | 1 | 5 | 11 |
| 30—35 | — | — | — | — | 245 | 5 | 49 | 31 | 6 | 7 | 11 | 8 | 4 | 1 | 7 | 8 |
| 35—40 | — | — | — | — | 263 | 59 | 63 | 38 | 5 | 8 | 11 | 11 | 13 | 2 | 15 | 11 |
| 40—45 | — | — | — | — | 293 | 66 | 100 | 37 | 7 | 8 | 22 | 6 | 22 | 4 | 17 | 10 |
| 45—50 | — | — | — | — | 335 | 102 | 96 | 58 | 9 | 4 | 11 | 12 | 16 | 20 | 22 | 10 |
| 50—55 | — | — | 1 | 2 | 356 | 112 | 137 | 53 | 11 | 6 | 21 | 13 | 31 | 8 | 23 | 9 |
| 55—60 | — | — | 6 | 7 | 316 | 90 | 111 | 33 | 6 | 7 | 22 | 4 | 22 | 4 | 26 | 13 |
| 60—65 | — | — | 27 | 30 | 278 | 92 | 95 | 31 | 6 | 1 | 12 | 10 | 17 | 9 | 28 | 5 |
| 65—70 | — | — | 127 | 152 | 238 | 90 | 86 | 13 | 1 | 1 | 7 | 2 | 18 | 5 | 32 | 5 |
| 70—75 | — | — | 618 | 708 | 149 | 91 | 50 | 10 | 3 | — | 4 | 1 | 9 | 4 | 13 | 3 |
| 75—80 | — | — | 967 | 1218 | 118 | 112 | 26 | 3 | 1 | — | 3 | 2 | 7 | 1 | 7 | — |
| 80 and upwards | — | — | 1857 | 3197 | 97 | 201 | 11 | 2 | — | — | — | 1 | 5 | 1 | 2 | — |

| Causes of Death. | Suicide—*contd.* 170 By firearms. | | 171 By cutting or piercing instruments. | | 172 By jumping from high places. | | 173 By crushing. | | 174 By other means. | | 175–196 201–203 Violent deaths, excluding suicide and homicide. | | 175 Food poisoning. | | 176 Poisoning by venomous animals. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 55 | 5 | 181 | 39 | 13 | 12 | 65 | 7 | 3 | 3 | 3195 | 1233 | 2 | 2 | 2 | 5 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | 101 | 84 | — | — | 1 | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | 266 | 178 | — | — | — | 1 |
| 5—10 | — | — | — | — | — | — | — | — | — | — | 181 | 84 | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | 156 | 37 | — | — | — | 1 |
| 15—20 | — | — | — | — | — | — | 4 | 2 | — | — | 279 | 42 | — | 1 | — | — |
| 20—25 | 5 | 1 | 3 | — | — | 1 | 4 | — | — | — | 195 | 22 | — | — | — | 1 |
| 25—30 | 1 | 2 | 2 | 4 | — | 1 | 9 | — | — | 1 | 172 | 30 | — | 1 | — | — |
| 30—35 | 4 | 1 | 12 | 4 | 2 | 2 | 2 | — | 1 | — | 193 | 23 | — | — | — | — |
| 35—40 | 7 | — | 7 | 2 | 1 | 3 | 4 | — | — | 1 | 198 | 20 | — | — | 1 | — |
| 40—45 | 1 | 1 | 21 | 4 | 2 | 1 | 8 | 2 | — | 1 | 189 | 29 | 1 | — | — | — |
| 45—50 | 7 | — | 25 | 9 | — | 1 | 6 | 2 | — | — | 238 | 44 | — | — | — | — |
| 50—55 | 12 | — | 26 | 5 | 3 | 1 | 10 | 1 | — | — | 216 | 57 | — | — | — | 1 |
| 55—60 | 5 | — | 22 | 4 | 1 | 1 | 6 | — | 1 | — | 202 | 57 | — | — | — | 1 |
| 60—65 | 5 | — | 22 | 5 | 1 | 1 | 3 | — | 1 | — | 182 | 60 | 1 | — | — | — |
| 65—70 | 4 | — | 19 | — | — | — | 5 | — | — | — | 150 | 77 | — | — | — | — |
| 70—75 | 3 | — | 14 | 2 | 1 | — | 3 | — | — | — | 99 | 81 | — | — | — | — |
| 75—80 | 1 | — | 4 | — | 2 | — | 1 | — | — | — | 92 | 109 | — | — | — | — |
| 80 and upwards | — | — | 4 | — | — | — | — | — | — | — | 86 | 199 | — | — | — | — |

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.

(Civilian population only).

| Causes of Death. | 177 By acute accidental poisonings. | | 178 Conflagration. | | 179 Burns (conflagration excepted). | | 180 Accidental mechanical suffocation. | | 181 Accidental absorption of irrespirable or poisonous gas. | | 182 Accidental drowning. | | 183 Accidental injury by firearms. | | 184 Accidental injury by cutting or piercing instruments. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 22 | 15 | 9 | 5 | 255 | 306 | 90 | 73 | 20 | 14 | 506 | 103 | 12 | 2 | 4 | — |
| 0—1 | 1 | — | — | — | 14 | 7 | 74 | 62 | — | — | 2 | 5 | — | — | — | — |
| 1—5 | 2 | 3 | 1 | 1 | 150 | 105 | 4 | 3 | — | — | 50 | 11 | — | — | — | — |
| 5—10 | 1 | — | — | 1 | 19 | 34 | 3 | 2 | — | — | 44 | 3 | 1 | — | 1 | — |
| 10—15 | 2 | — | — | — | 1 | 18 | 1 | — | 1 | — | 36 | 2 | 1 | — | — | — |
| 15—20 | — | 1 | — | — | 6 | 13 | 1 | 1 | — | 2 | 60 | 12 | 3 | — | — | — |
| 20—25 | — | — | 1 | — | 5 | 5 | — | — | 1 | — | 25 | 3 | 1 | 1 | 1 | — |
| 25—30 | 2 | 3 | 1 | — | 7 | 5 | 1 | — | — | — | 20 | 10 | 1 | — | — | — |
| 30—35 | — | — | 1 | — | 1 | 6 | — | — | 4 | 1 | 21 | 5 | 1 | — | — | — |
| 35—40 | 4 | 1 | — | — | 2 | 7 | — | — | 2 | — | 29 | 1 | 1 | — | — | — |
| 40—45 | 3 | — | — | — | 4 | 9 | 2 | — | 2 | — | 30 | 10 | — | — | — | — |
| 45—50 | 1 | — | — | — | 4 | 8 | — | — | 1 | 3 | 43 | 9 | — | 1 | 1 | — |
| 50—55 | 1 | 1 | 1 | — | 4 | 7 | — | 1 | 2 | 2 | 44 | 10 | 2 | — | 1 | — |
| 55—60 | 2 | 2 | 2 | — | 7 | 11 | 2 | 1 | 1 | 1 | 22 | 8 | 1 | — | — | — |
| 60—65 | 1 | 2 | 1 | 1 | 6 | 10 | 1 | — | 1 | — | 26 | 6 | — | — | — | — |
| 65—70 | 1 | 2 | — | — | 8 | 12 | — | — | 2 | 1 | 29 | 5 | — | — | — | — |
| 70—75 | 1 | — | — | 1 | 4 | 11 | — | — | 1 | 1 | 10 | 1 | — | — | — | — |
| 75—80 | — | — | — | — | 6 | 22 | — | 1 | 1 | 2 | 9 | 2 | — | — | — | — |
| 80 and upwards | — | — | 1 | 1 | 7 | 16 | 1 | 2 | 1 | 1 | 6 | — | — | — | — | — |

| Causes of Death. | 185 Accidental injury by fall. | | 186 Accidental injury in mines and quarries. | | 187 Accidental injury by machinery. | | 188 Accidental injury by other forms of crushing (vehicles, etc.). | | 189 Injury by animals (poisoning excepted). | | 190 Wounds of war. | | 191* 192 Hunger or thirst. | | 193 Excessive cold. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 393 | 417 | 638 | 1 | 66 | — | 949 | 216 | 17 | 1 | 26 | — | 2 | 1 | 6 | 5 |
| 0—1 | 4 | 3 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — |
| 1—5 | 7 | 12 | — | — | — | — | 35 | 32 | 1 | — | — | — | — | — | — | — |
| 5—10 | 3 | 2 | — | — | — | — | 102 | 40 | 3 | — | — | — | — | — | — | — |
| 10—15 | 11 | 4 | 15 | — | 4 | — | 68 | 12 | 1 | — | — | — | — | — | — | — |
| 15—20 | 11 | 2 | 95 | 1 | 10 | — | 84 | 6 | 1 | — | — | — | — | — | — | — |
| 20—25 | 11 | 2 | 66 | — | 7 | — | 64 | 6 | — | — | 1 | — | — | — | — | — |
| 25—30 | 11 | 3 | 62 | — | 2 | — | 48 | 5 | — | — | 9 | — | — | — | — | — |
| 30—35 | 15 | 4 | 75 | — | 8 | — | 50 | 6 | 2 | — | 6 | — | — | — | — | — |
| 35—40 | 15 | 4 | 65 | — | 5 | — | 56 | 3 | 2 | — | 7 | — | — | — | — | — |
| 40—45 | 16 | 5 | 50 | — | 6 | — | 61 | 3 | 1 | — | 2 | — | — | — | — | — |
| 45—50 | 28 | 9 | 67 | — | 8 | — | 76 | 11 | 1 | — | 1 | — | — | — | 1 | — |
| 50—55 | 29 | 15 | 49 | — | 3 | — | 65 | 14 | 1 | — | — | — | — | 1 | 1 | — |
| 55—60 | 38 | 17 | 41 | — | 5 | — | 71 | 12 | — | — | — | — | 1 | — | — | 1 |
| 60—65 | 30 | 26 | 37 | — | 5 | — | 52 | 14 | 2 | — | — | — | — | — | 2 | — |
| 65—70 | 39 | 41 | 9 | — | 1 | — | 45 | 12 | 1 | — | — | — | 1 | — | 1 | — |
| 70—75 | 32 | 41 | 6 | — | 1 | — | 36 | 20 | 1 | 1 | — | — | — | — | — | 1 |
| 75—80 | 42 | 66 | 1 | — | 1 | — | 24 | 11 | — | — | — | — | — | — | — | 1 |
| 80 and upwards | 51 | 161 | — | — | — | — | 12 | 7 | — | — | — | — | — | — | 1 | 2 |

* 191. Execution of civilians by belligerent armies —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 194 Excessive heat. | | 195* 196 Electricity (lightning excepted). | | Homicide. 197–199 All forms. | | 197 By firearms. | | 198 By cutting or piercing instruments. | | 199 By other means. | | 200* 201 Fracture (cause not specified). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 80 | 38 | 10 | — | 43 | 26 | 1 | 3 | 7 | 5 | 35 | 18 | 8 | 1 |
| 0—1 | 5 | 3 | — | — | 11 | 6 | — | — | 1 | — | 10 | 6 | — | — |
| 1—5 | 3 | 6 | 3 | — | 8 | 3 | — | — | 2 | — | 6 | 3 | — | — |
| 5—10 | 1 | 2 | — | — | 2 | 1 | — | — | — | 1 | 2 | — | — | — |
| 10—15 | 2 | — | — | — | 1 | 1 | — | — | 1 | 1 | — | — | — | — |
| 15—20 | 1 | — | 3 | — | 1 | 1 | — | — | — | — | 1 | 1 | — | — |
| 20—25 | 3 | 1 | 2 | — | 1 | 6 | 1 | 2 | — | 3 | — | 1 | 1 | — |
| 25—30 | — | — | — | — | — | 3 | — | 1 | — | — | — | 2 | — | — |
| 30—35 | 3 | — | — | — | 3 | 1 | — | — | 1 | — | 2 | 1 | 1 | — |
| 35—40 | 1 | — | 1 | — | 2 | 1 | — | — | — | — | 2 | 1 | 1 | — |
| 40—45 | 5 | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 45—50 | 2 | 3 | 1 | — | 1 | — | — | — | — | — | 1 | — | 1 | — |
| 50—55 | 8 | 1 | — | — | 3 | 2 | — | — | — | — | 3 | 2 | — | 1 |
| 55—60 | 6 | 3 | — | — | 3 | — | — | — | 1 | — | 2 | — | — | — |
| 60—65 | 13 | 1 | — | — | 1 | 1 | — | — | — | — | 1 | 1 | — | — |
| 65—70 | 10 | 4 | — | — | 2 | — | — | — | 1 | — | 1 | — | 1 | — |
| 70—75 | 6 | 3 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 75—80 | 6 | 3 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 80 and upwards | 5 | 8 | — | — | — | — | — | — | — | — | — | — | 1 | — |

* **195.** Lightning 10, 35, 65. **200.** Infanticide, Deaths from this cause are shown under Nos. 197–199.

| Causes of Death. | 202 Other external violence. | | 203 Violent deaths of unknown causation. | | XV. 204–205 Ill-defined diseases. | | 204 Sudden death. | | 205 Cause of death unstated or ill-defined. | | 205 (1) Heart failure, 1–70 years. | | 205 (2 & 3) Others. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 72 | 28 | 3 | — | 389 | 277 | 76 | 43 | 313 | 234 | 217 | 159 | 96 | 75 |
| 0—1 | — | 2 | — | — | 15 | 13 | — | — | 15 | 13 | — | — | 15 | 13 |
| 1—5 | 10 | 4 | — | — | 28 | 28 | — | — | 28 | 28 | 2 | 2 | 26 | 26 |
| 5—10 | 3 | — | — | — | 7 | 4 | 1 | — | 6 | 4 | 3 | 3 | 3 | 1 |
| 10—15 | 12 | — | — | — | 4 | 2 | — | — | 4 | 2 | 2 | 2 | 2 | — |
| 15—20 | 4 | 3 | — | — | 3 | 1 | — | — | 3 | 1 | 2 | 1 | 1 | — |
| 20—25 | 6 | 3 | — | — | 7 | 5 | 1 | 3 | 6 | 2 | 4 | 1 | 2 | 1 |
| 25—30 | 8 | 3 | — | — | 5 | 5 | 2 | 1 | 3 | 4 | 3 | 4 | — | — |
| 30—35 | 4 | 1 | 1 | — | 7 | 5 | 1 | 1 | 6 | 4 | 4 | 4 | 2 | — |
| 35—40 | 4 | 4 | 1 | — | 13 | 8 | 1 | 1 | 12 | 7 | 11 | 6 | 1 | 1 |
| 40—45 | 6 | 2 | — | — | 26 | 13 | 9 | 3 | 17 | 10 | 12 | 7 | 5 | 3 |
| 45—50 | 2 | — | — | — | 32 | 19 | 8 | 3 | 24 | 16 | 20 | 13 | 4 | 3 |
| 50—55 | 5 | 3 | — | — | 28 | 19 | 3 | 3 | 25 | 16 | 21 | 15 | 4 | 1 |
| 55—60 | 2 | — | 1 | — | 59 | 34 | 16 | 12 | 43 | 22 | 39 | 19 | 4 | 3 |
| 60—65 | 4 | — | — | — | 72 | 46 | 21 | 8 | 51 | 38 | 42 | 33 | 9 | 5 |
| 65—70 | 1 | — | — | — | 67 | 60 | 13 | 8 | 54 | 52 | 52 | 49 | 2 | 3 |
| 70—75 | — | 1 | — | — | 3 | 7 | — | — | 3 | 7 | — | — | 3 | 7 |
| 75—80 | 1 | 1 | — | — | 7 | 1 | — | — | 7 | 1 | — | — | 7 | 1 |
| 80 and upwards | — | 1 | — | — | 6 | 7 | — | — | 6 | 7 | — | — | 6 | 7 |

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only.)

| Causes of Death. | All Causes. | | I. 1–42, Epidemic, Endemic and Infectious Diseases. | | 1 Enteric fever. | | 1 (*a*) Typhoid fever. | | 1 (*b*) Paratyphoid, fevers. | | 2, 3, 4* 5 Malaria. | | 6* 7 Measles. | | 8 Scarlet fever. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 45271 | 42987 | 5896 | 5394 | 54 | 48 | 52 | 42 | 2 | 6 | 14 | 1 | 379 | 275 | 81 | 59 |
| 0—1 | 5367 | 3837 | 544 | 372 | — | — | — | — | — | — | — | — | 95 | 51 | 2 | — |
| 1—5 | 1932 | 1664 | 752 | 705 | — | 1 | — | 1 | — | — | 1 | — | 236 | 186 | 35 | 20 |
| 5—10 | 624 | 564 | 255 | 248 | — | 1 | — | 1 | — | — | — | — | 34 | 21 | 25 | 14 |
| 10—15 | 565 | 503 | 204 | 221 | 3 | 2 | 3 | 1 | — | 1 | — | — | 6 | 6 | 9 | 11 |
| 15—20 | 824 | 806 | 296 | 455 | 7 | 6 | 7 | 6 | — | — | — | — | 1 | 5 | 3 | 7 |
| 20—25 | 968 | 904 | 464 | 497 | 6 | 8 | 5 | 7 | 1 | 1 | 2 | — | 1 | 2 | 3 | 1 |
| 25—30 | 932 | 963 | 449 | 474 | 7 | 3 | 7 | 3 | — | — | — | — | — | 1 | — | 1 |
| 30—35 | 983 | 1003 | 418 | 397 | 5 | 2 | 5 | 2 | — | — | 2 | — | — | — | 1 | 1 |
| 35—40 | 1092 | 1142 | 373 | 333 | 5 | 7 | 5 | 6 | — | 1 | 2 | — | — | 1 | 1 | 2 |
| 40—45 | 1334 | 1254 | 353 | 300 | 2 | 3 | 2 | 3 | — | — | 1 | 1 | 1 | 1 | 2 | 1 |
| 45—50 | 1662 | 1577 | 353 | 243 | 3 | 3 | 2 | 3 | 1 | — | 3 | — | 1 | — | — | 1 |
| 50—55 | 1997 | 1932 | 300 | 199 | 3 | 6 | 3 | 4 | — | 2 | — | — | 2 | — | — | — |
| 55—60 | 2743 | 2399 | 290 | 174 | 8 | 1 | 8 | — | — | 1 | 1 | — | — | — | — | — |
| 60—65 | 3552 | 3027 | 247 | 177 | 2 | 3 | 2 | 3 | — | — | 1 | — | — | 1 | — | — |
| 65—70 | 4448 | 3883 | 223 | 158 | 3 | 1 | 3 | 1 | — | — | — | — | — | — | — | — |
| 70—75 | 4959 | 4643 | 150 | 154 | — | — | — | — | — | — | — | — | 2 | — | — | — |
| 75—80 | 4971 | 5113 | 115 | 133 | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | 6318 | 7773 | 110 | 154 | — | 1 | — | 1 | — | — | 1 | — | — | — | — | — |

***2.** Typhus 65; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever —; **6.** Smallpox —.

| Causes of Death. | 9 Whooping cough. | | 10 Diphtheria. | | 11 Influenza. | | 11 (*a*) With pulmonary complications. | | 11 (*b*) Without pulmonary complications. | | 12* 13 Mumps. | | 14* 15 Cholera nostras | | 16 Dysentery. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 343 | 378 | 193 | 173 | 952 | 857 | 524 | 437 | 428 | 420 | 3 | 2 | — | — | 13 | 12 |
| 0—1 | 202 | 169 | 5 | 3 | 45 | 28 | 31 | 13 | 14 | 15 | 1 | — | — | — | — | — |
| 1—5 | 125 | 200 | 81 | 49 | 37 | 25 | 17 | 11 | 20 | 14 | 2 | 1 | — | — | — | — |
| 5—10 | 10 | 6 | 67 | 82 | 8 | 13 | 4 | 3 | 4 | 10 | — | — | — | — | — | — |
| 10—15 | 3 | — | 28 | 19 | 19 | 19 | 5 | 8 | 14 | 11 | | — | — | — | — | — |
| 15—20 | 1 | 2 | 3 | 8 | 27 | 15 | 13 | 4 | 14 | 11 | — | — | — | — | 1 | — |
| 20—25 | — | — | 1 | 4 | 26 | 19 | 14 | 8 | 12 | 11 | — | — | — | — | — | — |
| 25—30 | — | — | 1 | — | 19 | 25 | 14 | 14 | 5 | 11 | — | — | — | — | 2 | — |
| 30—35 | — | — | 4 | 1 | 31 | 27 | 17 | 18 | 14 | 9 | — | — | — | — | 1 | — |
| 35—40 | — | — | — | 2 | 31 | 27 | 21 | 11 | 10 | 16 | — | — | — | — | — | 1 |
| 40—45 | — | — | — | 2 | 46 | 34 | 30 | 16 | 16 | 18 | — | — | — | — | 1 | 3 |
| 45—50 | — | — | 2 | — | 44 | 35 | 27 | 15 | 17 | 20 | — | — | — | — | 1 | 2 |
| 50—55 | — | — | — | 1 | 66 | 47 | 38 | 23 | 28 | 24 | — | — | — | — | 2 | 1 |
| 55—60 | — | — | — | 1 | 76 | 44 | 46 | 27 | 30 | 17 | — | — | — | — | 1 | 1 |
| 60—65 | 1 | — | — | 1 | 90 | 66 | 43 | 39 | 47 | 27 | — | — | — | — | 1 | — |
| 65—70 | — | 1 | — | — | 108 | 84 | 70 | 52 | 38 | 32 | — | — | — | — | 1 | — |
| 70—75 | — | — | 1 | — | 92 | 108 | 54 | 61 | 38 | 47 | — | 1 | — | — | 1 | 3 |
| 75—80 | — | — | — | — | 95 | 111 | 41 | 59 | 54 | 52 | — | — | — | — | — | — |
| 80 and upwards | 1 | — | — | — | 92 | 130 | 39 | 55 | 53 | 75 | — | — | — | — | 1 | 1 |

***12.** Miliary fever —; **14.** Asiatic cholera —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 16 (*a*) Amœbic. | | 16 (*b*) Bacillary. | | 16 (*c*) Other or unspecified | | 17, 18, 19, 20* 21 Erysipelas. | | 22 Acute poliomyelitis. | | 23 Encephalitis lethargica. | | 24 Meningococcal meningitis. | | 25 Other epidemic and endemic diseases. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 1 | — | — | 13 | 11 | 47 | 53 | 15 | 13 | 56 | 42 | 25 | 21 | 5 | 4 |
| 0—1 | — | — | — | — | — | — | 7 | 5 | 7 | 2 | — | 1 | 5 | 8 | 3 | 2 |
| 1—5 | — | — | — | — | — | — | — | 1 | 3 | 5 | 6 | 2 | 6 | 2 | 2 | 2 |
| 5—10 | — | — | — | — | — | — | 1 | — | 1 | 2 | 5 | 5 | 6 | 1 | — | — |
| 10—15 | — | — | — | — | — | — | 1 | 2 | 1 | 2 | 3 | 1 | 4 | 1 | — | — |
| 15—20 | — | — | — | — | 1 | — | 1 | — | 1 | 1 | 4 | 5 | 1 | 5 | — | — |
| 20—25 | — | — | — | — | — | — | — | 4 | — | — | 3 | 4 | — | 2 | — | — |
| 25—30 | — | — | — | — | 2 | — | 4 | 2 | — | — | 2 | 6 | 1 | 1 | — | — |
| 30—35 | — | — | — | — | 1 | — | 1 | 2 | — | — | 4 | 2 | 1 | — | — | — |
| 35—40 | — | — | — | — | — | 1 | — | 2 | — | — | 3 | — | — | 1 | — | — |
| 40—45 | — | — | — | — | 1 | 3 | 1 | 2 | — | — | 3 | 2 | 1 | — | — | — |
| 45—50 | — | — | — | — | 1 | 2 | 4 | 5 | — | — | 3 | 2 | — | — | — | — |
| 50—55 | — | — | — | — | 2 | 1 | 1 | 1 | — | — | 6 | 1 | — | — | — | — |
| 55—60 | — | — | — | — | 1 | 1 | 5 | 7 | — | — | 5 | 7 | — | — | — | — |
| 60—65 | — | — | — | — | 1 | — | 3 | 2 | 1 | 1 | 5 | 2 | — | — | — | — |
| 65—70 | — | — | — | — | 1 | — | 5 | 4 | — | — | 2 | 1 | — | — | — | — |
| 70—75 | — | 1 | — | — | 1 | 2 | 6 | 3 | — | — | 1 | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | 3 | 6 | — | — | 1 | 1 | — | — | — | — |
| 80 and upwards | — | — | — | — | 1 | 1 | 4 | 5 | 1 | — | — | — | — | — | — | — |

***17.** Plague — ; **18.** Yellow Fever — ; **19.** Spirochætosis ictero-hæmorrhagica — ; **20.** Leprosy 75.

| Causes of Death. | 26* 27 Anthrax. | | 28* 29 Tetanus. | | 30 Mycoses. | | Tuberculosis. 31–37 All forms. | | 31 Respiratory system. | | 32 Nervous system. | | 33 Intestines and peritoneum. | | 34 Vertebral column. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 1 | — | 49 | 14 | 17 | 14 | 3499 | 3330 | 2717 | 2512 | 267 | 267 | 165 | 212 | 72 | 62 |
| 0—1 | — | — | 5 | 3 | 7 | 5 | 97 | 60 | 15 | 8 | 50 | 29 | 21 | 15 | — | — |
| 1—5 | — | — | 1 | 1 | — | — | 210 | 207 | 23 | 18 | 96 | 98 | 50 | 50 | 4 | — |
| 5—10 | — | — | 5 | 1 | — | — | 92 | 101 | 22 | 24 | 41 | 41 | 9 | 21 | 3 | — |
| 10—15 | — | — | 6 | — | 1 | — | 118 | 156 | 45 | 88 | 33 | 34 | 12 | 9 | 6 | 6 |
| 15—20 | — | — | 12 | 2 | 1 | 1 | 229 | 393 | 177 | 319 | 17 | 22 | 12 | 15 | 5 | 4 |
| 20—25 | — | — | 1 | — | 1 | — | 417 | 448 | 361 | 394 | 10 | 10 | 11 | 17 | 9 | 7 |
| 25—30 | — | — | 1 | 3 | 1 | — | 407 | 430 | 354 | 380 | 4 | 13 | 10 | 12 | 15 | 2 |
| 30—35 | — | — | — | 1 | 1 | — | 364 | 357 | 326 | 307 | 5 | 5 | 6 | 17 | 7 | 5 |
| 35—40 | — | — | 2 | 1 | 3 | — | 322 | 284 | 280 | 255 | 6 | 2 | 8 | 13 | 4 | 3 |
| 40—45 | — | — | 3 | 1 | — | — | 285 | 248 | 256 | 209 | 2 | 5 | 6 | 17 | 5 | 7 |
| 45—50 | — | — | 2 | — | 1 | 2 | 277 | 186 | 246 | 150 | 1 | 5 | 9 | 6 | 3 | 11 |
| 50—55 | — | — | 5 | — | — | 1 | 205 | 136 | 197 | 107 | — | 1 | — | 8 | 1 | 8 |
| 55—60 | 1 | — | 3 | — | — | 1 | 184 | 104 | 165 | 89 | 2 | — | — | 3 | 3 | 2 |
| 60—65 | — | — | 2 | — | — | 1 | 138 | 94 | 118 | 78 | — | 1 | 5 | 5 | 4 | 1 |
| 65—70 | — | — | 1 | — | — | — | 98 | 62 | 87 | 44 | — | 1 | 3 | 2 | 2 | 3 |
| 70—75 | — | — | — | — | — | 1 | 38 | 37 | 32 | 29 | — | — | 3 | — | 1 | 1 |
| 75—80 | — | — | — | — | 1 | — | 12 | 15 | 10 | 8 | — | — | — | — | — | 1 |
| 80 and upwards | — | — | — | 1 | — | 2 | 6 | 12 | 3 | 5 | — | — | — | 2 | — | 1 |

***26.** Glanders —; **28.** Rabies — .

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | Tuberculosis—*contd.* | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 Joints. | | 36 Other organs. | | 36 (*a*) Skin and subcutaneous tissue. | | 36 (*b*) Bones (vertebral column excepted). | | 36 (*c*) Lymphatic system (abdominal glands excptd.). | | 36 (*d*) Genito-urinary system. | | 36 (*e*) Others in 36. | | 37 Disseminated. | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 26 | 32 | 64 | 40 | 6 | 12 | 4 | 7 | 11 | 5 | 39 | 15 | 4 | 1 | 188 | 205 |
| 0—1 | — | — | 3 | 1 | — | — | — | — | 1 | 1 | — | — | 2 | — | 8 | 7 |
| 1—5 | 1 | 3 | 1 | 1 | — | — | — | 1 | 1 | — | — | — | — | — | 35 | 37 |
| 5—10 | — | 2 | 1 | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | 16 | 11 |
| 10—15 | 2 | 1 | 4 | 1 | — | — | — | 1 | 2 | — | 2 | — | — | — | 16 | 17 |
| 15—20 | 3 | 1 | 2 | 2 | — | 1 | 1 | — | 1 | — | — | 1 | — | — | 13 | 30 |
| 20—25 | 3 | — | 4 | 1 | — | — | — | — | — | — | 4 | 1 | — | — | 19 | 19 |
| 25—30 | 2 | 1 | 5 | 4 | 1 | — | — | 1 | 1 | 1 | 3 | 2 | — | — | 17 | 18 |
| 30—35 | 3 | 3 | 5 | 3 | — | 1 | — | — | — | — | 5 | 2 | — | — | 12 | 17 |
| 35—40 | 4 | — | 9 | 4 | 1 | 1 | 2 | 1 | — | — | 6 | 2 | — | — | 11 | 7 |
| 40—45 | 1 | 3 | 5 | 1 | — | 1 | — | — | 1 | — | 4 | — | — | — | 10 | 6 |
| 45—50 | — | 2 | 7 | 5 | — | 1 | — | 1 | 1 | — | 5 | 3 | 1 | — | 11 | 7 |
| 50—55 | 2 | 1 | 1 | 1 | — | — | — | — | — | — | 1 | 1 | — | — | 4 | 10 |
| 55—60 | 2 | 4 | 4 | 2 | 1 | — | 1 | 1 | — | — | 2 | 1 | — | — | 8 | 4 |
| 60—65 | 2 | 2 | 5 | 2 | — | 1 | — | — | 2 | — | 3 | 1 | — | — | 4 | 5 |
| 65—70 | — | 3 | 4 | 4 | 1 | 2 | — | 1 | — | 1 | 3 | — | — | — | 2 | 5 |
| 70—75 | 1 | 4 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | 1 | 2 |
| 75—80 | — | — | — | 3 | — | 2 | — | — | — | 1 | — | — | — | — | 1 | 3 |
| 80 and upwards | — | 2 | 3 | 2 | 1 | 1 | — | — | — | — | 1 | 1 | 1 | — | — | — |

| Causes of Death. | Tuberculosis—*contd.* | | | | 38 Syphilis. | | 39* | | 40 (1) Gonococcal infection (ophthalmia excepted). | | 40 (2) Gonorrhœal or purulent ophthalmia. | | 42* | | II. 43–69 General diseases not included in I. 1–42. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 37 (*a*) Acute. | | 37 (*b*) Chronic or unstated. | | | | 40 Gonococcal infection. | | | | | | 41 Purulent infection, septicæmia. | | | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 49 | 83 | 139 | 122 | 93 | 55 | 1 | 2 | 1 | 1 | — | 1 | 54 | 41 | 6085 | 7319 |
| 0—1 | 2 | — | 6 | 7 | 57 | 29 | 1 | 1 | 1 | — | — | 1 | 5 | 5 | 52 | 34 |
| 1—5 | 9 | 18 | 26 | 19 | 5 | 2 | — | — | — | — | — | — | 2 | 1 | 69 | 37 |
| 5—10 | 6 | 6 | 10 | 5 | — | — | — | — | — | — | — | — | 1 | 1 | 33 | 30 |
| 10—15 | 5 | 9 | 11 | 8 | — | — | — | — | — | — | — | — | 2 | 2 | 47 | 56 |
| 15—20 | 3 | 15 | 10 | 15 | — | 2 | — | 1 | — | 1 | — | — | 4 | 2 | 85 | 79 |
| 20—25 | 6 | 10 | 13 | 9 | — | 3 | — | — | — | — | — | — | 3 | 2 | 59 | 53 |
| 25—30 | 4 | 8 | 13 | 10 | — | — | — | — | — | — | — | — | 4 | 2 | 45 | 64 |
| 30—35 | 2 | 7 | 10 | 10 | 2 | 3 | — | — | — | — | — | — | 1 | 1 | 78 | 111 |
| 35—40 | 3 | 2 | 8 | 5 | 1 | 2 | — | — | — | — | — | — | 3 | 3 | 88 | 209 |
| 40—45 | 2 | 2 | 8 | 4 | 5 | — | — | — | — | — | — | — | 2 | 2 | 172 | 312 |
| 45—50 | 4 | 1 | 7 | 6 | 6 | 2 | — | — | — | — | — | — | 6 | 5 | 276 | 577 |
| 50—55 | 1 | 2 | 3 | 8 | 5 | 2 | — | — | — | — | — | — | 5 | 3 | 442 | 689 |
| 55—60 | 1 | 2 | 7 | 2 | 5 | 6 | — | — | — | — | — | — | 1 | 2 | 691 | 850 |
| 60—65 | 1 | — | 3 | 5 | 1 | 2 | — | — | — | — | — | — | 2 | 4 | 935 | 925 |
| 65—70 | — | — | 2 | 5 | 1 | 2 | — | — | — | — | — | — | 3 | 3 | 1004 | 1011 |
| 70—75 | — | — | 1 | 1 | 3 | — | — | — | — | — | — | — | 6 | 1 | 936 | 981 |
| 75—80 | — | 1 | 1 | 3 | 1 | — | — | — | — | — | — | — | 1 | — | 632 | 736 |
| 80 and upwards | — | — | — | — | 1 | — | — | — | — | — | — | — | 3 | 2 | 441 | 565 |

* **39.** Soft chancre —; **42.** Other infectious diseases —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | Cancer, Malignant disease. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 43-49 Total. | | 43 Buccal cavity. | | 44 Pharynx, œsophagus, stomach, liver and annexa. | | 45 Peritoneum, intestines and rectum. | | 46 Female genital organs. | | 47 Breast. | | 48 Skin. | | 49 Other or unspecified organs. | |
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 4680 | 5431 | 440 | 106 | 1830 | 1605 | 1176 | 1095 | — | 985 | 9 | 952 | 204 | 105 | 1021 | 583 |
| 0—1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 1—5 | 13 | 7 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | 11 | 7 |
| 5—10 | 7 | 7 | — | 1 | — | — | 1 | — | — | 1 | — | — | — | — | 6 | 5 |
| 10—15 | 9 | 6 | — | — | 1 | 2 | 1 | — | — | — | — | — | — | — | 7 | 4 |
| 15—20 | 14 | 10 | — | 1 | 1 | — | 3 | — | — | — | — | 1 | — | — | 10 | 8 |
| 20—25 | 16 | 10 | 1 | 1 | 1 | 1 | 3 | 3 | — | 3 | — | — | — | — | 11 | 2 |
| 25—30 | 12 | 15 | — | — | 2 | 2 | 4 | 1 | — | 7 | — | 1 | — | — | 6 | 4 |
| 30—35 | 41 | 49 | 2 | — | 17 | 6 | 10 | 5 | — | 19 | — | 9 | 2 | 1 | 10 | 9 |
| 35—40 | 48 | 135 | 6 | 2 | 17 | 26 | 9 | 18 | — | 45 | — | 29 | 3 | 1 | 13 | 14 |
| 40—45 | 107 | 246 | 6 | 6 | 43 | 52 | 23 | 33 | — | 58 | — | 70 | 3 | 3 | 32 | 24 |
| 45—50 | 216 | 428 | 16 | 9 | 83 | 73 | 50 | 65 | — | 120 | — | 113 | 9 | 3 | 58 | 45 |
| 50—55 | 350 | 511 | 37 | 9 | 147 | 106 | 82 | 76 | — | 131 | — | 129 | 8 | 2 | 76 | 58 |
| 55—60 | 551 | 676 | 57 | 17 | 237 | 185 | 140 | 115 | — | 159 | 1 | 120 | 19 | 9 | 97 | 71 |
| 60—65 | 779 | 713 | 80 | 9 | 302 | 247 | 197 | 123 | — | 134 | 3 | 108 | 29 | 8 | 168 | 84 |
| 65—70 | 825 | 763 | 65 | 17 | 357 | 260 | 212 | 195 | — | 101 | 1 | 100 | 23 | 9 | 167 | 81 |
| 70—75 | 772 | 788 | 73 | 14 | 310 | 305 | 209 | 183 | — | 101 | 2 | 103 | 29 | 16 | 149 | 66 |
| 75—80 | 535 | 606 | 44 | 8 | 187 | 197 | 155 | 171 | — | 69 | 1 | 83 | 33 | 19 | 115 | 59 |
| 80 and upwards | 384 | 461 | 52 | 12 | 124 | 143 | 77 | 107 | — | 37 | 1 | 86 | 46 | 34 | 84 | 42 |

| Causes of Death. | 50 Tumours not returned as malignant (Tumours of brain and female genital organs excepted). | | 51 Rheumatic fever. | | 52 Chronic rheumatism, osteo-arthritis, gout. | | 53 Scurvy. | | 54, 55* 56 Rickets. | | 57 Diabetes. | | 58. Anæmia, chlorosis. | | 58 (*a*) Pernicious anæmia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 78 | 87 | 143 | 146 | 195 | 376 | 2 | 3 | 42 | 28 | 436 | 502 | 251 | 330 | 225 | 286 |
| 0—1 | — | — | — | — | — | — | — | 2 | 20 | 13 | — | — | 2 | 3 | 1 | 1 |
| 1—5 | — | 1 | 9 | 1 | 1 | — | — | — | 21 | 14 | 3 | 1 | 3 | 2 | 1 | 1 |
| 5—10 | — | — | 13 | 11 | — | 1 | 1 | — | — | — | 5 | 4 | 1 | 1 | 1 | 1 |
| 10—15 | — | 2 | 20 | 26 | — | — | — | — | — | 1 | 6 | 13 | 3 | 1 | — | — |
| 15—20 | 1 | — | 32 | 30 | — | 1 | — | — | 1 | — | 18 | 12 | 5 | 9 | 4 | 5 |
| 20—25 | 2 | 1 | 9 | 8 | 1 | — | — | — | — | — | 14 | 15 | 5 | 3 | 1 | 3 |
| 25—30 | — | 1 | 3 | 10 | 2 | 1 | — | — | — | — | 16 | 12 | 4 | 10 | 3 | 9 |
| 30—35 | 3 | 3 | 6 | 8 | 2 | 1 | — | — | — | — | 10 | 16 | 7 | 16 | 5 | 14 |
| 35—40 | 1 | 3 | 4 | 8 | 3 | 5 | 1 | — | — | — | 13 | 13 | 13 | 18 | 12 | 14 |
| 40—45 | 1 | 5 | 7 | 2 | 5 | 4 | — | — | — | — | 17 | 11 | 19 | 18 | 17 | 16 |
| 45—50 | 5 | 2 | 4 | 8 | 4 | 21 | — | — | — | — | 17 | 21 | 14 | 35 | 14 | 27 |
| 50—55 | 7 | 7 | 7 | 9 | 9 | 23 | — | — | — | — | 26 | 42 | 22 | 46 | 22 | 40 |
| 55—60 | 7 | 7 | 6 | 4 | 16 | 35 | — | — | — | — | 38 | 47 | 40 | 31 | 36 | 27 |
| 60—65 | 10 | 8 | 8 | 9 | 23 | 46 | — | — | — | — | 58 | 72 | 38 | 47 | 37 | 43 |
| 65—70 | 14 | 15 | 10 | 4 | 36 | 73 | — | — | — | — | 72 | 88 | 30 | 38 | 29 | 36 |
| 70—75 | 14 | 9 | 3 | 3 | 34 | 63 | — | 1 | — | — | 71 | 71 | 25 | 29 | 24 | 28 |
| 75—80 | 4 | 16 | 1 | 5 | 32 | 45 | — | — | — | — | 36 | 42 | 18 | 15 | 16 | 14 |
| 80 and upwards | 9 | 7 | 1 | — | 27 | 57 | — | — | — | — | 16 | 22 | 2 | 8 | 2 | 7 |

* **54.** Pellagra 55, *5, 35, 40, 60*; **55.** Beri-beri —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 58 (*b*) Other anæmias and chlorosis. | | 59* 60 Diseases of the thyroid gland. | | 60 (*a*) Exophthalmic goitre. | | 60 (*b*) Other diseases of the thyroid gland. | | 61* 62 Diseases of the thymus. | | 63 Diseases of the adrenals. | | 64 Diseases of the spleen. | | 65 Leukæmia, lymphadenoma. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 26 | 44 | 38 | 225 | 12 | 154 | 26 | 71 | 13 | 7 | 22 | 26 | 4 | 2 | 97 | 98 |
| 0—1 | 1 | 2 | 3 | 3 | — | — | 3 | 3 | 9 | 4 | — | — | — | — | 1 | 1 |
| 1—5 | 2 | 1 | 3 | 4 | — | — | 3 | 4 | 1 | — | 1 | — | 1 | — | 8 | 4 |
| 5—10 | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | 3 | 2 |
| 10—15 | 3 | 1 | — | 2 | — | — | — | 2 | 1 | 2 | — | — | — | — | 3 | 2 |
| 15—20 | 1 | 4 | 4 | 11 | 1 | 9 | 3 | 2 | — | 1 | 1 | 1 | — | — | 6 | 2 |
| 20—25 | 4 | — | 3 | 9 | 1 | 8 | 2 | 1 | 1 | — | — | 1 | — | — | 6 | 4 |
| 25—30 | 1 | 1 | 2 | 9 | 1 | 8 | 1 | 1 | — | — | 2 | 1 | — | — | 3 | 5 |
| 30—35 | 2 | 2 | 2 | 8 | 1 | 5 | 1 | 3 | 1 | — | 2 | 3 | — | — | 2 | 4 |
| 35—40 | 1 | 4 | 1 | 12 | 1 | 9 | — | 3 | — | — | 2 | 2 | — | — | 2 | 7 |
| 40—45 | 2 | 2 | 2 | 14 | 1 | 10 | 1 | 4 | — | — | — | 4 | 1 | — | 8 | 6 |
| 45—50 | — | 8 | — | 38 | — | 30 | — | 8 | — | — | 3 | 6 | 1 | — | 5 | 9 |
| 50—55 | — | 6 | 1 | 32 | — | 28 | 1 | 4 | — | — | 3 | 3 | — | — | 9 | 12 |
| 55—60 | 4 | 4 | 5 | 28 | 2 | 23 | 3 | 5 | — | — | 3 | 1 | — | — | 11 | 18 |
| 60—65 | 1 | 4 | 4 | 14 | 1 | 8 | 3 | 6 | — | — | — | 4 | 1 | 1 | 9 | 5 |
| 65—70 | 1 | 2 | 2 | 17 | 2 | 8 | — | 9 | — | — | 3 | — | — | 1 | 9 | 9 |
| 70—75 | 1 | 1 | 1 | 12 | — | 4 | 1 | 8 | — | — | 2 | — | — | — | 10 | 4 |
| 75—80 | 2 | 1 | 3 | 5 | 1 | 1 | 2 | 4 | — | — | — | — | — | — | 2 | 2 |
| 80 and upwards | — | 1 | 1 | 7 | — | 3 | 1 | 4 | — | — | — | — | — | — | — | 2 |

* **59.** Diseases of the pituitary gland 30, 45; **61.** Diseases of the parathyroid glands —.

| Causes of Death. | 65 (*a*) Leukæmia. | | 65 (*b*) Lymphadenoma. (Hodgkin's disease). | | 66 Alcoholism (acute or chronic). | | 67 Chronic poisoning by mineral substances. | | 68* 69 Other general diseases. | | III. 70–86 Diseases of the Nervous system and sense organs. | | 70 Encephalitis. | | 71 Meningitis. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 52 | 60 | 45 | 38 | 28 | 8 | 3 | — | 50 | 43 | 5061 | 5380 | 35 | 18 | 196 | 175 |
| 0—1 | 1 | 1 | — | — | — | — | — | — | 16 | 8 | 506 | 346 | 3 | 2 | 53 | 35 |
| 1—5 | 7 | 4 | 1 | — | — | — | — | — | 5 | 3 | 172 | 149 | 1 | 1 | 63 | 46 |
| 5—10 | 2 | — | 1 | 2 | — | — | — | — | 2 | 3 | 51 | 46 | 1 | 1 | 17 | 14 |
| 10—15 | 1 | 1 | 2 | 1 | — | — | — | — | 5 | 1 | 55 | 59 | 2 | 2 | 17 | 13 |
| 15—20 | 4 | 1 | 2 | 1 | — | — | — | — | 3 | 2 | 63 | 66 | 3 | — | 7 | 14 |
| 20—25 | 4 | — | 2 | 4 | — | — | — | — | 2 | 2 | 54 | 57 | 3 | — | 5 | 6 |
| 25—30 | 1 | 2 | 2 | 3 | — | — | — | — | 1 | — | 65 | 47 | 5 | — | 5 | 9 |
| 30—35 | — | 3 | 2 | 1 | 1 | — | — | — | — | 3 | 62 | 65 | — | 1 | 4 | 6 |
| 35—40 | — | 6 | 2 | 1 | — | 3 | — | — | — | 2 | 74 | 71 | 3 | — | 7 | 5 |
| 40—45 | 5 | 4 | 3 | 2 | 2 | 1 | 1 | — | 2 | — | 115 | 120 | 1 | — | 1 | 7 |
| 45—50 | 2 | 7 | 3 | 2 | 5 | 1 | — | — | 1 | 6 | 173 | 151 | 1 | — | 1 | 1 |
| 50—55 | 7 | 8 | 2 | 4 | 5 | — | 1 | — | 2 | 4 | 206 | 264 | 3 | 2 | 3 | 4 |
| 55—60 | 4 | 10 | 7 | 8 | 8 | 1 | — | — | 5 | 2 | 309 | 365 | 3 | 4 | 4 | 6 |
| 60—65 | 6 | 3 | 3 | 2 | 1 | 2 | 1 | — | 3 | 3 | 417 | 469 | 2 | 1 | 2 | 5 |
| 65—70 | 5 | 6 | 4 | 3 | 3 | — | — | — | — | 2 | 584 | 582 | 1 | 2 | 5 | 2 |
| 70—75 | 3 | 2 | 7 | 2 | 3 | — | — | — | 1 | 1 | 731 | 734 | — | 1 | 1 | 1 |
| 75—80 | — | 1 | 2 | 1 | — | — | — | — | 1 | — | 675 | 827 | 1 | 1 | — | 1 |
| 80 and upwards | — | 1 | — | 1 | — | — | — | — | 1 | 1 | 749 | 962 | 2 | — | 1 | — |

* **68.** Chronic poisoning by organic substances *45, 45, 65.*

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only.)

| Causes of Death. | 72 Tabes dorsalis (locomotor ataxy). | | 73 Other diseases of the spinal cord. | | 74 Cerebral hæmorrhage apoplexy. | | 74 (*a*) Cerebral hæmorrhage. | | 74 (*b*) Cerebral embolism and thrombosis. | | 75 Paralysis of unstated origin. | | 75 (*a*) Hemiplegia. | | 75 (*b*) Other forms of paralysis. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 78 | 17 | 198 | 137 | 2766 | 3381 | 2449 | 2982 | 317 | 399 | 247 | 307 | 202 | 276 | 45 | 31 |
| 0—1 | — | — | 1 | 1 | 1 | — | 1 | — | — | — | 1 | — | 1 | — | — | — |
| 1—5 | — | — | 1 | 1 | 1 | 1 | 1 | 1 | — | — | — | 1 | — | — | — | 1 |
| 5—10 | — | — | 2 | — | 2 | 2 | 2 | 2 | — | — | — | — | — | — | — | — |
| 10—15 | — | — | 4 | 2 | 2 | 1 | 2 | — | — | 1 | 1 | 2 | — | — | 1 | 2 |
| 15—20 | — | — | 9 | 3 | 1 | 3 | — | 2 | 1 | 1 | 4 | 2 | — | — | 4 | 2 |
| 20—25 | — | — | 3 | 2 | 3 | 6 | 1 | 1 | 2 | 5 | 1 | — | — | — | 1 | — |
| 25—30 | — | — | 4 | — | 3 | 4 | 1 | 4 | 2 | — | 1 | — | — | — | 1 | — |
| 30—35 | — | — | 6 | 2 | 6 | 7 | 4 | 7 | 2 | — | — | — | — | — | — | — |
| 35—40 | 1 | 1 | 5 | 6 | 7 | 12 | 7 | 6 | — | 6 | 4 | 3 | 1 | 2 | 3 | 1 |
| 40—45 | 7 | — | 6 | 9 | 24 | 29 | 21 | 27 | 3 | 2 | 1 | 3 | — | 3 | 1 | — |
| 45—50 | 7 | — | 15 | 9 | 60 | 76 | 54 | 71 | 6 | 5 | 4 | 3 | 4 | 3 | — | — |
| 50—55 | 13 | 4 | 21 | 18 | 83 | 152 | 75 | 138 | 8 | 14 | 11 | 7 | 10 | 6 | 1 | 1 |
| 55—60 | 12 | 3 | 27 | 20 | 174 | 238 | 159 | 214 | 15 | 24 | 12 | 13 | 6 | 11 | 6 | 2 |
| 60—65 | 15 | 4 | 26 | 13 | 270 | 351 | 240 | 328 | 30 | 23 | 17 | 21 | 15 | 19 | 2 | 2 |
| 65—70 | 11 | 3 | 26 | 17 | 431 | 453 | 385 | 406 | 46 | 47 | 28 | 42 | 22 | 40 | 6 | 2 |
| 70—75 | 7 | 2 | 20 | 15 | 547 | 590 | 488 | 521 | 59 | 69 | 57 | 60 | 50 | 56 | 7 | 4 |
| 75—80 | 4 | — | 14 | 11 | 519 | 666 | 458 | 588 | 61 | 78 | 53 | 67 | 49 | 63 | 4 | 4 |
| 80 and upwards | 1 | — | 8 | 8 | 632 | 790 | 550 | 666 | 82 | 124 | 52 | 83 | 44 | 73 | 8 | 10 |

| Causes of Death. | 76 General paralysis of the insane. | | 77 Other forms of insanity. | | 78 Epilepsy. | | 79 & 80 Convulsions (non-puerperal). | | 81 Chorea. | | 82 Hysteria and neuritis. | | 83 Cerebral softening. | | 84 Other diseases of the nervous system. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 147 | 38 | 57 | 115 | 263 | 217 | 499 | 371 | 2 | 12 | 22 | 20 | 99 | 99 | 360 | 382 |
| 0—1 | — | — | — | — | 6 | 4 | 427 | 290 | — | — | — | — | — | — | 5 | 5 |
| 1—5 | — | — | — | — | 14 | 7 | 67 | 74 | — | — | — | — | — | — | 10 | 11 |
| 5—10 | — | — | — | — | 12 | — | 3 | 2 | 1 | 2 | — | — | — | — | 8 | 11 |
| 10—15 | — | — | — | — | 13 | 13 | 1 | 1 | — | 4 | — | — | — | — | 6 | 12 |
| 15—20 | 1 | 1 | — | 2 | 15 | 17 | — | — | — | 6 | 1 | — | — | — | 12 | 11 |
| 20—25 | 2 | 1 | — | 6 | 20 | 19 | — | — | 1 | — | — | 1 | — | — | 7 | 10 |
| 25—30 | 3 | 1 | 1 | 6 | 24 | 12 | — | — | — | — | — | — | — | — | 13 | 10 |
| 30—35 | 5 | 1 | 3 | 4 | 20 | 24 | — | — | — | — | — | — | 1 | — | 12 | 18 |
| 35—40 | 13 | 6 | 1 | 4 | 8 | 12 | — | — | — | — | — | 2 | — | — | 20 | 13 |
| 40—45 | 28 | 10 | 2 | 14 | 20 | 16 | — | — | — | — | 1 | 1 | 2 | 6 | 19 | 22 |
| 45—50 | 28 | 8 | 3 | 8 | 22 | 16 | — | 1 | — | — | 3 | — | — | 1 | 27 | 24 |
| 50—55 | 21 | 3 | 7 | 18 | 9 | 17 | — | 2 | — | — | 3 | 1 | 4 | 3 | 24 | 29 |
| 55—60 | 20 | 2 | 6 | 17 | 16 | 18 | — | — | — | — | 2 | 2 | 6 | 3 | 26 | 33 |
| 60—65 | 13 | 1 | 14 | 10 | 13 | 9 | — | — | — | — | 2 | 3 | 4 | 12 | 37 | 36 |
| 65—70 | 4 | — | 6 | 16 | 15 | 10 | 1 | — | — | — | 3 | 2 | 16 | 4 | 35 | 31 |
| 70—75 | 4 | 2 | 8 | 3 | 17 | 10 | — | — | — | — | 2 | 4 | 18 | 15 | 48 | 27 |
| 75—80 | 3 | 2 | 6 | 5 | 13 | 6 | — | 1 | — | — | 2 | 1 | 26 | 25 | 32 | 41 |
| 80 and upwards | 2 | — | — | 2 | 6 | 7 | — | — | — | — | 3 | 3 | 22 | 30 | 19 | 38 |

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 85 Diseases of the eye and annexa. | | 86 Diseases of the ear and of the mastoid sinus. | | IV. 87–96 Diseases of the circulatory system. | | 87–90 Heart disease (all forms). | | 87 Pericarditis. | | 88 Acute endocarditis and myocarditis | | 89 Angina pectoris. | | 90 Other diseases of the heart. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 5 | 4 | 87 | 87 | 7864 | 7938 | 5863 | 6544 | 35 | 13 | 121 | 130 | 180 | 95 | 5527 | 6306 |
| 0—1 | — | — | 9 | 9 | 2 | 3 | 1 | — | 1 | — | — | — | — | — | — | — |
| 1—5 | 2 | — | 13 | 7 | 8 | 8 | 7 | 5 | 2 | 2 | 3 | 1 | — | — | 2 | 2 |
| 5—10 | — | — | 5 | 14 | 20 | 27 | 19 | 26 | — | — | 2 | 7 | — | — | 17 | 19 |
| 10—15 | — | — | 9 | 9 | 31 | 31 | 31 | 31 | — | 1 | 5 | 6 | — | — | 26 | 24 |
| 15—20 | — | — | 10 | 7 | 51 | 36 | 51 | 36 | 3 | — | 12 | 7 | — | — | 36 | 29 |
| 20—25 | — | — | 9 | 6 | 50 | 54 | 50 | 52 | 3 | 1 | 10 | 13 | — | — | 37 | 38 |
| 25—30 | — | — | 6 | 5 | 56 | 61 | 53 | 56 | 2 | — | 10 | 11 | — | — | 41 | 45 |
| 30—35 | — | — | 5 | 2 | 77 | 78 | 75 | 75 | — | — | 21 | 10 | — | — | 54 | 65 |
| 35—40 | — | — | 5 | 7 | 111 | 115 | 100 | 106 | 2 | 1 | 15 | 16 | 2 | 1 | 81 | 88 |
| 40—45 | — | 1 | 3 | 2 | 145 | 138 | 128 | 127 | 2 | 2 | 14 | 19 | 3 | 3 | 109 | 103 |
| 45—50 | 1 | — | 1 | 4 | 205 | 210 | 173 | 190 | 3 | — | 7 | 3 | 6 | — | 157 | 187 |
| 50—55 | — | 1 | 4 | 3 | 297 | 322 | 247 | 287 | 2 | — | 6 | 8 | 14 | 3 | 225 | 276 |
| 55—60 | — | — | 1 | 6 | 549 | 463 | 455 | 413 | 1 | 1 | 4 | 6 | 25 | 3 | 425 | 403 |
| 60—65 | — | — | 2 | 3 | 825 | 748 | 641 | 669 | 1 | 2 | 8 | 9 | 32 | 16 | 600 | 642 |
| 65—70 | 1 | — | 1 | — | 1231 | 1132 | 937 | 976 | 4 | 2 | 1 | 4 | 34 | 27 | 898 | 943 |
| 70—75 | — | 2 | 2 | 2 | 1391 | 1365 | 1023 | 1140 | 4 | — | 1 | 3 | 27 | 15 | 991 | 1122 |
| 75—80 | — | — | 2 | — | 1346 | 1460 | 963 | 1167 | 1 | 1 | — | 2 | 23 | 18 | 939 | 1146 |
| 80 and upwards | 1 | — | — | 1 | 1469 | 1687 | 909 | 1188 | 4 | — | 2 | 5 | 14 | 9 | 889 | 1174 |

| Causes of Death. | 90 (1–4) Valvular disease. | | 90 (5–8) Other defined heart disease. | | 90 (9) Heart disease undefined. | | 91 Disease of the arteries. | | 91 (*a*) Aneurism. | | 91 (*b*) Arteriosclerosis. | | 91 (*b*) 1 With record of cerebral vascular lesion. | | 91 (*b*) 2 Without record of cerebral vascular lesion. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 2498 | 2891 | 1669 | 1888 | 1360 | 1527 | 1922 | 1277 | 99 | 34 | 1798 | 1225 | 559 | 445 | 1239 | 780 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | 1 | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| 5—10 | 11 | 15 | — | 1 | 6 | 3 | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 25 | 18 | — | — | 1 | 6 | — | — | — | — | — | — | — | — | — | — |
| 15—20 | 29 | 22 | 2 | 1 | 5 | 6 | — | — | — | — | — | — | — | — | — | — |
| 20—25 | 29 | 26 | 3 | — | 5 | 12 | — | 2 | — | 2 | — | — | — | — | — | — |
| 25—30 | 33 | 30 | 2 | 2 | 6 | 13 | 2 | — | 1 | — | 1 | — | 1 | — | — | — |
| 30—35 | 33 | 50 | 6 | 3 | 15 | 12 | 2 | — | 2 | — | — | — | — | — | — | — |
| 35—40 | 54 | 54 | 9 | 12 | 18 | 22 | 8 | 2 | 4 | — | 4 | 2 | 2 | — | 2 | 2 |
| 40—45 | 66 | 65 | 15 | 20 | 28 | 18 | 14 | 5 | 7 | — | 6 | 4 | 3 | 4 | 3 | — |
| 45—50 | 83 | 117 | 29 | 34 | 45 | 36 | 25 | 11 | 9 | 2 | 15 | 8 | 7 | 6 | 8 | 2 |
| 50—55 | 131 | 151 | 48 | 71 | 46 | 54 | 40 | 24 | 14 | 3 | 24 | 20 | 14 | 13 | 10 | 7 |
| 55—60 | 207 | 226 | 114 | 96 | 104 | 81 | 84 | 40 | 12 | 4 | 71 | 35 | 33 | 17 | 38 | 18 |
| 60—65 | 307 | 333 | 142 | 149 | 151 | 160 | 174 | 70 | 15 | 5 | 159 | 64 | 66 | 32 | 93 | 32 |
| 65—70 | 423 | 427 | 270 | 269 | 205 | 247 | 280 | 139 | 14 | 5 | 262 | 133 | 97 | 65 | 165 | 68 |
| 70—75 | 419 | 485 | 307 | 341 | 265 | 296 | 362 | 216 | 10 | 6 | 349 | 206 | 111 | 83 | 238 | 123 |
| 75—80 | 363 | 487 | 334 | 370 | 242 | 289 | 376 | 280 | 6 | 3 | 362 | 272 | 108 | 102 | 254 | 170 |
| 80 and upwards | 284 | 384 | 388 | 519 | 217 | 271 | 555 | 488 | 5 | 4 | 545 | 481 | 117 | 123 | 428 | 358 |

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 91 (*c*) Other diseases of the arteries. | | 92 Embolism and thrombosis (not cerebral). | | 93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.). | | 94 Diseases of the lymphatic system (Lymphangitis, etc.). | | 96* / 95 Hæmorrhage without stated cause. | | V. 97–107 Diseases of the respiratory system. | | 97 Diseases of the nasal fossæ and annexa. | | 98 Diseases of the larynx. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 25 | 18 | 40 | 47 | 32 | 56 | 5 | 8 | 2 | 6 | 6173 | 4980 | 19 | 12 | 56 | 44 |
| 0—1 | — | — | — | 2 | — | — | — | — | 1 | 1 | 880 | 610 | 2 | 3 | 11 | 8 |
| 1—5 | — | — | — | — | 1 | — | — | 3 | — | — | 514 | 447 | — | — | 24 | 22 |
| 5—10 | — | — | — | 1 | — | — | 1 | — | — | — | 69 | 77 | 1 | — | 6 | 4 |
| 10—15 | — | — | — | — | — | — | — | — | — | — | 39 | 39 | 1 | 1 | — | 1 |
| 15—20 | — | — | — | — | — | — | — | — | — | — | 56 | 35 | 2 | 2 | — | — |
| 20—25 | — | — | — | — | — | — | — | — | — | — | 84 | 37 | 2 | 1 | — | — |
| 25—30 | — | — | — | 3 | — | 1 | 1 | 1 | — | — | 62 | 67 | 2 | 1 | — | — |
| 30—35 | — | — | — | 2 | — | 1 | — | — | — | — | 104 | 71 | 1 | — | — | 1 |
| 35—40 | — | — | 1 | 3 | 2 | 4 | — | — | — | — | 161 | 90 | — | 1 | — | — |
| 40—45 | 1 | 1 | 3 | 3 | — | 2 | — | — | — | 1 | 155 | 94 | 2 | 1 | 3 | 3 |
| 45—50 | 1 | 1 | 3 | 3 | 4 | 6 | — | — | — | — | 206 | 107 | — | 1 | 1 | — |
| 50—55 | 2 | 1 | 4 | 3 | 6 | 7 | — | — | — | 1 | 230 | 126 | 1 | — | 2 | 1 |
| 55—60 | 1 | 1 | 4 | 4 | 5 | 6 | — | — | 1 | — | 308 | 190 | 2 | — | 1 | — |
| 60—65 | — | 1 | 6 | 4 | 4 | 5 | — | — | — | — | 430 | 271 | — | — | 3 | — |
| 65—70 | 4 | 1 | 7 | 6 | 4 | 9 | 3 | 1 | — | 1 | 571 | 387 | 1 | — | 2 | 3 |
| 70—75 | 3 | 4 | 2 | 4 | 4 | 5 | — | — | — | — | 656 | 559 | 1 | — | — | 1 |
| 75—80 | 8 | 5 | 6 | 4 | 1 | 5 | — | 3 | — | 1 | 700 | 692 | — | 1 | 1 | — |
| 80 and upwards | 5 | 3 | 4 | 5 | 1 | 5 | — | — | — | 1 | 948 | 1081 | 1 | — | 2 | — |

***96.** Other diseases of the circulatory system — .

| Causes of Death. | 99 Bronchitis. | | 99 (*a*) Acute. | | 99 (*b*) Chronic. | | 99 (*c* & *d*) Not stated whether acute or chronic. | | 100 & 101 Pneumonia (all forms). | | 100 Broncho-pneumonia. | | 101 Pneumonia (lobar and not otherwise defined). | | 101 (*a*) Pneumonia, lobar. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 2811 | 2559 | 663 | 758 | 1014 | 682 | 1134 | 1119 | 2671 | 1982 | 1141 | 954 | 1530 | 1028 | 810 | 493 |
| 0—1 | 331 | 237 | 154 | 96 | 6 | 1 | 171 | 140 | 521 | 352 | 450 | 290 | 71 | 62 | 17 | 16 |
| 1—5 | 110 | 103 | 52 | 48 | 3 | — | 55 | 55 | 372 | 314 | 261 | 239 | 111 | 75 | 49 | 28 |
| 5—10 | 5 | 8 | 3 | 7 | — | 1 | 2 | — | 50 | 63 | 26 | 33 | 24 | 30 | 16 | 18 |
| 10—15 | 5 | 7 | 2 | 4 | 2 | 2 | 1 | 1 | 32 | 26 | 8 | 6 | 24 | 20 | 14 | 9 |
| 15—20 | 1 | 3 | — | 1 | 1 | 1 | — | 1 | 47 | 27 | 9 | 4 | 38 | 23 | 20 | 8 |
| 20—25 | 8 | 4 | 1 | 3 | 4 | — | 3 | 1 | 69 | 27 | 14 | 6 | 55 | 21 | 28 | 10 |
| 25—30 | 3 | 15 | 1 | 7 | — | 3 | 2 | 5 | 50 | 45 | 8 | 7 | 42 | 38 | 31 | 26 |
| 30—35 | 17 | 8 | 2 | 2 | 11 | 2 | 4 | 4 | 75 | 52 | 7 | 4 | 68 | 48 | 46 | 27 |
| 35—40 | 19 | 16 | 4 | 7 | 8 | 3 | 7 | 6 | 124 | 61 | 14 | 14 | 110 | 47 | 70 | 30 |
| 40—45 | 14 | 19 | 3 | 6 | 4 | 8 | 7 | 5 | 108 | 62 | 18 | 11 | 90 | 51 | 52 | 31 |
| 45—50 | 37 | 32 | 11 | 14 | 16 | 9 | 10 | 9 | 125 | 56 | 16 | 10 | 109 | 46 | 62 | 25 |
| 50—55 | 57 | 28 | 4 | 9 | 33 | 14 | 20 | 5 | 142 | 78 | 27 | 16 | 115 | 62 | 64 | 32 |
| 55—60 | 95 | 62 | 20 | 20 | 46 | 24 | 29 | 18 | 155 | 103 | 31 | 26 | 124 | 77 | 63 | 46 |
| 60—65 | 162 | 129 | 28 | 41 | 81 | 54 | 53 | 34 | 195 | 112 | 49 | 26 | 146 | 86 | 88 | 51 |
| 65—70 | 291 | 207 | 50 | 56 | 156 | 75 | 85 | 76 | 181 | 136 | 47 | 53 | 134 | 83 | 65 | 39 |
| 70—75 | 412 | 344 | 75 | 100 | 191 | 106 | 146 | 138 | 177 | 168 | 54 | 64 | 123 | 104 | 66 | 40 |
| 75—80 | 499 | 493 | 99 | 130 | 190 | 165 | 210 | 198 | 126 | 150 | 52 | 76 | 74 | 74 | 32 | 25 |
| 80 and upwards | 745 | 844 | 154 | 207 | 262 | 214 | 329 | 423 | 122 | 150 | 50 | 69 | 72 | 81 | 27 | 32 |

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 101 (*b*) Pneumonia, not otherwise defined. | | 102 Pleurisy. | | 103 Congestion and hæmorrhagic infarct of lung. | | 104 Gangrene of the lung. | | 105 Asthma. | | 106 Pulmonary emphysema. | | 107 Other diseases of the respiratory system. | | 107 (*a*) Chronic interstitial pneumonia. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 720 | 535 | 153 | 86 | 123 | 122 | 7 | 5 | 218 | 132 | 36 | 13 | 79 | 25 | 60 | 1 |
| 0—1 | 54 | 46 | — | — | 12 | 9 | — | — | 1 | — | — | — | 2 | 1 | — | — |
| 1—5 | 62 | 47 | 2 | 3 | 3 | 2 | — | — | — | 3 | — | — | 3 | — | 1 | — |
| 5—10 | 8 | 12 | 6 | — | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — |
| 10—15 | 10 | 11 | — | 2 | 1 | — | — | 2 | — | — | — | — | — | — | — | — |
| 15—20 | 18 | 15 | 5 | 1 | — | — | — | 1 | 1 | — | — | — | — | 1 | — | — |
| 20—25 | 27 | 11 | 2 | 4 | 1 | — | — | — | 1 | 1 | — | — | 1 | — | — | — |
| 25—30 | 11 | 12 | 5 | 3 | — | — | — | — | 2 | 1 | — | — | — | 2 | — | — |
| 30—35 | 22 | 21 | 7 | 4 | 1 | 1 | — | 1 | 1 | 4 | — | — | 2 | — | — | — |
| 35—40 | 40 | 17 | 8 | 6 | 1 | — | 1 | — | 6 | — | — | — | 2 | 6 | 1 | |
| 40—45 | 38 | 20 | 8 | 3 | 1 | 2 | — | 1 | 12 | 3 | — | — | 7 | — | 6 | — |
| 45—50 | 47 | 21 | 12 | 5 | 3 | 2 | 2 | — | 13 | 6 | 2 | — | 11 | 5 | 11 | |
| 50—55 | 51 | 30 | 9 | 7 | — | 3 | — | — | 9 | 7 | 3 | 1 | 7 | 1 | 5 | |
| 55—60 | 61 | 31 | 16 | 4 | 2 | 2 | 2 | — | 22 | 18 | 2 | 1 | 11 | — | 11 | — |
| 60—65 | 58 | 35 | 19 | 3 | 8 | 8 | — | — | 27 | 17 | 3 | — | 13 | 2 | 11 | |
| 65—70 | 69 | 44 | 22 | 7 | 7 | 8 | 1 | — | 45 | 22 | 8 | 2 | 13 | 2 | 10 | |
| 70—75 | 57 | 64 | 10 | 7 | 18 | 13 | 1 | — | 27 | 21 | 5 | 3 | 5 | 2 | 3 | — |
| 75—80 | 42 | 49 | 16 | 12 | 25 | 21 | — | — | 25 | 12 | 6 | 3 | 2 | — | 1 | — |
| 80 and upwards | 45 | 49 | 6 | 15 | 40 | 51 | — | — | 25 | 16 | 7 | 3 | — | 2 | — | |

| Causes of Death. | 107 (*b*) Diseases of the mediastinum. | | 107 (*c*) Other diseases included under 107. | | VI. 108–127 Diseases of the digestive system. | | 108 Diseases of the buccal cavity and annexa. | | 108 (1) Diseases of the teeth and gums. | | 108 (2 & 3) Other diseases of the buccal cavity and annexa. | | 109 Diseases of the pharynx and tonsils. | | 110 Diseases of the œsophagus. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F |
| All Ages | 1 | 2 | 18 | 11 | 2537 | 2217 | 52 | 40 | 33 | 29 | 19 | 11 | 50 | 47 | 5 | |
| 0—1 | — | — | 2 | 1 | 505 | 321 | 7 | — | 4 | — | 3 | — | 3 | 2 | — | — |
| 1—5 | 1 | — | 1 | — | 153 | 152 | 4 | 4 | 2 | 3 | 2 | 1 | 4 | 6 | — | — |
| 5—10 | — | — | — | 1 | 64 | 62 | 1 | — | 1 | — | — | — | 9 | 7 | 1 | — |
| 10—15 | — | — | — | — | 57 | 44 | 1 | — | — | — | 1 | — | 5 | 4 | — | — |
| 15—20 | — | 1 | — | — | 66 | 47 | 4 | — | 1 | — | 3 | — | 4 | 5 | — | — |
| 20—25 | — | — | 1 | — | 57 | 42 | 3 | — | 2 | — | 1 | — | 3 | 1 | — | — |
| 25—30 | — | — | — | 2 | 52 | 47 | 2 | 2 | 1 | 2 | 1 | — | 5 | 3 | — | — |
| 30—35 | — | — | 2 | — | 60 | 49 | 1 | 2 | — | 2 | 1 | — | 5 | 1 | — | — |
| 35—40 | — | — | 1 | 3 | 81 | 70 | 3 | 4 | 3 | 2 | — | 2 | 1 | 4 | — | — |
| 40—45 | — | — | 1 | — | 102 | 88 | 2 | 3 | — | 3 | 2 | — | 1 | — | — | — |
| 45—50 | — | 1 | — | 1 | 120 | 103 | 5 | 6 | 4 | 5 | 1 | 1 | — | 3 | — | — |
| 50—55 | — | — | 2 | — | 150 | 115 | 1 | 6 | — | 5 | 1 | 1 | — | — | — | — |
| 55—60 | — | — | — | — | 180 | 140 | 2 | 4 | 1 | 1 | 1 | 3 | 4 | 1 | 1 | |
| 60—65 | — | — | 2 | — | 206 | 175 | 7 | 1 | 5 | — | 2 | 1 | 2 | 6 | 1 | — |
| 65—70 | — | — | 3 | — | 188 | 198 | 4 | 1 | 4 | — | — | 1 | 1 | — | — | |
| 70—75 | — | — | 2 | 2 | 166 | 159 | 4 | 1 | 4 | — | — | 1 | — | 1 | — | — |
| 75—80 | — | — | 1 | — | 159 | 180 | — | 4 | — | 4 | — | — | 2 | — | 1 | — |
| 80 and upwards | — | — | — | 1 | 171 | 225 | 1 | 2 | 1 | 2 | — | — | 1 | 3 | 1 | |

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 111 Ulcer of the stomach or duodenum. | | 111 (*a*) Ulcer of the stomach. | | 111 (*b*) Ulcer of the duodenum. | | 112 Other diseases of the stomach. | | 113 & 114 Diarrhœa and enteritis. | | 115* 116* Diseases due to other intestinal parasites. | | 117 Appendicitis and typhlitis. | | 118 Hernia, intestinal obstruction. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 369 | 179 | 229 | 144 | 140 | 35 | 265 | 231 | 614 | 573 | 2 | 1 | 315 | 243 | 456 | 431 |
| 0—1 | — | 1 | — | 1 | — | — | 80 | 40 | 349 | 247 | — | — | 4 | 1 | 49 | 24 |
| 1—5 | — | — | — | — | — | — | 12 | 15 | 90 | 96 | 2 | — | 12 | 11 | 14 | 8 |
| 5—10 | — | — | — | — | — | — | 3 | 3 | 9 | 13 | — | — | 29 | 25 | 9 | 2 |
| 10—15 | 1 | 1 | 1 | 1 | — | — | 2 | — | 5 | 5 | — | — | 36 | 28 | 3 | 5 |
| 15—20 | 6 | 4 | 4 | 4 | 2 | — | 2 | — | 4 | 3 | — | — | 31 | 29 | 12 | 1 |
| 20—25 | 12 | 5 | 7 | 5 | 5 | — | 1 | 1 | 1 | 5 | — | — | 24 | 17 | 10 | 7 |
| 25—30 | 12 | 6 | 9 | 6 | 3 | — | 4 | 2 | 1 | 3 | — | — | 18 | 15 | 9 | 8 |
| 30—35 | 19 | 6 | 12 | 6 | 7 | — | 1 | 2 | 3 | 6 | — | — | 16 | 10 | 11 | 14 |
| 35—40 | 24 | 12 | 19 | 11 | 5 | 1 | 5 | 3 | 6 | 10 | — | — | 17 | 15 | 10 | 11 |
| 40—45 | 42 | 13 | 29 | 9 | 13 | 4 | 4 | 3 | 9 | 9 | — | — | 18 | 14 | 9 | 21 |
| 45—50 | 31 | 19 | 16 | 15 | 15 | 4 | 8 | 7 | 9 | 7 | — | — | 18 | 15 | 23 | 18 |
| 50—55 | 46 | 21 | 26 | 15 | 20 | 6 | 6 | 2 | 9 | 8 | — | — | 17 | 13 | 23 | 25 |
| 55—60 | 41 | 18 | 21 | 13 | 20 | 5 | 13 | 7 | 6 | 15 | — | — | 23 | 16 | 24 | 30 |
| 60—65 | 44 | 26 | 19 | 23 | 25 | 3 | 15 | 17 | 17 | 25 | — | — | 22 | 11 | 44 | 46 |
| 65—70 | 38 | 16 | 23 | 13 | 15 | 3 | 22 | 24 | 21 | 23 | — | — | 16 | 7 | 42 | 54 |
| 70—75 | 27 | 8 | 21 | 8 | 6 | — | 23 | 23 | 23 | 23 | — | 1 | 9 | 11 | 39 | 44 |
| 75—80 | 16 | 15 | 13 | 10 | 3 | 5 | 28 | 31 | 19 | 27 | — | — | 2 | 4 | 62 | 55 |
| 80 and upwards | 10 | 8 | 9 | 4 | 1 | 4 | 36 | 51 | 33 | 48 | — | — | 3 | 1 | 63 | 58 |

***115.** Ankylostomiasis —; **116** (*c*) Nematodes, 1; **116** (*f*) Undefined parasites, 1, *70*.

| Causes of Death. | 118 (*a*) Hernia. | | 118 (*b*) Intestinal obstruction. | | 119 Other diseases of the intestines. | | 120 Acute yellow atrophy of the liver. | | 121 Hydatid tumour of the liver. | | 122 Cirrhosis of the liver. | | 122 (*a*) Returned as alcoholic. | | 122 (*b*) Not returned as alcoholic. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 176 | 171 | 280 | 260 | 55 | 35 | 4 | 11 | 4 | 2 | 172 | 101 | 16 | 6 | 156 | 95 |
| 0—1 | 13 | 1 | 36 | 23 | 9 | 1 | — | — | — | — | 1 | — | — | — | 1 | — |
| 1—5 | 1 | 2 | 13 | 6 | 6 | 3 | 1 | — | — | — | — | 1 | — | — | — | 1 |
| 5—10 | — | — | 9 | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| 10—15 | — | 1 | 3 | 4 | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — |
| 15—20 | 2 | — | 10 | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 20—25 | — | 2 | 10 | 5 | — | 1 | 1 | 1 | — | — | 1 | 2 | — | — | 1 | 2 |
| 25—30 | 1 | 1 | 8 | 7 | — | — | — | 2 | — | — | — | 1 | — | — | — | 1 |
| 30—35 | 3 | 3 | 8 | 11 | 1 | — | — | 2 | — | — | 1 | 1 | 1 | — | — | 1 |
| 35—40 | 2 | 2 | 8 | 9 | — | 3 | 1 | 2 | 1 | 1 | 4 | — | 1 | — | 3 | — |
| 40—45 | 2 | 6 | 7 | 15 | 5 | 1 | — | 2 | 1 | — | 7 | 8 | 1 | 1 | 6 | 7 |
| 45—50 | 9 | 4 | 14 | 14 | 1 | 1 | — | 1 | — | — | 10 | 10 | 3 | 1 | 7 | 9 |
| 50—55 | 9 | 10 | 14 | 15 | 4 | — | — | — | 1 | — | 22 | 13 | 1 | — | 21 | 13 |
| 55—60 | 9 | 15 | 15 | 15 | 4 | 4 | — | — | — | — | 35 | 13 | 5 | 1 | 30 | 12 |
| 60—65 | 17 | 25 | 27 | 21 | 6 | 2 | — | — | 1 | — | 28 | 11 | 2 | — | 26 | 11 |
| 65—70 | 23 | 26 | 19 | 28 | 3 | 1 | — | — | — | — | 30 | 16 | 2 | 2 | 28 | 14 |
| 70—75 | 20 | 24 | 19 | 20 | 6 | 4 | — | — | — | 1 | 22 | 10 | — | — | 22 | 10 |
| 75—80 | 32 | 27 | 30 | 28 | 6 | 1 | — | — | — | — | 6 | 10 | — | 1 | 6 | 9 |
| 80 and upwards | 33 | 22 | 30 | 36 | 3 | 13 | — | — | — | — | 4 | 5 | — | — | 4 | 5 |

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 123 Biliary calculi. | | 124 Other diseases of the liver. | | 125 Diseases of the pancreas. | | 127* 126 Peritonitis of unstated origin. | | VII. 128–142 Non-puerperal diseases of the genito-urinary system. | | 128 Acute nephritis (including unspecified under 10 years of age). | | 129 Chronic nephritis (including unspecified over 10 years of age). | | 130* 131 Othe diseases of the kidneys and annex | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 50 | 153 | 68 | 107 | 25 | 20 | 31 | 40 | 2208 | 1500 | 131 | 122 | 1149 | 1033 | 46 | 4 |
| 0—1 | — | — | 1 | 3 | — | — | 2 | 2 | 11 | 11 | 7 | 8 | — | — | 1 | — |
| 1—5 | — | — | 2 | — | — | — | 6 | 8 | 29 | 22 | 25 | 16 | 2 | 5 | 1 | |
| 5—10 | — | — | — | — | — | — | 2 | 12 | 27 | 9 | 15 | 7 | 11 | 2 | 1 | — |
| 10—15 | — | — | 2 | — | — | — | — | 1 | 15 | 20 | 7 | 7 | 7 | 10 | — | |
| 15—20 | — | 1 | 1 | 2 | 1 | — | 1 | 1 | 21 | 23 | 7 | 7 | 14 | 10 | — | |
| 20—25 | — | — | — | 2 | — | — | 1 | — | 26 | 29 | 5 | 4 | 17 | 16 | 1 | |
| 25—30 | — | — | — | — | — | 3 | 1 | 2 | 36 | 36 | 9 | 6 | 20 | 20 | 2 | — |
| 30—35 | — | 2 | 2 | 2 | — | — | — | 1 | 18 | 40 | — | 5 | 14 | 20 | — | |
| 35—40 | 1 | 3 | 2 | 2 | 4 | — | 2 | — | 37 | 87 | 6 | 11 | 21 | 42 | 2 | |
| 40—45 | — | 7 | 2 | 4 | — | 1 | 2 | 2 | 64 | 73 | 3 | 6 | 43 | 33 | 4 | — |
| 45—50 | 4 | 8 | 2 | 4 | 7 | 2 | 2 | 2 | 91 | 107 | 10 | 8 | 64 | 64 | 6 | |
| 50—55 | 6 | 12 | 10 | 10 | 3 | 3 | 2 | 2 | 114 | 133 | 4 | 12 | 84 | 89 | 2 | |
| 55—60 | 12 | 16 | 6 | 10 | 5 | 3 | 4 | 2 | 163 | 125 | 4 | 5 | 120 | 98 | 4 | |
| 60—65 | 5 | 10 | 7 | 14 | 5 | 3 | 2 | 3 | 226 | 141 | 12 | 4 | 149 | 103 | 1 | |
| 65—70 | 3 | 36 | 7 | 16 | — | 3 | 1 | — | 312 | 195 | 8 | 7 | 178 | 162 | 5 | |
| 70—75 | 7 | 19 | 4 | 11 | — | 1 | 2 | 1 | 330 | 157 | 5 | 4 | 146 | 132 | 6 | |
| 75—80 | 9 | 16 | 7 | 16 | — | — | 1 | 1 | 343 | 151 | 2 | 3 | 149 | 123 | 3 | |
| 80 and upwards | 3 | 23 | 13 | 11 | — | 1 | — | — | 345 | 141 | 2 | 2 | 110 | 104 | 7 | |

*** 127.** Other diseases of the digestive system —; **130.** Chyluria —.

| Causes of Death. | 132 Calculi of the urinary passages. | | 133 Diseases of the bladder. | | 134 Diseases of the urethra, urinary abscess, etc. | | 134 (*a*) Stricture of the urethra. | | 134 (*b*) Other diseases of the urethra, etc. | | 135 Diseases of the prostate. | | 136 Non-venereal diseases of the male genital organs. | | 137 Cysts and other tumours of the ovary not returned as malignant. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 54 | 17 | 193 | 47 | 45 | 2 | 38 | — | 7 | 2 | 582 | — | 8 | — | — | 6 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 20—25 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25—30 | 2 | — | 2 | 3 | 1 | — | 1 | — | — | — | — | — | — | — | — | |
| 30—35 | 3 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | |
| 35—40 | 4 | — | 1 | 2 | 2 | — | 1 | — | 1 | — | 1 | — | — | — | — | |
| 40—45 | 7 | 1 | 2 | — | 5 | — | 5 | — | — | — | — | — | — | — | — | |
| 45—50 | 4 | 1 | 4 | — | 1 | — | 1 | — | — | — | 1 | — | 1 | — | — | |
| 50—55 | 4 | 2 | 5 | 1 | 6 | 1 | 6 | — | — | 1 | 9 | — | — | — | — | |
| 55—60 | 3 | 1 | 9 | 1 | 6 | — | 4 | — | 2 | — | 17 | — | — | — | — | |
| 60—65 | 4 | 1 | 9 | 6 | 8 | — | 7 | — | 1 | — | 43 | — | — | — | — | |
| 65—70 | 5 | 5 | 13 | 2 | 7 | — | 4 | — | 3 | — | 95 | — | 1 | — | — | |
| 70—75 | 6 | — | 31 | 4 | 4 | — | 4 | — | — | — | 131 | — | 1 | — | — | |
| 75—80 | 5 | 3 | 52 | 7 | 3 | 1 | 3 | — | — | 1 | 129 | — | — | — | — | |
| 80 and upwards | 4 | 1 | 64 | 20 | 2 | — | 2 | — | — | — | 155 | — | 1 | — | — | |

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 138 Salpingitis and pelvic abscess. | | 139 Tumours of the uterus not returned as malignant. | | 140 Uterine hæmorrhage. | | 141 Other diseases of the female genital organs. | | 142 Non-puerperal diseases of the breast. | | VIII. 143–150 The puerperal state. | | 143 Accidents of pregnancy. | | 143 (*a*) Abortion. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 32 | — | 98 | — | 8 | — | 26 | — | 4 | — | 587 | — | 48 | — | 13 |
| 0—1 | — | — | — | — | — | — | — | 2 | — | 1 | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | 3 | — | — | — | — | — | 1 | — | — | — | 18 | — | 1 | — | — |
| 20—25 | — | 5 | — | — | — | — | — | — | — | — | — | 83 | — | 8 | — | 1 |
| 25—30 | — | 4 | — | 1 | — | 1 | — | — | — | — | — | 120 | — | 7 | — | 2 |
| 30—35 | — | 3 | — | 2 | — | — | — | 2 | — | — | — | 163 | — | 14 | — | 8 |
| 35—40 | — | 5 | — | 12 | — | 1 | — | 2 | — | — | — | 124 | — | 10 | — | — |
| 40—45 | — | 4 | — | 19 | — | 2 | — | 3 | — | — | — | 72 | — | 8 | — | 2 |
| 45—50 | — | 2 | — | 19 | — | 2 | — | 3 | — | — | — | 7 | — | — | — | — |
| 50—55 | — | 1 | — | 13 | — | 1 | — | 2 | — | — | — | — | — | — | — | — |
| 55—60 | — | 1 | — | 6 | — | — | — | 2 | — | — | — | — | — | — | — | — |
| 60—65 | — | 3 | — | 8 | — | 1 | — | 2 | — | 2 | — | — | — | — | — | — |
| 65—70 | — | — | — | 7 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 70—75 | — | 1 | — | 5 | — | — | — | 2 | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | 4 | — | — | — | 1 | — | 1 | — | — | — | — | — | — |
| 80 and upwards | — | — | — | 2 | — | — | — | 3 | — | — | — | — | — | — | — | — |

| Causes of Death. | 143 (*b*) Ectopic gestation. | | 143 (*c*) Other accidents. | | 144 Puerperal hæmorrhage. | | 145 Other accidents of childbirth. | | 146 Puerperal sepsis. | | 147 Phlegmasia alba dolens, puerperal embolism, etc. | | 148 Puerperal albuminuria and convulsions. | | 150* 149 Childbirth not assignable elsewhere (puerperal insanity). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | — | 16 | — | 19 | — | 99 | — | 64 | — | 174 | — | 66 | — | 131 | — | 5 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | 1 | — | — | — | 1 | — | 1 | — | 12 | — | — | — | 3 | — | — |
| 20—25 | — | 3 | — | 4 | — | 9 | — | 8 | — | 21 | — | 7 | — | 29 | — | 1 |
| 25—30 | — | 3 | — | 2 | — | 15 | — | 14 | — | 37 | — | 18 | — | 28 | — | 1 |
| 30—35 | — | 3 | — | 3 | — | 27 | — | 15 | — | 50 | — | 22 | — | 34 | — | 1 |
| 35—40 | — | 5 | — | 5 | — | 28 | — | 17 | — | 33 | — | 10 | — | 24 | — | 2 |
| 40—45 | — | 1 | — | 5 | — | 16 | — | 9 | — | 21 | — | 7 | — | 11 | — | — |
| 45—50 | — | — | — | — | — | 3 | — | — | — | — | — | 2 | — | 2 | — | — |
| 50—55 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

* **150.** Puerperal diseases of th e breast, —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | IX. 151–154 Diseases of the skin and cellular tissue. | | 151 Gangrene. | | 152 Furuncle. | | 153 Phlegmon, acute abscess. | | 154 Other diseases of the skin and its annexa. | | X. 155–158 Diseases of the bones and organs of locomotion. | | 155 Diseases of the bones. | | 156 Diseases of the joints. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 383 | 322 | 173 | 151 | 50 | 19 | 69 | 44 | 91 | 108 | 85 | 69 | 66 | 54 | 16 | 10 |
| 0—1 | 55 | 33 | 1 | 2 | 2 | — | 13 | 5 | 39 | 26 | 6 | 4 | 2 | 4 | 4 | — |
| 1—5 | 5 | 3 | — | — | — | — | 3 | 1 | 2 | 2 | 9 | 4 | 8 | 4 | 1 | — |
| 5—10 | 3 | 1 | — | — | — | — | 3 | 1 | — | — | 7 | 8 | 7 | 8 | — | — |
| 10—15 | 3 | 2 | — | — | 1 | — | 2 | 1 | — | 1 | 20 | 11 | 18 | 10 | 1 | 1 |
| 15—20 | 4 | 2 | — | — | 1 | — | 3 | 2 | — | — | 6 | — | 6 | — | — | — |
| 20—25 | 6 | 5 | 2 | 1 | 2 | 1 | 2 | 3 | — | — | 3 | 1 | 3 | — | — | 1 |
| 25—30 | 5 | 6 | — | 1 | 3 | 2 | 1 | 2 | 1 | 1 | 4 | — | 3 | — | — | — |
| 30—35 | 2 | 4 | — | — | 2 | 1 | — | — | — | 3 | 3 | 2 | 1 | — | 2 | 2 |
| 35—40 | 5 | 3 | — | 1 | 3 | 1 | 1 | — | 1 | 1 | 2 | 1 | 2 | — | — | 1 |
| 40—45 | 6 | 2 | — | — | 3 | — | 2 | 2 | 1 | — | — | 3 | — | 2 | — | — |
| 45—50 | 5 | 2 | — | — | 2 | — | 3 | 1 | — | 1 | 2 | 3 | 1 | 2 | 1 | — |
| 50—55 | 9 | 15 | 2 | 4 | 3 | 2 | 4 | 6 | — | 3 | 2 | 6 | 2 | 6 | — | — |
| 55—60 | 17 | 7 | 1 | 1 | 7 | 1 | 4 | 1 | 5 | 4 | 6 | 4 | 5 | 2 | 1 | 2 |
| 60—65 | 27 | 20 | 9 | 12 | 4 | — | 6 | 2 | 8 | 6 | 3 | 6 | 2 | 4 | 1 | 1 |
| 65—70 | 24 | 22 | 8 | 8 | 6 | 3 | 6 | 4 | 4 | 7 | 3 | 3 | 1 | 3 | 1 | — |
| 70—75 | 50 | 37 | 29 | 18 | 6 | 3 | 7 | 2 | 8 | 14 | 4 | 4 | 3 | 3 | 1 | — |
| 75—80 | 86 | 49 | 65 | 29 | 4 | 2 | 3 | 6 | 14 | 12 | 3 | 6 | 2 | 5 | 1 | 1 |
| 80 and upwards | 71 | 109 | 56 | 74 | 1 | 3 | 6 | 5 | 8 | 27 | 2 | 3 | — | 1 | 2 | 1 |

| Causes of Death. | 157* 158 Other diseases of the organs of locomotion. | | XI. 159 Mal-formations. | | XII. 160–163 Diseases of early infancy. | | 160 Congenital debility. | | 161 Premature birth, injury at birth. | | 161 (1) Premature birth. | | 161 (2) Injury at birth. | | 162 Other diseases peculiar to early infancy. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 3 | 5 | 412 | 320 | 2374 | 1775 | 585 | 369 | 1604 | 1253 | 1476 | 1176 | 128 | 77 | 156 | 131 |
| 0—1 | — | — | 347 | 276 | 2374 | 1775 | 585 | 369 | 1604 | 1253 | 1476 | 1176 | 128 | 77 | 156 | 131 |
| 1—5 | — | — | 37 | 26 | — | — | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | 5 | 6 | — | — | — | — | — | — | — | — | — | — | — | — |
| 10—15 | 1 | — | 8 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | 7 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 20—25 | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25—30 | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 30—35 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 35—40 | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 40—45 | — | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 45—50 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 50—55 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 55—60 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 65—70 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 75—80 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 80 and upwards | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

* **157.** Amputations —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 163 Lack of care. | | XIII. 164 Old age. | | XIV. 165–203 External causes. | | Suicide. 165–174 Total. | | 165–166 By solid or liquid poisons and corrosive substances. | | 167 By poisonous gas. | | 168 By hanging or strangulation. | | 169 By drowning. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 29 | 22 | 3246 | 4008 | 2645 | 936 | 584 | 193 | 17 | 24 | 8 | 8 | 176 | 23 | 138 | 97 |
| 0—1 | 29 | 22 | — | — | 69 | 41 | — | — | — | — | — | — | — | — | — | — |
| 1—5 | — | — | — | — | 170 | 96 | — | — | — | — | — | — | — | — | — | — |
| 5—10 | — | — | — | — | 87 | 49 | — | — | — | — | — | — | — | — | — | — |
| 10—15 | — | — | — | — | 85 | 16 | — | — | — | — | — | — | — | — | — | — |
| 15—20 | — | — | — | — | 166 | 37 | 10 | 9 | — | 2 | 1 | — | 3 | — | 2 | 7 |
| 20—25 | — | — | — | — | 159 | 42 | 24 | 15 | 1 | 4 | — | — | 5 | — | 5 | 9 |
| 25—30 | — | — | — | — | 154 | 35 | 30 | 17 | — | 4 | 1 | — | 7 | 2 | 3 | 9 |
| 30—35 | — | — | — | — | 156 | 17 | 34 | 9 | 1 | 1 | — | 1 | 5 | — | 11 | 3 |
| 35—40 | — | — | — | — | 151 | 35 | 40 | 15 | 3 | 2 | 1 | 1 | 7 | 3 | 10 | 7 |
| 40—45 | — | — | — | — | 216 | 40 | 60 | 16 | 3 | 1 | — | 1 | 19 | 3 | 12 | 10 |
| 45—50 | — | — | — | — | 212 | 45 | 69 | 25 | 1 | 3 | 2 | — | 24 | 4 | 11 | 11 |
| 50—55 | — | — | — | — | 225 | 44 | 73 | 22 | 3 | 3 | 1 | 1 | 19 | 3 | 19 | 12 |
| 55—60 | — | — | 4 | 1 | 182 | 53 | 64 | 20 | 5 | 2 | 1 | 1 | 16 | 3 | 19 | 11 |
| 60—65 | — | — | 7 | 15 | 176 | 48 | 70 | 17 | — | 2 | 1 | 2 | 29 | 4 | 21 | 5 |
| 65—70 | — | — | 68 | 70 | 162 | 60 | 51 | 9 | — | — | — | 1 | 20 | — | 10 | 6 |
| 70—75 | — | — | 411 | 426 | 124 | 62 | 25 | 9 | — | — | — | — | 9 | 1 | 7 | 4 |
| 75—80 | — | — | 818 | 804 | 86 | 69 | 22 | 4 | — | — | — | — | 8 | — | 5 | 2 |
| 80 and upwards | — | — | 1938 | 2692 | 65 | 147 | 12 | 6 | — | — | — | — | 5 | — | 3 | 1 |

| Causes of Death. | Suicide—*contd.* 170 By firearms. | | 171 By cutting or piercing instruments. | | 172 By jumping from high places. | | 173 By crushing. | | 174 By other means. | | 175–196 201–203 Violent deaths, excluding suicide and homicide. | | 175 Food poisoning. | | 176 Poisoning by venomous animals. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 103 | 4 | 107 | 20 | 5 | 9 | 27 | 5 | 3 | 3 | 2040 | 727 | 4 | 5 | 1 | 3 |
| 0—1 | — | — | — | — | — | — | — | — | — | — | 61 | 38 | — | — | — | — |
| 1—5 | — | — | — | — | — | — | — | — | — | — | 166 | 94 | 1 | 1 | — | 1 |
| 5—10 | — | — | — | — | — | — | — | — | — | — | 86 | 48 | — | — | — | — |
| 10—15 | — | — | — | — | — | — | — | — | — | — | 85 | 16 | — | 1 | — | — |
| 15—20 | 4 | — | — | — | — | — | — | — | — | — | 156 | 27 | 1 | — | — | — |
| 20—25 | 7 | — | 4 | — | — | — | 2 | 1 | — | 1 | 135 | 22 | — | — | — | — |
| 25—30 | 12 | — | 3 | 1 | — | — | 3 | 1 | 1 | — | 122 | 17 | — | 1 | — | — |
| 30—35 | 6 | 1 | 8 | — | — | 1 | 3 | — | — | 2 | 122 | 8 | 1 | — | — | — |
| 35—40 | 8 | — | 6 | 1 | 1 | 1 | 3 | — | 1 | — | 111 | 20 | — | — | — | 1 |
| 40—45 | 6 | — | 12 | — | — | — | 8 | 1 | — | — | 155 | 23 | — | — | — | — |
| 45—50 | 8 | — | 17 | 6 | 2 | 1 | 4 | — | — | — | 141 | 20 | — | — | — | — |
| 50—55 | 12 | — | 17 | 3 | — | — | 2 | — | — | — | 150 | 22 | — | 1 | — | — |
| 55—60 | 14 | 1 | 6 | 1 | 1 | — | 1 | 1 | 1 | — | 118 | 33 | — | — | — | — |
| 60—65 | 9 | 1 | 9 | 1 | — | 1 | 1 | 1 | — | — | 105 | 31 | 1 | — | — | 1 |
| 65—70 | 7 | — | 14 | — | — | 2 | — | — | — | — | 111 | 51 | — | — | — | — |
| 70—75 | 5 | 1 | 3 | 2 | 1 | 1 | — | — | — | — | 99 | 52 | — | 1 | 1 | — |
| 75—80 | 4 | — | 5 | 2 | — | — | — | — | — | — | 64 | 64 | — | — | — | — |
| 80 and upwards | 1 | — | 3 | 3 | — | 2 | — | — | — | — | 53 | 141 | — | — | — | — |

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923.
(Civilian population only).

| Causes of Death. | 177 Other acute accidental poisonings. | | 178 Conflagration. | | 179 Burns (conflagration excepted). | | 180 Accidental mechanical suffocation. | | 181 Accidental absorption of irrespirable or poisonous gas. | | 182 Accidental drowning. | | 183 Accidental injury by firearms. | | 184 Accidental injury by cutting or piercing instruments. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 11 | 8 | — | 1 | 130 | 141 | 63 | 29 | 13 | 3 | 323 | 72 | 47 | 1 | 3 | — |
| 0—1 | — | — | — | — | 12 | 8 | 46 | 24 | — | — | 2 | 3 | — | — | — | — |
| 1—5 | 4 | 2 | — | — | 78 | 50 | 2 | 1 | — | — | 31 | 19 | 1 | — | — | — |
| 5—10 | — | — | — | — | 7 | 13 | — | 1 | 1 | — | 21 | 6 | 2 | — | — | — |
| 10—15 | — | — | — | — | 2 | 2 | 1 | — | 2 | — | 23 | 3 | 4 | — | 1 | — |
| 15—20 | 1 | 2 | — | — | 1 | 9 | — | — | — | — | 36 | 4 | 7 | — | — | — |
| 20—25 | 1 | — | — | — | 2 | 2 | — | — | — | — | 24 | 7 | 4 | — | — | — |
| 25—30 | — | — | — | — | 2 | 8 | 1 | — | — | — | 19 | 4 | 2 | — | — | — |
| 30—35 | — | — | — | — | — | 3 | 1 | — | — | — | 17 | 1 | 3 | — | 1 | — |
| 35—40 | 1 | — | — | — | — | 3 | 4 | — | 1 | — | 17 | 1 | 2 | — | — | — |
| 40—45 | — | — | — | — | 7 | 3 | 2 | 1 | 1 | — | 25 | 4 | 6 | — | — | — |
| 45—50 | — | — | — | — | — | 2 | 2 | — | 1 | — | 19 | 2 | 7 | 1 | — | — |
| 50—55 | 1 | 1 | — | 1 | 4 | 2 | 1 | — | 2 | — | 25 | 3 | 3 | — | — | — |
| 55—60 | 2 | — | — | — | 2 | 2 | 1 | — | 1 | 1 | 16 | 3 | 4 | — | — | — |
| 60—65 | — | — | — | — | 1 | 3 | — | 1 | 1 | — | 11 | 3 | 2 | — | — | — |
| 65—70 | — | 1 | — | — | 1 | 4 | — | 1 | 2 | — | 13 | 5 | — | — | 1 | — |
| 70—75 | 1 | 1 | — | — | 3 | 5 | — | — | — | — | 16 | 2 | — | — | — | — |
| 75—80 | — | 1 | — | — | 5 | 8 | 1 | — | — | 1 | 7 | 2 | — | — | — | — |
| 80 and upwards | — | — | — | — | 3 | 14 | 1 | — | 1 | 1 | 1 | — | — | — | — | — |

| Causes of Death. | 185 Accidental injury by fall. | | 186 Accidental injury in mines and quarries. | | 187 Accidental injury by machinery. | | 188 Accidental injury by other forms of crushing (vehicles, etc.). | | 189 Injury by animals (poisoning excepted). | | 190 Wounds of war. | | 191* 192 Hunger or thirst. | | 193 Excessive cold. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 218 | 269 | 317 | — | 32 | 4 | 690 | 143 | 31 | 3 | 12 | — | 2 | 1 | 10 | 3 |
| 0—1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1—5 | 7 | 3 | — | — | 1 | 1 | 33 | 12 | 4 | 1 | — | — | — | — | — | — |
| 5—10 | 2 | 5 | — | — | 1 | 1 | 47 | 22 | 1 | — | — | — | — | — | — | — |
| 10—15 | 7 | — | 10 | — | — | 1 | 32 | 6 | — | — | — | — | — | — | — | — |
| 15—20 | 9 | 1 | 38 | — | 5 | — | 45 | 11 | 3 | — | — | — | — | — | — | — |
| 20—25 | 5 | 1 | 36 | — | 1 | — | 50 | 10 | 1 | — | 1 | — | — | — | — | — |
| 25—30 | 7 | 1 | 24 | — | 1 | — | 53 | 1 | 2 | — | 4 | — | — | — | — | — |
| 30—35 | 5 | — | 36 | — | 2 | — | 41 | 2 | 4 | 1 | 4 | — | — | — | — | — |
| 35—40 | 7 | 2 | 23 | — | 1 | — | 41 | 13 | 2 | — | 3 | — | — | — | 1 | — |
| 40—45 | 12 | 3 | 32 | — | 3 | — | 59 | 8 | 2 | — | — | — | — | — | 1 | — |
| 45—50 | 11 | 5 | 33 | — | 3 | 1 | 49 | 6 | 3 | — | — | — | — | — | 1 | — |
| 50—55 | 11 | 6 | 28 | — | 2 | — | 58 | 6 | 3 | — | — | — | — | — | 1 | — |
| 55—60 | 13 | 10 | 23 | — | 3 | — | 43 | 13 | 2 | — | — | — | — | — | — | — |
| 60—65 | 18 | 14 | 16 | — | 5 | — | 36 | 8 | — | — | — | — | — | — | 1 | — |
| 65—70 | 21 | 28 | 14 | — | 2 | — | 46 | 6 | — | — | — | — | 2 | 1 | 1 | 2 |
| 70—75 | 25 | 33 | 4 | — | 2 | — | 32 | 8 | 2 | — | — | — | — | — | 1 | — |
| 75—80 | 20 | 44 | — | — | — | — | 19 | 6 | 1 | — | — | — | — | — | 1 | — |
| 80 and upwards | 37 | 113 | — | — | — | — | 6 | 5 | 1 | 1 | — | — | — | — | 2 | 1 |

* **191.** Execution of civilians by belligerent armies — .

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1923. (Civilian population only).

| Causes of Death. | 194 Excessive heat. | | 195* 196 Electricity (lightning excepted). | | Homicide. 197–199 All forms. | | 197 By firearms. | | 198 By cutting or piercing instruments. | | 199 By other means. | | 200* 201 Fracture (cause not specified). | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| All Ages | 78 | 23 | 3 | — | 21 | 16 | 2 | 4 | 1 | 4 | 18 | 8 | 5 | 2 |
| 0—1 | — | 1 | — | — | 8 | 3 | — | — | — | — | 8 | 3 | — | 1 |
| 1—5 | 1 | 2 | — | — | 4 | 2 | — | — | 1 | 1 | 3 | 1 | — | — |
| 5—10 | — | — | — | — | 1 | 1 | — | — | — | 1 | 1 | — | — | — |
| 10—15 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 15—20 | 2 | — | 1 | — | — | 1 | — | — | — | 1 | — | — | 2 | — |
| 20—25 | 4 | — | — | — | — | 5 | — | 2 | — | 1 | — | 2 | 1 | — |
| 25—30 | 3 | 1 | — | — | 2 | 1 | — | 1 | — | — | 2 | — | — | — |
| 30—35 | 2 | — | 2 | — | — | — | — | — | — | — | — | — | 1 | — |
| 35—40 | 5 | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 40—45 | 4 | 2 | — | — | 1 | 1 | — | — | — | — | 1 | 1 | — | — |
| 45—50 | 9 | — | — | — | 2 | — | 1 | | — | — | 1 | — | — | — |
| 50—55 | 9 | — | — | — | 2 | — | 1 | — | — | — | 1 | — | — | — |
| 55—60 | 4 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 60—65 | 10 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 65—70 | 5 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 70—75 | 10 | 2 | — | — | — | 1 | — | 1 | — | — | — | — | — | — |
| 75—80 | 8 | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — |
| 80 and upwards | 1 | 5 | — | — | — | — | — | — | — | — | — | — | — | 1 |

* **195.** Lightning 15, 15, 45, 55, 75. **200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

| Causes of Death. | 202 Other external violence. | | 203 Violent deaths of unknown causation. | | XV. 204–205 Ill-defined diseases. | | 204 Sudden death. | | 205 Cause of death unstated or ill-defined. | | 205 (1) Heart failure, 1–70 years. | | 205 (2 & 3) Others. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ages at Death. | M. | F. | M. | F. | M. | F. | M. | F | M. | F. | M. | F. | M. | F. |
| All Ages | 41 | 15 | 1 | 1 | 302 | 242 | 55 | 37 | 247 | 205 | 164 | 134 | 83 | 71 |
| 0—1 | — | 1 | — | — | 16 | 11 | — | — | 16 | 11 | — | — | 16 | 11 |
| 1—5 | 3 | 1 | — | — | 14 | 15 | — | — | 14 | 15 | 3 | 1 | 11 | 14 |
| 5—10 | 4 | — | — | — | 3 | 1 | — | — | 3 | 1 | 2 | 1 | 1 | — |
| 10—15 | 2 | 2 | — | — | 1 | 2 | — | — | 1 | 2 | — | 2 | 1 | — |
| 15—20 | 3 | — | — | — | 3 | 5 | 1 | 2 | 2 | 3 | — | 1 | 2 | 2 |
| 20—25 | 5 | 2 | — | — | 5 | 2 | 2 | — | 3 | 2 | 2 | — | 1 | 2 |
| 25—30 | 4 | 1 | — | — | 3 | 5 | — | 2 | 3 | 3 | 3 | 2 | — | 1 |
| 30—35 | 2 | 1 | — | — | 5 | 6 | — | 2 | 5 | 4 | 5 | 3 | — | 1 |
| 35—40 | 2 | — | — | — | 7 | 3 | 3 | 1 | 4 | 2 | 2 | 1 | 2 | 1 |
| 40—45 | 1 | 2 | — | — | 6 | 10 | 1 | 3 | 5 | 7 | 4 | 7 | 1 | — |
| 45—50 | 2 | 3 | — | — | 18 | 22 | 1 | 4 | 17 | 18 | 15 | 14 | 2 | 4 |
| 50—55 | 2 | 2 | — | — | 21 | 18 | 5 | 4 | 16 | 14 | 12 | 12 | 4 | 2 |
| 55—60 | 3 | — | — | 1 | 43 | 27 | 10 | 2 | 33 | 25 | 32 | 21 | 1 | 4 |
| 60—65 | 3 | — | — | — | 53 | 32 | 14 | 5 | 39 | 27 | 34 | 25 | 5 | 2 |
| 65—70 | 3 | — | — | — | 77 | 65 | 18 | 12 | 59 | 53 | 50 | 44 | 9 | 9 |
| 70—75 | 1 | — | 1 | — | 10 | 5 | — | — | 10 | 5 | — | — | 10 | 5 |
| 75—80 | 1 | — | — | — | 8 | 6 | — | — | 8 | 6 | — | — | 8 | 6 |
| 80 and upwards | — | — | — | — | 9 | 7 | — | — | 9 | 7 | — | — | 9 | 7 |

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1923.

| International List Number | Causes of Death. | | Total under 5 years. | Under 1 month | 1–3 m'ths | 3–6 m'ths | 6–12 m'ths | 1 year. | 2 years. | 3 years. | 4–5 years. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL CAUSES .. .. | M. | 44,006 | 13,960 | 5,093 | 4,364 | 6,907 | 7,459 | 3,129 | 2,024 | 1,070 |
| | | F. | 34,568 | 10,201 | 3,497 | 3,235 | 5,325 | 6,652 | 2,835 | 1,828 | 995 |
| 7 | Measles .. .. .. | M. | 2,688 | 5 | 24 | 61 | 576 | 1,223 | 473 | 224 | 102 |
| | | F. | 2,244 | 6 | 12 | 33 | 417 | 1,066 | 399 | 218 | 93 |
| 8 | Scarlet fever .. .. | M. | 270 | 1 | 1 | 2 | 16 | 57 | 72 | 78 | 43 |
| | | F. | 236 | — | — | — | 5 | 49 | 73 | 64 | 45 |
| 9 | Whooping cough .. .. | M. | 1,847 | 29 | 193 | 220 | 507 | 549 | 199 | 103 | 47 |
| | | F. | 2,186 | 22 | 186 | 214 | 536 | 718 | 295 | 151 | 64 |
| 10 | Diphtheria .. .. .. | M. | 752 | 2 | 4 | 7 | 57 | 164 | 166 | 208 | 144 |
| | | F. | 691 | 2 | 5 | 8 | 34 | 126 | 179 | 207 | 130 |
| 11 | Influenza .. .. .. | M. | 340 | 15 | 24 | 47 | 77 | 80 | 41 | 35 | 21 |
| | | F. | 276 | 15 | 20 | 33 | 60 | 64 | 29 | 34 | 21 |
| 13 | Mumps .. .. .. | M. | 7 | — | — | 1 | 1 | 1 | 2 | 2 | — |
| | | F. | 3 | — | — | — | 1 | — | 1 | 1 | — |
| 21 | Erysipelas .. .. .. | M. | 44 | 9 | 17 | 9 | 4 | 3 | 1 | 1 | — |
| | | F. | 54 | 8 | 15 | 10 | 13 | 5 | 2 | — | 1 |
| 22 | Acute poliomyelitis, acute polioencephalitis. | M. | 33 | — | 1 | 3 | 11 | 6 | 3 | 6 | 3 |
| | | F. | 33 | — | — | — | 3 | 14 | 9 | 4 | 3 |
| 23 | Encephalitis lethargica .. | M. | 29 | — | 1 | 1 | — | 5 | 7 | 11 | 4 |
| | | F. | 33 | — | — | 1 | 3 | 14 | 8 | 4 | 3 |
| 24 | Meningococcal meningitis .. | M. | 83 | — | 6 | 13 | 26 | 19 | 10 | 6 | 3 |
| | | F. | 69 | — | 3 | 16 | 22 | 10 | 9 | 5 | 4 |
| 25–1 | German measles .. .. | M. | 7 | — | — | — | 2 | 1 | 3 | — | 1 |
| | | F. | 8 | — | — | 1 | 3 | 3 | — | 1 | — |
| 25–2 | Varicella .. .. .. | M. | 35 | 2 | 1 | 4 | 11 | 9 | 4 | 3 | 1 |
| | | F. | 15 | — | 2 | 2 | 7 | 1 | 2 | — | 1 |
| 31–37 | Tuberculosis, all forms .. | M. | 2,119 | 6 | 48 | 147 | 401 | 718 | 376 | 275 | 148 |
| | | F. | 1,687 | 3 | 37 | 116 | 278 | 542 | 338 | 233 | 140 |
| 31 | Tuberculosis, respiratory system. | M. | 287 | — | 4 | 22 | 50 | 99 | 53 | 37 | 22 |
| | | F. | 214 | — | 3 | 20 | 31 | 67 | 46 | 31 | 16 |
| 32 | Tuberculosis, nervous system | M. | 993 | 4 | 19 | 61 | 197 | 332 | 176 | 135 | 69 |
| | | F. | 858 | 3 | 12 | 49 | 151 | 268 | 174 | 125 | 76 |
| 33 | Tuberculosis, intestines and peritoneum. | M. | 449 | 2 | 18 | 38 | 79 | 161 | 79 | 50 | 22 |
| | | F. | 341 | — | 14 | 24 | 54 | 116 | 69 | 40 | 24 |
| 34–36 | Tuberculosis, other organs .. | M. | 67 | — | 1 | 5 | 15 | 18 | 8 | 12 | 8 |
| | | F. | 29 | — | — | 3 | 3 | 13 | 3 | 2 | 5 |
| 37 | Disseminated tuberculosis .. | M. | 323 | — | 6 | 21 | 60 | 108 | 60 | 41 | 27 |
| | | F. | 245 | — | 8 | 20 | 39 | 78 | 46 | 35 | 19 |
| | (*a*) Acute .. .. .. | M. | 145 | — | 1 | 13 | 30 | 54 | 24 | 12 | 11 |
| | | F. | 112 | — | 4 | 11 | 15 | 40 | 17 | 14 | 11 |
| | (*b*) Chronic or unstated .. | M. | 178 | — | 5 | 8 | 30 | 54 | 36 | 29 | 16 |
| | | F. | 133 | — | 4 | 9 | 24 | 38 | 29 | 21 | 8 |
| 38 | Syphilis .. .. .. | M. | 517 | 186 | 158 | 90 | 44 | 24 | 8 | 4 | 3 |
| | | F. | 350 | 103 | 117 | 57 | 42 | 21 | 8 | 1 | 1 |
| 40–2 | Gonorrhœal or purulent ophthalmia. | M. | 6 | 4 | 2 | — | — | — | — | — | — |
| | | F. | 10 | 5 | 3 | 2 | — | — | — | — | — |
| 41 | Purulent infection, septicæmia. | M. | 38 | 6 | 11 | 4 | 2 | 5 | 3 | 3 | 4 |
| | | F. | 37 | 7 | 8 | 7 | 5 | 4 | 3 | 2 | 1 |
| | 1. Vaccinia.. .. .. | M. | 2 | — | 1 | — | 1 | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — |
| | 2. Other purulent infection | M. | 36 | 6 | 10 | 4 | 1 | 5 | 3 | 3 | 4 |
| | | F. | 37 | 7 | 8 | 7 | 5 | 4 | 3 | 2 | 1 |
| 43–49 | Cancer .. .. .. | M. | 56 | — | 2 | 3 | 4 | 10 | 14 | 14 | 9 |
| | | F. | 51 | 1 | 2 | 5 | 3 | 14 | 11 | 8 | 7 |

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1923—*cont.*

| International List Number | Causes of Death. | | Total under 5 years. | Under 1 month | 1–3 m'ths | 3–6 m'ths | 6–12 m'ths | 1 year. | 2 years. | 3 years. | 4–5 years. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 51 | Rheumatic fever .. .. | M. | 35 | — | — | — | 2 | 1 | 3 | 13 | 16 |
| | | F. | 23 | — | — | — | 2 | 2 | 4 | 7 | 8 |
| 56 | Rickets .. .. .. | M. | 264 | 5 | 7 | 18 | 79 | 111 | 31 | 9 | 4 |
| | | F. | 183 | 4 | 5 | 8 | 41 | 91 | 21 | 11 | 2 |
| 62 | Diseases of the thymus .. | M. | 88 | 9 | 20 | 26 | 14 | 11 | 3 | 2 | 3 |
| | | F. | 40 | 11 | 7 | 11 | 8 | 2 | — | — | 1 |
| 65*a* | Leukæmia .. .. .. | M. | 32 | — | — | 2 | 6 | 5 | 5 | 8 | 6 |
| | | F. | 22 | — | 1 | 2 | 1 | 7 | 2 | 6 | 3 |
| 69–1 | Purpura .. . .. | M. | 33 | 11 | 5 | 2 | 4 | 5 | 5 | — | 1 |
| | | F. | 30 | 7 | 5 | 3 | 2 | 3 | 2 | 5 | 3 |
| 69–2 | Hæmophilia .. .. .. | M. | 44 | 22 | 5 | 6 | 1 | 2 | 3 | 3 | 2 |
| | | F. | 20 | 16 | 4 | — | — | — | — | — | — |
| 71 | Meningitis .. .. .. | M. | 642 | 14 | 40 | 82 | 165 | 164 | 88 | 63 | 26 |
| | | F. | 534 | 17 | 20 | 43 | 130 | 158 | 83 | 58 | 25 |
| 78 | Epilepsy .. .. .. | M. | 56 | 5 | 6 | 3 | 7 | 10 | 7 | 15 | 3 |
| | | F. | 46 | 5 | 1 | 4 | 2 | 10 | 14 | 6 | 4 |
| 79–80 | Convulsions .. .. .. | M. | 2,205 | 910 | 366 | 251 | 367 | 231 | 55 | 14 | 11 |
| | | F. | 1,590 | 554 | 247 | 198 | 278 | 237 | 45 | 28 | 3 |
| 84–1 | Idiocy .. .. .. | M. | 57 | 1 | 1 | 4 | 11 | 14 | 11 | 10 | 5 |
| | | F. | 61 | 4 | 2 | 8 | 12 | 11 | 6 | 11 | 7 |
| 86 | Diseases of the ear and of the mastoid sinus. | M. | 150 | 2 | 3 | 22 | 45 | 32 | 13 | 18 | 15 |
| | | F. | 127 | 2 | 8 | 15 | 30 | 27 | 12 | 18 | 15 |
| | 1. Diseases of the mastoid sinus | M. | 48 | — | 1 | 9 | 10 | 8 | 6 | 9 | 5 |
| | | F. | 36 | — | 1 | 1 | 11 | 10 | 3 | 7 | 3 |
| | 2. Other ear diseases .. | M. | 102 | 2 | 2 | 13 | 35 | 24 | 7 | 9 | 10 |
| | | F. | 91 | 2 | 7 | 14 | 19 | 17 | 9 | 11 | 12 |
| 87–90 | Heart disease .. .. | M. | 65 | 2 | 2 | — | 10 | 14 | 13 | 13 | 11 |
| | | F. | 55 | — | 2 | — | 1 | 11 | 10 | 18 | 13 |
| 98–1 | Laryngismus stridulus .. | M. | 56 | 6 | 2 | 10 | 11 | 13 | 8 | 4 | 2 |
| | | F. | 40 | 3 | 4 | 4 | 8 | 6 | 6 | 5 | 4 |
| 98–2 | Laryngitis .. .. .. | M. | 106 | 4 | 5 | 7 | 18 | 34 | 18 | 9 | 11 |
| | | F. | 95 | 2 | 3 | 4 | 11 | 27 | 21 | 15 | 12 |
| 99 | Bronchitis .. .. .. | M. | 2,622 | 259 | 537 | 491 | 683 | 433 | 137 | 62 | 20 |
| | | F. | 2,138 | 201 | 393 | 368 | 514 | 443 | 129 | 64 | 26 |
| 100–101 | Pneumonia (all forms) .. | M. | 7,301 | 275 | 693 | 914 | 2,042 | 2,162 | 741 | 329 | 145 |
| | | F. | 5,816 | 180 | 447 | 667 | 1,514 | 1,908 | 654 | 299 | 147 |
| 100 | Broncho pneumonia .. | M. | 5,872 | 227 | 598 | 767 | 1,705 | 1,698 | 567 | 223 | 87 |
| | | F. | 4,658 | 148 | 360 | 554 | 1,254 | 1,534 | 510 | 201 | 97 |
| 101 | (*a*) Lobar .. .. .. | M. | 544 | 12 | 32 | 50 | 116 | 172 | 88 | 48 | 26 |
| | | F. | 413 | 6 | 33 | 34 | 87 | 130 | 53 | 46 | 24 |
| | (*b*) Pneumonia not otherwise defined | M. | 885 | 36 | 63 | 97 | 221 | 292 | 86 | 58 | 32 |
| | | F. | 745 | 26 | 54 | 79 | 173 | 244 | 91 | 52 | 26 |
| 102 | Pleurisy .. .. .. | M. | 89 | — | 2 | 2 | 8 | 42 | 17 | 9 | 9 |
| | | F. | 56 | 2 | — | 2 | 5 | 25 | 12 | 7 | 3 |
| | 1. Empyema .. .. | M. | 73 | — | — | 1 | 7 | 35 | 15 | 8 | 7 |
| | | F. | 46 | — | — | 1 | 3 | 23 | 9 | 7 | 3 |
| | 2. Other pleurisy .. .. | M. | 16 | — | 2 | 1 | 1 | 7 | 2 | 1 | 2 |
| | | F. | 10 | 2 | — | 1 | 2 | 2 | 3 | — | — |
| 103 | Congestion and pulmonary infarct. | M. | 85 | 24 | 20 | 15 | 11 | 11 | 3 | — | 1 |
| | | F. | 63 | 14 | 9 | 10 | 13 | 11 | 4 | 2 | — |
| 97, 98–3, 104–107 | Other respiratory diseases .. | M. | 39 | 5 | 5 | 6 | 4 | 11 | 3 | 4 | 1 |
| | | F. | 25 | 4 | 1 | 6 | 3 | 4 | 2 | 4 | 1 |
| 108–1 | Diseases of the teeth and gums | M. | 34 | 3 | 5 | 3 | 5 | 13 | 2 | 1 | 2 |
| | | F. | 31 | 4 | 4 | — | 4 | 8 | 7 | 3 | 1 |

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1923—*cont.*

| International List Number | Causes of Death. | | Total under 5 years. | Under 1 month | 1–3 m'ths | 3–6 m'ths | 6–12 m'ths | 1 year. | 2 years. | 3 years. | 4–5 years. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 109–1 | Tonsillitis, etc., adenoid vegetations. | M. | 50 | 1 | 1 | 1 | 6 | 13 | 13 | 11 | 4 |
| | | F. | 50 | — | — | 3 | 2 | 9 | 15 | 12 | 9 |
| 112–1 | Gastritis .. .. .. | M. | 422 | 55 | 134 | 106 | 63 | 35 | 18 | 7 | 4 |
| | | F. | 331 | 43 | 85 | 64 | 60 | 45 | 14 | 13 | 7 |
| 113–114 | Diarrhœa and enteritis .. | M. | 3,758 | 338 | 813 | 953 | 922 | 526 | 114 | 74 | 18 |
| | | F. | 2,778 | 222 | 474 | 694 | 753 | 463 | 108 | 45 | 19 |
| 117 | Appendicitis, typhlitis .. | M. | 87 | — | 1 | 3 | 4 | 9 | 23 | 25 | 22 |
| | | F. | 56 | — | — | 1 | 1 | 8 | 6 | 23 | 17 |
| 118 | Hernia, intestinal obstruction | M. | 412 | 40 | 23 | 100 | 146 | 53 | 25 | 18 | 7 |
| | | F. | 212 | 19 | 12 | 54 | 74 | 30 | 14 | 7 | 2 |
| | (*a*) Hernia .. .. .. | M. | 76 | 15 | 9 | 19 | 16 | 9 | 4 | 2 | 2 |
| | | F. | 19 | 5 | 1 | 3 | 2 | 7 | — | 1 | — |
| | (*b*) Intestinal obstruction.. | M. | 336 | 25 | 14 | 81 | 130 | 44 | 21 | 16 | 5 |
| | | F. | 193 | 14 | 11 | 51 | 72 | 23 | 14 | 6 | 2 |
| 128 | Acute nephritis .. .. | M. | 125 | 5 | 10 | 6 | 17 | 25 | 29 | 22 | 11 |
| | | F. | 81 | 4 | 5 | 4 | 9 | 28 | 13 | 9 | 9 |
| 129 | Chronic nephritis .. .. | M. | 14 | — | 1 | — | — | 1 | 5 | 4 | 3 |
| | | F. | 20 | — | — | — | — | 1 | 5 | 7 | 7 |
| 153 | Phlegmon, acute abscess .. | M. | 78 | 23 | 17 | 6 | 14 | 9 | 3 | 5 | 1 |
| | | F. | 80 | 24 | 19 | 12 | 10 | 11 | 2 | 2 | — |
| | 1. Phlegmon .. .. | M. | 43 | 17 | 7 | 2 | 9 | 3 | 3 | 2 | — |
| | | F. | 36 | 14 | 7 | 5 | 4 | 4 | 1 | 1 | — |
| | 2. Acute abscess .. .. | M. | 35 | 6 | 10 | 4 | 5 | 6 | — | 3 | 1 |
| | | F. | 44 | 10 | 12 | 7 | 6 | 7 | 1 | 1 | — |
| 154–2 | Eczema .. .. .. | M. | 73 | 15 | 12 | 15 | 24 | 6 | 1 | — | — |
| | | F. | 32 | 6 | 8 | 8 | 6 | 3 | 1 | — | — |
| 154–3 | Pemphigus .. .. .. | M. | 60 | 51 | 6 | 1 | 2 | — | — | — | — |
| | | F. | 55 | 40 | 7 | 2 | 6 | — | — | — | — |
| 151–152, 154–1, 154–4 | Other skin diseases .. | M. | 92 | 40 | 21 | 7 | 13 | 8 | 2 | — | 1 |
| | | F. | 74 | 25 | 11 | 4 | 10 | 13 | 6 | 1 | 4 |
| 155–1 | Infective osteomyelitis and periostitis. | M. | 50 | 3 | 5 | 1 | 4 | 4 | 10 | 12 | 11 |
| | | F. | 34 | 1 | 4 | — | 6 | 4 | 8 | 7 | 4 |
| 159 | Malformations .. .. | M. | 1,908 | 1,097 | 376 | 185 | 118 | 85 | 20 | 19 | 8 |
| | | F. | 1,484 | 865 | 283 | 132 | 100 | 62 | 17 | 18 | 7 |
| | 1. Congenital hydrocephalus | M. | 178 | 35 | 22 | 28 | 37 | 35 | 10 | 9 | 2 |
| | | F. | 111 | 27 | 12 | 24 | 17 | 21 | 7 | 1 | 2 |
| | 2. Congenital malformation of heart. | M. | 722 | 486 | 106 | 52 | 38 | 26 | 7 | 4 | 3 |
| | | F. | 532 | 336 | 82 | 32 | 46 | 16 | 6 | 12 | 2 |
| | 3. Other congenital malformations. | M. | 1,008 | 576 | 248 | 105 | 43 | 24 | 3 | 6 | 3 |
| | | F. | 841 | 502 | 189 | 76 | 37 | 25 | 4 | 5 | 3 |
| 160 | Congenital debility, sclerema and icterus. | M. | 2,933 | 1,802 | 664 | 301 | 166 | — | — | — | — |
| | | F. | 1,951 | 1,176 | 400 | 248 | 127 | — | — | — | — |
| | 1. Congenital debility and sclerema. | M. | 2,570 | 1,482 | 623 | 299 | 166 | — | — | — | — |
| | | F. | 1,761 | 1,012 | 377 | 246 | 126 | — | — | — | — |
| | 2. Congenital icterus .. | M. | 363 | 320 | 41 | 2 | — | — | — | — | — |
| | | F. | 190 | 164 | 23 | 2 | 1 | — | — | — | — |
| 161 | Premature birth, injury at birth. | M. | 8,190 | 7,512 | 586 | 77 | 15 | — | — | — | — |
| | | F. | 6,245 | 5,684 | 474 | 71 | 16 | — | — | — | — |
| | 1. Premature birth .. | M. | 7,564 | 6,897 | 578 | 75 | 14 | — | — | — | — |
| | | F. | 5,815 | 5,267 | 462 | 70 | 16 | — | — | — | — |
| | 2. Injury at birth .. .. | M. | 626 | 615 | 8 | 2 | 1 | — | — | — | — |
| | | F. | 430 | 417 | 12 | 1 | — | — | — | — | — |
| 162–1 | Diseases of the umbilicus .. | M. | 62 | 51 | 11 | — | — | — | — | — | — |
| | | F. | 57 | 50 | 7 | — | — | — | — | — | — |

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1923—*cont.*

| International List Number | Causes of Death. | | Total under 5 years. | Under 1 month | 1–3 m'ths | 3–6 m'ths | 6–12 m'ths | 1 year. | 2 years. | 3 years. | 4–5 years. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 162–2 | Atelectasis .. .. .. | M. | 671 | 646 | 25 | — | — | — | — | — | — |
| | | F. | 457 | 437 | 20 | — | — | — | — | — | — |
| 163 | Lack of care .. .. .. | M. | 114 | 112 | 2 | — | — | — | — | — | — |
| | | F. | 119 | 119 | — | — | — | — | — | — | — |
| 175–203 | Violent deaths .. .. | M. | 1,238 | 169 | 93 | 53 | 84 | 281 | 235 | 200 | 123 |
| | | F. | 828 | 110 | 70 | 32 | 67 | 180 | 158 | 134 | 77 |
| 179 | Burns (conflagration excepted) | M. | 517 | 1 | 3 | 6 | 48 | 193 | 142 | 82 | 42 |
| | | F. | 351 | 1 | 3 | 7 | 23 | 114 | 96 | 75 | 32 |
| | 1. By Clothing .. .. | M. | 53 | — | 1 | 2 | 4 | 14 | 16 | 10 | 6 |
| | | F. | 49 | — | 1 | 1 | 4 | 3 | 10 | 21 | 9 |
| | 2. Otherwise (*or not stated how*) | M. | 74 | — | — | 1 | 12 | 26 | 21 | 6 | 8 |
| | | F. | 68 | — | 1 | 3 | 9 | 17 | 19 | 10 | 9 |
| | 3. Scalds .. .. .. | M. | 390 | 1 | 2 | 3 | 32 | 153 | 105 | 66 | 28 |
| | | F. | 234 | 1 | 1 | 3 | 10 | 94 | 67 | 44 | 14 |
| 180 | Accidental mechanical suffocation. | M. | 265 | 120 | 82 | 38 | 15 | 6 | 2 | 2 | — |
| | | F. | 191 | 79 | 62 | 21 | 18 | 5 | 4 | 2 | — |
| | 1. In bed or not stated how | M. | 243 | 118 | 73 | 36 | 12 | 3 | 1 | — | — |
| | | F. | 177 | 78 | 60 | 21 | 17 | — | 1 | — | — |
| | 2. Otherwise than in 1 .. | M. | 22 | 2 | 9 | 2 | 3 | 3 | 1 | 2 | — |
| | | F. | 14 | 1 | 2 | — | 1 | 5 | 3 | 2 | — |
| 182 | Accidental drowning.. .. | M. | 113 | 7 | 1 | 1 | — | 23 | 37 | 30 | 14 |
| | | F. | 57 | 7 | — | 1 | 1 | 23 | 9 | 12 | 4 |
| 188 | Accidental, by certain forms of crushing (vehicles, railways, etc.). | M. | 147 | — | — | 1 | 2 | 12 | 31 | 51 | 50 |
| | | F. | 92 | — | — | — | 4 | 8 | 24 | 27 | 29 |
| | 1. Road Vehicles .. .. | M. | 137 | — | — | 1 | 2 | 11 | 27 | 47 | 49 |
| | | F. | 86 | — | — | — | 4 | 7 | 22 | 26 | 27 |
| | 2. Otherwise .. .. | M. | 10 | — | — | — | — | 1 | 4 | 4 | 1 |
| | | F. | 6 | — | — | — | — | 1 | 2 | 1 | 2 |
| | Other violence .. .. | M. | 196 | 41 | 7 | 7 | 19 | 47 | 23 | 35 | 17 |
| | | F. | 137 | 23 | 5 | 3 | 21 | 30 | 25 | 18 | 12 |
| | Other causes .. .. .. | M. | 795 | 178 | 75 | 73 | 77 | 211 | 83 | 68 | 30 |
| | | F. | 646 | 174 | 45 | 48 | 67 | 153 | 68 | 50 | 41 |

## Table 18.—England and Wales.—Deaths Tabulated by Cause and by Month of Occurrence, 1922–1923.

Note.—The figures for the last three months of the year 1923 are not available at the time of going to press. Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to the date of registration.

| International List No. | Causes of Death. | | 1922. Oct. | 1922. Nov. | 1922. Dec. | 1923. Jan. | 1923. Feb. | 1923. Mar. | 1923. Apr. | 1923. May | 1923. June | 1923. July | 1923. Aug. | 1923. Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL CAUSES.. .. .. | M. | 17155 | 19466 | 20245 | 21634 | 19218 | 21825 | 20534 | 19917 | 17561 | 16555 | 15559 | 15701 |
| | | F. | 16370 | 18921 | 19850 | 21159 | 18282 | 21230 | 19670 | 19095 | 16812 | 15661 | 14334 | 14566 |
| 1–42 | I. Epidemic, Endemic and Infectious Diseases. | M. | 2459 | 2893 | 2917 | 3238 | 3152 | 3925 | 3850 | 3744 | 3031 | 2532 | 2199 | 2138 |
| | | F. | 2174 | 2353 | 2662 | 2845 | 2771 | 3402 | 3416 | 3323 | 2710 | 2215 | 2011 | 1885 |
| 1 | Enteric fever .. .. .. | M. | 22 | 18 | 18 | 17 | 20 | 20 | 19 | 18 | 13 | 19 | 22 | 17 |
| | | F. | 20 | 16 | 17 | 17 | 23 | 17 | 11 | 24 | 7 | 12 | 23 | 33 |
| | (a) Typhoid fever .. | M. | 19 | 16 | 17 | 16 | 20 | 19 | 17 | 16 | 12 | 16 | 22 | 16 |
| | | F. | 18 | 16 | 17 | 15 | 21 | 17 | 10 | 22 | 7 | 12 | 22 | 30 |
| | (b) Paratyphoid fever .. | M. | 3 | 2 | 1 | 1 | — | 1 | 2 | 2 | 1 | 3 | — | 1 |
| | | F. | 2 | — | — | 2 | 2 | — | 1 | 2 | — | — | 1 | 3 |
| 2 | Typhus .. .. .. | M. | — | — | — | — | — | — | — | — | 1 | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Relapsing Fever (Spirillum obermeieri) | M. | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 | Mediterranean fever .. .. | M. | — | — | 1 | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | 1 | — | — | — |
| 5 | Malaria .. .. .. | M. | 6 | 13 | 6 | 4 | 8 | 5 | 7 | 7 | 7 | 10 | 3 | 10 |
| | | F. | — | — | — | 1 | — | 1 | — | — | — | 1 | 1 | — |
| 6 | Small-pox .. .. .. | M. | 3 | 13 | — | — | — | — | — | — | — | 2 | — | 1 |
| | | F. | 1 | 4 | — | — | — | — | — | — | — | 1 | — | 1 |
| 7 | Measles .. .. .. | M. | 161 | 301 | 299 | 308 | 351 | 540 | 409 | 346 | 285 | 184 | 83 | 49 |
| | | F. | 160 | 251 | 314 | 295 | 291 | 416 | 363 | 264 | 263 | 133 | 79 | 36 |
| 8 | Scarlet fever .. .. .. | M. | 46 | 44 | 57 | 52 | 58 | 56 | 49 | 50 | 40 | 32 | 27 | 25 |
| | | F. | 53 | 44 | 78 | 51 | 46 | 51 | 57 | 52 | 37 | 29 | 22 | 32 |
| 9 | Whooping cough .. .. | M. | 80 | 72 | 99 | 126 | 168 | 251 | 284 | 205 | 153 | 134 | 128 | 124 |
| | | F. | 100 | 115 | 142 | 164 | 222 | 260 | 270 | 280 | 188 | 161 | 163 | 140 |
| 10 | Diphtheria .. .. .. | M. | 146 | 150 | 173 | 184 | 138 | 133 | 145 | 120 | 100 | 59 | 66 | 92 |
| | | F. | 142 | 120 | 163 | 201 | 152 | 147 | 106 | 108 | 95 | 67 | 117 | 93 |
| 11 | Influenza .. .. .. | M. | 161 | 297 | 250 | 325 | 334 | 494 | 649 | 760 | 479 | 191 | 102 | 142 |
| | | F. | 131 | 226 | 235 | 331 | 327 | 495 | 729 | 729 | 473 | 144 | 66 | 88 |
| | (a) 1. With pneumonic complications. | M. | 81 | 137 | 128 | 136 | 126 | 226 | 322 | 428 | 224 | 84 | 29 | 59 |
| | | F. | 49 | 72 | 80 | 104 | 101 | 192 | 296 | 334 | 184 | 41 | 15 | 26 |
| | (a) 2. With other pulmonary complications. | M. | 18 | 45 | 41 | 59 | 64 | 91 | 140 | 122 | 97 | 31 | 16 | 8 |
| | | F. | 28 | 55 | 43 | 77 | 64 | 119 | 188 | 150 | 98 | 26 | 8 | 12 |
| | (b) 1. With non-pulmonary complications. | M. | 44 | 77 | 52 | 86 | 92 | 112 | 110 | 131 | 99 | 50 | 35 | 45 |
| | | F. | 29 | 50 | 70 | 87 | 91 | 109 | 128 | 123 | 109 | 54 | 30 | 22 |
| | (b) 2. Without stated complication. | M. | 18 | 38 | 29 | 44 | 52 | 65 | 77 | 79 | 59 | 26 | 22 | 30 |
| | | F. | 25 | 49 | 42 | 63 | 71 | 75 | 117 | 122 | 82 | 23 | 13 | 28 |
| 13 | Mumps .. .. .. | M. | — | — | 2 | 1 | — | 1 | 1 | 1 | — | — | 1 | — |
| | | F. | — | 1 | — | — | — | 2 | — | — | 1 | 1 | — | — |
| 15 | Cholera nostras .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 16 | Dysentery .. .. .. | M. | 8 | 9 | 4 | 10 | 7 | 16 | 5 | 11 | 4 | 7 | 7 | 5 |
| | | F. | 4 | 7 | 6 | 6 | 6 | 3 | 6 | 2 | 4 | 4 | 7 | 7 |
| | (a) Amœbic .. .. | M. | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | — |
| | | F. | — | — | — | 1 | — | — | 2 | 1 | — | 1 | — | — |
| | (b) Bacillary .. .. | M. | 2 | 1 | 1 | 1 | — | 1 | — | — | — | 2 | 3 | — |
| | | F. | — | 4 | 1 | 2 | — | — | 1 | — | — | — | 1 | 1 |
| | (c) Other or unspecified.. | M. | 6 | 7 | 3 | 8 | 7 | 14 | 5 | 10 | 4 | 4 | 4 | 5 |
| | | F. | 4 | 3 | 5 | 3 | 6 | 3 | 3 | 1 | 4 | 3 | 6 | 6 |
| 19 | Spirochætosis-ictero hæmorrhagica .. .. | M. | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 20 | Leprosy .. .. .. | M. | — | — | — | — | 1 | — | 1 | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 21 | Erysipelas .. .. .. | M. | 21 | 32 | 31 | 35 | 24 | 26 | 25 | 37 | 29 | 18 | 15 | 18 |
| | | F. | 20 | 29 | 25 | 43 | 33 | 41 | 26 | 23 | 25 | 22 | 22 | 16 |
| 22 | Acute poliomyelitis.. .. | M. | 5 | 5 | 1 | 2 | 1 | 9 | 5 | 2 | 4 | 4 | 8 | 9 |
| | | F. | 10 | 5 | 1 | 2 | 2 | 6 | 3 | 3 | 7 | 5 | 5 | 12 |
| | 1. Poliomyelitis .. | M. | 4 | 2 | 1 | 1 | — | 6 | 3 | — | 3 | 3 | 3 | 7 |
| | | F. | 9 | 5 | — | 1 | — | 6 | 2 | 2 | 6 | 2 | 3 | 11 |
| | 2. Polioencephalitis .. | M. | 1 | 3 | — | 1 | 1 | 3 | 2 | 2 | 1 | 1 | 5 | 2 |
| | | F. | 1 | — | 1 | 1 | 2 | — | 1 | 1 | 1 | 3 | 2 | 1 |
| 23 | Encephalitis lethargica .. | M. | 11 | 10 | 17 | 24 | 33 | 40 | 40 | 24 | 22 | 12 | 15 | 17 |
| | | F. | 12 | 9 | 13 | 21 | 33 | 35 | 37 | 22 | 19 | 18 | 18 | 13 |
| 24 | Meningococcal meningitis .. | M. | 20 | 13 | 22 | 12 | 8 | 11 | 16 | 16 | 11 | 10 | 13 | 18 |
| | | F. | 8 | 11 | 9 | 11 | 13 | 14 | 10 | 13 | 17 | 12 | 7 | 9 |
| 25 | Other epidemic diseases .. | M. | 2 | 2 | 3 | 5 | 10 | 4 | 4 | 6 | 1 | 2 | 2 | 3 |
| | | F. | 5 | 3 | 1 | 4 | 1 | 1 | 1 | 3 | — | 8 | 2 | 2 |
| | (1) German measles .. | M. | — | — | 1 | — | 2 | — | — | 2 | — | 1 | — | 1 |
| | | F. | 2 | — | — | — | — | — | 1 | — | — | 5 | 1 | — |
| | (2) Varicella .. .. | M. | 2 | 2 | 2 | 4 | 8 | 3 | 3 | 3 | 1 | 1 | 2 | 2 |
| | | F. | 3 | 2 | 1 | 4 | 1 | 1 | — | 2 | — | 3 | 1 | 1 |
| | (3) Other diseases included under 25. | M. | — | — | — | 1 | — | 1 | 1 | 1 | — | — | — | — |
| | | F. | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 |
| 26 | Glanders .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 | Anthrax .. .. .. | M. | — | 3 | 1 | — | 1 | 3 | 3 | 1 | — | 1 | — | 1 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 29 | Tetanus .. .. .. | M. | 12 | 5 | 10 | 4 | 8 | 12 | 9 | 18 | 10 | 10 | 13 | 7 |
| | | F. | 2 | 2 | 2 | 4 | 2 | 6 | 3 | 5 | 2 | 1 | 7 | 5 |
| 30 | Mycoses .. .. .. | M. | 13 | 5 | 5 | 7 | 3 | 7 | 7 | 4 | 12 | 3 | 3 | 8 |
| | | F. | 1 | — | 1 | 3 | — | 6 | 1 | 3 | 11 | 8 | 5 | 3 |
| | (1) Actinomycosis .. | M. | 8 | 2 | 1 | 1 | 1 | 4 | 4 | 3 | 5 | 1 | 1 | 4 |
| | | F. | — | — | 1 | 1 | — | 1 | — | 2 | 3 | 2 | 2 | 1 |
| | (2) Other mycoses .. | M. | 5 | 3 | 4 | 6 | 2 | 3 | 3 | 1 | 7 | 2 | 2 | 4 |
| | | F. | 1 | — | — | 2 | — | 5 | 1 | 1 | 8 | 6 | 3 | 2 |
| 31–37 | Tuberculosis (all forms) .. | M. | 1653 | 1790 | 1819 | 1991 | 1883 | 2178 | 2092 | 2010 | 1777 | 1729 | 1612 | 1494 |
| | | F. | 1438 | 1451 | 1578 | 1622 | 1557 | 1834 | 1726 | 1729 | 1513 | 1524 | 1410 | 1333 |
| 31 | ,, Respiratory system | M. | 1314 | 1457 | 1459 | 1577 | 1488 | 1709 | 1649 | 1549 | 1398 | 1348 | 1294 | 1179 |
| | | F. | 1135 | 1145 | 1225 | 1278 | 1237 | 1404 | 1333 | 1326 | 1140 | 1157 | 1101 | 1038 |
| 32 | ,, Nervous system .. | M. | 138 | 127 | 138 | 161 | 136 | 181 | 179 | 175 | 147 | 147 | 114 | 100 |
| | | F. | 103 | 112 | 141 | 151 | 137 | 163 | 147 | 162 | 142 | 142 | 119 | 93 |
| 33 | ,, Intestines and peritoneum .. | M. | 56 | 69 | 72 | 81 | 83 | 110 | 86 | 93 | 92 | 78 | 76 | 70 |
| | | F. | 85 | 78 | 80 | 73 | 74 | 93 | 100 | 93 | 89 | 94 | 90 | 72 |
| 34 | ,, Vertebral column .. | M. | 25 | 29 | 24 | 29 | 34 | 38 | 28 | 32 | 17 | 29 | 19 | 29 |
| | | F. | 17 | 13 | 24 | 24 | 18 | 34 | 19 | 26 | 24 | 19 | 17 | 25 |
| 35 | ,, Joints .. .. | M. | 17 | 12 | 15 | 14 | 10 | 11 | 17 | 19 | 11 | 11 | 13 | 13 |
| | | F. | 14 | 10 | 7 | 7 | 7 | 7 | 14 | 11 | 13 | 10 | 8 | 11 |
| 36 | ,, Other organs .. | M. | 23 | 17 | 25 | 33 | 35 | 26 | 23 | 29 | 19 | 32 | 21 | 24 |
| | | F. | 24 | 24 | 24 | 25 | 21 | 25 | 18 | 28 | 28 | 15 | 7 | 28 |
| | (*a*) Skin and subcutaneous tissue. | M. | 3 | — | 5 | 2 | 3 | 1 | 1 | 5 | — | 4 | 1 | 2 |
| | | F. | 2 | 3 | 5 | 7 | 3 | 6 | 3 | 8 | 3 | 1 | 1 | 5 |
| | (*b*) Bones (Vertebral column excepted). | M. | 2 | 4 | 7 | 7 | 8 | 5 | 2 | 2 | 6 | 9 | 5 | 3 |
| | | F. | 4 | 3 | 4 | 2 | 3 | 4 | 4 | 3 | 4 | 3 | 2 | 4 |
| | (*c*) Lymphatic system (abdominal glands excepted). | M. | 5 | 3 | 4 | 10 | 6 | 3 | 2 | 3 | 4 | — | 1 | 4 |
| | | F. | 6 | 10 | 4 | 8 | 6 | 4 | 4 | 3 | 8 | 6 | 2 | 8 |
| | (*d*) Genito-urinary system. | M. | 12 | 10 | 7 | 14 | 15 | 15 | 14 | 18 | 9 | 17 | 12 | 14 |
| | | F. | 10 | 7 | 10 | 7 | 9 | 9 | 7 | 13 | 12 | 5 | 2 | 9 |
| | (*e*) Others in 36 .. | M. | 1 | — | 2 | — | 3 | 2 | 4 | 1 | — | 2 | 2 | 1 |
| | | F. | 2 | 1 | 1 | 1 | — | 2 | — | 1 | 1 | — | — | 2 |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 37 | Disseminated tuberculosis .. | M. | 80 | 79 | 86 | 96 | 97 | 103 | 110 | 113 | 93 | 84 | 75 | 79 |
| | | F. | 60 | 69 | 77 | 64 | 63 | 108 | 95 | 83 | 77 | 87 | 68 | 66 |
| | (*a*) Acute .. .. .. | M. | 22 | 27 | 29 | 32 | 39 | 50 | 44 | 46 | 31 | 24 | 28 | 17 |
| | | F. | 19 | 30 | 29 | 26 | 31 | 45 | 44 | 43 | 24 | 39 | 24 | 32 |
| | (*b*) Chronic or unstated .. | M. | 58 | 52 | 57 | 64 | 58 | 53 | 66 | 67 | 62 | 60 | 47 | 62 |
| | | F. | 41 | 39 | 48 | 38 | 32 | 63 | 51 | 40 | 53 | 48 | 44 | 34 |
| 38 | Syphilis .. .. .. | M. | 60 | 71 | 68 | 86 | 65 | 77 | 63 | 70 | 62 | 84 | 59 | 68 |
| | | F. | 50 | 49 | 54 | 50 | 42 | 48 | 53 | 47 | 33 | 45 | 35 | 51 |
| 39 | Soft Chancre .. .. | M. | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 40 | Gonococcal infection.. .. | M. | 3 | 1 | 2 | 4 | 3 | 3 | 2 | 3 | 1 | — | 1 | 1 |
| | | F. | 1 | 2 | — | 3 | 1 | 2 | 2 | 5 | — | 1 | 2 | 1 |
| | (1) Gonococcal infection (ophthalmia excepted). | M. | 2 | — | 1 | 4 | 1 | 2 | 2 | — | 1 | — | 1 | 1 |
| | | F. | — | — | — | 1 | — | 2 | 1 | 1 | — | 1 | — | 1 |
| | (2) Gonorrhœal or purulent ophthalmia. | M. | 1 | 1 | 1 | — | 2 | 1 | — | 3 | — | — | — | — |
| | | F. | 1 | 2 | — | 2 | 1 | — | 1 | 4 | — | — | 2 | — |
| 41 | Purulent infection, septicæmia | M. | 25 | 38 | 29 | 41 | 28 | 39 | 15 | 35 | 20 | 21 | 19 | 29 |
| | | F. | 16 | 8 | 23 | 16 | 19 | 17 | 12 | 11 | 14 | 18 | 20 | 10 |
| | (1) Vaccinia .. .. | M. | 1 | — | — | — | 2 | 1 | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | 3 | — |
| | (2) Other forms .. .. | M. | 24 | 38 | 29 | 41 | 26 | 38 | 15 | 35 | 20 | 21 | 19 | 29 |
| | | F. | 16 | 8 | 23 | 16 | 19 | 17 | 12 | 11 | 14 | 18 | 17 | 10 |
| 43–69 | II. General diseases not included above. | M. | 2442 | 2385 | 2359 | 2485 | 2255 | 2445 | 2325 | 2380 | 2331 | 2325 | 2376 | 2376 |
| | | F. | 3061 | 3051 | 2922 | 3000 | 2704 | 3128 | 2891 | 2968 | 2847 | 2908 | 2752 | 2878 |
| 43–49 | Cancer, Malignant disease .. | M. | 1870 | 1794 | 1782 | 1874 | 1687 | 1866 | 1738 | 1822 | 1772 | 1804 | 1898 | 1892 |
| | | F. | 2297 | 2256 | 2194 | 2217 | 2018 | 2283 | 2153 | 2233 | 2169 | 2257 | 2156 | 2231 |
| 43 | ,, Buccal cavity .. | M. | 217 | 196 | 196 | 218 | 206 | 223 | 209 | 238 | 204 | 175 | 215 | 222 |
| | | F. | 32 | 26 | 32 | 24 | 36 | 46 | 31 | 38 | 34 | 24 | 36 | 24 |
| 44 | ,, Pharynx, œsophagus, stomach, liver and annexa. | M. | 748 | 714 | 674 | 734 | 646 | 714 | 646 | 677 | 689 | 697 | 737 | 671 |
| | | F. | 635 | 601 | 599 | 586 | 512 | 583 | 572 | 600 | 580 | 615 | 611 | 566 |
| 45 | ,, Peritoneum, intestines and rectum. | M. | 406 | 390 | 410 | 414 | 392 | 402 | 372 | 415 | 393 | 438 | 425 | 436 |
| | | F. | 451 | 448 | 402 | 440 | 424 | 478 | 406 | 439 | 458 | 454 | 453 | 461 |
| 46 | ,, Female genital organs.. | F. | 486 | 477 | 476 | 461 | 414 | 483 | 456 | 480 | 437 | 504 | 450 | 505 |
| 47 | ,, Breast .. .. | M. | 2 | 2 | 8 | 1 | — | 2 | 4 | 3 | 2 | 4 | 4 | 4 |
| | | F. | 427 | 439 | 443 | 422 | 420 | 417 | 436 | 376 | 405 | 399 | 365 | 405 |
| 48 | ,, Skin .. .. .. | M. | 58 | 55 | 62 | 72 | 68 | 55 | 67 | 62 | 65 | 45 | 61 | 71 |
| | | F. | 36 | 35 | 32 | 41 | 27 | 34 | 28 | 32 | 39 | 35 | 31 | 42 |
| 49 | ,, Other or unspecified organs. | M. | 439 | 437 | 432 | 435 | 375 | 470 | 440 | 427 | 419 | 445 | 456 | 488 |
| | | F. | 230 | 230 | 210 | 243 | 185 | 242 | 224 | 268 | 216 | 226 | 210 | 228 |
| 50 | Tumours not returned as malignant (brain and female genital organs excepted). | M. | 30 | 30 | 30 | 37 | 33 | 37 | 29 | 37 | 27 | 26 | 29 | 42 |
| | | F. | 28 | 28 | 15 | 36 | 25 | 28 | 29 | 22 | 37 | 27 | 23 | 23 |
| 51 | Rheumatic fever .. .. | M. | 50 | 60 | 54 | 66 | 62 | 73 | 57 | 76 | 58 | 75 | 58 | 50 |
| | | F. | 70 | 91 | 73 | 84 | 58 | 88 | 80 | 85 | 55 | 68 | 61 | 71 |
| 52 | Chronic rheumatism, osteo-arthritis, gout. | M. | 58 | 64 | 69 | 78 | 69 | 73 | 69 | 52 | 80 | 63 | 56 | 57 |
| | | F. | 113 | 151 | 141 | 122 | 128 | 136 | 144 | 151 | 120 | 141 | 104 | 103 |
| | (1) Chronic rheumatism, chronic arthritis. | M. | 15 | 11 | 17 | 17 | 21 | 12 | 14 | 13 | 10 | 10 | 8 | 15 |
| | | F. | 15 | 19 | 26 | 19 | 25 | 16 | 20 | 21 | 19 | 20 | 15 | 14 |
| | (2) Rheumatoid and osteo-arthritis. | M. | 35 | 42 | 41 | 48 | 39 | 46 | 46 | 32 | 53 | 38 | 37 | 27 |
| | | F. | 95 | 128 | 112 | 101 | 99 | 118 | 123 | 128 | 99 | 118 | 87 | 85 |
| | (3) Gout .. .. .. | M. | 8 | 11 | 11 | 13 | 9 | 15 | 9 | 7 | 17 | 15 | 11 | 15 |
| | | F. | 3 | 4 | 3 | 2 | 4 | 2 | 1 | 2 | 2 | 3 | 2 | 4 |
| 53 | Scurvy.. .. .. .. | M. | 2 | 1 | 2 | 1 | — | 3 | 1 | 1 | 1 | 1 | — | 2 |
| | | F. | 1 | 1 | 1 | 1 | — | — | 2 | 2 | — | — | 2 | — |
| 54 | Pellagra .. .. .. | M. | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — |
| | | F. | — | 1 | 1 | — | — | 1 | — | 1 | 1 | 1 | 2 | 1 |
| 55 | Beri-beri .. .. .. | M. | — | — | — | — | — | — | — | — | 1 | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 56 | Rickets .. .. .. | M. | 13 | 22 | 14 | 19 | 32 | 27 | 27 | 39 | 28 | 16 | 18 | 18 |
| | | F. | 7 | 7 | 13 | 22 | 9 | 25 | 21 | 28 | 18 | 14 | 13 | 9 |
| 57 | Diabetes .. .. .. | M. | 190 | 204 | 198 | 185 | 186 | 167 | 187 | 173 | 162 | 142 | 130 | 127 |
| | | F. | 250 | 222 | 202 | 227 | 219 | 251 | 185 | 194 | 173 | 176 | 161 | 196 |
| 58 | Anæmia, chlorosis .. .. | M. | 107 | 109 | 116 | 105 | 89 | 87 | 101 | 78 | 90 | 89 | 94 | 92 |
| | | F. | 140 | 144 | 150 | 154 | 114 | 148 | 132 | 121 | 142 | 109 | 108 | 125 |
| | (*a*) Pernicious anæmia .. | M. | 96 | 98 | 106 | 94 | 82 | 79 | 93 | 70 | 82 | 80 | 83 | 81 |
| | | F. | 116 | 129 | 122 | 140 | 102 | 131 | 119 | 103 | 126 | 98 | 95 | 106 |
| | (*b*) Other anæmias and chlorosis. | M. | 11 | 11 | 10 | 11 | 7 | 8 | 8 | 8 | 8 | 9 | 11 | 11 |
| | | F. | 24 | 15 | 28 | 14 | 12 | 17 | 13 | 18 | 16 | 11 | 13 | 19 |
| 59 | Diseases of the pituitary gland | M. | — | — | 1 | 1 | 1 | 2 | — | 1 | — | — | 1 | 1 |
| | | F. | 1 | 1 | 2 | — | — | — | 2 | — | — | 1 | 2 | — |
| 60 | Diseases of the thyroid gland | M. | 10 | 12 | 9 | 15 | 13 | 13 | 13 | 5 | 8 | 8 | 15 | 8 |
| | | F. | 82 | 68 | 78 | 72 | 58 | 85 | 74 | 62 | 65 | 50 | 68 | 57 |
| | (*a*) Exophthalmic goitre .. | M. | 6 | 6 | 8 | 5 | 4 | 1 | 4 | 3 | 5 | 6 | 4 | 5 |
| | | F. | 56 | 51 | 56 | 47 | 40 | 64 | 48 | 44 | 45 | 41 | 49 | 36 |
| | (*b*) (1) Myxœdema .. | M. | 1 | 2 | — | 1 | 3 | 4 | 2 | 1 | — | — | 4 | — |
| | | F. | 14 | 9 | 11 | 12 | 6 | 6 | 16 | 11 | 11 | 6 | 5 | 15 |
| | (*b*) (2) Cretinism.. .. | M. | 1 | 2 | — | 6 | 4 | 4 | 2 | — | 2 | — | 3 | 1 |
| | | F. | 4 | 3 | 2 | 3 | 1 | 2 | 3 | 1 | 3 | 2 | 2 | 1 |
| | (*b*) (3) Other diseases of the thyroid gland. | M. | 2 | 2 | 1 | 3 | 2 | 4 | 5 | 1 | 1 | 2 | 4 | 2 |
| | | F. | 8 | 5 | 9 | 10 | 11 | 13 | 7 | 6 | 6 | 1 | 12 | 5 |
| 61 | Diseases of the parathyroid glands. | M. | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 62 | Diseases of the thymus .. | M. | 12 | 7 | 11 | 14 | 9 | 10 | 13 | 5 | 9 | 6 | 6 | 6 |
| | | F. | 5 | 8 | 5 | 5 | 5 | 4 | 3 | 6 | 2 | 3 | 3 | 5 |
| 63 | Diseases of the adrenals .. | M. | 5 | 9 | 8 | 9 | 10 | 5 | 10 | 9 | 9 | 10 | 6 | 4 |
| | | F. | 9 | 16 | 6 | 6 | 11 | 16 | 9 | 12 | 14 | 13 | 6 | 8 |
| 64 | Diseases of the spleen .. | M. | 2 | 2 | 3 | 1 | 2 | — | 1 | 2 | 1 | 2 | — | 2 |
| | | F. | 2 | — | 2 | — | 4 | 2 | — | 2 | — | — | 3 | 1 |
| 65 | Leukæmia, lymphadenoma .. | M. | 53 | 37 | 37 | 48 | 32 | 45 | 46 | 48 | 48 | 46 | 31 | 36 |
| | | F. | 35 | 37 | 23 | 30 | 32 | 34 | 32 | 28 | 25 | 33 | 29 | 29 |
| | (*a*) Leukæmia .. .. | M. | 27 | 23 | 15 | 19 | 14 | 25 | 25 | 33 | 26 | 28 | 20 | 25 |
| | | F. | 16 | 21 | 14 | 19 | 18 | 23 | 24 | 17 | 17 | 22 | 13 | 17 |
| | (*b*) Lymphadenoma (Hodgkin's disease). | M. | 26 | 14 | 22 | 29 | 18 | 20 | 21 | 15 | 22 | 18 | 11 | 11 |
| | | F. | 19 | 16 | 9 | 11 | 14 | 11 | 8 | 11 | 8 | 11 | 16 | 12 |
| 66 | Alcoholism (Acute or chronic) | M. | 15 | 7 | 9 | 8 | 6 | 7 | 8 | 10 | 8 | 8 | 9 | 11 |
| | | F. | 1 | 2 | 5 | 4 | 5 | 5 | 3 | 2 | 5 | 3 | 1 | 4 |
| 67 | Chronic poisoning by mineral substances. | M. | 4 | 7 | 7 | 4 | 3 | 7 | 6 | 2 | 4 | 2 | 4 | 7 |
| | | F. | 1 | 1 | — | 1 | — | 1 | — | 1 | 1 | — | 2 | — |
| | (1) Occupational lead poisoning. | M. | 3 | 7 | 7 | 4 | 3 | 6 | 5 | 2 | 4 | 2 | 3 | 7 |
| | | F. | 1 | 1 | — | 1 | — | 1 | — | 1 | — | — | 1 | — |
| | (2) Others .. .. | M. | 1 | — | — | — | — | 1 | 1 | — | — | — | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | 1 | — | 1 | — |
| 68 | Chronic poisoning by organic substances. | M. | — | — | 1 | — | — | — | — | — | — | — | — | — |
| | | F. | 1 | — | — | — | — | — | 2 | — | 1 | — | — | — |
| 69 | Other general diseases .. | M. | 21 | 19 | 8 | 18 | 21 | 23 | 19 | 20 | 24 | 27 | 21 | 21 |
| | | F. | 18 | 17 | 11 | 19 | 18 | 21 | 20 | 18 | 19 | 12 | 8 | 14 |
| | (1) Purpura .. .. | M. | 15 | 12 | 5 | 11 | 10 | 6 | 10 | 9 | 7 | 11 | 7 | 12 |
| | | F. | 13 | 7 | 7 | 12 | 14 | 11 | 13 | 9 | 12 | 7 | 5 | 8 |
| | (2) Hæmophilia .. .. | M. | 4 | 5 | 2 | 5 | 6 | 14 | 5 | 7 | 10 | 8 | 9 | 5 |
| | | F. | 2 | 4 | 2 | — | 3 | 7 | 4 | 4 | 3 | 1 | 1 | 1 |
| | (3) Other diseases included under 69. | M. | 2 | 2 | 1 | 2 | 5 | 3 | 4 | 4 | 7 | 8 | 5 | 4 |
| | | F. | 3 | 6 | 2 | 7 | 1 | 3 | 3 | 5 | 4 | 4 | 2 | 5 |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 70-86 | III. Diseases of the Nervous System and Sense Organs. | M. | 1860 | 2000 | 2066 | 2187 | 1906 | 2158 | 1983 | 2010 | 1748 | 1710 | 1624 | 1717 |
| | | F. | 1835 | 2077 | 2146 | 2352 | 1940 | 2261 | 2020 | 2073 | 1911 | 1939 | 1727 | 1746 |
| 70 | Encephalitis .. .. .. | M. | 20 | 13 | 25 | 17 | 11 | 15 | 15 | 14 | 14 | 15 | 10 | 14 |
| | | F. | 9 | 16 | 15 | 13 | 9 | 16 | 11 | 17 | 9 | 10 | 7 | 6 |
| | (1) Cerebral abscess .. | M. | 9 | 10 | 22 | 10 | 8 | 10 | 8 | 6 | 8 | 8 | 7 | 11 |
| | | F. | 5 | 8 | 7 | 7 | 6 | 8 | 7 | 9 | 6 | 4 | 2 | 4 |
| | (2) Other diseases included under 70. | M. | 11 | 3 | 3 | 7 | 3 | 5 | 7 | 8 | 6 | 7 | 3 | 3 |
| | | F. | 4 | 8 | 8 | 6 | 3 | 8 | 4 | 8 | 3 | 6 | 5 | 2 |
| 71 | Meningitis .. .. .. | M. | 83 | 86 | 98 | 108 | 68 | 118 | 102 | 117 | 91 | 91 | 104 | 63 |
| | | F. | 68 | 80 | 69 | 68 | 75 | 121 | 90 | 79 | 83 | 112 | 75 | 65 |
| 72 | Tabes dorsalis (Locomotor-ataxy). | M. | 54 | 57 | 50 | 43 | 44 | 55 | 44 | 50 | 45 | 50 | 37 | 47 |
| | | F. | 12 | 14 | 10 | 19 | 16 | 7 | 10 | 11 | 8 | 16 | 12 | 6 |
| 73 | Other diseases of the spinal cord. | M. | 59 | 62 | 77 | 87 | 51 | 77 | 57 | 66 | 61 | 60 | 53 | 71 |
| | | F. | 44 | 46 | 57 | 61 | 45 | 52 | 54 | 56 | 45 | 51 | 51 | 44 |
| 74 | Cerebral hæmorrhage, apoplexy, etc. | M. | 934 | 1014 | 1015 | 1079 | 978 | 1099 | 984 | 1009 | 848 | 821 | 786 | 886 |
| | | F. | 1127 | 1290 | 1342 | 1447 | 1175 | 1340 | 1210 | 1268 | 1151 | 1130 | 1019 | 1060 |
| | (*a*) (1) Cerebral hæmorrhage so returned. | M. | 723 | 767 | 772 | 826 | 747 | 842 | 787 | 791 | 645 | 626 | 606 | 698 |
| | | F. | 868 | 971 | 1032 | 1092 | 907 | 1034 | 912 | 968 | 887 | 848 | 783 | 823 |
| | (*a*) (2) Apoplexy lesion unstated. | M. | 101 | 116 | 110 | 116 | 109 | 119 | 104 | 111 | 90 | 102 | 93 | 99 |
| | | F. | 124 | 153 | 145 | 157 | 121 | 144 | 134 | 154 | 110 | 138 | 108 | 116 |
| | (*b*) (1) Cerebral embolism | M. | 29 | 31 | 37 | 28 | 27 | 33 | 17 | 20 | 25 | 21 | 20 | 19 |
| | | F. | 39 | 39 | 58 | 48 | 35 | 40 | 34 | 35 | 36 | 29 | 22 | 29 |
| | (*b*) (2) Cerebral thrombosis. | M. | 81 | 100 | 96 | 109 | 95 | 105 | 76 | 87 | 88 | 72 | 67 | 70 |
| | | F. | 96 | 127 | 107 | 150 | 112 | 122 | 130 | 111 | 118 | 115 | 106 | 92 |
| 75 | Paralysis of unstated origin.. | M. | 96 | 104 | 97 | 86 | 86 | 92 | 80 | 88 | 75 | 74 | 70 | 71 |
| | | F. | 83 | 100 | 117 | 132 | 96 | 123 | 113 | 99 | 96 | 104 | 86 | 106 |
| | (*a*) Hemiplegia .. .. | M. | 76 | 92 | 83 | 73 | 72 | 80 | 67 | 81 | 71 | 66 | 59 | 60 |
| | | F. | 75 | 88 | 103 | 119 | 86 | 106 | 102 | 91 | 90 | 86 | 76 | 94 |
| | (*b*) Other forms of paralysis | M. | 20 | 12 | 14 | 13 | 14 | 12 | 13 | 7 | 4 | 8 | 11 | 11 |
| | | F. | 8 | 12 | 14 | 13 | 10 | 17 | 11 | 8 | 6 | 18 | 10 | 12 |
| 76 | General paralysis of the insane | M. | 126 | 133 | 119 | 116 | 118 | 117 | 124 | 111 | 90 | 110 | 92 | 120 |
| | | F. | 25 | 34 | 28 | 27 | 32 | 23 | 26 | 21 | 26 | 27 | 12 | 22 |
| 77 | Other forms of insanity .. | M. | 35 | 30 | 23 | 31 | 29 | 28 | 16 | 35 | 28 | 20 | 14 | 21 |
| | | F. | 47 | 52 | 42 | 40 | 36 | 48 | 42 | 47 | 53 | 44 | 46 | 44 |
| 78 | Epilepsy .. .. .. | M. | 82 | 83 | 105 | 100 | 87 | 98 | 106 | 98 | 91 | 84 | 75 | 70 |
| | | F. | 72 | 79 | 89 | 80 | 89 | 96 | 80 | 114 | 92 | 78 | 70 | 70 |
| 79-80 | Convulsions (non-puerperal) | M. | 148 | 167 | 208 | 230 | 207 | 207 | 216 | 194 | 173 | 170 | 159 | 136 |
| | | F. | 123 | 130 | 121 | 184 | 133 | 167 | 140 | 132 | 121 | 126 | 124 | 114 |
| 81 | Chorea.. .. .. .. | M. | — | 1 | 1 | 1 | 2 | 3 | 1 | — | — | — | 3 | 1 |
| | | F. | 2 | 3 | 6 | 8 | 3 | 8 | 2 | 6 | 6 | 1 | 3 | 4 |
| 82 | Hysteria and neuritis .. | M. | 6 | 9 | 7 | 7 | 8 | 9 | 13 | 4 | 6 | 8 | 9 | 8 |
| | | F. | 17 | 19 | 18 | 14 | 13 | 14 | 14 | 14 | 6 | 11 | 13 | 12 |
| 83 | Cerebral softening .. .. | M. | 21 | 35 | 30 | 52 | 28 | 31 | 33 | 25 | 23 | 24 | 35 | 22 |
| | | F. | 38 | 34 | 44 | 37 | 35 | 29 | 36 | 38 | 31 | 36 | 32 | 26 |
| 84 | Other diseases of the nervous system. | M. | 133 | 149 | 144 | 159 | 138 | 152 | 142 | 129 | 149 | 127 | 118 | 131 |
| | | F. | 124 | 128 | 150 | 172 | 131 | 168 | 140 | 131 | 144 | 147 | 140 | 130 |
| | (1) Idiocy, imbecility .. | M. | 6 | 15 | 6 | 15 | 16 | 9 | 12 | 9 | 8 | 8 | 11 | 13 |
| | | F. | 11 | 4 | 12 | 15 | 9 | 13 | 13 | 14 | 10 | 15 | 12 | 10 |
| | (2) Cerebral tumour .. | M. | 51 | 41 | 46 | 46 | 45 | 47 | 37 | 43 | 46 | 41 | 42 | 48 |
| | | F. | 43 | 40 | 45 | 42 | 47 | 45 | 50 | 43 | 37 | 39 | 47 | 40 |
| | (3) Disseminated sclerosis | M. | 24 | 27 | 34 | 35 | 23 | 25 | 33 | 25 | 28 | 31 | 15 | 19 |
| | | F. | 28 | 22 | 25 | 37 | 33 | 32 | 28 | 32 | 29 | 27 | 31 | 24 |
| | (4) Paralysis agitans .. | M. | 27 | 40 | 31 | 35 | 29 | 43 | 28 | 24 | 33 | 27 | 29 | 34 |
| | | F. | 20 | 33 | 37 | 37 | 18 | 44 | 32 | 20 | 38 | 45 | 31 | 35 |
| | (5) Other diseases included under 84. | M. | 25 | 26 | 27 | 28 | 25 | 28 | 32 | 28 | 34 | 20 | 21 | 17 |
| | | F. | 22 | 29 | 31 | 41 | 24 | 34 | 17 | 22 | 30 | 21 | 19 | 21 |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 85 | Diseases of the eye and annexa. | M. | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 3 | 2 | 2 | 7 | 4 |
| | | F. | 3 | 1 | 1 | 3 | 2 | 7 | 4 | 1 | — | 6 | 1 | 3 |
| 86 | Diseases of the ear and of the mastoid sinus. | M. | 60 | 55 | 64 | 68 | 48 | 55 | 47 | 67 | 52 | 54 | 52 | 52 |
| | | F. | 41 | 51 | 37 | 47 | 50 | 42 | 48 | 39 | 40 | 40 | 36 | 34 |
| | (1) Diseases of the mastoid sinus. | M. | 19 | 17 | 14 | 17 | 17 | 19 | 13 | 22 | 15 | 17 | 17 | 17 |
| | | F. | 16 | 25 | 9 | 17 | 14 | 9 | 9 | 10 | 15 | 14 | 9 | 9 |
| | (2) Diseases of the ear .. | M. | 41 | 38 | 50 | 51 | 31 | 36 | 34 | 45 | 37 | 37 | 35 | 35 |
| | | F. | 25 | 26 | 28 | 30 | 36 | 33 | 39 | 29 | 25 | 26 | 27 | 25 |
| 87–96 | IV. Diseases of the circulatory system. | M. | 2845 | 3130 | 3079 | 3354 | 2970 | 3409 | 3161 | 3074 | 2739 | 2595 | 2537 | 2570 |
| | | F. | 2959 | 3363 | 3563 | 3674 | 3128 | 3555 | 3188 | 3102 | 2777 | 2729 | 2525 | 2579 |
| 87–90 | Heart diseases .. .. | M. | 2137 | 2287 | 2265 | 2396 | 2108 | 2502 | 2296 | 2233 | 2022 | 1863 | 1844 | 1905 |
| | | F. | 2429 | 2789 | 2907 | 2985 | 2509 | 2881 | 2607 | 2529 | 2228 | 2202 | 2050 | 2081 |
| 87 | Pericarditis .. .. .. | M. | 26 | 17 | 20 | 21 | 20 | 28 | 21 | 10 | 17 | 15 | 16 | 9 |
| | | F. | 7 | 14 | 16 | 10 | 12 | 16 | 5 | 10 | 13 | 8 | 11 | 6 |
| 88 | Acute endocarditis and myocarditis. | M. | 64 | 82 | 71 | 93 | 83 | 92 | 90 | 71 | 62 | 80 | 71 | 70 |
| | | F. | 91 | 79 | 72 | 75 | 74 | 91 | 76 | 88 | 72 | 65 | 82 | 64 |
| | (1) Infective endocarditis | M. | 44 | 47 | 50 | 49 | 45 | 60 | 47 | 44 | 34 | 47 | 44 | 46 |
| | | F. | 54 | 51 | 39 | 40 | 39 | 45 | 36 | 43 | 35 | 40 | 50 | 34 |
| | (2) Other acute endocarditis. | M. | 14 | 22 | 12 | 34 | 25 | 20 | 30 | 16 | 19 | 25 | 20 | 17 |
| | | F. | 27 | 18 | 24 | 22 | 19 | 30 | 27 | 26 | 20 | 17 | 23 | 23 |
| | (3) Acute myocarditis .. | M. | 6 | 13 | 9 | 10 | 13 | 12 | 13 | 11 | 9 | 8 | 7 | 7 |
| | | F. | 10 | 10 | 9 | 13 | 16 | 16 | 13 | 19 | 17 | 8 | 9 | 7 |
| 89 | Angina pectoris .. .. | M. | 65 | 80 | 83 | 80 | 91 | 92 | 90 | 101 | 83 | 67 | 66 | 85 |
| | | F. | 32 | 39 | 41 | 43 | 32 | 54 | 35 | 35 | 44 | 44 | 50 | 24 |
| 90 | Other diseases of the heart .. | M. | 1982 | 2108 | 2091 | 2202 | 1914 | 2290 | 2095 | 2051 | 1860 | 1701 | 1691 | 1741 |
| | | F. | 2299 | 2657 | 2778 | 2857 | 2391 | 2720 | 2491 | 2396 | 2099 | 2085 | 1907 | 1987 |
| | (1) Aortic valve disease .. | M. | 174 | 169 | 181 | 156 | 162 | 172 | 159 | 184 | 144 | 129 | 170 | 147 |
| | | F. | 81 | 75 | 83 | 95 | 74 | 92 | 80 | 76 | 71 | 67 | 69 | 77 |
| | (2) Mitral valve disease .. | M. | 297 | 300 | 287 | 323 | 273 | 333 | 269 | 284 | 284 | 238 | 238 | 266 |
| | | F. | 477 | 559 | 574 | 550 | 445 | 515 | 464 | 444 | 389 | 423 | 381 | 384 |
| | (3) Aortic and mitral valve disease. | M. | 40 | 42 | 40 | 44 | 35 | 33 | 38 | 47 | 35 | 36 | 38 | 27 |
| | | F. | 24 | 40 | 45 | 41 | 29 | 31 | 30 | 38 | 28 | 38 | 33 | 37 |
| | (4) Other or unspecified valve disease. | M. | 444 | 449 | 468 | 523 | 406 | 514 | 465 | 453 | 422 | 368 | 372 | 388 |
| | | F. | 516 | 624 | 637 | 668 | 544 | 589 | 582 | 558 | 500 | 465 | 463 | 463 |
| | (5) Fatty heart .. .. | M. | 91 | 125 | 105 | 109 | 98 | 119 | 91 | 108 | 98 | 111 | 94 | 84 |
| | | F. | 114 | 142 | 135 | 150 | 134 | 148 | 134 | 117 | 103 | 100 | 122 | 114 |
| | (6) Cardiac dilatation (cause unspecified). | M. | 40 | 33 | 44 | 38 | 33 | 49 | 30 | 37 | 30 | 36 | 31 | 27 |
| | | F. | 38 | 58 | 47 | 48 | 37 | 47 | 22 | 47 | 35 | 35 | 24 | 40 |
| | (7) Other or unspecified myocardial disease. | M. | 455 | 512 | 515 | 526 | 485 | 562 | 581 | 479 | 461 | 423 | 389 | 450 |
| | | F. | 507 | 627 | 667 | 715 | 599 | 713 | 630 | 603 | 515 | 492 | 460 | 491 |
| | (8) Disordered action of the heart. | M. | 26 | 22 | 13 | 34 | 23 | 28 | 24 | 31 | 28 | 30 | 13 | 23 |
| | | F. | 23 | 31 | 32 | 34 | 36 | 46 | 46 | 37 | 37 | 36 | 25 | 31 |
| | (9) Heart disease (undefined). | M. | 415 | 456 | 438 | 449 | 399 | 480 | 438 | 428 | 358 | 330 | 346 | 329 |
| | | F. | 519 | 501 | 558 | 556 | 493 | 539 | 503 | 476 | 421 | 429 | 330 | 350 |
| 91 | Disease of the arteries .. | M. | 677 | 812 | 780 | 924 | 828 | 870 | 836 | 812 | 690 | 710 | 662 | 648 |
| | | F. | 494 | 534 | 617 | 648 | 579 | 634 | 541 | 537 | 505 | 488 | 446 | 458 |
| | (*a*) Aneurism .. .. | M. | 70 | 66 | 70 | 81 | 57 | 71 | 64 | 60 | 58 | 57 | 66 | 43 |
| | | F. | 18 | 12 | 25 | 20 | 14 | 15 | 13 | 19 | 11 | 14 | 15 | 19 |
| | (*b*) Arterio-sclerosis .. | M. | 600 | 737 | 705 | 832 | 760 | 789 | 763 | 43 | 624 | 644 | 591 | 598 |
| | | F. | 472 | 517 | 582 | 615 | 559 | 608 | 521 | 511 | 486 | 466 | 425 | 434 |
| | (1) With record of cerebral vascular lesion | M. | 181 | 215 | 217 | 269 | 261 | 219 | 216 | 230 | 200 | 190 | 182 | 194 |
| | | F. | 188 | 176 | 213 | 220 | 195 | 209 | 189 | 172 | 186 | 163 | 157 | 158 |
| | (2) Without record of cerebral vascular lesion. | M. | 419 | 522 | 488 | 563 | 499 | 570 | 547 | 513 | 424 | 454 | 409 | 404 |
| | | F. | 284 | 341 | 369 | 395 | 364 | 399 | 332 | 339 | 300 | 303 | 268 | 276 |
| | (*c*) Other diseases of the arteries. | M. | 7 | 9 | 5 | 11 | 11 | 10 | 9 | 9 | 8 | 9 | 5 | 7 |
| | | F. | 4 | 5 | 10 | 13 | 6 | 11 | 7 | 7 | 8 | 8 | 6 | 5 |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 92 | Embolism and thrombosis (not cerebral). | M. | 15 | 10 | 14 | 13 | 17 | 19 | 14 | 9 | 9 | 10 | 13 | 9 |
| | | F. | 14 | 13 | 13 | 17 | 15 | 17 | 15 | 12 | 15 | 19 | 8 | 11 |
| 93 | Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) | M. | 11 | 12 | 13 | 14 | 9 | 13 | 11 | 14 | 11 | 10 | 13 | 5 |
| | | F. | 20 | 25 | 19 | 18 | 21 | 18 | 23 | 18 | 24 | 17 | 17 | 27 |
| 94 | Diseases of the lymphatic system (lymphangitis, etc.) | M. | 3 | 8 | 6 | 4 | 8 | 4 | 1 | 5 | 5 | 2 | 4 | 2 |
| | | F. | 2 | 2 | 4 | 6 | 2 | 4 | 1 | 5 | 3 | 2 | 3 | 1 |
| 95 | Hæmorrhage without stated cause. | M. | 2 | 1 | 1 | 3 | — | 1 | 3 | 1 | 2 | — | 1 | 1 |
| | | F. | — | — | 3 | — | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |
| 97–107 | V. Diseases of the respiratory system. | M. | 2389 | 3706 | 4040 | 4421 | 3722 | 4177 | 3828 | 3548 | 2830 | 2015 | 1552 | 1832 |
| | | F. | 1984 | 3371 | 3492 | 3919 | 3188 | 3848 | 3555 | 2972 | 2247 | 1519 | 1160 | 1302 |
| 97 | Diseases of the nasal fossæ and annexa. | M. | 8 | 5 | 6 | 6 | 11 | 8 | 3 | 7 | 2 | 5 | 2 | 6 |
| | | F. | 2 | 6 | 4 | 7 | 4 | 4 | 2 | 6 | 4 | 5 | 7 | 5 |
| | (1) Diseases of the nose .. | M. | 3 | — | 3 | 1 | 6 | 1 | 1 | 1 | — | 1 | — | 2 |
| | | F. | — | 2 | 2 | 4 | 2 | 4 | 1 | — | 3 | — | 2 | 1 |
| | (2) Diseases of the accessory nasal sinuses. | M. | 5 | 5 | 3 | 5 | 5 | 7 | 2 | 6 | 2 | 4 | 2 | 4 |
| | | F. | 2 | 4 | 2 | 3 | 2 | — | 1 | 6 | 1 | 5 | 5 | 4 |
| 98 | Diseases of the larynx .. | M. | 19 | 28 | 39 | 36 | 26 | 34 | 21 | 19 | 21 | 10 | 17 | 16 |
| | | F. | 10 | 20 | 24 | 23 | 18 | 30 | 23 | 15 | 10 | 6 | 8 | 15 |
| | (1) Laryngismus stridulus | M. | 8 | 8 | 14 | 8 | 8 | 10 | 4 | 9 | 6 | 1 | 4 | 4 |
| | | F. | 6 | 6 | 10 | 5 | 7 | 9 | 3 | 4 | 7 | 2 | 1 | 1 |
| | (2) Laryngitis .. .. | M. | 11 | 20 | 25 | 28 | 17 | 24 | 16 | 9 | 15 | 9 | 13 | 12 |
| | | F. | 4 | 13 | 13 | 18 | 11 | 21 | 19 | 11 | 3 | 4 | 7 | 13 |
| | (3) Other diseases .. | M. | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — |
| | | F. | — | 1 | 1 | — | — | — | 1 | — | — | — | — | 1 |
| 99 | Bronchitis .. .. .. | M. | 971 | 1600 | 1747 | 1971 | 1519 | 1789 | 1627 | 1403 | 1038 | 703 | 549 | 700 |
| | | F. | 974 | 1784 | 1788 | 2075 | 1682 | 1991 | 1768 | 1366 | 988 | 600 | 471 | 560 |
| | (*a*) Acute .. .. .. | M. | 200 | 362 | 447 | 516 | 402 | 406 | 373 | 297 | 211 | 125 | 74 | 121 |
| | | F. | 262 | 539 | 510 | 602 | 502 | 537 | 454 | 374 | 257 | 119 | 96 | 131 |
| | (*b*) Chronic .. .. | M. | 401 | 581 | 598 | 661 | 469 | 614 | 586 | 510 | 417 | 285 | 255 | 299 |
| | | F. | 297 | 509 | 471 | 539 | 469 | 539 | 494 | 385 | 295 | 224 | 171 | 199 |
| | (*c* & *d*) Not stated whether acute or chronic. | M. | 370 | 657 | 702 | 794 | 648 | 769 | 668 | 596 | 410 | 293 | 220 | 280 |
| | | F. | 415 | 736 | 807 | 934 | 711 | 915 | 820 | 607 | 436 | 257 | 204 | 230 |
| 100–101 | Pneumonia (all forms) .. | M. | 1184 | 1777 | 1982 | 2087 | 1918 | 2051 | 1936 | 1894 | 1576 | 1126 | 833 | 948 |
| | | F. | 827 | 1323 | 1462 | 1578 | 1288 | 1595 | 1554 | 1406 | 1112 | 768 | 557 | 603 |
| 100 | Broncho-pneumonia .. .. | M. | 502 | 767 | 952 | 1032 | 981 | 989 | 856 | 821 | 659 | 455 | 382 | 389 |
| | | F. | 435 | 725 | 848 | 935 | 777 | 889 | 815 | 758 | 577 | 365 | 299 | 306 |
| 101 | Pneumonia (Lobar and not otherwise defined) | M. | 682 | 1010 | 1030 | 1055 | 937 | 1062 | 1080 | 1073 | 917 | 671 | 451 | 559 |
| | | F. | 392 | 598 | 614 | 643 | 511 | 706 | 739 | 648 | 535 | 403 | 258 | 297 |
| | (*a*) Lobar .. .. .. | M. | 380 | 573 | 554 | 582 | 529 | 606 | 577 | 575 | 516 | 354 | 263 | 352 |
| | | F. | 224 | 322 | 309 | 328 | 253 | 369 | 360 | 344 | 277 | 219 | 134 | 160 |
| | (*b*) Not otherwise defined.. | M. | 302 | 437 | 476 | 473 | 408 | 456 | 503 | 498 | 401 | 317 | 188 | 207 |
| | | F. | 168 | 276 | 305 | 315 | 258 | 337 | 379 | 304 | 258 | 184 | 124 | 137 |
| 102 | Pleurisy .. .. .. | M. | 59 | 68 | 61 | 77 | 56 | 78 | 64 | 65 | 74 | 66 | 60 | 60 |
| | | F. | 32 | 51 | 46 | 41 | 49 | 46 | 52 | 39 | 36 | 48 | 32 | 35 |
| | (1) Empyema .. .. | M. | 32 | 23 | 27 | 24 | 21 | 31 | 28 | 31 | 29 | 31 | 21 | 25 |
| | | F. | 9 | 14 | 15 | 8 | 9 | 15 | 16 | 9 | 12 | 15 | 13 | 18 |
| | (2) Other pleurisy .. | M. | 27 | 45 | 34 | 53 | 35 | 47 | 36 | 34 | 45 | 35 | 39 | 35 |
| | | F. | 23 | 37 | 31 | 33 | 40 | 31 | 36 | 30 | 24 | 33 | 19 | 17 |
| 103 | Congestion and hæmorrhagic infarct of lung. | M. | 45 | 48 | 53 | 63 | 53 | 52 | 49 | 36 | 41 | 30 | 26 | 27 |
| | | F. | 50 | 69 | 61 | 78 | 55 | 71 | 68 | 66 | 43 | 43 | 37 | 33 |
| 104 | Gangrene of the lung .. | M. | 4 | 2 | 1 | 2 | 5 | 6 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | F. | 2 | 3 | 3 | 3 | 3 | 1 | 2 | — | — | 2 | — | 1 |
| 105 | Asthma .. .. .. | M. | 63 | 139 | 113 | 118 | 102 | 108 | 89 | 78 | 52 | 42 | 41 | 41 |
| | | F. | 75 | 102 | 85 | 98 | 77 | 87 | 72 | 62 | 44 | 37 | 36 | 41 |
| 106 | Pulmonary emphysema .. | M. | 11 | 14 | 19 | 25 | 12 | 14 | 14 | 14 | 7 | 8 | 4 | 8 |
| | | F. | 2 | 2 | 15 | 4 | 1 | 5 | 1 | 5 | 3 | 3 | 3 | 2 |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 107 | Other diseases of the respiratory system. | M. | 25 | 25 | 19 | 36 | 20 | 37 | 21 | 28 | 15 | 21 | 16 | 21 |
| | | F. | 10 | 11 | 4 | 12 | 11 | 18 | 13 | 7 | 7 | 7 | 9 | 7 |
| | (*a*) Chronic interstitial pneumonia. | M. | 13 | 14 | 12 | 20 | 14 | 22 | 13 | 15 | 4 | 10 | 11 | 15 |
| | | F. | 5 | 6 | — | 3 | 4 | 13 | 7 | 4 | 2 | 4 | 5 | 1 |
| | (*b*) Diseases of the mediastinum. | M. | 1 | 1 | — | — | — | — | — | — | — | 1 | — | — |
| | | F. | — | 2 | — | 2 | 1 | — | — | 1 | — | — | — | 1 |
| | (*c*) Other diseases included under 107. | M. | 11 | 10 | 7 | 16 | 6 | 15 | 8 | 13 | 11 | 10 | 5 | 6 |
| | | F. | 5 | 3 | 4 | 7 | 6 | 5 | 6 | 2 | 5 | 3 | 4 | 5 |
| 108–127 | VI. Diseases of the Digestive System. | M. | 1220 | 1189 | 1269 | 1251 | 1060 | 1124 | 1078 | 1071 | 1028 | 1165 | 1379 | 1437 |
| | | F. | 1003 | 990 | 1097 | 1108 | 908 | 955 | 942 | 984 | 911 | 1004 | 1158 | 1171 |
| 108 | Diseases of the buccal cavity and annexa. | M. | 25 | 20 | 17 | 20 | 14 | 20 | 22 | 33 | 18 | 20 | 21 | 22 |
| | | F. | 17 | 15 | 23 | 17 | 10 | 16 | 12 | 19 | 14 | 18 | 21 | 19 |
| | (1) Diseases of the teeth and gums. | M. | 20 | 11 | 14 | 12 | 11 | 15 | 11 | 22 | 15 | 13 | 10 | 15 |
| | | F. | 14 | 10 | 17 | 10 | 8 | 14 | 9 | 10 | 9 | 10 | 18 | 16 |
| | (2) Ludwig's angina .. | M. | 3 | 5 | 3 | 7 | — | 2 | 10 | 9 | 2 | 4 | 10 | 7 |
| | | F. | 2 | 2 | 3 | 3 | 2 | 1 | 3 | 5 | 3 | 5 | 1 | 2 |
| | (3) Other diseases included under 108. | M. | 2 | 4 | — | 1 | 3 | 3 | 1 | 2 | 1 | 3 | 1 | — |
| | | F. | 1 | 3 | 3 | 4 | — | 1 | — | 4 | 2 | 3 | 2 | 1 |
| 109 | Diseases of the pharynx and tonsils. | M. | 16 | 27 | 22 | 26 | 18 | 22 | 20 | 21 | 18 | 20 | 24 | 19 |
| | | F. | 22 | 22 | 15 | 23 | 22 | 20 | 22 | 24 | 12 | 19 | 17 | 19 |
| | (1) Tonsillitis, etc., adenoid vegetations. | M. | 12 | 21 | 15 | 22 | 13 | 21 | 16 | 18 | 15 | 16 | 21 | 16 |
| | | F. | 22 | 18 | 11 | 18 | 20 | 18 | 16 | 20 | 8 | 14 | 11 | 16 |
| | (2) Other diseases included under 109. | M. | 4 | 6 | 7 | 4 | 5 | 1 | 4 | 3 | 3 | 4 | 3 | 3 |
| | | F. | — | 4 | 4 | 5 | 2 | 2 | 6 | 4 | 4 | 5 | 6 | 3 |
| 110 | Diseases of the œsophagus.. | M. | 2 | — | 7 | 4 | 3 | 6 | 2 | 2 | 4 | 3 | 3 | 2 |
| | | F. | 3 | 4 | 3 | 1 | 2 | 1 | 1 | 1 | 5 | 2 | 3 | 3 |
| 111 | Ulcer of the stomach or duodenum. | M. | 134 | 142 | 188 | 179 | 146 | 186 | 183 | 181 | 194 | 170 | 154 | 170 |
| | | F. | 66 | 81 | 85 | 96 | 63 | 72 | 79 | 79 | 58 | 73 | 66 | 58 |
| | (*a*) Ulcer of the stomach .. | M. | 82 | 98 | 133 | 125 | 92 | 111 | 114 | 132 | 120 | 109 | 87 | 118 |
| | | F. | 59 | 69 | 75 | 82 | 54 | 57 | 64 | 65 | 48 | 59 | 53 | 49 |
| | (*b*) Ulcer of the duodenum | M. | 52 | 44 | 55 | 54 | 54 | 75 | 69 | 49 | 74 | 61 | 67 | 52 |
| | | F. | 7 | 12 | 10 | 14 | 9 | 15 | 15 | 14 | 10 | 14 | 13 | 9 |
| 112 | Other diseases of the stomach | M. | 110 | 86 | 114 | 119 | 101 | 103 | 108 | 78 | 77 | 86 | 85 | 94 |
| | | F. | 100 | 98 | 121 | 91 | 97 | 98 | 90 | 102 | 85 | 93 | 77 | 74 |
| | (1) Inflammation of the stomach. | M. | 96 | 67 | 94 | 95 | 81 | 89 | 89 | 67 | 65 | 68 | 71 | 73 |
| | | F. | 79 | 85 | 109 | 79 | 86 | 84 | 75 | 83 | 78 | 80 | 70 | 64 |
| | (2) Other .. .. .. | M. | 14 | 19 | 20 | 24 | 20 | 14 | 19 | 11 | 12 | 18 | 14 | 21 |
| | | F. | 21 | 13 | 12 | 12 | 11 | 14 | 15 | 19 | 7 | 13 | 7 | 10 |
| 113–114 | Diarrhœa and enteritis .. | M. | 422 | 372 | 354 | 373 | 301 | 253 | 254 | 289 | 243 | 366 | 567 | 705 |
| | | F. | 311 | 308 | 332 | 329 | 234 | 231 | 251 | 252 | 241 | 312 | 471 | 522 |
| | (1) Ulceration of the intestines. | M. | 12 | 7 | 7 | 11 | 4 | 7 | 16 | 12 | 9 | 10 | 11 | 7 |
| | | F. | 10 | 11 | 12 | 10 | 11 | 14 | 13 | 14 | 12 | 18 | 10 | 14 |
| | (2) Colitis .. .. .. | M. | 15 | 17 | 15 | 16 | 14 | 10 | 15 | 18 | 12 | 22 | 10 | 23 |
| | | F. | 17 | 27 | 18 | 21 | 19 | 22 | 25 | 19 | 25 | 19 | 21 | 27 |
| | (3) Other diseases included under 113–114. | M. | 395 | 348 | 332 | 346 | 283 | 236 | 223 | 259 | 222 | 334 | 546 | 675 |
| | | F. | 284 | 270 | 302 | 298 | 204 | 195 | 213 | 219 | 204 | 275 | 440 | 481 |
| 116 | Diseases due to other intestinal parasites. | M. | — | — | — | 3 | — | — | 1 | — | — | 1 | — | — |
| | | F. | 1 | — | — | 2 | — | 1 | — | — | — | — | 1 | 1 |
| | (*a*) Cestodes (hydatids of the liver excepted). | M. | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | | F. | 1 | — | — | — | — | 1 | — | — | — | — | 1 | 1 |
| | (*b*) Trematodes .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| | (*c*) Nematodes (other than ankylostoma). | M. | — | — | — | 1 | — | — | 1 | — | — | 1 | — | — |
| | | F. | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | (*f*) Undefined parasites .. | M. | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | 1 | — | — | — | — | — | — | — | — |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 117 | Appendicitis, typhlitis .. | M. | 121 | 140 | 135 | 137 | 106 | 146 | 127 | 121 | 144 | 136 | 169 | 115 |
| | | F. | 100 | 96 | 99 | 94 | 86 | 105 | 95 | 104 | 93 | 105 | 124 | 89 |
| 118 | Hernia, intestinal obstruction. | M. | 174 | 186 | 217 | 176 | 174 | 191 | 158 | 183 | 153 | 165 | 170 | 153 |
| | | F. | 159 | 158 | 192 | 226 | 166 | 180 | 176 | 177 | 189 | 160 | 167 | 193 |
| | (*a*) Hernia .. .. .. | M. | 71 | 70 | 93 | 66 | 68 | 72 | 64 | 62 | 54 | 63 | 82 | 57 |
| | | F. | 64 | 65 | 107 | 94 | 77 | 76 | 86 | 75 | 74 | 63 | 64 | 74 |
| | (*b*) Intestinal obstruction | M. | 103 | 116 | 124 | 110 | 106 | 119 | 94 | 121 | 99 | 102 | 88 | 96 |
| | | F. | 95 | 93 | 85 | 132 | 89 | 104 | 90 | 102 | 115 | 97 | 103 | 119 |
| 119 | Other diseases of the intestines. | M. | 19 | 15 | 20 | 24 | 17 | 22 | 23 | 16 | 21 | 21 | 13 | 15 |
| | | F. | 17 | 23 | 20 | 17 | 22 | 21 | 22 | 20 | 18 | 20 | 19 | 13 |
| 120 | Acute yellow atrophy of the liver. | M. | 1 | 4 | 2 | 1 | — | 3 | — | 1 | 3 | 3 | 1 | 1 |
| | | F. | 8 | 5 | 2 | 5 | 4 | 5 | 5 | 5 | 3 | 4 | 6 | 3 |
| 121 | Hydatid tumour of the liver.. | M. | — | 1 | — | — | 1 | 1 | 1 | — | 4 | 1 | — | 2 |
| | | F. | — | 1 | — | 1 | 2 | 1 | 1 | 2 | — | 1 | 1 | — |
| 122 | Cirrhosis of the liver .. | M. | 120 | 114 | 118 | 102 | 97 | 95 | 108 | 81 | 86 | 99 | 102 | 78 |
| | | F. | 61 | 48 | 54 | 54 | 45 | 47 | 49 | 53 | 42 | 48 | 55 | 58 |
| | (*a*) Returned as alcoholic .. | M. | 9 | 10 | 10 | 6 | 12 | 7 | 11 | 3 | 6 | 5 | 8 | 9 |
| | | F. | 4 | 5 | 4 | 5 | 5 | 5 | 7 | 6 | 5 | 4 | 2 | 7 |
| | (*b*) Not returned as alcoholic | M. | 111 | 104 | 108 | 96 | 85 | 88 | 97 | 78 | 80 | 94 | 94 | 69 |
| | | F. | 57 | 43 | 50 | 49 | 40 | 42 | 42 | 47 | 37 | 44 | 53 | 51 |
| 123 | Biliary calculi .. .. | M. | 21 | 24 | 26 | 24 | 23 | 19 | 21 | 25 | 18 | 16 | 23 | 21 |
| | | F. | 61 | 59 | 63 | 73 | 64 | 73 | 67 | 54 | 70 | 67 | 54 | 59 |
| 124 | Other diseases of the liver .. | M. | 33 | 40 | 26 | 34 | 30 | 33 | 29 | 25 | 34 | 33 | 26 | 22 |
| | | F. | 48 | 45 | 57 | 45 | 46 | 51 | 44 | 56 | 47 | 48 | 45 | 38 |
| 125 | Diseases of the pancreas .. | M. | 9 | 7 | 9 | 11 | 11 | 12 | 9 | 7 | 5 | 10 | 10 | 10 |
| | | F. | 6 | 8 | 7 | 10 | 8 | 13 | 13 | 17 | 10 | 13 | 9 | 10 |
| 126 | Peritonitis of unstated origin | M. | 13 | 11 | 14 | 18 | 18 | 12 | 12 | 8 | 6 | 15 | 11 | 8 |
| | | F. | 23 | 19 | 24 | 24 | 37 | 20 | 15 | 19 | 24 | 17 | 22 | 12 |
| 128–142 | VII. Non-puerperal diseases of the genito-urinary system. | M. | 859 | 912 | 910 | 985 | 850 | 949 | 863 | 885 | 853 | 744 | 818 | 801 |
| | | F. | 624 | 681 | 661 | 736 | 643 | 693 | 677 | 666 | 635 | 563 | 585 | 549 |
| 128 | Acute nephritis (including unspecified under 10 years of age). | M. | 50 | 73 | 58 | 74 | 66 | 63 | 58 | 51 | 61 | 52 | 50 | 44 |
| | | F. | 49 | 50 | 54 | 42 | 67 | 69 | 56 | 57 | 43 | 51 | 41 | 39 |
| 129 | Chronic nephritis (including unspecified over 10 years of age). | M. | 463 | 503 | 525 | 551 | 479 | 550 | 485 | 492 | 461 | 384 | 425 | 438 |
| | | F. | 420 | 482 | 482 | 539 | 433 | 476 | 472 | 464 | 448 | 374 | 397 | 371 |
| 130 | Chyluria .. .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 131 | Other diseases of the kidneys and annexa. | M. | 30 | 26 | 26 | 33 | 29 | 27 | 18 | 28 | 19 | 16 | 22 | 22 |
| | | F. | 27 | 19 | 17 | 22 | 19 | 30 | 30 | 20 | 24 | 23 | 31 | 25 |
| 132 | Calculi of the urinary passages | M. | 15 | 23 | 19 | 18 | 12 | 23 | 16 | 22 | 17 | 15 | 20 | 20 |
| | | F. | 12 | 7 | 8 | 8 | 12 | 7 | 6 | 7 | 8 | 6 | 10 | 10 |
| 133 | Diseases of the bladder .. | M. | 62 | 76 | 65 | 78 | 66 | 63 | 60 | 62 | 68 | 54 | 63 | 62 |
| | | F. | 21 | 19 | 19 | 22 | 19 | 19 | 28 | 18 | 17 | 23 | 27 | 20 |
| | (1) Cystitis .. .. | M. | 59 | 65 | 60 | 70 | 60 | 61 | 56 | 58 | 65 | 50 | 56 | 61 |
| | | F. | 20 | 18 | 19 | 22 | 19 | 17 | 25 | 15 | 16 | 18 | 26 | 20 |
| | (2) Other diseases .. | M. | 3 | 11 | 5 | 8 | 6 | 2 | 4 | 4 | 3 | 4 | 7 | 1 |
| | | F. | 1 | 1 | — | — | — | 2 | 3 | 3 | 1 | 5 | 1 | — |
| 134 | Diseases of the urethra, urinary abscess, etc. | M. | 36 | 31 | 41 | 28 | 41 | 41 | 40 | 38 | 24 | 44 | 34 | 22 |
| | | F. | — | — | — | 1 | 2 | 1 | — | 1 | — | — | 2 | — |
| | (*a*) Stricture of the urethra | M. | 31 | 24 | 38 | 24 | 32 | 34 | 34 | 29 | 18 | 36 | 27 | 19 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| | (*b*) Other diseases .. | M. | 5 | 7 | 3 | 4 | 9 | 7 | 6 | 9 | 6 | 8 | 7 | 3 |
| | | F. | — | — | — | 1 | 2 | 1 | — | 1 | — | — | 2 | — |
| 135 | Diseases of the prostate .. | M. | 200 | 178 | 173 | 196 | 154 | 177 | 179 | 184 | 195 | 173 | 201 | 191 |
| 136 | Non-venereal diseases of the male genital organs. | M. | 2 | 2 | 3 | 6 | 3 | 4 | 7 | 8 | 7 | 6 | 3 | 2 |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 137 | Cysts and other tumours of the ovary not returned as malignant. | F. | 24 | 17 | 20 | 30 | 22 | 23 | 17 | 25 | 30 | 19 | 22 | 19 |
| 138 | Salpingitis and pelvic abscess.. | F. | 22 | 25 | 19 | 23 | 20 | 24 | 30 | 22 | 17 | 18 | 14 | 19 |
| | (1) Salpingitis .. .. | F. | 17 | 18 | 15 | 17 | 15 | 15 | 25 | 20 | 14 | 14 | 13 | 14 |
| | (2) Pelvic abscess .. .. | F. | 5 | 7 | 4 | 6 | 5 | 9 | 5 | 2 | 3 | 4 | 1 | 5 |
| 139 | Tumours of the uterus not returned as malignant. | F. | 27 | 40 | 29 | 33 | 27 | 28 | 23 | 33 | 33 | 32 | 29 | 28 |
| 140 | Uterine hæmorrhage .. .. | F. | 7 | 6 | 2 | 3 | 2 | 4 | 4 | 4 | 2 | — | 3 | 2 |
| 141 | Other diseases of the female genital organs. | F. | 14 | 15 | 10 | 11 | 18 | 10 | 8 | 12 | 13 | 16 | 8 | 14 |
| | (1) Other diseases of the uterus. | F. | 12 | 11 | 9 | 9 | 8 | 8 | 5 | 11 | 11 | 12 | 7 | 11 |
| | (2) Diseases of the other female genital organs not included above. | F. | 2 | 4 | 1 | 2 | 10 | 2 | 3 | 1 | 2 | 4 | 1 | 3 |
| 142 | Non-puerperal diseases of the breast. | M. | 1 | — | — | 1 | — | 1 | — | — | 1 | — | — | — |
| | | F. | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | — | 1 | 1 | 2 |
| 143–150 | VIII. The Puerperal State .. | F. | 231 | 213 | 250 | 272 | 235 | 266 | 269 | 262 | 243 | 223 | 214 | 212 |
| 143 | Accidents of pregnancy .. | F. | 28 | 21 | 37 | 31 | 31 | 31 | 33 | 24 | 35 | 32 | 29 | 27 |
| | (*a*) Abortion .. .. | F. | 5 | 9 | 14 | 8 | 11 | 8 | 10 | 9 | 9 | 7 | 3 | 5 |
| | (*b*) Ectopic gestation .. | F. | 13 | 4 | 13 | 8 | 7 | 7 | 9 | 5 | 8 | 13 | 14 | 5 |
| | (*c*) Other accidents .. .. | F. | 10 | 8 | 10 | 15 | 13 | 16 | 14 | 10 | 18 | 12 | 12 | 17 |
| 144 | Puerperal hæmorrhage .. | F. | 36 | 29 | 35 | 42 | 27 | 33 | 41 | 47 | 26 | 38 | 33 | 40 |
| 145 | Other accidents of childbirth .. | F. | 24 | 25 | 19 | 25 | 32 | 23 | 26 | 23 | 35 | 21 | 24 | 21 |
| 146 | Puerperal sepsis .. .. | F. | 77 | 78 | 99 | 103 | 81 | 102 | 96 | 88 | 78 | 72 | 59 | 73 |
| 147 | Phlegmasia alba dolens, puerperal embolism, etc. | F. | 23 | 20 | 28 | 21 | 27 | 25 | 31 | 26 | 22 | 12 | 17 | 13 |
| | (1) Phlegmasia alba dolens not returned as septic. | F. | 4 | 2 | 5 | 7 | 6 | 4 | 3 | 7 | 7 | — | 4 | 1 |
| | (2) Embolism and sudden death. | F. | 19 | 18 | 23 | 14 | 21 | 21 | 28 | 19 | 15 | 12 | 13 | 12 |
| 148 | Puerperal albuminuria and convulsions. | F. | 41 | 36 | 31 | 49 | 35 | 49 | 41 | 52 | 45 | 45 | 48 | 35 |
| 149 | Childbirth not assignable above (puerperal insanity). | F. | 2 | 4 | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 3 | 4 | 3 |
| 150 | Puerperal diseases of the breast | F. | — | — | — | — | — | 1 | — | — | 1 | — | — | — |
| 151–154 | IX. Diseases of the skin and cellular tissue. | M. | 129 | 113 | 160 | 148 | 147 | 157 | 136 | 126 | 134 | 117 | 101 | 125 |
| | | F. | 85 | 98 | 139 | 139 | 132 | 155 | 124 | 112 | 101 | 120 | 100 | 93 |
| 151 | Gangrene .. .. .. | M. | 53 | 39 | 65 | 53 | 51 | 55 | 54 | 44 | 49 | 38 | 32 | 45 |
| | | F. | 29 | 39 | 60 | 60 | 48 | 67 | 54 | 53 | 49 | 49 | 37 | 40 |
| | (1) Senile gangrene .. | M. | 45 | 33 | 61 | 50 | 48 | 54 | 49 | 42 | 46 | 34 | 32 | 41 |
| | | F. | 25 | 36 | 51 | 56 | 44 | 59 | 52 | 50 | 41 | 46 | 31 | 38 |
| | (2) Other gangrene .. | M. | 8 | 6 | 4 | 3 | 3 | 1 | 5 | 2 | 3 | 4 | — | 4 |
| | | F. | 4 | 3 | 9 | 4 | 4 | 8 | 2 | 3 | 8 | 3 | 6 | 2 |
| 152 | Furuncle .. .. .. | M. | 12 | 19 | 24 | 19 | 28 | 20 | 15 | 19 | 22 | 19 | 20 | 18 |
| | | F. | 9 | 7 | 6 | 12 | 12 | 19 | 12 | 4 | 6 | 6 | 11 | 3 |
| 153 | Phlegmon, acute abscess .. | M. | 31 | 35 | 37 | 41 | 37 | 43 | 27 | 24 | 29 | 27 | 20 | 28 |
| | | F. | 12 | 17 | 29 | 30 | 34 | 30 | 21 | 25 | 26 | 27 | 20 | 19 |
| | (1) Phlegmon .. .. | M. | 20 | 27 | 28 | 31 | 26 | 27 | 20 | 17 | 18 | 18 | 12 | 18 |
| | | F. | 8 | 13 | 15 | 17 | 25 | 18 | 15 | 15 | 16 | 16 | 15 | 13 |
| | (2) Acute abscess .. .. | M. | 11 | 8 | 9 | 10 | 11 | 16 | 7 | 7 | 11 | 9 | 8 | 10 |
| | | F. | 4 | 4 | 14 | 13 | 9 | 12 | 6 | 10 | 10 | 11 | 5 | 6 |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 154 | Other diseases of the skin and its annexa. | M. | 33 | 20 | 34 | 35 | 31 | 39 | 40 | 39 | 34 | 33 | 29 | 34 |
| | | F. | 35 | 35 | 44 | 37 | 38 | 39 | 37 | 30 | 20 | 38 | 32 | 31 |
| | (1) Ulcer, bedsore .. | M. | 8 | 4 | 8 | 15 | 12 | 11 | 12 | 13 | 9 | 14 | 7 | 5 |
| | | F. | 16 | 15 | 17 | 19 | 18 | 16 | 10 | 12 | 8 | 13 | 6 | 10 |
| | (2) Eczema .. .. | M. | 10 | 4 | 9 | 6 | 4 | 9 | 10 | 11 | 10 | 7 | 6 | 7 |
| | | F. | 2 | 2 | 7 | 4 | 5 | 4 | 4 | 4 | 2 | 4 | 5 | 4 |
| | (3) Pemphigus .. .. | M. | 7 | 3 | 5 | 4 | 8 | 11 | 4 | 6 | 5 | 3 | 3 | 7 |
| | | F. | 8 | 6 | 9 | 3 | 7 | 5 | 7 | 6 | 6 | 8 | 11 | 4 |
| | (4) Other diseases included under 154. | M. | 8 | 9 | 12 | 10 | 7 | 8 | 14 | 9 | 10 | 9 | 13 | 15 |
| | | F. | 9 | 12 | 11 | 11 | 8 | 14 | 16 | 8 | 4 | 13 | 10 | 13 |
| 155–158 | X. Diseases of the bones and organs of locomotion. | M. | 35 | 51 | 37 | 57 | 44 | 52 | 41 | 46 | 47 | 42 | 42 | 33 |
| | | F. | 17 | 24 | 28 | 35 | 22 | 26 | 29 | 23 | 20 | 27 | 14 | 15 |
| 155 | Diseases of the bones .. | M. | 26 | 39 | 22 | 47 | 35 | 42 | 32 | 36 | 33 | 32 | 31 | 24 |
| | | F. | 11 | 19 | 22 | 28 | 17 | 19 | 22 | 17 | 12 | 20 | 9 | 13 |
| | (1) Infective osteomyelitis and periostitis. | M. | 23 | 32 | 17 | 32 | 27 | 35 | 23 | 30 | 25 | 29 | 22 | 19 |
| | | F. | 4 | 14 | 12 | 18 | 11 | 13 | 12 | 10 | 9 | 5 | 8 | 8 |
| | (2) Other diseases of the bones. | M. | 3 | 7 | 5 | 15 | 8 | 7 | 9 | 6 | 8 | 3 | 9 | 5 |
| | | F. | 7 | 5 | 10 | 10 | 6 | 6 | 10 | 7 | 3 | 15 | 1 | 5 |
| 156 | Diseases of the joints .. | M. | 7 | 11 | 11 | 6 | 6 | 7 | 8 | 6 | 12 | 8 | 7 | 7 |
| | | F. | 5 | 4 | 4 | 7 | 2 | 7 | 6 | 5 | 4 | 6 | 4 | 1 |
| 157 | Amputation .. .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 158 | Other diseases of the organs of locomotion. | M. | 2 | 1 | 4 | 4 | 3 | 3 | 1 | 4 | 2 | 2 | 4 | 2 |
| | | F. | 1 | 1 | 2 | — | 3 | — | 1 | 1 | 4 | 1 | 1 | 1 |
| 159 | XI. Malformations .. .. | M. | 154 | 144 | 158 | 214 | 163 | 204 | 176 | 180 | 158 | 137 | 157 | 130 |
| | | F. | 127 | 133 | 152 | 131 | 120 | 139 | 127 | 145 | 121 | 132 | 131 | 136 |
| | (1) Congenital hydrocephalus. | M. | 13 | 8 | 13 | 26 | 21 | 18 | 15 | 16 | 14 | 11 | 10 | 18 |
| | | F. | 6 | 8 | 13 | 12 | 11 | 14 | 7 | 10 | 7 | 12 | 5 | 8 |
| | (2) Congenital malformation of heart. | M. | 59 | 70 | 67 | 84 | 58 | 84 | 82 | 72 | 69 | 59 | 62 | 43 |
| | | F. | 48 | 60 | 56 | 48 | 46 | 44 | 29 | 51 | 47 | 50 | 60 | 57 |
| | (3) Other congenital malformations. | M. | 82 | 66 | 78 | 104 | 84 | 102 | 79 | 92 | 75 | 67 | 85 | 69 |
| | | F. | 73 | 65 | 83 | 71 | 63 | 81 | 91 | 84 | 67 | 70 | 66 | 71 |
| 160–163 | XII. Diseases of early infancy | M. | 975 | 1012 | 1182 | 1167 | 1026 | 1124 | 1091 | 1018 | 864 | 920 | 926 | 909 |
| | | F. | 696 | 745 | 782 | 834 | 800 | 832 | 735 | 801 | 717 | 686 | 638 | 601 |
| 160 | Congenital debility, icterus and sclerema. | M. | 229 | 250 | 277 | 267 | 228 | 288 | 260 | 247 | 201 | 216 | 245 | 234 |
| | | F. | 140 | 180 | 153 | 215 | 167 | 194 | 181 | 154 | 145 | 120 | 132 | 138 |
| | (1) Congenital debility and sclerema. | M. | 208 | 233 | 246 | 244 | 202 | 251 | 225 | 211 | 175 | 184 | 211 | 200 |
| | | F. | 125 | 158 | 147 | 198 | 152 | 180 | 158 | 137 | 128 | 109 | 111 | 127 |
| | (2) Icterus .. .. .. | M. | 21 | 17 | 31 | 23 | 26 | 37 | 35 | 36 | 26 | 32 | 34 | 34 |
| | | F. | 15 | 22 | 6 | 17 | 15 | 14 | 23 | 17 | 17 | 11 | 21 | 11 |
| 161 | Premature birth, injury at birth. | M. | 669 | 677 | 822 | 804 | 704 | 749 | 741 | 691 | 585 | 646 | 615 | 612 |
| | | F. | 498 | 510 | 565 | 558 | 564 | 575 | 493 | 579 | 508 | 494 | 448 | 400 |
| | (1) Premature birth .. | M. | 608 | 637 | 776 | 756 | 663 | 700 | 692 | 624 | 538 | 570 | 558 | 565 |
| | | F. | 468 | 481 | 536 | 515 | 525 | 537 | 463 | 548 | 464 | 452 | 405 | 378 |
| | (2) Injury at birth .. | M. | 61 | 40 | 46 | 48 | 41 | 49 | 49 | 67 | 47 | 76 | 57 | 47 |
| | | F. | 30 | 29 | 29 | 43 | 39 | 38 | 30 | 31 | 44 | 42 | 43 | 22 |
| 162 | Other diseases peculiar to early infancy. | M. | 66 | 72 | 74 | 87 | 81 | 76 | 79 | 70 | 71 | 51 | 54 | 52 |
| | | F. | 50 | 45 | 50 | 48 | 66 | 50 | 46 | 56 | 54 | 61 | 48 | 53 |
| | (1) Diseases of the umbilicus. | M. | 5 | 6 | 10 | 4 | 4 | 7 | 7 | 5 | 4 | 3 | 10 | 5 |
| | | F. | 3 | 3 | 6 | 3 | 5 | 3 | 11 | 4 | 4 | 4 | 5 | 7 |
| | (2) Atelectasis .. .. | M. | 57 | 56 | 59 | 76 | 71 | 62 | 64 | 60 | 64 | 43 | 36 | 39 |
| | | F. | 43 | 34 | 36 | 32 | 50 | 39 | 27 | 42 | 39 | 51 | 35 | 40 |
| | (3) Other diseases included under 162. | M. | 4 | 10 | 5 | 7 | 6 | 7 | 8 | 5 | 3 | 5 | 8 | 8 |
| | | F. | 4 | 8 | 8 | 13 | 11 | 8 | 8 | 10 | 11 | 6 | 8 | 6 |
| 163 | Lack of care .. .. .. | M. | 11 | 13 | 9 | 9 | 13 | 11 | 11 | 10 | 7 | 7 | 12 | 11 |
| | | F. | 8 | 10 | 14 | 13 | 3 | 13 | 15 | 12 | 10 | 11 | 10 | 10 |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | 1922. Nov. | 1922. Dec. | 1923. Jan. | 1923. Feb. | 1923. Mar. | 1923. Apr. | 1923. May | 1923. June | 1923. July | 1923. Aug. | 1923. Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 164 | XIII. Old age .. .. | M. | 789 | 928 | 1003 | 1070 | 943 | 1069 | 902 | 799 | 727 | 760 | 663 | 672 |
| | | F. | 1132 | 1323 | 1446 | 1577 | 1251 | 1411 | 1264 | 1225 | 1103 | 1070 | 908 | 965 |
| | (1) Senile dementia .. | M. | 55 | 48 | 47 | 69 | 58 | 62 | 50 | 43 | 51 | 50 | 44 | 48 |
| | | F. | 66 | 49 | 87 | 81 | 62 | 64 | 71 | 62 | 72 | 59 | 50 | 56 |
| | (2) Other forms of senile decay. | M. | 734 | 880 | 956 | 1,001 | 885 | 1,007 | 852 | 756 | 676 | 710 | 619 | 624 |
| | | F. | 1,066 | 1,274 | 1,359 | 1,496 | 1,189 | 1,347 | 1,193 | 1,163 | 1,031 | 1,011 | 858 | 909 |
| 165–203 | XIV. External causes .. | M. | 924 | 914 | 980 | 971 | 907 | 938 | 1005 | 954 | 1002 | 1414 | 1114 | 897 |
| | | F. | 384 | 440 | 434 | 453 | 378 | 482 | 364 | 383 | 409 | 479 | 368 | 395 |
| 165–174 | Suicide .. .. .. | M. | 223 | 221 | 244 | 240 | 216 | 239 | 282 | 235 | 285 | 290 | 236 | 193 |
| | | F. | 93 | 88 | 96 | 86 | 91 | 106 | 94 | 102 | 109 | 101 | 80 | 70 |
| 165–166 | By solid or liquid poisons and corrosive substances. | M. | 22 | 18 | 15 | 18 | 16 | 16 | 25 | 19 | 23 | 21 | 23 | 16 |
| | | F. | 21 | 18 | 15 | 14 | 17 | 21 | 17 | 21 | 15 | 12 | 14 | 14 |
| 167 | By poisonous gas .. .. | M. | 29 | 22 | 36 | 45 | 30 | 43 | 50 | 42 | 38 | 25 | 33 | 34 |
| | | F. | 21 | 12 | 16 | 15 | 19 | 26 | 26 | 28 | 27 | 19 | 19 | 18 |
| 168 | By hanging or strangulation. | M. | 51 | 51 | 44 | 47 | 49 | 57 | 48 | 33 | 65 | 65 | 62 | 52 |
| | | F. | 10 | 16 | 8 | 16 | 5 | 11 | 10 | 15 | 22 | 12 | 7 | 6 |
| 169 | By drowning .. .. | M. | 47 | 33 | 53 | 41 | 42 | 47 | 63 | 57 | 49 | 50 | 41 | 30 |
| | | F. | 21 | 24 | 37 | 28 | 35 | 31 | 21 | 23 | 28 | 36 | 21 | 21 |
| 170 | By firearms .. .. | M. | 19 | 22 | 18 | 15 | 19 | 11 | 19 | 24 | 19 | 25 | 18 | 16 |
| | | F. | 1 | 1 | — | — | 2 | — | 4 | 2 | 1 | 1 | 1 | 1 |
| 171 | By cutting or piercing instruments. | M. | 36 | 50 | 53 | 54 | 41 | 51 | 57 | 47 | 62 | 77 | 44 | 25 |
| | | F. | 10 | 9 | 10 | 4 | 7 | 10 | 12 | 11 | 9 | 9 | 11 | 3 |
| 172 | By jumping from high places | M. | 7 | 10 | 7 | 6 | 6 | 4 | 8 | 4 | 6 | 5 | 3 | 6 |
| | | F. | 8 | 6 | 2 | 6 | 3 | 3 | 4 | 1 | 3 | 10 | 3 | 5 |
| 173 | By crushing .. .. | M. | 12 | 15 | 18 | 13 | 13 | 9 | 12 | 8 | 21 | 21 | 12 | 12 |
| | | F. | — | 1 | 7 | 1 | 3 | 1 | — | — | 3 | 2 | 3 | — |
| 174 | By other means .. .. | M. | — | — | — | 1 | — | 1 | — | 1 | 2 | 1 | — | 2 |
| | | F. | 1 | 1 | 1 | 2 | — | 3 | — | 1 | 1 | — | 1 | 2 |
| 175–196 & 201–203 | Violent deaths excluding suicide and homicide. | M. | 692 | 686 | 727 | 716 | 678 | 693 | 710 | 709 | 703 | 1118 | 869 | 690 |
| | | F. | 285 | 340 | 329 | 356 | 278 | 366 | 257 | 273 | 289 | 369 | 280 | 321 |
| 175 | Food poisoning .. .. | M. | 1 | — | 2 | — | 1 | — | 1 | — | 1 | 3 | 7 | 4 |
| | | F. | 2 | — | 2 | 1 | — | 2 | — | — | 1 | 2 | 2 | 4 |
| 176 | Poisoning by venomous animals. | M. | — | — | — | — | — | — | 1 | — | — | 1 | 2 | — |
| | | F. | — | — | — | — | — | — | 1 | 1 | 1 | 3 | 4 | 2 |
| 177 | Other acute accidental poisonings. | M. | 5 | 5 | 8 | 6 | 9 | 8 | 3 | 4 | 4 | 2 | 6 | 7 |
| | | F. | 4 | 5 | 4 | 2 | 3 | 3 | 3 | 8 | 5 | 4 | 6 | 3 |
| 178 | Conflagration .. .. | M. | 1 | — | 1 | 2 | — | 3 | 1 | — | 4 | 2 | — | 1 |
| | | F. | 1 | 1 | 2 | — | — | 1 | — | 2 | 1 | 1 | — | 2 |
| 179 | Burns (conflagration excepted) | M. | 52 | 90 | 76 | 77 | 60 | 74 | 49 | 59 | 44 | 47 | 49 | 63 |
| | | F. | 79 | 101 | 88 | 100 | 69 | 85 | 65 | 45 | 66 | 36 | 49 | 61 |
| 180 | Accidental mechanical suffocation. | M. | 30 | 38 | 33 | 29 | 33 | 26 | 20 | 32 | 17 | 13 | 27 | 21 |
| | | F. | 22 | 21 | 28 | 24 | 23 | 27 | 17 | 15 | 16 | 16 | 10 | 17 |
| 181 | Accidental absorption of irrespirable or poisonous gas. | M. | 5 | 6 | 14 | 8 | 8 | 9 | 4 | 7 | 3 | 11 | 3 | 6 |
| | | F. | 4 | 6 | 5 | 8 | 8 | 11 | — | 6 | 2 | 1 | 4 | 6 |
| 182 | Accidental drowning .. | M. | 74 | 47 | 79 | 81 | 103 | 86 | 100 | 105 | 115 | 275 | 196 | 105 |
| | | F. | 16 | 20 | 19 | 20 | 22 | 33 | 24 | 31 | 28 | 33 | 28 | 35 |
| 183 | Accidental injury by firearms | M. | 8 | 8 | 2 | 4 | 7 | 7 | 11 | 2 | 8 | 6 | 7 | 6 |
| | | F. | — | 1 | — | — | 1 | — | 1 | 1 | 1 | — | 2 | — |
| 184 | Accidental injury by cutting or piercing instruments. | M. | 1 | — | — | 1 | — | 1 | 1 | 1 | 1 | 4 | 2 | — |
| | | F. | 1 | — | 2 | — | — | — | — | — | — | — | — | — |
| 185 | Accidental injury by fall .. | M. | 131 | 108 | 117 | 139 | 94 | 107 | 107 | 105 | 116 | 133 | 118 | 89 |
| | | F. | 95 | 123 | 111 | 132 | 96 | 123 | 89 | 102 | 92 | 98 | 83 | 115 |
| 186 | Accidental injury in mines and quarries. | M. | 70 | 79 | 93 | 84 | 109 | 88 | 108 | 94 | 93 | 90 | 88 | 82 |
| | | F. | — | — | — | — | 1 | — | — | — | — | — | — | — |

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1922–1923—*cont.*

| International List No. | Causes of Death. | | 1922. Oct. | Nov. | Dec. | 1923. Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 187 | Accidental injury by machinery. | M. | 14 | 19 | 14 | 22 | 20 | 14 | 21 | 17 | 18 | 17 | 13 | 13 |
| | | F. | — | — | 1 | 2 | 1 | 1 | — | 2 | — | — | — | — |
| 188 | Accidental injury by other forms of crushing (vehicles, railways, etc.). | M. | 271 | 256 | 245 | 230 | 202 | 240 | 251 | 235 | 246 | 288 | 292 | 260 |
| | | F. | 47 | 52 | 58 | 54 | 50 | 67 | 53 | 54 | 66 | 63 | 74 | 64 |
| 189 | Injury by animals (poisoning excepted). | M. | 4 | 5 | 7 | 3 | 2 | 2 | 3 | 5 | 5 | 2 | 6 | 8 |
| | | F. | 3 | — | — | — | — | — | — | — | — | 1 | — | 2 |
| 190 | Wounds of war .. .. | M. | 5 | 3 | 9 | 2 | 9 | 8 | 6 | 8 | 4 | 1 | 10 | 8 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 192 | Hunger or thirst .. .. | M. | — | 1 | 1 | 2 | — | — | — | 1 | — | — | 1 | 1 |
| | | F. | — | — | — | 1 | — | 1 | — | — | 1 | — | — | — |
| 193 | Excessive cold .. .. | M. | 1 | 4 | 5 | 3 | 4 | 1 | — | 1 | — | — | — | — |
| | | F. | 3 | 3 | 2 | 2 | 1 | 1 | — | — | — | — | — | — |
| 194 | Excessive heat .. .. | M. | — | — | — | — | — | — | — | 3 | 1 | 195 | 18 | — |
| | | F. | — | — | — | — | — | — | — | 1 | — | 97 | 9 | — |
| 195 | Lightning .. .. .. | M. | — | — | — | — | — | — | 2 | — | — | 6 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 196 | Electricity (lightning excepted). | M. | — | — | 1 | — | 3 | — | 3 | 2 | 3 | 2 | 3 | 3 |
| | | F. | — | — | 1 | — | — | — | — | — | — | — | — | — |
| 197–199 | Homicide .. .. .. | M. | 9 | 7 | 9 | 15 | 13 | 6 | 13 | 10 | 14 | 6 | 9 | 14 |
| | | F. | 6 | 12 | 9 | 11 | 9 | 10 | 13 | 8 | 11 | 9 | 8 | 4 |
| 197 | By firearms .. .. | M. | 1 | 1 | — | 1 | — | 1 | 1 | 1 | 2 | 1 | — | 2 |
| | | F. | 3 | — | 2 | 2 | — | 1 | 3 | — | 1 | — | 1 | — |
| 198 | By cutting or piercing instrument. | M. | 2 | 1 | 4 | — | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | | F. | 1 | 1 | 3 | 2 | 2 | 2 | 6 | 2 | 3 | 2 | — | 1 |
| 199 | By other means .. .. | M. | 6 | 5 | 5 | 14 | 11 | 4 | 11 | 7 | 11 | 4 | 8 | 11 |
| | | F. | 2 | 11 | 4 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 3 |
| 201 | Fracture (cause not specified) | M. | 4 | 3 | 1 | 1 | 1 | — | — | 2 | 2 | 4 | 6 | — |
| | | F. | — | 1 | — | — | — | — | — | 1 | — | — | 1 | 1 |
| 202 | Other external violence .. | M. | 15 | 13 | 18 | 20 | 13 | 18 | 17 | 26 | 18 | 16 | 15 | 13 |
| | | F. | 5 | 6 | 5 | 9 | 3 | 11 | 3 | 4 | 9 | 13 | 8 | 9 |
| 203 | Violent deaths of unknown causation. | M. | — | 1 | 1 | 2 | — | 1 | 1 | — | — | — | — | — |
| | | F. | 3 | — | 1 | 1 | — | — | 1 | — | — | 1 | — | — |
| 204–205 | XV. Ill-defined diseases .. | M. | 75 | 89 | 85 | 86 | 73 | 94 | 95 | 82 | 69 | 79 | 71 | 64 |
| | | F. | 58 | 59 | 76 | 84 | 62 | 77 | 69 | 56 | 60 | 47 | 43 | 39 |
| 204 | Sudden death.. .. .. | M. | 11 | 10 | 16 | 16 | 14 | 13 | 21 | 14 | 18 | 12 | 15 | 9 |
| | | F. | 8 | 8 | 13 | 17 | 12 | 18 | 11 | 7 | 11 | 9 | 6 | 3 |
| 205 | Cause of death unstated or ill-defined. | M. | 64 | 79 | 69 | 70 | 59 | 81 | 74 | 68 | 51 | 67 | 56 | 55 |
| | | F. | 50 | 51 | 63 | 67 | 50 | 59 | 58 | 49 | 49 | 38 | 37 | 36 |
| | (1) Heart failure (1–70 years). | M. | 45 | 47 | 43 | 40 | 39 | 43 | 43 | 42 | 37 | 43 | 41 | 42 |
| | | F. | 30 | 27 | 36 | 38 | 31 | 36 | 35 | 38 | 33 | 21 | 18 | 20 |
| | (2) Other ill-defined causes | M. | 16 | 28 | 21 | 28 | 17 | 29 | 25 | 23 | 11 | 17 | 14 | 12 |
| | | F. | 18 | 22 | 26 | 25 | 18 | 20 | 22 | 10 | 14 | 13 | 16 | 11 |
| | (3) Cause not specified .. | M. | 3 | 4 | 5 | 2 | 3 | 9 | 6 | 3 | 3 | 7 | 1 | 1 |
| | | F. | 2 | 2 | 1 | 4 | 1 | 3 | 1 | 1 | 2 | 4 | 3 | 2 |

TABLE 19.—ENGLAND AND WALES.—CAUSES OF DEATH OF NON-CIVILIANS AT DIFFERENT AGE PERIODS, 1923.

| Causes of Death. | All Ages. | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55 years and upwards |
|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 420 | 44 | 114 | 76 | 46 | 62 | 46 | 23 | 6 | 3 |
| Enteric fever | 1 | — | — | — | — | — | — | — | 1 | — |
| Malaria | 2 | — | 1 | — | — | — | 1 | — | — | — |
| Measles | 1 | — | — | — | 1 | — | — | — | — | — |
| Scarlet fever | 2 | 2 | — | — | — | — | — | — | — | — |
| Influenza | 5 | 2 | — | 1 | 1 | — | 1 | — | — | — |
| Dysentery | 2 | — | — | — | 1 | 1 | — | — | — | — |
| Encephalitis lethargica | 1 | — | — | 1 | — | — | — | — | — | — |
| Meningococcal Meningitis | 3 | — | — | 2 | — | — | 1 | — | — | — |
| Anthrax | 1 | — | 1 | — | — | — | — | — | — | — |
| Tuberculosis of the respiratory system | 59 | 4 | 21 | 10 | 4 | 8 | 7 | 4 | 1 | — |
| Tuberculosis of the nervous system | 1 | — | — | — | — | — | 1 | — | — | — |
| Other Tuberculosis | 11 | 3 | 4 | 3 | — | — | 1 | — | — | — |
| Syphilis | 1 | — | — | — | 1 | — | — | — | — | — |
| Purulent infection, Septicæmia | 3 | 2 | 1 | — | — | — | — | — | — | — |
| Cancer | 20 | — | 1 | 2 | 1 | 3 | 9 | 3 | — | 1 |
| Rheumatic fever | 1 | 1 | — | — | — | — | — | — | — | — |
| Pernicious Anæmia | 1 | — | — | — | — | — | 1 | — | — | — |
| Leukæmia, Lymphadenoma | 4 | 1 | 1 | 1 | — | — | — | 1 | — | — |
| Alcoholism | 2 | — | — | — | — | 2 | — | — | — | — |
| Hæmophilia | 1 | — | — | 1 | — | — | — | — | — | — |
| Other general diseases | 2 | — | 2 | — | — | — | — | — | — | — |
| Encephalitis | 4 | 1 | — | — | 2 | 1 | — | — | — | — |
| Meningitis | 2 | — | — | — | — | — | 1 | — | — | 1 |
| Diseases of the spinal cord | 4 | — | 1 | 1 | — | — | 2 | — | — | — |
| Cerebral hæmorrhage, Apoplexy | 4 | — | 1 | — | 1 | 1 | — | 1 | — | — |
| General paralysis of the insane | 18 | — | — | — | 1 | 8 | 6 | 2 | 1 | — |
| Cerebral Softening | 1 | — | — | — | — | — | — | 1 | — | — |
| Cerebral Tumour | 3 | — | 1 | 1 | — | 1 | — | — | — | — |
| Other diseases of the nervous system | 5 | — | — | 1 | 1 | 1 | — | — | 1 | 1 |
| Diseases of the ears and of the mastoid sinus | 7 | 3 | 1 | 1 | — | 2 | — | — | — | — |
| Infective endocarditis | 3 | — | 1 | 1 | — | 1 | — | — | — | — |
| Valvular disease | 9 | — | — | 2 | 2 | 3 | — | 2 | — | — |
| Aneurysm | 1 | — | — | — | — | — | 1 | — | — | — |
| Other diseases of the heart and circulatory system | 13 | 1 | 1 | 2 | 2 | 1 | 4 | 2 | — | — |
| Bronchitis | 2 | — | 1 | — | — | — | — | 1 | — | — |
| Broncho-pneumonia | 9 | 1 | 2 | 2 | 1 | 2 | — | 1 | — | — |
| Lobar pneumonia | 21 | 3 | 6 | 2 | 2 | 5 | 2 | 1 | — | — |
| Pneumonia (type not stated) | 11 | 1 | 3 | 1 | 4 | 2 | — | — | — | — |
| Pleurisy | 5 | 1 | 2 | — | — | — | — | 2 | — | — |
| Other diseases of the respiratory system | 1 | — | — | — | — | — | 1 | — | — | — |
| Ulcer of the duodenum | 7 | 1 | 1 | 3 | — | 1 | 1 | — | — | — |
| Ulceration of the intestines | 2 | — | — | 2 | — | — | — | — | — | — |
| Appendicitis | 10 | — | 6 | 1 | 2 | — | — | — | 1 | — |
| Hernia, Intestinal obstruction | 11 | — | 4 | — | 4 | 3 | — | — | — | — |
| Diseases of the liver | 3 | — | — | — | — | 2 | 1 | — | — | — |
| Other diseases of the digestive system | 3 | 1 | — | — | 1 | 1 | — | — | — | — |
| Acute nephritis | 1 | — | 1 | — | — | — | — | — | — | — |
| Chronic nephritis | 5 | — | — | 2 | 1 | 1 | — | 1 | — | — |
| Other diseases of the genito-urinary system | 6 | — | 2 | 2 | 1 | — | — | — | 1 | — |
| Other diseases | 9 | 3 | 2 | 1 | 1 | 1 | 1 | — | — | — |
| Suicide | 20 | 4 | 5 | 2 | 4 | 4 | 1 | — | — | — |
| Homicide | 3 | — | 1 | 1 | — | 1 | — | — | — | — |
| Drowning | 7 | 1 | 3 | 2 | — | 1 | — | — | — | — |
| Accidental injury by firearms | 5 | 2 | 3 | — | — | — | — | — | — | — |
| Accidental injury by fall | 8 | 1 | 1 | 3 | 1 | 1 | 1 | — | — | — |
| Injury by crushing (vehicles, railways, &c.) | 46 | 3 | 26 | 12 | 2 | 2 | — | 1 | — | — |
| Wounds of war | 8 | — | 1 | 3 | 3 | — | 1 | — | — | — |
| Other violence | 16 | 1 | 5 | 7 | 1 | 1 | 1 | — | — | — |
| Ill-defined causes | 3 | 1 | 1 | — | — | 1 | — | — | — | — |

# Table 20.

## Causes of Death at Different Periods of Life—1923. All Areas—England and Wales—(Total Deaths Registered).

| | Causes of Death. | Sex. | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Causes .. | M | 226,858 | 30,324 | 7,459 | 6,223 | 6,740 | 9,855 | 26,197 | 59,780 | 42,927 | 37,353 |
| | | F | 217,927 | 22,258 | 6,652 | 5,658 | 6,380 | 9,528 | 24,682 | 49,446 | 41,912 | 51,411 |
| 1 | Enteric fever .. | M | 227 | — | — | 3 | 22 | 57 | 84 | 53 | 7 | 1 |
| | | F | 223 | — | — | 3 | 31 | 62 | 79 | 41 | 4 | 3 |
| 2 | Small-pox .. .. | M | 5 | 1 | — | — | 1 | 1 | — | 2 | — | — |
| | | F | 2 | 1 | — | — | — | — | 1 | — | — | — |
| 3 | Measles .. .. | M | 2,881 | 666 | 1,223 | 799 | 175 | 6 | 5 | 5 | 2 | — |
| | | F | 2,435 | 468 | 1,066 | 710 | 171 | 11 | 6 | 2 | — | 1 |
| 4 | Scarlet fever .. | M | 503 | 20 | 57 | 193 | 177 | 31 | 19 | 6 | — | — |
| | | F | 490 | 5 | 49 | 182 | 178 | 40 | 31 | 5 | — | — |
| 5 | Whooping cough .. | M | 1,909 | 949 | 549 | 349 | 55 | 3 | — | 2 | 1 | 1 |
| | | F | 2,253 | 958 | 718 | 510 | 58 | 3 | 1 | 1 | 2 | 2 |
| 6 | Diphtheria .. | M | 1,317 | 70 | 164 | 518 | 510 | 28 | 19 | 5 | 2 | 1 |
| | | F | 1,405 | 49 | 126 | 516 | 641 | 40 | 17 | 13 | 2 | 1 |
| 7 | Influenza .. .. | M | 4,305 | 163 | 80 | 97 | 129 | 256 | 804 | 1,431 | 830 | 515 |
| | | F | 4,156 | 128 | 64 | 84 | 125 | 214 | 651 | 1,046 | 964 | 880 |
| 8 | Encephalitis lethargica .. | M | 276 | 2 | 5 | 22 | 43 | 39 | 68 | 83 | 12 | 2 |
| | | F | 255 | 4 | 14 | 15 | 31 | 36 | 65 | 73 | 14 | 3 |
| 9 | Meningococcal meningitis .. | M | 144 | 45 | 19 | 19 | 29 | 14 | 15 | 3 | — | — |
| | | F | 140 | 41 | 10 | 18 | 33 | 25 | 10 | 3 | — | — |
| 10 | Tuberculosis of respiratory system | M | 17,571 | 76 | 99 | 112 | 334 | 3,174 | 7,584 | 5,411 | 690 | 91 |
| | | F | 14,526 | 54 | 67 | 93 | 734 | 4,176 | 6,345 | 2,549 | 424 | 84 |
| 11 | Other tuberculous diseases .. .. | M | 4,514 | 526 | 619 | 687 | 861 | 684 | 651 | 383 | 78 | 25 |
| | | F | 4,177 | 380 | 475 | 618 | 841 | 632 | 673 | 403 | 103 | 52 |
| 12 | Cancer, malignant disease .. .. | M | 22,065 | 9 | 10 | 37 | 80 | 160 | 1,283 | 10,633 | 6,881 | 2,972 |
| | | F | 26,603 | 11 | 14 | 26 | 48 | 123 | 2,703 | 12,196 | 7,141 | 4,341 |
| 13 | Rheumatic fever .. | M | 770 | 2 | 1 | 32 | 253 | 160 | 140 | 134 | 41 | 7 |
| | | F | 857 | 2 | 2 | 19 | 269 | 211 | 180 | 110 | 46 | 18 |
| 14 | Diabetes .. .. | M | 1,927 | — | 5 | 3 | 49 | 110 | 276 | 686 | 570 | 228 |
| | | F | 2,439 | — | — | 5 | 53 | 106 | 310 | 964 | 698 | 303 |
| 15 | Cerebral hæmorrhage, &c. .. | M | 12,501 | 6 | 4 | 7 | 16 | 32 | 348 | 3,680 | 4,565 | 3,843 |
| | | F | 16,048 | 3 | 5 | 7 | 17 | 37 | 455 | 4,404 | 5,264 | 5,856 |
| 16 | Heart disease .. | M | 26,223 | 14 | 14 | 37 | 400 | 698 | 2,443 | 8,729 | 8,044 | 5,844 |
| | | F | 30,663 | 3 | 11 | 41 | 488 | 725 | 2,523 | 8,693 | 9,150 | 9,029 |
| 17 | Arterio-sclerosis .. | M | 8,622 | — | — | — | — | 1 | 81 | 1,934 | 3,217 | 3,389 |
| | | F | 6,397 | — | — | — | — | — | 42 | 959 | 1,971 | 3,425 |
| 18 | Bronchitis .. | M | 16,106 | 1,970 | 433 | 219 | 76 | 61 | 593 | 3,535 | 4,437 | 4,782 |
| | | F | 16,601 | 1,476 | 443 | 219 | 72 | 52 | 352 | 2,599 | 4,313 | 7,075 |
| 19 | Pneumonia (all forms) .. .. | M | 19,283 | 3,924 | 2,162 | 1,215 | 594 | 805 | 2,752 | 4,628 | 2,060 | 1,143 |
| | | F | 14,130 | 2,808 | 1,908 | 1,100 | 593 | 427 | 1,444 | 2,381 | 1,851 | 1,618 |
| 20 | Other respiratory diseases .. .. | M | 3,162 | 165 | 111 | 99 | 94 | 88 | 413 | 1,077 | 629 | 486 |
| | | F | 2,429 | 108 | 73 | 98 | 59 | 69 | 260 | 594 | 530 | 638 |
| 21 | Ulcer of stomach or duodenum .. | M | 2,106 | — | 1 | 1 | 3 | 87 | 664 | 1,007 | 268 | 75 |
| | | F | 906 | 3 | — | — | 5 | 41 | 260 | 413 | 131 | 53 |
| 22 | Diarrhœa, &c. .. | M | 4,515 | 3,026 | 526 | 206 | 73 | 33 | 87 | 215 | 151 | 198 |
| | | F | 3,867 | 2,143 | 463 | 172 | 77 | 51 | 174 | 280 | 219 | 288 |
| 23 | Appendicitis and typhlitis.. .. | M | 1,608 | 8 | 9 | 70 | 342 | 317 | 338 | 387 | 110 | 27 |
| | | F | 1,218 | 2 | 8 | 46 | 246 | 197 | 277 | 308 | 93 | 41 |
| 24 | Cirrhosis of liver .. | M | 1,169 | 2 | 1 | 1 | 2 | 4 | 109 | 700 | 284 | 66 |
| | | F | 605 | 2 | — | 3 | 2 | 5 | 76 | 346 | 131 | 40 |
| 25 | Acute and chronic nephritis .. | M | 6,466 | 39 | 26 | 74 | 169 | 215 | 793 | 2,587 | 1,605 | 958 |
| | | F | 6,034 | 22 | 29 | 50 | 152 | 224 | 834 | 2,309 | 1,478 | 936 |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 985 | — | — | — | — | 194 | 779 | 12 | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 1,907 | — | — | — | — | 287 | 1,586 | 34 | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 13,156 | 12,899 | 85 | 47 | 55 | 40 | 16 | 11 | 3 | — |
| | | F | 9,761 | 9,576 | 62 | 42 | 36 | 17 | 15 | 11 | 2 | — |
| 29 | Suicide .. .. | M | 2,887 | — | — | — | 1 | 174 | 803 | 1,405 | 383 | 121 |
| | | F | 1,062 | — | — | — | 2 | 125 | 349 | 477 | 83 | 26 |
| 30 | Other deaths from violence.. .. | M | 9,226 | 399 | 281 | 558 | 951 | 1,289 | 2,075 | 2,312 | 807 | 554 |
| | | F | 3,932 | 279 | 180 | 369 | 358 | 241 | 367 | 673 | 549 | 916 |
| 31 | Other defined diseases .. .. | M | 40,432 | 5,294 | 901 | 801 | 1,226 | 1,261 | 3,633 | 8,290 | 7,033 | 11,993 |
| | | F | 40,690 | 3,696 | 791 | 695 | 1,046 | 1,141 | 3,745 | 7,233 | 6,585 | 15,758 |
| 32 | Causes ill-defined or unknown .. | M | 982 | 49 | 74 | 17 | 20 | 27 | 101 | 446 | 217 | 31 |
| | | F | 731 | 36 | 74 | 17 | 14 | 16 | 72 | 314 | 164 | 24 |

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| | Causes of Death. | Sex. | Administrative County of London. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes .. | M | 26,467 | 3,203 | 742 | 665 | 770 | 1,084 | 3,236 | 7,999 | 4,926 | 3,842 |
| | | F | 25,524 | 2,412 | 631 | 611 | 728 | 1,152 | 2,975 | 6,091 | 4,865 | 6,059 |
| 1 | Enteric fever .. | M | 18 | — | — | — | 4 | 4 | 9 | 1 | — | — |
| | | F | 24 | — | — | 1 | 4 | 3 | 9 | 6 | — | 1 |
| 2 | Small-pox .. .. | M | 1 | — | — | — | — | — | — | 1 | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles .. .. | M | 206 | 56 | 94 | 52 | 4 | — | — | — | — | — |
| | | F | 180 | 32 | 74 | 66 | 7 | 1 | — | — | — | — |
| 4 | Scarlet fever .. | M | 62 | 2 | 12 | 27 | 18 | — | 2 | 1 | — | — |
| | | F | 54 | 2 | 7 | 23 | 15 | 4 | 2 | 1 | — | — |
| 5 | Whooping cough .. | M | 174 | 86 | 53 | 32 | 2 | 1 | — | — | — | — |
| | | F | 258 | 118 | 79 | 53 | 8 | — | — | — | — | — |
| 6 | Diphtheria .. | M | 285 | 18 | 47 | 116 | 96 | 7 | 1 | — | — | — |
| | | F | 331 | 12 | 29 | 140 | 136 | 10 | 3 | 1 | — | — |
| 7 | Influenza .. .. | M | 351 | 13 | 5 | 6 | 8 | 19 | 56 | 138 | 63 | 43 |
| | | F | 413 | 5 | 3 | 4 | 8 | 21 | 59 | 100 | 107 | 106 |
| 8 | Encephalitis lethargica .. | M | 22 | — | — | 2 | 1 | 4 | 5 | 8 | 1 | 1 |
| | | F | 30 | — | 1 | 1 | — | 3 | 9 | 14 | 2 | — |
| 9 | Meningococcal meningitis .. | M | 27 | 12 | 5 | 4 | 2 | 1 | 3 | — | — | — |
| | | F | 28 | 14 | 3 | 6 | 2 | 1 | 1 | 1 | — | — |
| 10 | Tuberculosis of respiratory system | M | 2,586 | 7 | 8 | 11 | 27 | 399 | 1,067 | 918 | 128 | 21 |
| | | F | 1,846 | 11 | 10 | 10 | 74 | 514 | 780 | 373 | 60 | 14 |
| 11 | Other tuberculous diseases .. .. | M | 443 | 43 | 67 | 74 | 85 | 63 | 48 | 50 | 8 | 5 |
| | | F | 410 | 50 | 45 | 56 | 92 | 55 | 58 | 38 | 9 | 7 |
| 12 | Cancer, malignant disease .. .. | M | 2,903 | 2 | 1 | 7 | 11 | 19 | 194 | 1,450 | 854 | 365 |
| | | F | 3,443 | 2 | 3 | 1 | 6 | 28 | 379 | 1,586 | 880 | 558 |
| 13 | Rheumatic fever .. | M | 86 | — | — | 2 | 42 | 15 | 13 | 10 | 4 | — |
| | | F | 105 | — | — | 5 | 33 | 29 | 22 | 11 | 4 | 1 |
| 14 | Diabetes .. .. | M | 206 | — | — | — | 2 | 5 | 28 | 87 | 61 | 23 |
| | | F | 234 | — | — | 1 | 3 | 5 | 24 | 116 | 50 | 35 |
| 15 | Cerebral hæmorrhage, &c. .. | M | 1,059 | 2 | 1 | 2 | 2 | 2 | 53 | 342 | 379 | 276 |
| | | F | 1,476 | 1 | 2 | — | — | 4 | 47 | 414 | 458 | 550 |
| 16 | Heart disease .. | M | 3,293 | 4 | 2 | 5 | 58 | 105 | 297 | 1,148 | 948 | 726 |
| | | F | 4,000 | 2 | 1 | 4 | 61 | 114 | 332 | 1,043 | 1,125 | 1,318 |
| 17 | Arterio-sclerosis .. | M | 1,034 | — | — | — | — | 1 | 17 | 284 | 349 | 383 |
| | | F | 893 | — | — | — | — | — | 8 | 148 | 269 | 468 |
| 18 | Bronchitis .. | M | 1,828 | 124 | 23 | 10 | 7 | 9 | 81 | 506 | 515 | 553 |
| | | F | 1,984 | 99 | 16 | 15 | 7 | 5 | 42 | 339 | 541 | 920 |
| 19 | Pneumonia (all forms) .. .. | M | 2,435 | 457 | 215 | 131 | 51 | 68 | 301 | 717 | 301 | 194 |
| | | F | 1,899 | 374 | 191 | 94 | 53 | 48 | 178 | 350 | 295 | 316 |
| 20 | Other respiratory diseases .. .. | M | 365 | 20 | 10 | 8 | 5 | 15 | 45 | 132 | 73 | 57 |
| | | F | 309 | 13 | 7 | 2 | 5 | 9 | 33 | 74 | 79 | 87 |
| 21 | Ulcer of stomach or duodenum .. | M | 335 | — | — | — | 1 | 8 | 89 | 185 | 41 | 11 |
| | | F | 117 | 1 | — | — | — | 6 | 28 | 53 | 23 | 6 |
| 22 | Diarrhœa, &c. .. | M | 623 | 492 | 60 | 12 | 6 | 3 | 8 | 20 | 10 | 12 |
| | | F | 541 | 339 | 55 | 10 | 5 | 6 | 34 | 39 | 18 | 35 |
| 23 | Appendicitis and typhlitis.. .. | M | 190 | 1 | 2 | 14 | 40 | 36 | 30 | 48 | 15 | 4 |
| | | F | 155 | — | 1 | 6 | 31 | 28 | 36 | 36 | 11 | 6 |
| 24 | Cirrhosis of liver .. | M | 172 | — | — | — | — | — | 18 | 98 | 44 | 12 |
| | | F | 105 | — | — | — | — | 1 | 17 | 59 | 23 | 5 |
| 25 | Acute and chronic nephritis .. | M | 757 | 8 | 1 | 4 | 14 | 21 | 103 | 293 | 204 | 109 |
| | | F | 733 | 1 | 2 | 7 | 13 | 27 | 98 | 284 | 189 | 112 |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 126 | — | — | — | — | 27 | 95 | 4 | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 139 | — | — | — | — | 23 | 112 | 4 | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 1,349 | 1,324 | 9 | 2 | 2 | 7 | 1 | 4 | — | — |
| | | F | 958 | 948 | 4 | 1 | 1 | 1 | 1 | 2 | — | — |
| 29 | Suicide .. .. | M | 397 | — | — | — | — | 27 | 121 | 176 | 50 | 23 |
| | | F | 167 | — | — | — | — | 19 | 49 | 79 | 15 | 5 |
| 30 | Other deaths from violence.. .. | M | 1,028 | 68 | 29 | 61 | 131 | 101 | 174 | 279 | 114 | 71 |
| | | F | 569 | 49 | 32 | 42 | 47 | 33 | 59 | 98 | 89 | 120 |
| 31 | Other defined diseases .. .. | M | 4,214 | 461 | 90 | 83 | 151 | 144 | 472 | 1,098 | 762 | 953 |
| | | F | 3,979 | 336 | 61 | 59 | 117 | 127 | 458 | 814 | 618 | 1,389 |
| 32 | Causes ill-defined or unknown .. | M | 18 | 3 | 8 | — | — | — | — | 5 | 2 | — |
| | | F | 18 | 3 | 5 | 4 | — | — | 2 | 4 | — | — |

# TABLE 20—*contd.*

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| | Causes of Death. | Sex. | Aggregate of County Boroughs (England and Wales). | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes .. | M | 80,972 | 12,118 | 3,427 | 2,521 | 2,497 | 3,566 | 9,924 | 22,475 | 14,411 | 10,033 |
| | | F | 76,801 | 8,974 | 3,017 | 2,354 | 2,407 | 3,519 | 9,243 | 17,938 | 14,285 | 15,064 |
| 1 | Enteric fever .. | M | 62 | — | — | 3 | 2 | 18 | 25 | 12 | 1 | 1 |
| | | F | 56 | — | — | — | 6 | 17 | 21 | 11 | 1 | — |
| 2 | Small-pox .. .. | M | 4 | 1 | — | — | 1 | 1 | — | 1 | — | — |
| | | F | 1 | 1 | — | — | — | — | — | — | — | — |
| 3 | Measles .. .. | M | 1,270 | 298 | 579 | 331 | 60 | 1 | — | 1 | — | — |
| | | F | 1,103 | 239 | 486 | 325 | 53 | — | — | — | — | — |
| 4 | Scarlet fever .. | M | 213 | 9 | 29 | 80 | 69 | 14 | 9 | 3 | — | — |
| | | F | 226 | 1 | 22 | 93 | 79 | 21 | 8 | 2 | — | — |
| 5 | Whooping cough .. | M | 780 | 355 | 254 | 149 | 20 | 1 | — | 1 | — | — |
| | | F | 951 | 379 | 322 | 220 | 27 | 1 | — | — | 1 | 1 |
| 6 | Diphtheria .. | M | 493 | 26 | 66 | 202 | 177 | 12 | 8 | — | 1 | 1 |
| | | F | 487 | 25 | 57 | 175 | 207 | 10 | 6 | 5 | 1 | 1 |
| 7 | Influenza .. .. | M | 1,566 | 59 | 36 | 38 | 43 | 92 | 360 | 529 | 288 | 121 |
| | | F | 1,529 | 61 | 31 | 30 | 43 | 95 | 267 | 413 | 329 | 260 |
| 8 | Encephalitis lethargica .. | M | 103 | 1 | 2 | 8 | 9 | 16 | 26 | 35 | 6 | — |
| | | F | 102 | 2 | 6 | 7 | 14 | 12 | 27 | 26 | 8 | — |
| 9 | Meningococcal meningitis .. | M | 48 | 18 | 5 | 7 | 7 | 8 | 2 | 1 | — | — |
| | | F | 54 | 14 | 6 | 6 | 15 | 10 | 2 | 1 | — | — |
| 10 | Tuberculosis of respiratory system | M | 7,076 | 31 | 49 | 53 | 145 | 1,246 | 3,012 | 2,251 | 256 | 33 |
| | | F | 5,564 | 24 | 33 | 34 | 304 | 1,589 | 2,441 | 967 | 146 | 26 |
| 11 | Other tuberculous diseases .. .. | M | 1,733 | 222 | 262 | 276 | 343 | 271 | 201 | 129 | 24 | 5 |
| | | F | 1,561 | 154 | 189 | 257 | 314 | 245 | 233 | 129 | 37 | 3 |
| 12 | Cancer, malignant disease .. .. | M | 7,374 | 5 | 4 | 9 | 28 | 56 | 461 | 3,976 | 2,111 | 724 |
| | | F | 8,585 | 4 | 5 | 7 | 19 | 36 | 965 | 4,153 | 2,228 | 1,168 |
| 13 | Rheumatic fever .. | M | 268 | 2 | — | 9 | 97 | 49 | 51 | 45 | 11 | 4 |
| | | F | 315 | — | 1 | 8 | 102 | 70 | 65 | 43 | 21 | 5 |
| 14 | Diabetes .. .. | M | 612 | — | 2 | 1 | 14 | 30 | 82 | 232 | 179 | 72 |
| | | F | 825 | — | — | 1 | 14 | 30 | 109 | 326 | 250 | 95 |
| 15 | Cerebral hæmorrhage, &c. .. | M | 4,105 | — | 2 | 2 | 6 | 13 | 131 | 1,397 | 1,536 | 1,018 |
| | | F | 5,296 | — | 2 | 3 | 9 | 12 | 193 | 1,595 | 1,789 | 1,693 |
| 16 | Heart disease .. | M | 8,394 | 3 | 6 | 17 | 160 | 253 | 953 | 3,089 | 2,495 | 1,418 |
| | | F | 10,014 | 1 | 6 | 20 | 214 | 286 | 1,000 | 3,126 | 2,886 | 2,475 |
| 17 | Arterio-sclerosis .. | M | 3,149 | — | — | — | — | — | 26 | 782 | 1,246 | 1,095 |
| | | F | 2,292 | — | — | — | — | — | 21 | 399 | 736 | 1,136 |
| 18 | Bronchitis .. | M | 6,378 | 862 | 196 | 98 | 31 | 19 | 284 | 1,610 | 1,836 | 1,442 |
| | | F | 6,747 | 634 | 205 | 96 | 30 | 27 | 157 | 1,254 | 1,849 | 2,495 |
| 19 | Pneumonia (all forms) .. .. | M | 8,200 | 1,765 | 1,093 | 541 | 271 | 335 | 1,217 | 1,875 | 767 | 336 |
| | | F | 5,947 | 1,284 | 965 | 515 | 253 | 186 | 601 | 978 | 681 | 484 |
| 20 | Other respiratory diseases .. .. | M | 1,022 | 63 | 34 | 30 | 42 | 25 | 146 | 399 | 170 | 113 |
| | | F | 792 | 33 | 31 | 42 | 21 | 28 | 91 | 202 | 160 | 184 |
| 21 | Ulcer of stomach or duodenum .. | M | 699 | — | — | 1 | 1 | 31 | 250 | 329 | 74 | 13 |
| | | F | 311 | 1 | — | — | — | 9 | 100 | 154 | 35 | 12 |
| 22 | Diarrhœa, &c. .. | M | 2,006 | 1,406 | 262 | 99 | 28 | 12 | 27 | 69 | 51 | 52 |
| | | F | 1,571 | 952 | 209 | 76 | 22 | 15 | 66 | 86 | 66 | 79 |
| 23 | Appendicitis and typhlitis.. .. | M | 497 | 2 | 1 | 25 | 102 | 99 | 111 | 118 | 32 | 7 |
| | | F | 398 | — | 1 | 13 | 91 | 59 | 93 | 102 | 25 | 14 |
| 24 | Cirrhosis of liver .. | M | 390 | 1 | — | 1 | 1 | 1 | 41 | 250 | 82 | 13 |
| | | F | 189 | 1 | — | 1 | 1 | 2 | 26 | 105 | 42 | 11 |
| 25 | Acute and chronic nephritis .. | M | 2,369 | 14 | 7 | 24 | 66 | 76 | 313 | 1,042 | 560 | 267 |
| | | F | 2,092 | 7 | 9 | 11 | 56 | 75 | 307 | 873 | 483 | 271 |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 372 | — | — | — | — | 77 | 291 | 4 | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 685 | — | — | — | — | 100 | 570 | 15 | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 4,817 | 4,737 | 30 | 13 | 17 | 10 | 6 | 3 | 1 | — |
| | | F | 3,630 | 3,566 | 22 | 11 | 16 | 5 | 5 | 4 | 1 | — |
| 29 | Suicide .. .. | M | 984 | — | — | — | 1 | 55 | 266 | 514 | 121 | 27 |
| | | F | 315 | — | — | — | 1 | 38 | 104 | 139 | 27 | 6 |
| 30 | Other deaths from violence.. .. | M | 2,806 | 150 | 115 | 190 | 308 | 373 | 583 | 667 | 232 | 188 |
| | | F | 1,361 | 99 | 67 | 131 | 123 | 82 | 131 | 248 | 198 | 282 |
| 31 | Other defined diseases .. .. | M | 13,284 | 2,073 | 360 | 306 | 443 | 442 | 1,305 | 3,000 | 2,273 | 3,082 |
| | | F | 13,236 | 1,483 | 308 | 267 | 368 | 379 | 1,328 | 2,485 | 2,258 | 4,360 |
| 32 | Causes ill-defined or unknown .. | M | 270 | 15 | 33 | 8 | 5 | 7 | 28 | 115 | 58 | 1 |
| | | F | 194 | 9 | 34 | 5 | 5 | 3 | 15 | 93 | 27 | 3 |

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts (England and Wales). All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 73,728 | 9,636 | 2,328 | 2,067 | 2,284 | 3,255 | 8,466 | 19,321 | 14,182 | 12,189 |
| | F | 72,615 | 7,035 | 2,143 | 1,890 | 2,178 | 3,147 | 8,102 | 16,482 | 14,236 | 17,402 |
| 1 Enteric fever .. | M | 92 | — | — | — | 13 | 22 | 31 | 23 | 3 | — |
| | F | 95 | — | — | 1 | 18 | 28 | 34 | 11 | 2 | 1 |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — |
| 3 Measles .. .. | M | 1,025 | 217 | 427 | 303 | 71 | 3 | 3 | 1 | — | — |
| | F | 877 | 146 | 394 | 245 | 84 | 3 | 3 | 1 | — | 1 |
| 4 Scarlet fever .. | M | 145 | 7 | 11 | 56 | 56 | 9 | 4 | 2 | — | — |
| | F | 151 | 2 | 13 | 53 | 59 | 7 | 16 | 1 | — | — |
| 5 Whooping cough .. | M | 612 | 306 | 164 | 121 | 20 | — | — | — | 1 | — |
| | F | 666 | 292 | 203 | 151 | 17 | — | 1 | 1 | — | 1 |
| 6 Diphtheria .. | M | 346 | 21 | 37 | 133 | 142 | 5 | 5 | 3 | — | — |
| | F | 414 | 9 | 36 | 156 | 197 | 8 | 3 | 4 | 1 | — |
| 7 Influenza .. .. | M | 1,431 | 46 | 20 | 35 | 51 | 90 | 258 | 488 | 279 | 164 |
| | F | 1,357 | 34 | 23 | 32 | 42 | 64 | 212 | 341 | 336 | 273 |
| 8 Encephalitis lethargica .. | M | 94 | 1 | 2 | 7 | 25 | 12 | 24 | 21 | 2 | — |
| | F | 81 | 1 | 6 | 6 | 11 | 12 | 19 | 21 | 3 | 2 |
| 9 Meningococcal meningitis .. | M | 41 | 10 | 4 | 7 | 10 | 4 | 4 | 2 | — | — |
| | F | 37 | 5 | 1 | 4 | 14 | 7 | 5 | 1 | — | — |
| 10 Tuberculosis of respiratory system | M | 5,133 | 23 | 34 | 33 | 95 | 966 | 2,260 | 1,511 | 187 | 24 |
| | F | 4,604 | 11 | 19 | 36 | 244 | 1,360 | 1,973 | 785 | 145 | 31 |
| 11 Other tuberculous diseases .. .. | M | 1,544 | 179 | 213 | 227 | 290 | 235 | 235 | 126 | 29 | 10 |
| | F | 1,388 | 124 | 157 | 200 | 290 | 204 | 214 | 140 | 31 | 28 |
| 12 Cancer, malignant disease .. .. | M | 7,088 | 1 | 2 | 11 | 25 | 54 | 405 | 3,307 | 2,319 | 964 |
| | F | 9,144 | 5 | 3 | 14 | 10 | 39 | 914 | 4,129 | 2,482 | 1,548 |
| 13 Rheumatic fever .. | M | 272 | — | 1 | 12 | 81 | 54 | 56 | 54 | 13 | 1 |
| | F | 291 | 2 | 1 | 5 | 97 | 74 | 65 | 26 | 14 | 7 |
| 14 Diabetes .. .. | M | 673 | — | 1 | 1 | 22 | 43 | 110 | 228 | 187 | 81 |
| | F | 878 | — | — | 2 | 19 | 44 | 125 | 340 | 239 | 109 |
| 15 Cerebral hæmorrhage, &c. .. | M | 4,365 | 2 | — | 3 | 4 | 12 | 121 | 1,318 | 1,600 | 1,305 |
| | F | 5,619 | 2 | 1 | 3 | 5 | 12 | 158 | 1,539 | 1,878 | 2,021 |
| 16 Heart disease .. | M | 8,653 | 6 | 4 | 10 | 132 | 237 | 823 | 2,972 | 2,641 | 1,828 |
| | F | 10,105 | — | 3 | 13 | 156 | 237 | 827 | 2,965 | 3,023 | 2,881 |
| 17 Arterio-sclerosis .. | M | 2,638 | — | — | — | — | — | 24 | 599 | 1011 | 1,004 |
| | F | 1,987 | — | — | — | — | — | 7 | 285 | 627 | 1,068 |
| 18 Bronchitis .. | M | 5,087 | 653 | 151 | 64 | 28 | 23 | 175 | 1,067 | 1,383 | 1,543 |
| | F | 5,311 | 506 | 148 | 79 | 20 | 13 | 95 | 755 | 1,372 | 2,323 |
| 19 Pneumonia (all forms) .. .. | M | 5,936 | 1,181 | 619 | 406 | 190 | 270 | 854 | 1,417 | 634 | 365 |
| | F | 4,302 | 798 | 580 | 349 | 198 | 139 | 445 | 704 | 571 | 518 |
| 20 Other respiratory diseases .. .. | M | 1,078 | 54 | 48 | 48 | 31 | 30 | 149 | 338 | 220 | 160 |
| | F | 889 | 41 | 25 | 34 | 21 | 21 | 92 | 224 | 200 | 231 |
| 21 Ulcer of stomach or duodenum .. | M | 696 | — | 1 | — | — | 28 | 223 | 331 | 88 | 25 |
| | F | 299 | — | — | — | 4 | 17 | 95 | 122 | 49 | 12 |
| 22 Diarrhœa, &c. .. | M | 1,270 | 779 | 143 | 66 | 25 | 13 | 31 | 85 | 46 | 82 |
| | F | 1,182 | 605 | 138 | 51 | 32 | 22 | 46 | 100 | 89 | 99 |
| 23 Appendicitis and typhlitis.. .. | M | 596 | 1 | 5 | 20 | 135 | 121 | 125 | 140 | 38 | 11 |
| | F | 422 | 1 | | 20 | 71 | 64 | 94 | 115 | 39 | 16 |
| 24 Cirrhosis of liver .. | M | 433 | — | | — | — | 2 | 36 | 257 | 106 | 31 |
| | F | 210 | 1 | — | 1 | 1 | — | 23 | 135 | 40 | 9 |
| 25 Acute and chronic nephritis .. | M | 2,054 | 10 | 8 | 29 | 49 | 74 | 257 | 804 | 504 | 319 |
| | F | 2,054 | 6 | 11 | 18 | 57 | 85 | 286 | 769 | 501 | 321 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 313 | — | — | — | — | 57 | 252 | 4 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 670 | — | — | — | — | 96 | 563 | 8 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 4,389 | 4,362 | 21 | 20 | 23 | 15 | 6 | 1 | 1 | — |
| | F | 3,231 | 3,164 | 18 | 22 | 11 | 6 | 5 | 4 | 1 | — |
| 29 Suicide .. .. | M | 902 | — | — | — | — | 49 | 241 | 439 | 136 | 37 |
| | F | 387 | — | — | — | 1 | 44 | 139 | 175 | 23 | 5 |
| 30 Other deaths from violence.. .. | M | 3,238 | 112 | 90 | 184 | 340 | 476 | 761 | 846 | 251 | 178 |
| | F | 1,259 | 90 | 54 | 127 | 123 | 71 | 107 | 221 | 158 | 308 |
| 31 Other defined diseases .. .. | M | 13,508 | 1,710 | 298 | 266 | 415 | 398 | 1,194 | 2,750 | 2,433 | 4,044 |
| | F | 14,114 | 1,177 | 285 | 262 | 370 | 407 | 1,249 | 2,438 | 2,345 | 5,581 |
| 32 Causes ill-defined or unknown .. | M | 389 | 15 | 23 | 5 | 11 | 10 | 51 | 191 | 70 | 13 |
| | F | 277 | 13 | 22 | 6 | 6 | 6 | 31 | 118 | 67 | 8 |

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Rural Districts (England and Wales). All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 45,271 | 5,367 | 962 | 970 | 1,189 | 1,792 | 4,341 | 9,954 | 9,407 | 11,289 |
| | F | 42,987 | 3,837 | 861 | 803 | 1,067 | 1,710 | 4,362 | 8,935 | 8,526 | 12,886 |
| 1 Enteric fever .. | M | 54 | — | — | — | 3 | 13 | 19 | 16 | 3 | — |
| | F | 48 | — | — | 1 | 3 | 14 | 15 | 13 | 1 | 1 |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 379 | 95 | 123 | 113 | 40 | 2 | 1 | 3 | 2 | — |
| | F | 275 | 51 | 112 | 74 | 27 | 7 | 3 | 1 | — | — |
| 4 Scarlet fever .. | M | 81 | 2 | 5 | 30 | 34 | 6 | 4 | — | — | — |
| | F | 59 | — | 7 | 13 | 25 | 8 | 5 | 1 | — | — |
| 5 Whooping cough .. | M | 343 | 202 | 78 | 47 | 13 | 1 | — | 1 | — | 1 |
| | F | 378 | 169 | 114 | 86 | 6 | 2 | — | — | 1 | — |
| 6 Diphtheria .. | M | 193 | 5 | 14 | 67 | 95 | 4 | 5 | 2 | 1 | — |
| | F | 173 | 3 | 4 | 45 | 101 | 12 | 5 | 3 | — | — |
| 7 Influenza .. .. | M | 952 | 45 | 19 | 18 | 27 | 53 | 127 | 276 | 200 | 187 |
| | F | 857 | 28 | 7 | 18 | 32 | 34 | 113 | 192 | 192 | 241 |
| 8 Encephalitis lethargica .. | M | 56 | — | 1 | 5 | 8 | 7 | 12 | 19 | 3 | 1 |
| | F | 42 | 1 | 1 | 1 | 6 | 9 | 10 | 12 | 1 | 1 |
| 9 Meningococcal meningitis .. | M | 25 | 5 | 5 | 1 | 10 | 1 | 3 | — | — | — |
| | F | 21 | 8 | — | 2 | 2 | 7 | 2 | — | — | — |
| 10 Tuberculosis of respiratory system | M | 2,717 | 15 | 8 | 15 | 67 | 538 | 1,216 | 726 | 119 | 13 |
| | F | 2,512 | 8 | 5 | 13 | 112 | 713 | 1,151 | 424 | 73 | 13 |
| 11 Other tuberculous diseases .. .. | M | 782 | 82 | 77 | 110 | 143 | 108 | 162 | 78 | 17 | 5 |
| | F | 818 | 52 | 84 | 105 | 145 | 128 | 168 | 96 | 26 | 14 |
| 12 Cancer, malignant disease .. .. | M | 4,680 | 1 | 3 | 10 | 16 | 30 | 208 | 1,896 | 1,597 | 919 |
| | F | 5,431 | — | 3 | 4 | 13 | 20 | 445 | 2,328 | 1,551 | 1,067 |
| 13 Rheumatic fever .. | M | 143 | — | — | 9 | 33 | 41 | 20 | 25 | 13 | 2 |
| | F | 146 | — | — | 1 | 37 | 38 | 28 | 30 | 7 | 5 |
| 14 Diabetes .. .. | M | 436 | — | 2 | 1 | 11 | 32 | 56 | 139 | 143 | 52 |
| | F | 502 | — | — | 1 | 17 | 27 | 52 | 182 | 159 | 64 |
| 15 Cerebral hæmorrhage, &c. .. | M | 2,968 | 2 | 1 | — | 4 | 4 | 41 | 622 | 1,050 | 1,244 |
| | F | 3,657 | — | — | 1 | 3 | 9 | 57 | 856 | 1,139 | 1,592 |
| 16 Heart disease .. | M | 5,863 | 1 | 2 | 5 | 50 | 101 | 356 | 1,516 | 1,960 | 1,872 |
| | F | 6,544 | — | 1 | 4 | 57 | 88 | 364 | 1,559 | 2,116 | 2,355 |
| 17 Arterio-sclerosis .. | M | 1,798 | — | — | — | — | — | 11 | 269 | 611 | 907 |
| | F | 1,225 | — | — | — | — | — | 6 | 127 | 339 | 753 |
| 18 Bronchitis .. | M | 2,811 | 331 | 63 | 47 | 10 | 9 | 53 | 351 | 703 | 1,244 |
| | F | 2,559 | 237 | 74 | 29 | 15 | 7 | 58 | 251 | 551 | 1,337 |
| 19 Pneumonia (all forms) .. .. | M | 2,671 | 521 | 235 | 137 | 82 | 116 | 357 | 617 | 358 | 248 |
| | F | 1,982 | 352 | 172 | 142 | 89 | 54 | 220 | 349 | 304 | 300 |
| 20 Other respiratory diseases .. .. | M | 691 | 28 | 19 | 13 | 16 | 15 | 72 | 206 | 166 | 156 |
| | F | 439 | 21 | 10 | 20 | 12 | 11 | 44 | 94 | 91 | 136 |
| 21 Ulcer of stomach or duodenum .. | M | 369 | — | — | — | 1 | 18 | 97 | 162 | 65 | 26 |
| | F | 179 | 1 | — | — | 1 | 9 | 37 | 84 | 24 | 23 |
| 22 Diarrhœa, &c. .. | M | 614 | 349 | 61 | 29 | 14 | 5 | 19 | 41 | 44 | 52 |
| | F | 573 | 247 | 61 | 35 | 18 | 8 | 28 | 55 | 46 | 75 |
| 23 Appendicitis and typhlitis.. .. | M | 315 | 4 | 1 | 11 | 65 | 55 | 69 | 80 | 25 | 5 |
| | F | 243 | 1 | 4 | 7 | 53 | 46 | 54 | 55 | 18 | 5 |
| 24 Cirrhosis of liver .. | M | 172 | 1 | — | — | 1 | 1 | 12 | 95 | 52 | 10 |
| | F | 101 | — | — | 1 | — | 2 | 10 | 47 | 26 | 15 |
| 25 Acute and chronic nephritis .. | M | 1,280 | 7 | 10 | 17 | 40 | 43 | 116 | 447 | 337 | 263 |
| | F | 1,155 | 8 | 7 | 14 | 26 | 37 | 143 | 383 | 305 | 232 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 174 | — | — | — | — | 33 | 141 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 413 | — | — | — | — | 68 | 338 | 7 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 2,601 | 2,536 | 25 | 12 | 13 | 8 | 3 | 3 | 1 | — |
| | F | 1,942 | 1,898 | 18 | 8 | 8 | 5 | 4 | 1 | — | — |
| 29 Suicide .. .. | M | 584 | — | — | — | — | 34 | 164 | 276 | 76 | 34 |
| | F | 193 | — | — | — | — | 24 | 57 | 84 | 18 | 10 |
| 30 Other deaths from violence.. .. | M | 2,061 | 69 | 47 | 123 | 172 | 291 | 513 | 519 | 210 | 117 |
| | F | 743 | 41 | 27 | 69 | 65 | 55 | 70 | 106 | 104 | 206 |
| 31 Other defined diseases .. .. | M | 9,330 | 1,050 | 153 | 146 | 217 | 248 | 604 | 1,434 | 1,564 | 3,914 |
| | F | 9,361 | 700 | 137 | 107 | 191 | 228 | 710 | 1,496 | 1,364 | 4,428 |
| 32 Causes ill-defined or unknown .. | M | 302 | 16 | 10 | 4 | 4 | 8 | 21 | 135 | 87 | 17 |
| | F | 242 | 11 | 13 | 2 | 3 | 7 | 24 | 99 | 70 | 13 |

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| | Causes of Death. | Sex. | Aggregate of Northern Counties.* | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes .. | M | 83,757 | 12,917 | 3,703 | 2,823 | 2,713 | 3,774 | 9,890 | 22,424 | 15,257 | 10,256 |
| | | F | 78,246 | 9,592 | 3,272 | 2,548 | 2,531 | 3,476 | 9,254 | 18,620 | 14,989 | 13,964 |
| 1 | Enteric fever .. | M | 97 | — | — | 2 | 6 | 19 | 45 | 24 | — | 1 |
| | | F | 83 | — | — | — | 12 | 29 | 25 | 16 | 1 | — |
| 2 | Small-pox .. .. | M | 1 | — | — | — | — | 1 | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles .. .. | M | 1,390 | 338 | 614 | 352 | 82 | 1 | — | 2 | 1 | — |
| | | F | 1,185 | 251 | 517 | 345 | 66 | 2 | 2 | 2 | — | — |
| 4 | Scarlet fever .. | M | 205 | 9 | 25 | 77 | 72 | 15 | 5 | 2 | — | — |
| | | F | 234 | 1 | 13 | 90 | 91 | 23 | 14 | 2 | — | — |
| 5 | Whooping cough .. | M | 894 | 414 | 281 | 176 | 22 | 1 | — | — | — | — |
| | | F | 1,059 | 439 | 338 | 249 | 30 | — | — | — | 2 | 1 |
| 6 | Diphtheria .. | M | 371 | 26 | 56 | 157 | 117 | 8 | 4 | 1 | 1 | 1 |
| | | F | 354 | 20 | 42 | 133 | 141 | 7 | 6 | 4 | 1 | — |
| 7 | Influenza .. .. | M | 1,911 | 77 | 37 | 47 | 65 | 122 | 423 | 636 | 348 | 156 |
| | | F | 1,794 | 56 | 33 | 41 | 52 | 98 | 319 | 514 | 404 | 277 |
| 8 | Encephalitis lethargica .. | M | 114 | — | 2 | 9 | 17 | 15 | 31 | 35 | 5 | — |
| | | F | 97 | 1 | 7 | 9 | 9 | 16 | 20 | 32 | 2 | 1 |
| 9 | Meningococcal meningitis .. | M | 43 | 12 | 6 | 9 | 10 | 5 | — | 1 | — | — |
| | | F | 57 | 13 | 5 | 6 | 19 | 10 | 3 | 1 | — | — |
| 10 | Tuberculosis of respiratory system | M | 6,315 | 34 | 48 | 65 | 165 | 1,164 | 2,590 | 1,993 | 236 | 20 |
| | | F | 5,013 | 19 | 33 | 52 | 336 | 1,432 | 2,116 | 886 | 119 | 20 |
| 11 | Other tuberculous diseases .. .. | M | 1,916 | 215 | 277 | 319 | 402 | 308 | 209 | 149 | 33 | 4 |
| | | F | 1,739 | 169 | 224 | 280 | 350 | 270 | 273 | 140 | 25 | 8 |
| 12 | Cancer, malignant disease .. .. | M | 7,051 | 4 | 6 | 12 | 29 | 60 | 429 | 3,675 | 2,127 | 709 |
| | | F | 8,342 | 4 | 4 | 9 | 9 | 34 | 936 | 4,120 | 2,205 | 1,021 |
| 13 | Rheumatic fever .. | M | 307 | 1 | — | 14 | 101 | 60 | 59 | 56 | 12 | 4 |
| | | F | 327 | — | 2 | 5 | 108 | 79 | 72 | 39 | 17 | 5 |
| 14 | Diabetes .. .. | M | 714 | — | 1 | 2 | 19 | 53 | 114 | 260 | 203 | 62 |
| | | F | 885 | — | — | 2 | 18 | 37 | 123 | 377 | 248 | 80 |
| 15 | Cerebral hæmorrhage, &c. .. | M | 4,478 | 2 | 2 | 3 | 7 | 15 | 124 | 1,467 | 1,760 | 1,098 |
| | | F | 5,496 | 1 | 2 | 5 | 7 | 13 | 180 | 1,725 | 1,989 | 1,574 |
| 16 | Heart disease .. | M | 8,667 | 6 | 7 | 16 | 159 | 246 | 966 | 3,244 | 2,653 | 1,370 |
| | | F | 9,953 | — | 3 | 23 | 193 | 273 | 1,044 | 3,279 | 3,004 | 2,134 |
| 17 | Arterio-sclerosis .. | M | 3,409 | — | — | — | — | — | 26 | 805 | 1,425 | 1,153 |
| | | F | 2,343 | — | — | — | — | — | 16 | 407 | 797 | 1,123 |
| 18 | Bronchitis .. | M | 6,608 | 1,019 | 249 | 132 | 33 | 32 | 284 | 1,592 | 1,872 | 1,395 |
| | | F | 6,747 | 787 | 240 | 119 | 34 | 30 | 175 | 1,267 | 1,859 | 2,236 |
| 19 | Pneumonia (all forms) .. .. | M | 8,696 | 1,911 | 1,123 | 624 | 331 | 375 | 1,322 | 1,939 | 759 | 312 |
| | | F | 6,174 | 1,299 | 1,038 | 584 | 278 | 186 | 643 | 989 | 709 | 448 |
| 20 | Other respiratory diseases .. .. | M | 1,066 | 59 | 46 | 41 | 38 | 30 | 163 | 368 | 174 | 147 |
| | | F | 800 | 49 | 33 | 45 | 21 | 27 | 96 | 195 | 160 | 174 |
| 21 | Ulcer of stomach or duodenum .. | M | 705 | — | 1 | 1 | 1 | 38 | 252 | 322 | 76 | 14 |
| | | F | 269 | — | — | — | 1 | 11 | 95 | 128 | 29 | 5 |
| 22 | Diarrhœa, &c. .. | M | 1,904 | 1,227 | 285 | 111 | 37 | 12 | 41 | 78 | 58 | 55 |
| | | F | 1,615 | 894 | 236 | 86 | 41 | 18 | 68 | 110 | 83 | 79 |
| 23 | Appendicitis and typhlitis.. .. | M | 529 | 1 | 3 | 26 | 109 | 113 | 122 | 118 | 28 | 9 |
| | | F | 386 | — | 1 | 12 | 80 | 63 | 87 | 103 | 30 | 10 |
| 24 | Cirrhosis of liver .. | M | 388 | 1 | — | 1 | 1 | — | 45 | 240 | 81 | 19 |
| | | F | 177 | — | — | — | 1 | 2 | 24 | 106 | 37 | 7 |
| 25 | Acute and chronic nephritis .. | M | 2,339 | 10 | 11 | 30 | 63 | 76 | 314 | 1,037 | 558 | 240 |
| | | F | 2,283 | 7 | 13 | 24 | 61 | 86 | 344 | 950 | 553 | 245 |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 362 | — | — | — | — | 73 | 286 | 3 | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 759 | — | — | — | — | 115 | 631 | 13 | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 5,139 | 5,043 | 32 | 18 | 20 | 13 | 9 | 3 | 1 | — |
| | | F | 3,964 | 3,900 | 22 | 13 | 15 | 4 | 5 | 4 | 1 | — |
| 29 | Suicide .. .. | M | 944 | — | — | — | — | 50 | 261 | 476 | 127 | 30 |
| | | F | 325 | — | — | — | 2 | 36 | 123 | 138 | 19 | 7 |
| 30 | Other deaths from violence.. .. | M | 3,270 | 108 | 136 | 219 | 341 | 479 | 772 | 807 | 251 | 157 |
| | | F | 1,348 | 82 | 71 | 138 | 145 | 87 | 128 | 246 | 206 | 245 |
| 31 | Other defined diseases .. .. | M | 13,869 | 2,383 | 418 | 350 | 455 | 450 | 1,232 | 2,907 | 2,382 | 3,292 |
| | | F | 13,749 | 1,592 | 352 | 271 | 402 | 408 | 1,369 | 2,677 | 2,419 | 4,259 |
| 32 | Causes ill-defined or unknown .. | M | 417 | 17 | 37 | 10 | 11 | 13 | 48 | 187 | 86 | 8 |
| | | F | 327 | 8 | 43 | 7 | 9 | 7 | 31 | 147 | 70 | 5 |

* See footnote to Table 14.

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Midland Counties.* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 67,118 | 8,648 | 1,876 | 1,670 | 1,934 | 2,752 | 7,380 | 16,899 | 13,010 | 12,949 |
| | F | 65,383 | 6,306 | 1,726 | 1,559 | 1,804 | 2,814 | 7,153 | 14,046 | 12,624 | 17,351 |
| 1 Enteric fever .. | M | 59 | — | — | 1 | 7 | 15 | 16 | 17 | 3 | — |
| | F | 57 | — | — | 1 | 6 | 11 | 22 | 13 | 3 | 1 |
| 2 Small-pox .. .. | M | 3 | 1 | — | — | 1 | — | — | 1 | — | — |
| | F | 2 | 1 | — | — | — | — | 1 | — | — | — |
| 3 Measles .. .. | M | 787 | 161 | 323 | 241 | 53 | 3 | 3 | 2 | 1 | — |
| | F | 638 | 107 | 276 | 191 | 61 | 3 | — | — | — | — |
| 4 Scarlet fever .. | M | 149 | 7 | 11 | 58 | 55 | 9 | 7 | 2 | — | — |
| | F | 134 | — | 19 | 51 | 44 | 9 | 9 | 2 | — | — |
| 5 Whooping cough .. | M | 474 | 249 | 126 | 82 | 15 | 1 | — | 1 | — | — |
| | F | 542 | 211 | 189 | 132 | 7 | 3 | — | — | — | — |
| 6 Diphtheria .. | M | 400 | 18 | 40 | 142 | 182 | 6 | 10 | 2 | — | — |
| | F | 428 | 10 | 39 | 150 | 202 | 16 | 2 | 7 | 1 | 1 |
| 7 Influenza .. .. | M | 1,279 | 41 | 22 | 30 | 29 | 84 | 208 | 412 | 262 | 191 |
| | F | 1,216 | 38 | 20 | 22 | 46 | 71 | 176 | 266 | 280 | 297 |
| 8 Encephalitis lethargica .. | M | 65 | 1 | 3 | 8 | 11 | 8 | 9 | 20 | 5 | — |
| | F | 72 | 1 | 3 | 4 | 13 | 8 | 18 | 16 | 8 | 1 |
| 9 Meningococcal meningitis .. | M | 43 | 17 | 4 | 4 | 7 | 4 | 6 | 1 | — | — |
| | F | 30 | 8 | 2 | 2 | 8 | 7 | 3 | — | — | — |
| 10 Tuberculosis of respiratory system | M | 4,905 | 18 | 27 | 22 | 84 | 871 | 2,238 | 1,450 | 173 | 22 |
| | F | 4,305 | 17 | 17 | 21 | 198 | 1,243 | 1,932 | 723 | 122 | 32 |
| 11 Other tuberculous diseases .. .. | M | 1,224 | 161 | 185 | 179 | 213 | 162 | 199 | 103 | 17 | 5 |
| | F | 1,187 | 104 | 132 | 178 | 227 | 186 | 190 | 122 | 34 | 14 |
| 12 Cancer, malignant disease .. .. | M | 6,913 | 3 | 2 | 15 | 25 | 39 | 359 | 3,229 | 2,187 | 1,054 |
| | F | 8,371 | 1 | 6 | 6 | 14 | 43 | 798 | 3,706 | 2,296 | 1,501 |
| 13 Rheumatic fever .. | M | 200 | 1 | 1 | 8 | 59 | 39 | 34 | 41 | 15 | 2 |
| | F | 224 | 1 | — | 7 | 61 | 55 | 50 | 29 | 12 | 9 |
| 14 Diabetes .. .. | M | 570 | — | 1 | 1 | 18 | 29 | 83 | 193 | 179 | 66 |
| | F | 775 | — | — | 2 | 17 | 36 | 96 | 278 | 250 | 96 |
| 15 Cerebral hæmorrhage, &c. .. | M | 3,992 | 1 | 1 | — | 6 | 6 | 115 | 1,065 | 1,423 | 1,375 |
| | F | 5,111 | 1 | 1 | 1 | 7 | 12 | 139 | 1,243 | 1,651 | 2,056 |
| 16 Heart disease .. | M | 7,733 | 1 | 2 | 6 | 107 | 224 | 680 | 2,381 | 2,451 | 1,881 |
| | F | 9,246 | 1 | 4 | 4 | 135 | 217 | 689 | 2,493 | 2,763 | 2,940 |
| 17 Arterio-sclerosis .. | M | 2,306 | — | — | — | — | — | 21 | 444 | 804 | 1,037 |
| | F | 1,651 | — | — | — | — | — | 12 | 202 | 492 | 945 |
| 18 Bronchitis .. | M | 4,762 | 525 | 107 | 42 | 18 | 11 | 152 | 894 | 1,297 | 1,716 |
| | F | 4,854 | 387 | 129 | 47 | 16 | 7 | 75 | 629 | 1,220 | 2,344 |
| 19 Pneumonia (all forms) .. .. | M | 4,998 | 984 | 526 | 307 | 132 | 220 | 713 | 1,175 | 590 | 351 |
| | F | 3,738 | 741 | 451 | 280 | 157 | 122 | 372 | 648 | 487 | 480 |
| 20 Other respiratory diseases .. .. | M | 945 | 52 | 33 | 30 | 30 | 27 | 103 | 318 | 193 | 159 |
| | F | 734 | 29 | 19 | 26 | 22 | 13 | 78 | 192 | 165 | 190 |
| 21 Ulcer of stomach or duodenum .. | M | 623 | — | — | — | — | 25 | 188 | 311 | 76 | 23 |
| | F | 285 | 1 | — | — | 2 | 10 | 85 | 115 | 52 | 20 |
| 22 Diarrhœa, &c. .. | M | 1,244 | 844 | 114 | 48 | 17 | 8 | 23 | 71 | 49 | 70 |
| | F | 1,045 | 580 | 114 | 49 | 18 | 14 | 37 | 67 | 67 | 99 |
| 23 Appendicitis and typhlitis.. .. | M | 495 | 2 | 3 | 20 | 113 | 82 | 103 | 131 | 34 | 7 |
| | F | 371 | 2 | 3 | 15 | 75 | 54 | 80 | 104 | 28 | 10 |
| 24 Cirrhosis of liver .. | M | 334 | 1 | 1 | — | — | 2 | 24 | 205 | 88 | 13 |
| | F | 181 | 2 | — | 2 | 1 | 2 | 20 | 103 | 37 | 14 |
| 25 Acute and chronic nephritis .. | M | 1,797 | 16 | 7 | 22 | 49 | 69 | 219 | 691 | 435 | 289 |
| | F | 1,577 | 7 | 9 | 9 | 54 | 64 | 218 | 577 | 360 | 279 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 299 | — | — | — | — | 54 | 242 | 3 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 552 | — | — | — | — | 81 | 459 | 12 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 4,080 | 4,000 | 21 | 14 | 21 | 15 | 4 | 4 | 1 | — |
| | F | 2,955 | 2,906 | 19 | 12 | 8 | 5 | 4 | 1 | — | — |
| 29 Suicide .. .. | M | 932 | — | — | — | 1 | 57 | 244 | 468 | 118 | 44 |
| | F | 354 | — | — | — | — | 46 | 112 | 158 | 29 | 9 |
| 30 Other deaths from violence.. .. | M | 2,621 | 143 | 62 | 171 | 288 | 340 | 546 | 637 | 231 | 203 |
| | F | 1,195 | 93 | 46 | 118 | 99 | 73 | 111 | 184 | 156 | 315 |
| 31 Other defined diseases .. .. | M | 12,851 | 1,390 | 237 | 217 | 388 | 387 | 1,043 | 2,466 | 2,295 | 4,428 |
| | F | 13,006 | 1,041 | 213 | 228 | 301 | 344 | 1,096 | 2,045 | 2,049 | 5,689 |
| 32 Causes ill-defined or unknown .. | M | 334 | 11 | 17 | 2 | 5 | 9 | 30 | 164 | 83 | 13 |
| | F | 248 | 16 | 15 | 1 | 5 | 5 | 27 | 108 | 62 | 9 |

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Southern Counties (including London).* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 58,886 | 6,286 | 1,327 | 1,212 | 1,527 | 2,285 | 6,555 | 16,114 | 11,739 | 11,841 |
| | F | 59,438 | 4,524 | 1,088 | 1,129 | 1,491 | 2,377 | 6,312 | 13,595 | 11,847 | 17,075 |
| 1 Enteric fever .. | M | 50 | — | — | — | 4 | 15 | 19 | 8 | 4 | — |
| | F | 65 | — | — | 1 | 9 | 12 | 29 | 12 | — | 2 |
| 2 Small-pox .. .. | M | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 372 | 91 | 161 | 99 | 18 | 1 | 1 | 1 | — | — |
| | F | 337 | 53 | 136 | 113 | 26 | 4 | 4 | — | — | 1 |
| 4 Scarlet fever .. | M | 109 | 3 | 18 | 41 | 39 | 3 | 3 | 2 | — | — |
| | F | 92 | 3 | 9 | 30 | 35 | 8 | 6 | 1 | — | — |
| 5 Whooping cough .. | M | 353 | 181 | 97 | 59 | 13 | 1 | — | 1 | — | 1 |
| | F | 454 | 217 | 125 | 94 | 15 | — | 1 | 1 | — | 1 |
| 6 Diphtheria .. | M | 446 | 22 | 61 | 175 | 169 | 11 | 5 | 2 | 1 | — |
| | F | 481 | 16 | 36 | 178 | 229 | 13 | 8 | 1 | — | — |
| 7 Influenza .. .. | M | 810 | 26 | 16 | 14 | 21 | 33 | 120 | 270 | 174 | 136 |
| | F | 923 | 23 | 10 | 15 | 21 | 34 | 123 | 209 | 228 | 260 |
| 8 Encephalitis lethargica .. | M | 71 | 1 | — | 4 | 9 | 11 | 20 | 22 | 2 | 2 |
| | F | 73 | 2 | 3 | 2 | 7 | 8 | 22 | 25 | 4 | — |
| 9 Meningococcal meningitis .. | M | 45 | 15 | 9 | 4 | 10 | 3 | 4 | — | — | — |
| | F | 47 | 18 | 3 | 10 | 5 | 5 | 4 | 2 | — | — |
| 10 Tuberculosis of respiratory system | M | 4,999 | 16 | 13 | 18 | 63 | 845 | 2,165 | 1,607 | 229 | 43 |
| | F | 3,977 | 14 | 11 | 17 | 135 | 1,096 | 1,753 | 760 | 161 | 30 |
| 11 Other tuberculous diseases .. .. | M | 994 | 106 | 133 | 148 | 171 | 142 | 148 | 107 | 23 | 16 |
| | F | 954 | 93 | 97 | 125 | 189 | 130 | 151 | 108 | 34 | 27 |
| 12 Cancer, malignant disease .. .. | M | 6,747 | 2 | 2 | 10 | 24 | 46 | 389 | 3,059 | 2,151 | 1,064 |
| | F | 8,322 | 6 | 4 | 10 | 18 | 38 | 788 | 3,625 | 2,248 | 1,585 |
| 13 Rheumatic fever .. | M | 168 | — | — | 6 | 65 | 36 | 27 | 24 | 9 | 1 |
| | F | 205 | 1 | — | 5 | 64 | 49 | 41 | 31 | 12 | 2 |
| 14 Diabetes .. .. | M | 531 | — | 3 | — | 10 | 23 | 58 | 191 | 158 | 88 |
| | F | 643 | — | — | 1 | 14 | 24 | 72 | 247 | 173 | 112 |
| 15 Cerebral hæmorrhage, &c. .. | M | 3,055 | 3 | 1 | 3 | 3 | 5 | 90 | 816 | 1,032 | 1,102 |
| | F | 4,358 | 1 | 2 | 1 | 2 | 11 | 106 | 1,103 | 1,292 | 1,840 |
| 16 Heart disease .. | M | 7,910 | 6 | 4 | 11 | 91 | 174 | 600 | 2,472 | 2,377 | 2,175 |
| | F | 9,463 | 2 | 2 | 9 | 117 | 183 | 619 | 2,324 | 2,797 | 3,410 |
| 17 Arterio-sclerosis .. | M | 2,441 | — | — | — | — | 1 | 24 | 562 | 823 | 1,031 |
| | F | 2,107 | — | — | — | — | — | 11 | 295 | 592 | 1,209 |
| 18 Bronchitis .. | M | 3,600 | 267 | 43 | 30 | 17 | 14 | 116 | 758 | 946 | 1,409 |
| | F | 4,080 | 175 | 44 | 36 | 16 | 10 | 70 | 560 | 1,016 | 2,153 |
| 19 Pneumonia (all forms) .. .. | M | 4,212 | 762 | 367 | 206 | 93 | 132 | 502 | 1,183 | 557 | 410 |
| | F | 3,349 | 564 | 283 | 164 | 118 | 96 | 333 | 630 | 556 | 605 |
| 20 Other respiratory diseases .. .. | M | 876 | 43 | 15 | 20 | 20 | 21 | 112 | 304 | 195 | 146 |
| | F | 722 | 21 | 15 | 14 | 10 | 18 | 67 | 169 | 174 | 234 |
| 21 Ulcer of stomach or duodenum .. | M | 648 | — | — | — | 2 | 17 | 162 | 333 | 100 | 34 |
| | F | 273 | 2 | — | — | 1 | 12 | 57 | 133 | 46 | 22 |
| 22 Diarrhœa, &c. .. | M | 1,031 | 732 | 98 | 34 | 12 | 7 | 14 | 40 | 34 | 60 |
| | F | 926 | 509 | 82 | 27 | 14 | 9 | 57 | 81 | 56 | 91 |
| 23 Appendicitis and typhlitis.. .. | M | 450 | 3 | 2 | 21 | 88 | 80 | 77 | 122 | 47 | 10 |
| | F | 372 | — | 3 | 17 | 67 | 56 | 84 | 92 | 34 | 19 |
| 24 Cirrhosis of liver .. | M | 360 | — | — | — | 1 | 1 | 31 | 203 | 94 | 30 |
| | F | 221 | — | — | 1 | — | 1 | 30 | 123 | 49 | 17 |
| 25 Acute and chronic nephritis .. | M | 1,823 | 11 | 5 | 11 | 42 | 46 | 196 | 668 | 500 | 344 |
| | F | 1,688 | 7 | 5 | 10 | 24 | 53 | 187 | 607 | 456 | 339 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 231 | — | — | — | — | 44 | 182 | 5 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 372 | — | — | — | — | 62 | 304 | 6 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 2,927 | 2,867 | 23 | 9 | 8 | 12 | 3 | 4 | 1 | — |
| | F | 2,068 | 2,010 | 16 | 12 | 11 | 7 | 6 | 5 | 1 | — |
| 29 Suicide .. .. | M | 867 | — | — | — | — | 48 | 254 | 401 | 119 | 45 |
| | F | 334 | — | — | — | — | 31 | 95 | 165 | 34 | 9 |
| 30 Other deaths from violence.. .. | M | 2,187 | 127 | 63 | 108 | 235 | 247 | 411 | 582 | 245 | 169 |
| | F | 1,147 | 92 | 50 | 85 | 83 | 64 | 104 | 209 | 163 | 297 |
| 31 Other defined diseases .. .. | M | 10,674 | 989 | 180 | 178 | 296 | 308 | 995 | 2,320 | 1,890 | 3,581 |
| | F | 11,052 | 683 | 143 | 144 | 261 | 298 | 989 | 2,025 | 1,702 | 4,807 |
| 32 Causes ill-defined or unknown .. | M | 129 | 13 | 13 | 3 | 3 | 2 | 9 | 51 | 28 | 7 |
| | F | 102 | 12 | 9 | 8 | — | 1 | 9 | 41 | 19 | 3 |

* See footnote to Table 14.

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Wales and Monmouth. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 16,677 | 2,473 | 553 | 518 | 566 | 886 | 2,142 | 4,312 | 2,920 | 2,307 |
| | F | 14,860 | 1,836 | 566 | 422 | 554 | 861 | 1,963 | 3,185 | 2,452 | 3,021 |
| 1 Enteric fever .. | M | 20 | — | — | — | 5 | 8 | 4 | 3 | — | — |
| | F | 18 | — | — | 1 | 4 | 10 | 3 | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 331 | 76 | 125 | 107 | 22 | 1 | — | — | — | — |
| | F | 275 | 57 | 137 | 61 | 18 | 2 | — | — | — | — |
| 4 Scarlet fever .. | M | 38 | 1 | 3 | 17 | 11 | 2 | 4 | — | — | — |
| | F | 30 | 1 | 8 | 11 | 8 | — | 2 | — | — | — |
| 5 Whooping cough .. | M | 188 | 105 | 45 | 32 | 5 | — | — | — | 1 | — |
| | F | 198 | 91 | 66 | 35 | 6 | — | — | — | — | — |
| 6 Diphtheria .. | M | 100 | 4 | 7 | 44 | 42 | 3 | — | — | — | — |
| | F | 142 | 3 | 9 | 55 | 69 | 4 | 1 | 1 | — | — |
| 7 Influenza .. .. | M | 300 | 19 | 5 | 6 | 14 | 15 | 50 | 113 | 46 | 32 |
| | F | 223 | 11 | 1 | 6 | 6 | 11 | 33 | 57 | 52 | 46 |
| 8 Encephalitis lethargica .. | M | 25 | — | — | 1 | 6 | 5 | 7 | 6 | — | — |
| | F | 13 | — | 1 | — | 2 | 4 | 5 | — | — | 1 |
| 9 Meningococcal meningitis .. | M | 10 | 1 | — | 2 | 2 | 2 | 2 | 1 | — | — |
| | F | 6 | 2 | — | — | 1 | 3 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 1,293 | 8 | 11 | 7 | 22 | 269 | 562 | 356 | 52 | 6 |
| | F | 1,231 | 4 | 6 | 3 | 65 | 405 | 544 | 180 | 22 | 2 |
| 11 Other tuberculous diseases .. .. | M | 368 | 44 | 24 | 41 | 75 | 65 | 90 | 24 | 5 | — |
| | F | 297 | 14 | 22 | 35 | 75 | 46 | 59 | 33 | 10 | 3 |
| 12 Cancer, malignant disease .. .. | M | 1,334 | — | — | — | 2 | 14 | 91 | 666 | 416 | 145 |
| | F | 1,568 | — | — | 1 | 7 | 8 | 181 | 745 | 392 | 234 |
| 13 Rheumatic fever .. | M | 94 | — | — | 4 | 28 | 24 | 20 | 13 | 5 | — |
| | F | 101 | — | — | 2 | 36 | 28 | 17 | 11 | 5 | 2 |
| 14 Diabetes .. .. | M | 112 | — | — | — | 2 | 5 | 21 | 42 | 30 | 12 |
| | F | 136 | — | — | — | 4 | 9 | 19 | 62 | 27 | 15 |
| 15 Cerebral hæmorrhage, &c. .. | M | 972 | — | — | 1 | — | 5 | 17 | 331 | 350 | 268 |
| | F | 1,083 | — | — | — | 1 | 1 | 30 | 333 | 332 | 386 |
| 16 Heart disease .. | M | 1,893 | 1 | 1 | 4 | 43 | 52 | 183 | 628 | 563 | 418 |
| | F | 2,001 | — | 2 | 5 | 43 | 52 | 171 | 597 | 586 | 545 |
| 17 Arterio-sclerosis .. | M | 463 | — | — | — | — | — | 7 | 123 | 165 | 168 |
| | F | 296 | — | — | — | — | — | 3 | 55 | 90 | 148 |
| 18 Bronchitis .. | M | 1,134 | 159 | 34 | 15 | 8 | 3 | 41 | 290 | 322 | 262 |
| | F | 920 | 127 | 30 | 17 | 6 | 5 | 32 | 143 | 218 | 342 |
| 19 Pneumonia (all forms) .. .. | M | 1,336 | 267 | 146 | 78 | 38 | 62 | 192 | 329 | 154 | 70 |
| | F | 869 | 204 | 136 | 72 | 40 | 23 | 96 | 114 | 99 | 85 |
| 20 Other respiratory diseases .. .. | M | 269 | 11 | 17 | 8 | 6 | 7 | 34 | 85 | 67 | 34 |
| | F | 173 | 9 | 6 | 13 | 6 | 11 | 19 | 38 | 31 | 40 |
| 21 Ulcer of stomach or duodenum .. | M | 123 | — | — | — | — | 5 | 57 | 41 | 16 | 4 |
| | F | 79 | — | — | — | 1 | 8 | 23 | 37 | 4 | 6 |
| 22 Diarrhœa, &c. .. | M | 334 | 223 | 29 | 13 | 7 | 6 | 7 | 26 | 10 | 13 |
| | F | 281 | 160 | 31 | 10 | 4 | 10 | 12 | 22 | 13 | 19 |
| 23 Appendicitis and typhlitis.. .. | M | 124 | 2 | 1 | 3 | 32 | 36 | 33 | 15 | 1 | 1 |
| | F | 89 | — | 1 | 2 | 24 | 24 | 26 | 9 | 1 | 2 |
| 24 Cirrhosis of liver .. | M | 85 | — | — | — | — | 1 | 7 | 52 | 21 | 4 |
| | F | 26 | — | — | — | — | — | 2 | 14 | 8 | 2 |
| 25 Acute and chronic nephritis .. | M | 501 | 2 | 3 | 11 | 15 | 23 | 60 | 190 | 112 | 85 |
| | F | 486 | 1 | 2 | 7 | 13 | 21 | 85 | 175 | 109 | 73 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 93 | — | — | — | — | 23 | 69 | 1 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 224 | — | — | — | — | 29 | 192 | 3 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 1,010 | 989 | 9 | 6 | 6 | — | — | — | — | — |
| | F | 774 | 760 | 5 | 5 | 2 | 1 | — | 1 | — | — |
| 29 Suicide .. .. | M | 124 | — | — | — | — | 10 | 33 | 60 | 19 | 2 |
| | F | 49 | — | — | — | — | 12 | 19 | 16 | 1 | 1 |
| 30 Other deaths from violence.. .. | M | 1,055 | 21 | 20 | 60 | 87 | 175 | 302 | 285 | 80 | 25 |
| | F | 242 | 12 | 13 | 28 | 31 | 17 | 24 | 34 | 24 | 59 |
| 31 Other defined diseases .. .. | M | 2,942 | 532 | 66 | 56 | 87 | 87 | 305 | 589 | 465 | 755 |
| | F | 2,883 | 380 | 83 | 52 | 82 | 91 | 291 | 486 | 415 | 1,003 |
| 32 Causes ill-defined or unknown .. | M | 99 | 8 | 7 | 2 | 1 | 1 | 13 | 44 | 20 | 3 |
| | F | 54 | — | 7 | 1 | — | 3 | 5 | 18 | 13 | 7 |

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of County Boroughs (North).* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 46,277 | 7,347 | 2,255 | 1,578 | 1,467 | 2,068 | 5,722 | 12,984 | 8,050 | 4,806 |
| | F | 43,009 | 5,556 | 2,000 | 1,420 | 1,358 | 1,971 | 5,279 | 10,390 | 7,996 | 7,039 |
| 1 Enteric fever | M | 39 | — | — | 2 | 1 | 7 | 17 | 11 | — | 1 |
| | F | 33 | — | — | — | 4 | 11 | 9 | 9 | — | — |
| 2 Small-pox | M | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 785 | 192 | 359 | 193 | 40 | — | — | 1 | — | — |
| | F | 663 | 160 | 306 | 175 | 22 | — | — | — | — | — |
| 4 Scarlet fever | M | 115 | 5 | 19 | 42 | 37 | 9 | 2 | 1 | — | — |
| | F | 134 | 1 | 8 | 56 | 47 | 16 | 5 | 1 | — | — |
| 5 Whooping cough | M | 518 | 231 | 172 | 104 | 10 | 1 | — | — | — | — |
| | F | 643 | 258 | 214 | 151 | 19 | — | — | — | 1 | — |
| 6 Diphtheria | M | 214 | 16 | 35 | 90 | 63 | 5 | 3 | — | 1 | 1 |
| | F | 203 | 16 | 30 | 67 | 78 | 5 | 4 | 3 | — | — |
| 7 Influenza | M | 1,005 | 43 | 28 | 26 | 29 | 60 | 234 | 338 | 180 | 67 |
| | F | 997 | 37 | 23 | 21 | 27 | 66 | 170 | 283 | 221 | 149 |
| 8 Encephalitis lethargica | M | 61 | — | — | 4 | 6 | 8 | 16 | 23 | 4 | — |
| | F | 58 | 1 | 5 | 5 | 6 | 10 | 12 | 18 | 1 | — |
| 9 Meningococcal meningitis | M | 29 | 11 | 5 | 5 | 4 | 4 | — | — | — | — |
| | F | 37 | 10 | 4 | 4 | 11 | 6 | 2 | — | — | — |
| 10 Tuberculosis of respiratory system | M | 4,046 | 20 | 30 | 38 | 103 | 727 | 1,632 | 1,336 | 146 | 14 |
| | F | 2,999 | 13 | 22 | 25 | 202 | 852 | 1,270 | 530 | 75 | 10 |
| 11 Other tuberculous diseases | M | 1,044 | 129 | 150 | 170 | 220 | 173 | 111 | 76 | 14 | 1 |
| | F | 926 | 98 | 117 | 158 | 181 | 141 | 139 | 78 | 14 | — |
| 12 Cancer, malignant disease | M | 3,918 | 2 | 2 | 5 | 16 | 32 | 252 | 2,202 | 1,074 | 333 |
| | F | 4,468 | 2 | 2 | 4 | 6 | 18 | 547 | 2,246 | 1,138 | 505 |
| 13 Rheumatic fever | M | 154 | 1 | — | 5 | 52 | 26 | 27 | 31 | 8 | 4 |
| | F | 171 | — | 1 | 2 | 63 | 34 | 34 | 21 | 14 | 2 |
| 14 Diabetes | M | 350 | — | — | 1 | 7 | 19 | 52 | 140 | 104 | 27 |
| | F | 456 | — | — | — | 7 | 15 | 65 | 189 | 137 | 43 |
| 15 Cerebral hæmorrhage, &c. | M | 2,225 | — | 1 | 2 | 4 | 7 | 74 | 766 | 885 | 486 |
| | F | 2,796 | — | 1 | 2 | 5 | 7 | 99 | 908 | 997 | 777 |
| 16 Heart disease | M | 4,576 | 2 | 4 | 11 | 93 | 135 | 548 | 1,800 | 1,362 | 621 |
| | F | 5,286 | — | 1 | 18 | 111 | 159 | 622 | 1,796 | 1,551 | 1,028 |
| 17 Arterio-sclerosis | M | 1,986 | — | — | — | — | — | 18 | 503 | 818 | 647 |
| | F | 1,403 | — | — | — | — | — | 13 | 267 | 471 | 652 |
| 18 Bronchitis | M | 3,789 | 547 | 134 | 64 | 20 | 17 | 186 | 1,028 | 1,078 | 715 |
| | F | 3,974 | 437 | 131 | 69 | 18 | 21 | 96 | 842 | 1,116 | 1,244 |
| 19 Pneumonia (all forms) | M | 5,228 | 1,193 | 749 | 372 | 186 | 210 | 774 | 1,156 | 436 | 152 |
| | F | 3,801 | 847 | 681 | 361 | 155 | 116 | 391 | 606 | 410 | 234 |
| 20 Other respiratory diseases | M | 535 | 37 | 21 | 17 | 17 | 14 | 83 | 200 | 81 | 65 |
| | F | 398 | 22 | 22 | 23 | 9 | 19 | 48 | 102 | 76 | 77 |
| 21 Ulcer of stomach or duodenum | M | 379 | — | — | 1 | 1 | 20 | 145 | 170 | 37 | 5 |
| | F | 150 | — | — | — | — | 6 | 57 | 70 | 14 | 3 |
| 22 Diarrhœa, &c. | M | 1,175 | 792 | 182 | 69 | 20 | 6 | 20 | 39 | 27 | 20 |
| | F | 964 | 589 | 145 | 48 | 16 | 9 | 36 | 56 | 29 | 36 |
| 23 Appendicitis and typhlitis | M | 280 | 1 | 1 | 17 | 56 | 57 | 65 | 64 | 16 | 3 |
| | F | 202 | — | — | 5 | 41 | 30 | 50 | 58 | 12 | 6 |
| 24 Cirrhosis of liver | M | 202 | 1 | — | 1 | 1 | — | 27 | 125 | 42 | 5 |
| | F | 97 | — | — | — | — | 1 | 17 | 51 | 26 | 2 |
| 25 Acute and chronic nephritis | M | 1,328 | 7 | 5 | 14 | 34 | 38 | 178 | 618 | 304 | 130 |
| | F | 1,221 | 3 | 4 | 5 | 32 | 42 | 194 | 536 | 284 | 121 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — |
| | F | 200 | — | — | — | — | 43 | 154 | 3 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 409 | — | — | — | — | 60 | 341 | 8 | — | — |
| 28 Congenital debility and malformation, premature birth | M | 2,750 | 2,704 | 16 | 8 | 8 | 7 | 5 | 2 | — | — |
| | F | 2,124 | 2,092 | 12 | 3 | 11 | 2 | 2 | 2 | — | — |
| 29 Suicide | M | 513 | — | — | — | — | 22 | 147 | 275 | 58 | 11 |
| | F | 158 | — | — | — | 1 | 18 | 58 | 66 | 12 | 3 |
| 30 Other deaths from violence | M | 1,631 | 73 | 88 | 115 | 176 | 219 | 355 | 384 | 127 | 94 |
| | F | 753 | 38 | 42 | 75 | 70 | 46 | 78 | 140 | 127 | 137 |
| 31 Other defined diseases | M | 7,224 | 1,329 | 231 | 196 | 259 | 238 | 733 | 1,624 | 1,211 | 1,403 |
| | F | 7,138 | 926 | 200 | 138 | 211 | 215 | 757 | 1,436 | 1,247 | 2,008 |
| 32 Causes ill-defined or unknown | M | 177 | 11 | 23 | 6 | 4 | 6 | 18 | 71 | 37 | 1 |
| | F | 147 | 6 | 29 | 5 | 5 | 3 | 9 | 65 | 23 | 2 |

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of County Boroughs (Midland).* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 23,400 | 3,463 | 835 | 670 | 721 | 986 | 2,832 | 6,421 | 4,225 | 3,247 |
| | F | 22,408 | 2,472 | 774 | 682 | 709 | 1,013 | 2,668 | 5,009 | 4,166 | 4,915 |
| 1 Enteric fever .. | M | 15 | — | — | 1 | 1 | 7 | 5 | 1 | — | — |
| | F | 9 | — | — | — | 1 | 3 | 2 | 2 | 1 | — |
| 2 Small-pox .. .. | M | 3 | 1 | — | — | 1 | — | — | 1 | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 341 | 75 | 164 | 88 | 13 | 1 | — | — | — | — |
| | F | 313 | 51 | 129 | 112 | 21 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 86 | 4 | 10 | 35 | 27 | 4 | 4 | 2 | — | — |
| | F | 74 | — | 11 | 32 | 24 | 4 | 2 | 1 | — | — |
| 5 Whooping cough .. | M | 167 | 80 | 52 | 28 | 6 | — | — | 1 | — | — |
| | F | 209 | 74 | 80 | 50 | 4 | 1 | — | — | — | — |
| 6 Diphtheria .. | M | 189 | 8 | 23 | 76 | 76 | 3 | 3 | — | — | — |
| | F | 197 | 6 | 22 | 75 | 85 | 4 | 1 | 2 | 1 | 1 |
| 7 Influenza .. .. | M | 416 | 10 | 6 | 9 | 7 | 26 | 94 | 149 | 83 | 32 |
| | F | 371 | 15 | 6 | 5 | 13 | 21 | 72 | 92 | 82 | 65 |
| 8 Encephalitis lethargica .. | M | 23 | 1 | 2 | 3 | 2 | 2 | 4 | 7 | 2 | — |
| | F | 25 | — | — | 2 | 4 | — | 9 | 4 | 6 | — |
| 9 Meningococcal meningitis .. | M | 13 | 7 | — | 1 | 1 | 3 | 1 | — | — | — |
| | F | 11 | 3 | 2 | 1 | 2 | 3 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 2,037 | 7 | 11 | 12 | 29 | 322 | 932 | 642 | 74 | 8 |
| | F | 1,702 | 9 | 7 | 7 | 70 | 472 | 796 | 289 | 42 | 10 |
| 11 Other tuberculous diseases .. .. | M | 448 | 69 | 81 | 71 | 83 | 53 | 51 | 33 | 5 | 2 |
| | F | 440 | 42 | 53 | 70 | 96 | 67 | 66 | 32 | 13 | 1 |
| 12 Cancer, malignant disease .. .. | M | 2,276 | 3 | 2 | 4 | 10 | 6 | 128 | 1,215 | 671 | 237 |
| | F | 2,666 | 1 | 2 | 3 | 5 | 14 | 262 | 1,253 | 713 | 413 |
| 13 Rheumatic fever .. | M | 77 | 1 | — | 2 | 28 | 16 | 16 | 11 | 3 | — |
| | F | 95 | — | — | 5 | 27 | 25 | 21 | 11 | 3 | 3 |
| 14 Diabetes .. .. | M | 163 | — | — | — | 4 | 9 | 22 | 63 | 42 | 23 |
| | F | 239 | — | — | 1 | 6 | 11 | 25 | 89 | 77 | 30 |
| 15 Cerebral hæmorrhage, &c. .. | M | 1,231 | — | 1 | — | 2 | 3 | 43 | 431 | 426 | 325 |
| | F | 1,629 | — | 1 | 1 | 4 | 3 | 67 | 459 | 547 | 547 |
| 16 Heart disease .. | M | 2,407 | 1 | 2 | 3 | 48 | 92 | 269 | 826 | 722 | 444 |
| | F | 2,980 | 1 | 3 | 1 | 62 | 97 | 259 | 889 | 843 | 825 |
| 17 Arterio-sclerosis .. | M | 751 | — | — | — | — | — | 6 | 181 | 288 | 276 |
| | F | 529 | — | — | — | — | — | 7 | 75 | 175 | 272 |
| 18 Bronchitis .. | M | 1,861 | 238 | 50 | 23 | 7 | 2 | 69 | 422 | 557 | 493 |
| | F | 1,966 | 149 | 61 | 17 | 9 | 4 | 42 | 299 | 538 | 847 |
| 19 Pneumonia (all forms) .. .. | M | 2,136 | 425 | 247 | 132 | 62 | 94 | 325 | 523 | 218 | 110 |
| | F | 1,544 | 333 | 226 | 119 | 68 | 52 | 149 | 269 | 175 | 153 |
| 20 Other respiratory diseases .. .. | M | 324 | 13 | 7 | 10 | 13 | 9 | 38 | 142 | 60 | 32 |
| | F | 238 | 9 | 6 | 11 | 8 | 5 | 33 | 61 | 52 | 53 |
| 21 Ulcer of stomach or duodenum .. | M | 216 | — | — | — | — | 7 | 79 | 104 | 21 | 5 |
| | F | 91 | 1 | — | — | — | 1 | 28 | 44 | 14 | 3 |
| 22 Diarrhœa, &c. .. | M | 620 | 472 | 56 | 22 | 6 | 4 | 6 | 22 | 17 | 15 |
| | F | 435 | 269 | 53 | 21 | 2 | 3 | 16 | 18 | 22 | 31 |
| 23 Appendicitis and typhlitis.. .. | M | 131 | — | — | 6 | 31 | 25 | 29 | 28 | 12 | — |
| | F | 126 | — | 1 | 4 | 34 | 18 | 28 | 31 | 7 | 3 |
| 24 Cirrhosis of liver .. | M | 121 | — | — | — | — | 1 | 9 | 81 | 25 | 5 |
| | F | 55 | 1 | — | — | 1 | 1 | 6 | 36 | 7 | 3 |
| 25 Acute and chronic nephritis .. | M | 628 | 6 | 2 | 6 | 17 | 27 | 95 | 258 | 146 | 71 |
| | F | 540 | 3 | 4 | 2 | 20 | 18 | 80 | 215 | 118 | 80 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 118 | — | — | — | — | 18 | 100 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 176 | — | — | — | — | 21 | 150 | 5 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 1,491 | 1,467 | 8 | 3 | 8 | 3 | — | 1 | 1 | — |
| | F | 1,077 | 1,057 | 8 | 6 | 3 | 1 | 1 | 1 | — | — |
| 29 Suicide .. .. | M | 310 | — | — | — | 1 | 25 | 77 | 156 | 40 | 11 |
| | F | 113 | — | — | — | — | 16 | 33 | 51 | 10 | 3 |
| 30 Other deaths from violence.. .. | M | 775 | 61 | 19 | 57 | 100 | 98 | 139 | 179 | 60 | 62 |
| | F | 411 | 44 | 19 | 44 | 34 | 20 | 34 | 79 | 51 | 86 |
| 31 Other defined diseases .. .. | M | 4,066 | 512 | 86 | 78 | 137 | 143 | 380 | 900 | 734 | 1,096 |
| | F | 3,990 | 401 | 76 | 93 | 106 | 110 | 375 | 679 | 665 | 1,485 |
| 32 Causes ill-defined or unknown .. | M | 78 | 2 | 6 | — | 1 | 1 | 8 | 42 | 18 | — |
| | F | 38 | 2 | 4 | — | — | — | 4 | 23 | 4 | 1 |

* See footnote to Table 14.

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of County Boroughs (South).* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 7,664 | 778 | 185 | 163 | 188 | 289 | 846 | 2,045 | 1,584 | 1,586 |
| | F | 8,348 | 547 | 120 | 159 | 231 | 332 | 844 | 1,856 | 1,676 | 2,583 |
| 1 Enteric fever | M | 5 | — | — | — | — | 1 | 3 | — | 1 | — |
| | F | 14 | — | — | — | 1 | 3 | 10 | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 67 | 12 | 32 | 21 | 2 | — | — | — | — | — |
| | F | 63 | 12 | 21 | 22 | 8 | — | — | — | — | — |
| 4 Scarlet fever | M | 5 | — | — | 1 | 2 | 1 | 1 | — | — | — |
| | F | 11 | — | — | 1 | 8 | 1 | 1 | — | — | — |
| 5 Whooping cough | M | 46 | 20 | 16 | 7 | 3 | — | — | — | — | — |
| | F | 51 | 22 | 15 | 10 | 3 | — | — | — | — | 1 |
| 6 Diphtheria | M | 68 | 2 | 5 | 27 | 30 | 2 | 2 | — | — | — |
| | F | 63 | 3 | 3 | 21 | 35 | — | 1 | — | — | — |
| 7 Influenza | M | 98 | 1 | 1 | 2 | 5 | 4 | 21 | 26 | 21 | 17 |
| | F | 120 | 8 | 2 | 4 | 2 | 4 | 17 | 24 | 19 | 40 |
| 8 Encephalitis lethargica | M | 16 | — | — | 1 | 1 | 4 | 5 | 5 | — | — |
| | F | 12 | 1 | — | — | 2 | 1 | 3 | 4 | 1 | — |
| 9 Meningococcal meningitis | M | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 4 | 1 | — | 1 | 1 | — | — | 1 | — | — |
| 10 Tuberculosis of respiratory system | M | 634 | 2 | 1 | 2 | 9 | 125 | 280 | 180 | 28 | 7 |
| | F | 578 | 1 | — | 2 | 18 | 167 | 249 | 108 | 27 | 6 |
| 11 Other tuberculous diseases | M | 141 | 14 | 20 | 23 | 22 | 24 | 19 | 14 | 3 | 2 |
| | F | 125 | 10 | 14 | 18 | 19 | 24 | 18 | 13 | 8 | 1 |
| 12 Cancer, malignant disease | M | 886 | — | — | — | 2 | 13 | 52 | 392 | 294 | 133 |
| | F | 1,142 | 1 | 1 | — | 5 | 2 | 105 | 492 | 314 | 222 |
| 13 Rheumatic fever | M | 19 | — | — | 2 | 8 | 3 | 4 | 2 | — | — |
| | F | 27 | — | — | — | 6 | 5 | 6 | 7 | 3 | — |
| 14 Diabetes | M | 72 | — | 2 | — | 3 | 1 | 5 | 16 | 27 | 18 |
| | F | 101 | — | — | — | 1 | 4 | 14 | 35 | 30 | 17 |
| 15 Cerebral hæmorrhage, &c. | M | 467 | — | — | — | — | 1 | 9 | 128 | 167 | 162 |
| | F | 677 | — | — | — | — | 2 | 20 | 160 | 197 | 298 |
| 16 Heart disease | M | 1,031 | — | — | 1 | 11 | 11 | 83 | 310 | 317 | 298 |
| | F | 1,341 | — | 1 | 1 | 27 | 16 | 78 | 306 | 384 | 528 |
| 17 Arterio-sclerosis | M | 299 | — | — | — | — | — | — | 58 | 109 | 132 |
| | F | 290 | — | — | — | — | — | 1 | 46 | 68 | 175 |
| 18 Bronchitis | M | 428 | 40 | 2 | 7 | 3 | — | 17 | 78 | 104 | 177 |
| | F | 600 | 20 | 8 | 6 | 2 | 1 | 10 | 80 | 140 | 333 |
| 19 Pneumonia (all forms) | M | 495 | 93 | 54 | 23 | 13 | 13 | 57 | 110 | 74 | 58 |
| | F | 420 | 55 | 26 | 25 | 25 | 15 | 41 | 78 | 79 | 76 |
| 20 Other respiratory diseases | M | 111 | 10 | — | 3 | 11 | — | 19 | 36 | 19 | 13 |
| | F | 126 | 1 | 3 | 6 | 2 | 1 | 8 | 34 | 27 | 44 |
| 21 Ulcer of stomach or duodenum | M | 80 | — | — | — | — | 4 | 18 | 44 | 12 | 2 |
| | F | 53 | — | — | — | — | 1 | 10 | 31 | 7 | 4 |
| 22 Diarrhœa, &c. | M | 114 | 67 | 14 | 6 | 2 | 1 | 1 | 2 | 5 | 16 |
| | F | 105 | 50 | 5 | 5 | 3 | 2 | 8 | 9 | 11 | 12 |
| 23 Appendicitis and typhlitis | M | 55 | — | — | 2 | 9 | 7 | 9 | 20 | 4 | 4 |
| | F | 49 | — | — | 3 | 12 | 6 | 7 | 11 | 6 | 4 |
| 24 Cirrhosis of liver | M | 50 | — | — | — | — | — | 3 | 34 | 10 | 3 |
| | F | 29 | — | — | 1 | — | — | 2 | 14 | 8 | 4 |
| 25 Acute and chronic nephritis | M | 312 | 1 | — | 2 | 9 | 6 | 28 | 119 | 87 | 60 |
| | F | 247 | 1 | — | 2 | 3 | 11 | 16 | 90 | 64 | 60 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — |
| | F | 30 | — | — | — | — | 6 | 23 | 1 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 67 | — | — | — | — | 13 | 53 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth | M | 383 | 376 | 4 | 1 | 1 | — | 1 | — | — | — |
| | F | 267 | 257 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | — |
| 29 Suicide | M | 136 | — | — | — | — | 4 | 39 | 69 | 20 | 4 |
| | F | 35 | — | — | — | — | 2 | 7 | 21 | 5 | — |
| 30 Other deaths from violence | M | 227 | 10 | 6 | 7 | 15 | 27 | 47 | 57 | 31 | 27 |
| | F | 136 | 14 | 3 | 7 | 7 | 9 | 13 | 17 | 18 | 48 |
| 31 Other defined diseases | M | 1,408 | 129 | 26 | 23 | 26 | 37 | 122 | 344 | 248 | 453 |
| | F | 1,560 | 89 | 15 | 23 | 40 | 34 | 121 | 269 | 259 | 710 |
| 32 Causes ill-defined or unknown | M | 10 | 1 | 2 | 2 | — | — | 1 | 1 | 3 | — |
| | F | 5 | 1 | 1 | — | — | — | — | 3 | — | — |

* See footnote to Table 14.

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of County Boroughs (Wales and Monmouth). | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 3,631 | 530 | 152 | 110 | 121 | 223 | 524 | 1,025 | 552 | 394 |
| | F | 3,036 | 399 | 123 | 93 | 109 | 203 | 452 | 683 | 447 | 527 |
| 1 Enteric fever .. | M | 3 | — | — | — | — | 3 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 77 | 19 | 24 | 29 | 5 | — | — | — | — | — |
| | F | 64 | 16 | 30 | 16 | 2 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 7 | — | — | 2 | 3 | — | 2 | — | — | — |
| | F | 7 | — | 3 | 4 | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 49 | 24 | 14 | 10 | 1 | — | — | — | — | — |
| | F | 48 | 25 | 13 | 9 | 1 | — | — | — | — | — |
| 6 Diphtheria .. | M | 22 | — | 3 | 9 | 8 | 2 | — | — | — | — |
| | F | 24 | — | 2 | 12 | 9 | 1 | — | — | — | — |
| 7 Influenza .. .. | M | 47 | 5 | 1 | 1 | 2 | 2 | 11 | 16 | 4 | 5 |
| | F | 41 | 1 | — | — | 1 | 4 | 8 | 14 | 7 | 6 |
| 8 Encephalitis lethargica .. | M | 3 | — | — | — | — | 2 | 1 | — | — | — |
| | F | 7 | — | 1 | — | 2 | 1 | 3 | — | — | — |
| 9 Meningococcal meningitis .. | M | 5 | — | — | 1 | 1 | 1 | 1 | 1 | — | — |
| | F | 2 | — | — | — | 1 | 1 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 359 | 2 | 7 | 1 | 4 | 72 | 168 | 93 | 8 | 4 |
| | F | 285 | 1 | 4 | — | 14 | 98 | 126 | 40 | 2 | — |
| 11 Other tuberculous diseases .. .. | M | 100 | 10 | 11 | 12 | 18 | 21 | 20 | 6 | 2 | — |
| | F | 70 | 4 | 5 | 11 | 18 | 13 | 10 | 6 | 2 | 1 |
| 12 Cancer, malignant disease .. .. | M | 294 | — | — | — | — | 5 | 29 | 167 | 72 | 21 |
| | F | 309 | — | — | — | 3 | 2 | 51 | 62 | 63 | 28 |
| 13 Rheumatic fever .. | M | 18 | — | — | — | 9 | 4 | 4 | 1 | — | — |
| | F | 22 | — | — | 1 | 6 | 6 | 4 | 4 | 1 | — |
| 14 Diabetes .. .. | M | 27 | — | — | — | — | 1 | 3 | 13 | 6 | 4 |
| | F | 29 | — | — | — | — | — | 5 | 13 | 6 | 5 |
| 15 Cerebral hæmorrhage, &c. .. | M | 182 | — | — | — | — | 2 | 5 | 72 | 58 | 45 |
| | F | 194 | — | — | — | — | — | 7 | 68 | 48 | 71 |
| 16 Heart disease .. | M | 380 | — | — | 2 | 8 | 15 | 53 | 153 | 94 | 55 |
| | F | 407 | — | 1 | — | 14 | 14 | 41 | 135 | 108 | 94 |
| 17 Arterio-sclerosis .. | M | 113 | — | — | — | — | — | 2 | 40 | 31 | 40 |
| | F | 70 | — | — | — | — | — | — | 11 | 22 | 37 |
| 18 Bronchitis .. | M | 300 | 37 | 10 | 4 | 1 | — | 12 | 82 | 97 | 57 |
| | F | 207 | 28 | 5 | 4 | 1 | 1 | 9 | 33 | 55 | 71 |
| 19 Pneumonia (all forms) .. .. | M | 341 | 54 | 43 | 14 | 10 | 18 | 61 | 86 | 39 | 16 |
| | F | 182 | 49 | 32 | 10 | 5 | 3 | 20 | 25 | 17 | 21 |
| 20 Other respiratory diseases .. .. | M | 52 | 3 | 6 | — | 1 | 2 | 6 | 21 | 10 | 3 |
| | F | 30 | 1 | — | 2 | 2 | 3 | 2 | 5 | 5 | 10 |
| 21 Ulcer of stomach or duodenum .. | M | 24 | — | — | — | — | — | 8 | 11 | 4 | 1 |
| | F | 17 | — | — | — | — | 1 | 5 | 9 | — | 2 |
| 22 Diarrhœa, &c. .. | M | 97 | 75 | 10 | 2 | — | 1 | — | 6 | 2 | 1 |
| | F | 67 | 44 | 6 | 2 | 1 | 1 | 6 | 3 | 4 | — |
| 23 Appendicitis and typhlitis.. .. | M | 31 | 1 | — | — | 6 | 10 | 8 | 6 | — | — |
| | F | 21 | — | — | 1 | 4 | 5 | 8 | 2 | — | 1 |
| 24 Cirrhosis of liver .. | M | 17 | — | — | — | — | — | 2 | 10 | 5 | — |
| | F | 8 | — | — | — | — | — | 1 | 4 | 1 | 2 |
| 25 Acute and chronic nephritis .. | M | 101 | — | — | 2 | 6 | 5 | 12 | 47 | 23 | 6 |
| | F | 84 | — | 1 | 2 | 1 | 4 | 17 | 32 | 17 | 10 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 24 | — | — | — | — | 10 | 14 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 33 | — | — | — | — | 6 | 26 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 193 | 190 | 2 | 1 | — | — | — | — | — | — |
| | F | 162 | 160 | — | 1 | 1 | — | — | — | — | — |
| 29 Suicide .. .. | M | 25 | — | — | — | — | 4 | 3 | 14 | 3 | 1 |
| | F | 9 | — | — | — | — | 2 | 6 | 1 | — | — |
| 30 Other deaths from violence.. .. | M | 173 | 6 | 2 | 11 | 17 | 29 | 42 | 47 | 14 | 5 |
| | F | 61 | 3 | 3 | 5 | 12 | 7 | 6 | 12 | 2 | 11 |
| 31 Other defined diseases .. .. | M | 586 | 103 | 17 | 9 | 21 | 24 | 70 | 132 | 80 | 130 |
| | F | 548 | 67 | 17 | 13 | 11 | 20 | 75 | 101 | 87 | 157 |
| 32 Causes ill-defined or unknown .. | M | 5 | 1 | 2 | — | — | — | 1 | 1 | — | — |
| | F | 4 | — | — | — | — | — | 2 | 2 | — | — |

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts (North).* | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 27,264 | 4,002 | 1,096 | 922 | 910 | 1,217 | 3,161 | 7,257 | 5,202 | 3,497 |
| | F | 25,982 | 2,908 | 940 | 860 | 887 | 1,119 | 2,947 | 6,241 | 5,218 | 4,862 |
| 1 Enteric fever .. | M | 44 | — | — | — | 4 | 7 | 23 | 10 | — | — |
| | F | 42 | — | — | — | 7 | 14 | 15 | 5 | 1 | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 440 | 94 | 202 | 116 | 26 | 1 | — | 1 | — | — |
| | F | 388 | 65 | 159 | 130 | 31 | — | 2 | 1 | — | — |
| 4 Scarlet fever .. | M | 61 | 4 | 5 | 24 | 22 | 3 | 2 | 1 | — | — |
| | F | 80 | — | 3 | 29 | 33 | 5 | 9 | 1 | — | — |
| 5 Whooping cough .. | M | 276 | 129 | 78 | 58 | 11 | — | — | — | — | — |
| | F | 296 | 127 | 89 | 71 | 8 | — | — | — | — | 1 |
| 6 Diphtheria .. | M | 123 | 9 | 15 | 53 | 42 | 2 | 1 | 1 | — | — |
| | F | 129 | 4 | 12 | 57 | 54 | — | — | 1 | 1 | — |
| 7 Influenza .. .. | M | 654 | 25 | 7 | 17 | 21 | 49 | 134 | 225 | 123 | 53 |
| | F | 614 | 15 | 9 | 14 | 18 | 27 | 120 | 179 | 145 | 87 |
| 8 Encephalitis lethargica .. | M | 41 | — | 1 | 4 | 10 | 5 | 14 | 6 | 1 | — |
| | F | 25 | — | 1 | 3 | 2 | 4 | 3 | 11 | 1 | — |
| 9 Meningococcal meningitis .. | M | 10 | — | — | 4 | 4 | 1 | — | 1 | — | — |
| | F | 12 | — | 1 | 1 | 6 | 2 | 1 | 1 | — | — |
| 10 Tuberculosis of respiratory system | M | 1,746 | 11 | 16 | 19 | 41 | 314 | 749 | 521 | 71 | 4 |
| | F | 1,497 | 6 | 9 | 21 | 101 | 428 | 610 | 276 | 37 | 9 |
| 11 Other tuberculous diseases .. .. | M | 661 | 63 | 100 | 109 | 140 | 102 | 73 | 57 | 14 | 3 |
| | F | 592 | 56 | 69 | 91 | 125 | 93 | 98 | 45 | 10 | 5 |
| 12 Cancer, malignant disease .. .. | M | 2,230 | 1 | 1 | 6 | 7 | 20 | 136 | 1,086 | 739 | 234 |
| | F | 2,838 | 2 | 2 | 5 | 2 | 14 | 292 | 1,393 | 767 | 361 |
| 13 Rheumatic fever .. | M | 120 | — | — | 7 | 41 | 22 | 27 | 21 | 2 | — |
| | F | 119 | — | 1 | 2 | 36 | 30 | 32 | 12 | 3 | 3 |
| 14 Diabetes .. .. | M | 260 | — | — | 1 | 9 | 23 | 44 | 87 | 70 | 26 |
| | F | 320 | — | — | 2 | 8 | 17 | 45 | 139 | 82 | 27 |
| 15 Cerebral hæmorrhage, &c. .. | M | 1,635 | 2 | — | 1 | 2 | 7 | 44 | 561 | 621 | 397 |
| | F | 1,947 | 1 | 1 | 2 | 1 | 4 | 62 | 603 | 738 | 535 |
| 16 Heart disease .. | M | 2,934 | 4 | 3 | 4 | 50 | 80 | 327 | 1,127 | 900 | 439 |
| | F | 3,426 | — | 2 | 3 | 62 | 91 | 327 | 1,146 | 1,031 | 764 |
| 17 Arterio-sclerosis .. | M | 1,024 | — | — | — | — | — | 7 | 242 | 448 | 327 |
| | F | 696 | — | — | — | — | — | 2 | 113 | 255 | 326 |
| 18 Bronchitis .. | M | 2,130 | 343 | 86 | 42 | 11 | 13 | 79 | 458 | 621 | 477 |
| | F | 2,173 | 259 | 74 | 38 | 11 | 7 | 53 | 348 | 609 | 774 |
| 19 Pneumonia (all forms) .. .. | M | 2,646 | 555 | 291 | 200 | 114 | 122 | 414 | 597 | 240 | 113 |
| | F | 1,799 | 337 | 281 | 174 | 91 | 61 | 189 | 289 | 230 | 147 |
| 20 Other respiratory diseases .. .. | M | 365 | 15 | 20 | 20 | 14 | 10 | 58 | 125 | 58 | 45 |
| | F | 297 | 19 | 8 | 15 | 10 | 5 | 33 | 72 | 66 | 69 |
| 21 Ulcer of stomach or duodenum .. | M | 247 | — | 1 | — | — | 12 | 83 | 116 | 28 | 7 |
| | F | 83 | — | — | — | 1 | 4 | 28 | 37 | 12 | 1 |
| 22 Diarrhœa, &c. .. | M | 534 | 325 | 75 | 27 | 10 | 5 | 16 | 30 | 17 | 29 |
| | F | 480 | 236 | 65 | 24 | 19 | 8 | 23 | 38 | 40 | 27 |
| 23 Appendicitis and typhlitis.. .. | M | 190 | — | 2 | 6 | 43 | 46 | 43 | 37 | 8 | 5 |
| | F | 142 | — | — | 6 | 34 | 24 | 28 | 34 | 13 | 3 |
| 24 Cirrhosis of liver .. | M | 150 | — | — | — | — | — | 17 | 92 | 29 | 12 |
| | F | 58 | — | — | — | 1 | — | 6 | 44 | 5 | 2 |
| 25 Acute and chronic nephritis .. | M | 764 | 2 | 5 | 14 | 17 | 29 | 105 | 327 | 188 | 77 |
| | F | 797 | 2 | 6 | 12 | 22 | 33 | 113 | 328 | 194 | 87 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 115 | — | — | — | — | 21 | 94 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 255 | — | — | — | — | 36 | 216 | 3 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 1,689 | 1,664 | 5 | 4 | 8 | 3 | 3 | 1 | 1 | — |
| | F | 1,294 | 1,273 | 4 | 9 | 3 | 1 | 2 | 1 | 1 | — |
| 29 Suicide .. .. | M | 324 | — | — | — | — | 21 | 81 | 156 | 54 | 12 |
| | F | 124 | — | — | — | 1 | 16 | 46 | 55 | 5 | 1 |
| 30 Other deaths from violence.. .. | M | 1,132 | 26 | 34 | 71 | 115 | 170 | 286 | 301 | 92 | 37 |
| | F | 442 | 35 | 21 | 43 | 54 | 29 | 36 | 86 | 52 | 86 |
| 31 Other defined diseases .. .. | M | 4,661 | 727 | 140 | 113 | 143 | 145 | 369 | 984 | 847 | 1,195 |
| | F | 4,784 | 470 | 115 | 106 | 142 | 141 | 448 | 922 | 892 | 1,546 |
| 32 Causes ill-defined or unknown .. | M | 173 | 3 | 9 | 2 | 5 | 5 | 26 | 88 | 30 | 5 |
| | F | 118 | 1 | 8 | 2 | 4 | 4 | 14 | 56 | 28 | 1 |

* See footnote to Table 14.

# TABLE 20—*contd.*

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts (Midland).* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 24,882 | 3,116 | 697 | 624 | 747 | 1,068 | 2,833 | 6,396 | 4,853 | 4,548 |
| | F | 24,888 | 2,278 | 647 | 565 | 694 | 1,111 | 2,796 | 5,465 | 4,848 | 6,484 |
| 1 Enteric fever .. | M | 24 | — | — | — | 5 | 6 | 4 | 8 | 1 | — |
| | F | 28 | — | — | 1 | 4 | 6 | 11 | 5 | 1 | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — |
| 3 Measles .. .. | M | 301 | 61 | 108 | 104 | 26 | — | 2 | — | — | — |
| | F | 245 | 40 | 115 | 60 | 29 | 1 | — | — | — | — |
| 4 Scarlet fever .. | M | 38 | 2 | 1 | 14 | 17 | 3 | 1 | — | — | — |
| | F | 39 | — | 5 | 14 | 14 | 2 | 4 | — | — | — |
| 5 Whooping cough .. | M | 180 | 95 | 45 | 35 | 5 | — | — | — | — | — |
| | F | 188 | 77 | 63 | 47 | 1 | — | — | — | — | — |
| 6 Diphtheria .. | M | 121 | 7 | 13 | 38 | 58 | 1 | 4 | — | — | — |
| | F | 149 | 2 | 15 | 53 | 72 | 5 | — | 2 | — | — |
| 7 Influenza .. .. | M | 457 | 10 | 7 | 11 | 15 | 25 | 72 | 152 | 94 | 71 |
| | F | 441 | 12 | 9 | 9 | 16 | 28 | 56 | 95 | 109 | 107 |
| 8 Encephalitis lethargica .. | M | 26 | — | 1 | 2 | 6 | 5 | 2 | 9 | 1 | — |
| | F | 30 | — | 3 | 2 | 6 | 5 | 6 | 6 | 1 | 1 |
| 9 Meningococcal meningitis .. | M | 19 | 8 | 1 | 2 | 3 | 1 | 3 | 1 | — | — |
| | F | 17 | 5 | — | 1 | 6 | 2 | 3 | — | — | — |
| 10 Tuberculosis of respiratory system | M | 1,788 | 7 | 12 | 7 | 30 | 342 | 808 | 524 | 50 | 8 |
| | F | 1,633 | 3 | 7 | 10 | 86 | 497 | 692 | 275 | 48 | 15 |
| 11 Other tuberculous diseases .. .. | M | 469 | 63 | 74 | 63 | 77 | 67 | 80 | 36 | 6 | 3 |
| | F | 432 | 42 | 53 | 63 | 80 | 67 | 58 | 51 | 10 | 8 |
| 12 Cancer, malignant disease .. .. | M | 2,633 | — | — | 5 | 10 | 20 | 147 | 1,216 | 853 | 382 |
| | F | 3,349 | — | 1 | 1 | 3 | 15 | 349 | 1,494 | 895 | 591 |
| 13 Rheumatic fever .. | M | 63 | — | 1 | 4 | 18 | 6 | 14 | 14 | 6 | — |
| | F | 77 | 1 | — | 2 | 20 | 21 | 19 | 6 | 6 | 2 |
| 14 Diabetes .. .. | M | 222 | — | 1 | — | 9 | 9 | 38 | 78 | 68 | 19 |
| | F | 302 | — | — | — | 3 | 14 | 43 | 109 | 93 | 40 |
| 15 Cerebral hæmorrhage, &c. .. | M | 1,461 | — | — | — | 2 | — | 49 | 376 | 550 | 484 |
| | F | 1,916 | 1 | — | — | 3 | 4 | 52 | 470 | 621 | 765 |
| 16 Heart disease .. | M | 2,902 | — | | 3 | 37 | 91 | 263 | 943 | 900 | 665 |
| | F | 3,519 | — | — | 3 | 54 | 85 | 292 | 947 | 1,065 | 1,073 |
| 17 Arterio-sclerosis .. | M | 800 | — | — | — | — | — | 10 | 158 | 295 | 337 |
| | F | 616 | — | — | — | — | — | 3 | 77 | 181 | 355 |
| 18 Bronchitis .. | M | 1,691 | 174 | 35 | 7 | 9 | 6 | 61 | 347 | 449 | 603 |
| | F | 1,779 | 148 | 45 | 22 | 3 | 3 | 17 | 235 | 448 | 858 |
| 19 Pneumonia (all forms) .. .. | M | 1,858 | 358 | 197 | 124 | 45 | 83 | 268 | 428 | 229 | 126 |
| | F | 1,453 | 265 | 166 | 104 | 62 | 47 | 149 | 248 | 195 | 217 |
| 20 Other respiratory diseases .. .. | M | 375 | 27 | 20 | 16 | 11 | 12 | 48 | 105 | 75 | 61 |
| | F | 315 | 14 | 10 | 10 | 7 | 5 | 30 | 93 | 71 | 75 |
| 21 Ulcer of stomach or duodenum .. | M | 265 | — | — | — | — | 11 | 77 | 138 | 31 | 8 |
| | F | 119 | — | — | — | 2 | 6 | 39 | 42 | 24 | 6 |
| 22 Diarrhœa, &c. .. | M | 397 | 244 | 39 | 21 | 5 | 4 | 7 | 31 | 16 | 30 |
| | F | 389 | 221 | 40 | 15 | 8 | 6 | 12 | 28 | 26 | 33 |
| 23 Appendicitis and typhlitis.. .. | M | 221 | 1 | 3 | 9 | 51 | 32 | 47 | 63 | 11 | 4 |
| | F | 140 | 1 | — | 7 | 17 | 19 | 29 | 49 | 13 | 5 |
| 24 Cirrhosis of liver .. | M | 134 | — | 1 | — | — | — | 7 | 83 | 39 | 4 |
| | F | 77 | 1 | — | 1 | — | — | 10 | 47 | 16 | 2 |
| 25 Acute and chronic nephritis .. | M | 649 | 6 | 2 | 8 | 16 | 22 | 75 | 248 | 156 | 116 |
| | F | 605 | 1 | 3 | 2 | 19 | 32 | 92 | 220 | 130 | 106 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 115 | — | — | — | — | 21 | 91 | 3 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 212 | — | — | — | — | 32 | 176 | 4 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 1,536 | 1,502 | 6 | 8 | 7 | 11 | 2 | — | — | — |
| | F | 1,059 | 1,044 | 6 | 4 | 2 | 2 | 1 | — | — | — |
| 29 Suicide .. .. | M | 334 | — | — | — | — | 19 | 95 | 164 | 44 | 12 |
| | F | 155 | — | — | — | — | 15 | 57 | 69 | 13 | 1 |
| 30 Other deaths from violence.. .. | M | 1,046 | 52 | 28 | 56 | 125 | 138 | 231 | 248 | 83 | 85 |
| | F | 459 | 31 | 16 | 45 | 45 | 25 | 44 | 75 | 57 | 121 |
| 31 Other defined diseases .. .. | M | 4,743 | 495 | 94 | 85 | 157 | 150 | 406 | 961 | 870 | 1,525 |
| | F | 4,936 | 361 | 84 | 89 | 130 | 145 | 446 | 777 | 803 | 2,101 |
| 32 Causes ill-defined or unknown .. | M | 129 | 4 | 8 | 2 | 3 | 4 | 12 | 65 | 26 | 5 |
| | F | 93 | 8 | 6 | — | 2 | 1 | 14 | 38 | 22 | 2 |

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts (South).* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 13,775 | 1,279 | 228 | 238 | 331 | 535 | 1,440 | 3,609 | 2,821 | 3,294 |
| | F | 14,770 | 877 | 207 | 219 | 304 | 510 | 1,438 | 3,307 | 3,074 | 4,834 |
| 1 Enteric fever .. | M | 10 | — | — | — | — | 4 | — | 4 | 2 | — |
| | F | 15 | — | — | — | 3 | 5 | 5 | 1 | — | 1 |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 75 | 17 | 27 | 22 | 7 | 1 | 1 | — | — | — |
| | F | 62 | 6 | 26 | 17 | 10 | 1 | 1 | — | — | 1 |
| 4 Scarlet fever .. | M | 24 | — | 3 | 8 | 10 | 2 | — | 1 | — | — |
| | F | 14 | 1 | 1 | 5 | 6 | — | 1 | — | — | — |
| 5 Whooping cough .. | M | 67 | 35 | 16 | 14 | 2 | — | — | — | — | — |
| | F | 81 | 44 | 13 | 18 | 4 | — | 1 | 1 | — | — |
| 6 Diphtheria .. | M | 56 | 2 | 6 | 19 | 26 | 1 | — | 2 | — | — |
| | F | 50 | — | 2 | 11 | 33 | 2 | 2 | — | — | — |
| 7 Influenza .. .. | M | 160 | 4 | 4 | 2 | 5 | 7 | 23 | 47 | 40 | 28 |
| | F | 200 | 2 | 4 | 3 | 5 | 3 | 22 | 42 | 57 | 62 |
| 8 Encephalitis lethargica .. | M | 15 | 1 | — | — | 6 | 1 | 5 | 2 | — | — |
| | F | 22 | 1 | 2 | 1 | 3 | 2 | 8 | 4 | 1 | — |
| 9 Meningococcal meningitis .. | M | 9 | 1 | 3 | — | 3 | 1 | 1 | — | — | — |
| | F | 6 | — | — | 2 | 2 | 1 | 1 | — | — | — |
| 10 Tuberculosis of respiratory system | M | 1,073 | 3 | 3 | 3 | 13 | 194 | 478 | 320 | 48 | 11 |
| | F | 918 | — | 1 | 2 | 27 | 244 | 428 | 161 | 48 | 7 |
| 11 Other tuberculous diseases .. .. | M | 254 | 32 | 28 | 37 | 40 | 38 | 40 | 27 | 8 | 4 |
| | F | 224 | 20 | 24 | 29 | 44 | 26 | 28 | 31 | 9 | 13 |
| 12 Cancer, malignant disease .. .. | M | 1,626 | — | 1 | — | 6 | 10 | 82 | 696 | 535 | 296 |
| | F | 2,255 | 3 | — | 7 | 3 | 5 | 186 | 902 | 656 | 493 |
| 13 Rheumatic fever .. | M | 42 | — | — | — | 9 | 13 | 7 | 9 | 3 | 1 |
| | F | 40 | 1 | — | — | 16 | 7 | 6 | 5 | 4 | 1 |
| 14 Diabetes .. .. | M | 143 | — | — | — | 2 | 10 | 16 | 45 | 39 | 31 |
| | F | 188 | — | — | — | 5 | 9 | 25 | 57 | 54 | 38 |
| 15 Cerebral hæmorrhage, &c. .. | M | 843 | — | — | 1 | — | 2 | 18 | 220 | 269 | 333 |
| | F | 1,252 | — | — | 1 | 1 | 4 | 28 | 304 | 346 | 568 |
| 16 Heart disease .. | M | 1,957 | 1 | 1 | 1 | 17 | 38 | 135 | 606 | 590 | 568 |
| | F | 2,311 | — | — | 4 | 20 | 29 | 127 | 590 | 688 | 853 |
| 17 Arterio-sclerosis .. | M | 625 | — | — | — | — | — | 3 | 148 | 196 | 278 |
| | F | 543 | — | — | — | — | — | — | 67 | 148 | 328 |
| 18 Bronchitis .. | M | 753 | 53 | 12 | 7 | 4 | 2 | 13 | 115 | 181 | 366 |
| | F | 913 | 30 | 10 | 8 | 3 | — | 10 | 94 | 208 | 550 |
| 19 Pneumonia (all forms) .. .. | M | 774 | 121 | 52 | 38 | 10 | 31 | 90 | 229 | 105 | 98 |
| | F | 606 | 85 | 46 | 21 | 23 | 19 | 59 | 119 | 106 | 128 |
| 20 Other respiratory diseases .. .. | M | 214 | 7 | 1 | 6 | 3 | 4 | 23 | 71 | 57 | 42 |
| | F | 189 | 3 | 3 | 3 | 2 | 6 | 16 | 40 | 46 | 70 |
| 21 Ulcer of stomach or duodenum .. | M | 134 | — | — | — | — | 3 | 37 | 61 | 24 | 9 |
| | F | 63 | — | — | — | 1 | 3 | 14 | 29 | 12 | 4 |
| 22 Diarrhœa, &c. .. | M | 181 | 113 | 15 | 10 | 4 | 2 | 3 | 10 | 7 | 17 |
| | F | 174 | 71 | 15 | 8 | 3 | 1 | 7 | 22 | 17 | 30 |
| 23 Appendicitis and typhlitis.. .. | M | 127 | — | — | 4 | 23 | 25 | 20 | 36 | 18 | 1 |
| | F | 109 | — | 2 | 7 | 12 | 14 | 26 | 28 | 12 | 8 |
| 24 Cirrhosis of liver .. | M | 103 | — | — | — | — | 1 | 8 | 53 | 29 | 12 |
| | F | 58 | — | — | — | — | — | 6 | 34 | 13 | 5 |
| 25 Acute and chronic nephritis .. | M | 418 | 1 | — | 1 | 9 | 10 | 38 | 148 | 119 | 92 |
| | F | 446 | 2 | 2 | 1 | 6 | 11 | 45 | 141 | 133 | 105 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 39 | — | — | — | — | 5 | 34 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 87 | — | — | — | — | 12 | 75 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 638 | 624 | 4 | 5 | 3 | 1 | 1 | — | — | — |
| | F | 460 | 438 | 5 | 6 | 5 | 2 | 2 | 2 | — | — |
| 29 Suicide .. .. | M | 185 | — | — | — | — | 6 | 48 | 93 | 26 | 12 |
| | F | 86 | — | — | — | — | 8 | 27 | 44 | 4 | 3 |
| 30 Other deaths from violence.. .. | M | 486 | 23 | 18 | 23 | 55 | 61 | 87 | 135 | 41 | 43 |
| | F | 245 | 16 | 8 | 23 | 12 | 13 | 15 | 49 | 34 | 75 |
| 31 Other defined diseases .. .. | M | 2,729 | 234 | 33 | 36 | 72 | 66 | 257 | 508 | 474 | 1,049 |
| | F | 3,071 | 150 | 42 | 39 | 55 | 77 | 230 | 522 | 468 | 1,488 |
| 32 Causes ill-defined or unknown .. | M | 54 | 7 | 1 | 1 | 2 | 1 | 6 | 23 | 10 | 3 |
| | F | 43 | 4 | 1 | 3 | — | 1 | 3 | 18 | 10 | 3 |

* See footnote to Table 14.

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts (Wales and Monmouth). All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 7,807 | 1,239 | 307 | 283 | 296 | 435 | 1,032 | 2,059 | 1,306 | 850 |
| | F | 6,975 | 972 | 349 | 246 | 293 | 407 | 921 | 1,469 | 1,096 | 1,222 |
| 1 Enteric fever .. | M | 14 | — | — | — | 4 | 5 | 4 | 1 | — | — |
| | F | 10 | — | — | — | 4 | 3 | 3 | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 209 | 45 | 90 | 61 | 12 | 1 | — | — | — | — |
| | F | 182 | 35 | 94 | 38 | 14 | 1 | — | — | — | — |
| 4 Scarlet fever .. | M | 22 | 1 | 2 | 10 | 7 | 1 | 1 | — | — | — |
| | F | 18 | 1 | 4 | 5 | 6 | — | 2 | — | — | — |
| 5 Whooping cough .. | M | 89 | 47 | 25 | 14 | 2 | — | — | — | 1 | — |
| | F | 101 | 44 | 38 | 15 | 4 | — | — | — | — | — |
| 6 Diphtheria .. | M | 46 | 3 | 3 | 23 | 16 | 1 | — | — | — | — |
| | F | 86 | 3 | 7 | 35 | 38 | 1 | 1 | 1 | — | — |
| 7 Influenza .. .. | M | 160 | 7 | 2 | 5 | 10 | 9 | 29 | 64 | 22 | 12 |
| | F | 102 | 5 | 1 | 6 | 3 | 6 | 14 | 25 | 25 | 17 |
| 8 Encephalitis lethargica .. | M | 12 | — | — | 1 | 3 | 1 | 3 | 4 | — | — |
| | F | 4 | — | — | — | — | 1 | 2 | — | — | 1 |
| 9 Meningococcal meningitis .. | M | 3 | 1 | — | 1 | — | 1 | — | — | — | — |
| | F | 2 | — | — | — | — | 2 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 526 | 2 | 3 | 4 | 11 | 116 | 225 | 146 | 18 | 1 |
| | F | 556 | 2 | 2 | 3 | 30 | 191 | 243 | 73 | 12 | — |
| 11 Other tuberculous diseases .. .. | M | 160 | 21 | 11 | 18 | 33 | 28 | 42 | 6 | 1 | — |
| | F | 140 | 6 | 11 | 17 | 41 | 18 | 30 | 13 | 2 | 2 |
| 12 Cancer, malignant disease .. .. | M | 599 | — | — | — | 2 | 4 | 40 | 309 | 192 | 52 |
| | F | 702 | — | — | 1 | 2 | 5 | 87 | 340 | 164 | 103 |
| 13 Rheumatic fever .. | M | 47 | — | — | 1 | 13 | 13 | 8 | 10 | 2 | — |
| | F | 55 | — | — | 1 | 25 | 16 | 8 | 3 | 1 | 1 |
| 14 Diabetes .. .. | M | 48 | — | — | — | 2 | 1 | 12 | 18 | 10 | 5 |
| | F | 68 | — | — | — | 3 | 4 | 12 | 35 | 10 | 4 |
| 15 Cerebral hæmorrhage, &c. .. | M | 426 | — | — | 1 | — | 3 | 10 | 161 | 160 | 91 |
| | F | 504 | — | — | — | — | — | 16 | 162 | 173 | 153 |
| 16 Heart disease .. | M | 860 | 1 | — | 2 | 28 | 28 | 98 | 296 | 251 | 156 |
| | F | 849 | — | 1 | 3 | 20 | 32 | 81 | 282 | 239 | 191 |
| 17 Arterio-sclerosis .. | M | 189 | — | — | — | — | — | 4 | 51 | 72 | 62 |
| | F | 132 | — | — | — | — | — | 2 | 28 | 43 | 59 |
| 18 Bronchitis .. | M | 513 | 83 | 18 | 8 | 4 | 2 | 22 | 147 | 132 | 97 |
| | F | 446 | 69 | 19 | 11 | 3 | 3 | 15 | 78 | 107 | 141 |
| 19 Pneumonia (all forms) .. .. | M | 658 | 147 | 79 | 44 | 21 | 34 | 82 | 163 | 60 | 28 |
| | F | 444 | 111 | 87 | 50 | 22 | 12 | 48 | 48 | 40 | 26 |
| 20 Other respiratory diseases .. .. | M | 124 | 5 | 7 | 6 | 3 | 4 | 20 | 37 | 30 | 12 |
| | F | 88 | 5 | 4 | 6 | 2 | 5 | 13 | 19 | 17 | 17 |
| 21 Ulcer of stomach or duodenum .. | M | 50 | — | — | — | — | 2 | 26 | 16 | 5 | 1 |
| | F | 34 | — | — | — | — | 4 | 14 | 14 | 1 | 1 |
| 22 Diarrhœa, &c. .. | M | 158 | 97 | 14 | 8 | 6 | 2 | 5 | 14 | 6 | 6 |
| | F | 139 | 77 | 18 | 4 | 2 | 7 | 4 | 12 | 6 | 9 |
| 23 Appendicitis and typhlitis.. .. | M | 58 | — | — | 1 | 18 | 18 | 15 | 4 | 1 | 1 |
| | F | 31 | — | — | — | 8 | 7 | 11 | 4 | 1 | — |
| 24 Cirrhosis of liver .. | M | 46 | — | — | — | — | 1 | 4 | 29 | 9 | 3 |
| | F | 17 | — | — | — | — | — | 1 | 10 | 6 | — |
| 25 Acute and chronic nephritis .. | M | 223 | 1 | 1 | 6 | 7 | 13 | 39 | 81 | 41 | 34 |
| | F | 206 | 1 | — | 3 | 10 | 9 | 36 | 80 | 44 | 23 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 44 | — | — | — | — | 10 | 33 | 1 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 116 | — | — | — | — | 16 | 99 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 526 | 512 | 6 | 3 | 5 | — | — | — | — | — |
| | F | 418 | 409 | 3 | 3 | 1 | 1 | — | 1 | — | — |
| 29 Suicide .. .. | M | 59 | — | — | — | — | 3 | 17 | 26 | 12 | 1 |
| | F | 22 | — | — | — | — | 5 | 9 | 7 | 1 | — |
| 30 Other deaths from violence.. .. | M | 574 | 11 | 10 | 34 | 45 | 107 | 157 | 162 | 35 | 13 |
| | F | 113 | 8 | 9 | 16 | 12 | 4 | 12 | 11 | 15 | 26 |
| 31 Other defined diseases .. .. | M | 1,375 | 254 | 31 | 32 | 43 | 37 | 162 | 299 | 242 | 275 |
| | F | 1,323 | 196 | 44 | 28 | 43 | 44 | 125 | 215 | 182 | 446 |
| 32 Causes ill-defined or unknown .. | M | 33 | 1 | 5 | — | 1 | — | 7 | 15 | 4 | — |
| | F | 23 | — | 7 | 1 | — | — | — | 6 | 7 | 2 |

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| | Causes of Death. | Sex. | Aggregate of Rural Districts (North).* | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes .. | M | 10,216 | 1,568 | 352 | 323 | 336 | 489 | 1,007 | 2,183 | 2,005 | 1,953 |
| | | F | 9,255 | 1,128 | 332 | 268 | 286 | 386 | 1,028 | 1,989 | 1,775 | 2,063 |
| 1 | Enteric fever .. | M | 14 | — | — | — | 1 | 5 | 5 | 3 | — | — |
| | | F | 8 | — | — | — | 1 | 4 | 1 | 2 | — | — |
| 2 | Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles .. .. | M | 165 | 52 | 53 | 43 | 16 | — | — | — | 1 | — |
| | | F | 134 | 26 | 52 | 40 | 13 | 2 | — | 1 | — | — |
| 4 | Scarlet fever .. | M | 29 | — | 1 | 11 | 13 | 3 | 1 | — | — | — |
| | | F | 20 | — | 2 | 5 | 11 | 2 | — | — | — | — |
| 5 | Whooping cough .. | M | 100 | 54 | 31 | 14 | 1 | — | — | — | — | — |
| | | F | 120 | 54 | 35 | 27 | 3 | — | — | — | 1 | — |
| 6 | Diphtheria .. | M | 34 | 1 | 6 | 14 | 12 | 1 | — | — | — | — |
| | | F | 22 | — | — | 9 | 9 | 2 | 2 | — | — | — |
| 7 | Influenza .. .. | M | 252 | 9 | 2 | 4 | 15 | 13 | 55 | 73 | 45 | 36 |
| | | F | 183 | 4 | 1 | 6 | 7 | 5 | 29 | 52 | 38 | 41 |
| 8 | Encephalitis lethargica .. | M | 12 | — | 1 | 1 | 1 | 2 | 1 | 6 | — | — |
| | | F | 14 | — | 1 | 1 | 1 | 2 | 5 | 3 | — | 1 |
| 9 | Meningococcal meningitis .. | M | 4 | 1 | 1 | — | 2 | — | — | — | — | — |
| | | F | 8 | 3 | — | 1 | 2 | 2 | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 523 | 3 | 2 | 8 | 21 | 123 | 209 | 136 | 19 | 2 |
| | | F | 517 | — | 2 | 6 | 33 | 152 | 236 | 80 | 7 | 1 |
| 11 | Other tuberculous diseases .. .. | M | 211 | 23 | 27 | 40 | 42 | 33 | 25 | 16 | 5 | — |
| | | F | 221 | 15 | 38 | 31 | 44 | 36 | 36 | 17 | 1 | 3 |
| 12 | Cancer, malignant disease .. .. | M | 903 | 1 | 3 | 1 | 6 | 8 | 41 | 387 | 314 | 142 |
| | | F | 1,036 | — | — | — | 1 | 2 | 97 | 481 | 300 | 155 |
| 13 | Rheumatic fever .. | M | 33 | — | — | 2 | 8 | 12 | 5 | 4 | 2 | — |
| | | F | 37 | — | — | 1 | 9 | 15 | 6 | 6 | — | — |
| 14 | Diabetes .. .. | M | 104 | — | 1 | — | 3 | 11 | 18 | 33 | 29 | 9 |
| | | F | 109 | — | — | — | 3 | 5 | 13 | 49 | 29 | 10 |
| 15 | Cerebral hæmorrhage, &c. .. | M | 618 | — | 1 | — | 1 | 1 | 6 | 140 | 254 | 215 |
| | | F | 753 | — | — | 1 | 1 | 2 | 19 | 214 | 254 | 262 |
| 16 | Heart disease .. | M | 1,157 | — | — | 1 | 16 | 31 | 91 | 317 | 391 | 310 |
| | | F | 1,241 | — | — | 2 | 20 | 23 | 95 | 337 | 422 | 342 |
| 17 | Arterio-sclerosis .. | M | 399 | — | — | — | — | — | 1 | 60 | 159 | 179 |
| | | F | 244 | — | — | — | — | — | 1 | 27 | 71 | 145 |
| 18 | Bronchitis .. | M | 689 | 129 | 29 | 26 | 2 | 2 | 19 | 106 | 173 | 203 |
| | | F | 600 | 91 | 35 | 12 | 5 | 2 | 26 | 77 | 134 | 218 |
| 19 | Pneumonia (all forms) .. .. | M | 822 | 163 | 83 | 52 | 31 | 43 | 134 | 186 | 83 | 47 |
| | | F | 574 | 115 | 76 | 49 | 32 | 9 | 63 | 94 | 69 | 67 |
| 20 | Other respiratory diseases .. .. | M | 166 | 7 | 5 | 4 | 7 | 6 | 22 | 43 | 35 | 37 |
| | | F | 105 | 8 | 3 | 7 | 2 | 3 | 15 | 21 | 18 | 28 |
| 21 | Ulcer of stomach or duodenum .. | M | 79 | — | — | — | — | 6 | 24 | 36 | 11 | 2 |
| | | F | 36 | — | — | — | — | 1 | 10 | 21 | 3 | 1 |
| 22 | Diarrhœa, &c. .. | M | 195 | 110 | 28 | 15 | 7 | 1 | 5 | 9 | 14 | 6 |
| | | F | 171 | 69 | 26 | 14 | 6 | 1 | 9 | 16 | 14 | 16 |
| 23 | Appendicitis and typhlitis.. .. | M | 59 | — | — | 3 | 10 | 10 | 14 | 17 | 4 | 1 |
| | | F | 42 | — | 1 | 1 | 5 | 9 | 9 | 11 | 5 | 1 |
| 24 | Cirrhosis of liver .. | M | 36 | — | — | — | — | — | 1 | 23 | 10 | 2 |
| | | F | 22 | — | — | — | — | 1 | 1 | 11 | 6 | 3 |
| 25 | Acute and chronic nephritis .. | M | 247 | 1 | 1 | 2 | 12 | 9 | 31 | 92 | 66 | 33 |
| | | F | 265 | 2 | 3 | 7 | 7 | 11 | 37 | 86 | 75 | 37 |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 47 | — | — | — | — | 9 | 38 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | | F | 95 | — | — | — | — | 19 | 74 | 2 | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 700 | 675 | 11 | 6 | 4 | 3 | 1 | — | — | — |
| | | F | 546 | 535 | 6 | 1 | 1 | 1 | 1 | 1 | — | — |
| 29 | Suicide .. .. | M | 107 | — | — | — | — | 7 | 33 | 45 | 15 | 7 |
| | | F | 43 | — | — | — | — | 2 | 19 | 17 | 2 | 3 |
| 30 | Other deaths from violence.. .. | M | 507 | 9 | 14 | 33 | 50 | 90 | 131 | 122 | 32 | 26 |
| | | F | 153 | 9 | 8 | 20 | 21 | 12 | 14 | 20 | 27 | 22 |
| 31 | Other defined diseases .. .. | M | 1,984 | 327 | 47 | 41 | 53 | 67 | 130 | 301 | 324 | 694 |
| | | F | 1,827 | 196 | 37 | 27 | 49 | 52 | 164 | 317 | 280 | 705 |
| 32 | Causes ill-defined or unknown .. | M | 67 | 3 | 5 | 2 | 2 | 2 | 4 | 28 | 19 | 2 |
| | | F | 62 | 1 | 6 | — | — | — | 8 | 26 | 19 | 2 |

* See footnote to Table 14.

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Rural Districts (Midland).* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 18,836 | 2,069 | 344 | 376 | 466 | 698 | 1,715 | 4,082 | 3,932 | 5,154 |
| | F | 18,087 | 1,556 | 305 | 312 | 401 | 690 | 1,689 | 3,572 | 3,610 | 5,952 |
| 1 Enteric fever .. | M | 20 | — | — | — | 1 | 2 | 7 | 8 | 2 | — |
| | F | 20 | — | — | — | 1 | 2 | 9 | 6 | 1 | 1 |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 145 | 25 | 51 | 49 | 14 | 2 | 1 | 2 | 1 | — |
| | F | 80 | 16 | 32 | 19 | 11 | 2 | — | — | — | — |
| 4 Scarlet fever .. | M | 25 | 1 | — | 9 | 11 | 2 | 2 | — | — | — |
| | F | 21 | — | 3 | 5 | 6 | 3 | 3 | 1 | — | — |
| 5 Whooping cough .. | M | 127 | 74 | 29 | 19 | 4 | 1 | — | — | — | — |
| | F | 145 | 60 | 46 | 35 | 2 | 2 | — | — | — | — |
| 6 Diphtheria .. | M | 90 | 3 | 4 | 28 | 48 | 2 | 3 | 2 | — | — |
| | F | 82 | 2 | 2 | 22 | 45 | 7 | 1 | 3 | — | — |
| 7 Influenza .. .. | M | 403 | 21 | 9 | 10 | 7 | 33 | 42 | 111 | 85 | 88 |
| | F | 404 | 11 | 5 | 8 | 17 | 22 | 48 | 79 | 89 | 125 |
| 8 Encephalitis lethargica .. | M | 16 | — | — | 3 | 3 | 1 | 3 | 4 | 2 | — |
| | F | 17 | 1 | — | — | 3 | 3 | 3 | 6 | 1 | — |
| 9 Meningococcal meningitis .. | M | 11 | 2 | 3 | 1 | 3 | — | 2 | — | — | — |
| | F | 2 | — | — | — | — | 2 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 1,080 | 4 | 4 | 3 | 25 | 207 | 498 | 284 | 49 | 6 |
| | F | 970 | 5 | 3 | 4 | 42 | 274 | 444 | 159 | 32 | 7 |
| 11 Other tuberculous diseases .. .. | M | 307 | 29 | 30 | 45 | 53 | 42 | 68 | 34 | 6 | — |
| | F | 315 | 20 | 26 | 45 | 51 | 52 | 66 | 39 | 11 | 5 |
| 12 Cancer, malignant disease .. .. | M | 2,004 | — | — | 6 | 5 | 13 | 84 | 798 | 663 | 435 |
| | F | 2,356 | — | 3 | 2 | 6 | 14 | 187 | 959 | 688 | 497 |
| 13 Rheumatic fever .. | M | 60 | — | — | 2 | 13 | 17 | 4 | 16 | 6 | 2 |
| | F | 52 | — | — | — | 14 | 9 | 10 | 12 | 3 | 4 |
| 14 Diabetes .. .. | M | 185 | — | — | 1 | 5 | 11 | 23 | 52 | 69 | 24 |
| | F | 234 | — | — | 1 | 8 | 11 | 28 | 80 | 80 | 26 |
| 15 Cerebral hæmorrhage, &c. .. | M | 1,300 | 1 | — | — | 2 | 3 | 23 | 258 | 447 | 566 |
| | F | 1,566 | — | — | — | — | 5 | 20 | 314 | 483 | 744 |
| 16 Heart disease .. | M | 2,424 | — | — | — | 22 | 41 | 148 | 612 | 829 | 772 |
| | F | 2,747 | — | 1 | — | 19 | 35 | 138 | 657 | 855 | 1,042 |
| 17 Arterio-sclerosis .. | M | 755 | — | — | — | — | — | 5 | 105 | 221 | 424 |
| | F | 506 | — | — | — | — | — | 2 | 50 | 136 | 318 |
| 18 Bronchitis .. | M | 1,210 | 113 | 22 | 12 | 2 | 3 | 22 | 125 | 291 | 620 |
| | F | 1,109 | 90 | 23 | 8 | 4 | — | 16 | 95 | 234 | 639 |
| 19 Pneumonia (all forms) .. .. | M | 1,004 | 201 | 82 | 51 | 25 | 43 | 120 | 224 | 143 | 115 |
| | F | 741 | 143 | 59 | 57 | 27 | 23 | 74 | 131 | 117 | 110 |
| 20 Other respiratory diseases .. .. | M | 246 | 12 | 6 | 4 | 6 | 6 | 17 | 71 | 58 | 66 |
| | F | 181 | 6 | 3 | 5 | 7 | 3 | 15 | 38 | 42 | 62 |
| 21 Ulcer of stomach or duodenum .. | M | 142 | — | — | — | — | 7 | 32 | 69 | 24 | 10 |
| | F | 75 | — | — | — | — | 3 | 18 | 29 | 14 | 11 |
| 22 Diarrhœa, &c. .. | M | 227 | 128 | 19 | 5 | 6 | — | 10 | 18 | 16 | 25 |
| | F | 221 | 90 | 21 | 13 | 8 | 5 | 9 | 21 | 19 | 35 |
| 23 Appendicitis and typhlitis.. .. | M | 143 | 1 | — | 5 | 31 | 25 | 27 | 40 | 11 | 3 |
| | F | 105 | 1 | 2 | 4 | 24 | 17 | 23 | 24 | 8 | 2 |
| 24 Cirrhosis of liver .. | M | 79 | 1 | — | — | — | 1 | 8 | 41 | 24 | 4 |
| | F | 49 | — | — | 1 | — | 1 | 4 | 20 | 14 | 9 |
| 25 Acute and chronic nephritis .. | M | 520 | 4 | 3 | 8 | 16 | 20 | 49 | 185 | 133 | 102 |
| | F | 432 | 3 | 2 | 5 | 15 | 14 | 46 | 142 | 112 | 93 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 66 | — | — | — | — | 15 | 51 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 164 | — | — | — | — | 28 | 133 | 3 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 1,053 | 1,031 | 7 | 3 | 6 | 1 | 2 | 3 | — | — |
| | F | 819 | 805 | 5 | 2 | 3 | 2 | 2 | — | — | — |
| 29 Suicide .. .. | M | 288 | — | — | — | — | 13 | 72 | 148 | 34 | 21 |
| | F | 86 | — | — | — | — | 15 | 22 | 38 | 6 | 5 |
| 30 Other deaths from violence.. .. | M | 800 | 30 | 15 | 58 | 63 | 104 | 176 | 210 | 88 | 56 |
| | F | 325 | 18 | 11 | 29 | 20 | 28 | 33 | 30 | 48 | 108 |
| 31 Other defined diseases .. .. | M | 4,042 | 383 | 57 | 54 | 94 | 94 | 257 | 605 | 691 | 1,807 |
| | F | 4,080 | 279 | 53 | 46 | 65 | 89 | 275 | 589 | 581 | 2,103 |
| 32 Causes ill-defined or unknown .. | M | 127 | 5 | 3 | — | 1 | 4 | 10 | 57 | 39 | 8 |
| | F | 117 | 6 | 5 | 1 | 3 | 4 | 9 | 47 | 36 | 6 |

* See footnote to Table 14.

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Rural Districts (South).* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 10,980 | 1,026 | 172 | 146 | 238 | 377 | 1,033 | 2,461 | 2,408 | 3,119 |
| | F | 10,796 | 688 | 130 | 140 | 228 | 383 | 1,055 | 2,341 | 2,232 | 3,599 |
| 1 Enteric fever .. | M | 17 | — | — | — | — | 6 | 7 | 3 | 1 | — |
| | F | 12 | — | — | — | 1 | 1 | 5 | 5 | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 24 | 6 | 8 | 4 | 5 | — | — | 1 | — | — |
| | F | 32 | 3 | 15 | 8 | 1 | 2 | 3 | — | — | — |
| 4 Scarlet fever .. | M | 18 | 1 | 3 | 5 | 9 | — | — | — | — | — |
| | F | 13 | — | 1 | 1 | 6 | 3 | 2 | — | — | — |
| 5 Whooping cough .. | M | 66 | 40 | 12 | 6 | 6 | — | — | 1 | — | 1 |
| | F | 64 | 33 | 18 | 13 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 37 | — | 3 | 13 | 17 | 1 | 2 | — | 1 | — |
| | F | 37 | 1 | 2 | 6 | 25 | 1 | 2 | — | — | — |
| 7 Influenza .. .. | M | 201 | 8 | 6 | 4 | 3 | 3 | 20 | 59 | 50 | 48 |
| | F | 190 | 8 | 1 | 4 | 6 | 6 | 25 | 43 | 45 | 52 |
| 8 Encephalitis lethargica .. | M | 18 | — | — | 1 | 1 | 2 | 5 | 7 | 1 | 1 |
| | F | 9 | — | — | — | 2 | 2 | 2 | 3 | — | — |
| 9 Meningococcal meningitis .. | M | 8 | 2 | 1 | — | 4 | 1 | — | — | — | — |
| | F | 9 | 3 | — | 1 | — | 3 | 2 | — | — | — |
| 10 Tuberculosis of respiratory system | M | 706 | 4 | 1 | 2 | 14 | 127 | 340 | 189 | 25 | 4 |
| | F | 635 | 2 | — | 3 | 16 | 171 | 296 | 118 | 26 | 3 |
| 11 Other tuberculous diseases .. .. | M | 156 | 17 | 18 | 14 | 24 | 17 | 41 | 16 | 4 | 5 |
| | F | 195 | 13 | 14 | 22 | 34 | 25 | 47 | 26 | 8 | 6 |
| 12 Cancer, malignant disease .. .. | M | 1,332 | — | — | 3 | 5 | 4 | 61 | 521 | 468 | 270 |
| | F | 1,482 | — | — | 2 | 4 | 3 | 118 | 645 | 398 | 312 |
| 13 Rheumatic fever .. | M | 21 | — | — | 2 | 6 | 5 | 3 | 3 | 2 | — |
| | F | 33 | — | — | — | 9 | 8 | 7 | 8 | 1 | — |
| 14 Diabetes .. .. | M | 110 | — | 1 | — | 3 | 7 | 9 | 43 | 31 | 16 |
| | F | 120 | — | — | — | 5 | 6 | 9 | 39 | 39 | 22 |
| 15 Cerebral hæmorrhage, &c. .. | M | 686 | 1 | — | — | 1 | — | 10 | 126 | 217 | 331 |
| | F | 953 | — | — | — | 1 | 1 | 11 | 225 | 291 | 424 |
| 16 Heart disease .. | M | 1,629 | 1 | 1 | 4 | 5 | 20 | 85 | 408 | 522 | 583 |
| | F | 1,811 | — | — | — | 9 | 24 | 82 | 385 | 600 | 711 |
| 17 Arterio-sclerosis .. | M | 483 | — | — | — | — | — | 4 | 72 | 169 | 238 |
| | F | 381 | — | — | — | — | — | 2 | 34 | 107 | 238 |
| 18 Bronchitis .. | M | 591 | 50 | 6 | 6 | 3 | 3 | 5 | 59 | 146 | 313 |
| | F | 583 | 26 | 10 | 7 | 4 | 4 | 8 | 47 | 127 | 350 |
| 19 Pneumonia (all forms) .. .. | M | 508 | 91 | 46 | 14 | 19 | 20 | 54 | 127 | 77 | 60 |
| | F | 424 | 50 | 20 | 24 | 17 | 14 | 55 | 83 | 76 | 85 |
| 20 Other respiratory diseases .. .. | M | 186 | 6 | 4 | 3 | 1 | 2 | 25 | 65 | 46 | 34 |
| | F | 98 | 4 | 2 | 3 | 1 | 2 | 10 | 21 | 22 | 33 |
| 21 Ulcer of stomach or duodenum .. | M | 99 | — | — | — | 1 | 2 | 18 | 43 | 23 | 12 |
| | F | 40 | 1 | — | — | — | 2 | 5 | 20 | 4 | 8 |
| 22 Diarrhœa, &c. .. | M | 113 | 60 | 9 | 6 | — | 1 | 2 | 8 | 12 | 15 |
| | F | 106 | 49 | 7 | 4 | 3 | — | 8 | 11 | 10 | 14 |
| 23 Appendicitis and typhlitis.. .. | M | 78 | 2 | — | 1 | 16 | 12 | 18 | 18 | 10 | 1 |
| | F | 59 | — | — | 1 | 12 | 8 | 15 | 17 | 5 | 1 |
| 24 Cirrhosis of liver .. | M | 35 | — | — | — | 1 | — | 2 | 18 | 11 | 3 |
| | F | 29 | — | — | — | — | — | 5 | 16 | 5 | 3 |
| 25 Acute and chronic nephritis .. | M | 336 | 1 | 4 | 4 | 10 | 9 | 27 | 108 | 90 | 83 |
| | F | 262 | 3 | 1 | — | 2 | 4 | 28 | 92 | 70 | 62 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 36 | — | — | — | — | 6 | 30 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 79 | — | — | — | — | 14 | 64 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 557 | 543 | 6 | 1 | 2 | 4 | — | — | 1 | — |
| | F | 383 | 367 | 5 | 4 | 4 | 2 | 1 | — | — | — |
| 29 Suicide .. .. | M | 149 | — | — | — | — | 11 | 46 | 63 | 23 | 6 |
| | F | 46 | — | — | — | — | 2 | 12 | 21 | 10 | 1 |
| 30 Other deaths from violence.. .. | M | 446 | 26 | 10 | 17 | 34 | 58 | 103 | 111 | 59 | 28 |
| | F | 197 | 13 | 7 | 13 | 17 | 9 | 17 | 45 | 22 | 54 |
| 31 Other defined diseases .. .. | M | 2,323 | 165 | 31 | 36 | 47 | 61 | 144 | 370 | 406 | 1,063 |
| | F | 2,442 | 108 | 25 | 23 | 49 | 60 | 180 | 420 | 357 | 1,220 |
| 32 Causes ill-defined or unknown .. | M | 47 | 2 | 2 | — | 1 | 1 | 2 | 22 | 13 | 4 |
| | F | 36 | 4 | 2 | 1 | — | — | 4 | 16 | 9 | — |

* See footnote to Table 14.

## CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Aggregate of Rural Districts (Wales and Monmouth). All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES .. | M | 5,239 | 704 | 94 | 125 | 149 | 228 | 586 | 1,228 | 1,062 | 1,063 |
| | F | 4,849 | 465 | 94 | 83 | 152 | 251 | 590 | 1,033 | 909 | 1,272 |
| 1 Enteric fever .. | M | 3 | — | — | — | 1 | — | — | 2 | — | — |
| | F | 8 | — | — | 1 | — | 7 | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 45 | 12 | 11 | 17 | 5 | — | — | — | — | — |
| | F | 29 | 6 | 13 | 7 | 2 | 1 | — | — | — | — |
| 4 Scarlet fever .. | M | 9 | — | 1 | 5 | 1 | 1 | 1 | — | — | — |
| | F | 5 | — | 1 | 2 | 2 | — | — | — | — | — |
| 5 Whooping cough .. | M | 50 | 34 | 6 | 8 | 2 | — | — | — | — | — |
| | F | 49 | 22 | 15 | 11 | 1 | — | — | — | — | — |
| 6 Diphtheria .. | M | 32 | 1 | 1 | 12 | 18 | — | — | — | — | — |
| | F | 32 | — | — | 8 | 22 | 2 | — | — | — | — |
| 7 Influenza .. .. | M | 93 | 7 | 2 | — | 2 | 4 | 10 | 33 | 20 | 15 |
| | F | 80 | 5 | — | — | 2 | 1 | 11 | 18 | 20 | 23 |
| 8 Encephalitis lethargica .. | M | 10 | — | — | — | 3 | 2 | 3 | 2 | — | — |
| | F | 2 | — | — | — | — | 2 | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 2 | — | — | — | 1 | — | 1 | — | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 408 | 4 | 1 | 2 | 7 | 81 | 169 | 117 | 26 | 1 |
| | F | 390 | 1 | — | — | 21 | 116 | 175 | 67 | 8 | 2 |
| 11 Other tuberculous diseases .. .. | M | 108 | 13 | 2 | 11 | 24 | 16 | 28 | 12 | 2 | — |
| | F | 87 | 4 | 6 | 7 | 16 | 15 | 19 | 14 | 6 | — |
| 12 Cancer, malignant disease .. .. | M | 441 | — | — | — | — | 5 | 22 | 190 | 152 | 72 |
| | F | 557 | — | — | — | 2 | 1 | 43 | 243 | 165 | 103 |
| 13 Rheumatic fever .. | M | 28 | — | — | 3 | 6 | 7 | 8 | 2 | 3 | — |
| | F | 2[illegible] | — | — | — | 5 | 6 | 5 | 4 | 3 | 1 |
| 14 Diabetes .. .. | M | 37 | — | — | — | — | 3 | 6 | 11 | 14 | 3 |
| | F | 39 | — | — | — | 1 | 5 | 2 | 14 | 11 | 6 |
| 15 Cerebral hæmorrhage, &c. .. | M | 364 | — | — | — | — | — | 2 | 98 | 132 | 132 |
| | F | 385 | — | — | — | 1 | 1 | 7 | 103 | 111 | 162 |
| 16 Heart disease .. | M | 653 | — | 1 | — | 7 | 9 | 32 | 179 | 218 | 207 |
| | F | 745 | — | — | 2 | 9 | 6 | 49 | 180 | 239 | 260 |
| 17 Arterio-sclerosis .. | M | 161 | — | — | — | — | — | 1 | 32 | 62 | 66 |
| | F | 94 | — | — | — | — | — | 1 | 16 | 25 | 52 |
| 18 Bronchitis .. | M | 321 | 39 | 6 | 3 | 3 | 1 | 7 | 61 | 93 | 108 |
| | F | 267 | 30 | 6 | 2 | 2 | 1 | 8 | 32 | 56 | 130 |
| 19 Pneumonia (all forms) .. .. | M | 337 | 66 | 24 | 20 | 7 | 10 | 49 | 80 | 55 | 26 |
| | F | 243 | 44 | 17 | 12 | 13 | 8 | 28 | 41 | 42 | 38 |
| 20 Other respiratory diseases .. .. | M | 93 | 3 | 4 | 2 | 2 | 1 | 8 | 27 | 27 | 19 |
| | F | 55 | 3 | 2 | 5 | 2 | 3 | 4 | 14 | 9 | 13 |
| 21 Ulcer of stomach or duodenum .. | M | 49 | — | — | — | — | 3 | 23 | 14 | 7 | 2 |
| | F | 28 | — | — | — | 1 | 3 | 4 | 14 | 3 | 3 |
| 22 Diarrhœa, &c. .. | M | 79 | 51 | 5 | 3 | 1 | 3 | 2 | 6 | 2 | 6 |
| | F | 75 | 39 | 7 | 4 | 1 | 2 | 2 | 7 | 3 | 10 |
| 23 Appendicitis and typhlitis.. .. | M | 35 | 1 | 1 | 2 | 8 | 8 | 10 | 5 | — | — |
| | F | 37 | — | 1 | 1 | 12 | 12 | 7 | 3 | — | 1 |
| 24 Cirrhosis of liver .. | M | 22 | — | — | — | — | — | 1 | 13 | 7 | 1 |
| | F | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis .. | M | 177 | 1 | 2 | 3 | 2 | 5 | 9 | 62 | 48 | 45 |
| | F | 196 | — | 1 | 2 | 2 | 8 | 32 | 63 | 48 | 40 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 25 | — | — | — | — | 3 | 22 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 75 | — | — | — | — | 7 | 67 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 291 | 287 | 1 | 2 | 1 | — | — | — | — | — |
| | F | 194 | 191 | 2 | 1 | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 40 | — | — | — | — | 3 | 13 | 20 | 4 | — |
| | F | 18 | — | — | — | — | 5 | 4 | 8 | — | 1 |
| 30 Other deaths from violence.. .. | M | 308 | 4 | 8 | 15 | 25 | 39 | 103 | 76 | 31 | 7 |
| | F | 68 | 1 | 1 | 7 | 7 | 6 | 6 | 11 | 7 | 22 |
| 31 Other defined diseases .. .. | M | 981 | 175 | 18 | 15 | 23 | 26 | 73 | 158 | 143 | 350 |
| | F | 1,012 | 117 | 22 | 11 | 28 | 27 | 91 | 170 | 146 | 400 |
| 32 Causes ill-defined or unknown .. | M | 61 | 6 | — | 2 | — | 1 | 5 | 28 | 16 | 3 |
| | F | 27 | — | — | — | — | 3 | 3 | 10 | 6 | 5 |

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1923.
(Civilian population only).

| Causes of Death. | Sex. | Greater London.* All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 41,017 | 4,891 | 1,028 | 947 | 1,210 | 1,771 | 5,085 | 12,139 | 7,628 | 6,318 |
| | F | 40,259 | 3,613 | 890 | 881 | 1,130 | 1,870 | 4,686 | 9,508 | 7,686 | 9,995 |
| 1 Enteric fever .. | M | 28 | — | — | — | 4 | 9 | 12 | 2 | 1 | — |
| | F | 32 | — | — | 1 | 5 | 4 | 14 | 6 | 1 | 1 |
| 2 Small-pox .. .. | M | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — |
| 3 Measles .. .. | M | 259 | 68 | 112 | 67 | 12 | — | — | — | — | — |
| | F | 219 | 42 | 90 | 74 | 12 | 1 | — | — | — | — |
| 4 Scarlet fever .. | M | 87 | 2 | 15 | 39 | 26 | 2 | 2 | 1 | — | — |
| | F | 71 | 2 | 8 | 24 | 25 | 5 | 6 | 1 | — | — |
| 5 Whooping cough .. | M | 253 | 131 | 69 | 49 | 3 | 1 | — | — | — | — |
| | F | 350 | 158 | 105 | 77 | 10 | — | — | — | — | — |
| 6 Diphtheria .. | M | 399 | 25 | 64 | 150 | 146 | 9 | 5 | — | — | — |
| | F | 441 | 13 | 38 | 178 | 192 | 14 | 3 | 3 | — | — |
| 7 Influenza .. .. | M | 560 | 19 | 7 | 12 | 16 | 25 | 103 | 212 | 97 | 69 |
| | F | 648 | 12 | 7 | 6 | 16 | 38 | 96 | 152 | 151 | 170 |
| 8 Encephalitis lethargica .. | M | 37 | — | 1 | 4 | 5 | 7 | 9 | 9 | 1 | 1 |
| | F | 55 | — | 1 | 2 | 6 | 7 | 14 | 21 | 3 | 1 |
| 9 Meningococcal meningitis .. | M | 42 | 19 | 6 | 5 | 5 | 1 | 6 | — | — | — |
| | F | 37 | 18 | 3 | 6 | 6 | 2 | 1 | 1 | — | — |
| 10 Tuberculosis of respiratory system | M | 3,844 | 11 | 16 | 13 | 42 | 633 | 1,634 | 1,292 | 175 | 28 |
| | F | 2,860 | 12 | 10 | 13 | 115 | 842 | 1,223 | 530 | 88 | 27 |
| 11 Other tuberculous diseases .. .. | M | 714 | 80 | 103 | 109 | 122 | 117 | 95 | 68 | 13 | 7 |
| | F | 653 | 77 | 74 | 96 | 138 | 86 | 88 | 65 | 17 | 12 |
| 12 Cancer, malignant disease .. .. | M | 4,614 | 2 | 2 | 12 | 21 | 36 | 306 | 2,276 | 1,364 | 595 |
| | F | 5,572 | 3 | 4 | 2 | 8 | 35 | 596 | 2,555 | 1,427 | 942 |
| 13 Rheumatic fever .. | M | 128 | — | — | 3 | 55 | 22 | 20 | 20 | 7 | 1 |
| | F | 158 | — | — | 6 | 50 | 43 | 31 | 18 | 7 | 3 |
| 14 Diabetes .. .. | M | 324 | — | 2 | — | 9 | 7 | 44 | 131 | 95 | 36 |
| | F | 401 | — | — | 1 | 3 | 14 | 51 | 171 | 96 | 65 |
| 15 Cerebral hæmorrhage, &c. .. | M | 1,789 | 2 | 1 | 2 | 3 | 2 | 80 | 553 | 632 | 514 |
| | F | 2,539 | 1 | 2 | — | — | 7 | 82 | 681 | 776 | 990 |
| 16 Heart disease .. | M | 5,067 | 4 | 2 | 5 | 83 | 166 | 485 | 1,751 | 1,449 | 1,122 |
| | F | 6,136 | 2 | 1 | 6 | 84 | 179 | 497 | 1,632 | 1,711 | 2,024 |
| 17 Arterio-sclerosis .. | M | 1,535 | — | — | — | — | 1 | 23 | 418 | 533 | 560 |
| | F | 1,345 | — | — | — | — | — | 10 | 216 | 400 | 719 |
| 18 Bronchitis .. | M | 2,771 | 181 | 32 | 12 | 8 | 11 | 122 | 735 | 756 | 914 |
| | F | 3,054 | 153 | 27 | 23 | 10 | 5 | 58 | 477 | 817 | 1,484 |
| 19 Pneumonia (all forms) .. .. | M | 3,599 | 651 | 292 | 188 | 81 | 126 | 474 | 1,054 | 448 | 285 |
| | F | 2,809 | 513 | 276 | 133 | 90 | 77 | 278 | 521 | 448 | 473 |
| 20 Other respiratory diseases .. .. | M | 575 | 29 | 17 | 14 | 6 | 18 | 76 | 211 | 105 | 99 |
| | F | 490 | 17 | 10 | 8 | 12 | 13 | 53 | 115 | 123 | 139 |
| 21 Ulcer of stomach or duodenum .. | M | 511 | — | — | — | 1 | 12 | 146 | 279 | 57 | 16 |
| | F | 193 | 1 | — | — | 1 | 11 | 51 | 81 | 39 | 9 |
| 22 Diarrhœa, &c. .. | M | 867 | 666 | 77 | 22 | 10 | 3 | 14 | 36 | 19 | 20 |
| | F | 784 | 480 | 74 | 17 | 6 | 10 | 45 | 56 | 33 | 63 |
| 23 Appendicitis and typhlitis.. .. | M | 315 | 2 | 3 | 20 | 66 | 57 | 51 | 83 | 26 | 7 |
| | F | 268 | — | 1 | 10 | 52 | 45 | 54 | 76 | 24 | 6 |
| 24 Cirrhosis of liver .. | M | 257 | — | — | — | — | — | 25 | 149 | 68 | 15 |
| | F | 161 | — | — | 1 | — | 1 | 23 | 92 | 36 | 8 |
| 25 Acute and chronic nephritis .. | M | 1,186 | 13 | 2 | 8 | 21 | 35 | 145 | 476 | 301 | 185 |
| | F | 1,092 | 1 | 3 | 9 | 28 | 43 | 150 | 422 | 272 | 164 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 200 | — | — | — | — | 39 | 157 | 4 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — |
| | F | 253 | — | — | — | — | 38 | 208 | 7 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 2,162 | 2,120 | 15 | 7 | 5 | 8 | 2 | 5 | — | — |
| | F | 1,503 | 1,483 | 8 | 5 | 2 | 3 | 3 | 2 | — | — |
| 29 Suicide .. .. | M | 614 | — | — | — | — | 47 | 175 | 292 | 69 | 31 |
| | F | 271 | — | — | — | — | 34 | 87 | 123 | 21 | 6 |
| 30 Other deaths from violence.. .. | M | 1,626 | 111 | 53 | 86 | 200 | 171 | 282 | 428 | 165 | 130 |
| | F | 869 | 75 | 43 | 76 | 67 | 58 | 90 | 144 | 122 | 194 |
| 31 Other defined diseases .. .. | M | 6,815 | 748 | 128 | 119 | 259 | 241 | 746 | 1,649 | 1,242 | 1,683 |
| | F | 6,762 | 543 | 98 | 103 | 192 | 216 | 712 | 1,330 | 1,073 | 2,495 |
| 32 Causes ill-defined or unknown .. | M | 38 | 7 | 9 | 1 | 1 | 4 | 3 | 8 | 5 | — |
| | F | 29 | 7 | 7 | 4 | — | — | 4 | 6 | 1 | — |

* See footnote on second page of Table 13.

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923 (Civilian population only).

| | Causes of Death. | Sex. | City of London. | | | | | | | | | | The Inner and Middle Temples. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes .. | M | 88 | 6 | — | — | — | 6 | 10 | 32 | 19 | 15 | 1 | — | — | — | — | — | — | — | 1 | — |
| | | F | 69 | 3 | — | — | 1 | 1 | 7 | 20 | 16 | 21 | — | — | — | — | — | — | — | — | — | — |
| 1 | Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 | Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 | Whooping cough .. | M | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 | Diphtheria .. | M | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 | Influenza .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8 | Encephalitis lethargica .. | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 12 | — | — | — | — | 1 | 4 | 6 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 3 | — | — | — | — | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 11 | Other tuberculous diseases .. .. | M | 3 | 1 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 12 | Cancer, malignant disease .. .. | M | 8 | — | — | — | — | — | — | 4 | 4 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | | F | 9 | — | — | — | — | — | — | 7 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| 13 | Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 | Diabetes .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 3 | — | — | — | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 15 | Cerebral hæmorrhage, &c. .. | M | 3 | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 3 | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — |
| 16 | Heart disease .. | M | 17 | — | — | — | — | — | 1 | 4 | 4 | 8 | — | — | — | — | — | — | — | — | — | — |
| | | F | 18 | — | — | — | — | — | 1 | 3 | 3 | 11 | — | — | — | — | — | — | — | — | — | — |
| 17 | Arterio-sclerosis .. | M | 3 | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — |
| | | F | 2 | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 18 | Bronchitis .. | M | 4 | — | — | — | — | — | — | 1 | 1 | 2 | — | — | — | — | — | — | — | — | — | — |
| | | F | 5 | 1 | — | — | — | — | — | 1 | 1 | 2 | — | — | — | — | — | — | — | — | — | — |
| 19 | Pneumonia (all forms) .. .. | M | 5 | — | — | — | — | — | 1 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 5 | — | — | — | — | — | 1 | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — |
| 20 | Other respiratory diseases .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 21 | Ulcer of stomach or duodenum .. | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 | Diarrhœa, &c. | M | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 23 | Appendicitis and typhlitis.. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 24 | Cirrhosis of liver .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 25 | Acute and chronic nephritis .. | M | 3 | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 4 | — | — | — | — | — | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 29 | Suicide .. .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 | Other deaths from violence.. .. | M | 5 | — | — | — | — | 1 | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 31 | Other defined diseases .. .. | M | 17 | 2 | — | — | — | 2 | 1 | 6 | 4 | 2 | — | — | — | — | — | — | — | — | — | — |
| | | F | 12 | 1 | — | — | — | — | 1 | 5 | 1 | 4 | — | — | — | — | — | — | — | — | — | — |
| 32 | Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Battersea. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Bermondsey. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 930 | 88 | 28 | 23 | 27 | 41 | 121 | 280 | 199 | 123 | 770 | 126 | 41 | 26 | 30 | 41 | 84 | 220 | 123 | 79 |
| | F | 909 | 82 | 24 | 34 | 30 | 37 | 99 | 209 | 163 | 231 | 711 | 94 | 32 | 27 | 33 | 43 | 92 | 145 | 130 | 115 |
| Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | 1 | — | — | 1 | — | — | — |
| Small-pox | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | M | 12 | 3 | 4 | 5 | — | — | — | — | — | — | 6 | 1 | 4 | 1 | — | — | — | — | — | — |
| | F | 12 | 2 | 6 | 4 | — | — | — | — | — | — | 8 | 2 | 3 | 3 | — | — | — | — | — | — |
| Scarlet fever | M | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 5 | — | 1 | 3 | 1 | — | — | — | — | — | 2 | — | — | 1 | — | 1 | — | — | — | — |
| Whooping cough | M | 9 | 5 | 3 | 1 | — | — | — | — | — | — | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| | F | 7 | 1 | 3 | 1 | 2 | — | — | — | — | — | 9 | 4 | 5 | — | — | — | — | — | — | — |
| Diphtheria | M | 15 | — | 5 | 8 | 2 | — | — | — | — | — | 18 | 2 | 4 | 9 | 3 | — | — | — | — | — |
| | F | 19 | 1 | 1 | 11 | 6 | — | — | — | — | — | 15 | — | 1 | 9 | 4 | 1 | — | — | — | — |
| Influenza | M | 15 | 1 | — | — | — | — | 2 | 8 | — | 4 | 8 | — | — | — | — | — | 2 | 3 | 2 | 1 |
| | F | 16 | — | — | 1 | — | 2 | 4 | 4 | 2 | 3 | 5 | — | — | — | — | — | 2 | 2 | 1 | — |
| Encephalitis lethargica | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | — | 1 | — | — | — |
| | F | 2 | 1 | — | — | — | 1 | — | — | — | — | 2 | — | 1 | 1 | — | — | — | — | — | — |
| Tuberculosis of respiratory system | M | 86 | — | — | — | 1 | 17 | 37 | 27 | 4 | — | 83 | 1 | 1 | — | 2 | 14 | 31 | 30 | 3 | 1 |
| | F | 53 | 1 | 1 | — | 5 | 13 | 22 | 9 | 2 | — | 66 | 1 | — | — | 3 | 22 | 29 | 10 | 1 | — |
| Other tuberculous diseases | M | 17 | 1 | — | 4 | 2 | 4 | 3 | 3 | — | — | 18 | 1 | 3 | 2 | 5 | 3 | 1 | 3 | — | — |
| | F | 19 | 3 | 1 | 4 | 3 | 3 | 3 | 2 | — | — | 11 | 1 | 2 | 1 | 4 | 1 | 1 | 1 | — | — |
| Cancer, malignant disease | M | 124 | — | — | 1 | — | 1 | 6 | 59 | 40 | 17 | 70 | — | — | — | 1 | 1 | 2 | 41 | 21 | 4 |
| | F | 118 | — | — | — | — | 1 | 18 | 60 | 26 | 13 | 79 | — | — | — | 1 | 1 | 17 | 32 | 17 | 11 |
| Rheumatic fever | M | 3 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| | F | 3 | — | — | — | 1 | 1 | — | 1 | — | — | 5 | — | — | — | 3 | 2 | — | — | — | — |
| Diabetes | M | 5 | — | — | — | — | — | 3 | — | 2 | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 5 | — | — | — | — | — | — | 2 | 2 | 1 | 7 | — | — | — | — | 1 | 1 | 2 | 3 | — |
| Cerebral hæmorrhage, &c. | M | 43 | — | — | — | — | — | 1 | 14 | 19 | 9 | 29 | — | — | — | — | — | 1 | 9 | 15 | 4 |
| | F | 48 | — | — | — | — | — | 1 | 16 | 16 | 15 | 30 | — | — | — | — | — | 2 | 10 | 9 | 9 |
| Heart disease | M | 147 | — | — | — | 6 | 2 | 9 | 48 | 54 | 28 | 105 | — | — | 1 | 2 | 6 | 10 | 35 | 29 | 22 |
| | F | 187 | — | — | 1 | — | 3 | 11 | 38 | 49 | 85 | 111 | — | — | — | 7 | 4 | 12 | 32 | 40 | 16 |
| Arterio-sclerosis | M | 18 | — | — | — | — | — | 1 | 6 | 5 | 6 | 40 | — | — | — | — | — | 1 | 9 | 10 | 20 |
| | F | 17 | — | — | — | — | — | — | 2 | 4 | 11 | 15 | — | — | — | — | — | — | 2 | 3 | 10 |
| Bronchitis | M | 60 | 3 | 1 | — | — | — | 3 | 16 | 15 | 22 | 46 | 4 | 2 | — | — | 1 | 2 | 10 | 13 | 14 |
| | F | 73 | 6 | 1 | 3 | — | — | — | 13 | 22 | 28 | 52 | 1 | 2 | — | — | — | 2 | 10 | 12 | 25 |
| Pneumonia (all forms) | M | 57 | 8 | 8 | 2 | 2 | 2 | 10 | 15 | 8 | 2 | 89 | 22 | 14 | 7 | 1 | 2 | 11 | 23 | 7 | 2 |
| | F | 43 | 6 | 3 | 1 | 4 | 1 | 4 | 9 | 8 | 7 | 69 | 16 | 11 | 5 | 3 | — | 5 | 12 | 12 | 5 |
| Other respiratory diseases | M | 8 | — | — | — | — | — | 2 | 2 | 3 | 1 | 8 | 1 | 3 | — | — | — | — | 4 | — | — |
| | F | 14 | — | 1 | — | 1 | 2 | 3 | 3 | 2 | 2 | 7 | — | 1 | — | — | — | — | 3 | 2 | 1 |
| Ulcer of stomach or duodenum | M | 22 | — | — | — | — | — | 8 | 10 | 3 | 1 | 10 | — | — | — | — | — | 1 | 7 | 1 | 1 |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| Diarrhœa, &c. | M | 17 | 10 | 4 | — | — | — | — | 1 | — | 2 | 29 | 20 | 6 | 1 | 1 | — | — | 1 | — | — |
| | F | 15 | 8 | 4 | 1 | — | — | 1 | — | 1 | — | 35 | 19 | 5 | 2 | — | 1 | 2 | 3 | 2 | 1 |
| Appendicitis and typhlitis | M | 3 | — | — | — | — | 1 | 1 | 1 | — | — | 7 | — | — | — | 1 | 3 | 1 | 2 | — | — |
| | F | 5 | — | — | — | 1 | 2 | 1 | 1 | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| Cirrhosis of liver | M | 6 | — | — | — | — | — | — | 4 | 1 | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | 3 | — | — | — | — | — | — | 2 | 1 | — |
| Acute and chronic nephritis | M | 30 | 1 | — | — | 1 | 2 | 2 | 10 | 11 | 3 | 16 | — | — | 1 | 1 | 1 | 2 | 5 | 5 | 1 |
| | F | 25 | — | — | — | 1 | 1 | 1 | 9 | 6 | 7 | 17 | — | — | — | — | 2 | 1 | 6 | 8 | — |
| Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 10 | — | — | — | — | 1 | 9 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| Congenital debility and malformation, premature birth | M | 36 | 35 | — | — | — | — | — | 1 | — | — | 59 | 57 | 1 | — | — | — | — | 1 | — | — |
| | F | 36 | 35 | — | — | — | — | — | 1 | — | — | 38 | 38 | — | — | — | — | — | — | — | — |
| Suicide | M | 14 | — | — | — | — | 3 | 5 | 6 | — | — | 5 | — | — | — | — | — | 2 | 2 | 1 | — |
| | F | 7 | — | — | — | — | — | 3 | 2 | 2 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| Other deaths from violence | M | 31 | 1 | — | — | 4 | 3 | 6 | 15 | 1 | 1 | 34 | 4 | — | 1 | 5 | 5 | 8 | 8 | 2 | 1 |
| | F | 12 | — | 2 | 3 | 1 | — | 3 | 1 | 1 | 1 | 19 | 3 | 1 | 1 | 1 | 3 | 1 | 2 | 1 | 6 |
| Other defined diseases | M | 149 | 20 | 2 | 2 | 6 | 5 | 22 | 33 | 33 | 26 | 79 | 11 | 2 | 1 | 5 | 5 | 7 | 26 | 14 | 8 |
| | F | 153 | 18 | — | 1 | 4 | 6 | 12 | 35 | 19 | 58 | 94 | 9 | — | 3 | 6 | 4 | 12 | 12 | 17 | 31 |
| Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

## CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Bethnal Green. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Camberwell. All Ages | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 728 | 109 | 33 | 23 | 37 | 33 | 93 | 201 | 122 | 77 | 1527 | 194 | 42 | 49 | 49 | 70 | 192 | 424 | 289 | 218 |
| | F | 621 | 92 | 21 | 27 | 15 | 38 | 93 | 144 | 100 | 91 | 1490 | 126 | 37 | 58 | 56 | 80 | 147 | 342 | 282 | 362 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | 1 | — | 2 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 17 | 5 | 10 | 2 | — | — | — | — | — | — | 19 | 2 | 8 | 6 | 3 | — | — | — | — | — |
| | F | 17 | 4 | 8 | 5 | — | — | — | — | — | — | 17 | 1 | 7 | 8 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 6 | — | 3 | 1 | 1 | — | 1 | — | — | — |
| | F | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 11 | 3 | 4 | 4 | — | — | — | — | — | — | 16 | 7 | 5 | 4 | — | — | — | — | — | — |
| | F | 10 | 4 | 2 | 4 | — | — | — | — | — | — | 17 | 7 | 3 | 6 | 1 | — | — | — | — | — |
| 6 Diphtheria | M | 10 | 1 | — | 5 | 3 | 1 | — | — | — | — | 27 | 2 | 4 | 13 | 7 | 1 | — | — | — | — |
| | F | 10 | — | — | 7 | 2 | 1 | — | — | — | — | 46 | 1 | 9 | 18 | 17 | 1 | — | — | — | — |
| 7 Influenza | M | 8 | — | — | — | — | — | 3 | 3 | 2 | — | 23 | 3 | 1 | — | — | 2 | 7 | 4 | 2 | 4 |
| | F | 8 | — | — | 1 | — | — | 2 | 3 | 1 | 1 | 18 | — | — | — | 1 | 1 | 1 | 3 | 4 | 8 |
| 8 Encephalitis lethargica | M | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 86 | — | 1 | — | 2 | 10 | 26 | 37 | 8 | 2 | 149 | — | — | — | 2 | 23 | 72 | 40 | 11 | 1 |
| | F | 75 | 1 | — | 2 | 3 | 16 | 24 | 18 | 9 | 2 | 114 | — | — | 1 | 5 | 40 | 41 | 23 | 3 | 1 |
| 11 Other tuberculous diseases | M | 12 | — | 3 | — | 7 | — | — | 2 | — | — | 29 | 6 | 3 | 2 | 4 | 6 | 2 | 5 | — | 1 |
| | F | 9 | 2 | 1 | 1 | 2 | — | 2 | 1 | — | — | 29 | 4 | 2 | 4 | 10 | — | 5 | 4 | — | — |
| 12 Cancer, malignant disease | M | 64 | — | — | — | — | 1 | 6 | 29 | 20 | 8 | 144 | 1 | — | — | — | 2 | 8 | 70 | 44 | 19 |
| | F | 55 | — | 1 | — | 1 | — | 11 | 28 | 8 | 6 | 201 | — | — | — | — | 1 | 15 | 102 | 48 | 35 |
| 13 Rheumatic fever | M | 2 | — | — | — | 1 | — | 1 | — | — | — | 5 | — | — | — | 3 | 1 | 1 | — | — | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 8 | — | — | 1 | 2 | 3 | 1 | 1 | — | — |
| 14 Diabetes | M | 7 | — | — | — | — | — | 1 | 4 | 2 | — | 19 | — | — | — | — | 2 | 2 | 8 | 4 | 3 |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 17 | — | — | — | — | 1 | 2 | 8 | 4 | 2 |
| 15 Cerebral hæmorrhage, &c. | M | 17 | — | — | — | — | — | 3 | 4 | 6 | 4 | 80 | — | — | 1 | — | — | 9 | 23 | 33 | 14 |
| | F | 26 | — | — | — | — | — | — | 5 | 12 | 9 | 82 | — | — | — | — | — | — | 18 | 27 | 37 |
| 16 Heart disease | M | 120 | — | — | — | 3 | 7 | 10 | 36 | 31 | 33 | 173 | — | — | — | 5 | 12 | 17 | 57 | 60 | 22 |
| | F | 103 | 1 | — | — | — | 6 | 14 | 28 | 25 | 29 | 218 | — | — | 1 | 1 | 9 | 16 | 66 | 71 | 54 |
| 17 Arterio-sclerosis | M | 20 | — | — | — | — | — | 1 | 8 | 9 | 2 | 37 | — | — | — | — | — | — | 8 | 17 | 12 |
| | F | 15 | — | — | — | — | — | 2 | 6 | 6 | 1 | 32 | — | — | — | — | — | — | 8 | 8 | 16 |
| 18 Bronchitis | M | 62 | 4 | — | — | — | — | 2 | 22 | 21 | 13 | 100 | 5 | 2 | 3 | — | — | 5 | 23 | 25 | 37 |
| | F | 49 | 2 | — | 1 | — | 1 | 2 | 10 | 15 | 18 | 108 | 5 | — | 1 | 1 | 2 | 1 | 9 | 31 | 58 |
| 19 Pneumonia (all forms) | M | 63 | 17 | 8 | 3 | 1 | 2 | 10 | 13 | 6 | 3 | 142 | 29 | 8 | 5 | 3 | 2 | 23 | 45 | 19 | 8 |
| | F | 53 | 19 | 3 | 2 | 3 | 2 | 8 | 9 | 6 | 1 | 102 | 17 | 8 | 6 | 5 | 2 | 11 | 16 | 17 | 20 |
| 20 Other respiratory diseases | M | 10 | 1 | — | 1 | 1 | — | 1 | 2 | 2 | 2 | 18 | 1 | 1 | — | — | — | 2 | 6 | 4 | 4 |
| | F | 7 | — | 1 | — | — | — | — | 2 | 2 | 2 | 16 | 1 | — | 1 | — | — | 3 | 3 | 4 | 4 |
| 21 Ulcer of stomach or duodenum | M | 12 | — | — | — | — | 1 | 3 | 6 | 2 | — | 16 | — | — | — | — | — | 5 | 10 | 1 | — |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | 7 | — | — | — | — | — | 1 | 4 | 1 | 1 |
| 22 Diarrhœa, &c. | M | 21 | 19 | 2 | — | — | — | — | — | — | — | 37 | 32 | 3 | — | 1 | — | — | — | 1 | — |
| | F | 19 | 15 | 1 | — | — | — | 2 | — | — | 1 | 27 | 13 | 3 | — | — | — | 1 | 2 | 3 | 5 |
| 23 Appendicitis and typhlitis | M | 6 | — | — | 1 | 2 | 2 | — | 1 | — | — | 5 | — | — | — | 1 | 3 | — | 1 | — | — |
| | F | 4 | — | — | — | 1 | 2 | 1 | — | — | — | 5 | — | — | — | 1 | 2 | — | 1 | 1 | — |
| 24 Cirrhosis of liver | M | — | — | — | — | — | — | — | — | — | — | 14 | — | — | — | — | — | 1 | 7 | 3 | 3 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 9 | — | — | — | — | 1 | 1 | 3 | 4 | — |
| 25 Acute and chronic nephritis | M | 17 | 1 | — | — | 1 | 1 | 2 | 8 | 4 | — | 42 | — | — | — | 1 | 1 | 3 | 23 | 10 | 4 |
| | F | 17 | — | — | — | — | 3 | 2 | 9 | 2 | 1 | 41 | — | — | — | 2 | 1 | 2 | 17 | 11 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | 1 | 4 | — | — | — | 10 | — | — | — | — | 2 | 8 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 8 | — | — | — | — | 1 | 7 | — | — | — | 11 | — | — | — | — | 3 | 8 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 42 | 42 | — | — | — | — | — | — | — | — | 78 | 77 | — | 1 | — | — | — | — | — | — |
| | F | 36 | 35 | 1 | — | — | — | — | — | — | — | 63 | 60 | 1 | 1 | 1 | — | — | — | — | — |
| 29 Suicide | M | 14 | — | — | — | — | 2 | 6 | 3 | 2 | 1 | 22 | — | — | — | — | 1 | 5 | 13 | 2 | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 6 | — | — | — | — | 2 | 2 | 2 | — | — |
| 30 Other deaths from violence | M | 28 | 3 | 2 | 3 | 6 | 4 | 2 | 5 | 3 | — | 59 | 2 | 3 | 8 | 8 | 7 | 7 | 16 | 5 | 3 |
| | F | 11 | 2 | 1 | — | — | — | — | 3 | 2 | 3 | 25 | — | 2 | 2 | 3 | 1 | 3 | 4 | 5 | 1 |
| 31 Other defined diseases | M | 75 | 12 | 2 | 3 | 10 | 2 | 15 | 18 | 4 | 9 | 260 | 25 | 1 | 5 | 9 | 6 | 20 | 64 | 48 | 8 |
| | F | 68 | 6 | 2 | 2 | 3 | 4 | 9 | 14 | 11 | 17 | 259 | 17 | 2 | 8 | 5 | 8 | 24 | 47 | 40 | 10 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | 1 | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Chelsea. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Deptford. All Ages | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 417 | 33 | 4 | 5 | 7 | 13 | 38 | 118 | 106 | 93 | 671 | 84 | 19 | 18 | 26 | 24 | 89 | 199 | 120 | 92 |
| | F | 392 | 24 | 3 | 10 | 11 | 10 | 46 | 101 | 71 | 116 | 601 | 59 | 17 | 17 | 25 | 29 | 65 | 156 | 102 | 131 |
| Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | M | — | — | — | — | — | — | — | — | — | — | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | 2 | 2 | 1 | — | — | — | — | — | — |
| Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Whooping cough | M | 1 | 1 | — | — | — | — | — | — | — | — | 6 | 4 | 1 | 1 | — | — | — | — | — | — |
| | F | 4 | 2 | — | 2 | — | — | — | — | — | — | 6 | 2 | 1 | 3 | — | — | — | — | — | — |
| Diphtheria | M | 2 | — | — | — | 2 | — | — | — | — | — | 17 | 2 | 2 | 6 | 7 | — | — | — | — | — |
| | F | 8 | — | — | 3 | 5 | — | — | — | — | — | 16 | 1 | — | 8 | 6 | 1 | — | — | — | — |
| Influenza | M | 7 | — | — | — | — | 1 | — | 4 | 2 | — | 9 | — | 1 | 1 | — | 1 | 1 | 4 | — | 1 |
| | F | 10 | 1 | — | — | — | — | 1 | 2 | 3 | 3 | 12 | — | — | 1 | — | 2 | 2 | 5 | 1 | 1 |
| Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Meningococcal meningitis | M | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Tuberculosis of respiratory system | M | 32 | — | — | — | — | 6 | 10 | 11 | 3 | 2 | 65 | — | — | — | — | 13 | 26 | 23 | — | 3 |
| | F | 26 | — | — | — | 1 | 4 | 11 | 8 | 1 | 1 | 30 | — | — | — | 1 | 13 | 11 | 4 | 1 | — |
| Other tuberculous diseases | M | 3 | 1 | — | — | 2 | — | — | — | — | — | 11 | 2 | 2 | 1 | 3 | 1 | 1 | 1 | — | — |
| | F | 3 | — | 1 | — | 1 | 1 | — | — | — | — | 6 | — | 1 | 1 | 4 | — | — | — | — | — |
| Cancer, malignant disease | M | 40 | — | — | — | — | — | 1 | 13 | 16 | 10 | 65 | — | — | — | — | — | 4 | 34 | 22 | 5 |
| | F | 81 | — | — | — | — | — | 4 | 35 | 19 | 23 | 75 | — | — | — | — | — | 8 | 40 | 19 | 8 |
| Rheumatic fever | M | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| Diabetes | M | 3 | — | — | — | — | — | — | 2 | — | 1 | 7 | — | — | — | — | — | — | 4 | 3 | — |
| | F | 4 | — | — | — | — | — | — | 2 | — | 2 | 5 | — | — | — | — | — | 1 | 3 | — | 1 |
| Cerebral hæmorrhage, &c. | M | 12 | — | — | — | — | — | 1 | 5 | 4 | 2 | 34 | — | — | — | — | — | 2 | 12 | 11 | 9 |
| | F | 25 | — | — | — | — | — | 1 | 7 | 6 | 11 | 42 | — | 1 | — | — | — | 3 | 14 | 10 | 14 |
| Heart disease | M | 79 | — | — | — | — | — | 4 | 19 | 26 | 30 | 78 | 1 | — | — | 2 | — | 9 | 26 | 29 | 11 |
| | F | 49 | — | — | — | — | — | 7 | 10 | 10 | 22 | 89 | — | — | — | — | 3 | 5 | 28 | 28 | 25 |
| Arterio-sclerosis | M | 26 | — | — | — | — | — | — | 7 | 12 | 7 | 13 | — | — | — | — | — | — | 2 | 6 | 5 |
| | F | 20 | — | — | — | — | — | — | 3 | 8 | 9 | 11 | — | — | — | — | — | — | 3 | 3 | 5 |
| Bronchitis | M | 24 | — | 1 | — | — | — | — | 5 | 8 | 10 | 32 | 2 | — | — | 1 | — | 1 | 12 | 7 | 9 |
| | F | 24 | 1 | — | — | — | — | — | 1 | 7 | 15 | 40 | 6 | 1 | — | — | — | 1 | 6 | 6 | 20 |
| Pneumonia (all forms) | M | 53 | 5 | 1 | 4 | — | — | 3 | 9 | 14 | 17 | 55 | 10 | 6 | 3 | 1 | 2 | 10 | 16 | 6 | 1 |
| | F | 31 | 7 | 1 | 4 | 1 | 1 | 5 | 4 | 2 | 6 | 36 | 5 | 5 | 2 | 4 | 1 | 1 | 7 | 6 | 5 |
| Other respiratory diseases | M | 6 | — | — | — | — | — | 2 | 2 | 2 | — | 5 | — | — | 1 | — | — | — | 3 | 1 | — |
| | F | 4 | — | — | — | — | — | — | 1 | 1 | 2 | 9 | — | — | — | 1 | — | 1 | 2 | 3 | 2 |
| Ulcer of stomach or duodenum | M | 5 | — | — | — | — | — | — | 5 | — | — | 7 | — | — | — | — | — | 3 | 3 | 1 | — |
| | F | 3 | — | — | — | — | — | 1 | — | 2 | — | 5 | — | — | — | — | — | 1 | 3 | 1 | — |
| Diarrhœa, &c. | M | 5 | 5 | — | — | — | — | — | — | — | — | 7 | 6 | — | — | 1 | — | — | — | — | — |
| | F | 4 | 3 | — | — | — | — | — | 1 | — | — | 15 | 11 | 1 | — | 1 | — | 1 | 1 | — | — |
| Appendicitis and typhlitis | M | 4 | — | — | — | 1 | 2 | — | 1 | — | — | 4 | — | — | 1 | — | 1 | — | 2 | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 5 | — | — | — | 1 | 1 | 1 | 2 | — | — |
| Cirrhosis of liver | M | 3 | — | — | — | — | — | 2 | — | 1 | — | 4 | — | — | — | — | — | — | 2 | 2 | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 5 | — | — | — | — | — | 2 | 2 | 1 | — |
| Acute and chronic nephritis | M | 11 | — | — | — | — | — | 3 | 5 | 2 | 1 | 13 | — | — | — | — | — | 7 | 5 | 1 | — |
| | F | 13 | — | — | — | — | 1 | 1 | 5 | 4 | 2 | 20 | — | 1 | — | — | 1 | 3 | 11 | — | 4 |
| Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 6 | — | — | — | — | 2 | 3 | 1 | — | — |
| Congenital debility and malformation, premature birth | M | 15 | 15 | — | — | — | — | — | — | — | — | 36 | 36 | — | — | — | — | — | — | — | — |
| | F | 6 | 6 | — | — | — | — | — | — | — | — | 22 | 22 | — | — | — | — | — | — | — | — |
| Suicide | M | 3 | — | — | — | — | 1 | 1 | 1 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 5 | — | — | — | — | — | 1 | 3 | 1 | — |
| Other deaths from violence | M | 13 | 1 | — | — | 1 | — | 5 | 4 | 1 | 1 | 32 | 2 | — | — | 3 | 1 | 8 | 13 | 3 | 2 |
| | F | 8 | — | 1 | 1 | 1 | 1 | 2 | — | 1 | 1 | 13 | 1 | 1 | — | 2 | 1 | 2 | — | 2 | 4 |
| Other defined diseases | M | 67 | 5 | 1 | 1 | — | 2 | 6 | 25 | 15 | 12 | 158 | 18 | 3 | 2 | 5 | 5 | 16 | 35 | 28 | 46 |
| | F | 61 | 4 | — | — | 2 | 2 | 8 | 19 | 7 | 19 | 118 | 9 | 3 | 1 | 4 | 4 | 16 | 19 | 20 | 42 |
| Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 3 | — | 3 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Finsbury. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Fulham All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 571 | 67 | 27 | 23 | 21 | 24 | 61 | 184 | 99 | 65 | 875 | 120 | 33 | 24 | 22 | 41 | 93 | 266 | 149 | 127 |
| | F | 451 | 45 | 23 | 8 | 16 | 21 | 51 | 102 | 96 | 89 | 841 | 82 | 24 | 20 | 23 | 41 | 94 | 208 | 152 | 197 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 7 | 1 | 3 | 3 | — | — | — | — | — | — | 13 | 2 | 8 | 3 | — | — | — | — | — | — |
| | F | 4 | — | 3 | 1 | — | — | — | — | — | — | 11 | 3 | 3 | 3 | 2 | — | — | — | — | — |
| 4 Scarlet fever | M | 2 | — | — | 2 | — | — | — | — | — | — | 6 | 1 | — | 2 | 3 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 3 | 2 | 1 | — | — | — | — | — | — | — | 4 | 3 | — | 1 | — | — | — | — | — | — |
| | F | 4 | 1 | 3 | — | — | — | — | — | — | — | 11 | 6 | 3 | 1 | 1 | — | — | — | — | — |
| 6 Diphtheria | M | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 8 | — | 1 | 3 | 4 | — | — | — | — | — |
| | F | 6 | 1 | 1 | 3 | 1 | — | — | — | — | — | 12 | — | 2 | 3 | 5 | 1 | — | 1 | — | — |
| 7 Influenza | M | 8 | — | — | 1 | 1 | 1 | — | 3 | 2 | — | 19 | 1 | — | — | 1 | 1 | — | 7 | 5 | 4 |
| | F | 5 | — | — | — | — | 1 | 1 | — | 1 | 2 | 8 | — | — | — | — | — | — | 3 | 2 | 3 |
| 8 Encephalitis lethargica | M | 2 | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 57 | 1 | — | — | — | 10 | 23 | 21 | 1 | 1 | 89 | — | 1 | 2 | 2 | 19 | 30 | 32 | 2 | 1 |
| | F | 37 | — | — | — | 2 | 7 | 17 | 11 | — | — | 61 | — | — | 1 | 3 | 14 | 21 | 17 | 2 | 3 |
| 11 Other tuberculous diseases | M | 9 | — | 3 | 2 | 3 | — | 1 | — | — | — | 16 | 3 | 4 | 1 | 1 | 3 | — | 4 | — | — |
| | F | 6 | 1 | 2 | — | 1 | 1 | 1 | — | — | — | 15 | 3 | 1 | 2 | 2 | 2 | 3 | 1 | — | 1 |
| 12 Cancer, malignant disease | M | 64 | — | 1 | — | — | — | 5 | 37 | 16 | 5 | 95 | — | — | — | — | 2 | 5 | 46 | 34 | 8 |
| | F | 52 | 1 | — | — | — | 2 | 7 | 24 | 12 | 6 | 119 | — | — | — | — | 1 | 11 | 67 | 28 | 12 |
| 13 Rheumatic fever | M | 3 | — | — | — | 3 | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 4 | — | — | 1 | 1 | 1 | 1 | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 14 Diabetes | M | 1 | — | — | — | — | — | — | 1 | — | — | 11 | — | — | — | — | — | — | 7 | 2 | 2 |
| | F | 5 | — | — | — | — | — | — | 5 | — | — | 5 | — | — | — | — | — | 3 | 1 | 1 | — |
| 15 Cerebral hæmorrhage, &c. | M | 18 | 1 | — | — | — | — | — | 8 | 4 | 5 | 26 | — | — | — | — | — | — | 9 | 9 | 8 |
| | F | 33 | — | — | — | — | 1 | 1 | 10 | 14 | 7 | 48 | — | — | — | — | — | 8 | 13 | 15 | 12 |
| 16 Heart disease | M | 44 | — | — | — | — | 2 | 3 | 22 | 11 | 6 | 92 | — | — | — | 3 | 4 | 12 | 32 | 23 | 18 |
| | F | 68 | — | — | — | 2 | 3 | 6 | 20 | 20 | 17 | 110 | — | — | — | 2 | 6 | 9 | 33 | 27 | 33 |
| 17 Arterio-sclerosis | M | 46 | — | — | — | — | — | 1 | 6 | 17 | 22 | 37 | — | — | — | — | — | 1 | 5 | 13 | 18 |
| | F | 29 | — | — | — | — | — | — | — | 9 | 20 | 39 | — | — | — | — | — | 1 | 2 | 9 | 27 |
| 18 Bronchitis | M | 62 | 3 | — | — | 1 | — | 1 | 28 | 18 | 11 | 52 | 5 | 1 | — | — | — | 1 | 14 | 10 | 21 |
| | F | 43 | 2 | 1 | 1 | 1 | — | — | 8 | 16 | 14 | 65 | 4 | — | — | — | 1 | 3 | 11 | 15 | 31 |
| 19 Pneumonia (all forms) | M | 52 | 15 | 5 | 7 | 1 | 1 | 4 | 16 | 2 | 1 | 94 | 18 | 10 | 3 | 3 | 3 | 14 | 29 | 9 | 5 |
| | F | 38 | 9 | 9 | 1 | — | 1 | 2 | 7 | 5 | 4 | 73 | 13 | 11 | 3 | 3 | 3 | 5 | 15 | 11 | 9 |
| 20 Other respiratory diseases | M | 4 | — | — | — | — | — | 1 | 2 | 1 | — | 12 | 1 | — | — | — | — | — | 3 | 3 | 5 |
| | F | 7 | — | — | — | — | — | 2 | 1 | 1 | 3 | 12 | 1 | — | — | — | — | — | 3 | 4 | 4 |
| 21 Ulcer of stomach or duodenum | M | 12 | — | — | — | — | 1 | 5 | 5 | 1 | — | 13 | — | — | — | — | — | 1 | 9 | 2 | 1 |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 8 | — | — | — | — | 2 | — | 4 | 2 | — |
| 22 Diarrhœa, &c. | M | 25 | 17 | 5 | — | — | — | — | 2 | 1 | — | 22 | 19 | 2 | — | — | 1 | — | — | — | — |
| | F | 11 | 7 | 1 | 1 | — | — | 1 | — | — | 1 | 8 | 5 | — | 1 | — | — | — | 1 | 1 | — |
| 23 Appendicitis and typhlitis | M | 4 | — | — | 1 | 2 | 1 | — | — | — | — | 5 | — | — | 1 | — | — | 1 | 3 | — | — |
| | F | 7 | — | — | — | 2 | 1 | 1 | 3 | — | — | 6 | — | — | — | 1 | 1 | 2 | — | 1 | 1 |
| 24 Cirrhosis of liver | M | 4 | — | — | — | — | — | — | 2 | 2 | — | 7 | — | — | — | — | — | — | 2 | 3 | 2 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis | M | 16 | 1 | — | 1 | 2 | — | 1 | 6 | 3 | 2 | 22 | — | — | — | — | 3 | 3 | 5 | 7 | 4 |
| | F | 17 | — | — | — | 1 | 2 | 2 | 5 | 6 | 1 | 22 | — | — | — | — | — | 3 | 11 | 6 | 2 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 10 | — | — | — | — | 1 | 9 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 21 | 19 | — | — | — | 2 | — | — | — | — | 50 | 50 | — | — | — | — | — | — | — | — |
| | F | 18 | 18 | — | — | — | — | — | — | — | — | 32 | 32 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 7 | — | — | — | — | — | 2 | 3 | 2 | — | 20 | — | — | — | — | — | 4 | 11 | 4 | 1 |
| | F | 2 | — | — | — | — | — | — | — | 2 | — | 5 | — | — | — | — | — | 1 | 3 | — | 1 |
| 30 Other deaths from violence | M | 20 | 1 | — | 2 | 3 | 3 | 3 | 5 | 2 | 1 | 32 | 2 | 1 | 7 | 2 | 3 | 2 | 8 | 4 | 3 |
| | F | 6 | — | 1 | — | 1 | — | — | 1 | 1 | 2 | 19 | 2 | 1 | 3 | 2 | 1 | 1 | 3 | 4 | 2 |
| 31 Other defined diseases | M | 75 | 5 | 6 | 2 | 5 | 3 | 11 | 16 | 16 | 11 | 128 | 15 | 5 | 1 | 2 | 2 | 18 | 40 | 19 | 26 |
| | F | 43 | 5 | 2 | — | 4 | 1 | 4 | 6 | 9 | 12 | 136 | 12 | 3 | 3 | 2 | 8 | 11 | 19 | 22 | 56 |
| 32 Causes ill-defined or unknown | M | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Greenwich. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Hackney. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 614 | 88 | 11 | 23 | 18 | 44 | 85 | 153 | 89 | 103 | 1212 | 164 | 34 | 31 | 34 | 45 | 151 | 350 | 234 | 169 |
| | F | 516 | 43 | 12 | 13 | 21 | 41 | 56 | 119 | 96 | 115 | 1220 | 96 | 28 | 23 | 34 | 51 | 159 | 291 | 261 | 277 |
| Enteric fever | M | 4 | — | — | — | — | 1 | 3 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | M | 1 | — | 1 | — | — | — | — | — | — | — | 11 | 4 | 5 | 2 | — | — | — | — | — | — |
| | F | 2 | — | — | 2 | — | — | — | — | — | — | 5 | — | 3 | 1 | 1 | — | — | — | — | — |
| Scarlet fever | M | 1 | — | — | 1 | — | — | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 3 | — | 1 | 1 | 1 | — | — | — | — | — |
| Whooping cough | M | 8 | 3 | 2 | 2 | 1 | — | — | — | — | — | 7 | 4 | 2 | — | — | 1 | — | — | — | — |
| | F | 7 | 3 | 2 | 1 | 1 | — | — | — | — | — | 9 | 5 | 3 | 1 | — | — | — | — | — | — |
| Diphtheria | M | 5 | — | — | 2 | 2 | 1 | — | — | — | — | 18 | — | 3 | 8 | 5 | 1 | 1 | — | — | — |
| | F | 6 | — | 1 | 2 | 3 | — | — | — | — | — | 15 | — | 1 | 6 | 7 | 1 | — | — | — | — |
| Influenza | M | 5 | — | — | — | 1 | 1 | — | 1 | 2 | — | 19 | 2 | — | — | 1 | — | 2 | 6 | 7 | 1 |
| | F | 11 | — | — | — | 1 | — | 1 | 2 | 3 | 4 | 35 | — | 1 | — | — | — | 5 | 10 | 9 | 10 |
| Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| Meningococcal meningitis | M | 2 | — | — | 1 | 1 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| Tuberculosis of respiratory system | M | 65 | — | — | 1 | — | 19 | 31 | 9 | 5 | — | 128 | — | — | — | 3 | 16 | 54 | 47 | 7 | 1 |
| | F | 51 | — | — | — | 3 | 21 | 14 | 11 | 2 | — | 99 | — | 1 | — | 2 | 22 | 50 | 18 | 6 | — |
| Other tuberculous diseases | M | 6 | 1 | 1 | 1 | — | — | 3 | — | — | — | 21 | — | 3 | 3 | 3 | 5 | 4 | 3 | — | — |
| | F | 14 | 1 | 2 | 2 | 4 | 4 | 1 | — | — | — | 17 | 1 | — | 3 | 6 | 3 | 2 | 1 | 1 | — |
| Cancer, malignant disease | M | 73 | — | — | 2 | — | 2 | 5 | 35 | 16 | 13 | 138 | 1 | — | — | 2 | — | 14 | 63 | 41 | 17 |
| | F | 60 | — | — | — | — | 2 | 9 | 21 | 18 | 10 | 180 | 1 | — | — | — | 2 | 28 | 67 | 54 | 28 |
| Rheumatic fever | M | 2 | — | — | — | 1 | 1 | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | F | 4 | — | — | — | — | 2 | 1 | 1 | — | — | 5 | — | — | — | — | 1 | 2 | 2 | — | — |
| Diabetes | M | 1 | — | — | — | — | — | 1 | — | — | — | 12 | — | — | — | — | 1 | 2 | 4 | 3 | 2 |
| | F | 4 | — | — | — | — | — | — | 1 | 3 | — | 15 | — | — | 1 | — | — | 1 | 8 | 3 | 2 |
| Cerebral hæmorrhage, &c. | M | 32 | — | — | — | — | — | 1 | 11 | 8 | 12 | 64 | — | — | — | — | — | 1 | 24 | 20 | 19 |
| | F | 33 | — | — | — | — | — | — | 11 | 10 | 12 | 74 | — | — | — | — | 1 | 2 | 15 | 21 | 35 |
| Heart disease | M | 60 | — | 1 | — | 5 | 1 | 10 | 19 | 11 | 13 | 137 | — | — | 1 | 1 | 1 | 14 | 53 | 39 | 28 |
| | F | 63 | — | — | — | — | 2 | 7 | 20 | 16 | 18 | 187 | — | — | — | 3 | 2 | 12 | 55 | 63 | 52 |
| Arterio-sclerosis | M | 22 | — | — | — | — | — | — | 4 | 7 | 11 | 54 | — | — | — | — | — | 1 | 14 | 17 | 22 |
| | F | 17 | — | — | — | — | — | — | 3 | 7 | 7 | 38 | — | — | — | — | — | 1 | 6 | 11 | 20 |
| Bronchitis | M | 27 | 2 | 1 | — | — | — | 2 | 4 | 8 | 10 | 60 | 8 | — | — | — | — | 3 | 14 | 17 | 18 |
| | F | 36 | 2 | — | — | — | — | — | 7 | 11 | 16 | 91 | 3 | 1 | — | 1 | — | 5 | 9 | 30 | 42 |
| Pneumonia (all forms) | M | 49 | 8 | 3 | 7 | 1 | 3 | 5 | 13 | 6 | 3 | 120 | 30 | 12 | 8 | 2 | 4 | 10 | 26 | 14 | 14 |
| | F | 37 | 4 | 4 | 1 | 2 | 3 | 6 | 4 | 4 | 9 | 120 | 17 | 10 | 6 | 6 | 4 | 11 | 29 | 18 | 19 |
| Other respiratory diseases | M | 10 | — | — | — | — | 1 | — | 5 | 2 | 2 | 24 | 2 | — | — | 1 | 1 | 6 | 9 | 4 | 1 |
| | F | 3 | — | — | — | — | — | — | — | 1 | 2 | 12 | 1 | — | — | — | — | 1 | 3 | 4 | 3 |
| Ulcer of stomach or duodenum | M | 11 | — | — | — | — | — | 3 | 5 | 1 | 2 | 12 | — | — | — | — | 1 | 5 | 4 | 2 | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 6 | 1 | — | — | — | 1 | 2 | 1 | 1 | — |
| Diarrhœa, &c. | M | 12 | 10 | — | 1 | — | — | — | — | — | 1 | 23 | 18 | — | 2 | — | — | — | 1 | 1 | 1 |
| | F | 13 | 8 | 1 | — | — | 1 | — | 1 | — | 2 | 15 | 11 | 1 | — | — | — | 2 | — | — | 1 |
| Appendicitis and typhlitis | M | 5 | — | — | — | 1 | — | — | 2 | 1 | 1 | 8 | — | — | — | 1 | 4 | — | 3 | — | — |
| | F | 4 | — | — | — | 2 | 1 | — | — | — | 1 | 7 | — | — | 1 | — | — | 3 | 3 | — | — |
| Cirrhosis of liver | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 7 | — | — | — | — | — | 1 | 2 | 4 | — |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 5 | — | — | — | — | — | — | 4 | 1 | — |
| Acute and chronic nephritis | M | 13 | — | — | 1 | 1 | 1 | — | 7 | 2 | 1 | 45 | 1 | — | — | — | 1 | 5 | 16 | 14 | 8 |
| | F | 14 | — | — | 1 | — | — | 2 | 8 | 2 | 1 | 34 | — | — | 1 | 1 | 1 | 5 | 21 | 3 | 2 |
| Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | 2 | 3 | — | — | — | 6 | — | — | — | — | 1 | 5 | — | — | — |
| Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| Congenital debility and malformation, premature birth | M | 39 | 37 | 2 | — | — | — | — | — | — | — | 63 | 62 | — | — | — | 1 | — | — | — | — |
| | F | 15 | 14 | — | — | — | — | — | 1 | — | — | 44 | 44 | — | — | — | — | — | — | — | — |
| Suicide | M | 6 | — | — | — | — | — | 2 | 3 | 1 | — | 17 | — | — | — | — | 1 | 7 | 4 | 3 | 2 |
| | F | 3 | — | — | — | — | — | 1 | 2 | — | — | 9 | — | — | — | — | 2 | 1 | 3 | 3 | — |
| Other deaths from violence | M | 22 | 5 | — | — | 2 | 3 | 6 | 5 | — | 1 | 39 | 2 | 1 | 1 | 6 | 3 | 5 | 9 | 6 | 6 |
| | F | 10 | 2 | — | 2 | 1 | — | — | 1 | 3 | 1 | 22 | 3 | 3 | 2 | 1 | 4 | 1 | 3 | 1 | 4 |
| Other defined diseases | M | 131 | 22 | — | 4 | 2 | 10 | 13 | 29 | 18 | 33 | 174 | 27 | 8 | 5 | 5 | 4 | 14 | 47 | 35 | 29 |
| | F | 92 | 9 | 1 | 1 | 2 | 3 | 9 | 19 | 16 | 32 | 154 | 6 | 3 | — | 5 | 6 | 14 | 29 | 32 | 59 |
| Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 3 | 2 | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Hammersmith. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Hampstead. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 730 | 96 | 12 | 19 | 27 | 29 | 83 | 229 | 133 | 102 | 418 | 30 | 5 | 7 | 10 | 15 | 43 | 131 | 102 | 7 |
| | F | 755 | 78 | 12 | 10 | 23 | 35 | 90 | 162 | 151 | 194 | 529 | 24 | 1 | 4 | 9 | 17 | 64 | 119 | 94 | 19 |
| 1 Enteric fever | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | 1 | — | — | — | — | |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 3 | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | 1 | — | — | 1 | 1 | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 4 | 2 | 1 | 1 | — | — | — | — | — | — | 3 | 2 | 1 | — | — | — | — | — | — | — |
| | F | 6 | 6 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 11 | 1 | — | 3 | 7 | — | — | — | — | — | 5 | — | 1 | 2 | 2 | — | — | — | — | — |
| | F | 9 | 1 | 2 | 3 | 3 | — | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| 7 Influenza | M | 5 | 1 | — | — | — | — | 1 | 1 | 1 | 1 | 9 | — | — | — | — | — | 2 | 4 | 2 | 1 |
| | F | 14 | 2 | — | — | — | 2 | 1 | 6 | 1 | 2 | 8 | — | — | — | — | — | 2 | 1 | 1 | 4 |
| 8 Encephalitis lethargica | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis | M | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 3 | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 70 | — | — | — | — | 12 | 30 | 24 | 4 | — | 33 | — | — | — | — | 5 | 15 | 13 | — | — |
| | F | 60 | — | — | — | 3 | 17 | 24 | 14 | — | 2 | 18 | — | — | — | — | 1 | 13 | 4 | — | — |
| 11 Other tuberculous diseases | M | 11 | 1 | 2 | 3 | 2 | 1 | 1 | 1 | — | — | 2 | — | — | 1 | — | — | — | 1 | — | — |
| | F | 19 | 1 | 1 | 4 | 4 | 3 | 3 | 2 | — | 1 | 5 | 1 | — | — | — | 3 | — | — | 1 | — |
| 12 Cancer, malignant disease | M | 83 | — | — | — | — | — | 5 | 39 | 23 | 16 | 61 | — | — | — | — | — | 3 | 30 | 21 | 7 |
| | F | 89 | — | — | — | — | — | 7 | 43 | 24 | 15 | 97 | — | — | — | 1 | 2 | 10 | 37 | 20 | 27 |
| 13 Rheumatic fever | M | 2 | — | — | — | — | 1 | — | — | 1 | — | 2 | — | — | — | — | 1 | — | — | 1 | — |
| | F | 3 | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 5 | — | — | — | — | — | 1 | 4 | — | — | 8 | — | — | — | — | — | 3 | 3 | 2 | — |
| | F | 6 | — | — | — | — | — | 1 | 3 | 2 | — | 7 | — | — | — | — | 1 | — | 3 | 1 | 2 |
| 15 Cerebral hæmorrhage, &c. | M | 37 | — | — | — | 1 | — | — | 12 | 13 | 11 | 20 | — | — | — | — | — | — | 9 | 7 | 4 |
| | F | 40 | — | — | — | — | 1 | — | 11 | 17 | 11 | 30 | 1 | — | — | — | — | 1 | 6 | 4 | 18 |
| 16 Heart disease | M | 84 | — | — | — | 2 | 2 | 6 | 33 | 24 | 17 | 53 | — | — | — | — | — | 4 | 9 | 23 | 17 |
| | F | 109 | — | 1 | — | 2 | 2 | 9 | 20 | 35 | 40 | 80 | — | — | — | — | 2 | 7 | 12 | 24 | 35 |
| 17 Arterio-sclerosis | M | 18 | — | — | — | — | — | — | 4 | 7 | 7 | 13 | — | — | — | — | — | — | 5 | 4 | 4 |
| | F | 30 | — | — | — | — | — | 2 | 5 | 8 | 15 | 34 | — | — | — | — | — | — | 2 | 9 | 23 |
| 18 Bronchitis | M | 55 | 2 | — | 2 | — | 1 | 1 | 20 | 13 | 16 | 22 | 1 | — | — | — | — | — | 6 | 8 | 7 |
| | F | 71 | 4 | — | — | — | — | 1 | 9 | 19 | 38 | 29 | — | 1 | — | — | — | — | 3 | 8 | 17 |
| 19 Pneumonia (all forms) | M | 57 | 14 | 4 | 4 | 2 | 2 | 2 | 18 | 7 | 4 | 20 | 3 | 1 | 1 | 1 | 1 | 3 | 4 | 5 | 1 |
| | F | 46 | 15 | 4 | 1 | 1 | 1 | 4 | 6 | 7 | 7 | 33 | 5 | — | 1 | — | 2 | 6 | 2 | 3 | 14 |
| 20 Other respiratory diseases | M | 12 | — | — | — | — | 1 | 1 | 7 | 2 | 1 | 5 | — | — | — | — | 1 | — | 2 | — | 2 |
| | F | 9 | — | 1 | — | — | 1 | 3 | — | 3 | 1 | 10 | 1 | — | — | — | — | 1 | 2 | 2 | 4 |
| 21 Ulcer of stomach or duodenum | M | 9 | — | — | — | — | — | 2 | 6 | — | 1 | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | 4 | — | — | — | — | — | 1 | 3 | — | — | 2 | — | — | — | — | — | 1 | — | — | 1 |
| 22 Diarrhœa, &c. | M | 17 | 16 | — | — | — | — | 1 | — | — | — | 9 | 6 | 1 | — | — | — | — | 1 | 1 | — |
| | F | 11 | 9 | — | — | — | — | 1 | — | — | 1 | 10 | 3 | — | — | — | — | 1 | 3 | 1 | 2 |
| 23 Appendicitis and typhlitis | M | 5 | — | — | — | 2 | — | 1 | — | 1 | 1 | 6 | — | — | — | 2 | — | — | 4 | — | — |
| | F | 3 | — | — | — | 1 | — | — | 1 | — | 1 | 4 | — | — | — | 1 | — | 1 | 1 | — | 1 |
| 24 Cirrhosis of liver | M | 7 | — | — | — | — | — | — | 6 | 1 | — | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | 5 | — | — | — | — | — | 2 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 25 | — | — | — | — | — | 3 | 9 | 8 | 5 | 23 | 1 | — | — | — | — | — | 6 | 6 | 10 |
| | F | 24 | 1 | — | — | — | — | 4 | 10 | 7 | 2 | 17 | — | — | — | — | — | 2 | 4 | 6 | 5 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | — | — | 2 | 5 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 46 | 45 | 1 | — | — | — | — | — | — | — | 11 | 11 | — | — | — | — | — | — | — | — |
| | F | 26 | 25 | 1 | — | — | — | — | — | — | — | 8 | 7 | — | — | — | — | 1 | — | — | — |
| 29 Suicide | M | 5 | — | — | — | — | 1 | 1 | 3 | — | — | 10 | — | — | — | — | 1 | 4 | 3 | 2 | — |
| | F | 4 | — | — | — | — | — | — | 3 | — | 1 | 11 | — | — | — | — | 2 | 2 | 7 | — | — |
| 30 Other deaths from violence | M | 33 | 1 | — | — | 6 | 2 | 5 | 11 | 6 | 2 | 9 | — | 1 | — | 2 | 1 | — | 2 | 2 | 1 |
| | F | 13 | 2 | — | — | 2 | 1 | 2 | 2 | — | 4 | 15 | — | — | — | — | 1 | 2 | 4 | 1 | 7 |
| 31 Other defined diseases | M | 121 | 13 | 4 | 3 | 4 | 5 | 20 | 30 | 22 | 20 | 81 | 6 | — | 3 | 3 | 5 | 6 | 21 | 17 | 20 |
| | F | 134 | 9 | 2 | 1 | 5 | 2 | 14 | 21 | 27 | 53 | 96 | 5 | — | — | 3 | 3 | 10 | 26 | 13 | 36 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Holborn. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Islington. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 292 | 26 | 3 | 4 | 4 | 8 | 42 | 102 | 63 | 40 | 1984 | 254 | 45 | 52 | 52 | 65 | 258 | 628 | 352 | 278 |
| | F | 234 | 21 | 1 | 6 | 8 | 6 | 30 | 73 | 38 | 51 | 1953 | 222 | 49 | 42 | 55 | 78 | 221 | 437 | 373 | 476 |
| Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | M | 2 | — | 2 | — | — | — | — | — | — | — | 5 | — | — | 5 | — | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 12 | 2 | 7 | 2 | 1 | — | — | — | — | — |
| Scarlet fever | M | 1 | — | — | 1 | — | — | — | — | — | — | 8 | — | 2 | 4 | 1 | — | — | 1 | — | — |
| | F | 2 | — | — | 1 | 1 | — | — | — | — | — | 5 | — | — | 2 | 3 | — | — | — | — | — |
| Whooping cough | M | 2 | 1 | 1 | — | — | — | — | — | — | — | 14 | 7 | 3 | 4 | — | — | — | — | — | — |
| | F | 3 | 2 | — | 1 | — | — | — | — | — | — | 24 | 14 | 5 | 5 | — | — | — | — | — | — |
| Diphtheria | M | 1 | — | — | 1 | — | — | — | — | — | — | 12 | 1 | 4 | 6 | 1 | — | — | — | — | — |
| | F | 3 | — | — | 1 | 2 | — | — | — | — | — | 9 | 1 | 1 | 1 | 6 | — | — | — | — | — |
| Influenza | M | 1 | — | — | — | — | — | — | — | — | 1 | 34 | 2 | 1 | 2 | — | — | 6 | 16 | 3 | 4 |
| | F | — | — | — | — | — | — | — | — | — | — | 29 | — | — | — | 2 | 1 | 3 | 3 | 12 | 8 |
| Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | 1 | — | — | 1 | 1 | 1 | — |
| Meningococcal meningitis | M | 1 | 1 | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | 1 | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 5 | 3 | — | 1 | 1 | — | — | — | — | — |
| Tuberculosis of respiratory system | M | 32 | — | — | — | — | 2 | 8 | 15 | 6 | 1 | 209 | 1 | 3 | 1 | 3 | 25 | 90 | 77 | 8 | 1 |
| | F | 13 | — | — | — | — | 4 | 6 | 3 | — | — | 132 | 2 | 1 | 1 | 3 | 38 | 53 | 29 | 5 | — |
| Other tuberculous diseases | M | 2 | — | — | — | — | 2 | — | — | — | — | 35 | 3 | 4 | 3 | 9 | 5 | 2 | 6 | 2 | 1 |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 29 | 4 | 5 | 8 | 3 | 4 | 2 | 2 | — | 1 |
| Cancer, malignant disease | M | 24 | — | — | — | — | — | 2 | 11 | 9 | 2 | 210 | — | — | 1 | — | 2 | 16 | 113 | 54 | 24 |
| | F | 35 | — | — | — | — | — | 5 | 18 | 4 | 8 | 273 | — | 1 | — | — | 2 | 23 | 121 | 75 | 51 |
| Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 7 | — | — | — | 2 | 1 | 2 | 2 | — | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | 10 | — | — | — | 7 | 3 | — | — | — | — |
| Diabetes | M | 4 | — | — | — | — | — | — | 2 | 1 | 1 | 16 | — | — | — | — | — | 1 | 6 | 7 | 2 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 15 | — | — | — | — | — | 2 | 7 | 2 | 4 |
| Cerebral hæmorrhage, &c. | M | 11 | — | — | — | — | — | 2 | 4 | 4 | 1 | 71 | — | — | — | — | — | 1 | 25 | 18 | 27 |
| | F | 15 | — | — | — | — | — | — | 6 | 3 | 6 | 107 | — | — | — | — | 1 | 3 | 29 | 31 | 43 |
| Heart disease | M | 34 | 1 | — | — | — | 1 | 2 | 17 | 6 | 7 | 260 | 1 | — | — | 4 | 4 | 28 | 100 | 76 | 47 |
| | F | 36 | — | — | — | 1 | — | 5 | 13 | 8 | 9 | 338 | 1 | — | 1 | 4 | 7 | 33 | 91 | 97 | 104 |
| Arterio-sclerosis | M | 16 | — | — | — | — | — | — | 5 | 5 | 6 | 74 | — | — | — | — | — | 4 | 21 | 28 | 21 |
| | F | 10 | — | — | — | — | — | — | 1 | 3 | 6 | 44 | — | — | — | — | — | — | 12 | 13 | 19 |
| Bronchitis | M | 28 | — | — | — | — | — | 1 | 9 | 11 | 7 | 124 | 12 | 3 | — | 1 | 2 | 6 | 35 | 32 | 33 |
| | F | 23 | — | — | — | — | — | — | 4 | 8 | 11 | 138 | 6 | 1 | 2 | — | — | 3 | 17 | 38 | 71 |
| Pneumonia (all forms) | M | 29 | 4 | — | — | — | — | 6 | 12 | 4 | 3 | 173 | 29 | 8 | 9 | 4 | 2 | 24 | 58 | 25 | 14 |
| | F | 11 | 1 | — | 1 | — | — | 2 | 4 | 1 | 2 | 157 | 35 | 16 | 5 | 3 | 3 | 11 | 26 | 30 | 28 |
| Other respiratory diseases | M | 2 | 1 | — | — | — | — | — | 1 | — | — | 35 | 1 | — | 2 | — | 1 | 3 | 10 | 5 | 13 |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 28 | 1 | — | — | — | 1 | 3 | 4 | 7 | 12 |
| Ulcer of stomach or duodenum | M | 1 | — | — | — | — | — | — | 1 | — | — | 27 | — | — | — | 1 | 2 | 5 | 14 | 3 | 2 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 7 | — | — | — | — | 1 | 1 | — | 4 | 1 |
| Diarrhœa, &c. | M | 5 | 5 | — | — | — | — | — | — | — | — | 63 | 57 | 2 | 2 | 1 | — | — | — | — | 1 |
| | F | 5 | 3 | — | — | — | — | — | 2 | — | — | 57 | 39 | 5 | 1 | — | — | 3 | 3 | 1 | 5 |
| Appendicitis and typhlitis | M | 4 | — | — | — | 1 | — | 3 | — | — | — | 15 | — | 1 | 2 | 4 | 2 | 2 | 2 | 2 | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 15 | — | — | 1 | 6 | 2 | 2 | 3 | 1 | — |
| Cirrhosis of liver | M | 7 | — | — | — | — | — | 2 | 3 | 2 | — | 13 | — | — | — | — | — | 3 | 6 | 4 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 8 | — | — | — | — | — | 3 | 5 | — | — |
| Acute and chronic nephritis | M | 14 | — | — | — | 1 | 2 | 2 | 4 | 3 | 2 | 67 | 1 | — | — | — | 1 | 11 | 27 | 17 | 10 |
| | F | 12 | — | — | 1 | — | — | — | 7 | 4 | — | 55 | — | — | — | 1 | 1 | 8 | 21 | 13 | 11 |
| Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 10 | — | — | — | — | 3 | 7 | — | — | — |
| Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 7 | — | — | — | — | 1 | 6 | — | — | — |
| Congenital debility and malformation, premature birth | M | 6 | 6 | — | — | — | — | — | — | — | — | 99 | 97 | 2 | — | — | — | — | — | — | — |
| | F | 8 | 8 | — | — | — | — | — | — | — | — | 85 | 85 | — | — | — | — | — | — | — | — |
| Suicide | M | 8 | — | — | — | — | — | 4 | 3 | — | 1 | 26 | — | — | — | — | 2 | 7 | 13 | 4 | — |
| | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 11 | — | — | — | — | 1 | 3 | 7 | — | — |
| Other deaths from violence | M | 7 | 1 | — | — | 1 | — | 2 | 1 | 1 | 1 | 72 | 10 | 2 | 3 | 11 | 6 | 8 | 17 | 11 | 4 |
| | F | 9 | 1 | 1 | — | — | — | 2 | 2 | 2 | 1 | 34 | 1 | 2 | 5 | 5 | 2 | 4 | 5 | 6 | 4 |
| Other defined diseases | M | 50 | 6 | — | 2 | 1 | 1 | 8 | 14 | 11 | 7 | 311 | 31 | 10 | 8 | 10 | 9 | 39 | 77 | 53 | 74 |
| | F | 32 | 4 | — | 1 | 3 | — | 5 | 6 | 5 | 8 | 305 | 28 | 5 | 6 | 10 | 7 | 47 | 51 | 37 | 114 |
| Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Kensington. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Lambeth. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 1001 | 106 | 32 | 17 | 24 | 43 | 100 | 293 | 194 | 192 | 1830 | 200 | 49 | 47 | 47 | 74 | 221 | 546 | 375 | 27 |
| | F | 1222 | 112 | 34 | 12 | 17 | 32 | 156 | 281 | 225 | 353 | 1757 | 166 | 41 | 40 | 42 | 77 | 201 | 423 | 327 | 44 |
| 1 Enteric fever .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 10 | 3 | 6 | 1 | — | — | — | — | — | — | 13 | 5 | 5 | 3 | — | — | — | — | — | — |
| | F | 8 | 1 | 5 | 2 | — | — | — | — | — | — | 9 | 1 | 3 | 5 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 6 | — | — | 6 | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 7 | — | — | 3 | 2 | — | 2 | — | — | — |
| 5 Whooping cough .. | M | 11 | 6 | 4 | — | 1 | — | — | — | — | — | 4 | 3 | 1 | — | — | — | — | — | — | — |
| | F | 13 | 7 | 4 | 1 | 1 | — | — | — | — | — | 10 | 4 | 4 | 2 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 6 | 1 | 1 | 1 | 3 | — | — | — | — | — | 15 | 1 | 1 | 4 | 9 | — | — | — | — | — |
| | F | 8 | — | 2 | 3 | 2 | 1 | — | — | — | — | 32 | — | 1 | 14 | 16 | — | 1 | — | — | — |
| 7 Influenza .. .. | M | 16 | — | 1 | — | — | — | 3 | 5 | 2 | 5 | 18 | — | — | — | — | 3 | 2 | 10 | 2 | |
| | F | 31 | — | — | — | — | — | 2 | 9 | 9 | 11 | 24 | 1 | — | — | — | 4 | 2 | 5 | 8 | |
| 8 Encephalitis lethargica .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — | 2 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 69 | — | — | — | — | 10 | 26 | 27 | 5 | 1 | 170 | — | — | 1 | 1 | 30 | 75 | 58 | 4 | |
| | F | 52 | — | 2 | — | 2 | 10 | 25 | 11 | 1 | 1 | 130 | — | 1 | — | 4 | 43 | 59 | 19 | 4 | — |
| 11 Other tuberculous diseases .. .. | M | 21 | 2 | 2 | 4 | 5 | 6 | 2 | — | — | — | 23 | 2 | 2 | 3 | 3 | 2 | 7 | 3 | 1 | — |
| | F | 17 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | — | — | 21 | 4 | 1 | 1 | 3 | 3 | 6 | 2 | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 110 | — | — | — | — | 1 | 9 | 49 | 32 | 19 | 204 | — | — | 1 | — | — | 16 | 98 | 65 | 2 |
| | F | 168 | — | — | — | — | 1 | 18 | 78 | 36 | 35 | 227 | — | — | 1 | 1 | 3 | 20 | 100 | 69 | 3 |
| 13 Rheumatic fever .. | M | 2 | — | — | — | 2 | — | — | — | — | — | 10 | — | — | — | 5 | 2 | 3 | — | — | — |
| | F | 2 | — | — | 1 | 1 | — | — | — | — | — | 9 | — | — | — | 1 | 2 | 3 | 2 | 1 | — |
| 14 Diabetes .. .. | M | 11 | — | — | — | — | — | — | 4 | 5 | 2 | 13 | — | — | — | — | — | — | 6 | 5 | |
| | F | 12 | — | — | — | — | — | 1 | 2 | 3 | 6 | 16 | — | — | — | — | — | 3 | 10 | 2 | |
| 15 Cerebral hæmorrhage, &c. .. | M | 45 | — | — | — | — | — | 3 | 16 | 14 | 12 | 75 | — | 1 | — | — | — | 2 | 22 | 32 | 1 |
| | F | 79 | — | — | — | — | — | 2 | 25 | 16 | 36 | 111 | — | 1 | — | — | — | 2 | 28 | 34 | 4 |
| 16 Heart disease .. | M | 134 | — | — | — | — | 6 | 8 | 40 | 46 | 34 | 232 | 1 | — | 1 | 5 | 8 | 23 | 77 | 67 | 5 |
| | F | 188 | — | — | — | 2 | 3 | 21 | 40 | 42 | 80 | 265 | — | — | — | 2 | 6 | 28 | 69 | 73 | 8 |
| 17 Arterio-sclerosis .. | M | 49 | — | — | — | — | — | 1 | 17 | 13 | 18 | 61 | — | — | — | — | — | — | 16 | 16 | 2 |
| | F | 60 | — | — | — | — | — | — | 8 | 21 | 31 | 55 | — | — | — | — | — | — | 9 | 13 | 3 |
| 18 Bronchitis .. | M | 70 | 4 | — | — | — | — | 1 | 20 | 17 | 28 | 113 | 7 | — | — | 1 | 1 | 7 | 22 | 44 | 3 |
| | F | 84 | 5 | 1 | 1 | — | — | 1 | 13 | 25 | 38 | 139 | 8 | — | — | 1 | — | 2 | 38 | 35 | 5 |
| 19 Pneumonia (all forms) .. .. | M | 96 | 23 | 10 | 7 | 2 | 2 | 8 | 19 | 14 | 11 | 180 | 27 | 25 | 9 | 2 | 3 | 18 | 54 | 25 | 1 |
| | F | 117 | 27 | 10 | 2 | 1 | 1 | 15 | 10 | 16 | 35 | 115 | 22 | 12 | 4 | 3 | — | 10 | 26 | 8 | 3 |
| 20 Other respiratory diseases .. .. | M | 16 | 2 | 1 | 1 | — | — | 2 | 4 | 3 | 3 | 23 | 2 | — | 1 | — | — | 2 | 10 | 5 | |
| | F | 19 | 1 | — | — | 2 | — | 1 | 2 | 5 | 8 | 32 | 5 | 2 | — | — | 1 | 4 | 6 | 5 | |
| 21 Ulcer of stomach or duodenum .. | M | 15 | — | — | — | — | — | 3 | 10 | 2 | — | 21 | — | — | — | — | — | 4 | 12 | 4 | |
| | F | 9 | — | — | — | — | — | 2 | 4 | 3 | — | 6 | — | — | — | — | — | 2 | 3 | — | |
| 22 Diarrhœa, &c. .. | M | 26 | 19 | 2 | — | — | — | 1 | 2 | 1 | 1 | 36 | 22 | 10 | 1 | — | — | — | 2 | — | |
| | F | 34 | 24 | 2 | — | 1 | — | — | 5 | — | 2 | 36 | 21 | 5 | — | — | — | 2 | 2 | — | |
| 23 Appendicitis and typhlitis.. .. | M | 10 | — | — | — | 1 | — | 2 | 4 | 3 | — | 18 | — | 1 | — | 2 | 4 | 2 | 6 | 3 | — |
| | F | 7 | — | — | — | 1 | — | 1 | 2 | 3 | — | 11 | — | 1 | 1 | 2 | 2 | 1 | 3 | 1 | — |
| 24 Cirrhosis of liver .. | M | 5 | — | — | — | — | — | — | 5 | — | — | 17 | — | — | — | — | — | 1 | 9 | 6 | |
| | F | 10 | — | — | — | — | — | 2 | 7 | 1 | — | 6 | — | — | — | — | — | — | 3 | 2 | |
| 25 Acute and chronic nephritis .. | M | 25 | — | — | — | 1 | 1 | 3 | 7 | 7 | 6 | 54 | 1 | — | — | 1 | 2 | 9 | 20 | 15 | |
| | F | 22 | — | — | — | — | 2 | 5 | 7 | 7 | 1 | 47 | — | — | — | — | 1 | 7 | 22 | 13 | |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 12 | — | — | — | — | 1 | 10 | 1 | — | — | 7 | — | — | — | — | — | 6 | 1 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 10 | — | — | — | — | 1 | 8 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 33 | 32 | — | — | — | 1 | — | — | — | — | 98 | 95 | — | — | — | 3 | — | — | — | — |
| | F | 33 | 33 | — | — | — | — | — | — | — | — | 67 | 67 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 18 | — | — | — | — | 3 | 4 | 7 | 2 | 2 | 36 | — | — | — | — | 1 | 8 | 21 | 4 | |
| | F | 6 | — | — | — | — | 1 | 2 | 3 | — | — | 14 | — | — | — | — | 1 | 4 | 6 | 2 | |
| 30 Other deaths from violence.. .. | M | 36 | 3 | 3 | — | 7 | 4 | 4 | 10 | 1 | 4 | 73 | 3 | — | 8 | 3 | 6 | 12 | 24 | 10 | |
| | F | 36 | 1 | 2 | 1 | 2 | 4 | 3 | 5 | 10 | 8 | 44 | 5 | 3 | 3 | 2 | 2 | 3 | 10 | 9 | |
| 31 Other defined diseases .. .. | M | 163 | 11 | 2 | 3 | 2 | 9 | 18 | 46 | 26 | 46 | 311 | 30 | 3 | 7 | 15 | 7 | 30 | 75 | 67 | 7 |
| | F | 189 | 11 | 5 | — | — | 4 | 38 | 43 | 27 | 61 | 303 | 27 | 6 | 5 | 5 | 7 | 26 | 58 | 47 | 12 |
| 32 Causes ill-defined or unknown .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Lewisham. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Paddington. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 895 | 107 | 16 | 22 | 34 | 42 | 94 | 256 | 152 | 172 | 821 | 109 | 18 | 18 | 17 | 22 | 95 | 239 | 173 | 130 |
| | F | 971 | 50 | 14 | 28 | 20 | 44 | 113 | 216 | 179 | 307 | 902 | 72 | 20 | 17 | 20 | 23 | 87 | 226 | 188 | 249 |
| Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | M | 1 | — | — | 1 | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Scarlet fever | M | 4 | — | — | 2 | 2 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 3 | — | — | 2 | 1 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Whooping cough | M | 1 | 1 | — | — | — | — | — | — | — | — | 9 | 7 | 1 | 1 | — | — | — | — | — | — |
| | F | 6 | — | 1 | 4 | 1 | — | — | — | — | — | 15 | 10 | 2 | 3 | — | — | — | — | — | — |
| Diphtheria | M | 13 | — | 1 | 5 | 7 | — | — | — | — | — | 6 | 1 | 1 | 3 | 1 | — | — | — | — | — |
| | F | 14 | 1 | — | 7 | 5 | — | 1 | — | — | — | 8 | — | 1 | 2 | 5 | — | — | — | — | — |
| Influenza | M | 16 | — | — | — | — | 1 | 5 | 7 | 2 | 1 | 14 | — | — | — | — | — | 3 | 5 | 4 | 2 |
| | F | 14 | — | — | — | 1 | — | 2 | 3 | 4 | 4 | 18 | — | — | — | — | — | 6 | 5 | 3 | 4 |
| Encephalitis lethargica | M | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Tuberculosis of respiratory system | M | 78 | — | — | — | 1 | 16 | 34 | 23 | 3 | 1 | 51 | — | — | — | — | 7 | 24 | 19 | 1 | — |
| | F | 58 | 1 | — | — | — | 19 | 24 | 12 | 2 | — | 48 | — | 2 | — | — | 7 | 24 | 11 | 4 | — |
| Other tuberculous diseases | M | 18 | 1 | 6 | 3 | 3 | 2 | 2 | 1 | — | — | 13 | 4 | — | 1 | 2 | 1 | 3 | 2 | — | — |
| | F | 14 | — | 2 | 1 | 2 | 5 | 1 | 2 | 1 | — | 14 | 1 | 1 | — | 4 | 3 | 2 | 1 | — | 2 |
| Cancer, malignant disease | M | 108 | — | — | — | — | 2 | 5 | 57 | 26 | 18 | 82 | — | — | — | 1 | — | 6 | 36 | 25 | 14 |
| | F | 153 | — | — | — | — | 1 | 15 | 68 | 35 | 34 | 128 | — | — | — | — | — | 11 | 57 | 38 | 22 |
| Rheumatic fever | M | 2 | — | — | — | — | — | 1 | — | 1 | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | F | 3 | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Diabetes | M | 8 | — | — | — | — | — | — | 3 | 3 | 2 | 6 | — | — | — | — | — | — | 2 | 4 | — |
| | F | 8 | — | — | — | — | 1 | 2 | 3 | 1 | 1 | 4 | — | — | — | — | — | 1 | 1 | 1 | 1 |
| Cerebral hæmorrhage, &c. | M | 37 | — | — | — | — | — | 4 | 5 | 16 | 12 | 18 | — | — | — | — | — | 1 | 8 | 5 | 4 |
| | F | 70 | — | — | — | — | — | 3 | 18 | 16 | 33 | 56 | — | — | — | — | — | — | 13 | 18 | 25 |
| Heart disease | M | 110 | — | — | — | 5 | 2 | 8 | 39 | 29 | 27 | 109 | — | — | — | — | 1 | 11 | 42 | 32 | 23 |
| | F | 117 | — | — | — | 2 | 3 | 6 | 30 | 33 | 43 | 131 | — | — | — | — | 4 | 6 | 38 | 42 | 41 |
| Arterio-sclerosis | M | 48 | — | — | — | — | — | 1 | 18 | 13 | 16 | 60 | — | — | — | — | — | — | 12 | 18 | 30 |
| | F | 40 | — | — | — | — | — | — | 6 | 8 | 26 | 77 | — | — | — | — | — | — | 6 | 28 | 43 |
| Bronchitis | M | 52 | 3 | 2 | 1 | — | — | 1 | 10 | 12 | 23 | 52 | 5 | 1 | 1 | 1 | 1 | 2 | 12 | 15 | 14 |
| | F | 82 | 3 | — | 1 | 1 | — | — | 6 | 16 | 55 | 64 | 5 | 1 | 1 | — | — | — | 4 | 14 | 39 |
| Pneumonia (all forms) | M | 61 | 9 | 2 | 3 | — | 4 | 6 | 21 | 9 | 7 | 83 | 17 | 4 | 6 | 3 | 3 | 8 | 24 | 10 | 8 |
| | F | 62 | 6 | 6 | 5 | 1 | 1 | 3 | 14 | 13 | 13 | 69 | 10 | 7 | 4 | — | 1 | 6 | 13 | 13 | 15 |
| Other respiratory diseases | M | 10 | — | 1 | — | — | — | 2 | 1 | 3 | 3 | 12 | 3 | — | — | — | — | 2 | 4 | 2 | 1 |
| | F | 12 | — | — | — | — | — | 1 | 5 | 4 | 2 | 5 | — | — | — | — | — | — | 2 | 2 | 1 |
| Ulcer of stomach or duodenum | M | 10 | — | — | — | — | — | 2 | 7 | 1 | — | 12 | — | — | — | — | — | 2 | 4 | 5 | 1 |
| | F | 5 | — | — | — | — | — | 1 | 3 | — | 1 | 4 | — | — | — | — | — | — | 4 | — | — |
| Diarrhœa, &c. | M | 23 | 21 | — | — | — | 1 | — | — | — | 1 | 13 | 8 | 3 | — | — | — | — | 1 | 1 | — |
| | F | 16 | 7 | 1 | 1 | — | — | 2 | 1 | 2 | 2 | 19 | 10 | 1 | 1 | 1 | 1 | 2 | 2 | — | 1 |
| Appendicitis and typhlitis | M | 13 | — | — | — | 5 | 3 | — | 4 | — | 1 | 6 | — | — | — | — | 3 | 3 | — | — | — |
| | F | 11 | — | — | — | 1 | 2 | 5 | 1 | 1 | 1 | 6 | — | — | — | — | 1 | 3 | 1 | 1 | — |
| Cirrhosis of liver | M | 4 | — | — | — | — | — | 1 | 3 | — | — | 7 | — | — | — | — | — | — | 6 | 1 | — |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | 7 | — | — | — | — | — | — | 4 | 1 | 2 |
| Acute and chronic nephritis | M | 24 | — | — | — | 1 | 1 | 1 | 10 | 6 | 5 | 25 | — | 1 | — | — | 1 | 2 | 7 | 11 | 3 |
| | F | 32 | — | — | 1 | 1 | — | 8 | 7 | 9 | 6 | 15 | — | — | — | — | — | 1 | 5 | 3 | 6 |
| Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | 2 | 2 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 9 | — | — | — | — | 4 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Congenital debility and malformation, premature birth | M | 47 | 45 | 1 | 1 | — | — | — | — | — | — | 48 | 45 | — | — | 1 | — | — | 2 | — | — |
| | F | 17 | 17 | — | — | — | — | — | — | — | — | 23 | 23 | — | — | — | — | — | — | — | — |
| Suicide | M | 11 | — | — | — | — | — | 2 | 5 | 1 | 3 | 16 | — | — | — | — | — | 4 | 4 | 6 | 2 |
| | F | 8 | — | — | — | — | 2 | 4 | 2 | — | — | 6 | — | — | — | — | — | 3 | 3 | — | — |
| Other deaths from violence | M | 25 | — | 1 | 1 | 4 | 2 | 4 | 8 | — | 5 | 33 | 1 | 1 | 4 | 4 | 1 | 6 | 7 | 5 | 4 |
| | F | 16 | 2 | 1 | — | 1 | — | 4 | 1 | 3 | 4 | 26 | 2 | 2 | 1 | 4 | 2 | 3 | 6 | 3 | 3 |
| Other defined diseases | M | 170 | 27 | 2 | 5 | 6 | 8 | 14 | 34 | 27 | 47 | 137 | 16 | 4 | 1 | 2 | 4 | 18 | 40 | 28 | 24 |
| | F | 188 | 13 | 2 | 5 | 2 | 3 | 19 | 32 | 30 | 82 | 153 | 11 | 3 | 3 | 6 | 3 | 17 | 49 | 17 | 44 |
| Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923 (Civilian population only).

| | Causes of Death. | Sex. | Poplar. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | St. Marylebone. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Causes .. | M | 1046 | 156 | 51 | 35 | 41 | 44 | 140 | 287 | 168 | 124 | 601 | 61 | 14 | 8 | 11 | 21 | 70 | 202 | 119 | 9 |
| | | F | 833 | 99 | 29 | 20 | 33 | 60 | 101 | 187 | 147 | 157 | 651 | 53 | 14 | 8 | 13 | 26 | 72 | 169 | 144 | 15 |
| 1 | Enteric fever .. | M | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | | F | 2 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles .. .. | M | 16 | 3 | 9 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 6 | 2 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 | Scarlet fever .. | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | | F | 4 | 1 | 2 | 1 | — | — | — | — | — | — | 2 | — | 1 | — | — | 1 | — | — | — | — |
| 5 | Whooping cough .. | M | 4 | 2 | 1 | 1 | — | — | — | — | — | — | 5 | 3 | 1 | 1 | — | — | — | — | — | — |
| | | F | 4 | 1 | 3 | — | — | — | — | — | — | — | 15 | 6 | 8 | 1 | — | — | — | — | — | — |
| 6 | Diphtheria .. | M | 16 | 2 | 2 | 6 | 6 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | | F | 14 | — | 1 | 4 | 9 | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 7 | Influenza .. .. | M | 11 | 1 | — | — | — | 1 | 1 | 3 | 4 | 1 | 7 | — | — | — | — | — | — | 2 | 2 | [illegible] |
| | | F | 13 | — | — | — | — | 2 | 2 | 4 | 4 | 1 | 16 | — | — | 1 | — | — | 3 | 1 | 7 | [illegible] |
| 8 | Encephalitis lethargica .. | M | 2 | — | — | 1 | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 | Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 101 | 2 | 1 | 1 | 2 | 11 | 51 | 29 | 4 | — | 53 | 1 | — | 1 | — | 3 | 25 | 17 | 6 | — |
| | | F | 67 | 1 | 1 | 1 | 3 | 31 | 22 | 7 | 1 | — | 44 | — | — | 1 | 4 | 10 | 18 | 10 | 1 | — |
| 11 | Other tuberculous diseases .. .. | M | 17 | 1 | 6 | 7 | 1 | 1 | — | 1 | — | — | 7 | — | 2 | 1 | 2 | 2 | — | — | — | — |
| | | F | 13 | 1 | 3 | 1 | 3 | 1 | 3 | 1 | — | — | 12 | 2 | 1 | 2 | 3 | 1 | — | 2 | — | |
| 12 | Cancer, malignant disease .. .. | M | 114 | — | — | — | 3 | — | 4 | 62 | 32 | 13 | 67 | — | — | — | — | 1 | 5 | 34 | 17 | 1[illegible] |
| | | F | 91 | — | — | — | — | 1 | 13 | 41 | 24 | 12 | 98 | — | — | — | — | 1 | 12 | 43 | 29 | 1[illegible] |
| 13 | Rheumatic fever .. | M | 6 | — | — | — | 2 | 3 | 1 | — | — | — | 4 | — | — | 1 | 1 | 1 | — | 1 | — | — |
| | | F | 6 | — | — | — | 2 | 2 | 2 | — | — | — | 4 | — | — | — | 3 | 1 | — | — | — | — |
| 14 | Diabetes .. .. | M | 4 | — | — | — | — | — | — | 3 | 1 | — | 8 | — | — | — | — | — | 1 | 3 | 4 | — |
| | | F | 6 | — | — | — | 1 | — | — | 3 | — | 2 | 6 | — | — | — | — | — | — | 4 | — | [illegible] |
| 15 | Cerebral hæmorrhage, &c. .. | M | 20 | — | — | — | — | — | 1 | 8 | 9 | 2 | 28 | — | — | — | — | 1 | — | 8 | 10 | [illegible] |
| | | F | 26 | — | — | — | — | — | 2 | 9 | 14 | 1 | 41 | — | — | — | — | — | 2 | 10 | 12 | 1 |
| 16 | Heart disease .. | M | 124 | — | — | 1 | 1 | 7 | 8 | 44 | 34 | 29 | 62 | — | — | — | 1 | 2 | 5 | 21 | 17 | 1[illegible] |
| | | F | 126 | — | — | — | 2 | 8 | 18 | 41 | 28 | 29 | 94 | — | — | — | — | 2 | 8 | 26 | 35 | 2[illegible] |
| 17 | Arterio-sclerosis .. | M | 34 | — | — | — | — | — | — | 11 | 9 | 14 | 27 | — | — | — | — | — | — | 8 | 10 | [illegible] |
| | | F | 50 | — | — | — | — | — | — | 7 | 16 | 27 | 13 | — | — | — | — | — | — | 3 | 4 | [illegible] |
| 18 | Bronchitis .. | M | 90 | 5 | 1 | — | 1 | 1 | 4 | 25 | 25 | 28 | 54 | — | 1 | — | — | — | 2 | 13 | 14 | 2[illegible] |
| | | F | 93 | 4 | 2 | 1 | — | — | 4 | 23 | 19 | 40 | 56 | — | — | — | — | — | 2 | 7 | 14 | 3[illegible] |
| 19 | Pneumonia (all forms) .. .. | M | 121 | 26 | 18 | 9 | 4 | 2 | 22 | 26 | 10 | 4 | 49 | 7 | 5 | — | — | 3 | 1 | 18 | 10 | [illegible] |
| | | F | 64 | 18 | 9 | 6 | 2 | 2 | 11 | 3 | 9 | 4 | 45 | 9 | 3 | 1 | — | — | 4 | 13 | 5 | 1[illegible] |
| 20 | Other respiratory diseases .. .. | M | 20 | 1 | 1 | 1 | — | 3 | 2 | 7 | 3 | 2 | 14 | 1 | 2 | — | — | — | 2 | 5 | 3 | |
| | | F | 3 | — | 1 | — | — | — | — | 1 | 1 | — | 6 | — | — | — | — | 1 | 1 | 3 | 1 | — |
| 21 | Ulcer of stomach or duodenum .. | M | 12 | — | — | — | — | — | 5 | 4 | 3 | — | 9 | — | — | — | — | 1 | 2 | 5 | 1 | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 22 | Diarrhœa, &c. .. | M | 27 | 21 | 2 | — | — | — | 2 | 2 | — | — | 6 | 5 | 1 | — | — | — | — | — | — | — |
| | | F | 18 | 11 | 1 | — | 1 | — | 2 | 1 | 2 | — | 11 | 9 | — | — | — | — | 1 | — | 1 | — |
| 23 | Appendicitis and typhlitis.. .. | M | 8 | — | — | — | 4 | — | 3 | — | 1 | — | 4 | — | — | — | — | — | 1 | 2 | — | |
| | | F | 6 | — | — | 1 | 1 | 3 | — | 1 | — | — | 4 | — | — | — | — | — | — | 2 | 1 | |
| 24 | Cirrhosis of liver .. | M | 5 | — | — | — | — | — | 1 | 3 | 1 | — | 3 | — | — | — | — | — | — | 3 | — | — |
| | | F | 2 | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 25 | Acute and chronic nephritis .. | M | 15 | — | — | — | — | — | 3 | 6 | 3 | 3 | 20 | — | — | — | — | — | 3 | 11 | 4 | [illegible] |
| | | F | 27 | — | — | — | 1 | — | 4 | 12 | 9 | 1 | 21 | — | — | — | — | 1 | 1 | 10 | 5 | [illegible] |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 7 | — | — | — | — | 3 | 4 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 7 | — | — | — | — | 1 | 6 | — | — | — | 4 | — | — | — | — | 2 | 1 | 1 | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 73 | 71 | 2 | — | — | — | — | — | — | — | 29 | 29 | — | — | — | — | — | — | — | — |
| | | F | 45 | 45 | — | — | — | — | — | — | — | — | 20 | 20 | — | — | — | — | — | — | — | — |
| 29 | Suicide .. .. | M | 11 | — | — | — | — | — | 2 | 7 | 1 | 1 | 15 | — | — | — | — | 2 | 5 | 6 | 2 | — |
| | | F | 6 | — | — | — | — | — | 1 | 3 | 2 | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 30 | Other deaths from violence.. .. | M | 59 | 3 | 3 | 1 | 11 | 8 | 12 | 14 | 6 | 1 | 20 | 3 | 1 | 1 | 1 | 2 | 5 | 5 | 2 | — |
| | | F | 22 | 2 | 1 | 3 | 3 | — | 1 | 2 | 2 | 8 | 22 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 5 | [illegible] |
| 31 | Other defined diseases .. .. | M | 134 | 18 | 5 | 2 | 5 | 6 | 18 | 32 | 22 | 26 | 106 | 12 | 1 | 1 | 5 | 3 | 13 | 39 | 17 | 1[illegible] |
| | | F | 101 | 12 | 1 | 1 | 3 | 5 | 5 | 26 | 16 | 32 | 107 | 6 | — | 1 | 2 | 4 | 13 | 27 | 22 | 3[illegible] |
| 32 | Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | St. Pancras. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Shoreditch. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 1387 | 159 | 34 | 44 | 34 | 44 | 173 | 440 | 261 | 198 | 726 | 138 | 30 | 21 | 23 | 33 | 107 | 220 | 102 | 52 |
| | F | 1211 | 114 | 33 | 26 | 34 | 46 | 135 | 315 | 239 | 269 | 667 | 99 | 29 | 27 | 27 | 36 | 85 | 164 | 105 | 95 |
| Enteric fever | M | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Measles | M | 3 | 1 | 2 | — | — | — | — | — | — | — | 7 | 3 | 1 | 3 | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 15 | 1 | 6 | 8 | — | — | — | — | — | — |
| Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 2 | — | — | 1 | 1 | — | — | — | — | — | 5 | — | — | 3 | 2 | — | — | — | — | — |
| Whooping cough | M | 10 | 2 | 5 | 3 | — | — | — | — | — | — | 3 | — | 2 | 1 | — | — | — | — | — | — |
| | F | 18 | 6 | 9 | 2 | 1 | — | — | — | — | — | 7 | 5 | 2 | — | — | — | — | — | — | — |
| Diphtheria | M | 10 | — | — | 6 | 4 | — | — | — | — | — | 5 | — | 4 | 1 | — | — | — | — | — | — |
| | F | 10 | — | 3 | 3 | 4 | — | — | — | — | — | 8 | 2 | — | 5 | 1 | — | — | — | — | — |
| Influenza | M | 10 | — | — | 1 | — | — | 1 | 6 | 1 | 1 | 6 | 2 | — | — | — | — | — | 2 | 1 | 1 |
| | F | 13 | — | 1 | — | — | — | 3 | 2 | 4 | 3 | 8 | 1 | 1 | — | — | — | 1 | 2 | 2 | 1 |
| Encephalitis lethargica | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| Meningococcal meningitis | M | 2 | 1 | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Tuberculosis of respiratory system | M | 142 | — | — | 1 | — | 17 | 62 | 56 | 6 | — | 78 | 1 | — | — | 2 | 10 | 34 | 29 | 2 | — |
| | F | 80 | 1 | — | — | 3 | 19 | 36 | 19 | 1 | 1 | 67 | — | — | 1 | 2 | 15 | 37 | 9 | 2 | 1 |
| Other tuberculous diseases | M | 30 | 3 | 3 | 6 | 5 | 7 | 2 | 2 | 1 | 1 | 14 | 4 | — | 4 | 4 | — | 1 | 1 | — | — |
| | F | 24 | 3 | 2 | 6 | 4 | 2 | 2 | 3 | 1 | 1 | 12 | 2 | — | 3 | 4 | 1 | 2 | — | — | — |
| Cancer, malignant disease | M | 163 | — | — | — | 1 | — | 10 | 86 | 49 | 17 | 56 | — | — | 1 | — | 1 | 8 | 31 | 13 | 2 |
| | F | 161 | — | — | — | — | — | 14 | 86 | 37 | 24 | 75 | — | — | — | — | 2 | 4 | 38 | 17 | 14 |
| Rheumatic fever | M | 3 | — | — | — | 1 | — | — | 2 | — | — | 4 | — | — | — | 2 | 1 | — | 1 | — | — |
| | F | 2 | — | — | — | 1 | 1 | — | — | — | — | 3 | — | — | 1 | 1 | 1 | — | — | — | — |
| Diabetes | M | 5 | — | — | — | 1 | — | 1 | 2 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 11 | — | — | — | — | 1 | 2 | 4 | 3 | 1 | 4 | — | — | — | — | — | — | 4 | — | — |
| Cerebral hæmorrhage, &c. | M | 65 | — | — | — | — | — | 4 | 21 | 27 | 13 | 15 | — | — | — | — | — | 3 | 6 | 3 | 3 |
| | F | 60 | — | — | — | — | — | 1 | 22 | 17 | 20 | 28 | — | — | — | — | — | 2 | 9 | 11 | 6 |
| Heart disease | M | 171 | — | — | 1 | 3 | 4 | 12 | 63 | 50 | 38 | 55 | — | — | — | 2 | 4 | 7 | 20 | 15 | 7 |
| | F | 223 | — | — | — | 5 | 5 | 12 | 55 | 60 | 86 | 93 | — | — | — | 5 | 5 | 11 | 30 | 18 | 24 |
| Arterio-sclerosis | M | 39 | — | — | — | — | — | 2 | 14 | 16 | 7 | 41 | — | — | — | — | — | — | 9 | 20 | 12 |
| | F | 39 | — | — | — | — | — | 1 | 7 | 13 | 18 | 33 | — | — | — | — | — | — | 14 | 9 | 10 |
| Bronchitis | M | 120 | 6 | 1 | 1 | 1 | — | 4 | 31 | 34 | 42 | 71 | 10 | 1 | — | — | — | 9 | 20 | 15 | 16 |
| | F | 104 | 7 | 1 | 2 | — | — | 3 | 23 | 36 | 32 | 60 | 8 | 1 | — | — | — | — | 16 | 15 | 20 |
| Pneumonia (all forms) | M | 127 | 17 | 12 | 12 | 3 | 4 | 15 | 38 | 13 | 13 | 100 | 26 | 12 | 4 | 3 | 4 | 12 | 32 | 7 | — |
| | F | 93 | 17 | 12 | 3 | 2 | 3 | 6 | 22 | 18 | 10 | 62 | 13 | 12 | 4 | 3 | 4 | 6 | 8 | 7 | 5 |
| Other respiratory diseases | M | 20 | 2 | — | — | — | — | 2 | 5 | 7 | 4 | 8 | — | 1 | 1 | — | — | 1 | 4 | 1 | — |
| | F | 13 | — | — | — | — | — | 1 | 3 | 6 | 3 | 6 | — | — | — | — | — | 2 | 3 | 1 | — |
| Ulcer of stomach or duodenum | M | 18 | — | — | — | — | — | 5 | 9 | 4 | — | 7 | — | — | — | — | — | — | 7 | — | — |
| | F | 10 | — | — | — | — | 1 | 4 | 4 | 1 | — | 4 | — | — | — | — | — | 2 | 2 | — | — |
| Diarrhœa, &c. | M | 37 | 24 | 5 | — | — | — | 1 | 3 | 2 | 2 | 27 | 22 | 2 | — | — | — | 1 | 1 | — | 1 |
| | F | 27 | 17 | 4 | — | — | — | 1 | 1 | 2 | 2 | 13 | 11 | 2 | — | — | — | — | — | — | — |
| Appendicitis and typhlitis | M | 1 | — | — | — | — | 1 | — | — | — | — | 8 | 1 | — | 1 | 2 | 2 | 2 | — | — | — |
| | F | 6 | — | — | 1 | — | 1 | 2 | 2 | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| Cirrhosis of liver | M | 10 | — | — | — | — | — | — | 8 | 2 | — | 3 | — | — | — | — | — | — | 3 | — | — |
| | F | 9 | — | — | — | — | — | 2 | 5 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| Acute and chronic nephritis | M | 32 | — | — | — | — | 1 | 8 | 13 | 5 | 5 | 33 | — | — | 1 | — | 1 | 4 | 14 | 11 | 2 |
| | F | 33 | — | — | 1 | 1 | — | 8 | 10 | 7 | 6 | 27 | — | 1 | — | — | 2 | 4 | 7 | 9 | 4 |
| Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 9 | — | — | — | — | 5 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | 1 | 3 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| Congenital debility and malformation, premature birth | M | 77 | 76 | — | — | 1 | — | — | — | — | — | 51 | 51 | — | — | — | — | — | — | — | — |
| | F | 47 | 47 | — | — | — | — | — | — | — | — | 46 | 44 | 1 | — | — | 1 | — | — | — | — |
| Suicide | M | 24 | — | — | — | — | 1 | 10 | 9 | 2 | 2 | 9 | — | — | — | — | 1 | 4 | 3 | 1 | — |
| | F | 11 | — | — | — | — | 1 | 5 | 4 | 1 | — | 4 | — | — | — | — | 2 | 1 | 1 | — | — |
| Other deaths from violence | M | 59 | 6 | — | 6 | 6 | 4 | 12 | 14 | 7 | 4 | 24 | — | 3 | 2 | 2 | 4 | 2 | 8 | 2 | 1 |
| | F | 31 | 4 | — | 2 | 5 | — | 3 | 7 | 4 | 6 | 18 | 3 | 2 | — | 2 | — | 1 | 3 | 4 | 3 |
| Other defined diseases | M | 206 | 21 | 6 | 6 | 7 | 5 | 20 | 58 | 34 | 49 | 97 | 17 | 4 | 1 | 5 | 5 | 19 | 28 | 11 | 7 |
| | F | 165 | 12 | — | 4 | 7 | 6 | 21 | 33 | 26 | 56 | 60 | 8 | 1 | 1 | 7 | 2 | 7 | 17 | 10 | 7 |
| Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Southwark. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Stepney. All Ages | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 1333 | 182 | 47 | 35 | 43 | 52 | 189 | 407 | 219 | 159 | 1632 | 212 | 62 | 42 | 50 | 72 | 204 | 529 | 271 | 190 |
| | F | 1103 | 136 | 50 | 46 | 41 | 69 | 128 | 248 | 196 | 189 | 1350 | 160 | 41 | 39 | 47 | 67 | 178 | 351 | 259 | 208 |
| 1 Enteric fever | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 5 | 1 | 1 | 3 | — | — | — | — | — | — | 45 | 19 | 21 | 4 | 1 | — | — | — | — | — |
| | F | 9 | 1 | 4 | 4 | — | — | — | — | — | — | 22 | 7 | 8 | 7 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 2 | — | 2 | — | — | — | — | — | — | — | 4 | — | 3 | 1 | — | — | — | — | — | — |
| | F | 3 | — | — | 3 | — | — | — | — | — | — | 2 | — | 1 | — | — | 1 | — | — | — | — |
| 5 Whooping cough | M | 17 | 8 | 5 | 4 | — | — | — | — | — | — | 5 | 3 | 1 | 1 | — | — | — | — | — | — |
| | F | 10 | 2 | 6 | 2 | — | — | — | — | — | — | 13 | 4 | 4 | 5 | — | — | — | — | — | — |
| 6 Diphtheria | M | 18 | — | 5 | 7 | 5 | 1 | — | — | — | — | 20 | 1 | 6 | 9 | 4 | — | — | — | — | — |
| | F | 33 | 3 | 1 | 12 | 15 | 2 | — | — | — | — | 10 | — | 1 | 5 | 4 | — | — | — | — | — |
| 7 Influenza | M | 12 | — | — | — | — | 2 | 3 | 4 | 1 | 2 | 14 | — | — | 1 | 2 | 1 | 2 | 5 | 3 | — |
| | F | 13 | — | — | — | — | 1 | 2 | 5 | 3 | 2 | 25 | — | — | — | — | — | 2 | 8 | 8 | 7 |
| 8 Encephalitis lethargica | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | 1 | — | — | 2 | 1 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 9 Meningococcal meningitis | M | 2 | 2 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | 2 | — | 1 | — | — | 1 | 1 | — | — |
| 10 Tuberculosis of respiratory system | M | 150 | — | — | 1 | 2 | 21 | 63 | 55 | 6 | 2 | 185 | — | 1 | 2 | 2 | 25 | 68 | 72 | 15 | — |
| | F | 92 | 2 | 1 | 1 | 3 | 34 | 37 | 13 | 1 | — | 105 | 1 | — | — | 6 | 28 | 46 | 19 | 3 | 2 |
| 11 Other tuberculous diseases | M | 25 | — | 7 | 5 | 4 | 3 | 1 | 4 | 1 | — | 31 | 1 | 7 | 6 | 5 | 3 | 4 | 4 | 1 | — |
| | F | 24 | 2 | 6 | 5 | 7 | 1 | — | 2 | 1 | — | 18 | 4 | 2 | 3 | 1 | 5 | 2 | 1 | — | — |
| 12 Cancer, malignant disease | M | 109 | — | — | 1 | 2 | — | 8 | 57 | 30 | 11 | 170 | — | — | — | 1 | 2 | 16 | 85 | 46 | 20 |
| | F | 132 | — | — | — | 1 | 2 | 20 | 63 | 33 | 13 | 154 | — | — | — | 1 | 1 | 25 | 78 | 39 | 10 |
| 13 Rheumatic fever | M | 4 | — | — | — | 3 | — | — | 1 | — | — | 6 | — | — | — | 3 | — | 2 | — | 1 | — |
| | F | 7 | — | — | 1 | 1 | — | 3 | 1 | 1 | — | 8 | — | — | — | 6 | 1 | 1 | — | — | — |
| 14 Diabetes | M | 6 | — | — | — | — | — | 4 | 1 | — | 1 | 13 | — | — | — | — | 1 | 3 | 5 | 4 | — |
| | F | 5 | — | — | — | 1 | — | — | 2 | 2 | — | 21 | — | — | — | — | — | 1 | 13 | 6 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 46 | — | — | 1 | — | — | 5 | 15 | 15 | 10 | 47 | — | — | — | 1 | 1 | 2 | 17 | 21 | 5 |
| | F | 50 | — | — | — | — | — | 2 | 17 | 17 | 14 | 62 | — | — | — | — | — | 4 | 20 | 20 | 18 |
| 16 Heart disease | M | 161 | — | — | — | 2 | 7 | 14 | 60 | 48 | 30 | 199 | — | — | — | 5 | 13 | 22 | 82 | 39 | 38 |
| | F | 159 | — | — | — | 2 | 7 | 14 | 46 | 37 | 53 | 228 | — | — | — | 12 | 11 | 19 | 64 | 64 | 58 |
| 17 Arterio-sclerosis | M | 31 | — | — | — | — | — | — | 8 | 9 | 14 | 66 | — | — | — | — | — | — | 19 | 19 | 28 |
| | F | 14 | — | — | — | — | — | — | 2 | 3 | 9 | 50 | — | — | — | — | — | — | 9 | 19 | 22 |
| 18 Bronchitis | M | 128 | 13 | 1 | — | — | 1 | 6 | 37 | 41 | 29 | 119 | 5 | 1 | 1 | — | — | 6 | 46 | 32 | 28 |
| | F | 119 | 8 | 1 | — | — | — | 4 | 24 | 40 | 42 | 110 | 2 | 1 | 1 | 1 | 1 | 3 | 35 | 33 | 33 |
| 19 Pneumonia (all forms) | M | 137 | 22 | 14 | 5 | 3 | 4 | 19 | 49 | 12 | 9 | 213 | 38 | 13 | 7 | 3 | 10 | 21 | 71 | 24 | 26 |
| | F | 97 | 21 | 11 | 8 | 1 | 3 | 8 | 19 | 15 | 11 | 132 | 25 | 12 | 8 | 2 | 1 | 9 | 28 | 28 | 19 |
| 20 Other respiratory diseases | M | 17 | — | — | — | 1 | 2 | 2 | 7 | 4 | 1 | 26 | 1 | — | — | 2 | — | 6 | 11 | 5 | 1 |
| | F | 8 | — | — | — | — | — | 1 | 3 | 4 | — | 13 | 1 | — | 1 | 1 | 1 | — | 2 | 4 | 3 |
| 21 Ulcer of stomach or duodenum | M | 13 | — | — | — | — | 1 | 5 | 7 | — | — | 19 | — | — | — | — | — | 6 | 13 | — | — |
| | F | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 4 | — | — | — | — | — | 1 | 3 | — | — |
| 22 Diarrhœa, &c. | M | 45 | 36 | 4 | 2 | — | 1 | — | 1 | 1 | — | 43 | 39 | 2 | — | — | — | 1 | 1 | — | — |
| | F | 20 | 13 | 4 | — | — | — | 1 | — | 1 | 1 | 55 | 36 | 10 | — | 1 | — | 3 | 5 | — | — |
| 23 Appendicitis and typhlitis | M | 6 | — | — | 2 | 2 | — | 1 | 1 | — | — | 8 | — | — | — | 5 | 2 | — | — | 1 | — |
| | F | 6 | — | — | — | 3 | 2 | — | — | 1 | — | 8 | — | — | — | 2 | 2 | 2 | 2 | — | — |
| 24 Cirrhosis of liver | M | 7 | — | — | — | — | — | 1 | 4 | 1 | 1 | 7 | — | — | — | — | — | 3 | 3 | 1 | — |
| | F | 7 | — | — | — | — | — | 2 | 3 | 1 | 1 | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis | M | 40 | 1 | — | — | 1 | — | 8 | 13 | 11 | 6 | 32 | — | — | — | — | — | 2 | 15 | 14 | 1 |
| | F | 30 | — | — | 1 | — | 2 | 5 | 7 | 8 | 7 | 31 | — | — | — | 1 | — | 5 | 13 | 8 | 4 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | — | — | 2 | 5 | — | — | — | 13 | — | — | — | — | — | 13 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 81 | 81 | — | — | — | — | — | — | — | — | 79 | 79 | — | — | — | — | — | — | — | — |
| | F | 57 | 57 | — | — | — | — | — | — | — | — | 51 | 51 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 20 | — | — | — | — | — | 7 | 12 | 1 | — | 21 | — | — | — | — | 2 | 8 | 7 | 2 | 2 |
| | F | 8 | — | — | — | — | 2 | 3 | 3 | — | — | 7 | — | — | — | — | 1 | 2 | 3 | 1 | — |
| 30 Other deaths from violence | M | 54 | 1 | 2 | 2 | 9 | 3 | 11 | 18 | 7 | 1 | 68 | 8 | 3 | 6 | 8 | 6 | 10 | 15 | 8 | 4 |
| | F | 25 | 3 | 2 | 3 | 4 | 1 | — | 5 | 4 | 3 | 31 | 4 | — | 5 | 1 | 3 | 3 | 5 | 4 | 6 |
| 31 Other defined diseases | M | 193 | 17 | 4 | 2 | 9 | 6 | 30 | 52 | 31 | 42 | 190 | 17 | 3 | 4 | 8 | 6 | 22 | 58 | 35 | 37 |
| | F | 152 | 24 | 11 | 4 | 3 | 7 | 16 | 31 | 23 | 33 | 167 | 23 | 2 | 3 | 8 | 11 | 32 | 42 | 21 | 25 |
| 32 Causes ill-defined or unknown | M | 2 | — | 2 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 4 | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Stoke Newington. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Wandsworth. All Ages | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES .. | M | 277 | 25 | 3 | 5 | 8 | 14 | 31 | 68 | 58 | 65 | 1610 | 153 | 34 | 30 | 46 | 66 | 195 | 488 | 319 | 279 |
| | F | 296 | 21 | 7 | | 8 | 11 | 35 | 57 | 62 | 92 | 1861 | 142 | 22 | 27 | 31 | 76 | 198 | 468 | 361 | 536 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | 5 | 1 | 2 | 2 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | — | 2 | 4 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 1 | — | 1 | — | — | — | — | — | — | — | 8 | 3 | 5 | — | — | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 22 | 11 | 4 | 7 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 3 | — | — | 1 | 2 | — | — | — | — | — | 19 | 1 | 1 | 5 | 10 | 2 | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 8 | — | — | 3 | 5 | — | — | — | — | — |
| 7 Influenza .. .. | M | 5 | — | — | — | — | — | 1 | 3 | 1 | — | 32 | — | — | — | 1 | 1 | 8 | 14 | 6 | 2 |
| | F | 8 | — | — | — | — | 3 | 1 | 1 | 1 | 2 | 24 | — | — | — | — | — | 6 | 7 | 6 | 5 |
| 8 Encephalitis lethargica .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 22 | — | — | — | — | 5 | 9 | 7 | 1 | — | 130 | — | — | — | 2 | 27 | 51 | 46 | 4 | — |
| | F | 12 | — | — | — | — | 3 | 7 | 2 | — | — | 135 | — | — | — | 3 | 35 | 56 | 37 | 4 | — |
| 11 Other tuberculous diseases .. .. | M | 5 | — | — | 1 | 2 | — | 1 | — | — | 1 | 30 | 3 | 4 | 7 | 5 | 3 | 4 | 1 | 2 | 1 |
| | F | 6 | 1 | — | — | 3 | 1 | 1 | — | — | — | 32 | 4 | 3 | 1 | 8 | 2 | 8 | 4 | 2 | — |
| 12 Cancer, malignant disease .. .. | M | 52 | — | — | — | — | — | 2 | 19 | 20 | 11 | 197 | — | — | — | — | — | 12 | 96 | 64 | 25 |
| | F | 50 | — | — | — | — | — | 4 | 20 | 15 | 11 | 271 | — | 1 | — | — | 2 | 26 | 116 | 69 | 57 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | 1 | 1 | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | — | — | — | — | 1 | 1 | 2 | 1 | 1 |
| 14 Diabetes .. .. | M | 5 | — | — | — | — | — | — | 3 | 1 | 1 | 17 | — | — | — | 1 | — | 3 | 6 | 4 | 3 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 25 | — | — | — | — | — | 2 | 13 | 8 | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 18 | — | — | — | — | — | — | 4 | 7 | 7 | 72 | — | — | — | — | — | 3 | 16 | 24 | 29 |
| | F | 19 | — | — | — | — | — | — | 6 | 5 | 8 | 129 | — | — | — | — | — | 1 | 36 | 42 | 50 |
| 16 Heart disease .. | M | 36 | — | — | — | 1 | 3 | 2 | 8 | 9 | 13 | 226 | — | 1 | — | — | 4 | 21 | 77 | 59 | 64 |
| | F | 45 | — | — | — | 2 | 1 | 3 | 8 | 11 | 20 | 340 | — | — | 1 | 3 | 7 | 22 | 63 | 94 | 150 |
| 17 Arterio-sclerosis .. | M | 8 | — | — | — | — | 1 | — | 3 | 2 | 2 | 72 | — | — | — | — | — | 2 | 27 | 20 | 23 |
| | F | 12 | — | — | — | — | — | — | 1 | 6 | 5 | 57 | — | — | — | — | — | — | 11 | 13 | 33 |
| 18 Bronchitis .. | M | 7 | — | — | — | — | — | — | — | 2 | 5 | 103 | 14 | 2 | 1 | — | 1 | 4 | 29 | 23 | 29 |
| | F | 23 | 1 | — | — | — | — | 1 | 3 | 7 | 11 | 102 | 4 | — | — | — | — | 1 | 15 | 21 | 61 |
| 19 Pneumonia (all forms) .. .. | M | 20 | 4 | 2 | 1 | 1 | — | 3 | 3 | 4 | 2 | 99 | 16 | 6 | 3 | 3 | 2 | 20 | 28 | 17 | 4 |
| | F | 24 | 6 | 6 | 1 | — | — | 1 | 6 | 2 | 2 | 102 | 21 | 3 | 5 | 1 | 5 | 9 | 22 | 20 | 16 |
| 20 Other respiratory diseases .. .. | M | 7 | — | — | — | — | 1 | 1 | 5 | — | — | 20 | — | — | — | — | 2 | 2 | 4 | 7 | 5 |
| | F | 6 | 1 | — | — | — | — | 1 | 2 | 1 | 1 | 30 | — | — | — | — | 2 | 2 | 9 | 5 | 12 |
| 21 Ulcer of stomach or duodenum .. | M | 3 | — | — | — | — | — | 2 | — | 1 | — | 19 | — | — | — | — | 1 | 5 | 12 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 11 | — | — | — | — | 1 | 2 | 4 | 3 | 1 |
| 22 Diarrhœa, &c. .. | M | 3 | 3 | — | — | — | — | — | — | — | — | 27 | 21 | 3 | 2 | — | — | — | 1 | — | — |
| | F | 5 | 2 | — | — | — | — | 1 | 1 | — | 1 | 33 | 21 | 2 | — | — | 2 | 3 | 4 | — | 1 |
| 23 Appendicitis and typhlitis.. .. | M | 3 | — | — | 1 | — | 1 | 1 | — | — | — | 14 | — | — | 2 | — | — | 4 | 7 | 1 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 12 | — | — | 1 | 2 | 1 | 4 | 4 | — | — |
| 24 Cirrhosis of liver .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 9 | — | — | — | — | — | 1 | 5 | 2 | 1 |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 5 | — | — | — | — | — | — | 4 | 1 | — |
| 25 Acute and chronic nephritis .. | M | 9 | — | — | — | — | — | 3 | 1 | — | 5 | 50 | — | — | — | 2 | — | 7 | 23 | 12 | 6 |
| | F | 11 | — | — | — | — | — | 2 | 2 | 6 | 1 | 58 | — | — | 1 | — | 3 | 8 | 20 | 14 | 12 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 9 | — | — | — | — | 1 | 7 | 1 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 7 | — | — | — | — | 1 | 6 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 14 | 14 | — | — | — | — | — | — | — | — | 66 | 65 | — | — | — | — | 1 | — | — | — |
| | F | 8 | 8 | — | — | — | — | — | — | — | — | 54 | 54 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 3 | — | — | — | — | 1 | 1 | — | 1 | — | 24 | — | — | — | — | 3 | 6 | 12 | 2 | 1 |
| | F | 2 | — | — | — | — | 1 | — | — | 1 | — | 8 | — | — | — | — | — | 3 | 5 | — | — |
| 30 Other deaths from violence.. .. | M | 6 | 1 | — | — | 1 | — | — | — | — | 4 | 61 | 2 | 2 | 2 | 8 | 8 | 15 | 10 | 7 | 7 |
| | F | 7 | — | — | 1 | — | — | — | — | 1 | 5 | 37 | 1 | 2 | 1 | 2 | 1 | 6 | 11 | 5 | 8 |
| 31 Other defined diseases .. .. | M | 44 | 3 | — | 1 | 1 | 2 | 5 | 11 | 7 | 14 | 303 | 27 | 7 | 6 | 11 | 11 | 26 | 72 | 64 | 79 |
| | F | 45 | 2 | — | — | 3 | 2 | 5 | 2 | 6 | 25 | 332 | 25 | 4 | 3 | 7 | 12 | 23 | 79 | 52 | 127 |
| 32 Causes ill-defined or unknown .. | M | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | 1 | — | — | — | — | 1 | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1923
(Civilian population only).

| | Causes of Death. | Sex. | Westminster. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Woolwich. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Causes .. | M | 760 | 46 | 7 | 4 | 9 | 21 | 87 | 271 | 177 | 138 | 720 | 64 | 8 | 10 | 19 | 37 | 87 | 236 | 138 | 121 |
| | | F | 741 | 38 | 9 | 9 | 10 | 22 | 86 | 197 | 180 | 190 | 667 | 59 | 4 | 10 | 25 | 35 | 86 | 161 | 128 | 159 |
| 1 | Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 | Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 5 | Whooping cough .. | M | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | | F | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 3 | 3 | — | — | — | — | — | — | — | — |
| 6 | Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 5 | — | — | 3 | 1 | — | 1 | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| 7 | Influenza .. .. | M | 12 | — | 1 | — | 1 | — | 1 | 4 | 3 | 2 | 8 | — | — | — | — | 3 | — | 4 | 1 | — |
| | | F | 11 | — | — | — | — | 2 | — | — | 4 | 5 | 16 | — | — | — | 3 | — | 2 | 4 | 3 | 4 |
| 8 | Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | 2 | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 68 | — | — | — | — | 6 | 21 | 33 | 6 | 2 | 93 | — | — | — | — | 19 | 37 | 35 | 2 | — |
| | | F | 39 | — | — | 1 | 2 | 8 | 14 | 12 | 2 | — | 79 | — | — | — | 8 | 19 | 38 | 13 | 1 | — |
| 11 | Other tuberculous diseases .. .. | M | 5 | 1 | — | — | 2 | 1 | 1 | — | — | — | 9 | 1 | — | 3 | 1 | 1 | 1 | 2 | — | — |
| | | F | 10 | 2 | 3 | 1 | — | 1 | 2 | — | 1 | — | 10 | — | 1 | 1 | 4 | 2 | 1 | 1 | — | — |
| 12 | Cancer, malignant disease .. .. | M | 116 | — | — | — | — | — | 6 | 60 | 35 | 15 | 91 | — | — | — | — | 1 | 5 | 56 | 18 | 11 |
| | | F | 128 | — | — | — | — | — | 16 | 55 | 38 | 19 | 84 | — | — | — | — | — | 8 | 41 | 28 | 7 |
| 13 | Rheumatic fever .. | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 3 | — | — | — | 2 | — | 1 | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | — | 3 | 1 | — | — | — |
| 14 | Diabetes .. .. | M | 6 | — | — | — | — | — | 1 | 3 | 1 | 1 | 3 | — | — | — | — | 1 | — | — | 2 | — |
| | | F | 6 | — | — | — | — | — | — | 2 | 2 | 2 | 7 | — | — | — | — | — | 1 | 4 | — | 2 |
| 15 | Cerebral hæmorrhage, &c. .. | M | 27 | 1 | — | — | — | — | 3 | 9 | 6 | 8 | 49 | — | — | — | — | — | — | 16 | 18 | 15 |
| | | F | 56 | — | — | — | — | — | 3 | 14 | 21 | 18 | 53 | — | — | — | — | — | 1 | 15 | 20 | 17 |
| 16 | Heart disease . | M | 121 | — | — | — | — | 2 | 10 | 34 | 37 | 38 | 70 | — | — | — | — | — | 7 | 31 | 20 | 12 |
| | | F | 129 | — | — | — | 2 | — | 4 | 30 | 43 | 50 | 96 | — | — | — | — | 3 | 6 | 34 | 29 | 24 |
| 17 | Arterio-sclerosis .. | M | 37 | — | — | — | — | — | — | 14 | 15 | 8 | 24 | — | — | — | — | — | 1 | 3 | 12 | 8 |
| | | F | 25 | — | — | — | — | — | 1 | 7 | 7 | 10 | 15 | — | — | — | — | — | — | 3 | 6 | 6 |
| 18 | Bronchitis .. | M | 44 | — | — | — | — | — | 4 | 9 | 17 | 14 | 47 | 1 | 1 | — | — | — | 3 | 13 | 17 | 12 |
| | | F | 55 | — | — | — | 1 | — | 1 | 7 | 18 | 28 | 46 | 1 | — | — | — | — | 2 | 7 | 9 | 27 |
| 19 | Pneumonia (all forms) .. .. | M | 51 | 7 | 2 | 1 | 1 | — | 5 | 20 | 9 | 6 | 40 | 6 | 2 | 1 | 1 | 1 | 7 | 14 | 4 | 4 |
| | | F | 38 | 3 | 3 | 1 | — | 2 | 6 | 11 | 5 | 7 | 25 | 7 | — | 3 | 2 | 1 | 2 | 4 | 3 | 3 |
| 20 | Other respiratory diseases .. .. | M | 6 | — | — | — | — | 1 | 1 | 3 | 1 | — | 7 | — | — | — | — | 1 | — | 4 | — | 2 |
| | | F | 11 | — | — | — | — | — | 1 | 3 | 2 | 5 | 3 | — | — | — | — | — | 1 | — | 1 | 1 |
| 21 | Ulcer of stomach or duodenum .. | M | 6 | — | — | — | — | — | 3 | 2 | — | 1 | 8 | — | — | — | — | — | 3 | 3 | 2 | — |
| | | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | — | 2 | 1 | — |
| 22 | Diarrhœa, &c. | M | 6 | 4 | — | — | — | — | 1 | — | 1 | — | 11 | 7 | 1 | 1 | 2 | — | — | — | — | — |
| | | F | 3 | 2 | — | — | — | — | 1 | — | — | — | 6 | 1 | 1 | 2 | — | 1 | — | — | 1 | — |
| 23 | Appendicitis and typhlitis.. .. | M | 5 | — | — | 1 | — | — | — | 2 | 2 | — | 5 | — | — | 1 | 1 | 1 | 2 | — | — | — |
| | | F | 3 | — | — | — | 1 | — | 1 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 24 | Cirrhosis of liver .. | M | 7 | — | — | — | — | — | — | 3 | 2 | 2 | 7 | — | — | — | — | — | — | 3 | 3 | 1 |
| | | F | 4 | — | — | — | — | — | — | 3 | 1 | — | 2 | — | — | — | — | — | 1 | — | — | 1 |
| 25 | Acute and chronic nephritis .. | M | 23 | — | — | — | — | — | 3 | 12 | 3 | 5 | 18 | — | — | — | — | 1 | 3 | 4 | 7 | 3 |
| | | F | 30 | — | — | — | 1 | 2 | 2 | 8 | 9 | 8 | 17 | — | — | — | 2 | 1 | 1 | 9 | 3 | 1 |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | 1 | — | — | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 21 | 21 | — | — | — | — | — | — | — | — | 30 | 30 | — | — | — | — | — | — | — | — |
| | | F | 20 | 20 | — | — | — | — | — | — | — | — | 33 | 33 | — | — | — | — | — | — | — | — |
| 29 | Suicide .. .. | M | 17 | — | — | — | — | — | 6 | 7 | 2 | 2 | 11 | — | — | — | — | 1 | 2 | 6 | 2 | — |
| | | F | 10 | — | — | — | — | 1 | 3 | 4 | — | 2 | 4 | — | — | — | — | — | — | 4 | — | — |
| 30 | Other deaths from violence.. .. | M | 46 | 2 | — | 1 | 2 | 7 | 6 | 18 | 8 | 2 | 28 | — | — | 2 | 5 | 4 | 7 | 7 | 3 | — |
| | | F | 24 | 2 | — | 1 | — | 3 | 4 | 6 | 3 | 5 | 13 | 2 | — | 1 | — | 1 | 1 | 3 | 2 | 3 |
| 31 | Other defined diseases .. .. | M | 131 | 9 | 3 | — | 3 | 3 | 15 | 37 | 29 | 32 | 153 | 18 | 2 | 2 | 5 | 3 | 8 | 35 | 27 | 53 |
| | | F | 122 | 8 | 1 | 1 | 1 | 1 | 23 | 32 | 24 | 31 | 138 | 12 | 2 | 1 | 5 | 2 | 17 | 15 | 21 | 63 |
| 32 | Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Barnsley. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Barrow-in-Furness. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 459 | 99 | 29 | 26 | 13 | 27 | 59 | 103 | 70 | 33 | 448 | 76 | 12 | 10 | 14 | 19 | 53 | 127 | 76 | 61 |
| | F | 401 | 71 | 21 | 14 | 16 | 25 | 58 | 79 | 72 | 45 | 353 | 45 | 11 | 11 | 13 | 17 | 53 | 78 | 56 | 69 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 9 | 2 | 5 | 2 | — | — | — | — | — | — | 6 | 2 | 3 | — | 1 | — | — | — | — | — |
| | F | 7 | 3 | 4 | — | — | — | — | — | — | — | 4 | 1 | 2 | 1 | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | 2 | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 3 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — | 7 | 2 | 3 | 2 | — | — | — | — | — | — |
| 6 Diphtheria | M | 4 | — | — | 2 | 1 | 1 | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 4 | — | 1 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza | M | 33 | 2 | 4 | 3 | 3 | 3 | 7 | 4 | 3 | 4 | 7 | — | — | — | 1 | — | 1 | 5 | — | — |
| | F | 16 | 2 | 1 | 1 | — | 1 | 1 | 5 | 2 | 3 | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 24 | — | — | — | 1 | 6 | 10 | 7 | — | — | 30 | — | — | — | — | 6 | 14 | 10 | — | — |
| | F | 40 | — | 1 | 1 | 2 | 12 | 18 | 6 | — | — | 27 | — | — | — | 5 | 8 | 10 | 4 | — | — |
| 11 Other tuberculous diseases | M | 11 | 3 | 2 | — | 1 | 3 | 1 | 1 | — | — | 10 | 4 | 1 | 1 | 2 | — | 2 | — | — | — |
| | F | 9 | 1 | 2 | 2 | 2 | 1 | 1 | — | — | — | 7 | — | — | 2 | 2 | 1 | 2 | — | — | — |
| 12 Cancer, malignant disease | M | 28 | — | — | — | — | 1 | 3 | 13 | 9 | 2 | 29 | — | — | — | — | — | 5 | 18 | 4 | 2 |
| | F | 51 | — | 1 | 1 | — | — | 7 | 14 | 22 | 6 | 46 | — | — | 1 | — | — | 3 | 24 | 14 | 4 |
| 13 Rheumatic fever | M | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 5 | — | — | — | — | — | — | 2 | 2 | 1 |
| | F | 3 | — | — | — | — | — | — | 1 | 2 | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| 15 Cerebral hæmorrhage, &c. | M | 18 | — | — | — | — | 1 | 1 | 6 | 6 | 4 | 24 | — | — | — | — | — | — | 6 | 13 | 5 |
| | F | 17 | — | — | — | — | — | — | 4 | 10 | 3 | 21 | — | — | — | — | — | 1 | 7 | 8 | 5 |
| 16 Heart disease | M | 37 | — | — | — | 1 | — | 2 | 16 | 15 | 3 | 59 | — | — | — | 1 | 2 | 5 | 23 | 17 | 11 |
| | F | 41 | — | — | 1 | 1 | 1 | 7 | 16 | 8 | 7 | 35 | — | — | — | 2 | — | 2 | 15 | 9 | 7 |
| 17 Arterio-sclerosis | M | 18 | — | — | — | — | — | — | 7 | 7 | 4 | 36 | — | — | — | — | — | — | 8 | 15 | 13 |
| | F | 11 | — | — | — | — | — | — | 3 | 6 | 2 | 24 | — | — | — | — | — | — | 3 | 4 | 17 |
| 18 Bronchitis | M | 38 | 13 | 3 | 3 | — | — | — | 12 | 6 | 1 | 35 | 11 | 2 | — | 1 | — | 3 | 5 | 4 | 9 |
| | F | 33 | 7 | — | 2 | 1 | 1 | 1 | 8 | 6 | 7 | 33 | 3 | — | — | — | — | — | 3 | 10 | 17 |
| 19 Pneumonia (all forms) | M | 55 | 20 | 8 | 6 | — | 3 | 8 | 7 | 3 | — | 33 | 6 | 2 | 3 | 1 | 1 | 5 | 9 | 5 | 1 |
| | F | 29 | 7 | 8 | 4 | 1 | 1 | 2 | 4 | 2 | — | 23 | 3 | 5 | 2 | — | 4 | 3 | 5 | 1 | — |
| 20 Other respiratory diseases | M | 7 | — | 1 | 1 | 1 | — | 1 | 3 | — | — | 3 | 1 | — | 1 | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | — | — | — | — | 2 | — | 4 | — | — | — | — | — | 2 | 2 | — | — |
| 21 Ulcer of stomach or duodenum | M | 4 | — | — | — | — | 2 | — | 2 | — | — | 6 | — | — | — | — | 1 | 2 | 3 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 Diarrhœa, &c. | M | 11 | 8 | 2 | — | — | — | 1 | — | — | — | 8 | 5 | 1 | 1 | — | — | — | 1 | — | — |
| | F | 13 | 11 | 2 | — | — | — | — | — | — | — | 8 | 3 | — | — | — | — | 2 | — | 1 | 2 |
| 23 Appendicitis and typhlitis | M | 1 | — | — | — | — | — | — | — | 1 | — | 3 | — | — | — | 2 | 1 | — | — | — | — |
| | F | 3 | — | — | — | — | 1 | — | 1 | 1 | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 24 Cirrhosis of liver | M | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 12 | 1 | — | 1 | — | — | 3 | 3 | 3 | 1 | 13 | — | — | 1 | 1 | — | 3 | 4 | 2 | 2 |
| | F | 17 | — | — | 1 | 2 | 1 | 2 | 6 | 3 | 2 | 6 | — | — | — | — | — | 1 | 3 | 2 | — |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 9 | — | — | — | — | 3 | 6 | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 33 | 33 | — | — | — | — | — | — | — | — | 34 | 34 | — | — | — | — | — | — | — | — |
| | F | 32 | 32 | — | — | — | — | — | — | — | — | 27 | 26 | 1 | — | — | — | — | — | — | — |
| 29 Suicide | M | 7 | — | — | — | — | — | 3 | 3 | 1 | — | 10 | — | — | — | — | 1 | 2 | 5 | 1 | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 30 Other deaths from violence | M | 29 | 7 | 1 | 1 | 2 | 3 | 7 | 5 | 2 | 1 | 18 | — | 1 | — | 1 | 2 | 5 | 4 | 2 | 3 |
| | F | 5 | 1 | — | — | 2 | — | — | — | 1 | 1 | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 31 Other defined diseases | M | 72 | 9 | 2 | 6 | 3 | 4 | 11 | 10 | 14 | 13 | 67 | 12 | — | 2 | 3 | 4 | 6 | 16 | 11 | 13 |
| | F | 51 | 5 | — | — | 2 | 3 | 10 | 10 | 7 | 14 | 59 | 6 | — | 1 | 2 | 3 | 16 | 8 | 6 | 17 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 4 | 1 | 1 | — | — | — | — | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | 1 | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Bath. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Birkenhead. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 375 | 29 | 13 | 3 | 5 | 11 | 26 | 99 | 101 | 88 | 882 | 127 | 27 | 22 | 40 | 40 | 116 | 232 | 157 | 121 |
| | F | 501 | 19 | 5 | 7 | 5 | 5 | 24 | 108 | 112 | 216 | 798 | 80 | 23 | 24 | 22 | 29 | 99 | 202 | 140 | 179 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 6 | 1 | 4 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | 2 | 1 | — | — | — | — | — | 2 | — | 2 | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 5 Whooping cough .. | M | 5 | 3 | 1 | 1 | — | — | — | — | — | — | 4 | 2 | 1 | 1 | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 2 | — | 2 | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 2 | 2 | — | — | — | — | — | — | — | — | 8 | 1 | — | 4 | 3 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | 1 | 1 | 1 | 3 | — | — | — | — | — |
| 7 Influenza .. .. | M | 5 | — | — | — | — | 1 | 1 | 1 | 1 | 1 | 6 | — | — | — | — | — | 2 | 3 | — | 1 |
| | F | 16 | — | — | 1 | — | — | 2 | 2 | 3 | 8 | 11 | — | — | — | 1 | 1 | 2 | 4 | 1 | 2 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 1 | 2 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 19 | — | — | — | 1 | 3 | 8 | 6 | 1 | — | 70 | — | — | 1 | 2 | 13 | 29 | 23 | 2 | — |
| | F | 19 | — | — | — | — | 3 | 7 | 7 | 2 | — | 41 | — | — | — | 1 | 12 | 21 | 6 | — | 1 |
| 11 Other tuberculous diseases .. .. | M | 6 | — | 1 | 1 | — | 2 | 2 | — | — | — | 21 | — | 5 | 4 | 4 | 4 | 2 | 2 | — | — |
| | F | 5 | — | 1 | — | 1 | 1 | 2 | — | — | — | 22 | 3 | 3 | 5 | 7 | 1 | 3 | — | — | — |
| 12 Cancer, malignant disease .. .. | M | 43 | — | — | — | — | 1 | 1 | 15 | 20 | 6 | 74 | — | — | — | 2 | — | 3 | 47 | 12 | 10 |
| | F | 72 | — | — | — | — | — | — | 23 | 30 | 19 | 113 | — | — | — | — | — | 15 | 58 | 25 | 15 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 14 Diabetes .. .. | M | 2 | — | — | — | 1 | — | — | — | 1 | — | 2 | — | — | — | — | — | — | — | 1 | 1 |
| | F | 4 | — | — | — | — | — | — | 1 | 2 | 1 | 12 | — | — | — | — | — | 1 | 6 | 3 | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 21 | — | — | — | — | — | — | 5 | 6 | 10 | 54 | — | — | — | — | — | 1 | 15 | 29 | 9 |
| | F | 49 | — | — | — | — | — | — | 6 | 12 | 31 | 49 | — | — | — | — | — | 3 | 9 | 15 | 22 |
| 16 Heart disease .. | M | 63 | — | — | — | — | — | 4 | 20 | 20 | 19 | 76 | 1 | — | — | 2 | 1 | 16 | 23 | 25 | 8 |
| | F | 89 | — | — | — | — | — | 6 | 17 | 24 | 42 | 96 | — | — | 1 | 2 | 4 | 11 | 41 | 20 | 17 |
| 17 Arterio-sclerosis .. | M | 16 | — | — | — | — | — | — | 5 | 7 | 4 | 63 | — | — | — | — | — | — | 8 | 26 | 29 |
| | F | 13 | — | — | — | — | — | — | 4 | 3 | 6 | 46 | — | — | — | — | — | — | 3 | 15 | 28 |
| 18 Bronchitis .. | M | 20 | 2 | — | — | — | — | — | 4 | 7 | 7 | 69 | 6 | 1 | 1 | — | — | 5 | 21 | 22 | 13 |
| | F | 39 | 1 | — | — | — | — | — | 8 | 5 | 25 | 91 | 5 | 5 | 1 | — | — | 1 | 13 | 27 | 39 |
| 19 Pneumonia (all forms) .. .. | M | 24 | 3 | 4 | 1 | 1 | — | — | 3 | 8 | 4 | 100 | 17 | 10 | 7 | 6 | 5 | 19 | 16 | 14 | 6 |
| | F | 28 | 2 | 2 | 3 | 1 | — | 1 | 3 | 6 | 19 | 62 | 12 | 4 | 5 | 2 | 2 | 9 | 13 | 9 | 6 |
| 20 Other respiratory diseases .. .. | M | 5 | — | — | — | — | — | 2 | 2 | 1 | — | 19 | 1 | 1 | — | 1 | 3 | 4 | 7 | — | 2 |
| | F | 8 | — | — | — | — | — | — | 3 | 1 | 4 | 4 | — | — | — | — | — | — | 3 | — | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 5 | — | — | — | — | — | 1 | 3 | 1 | — | 5 | — | — | — | — | 1 | 2 | 2 | — | — |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 2 | — | — | — | — | — | 1 | — | — | 1 |
| 22 Diarrhœa, &c. .. | M | 4 | 2 | — | — | — | — | — | — | 1 | 1 | 23 | 19 | 1 | 2 | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 17 | 13 | — | 2 | — | — | 1 | — | — | 1 |
| 23 Appendicitis and typhlitis.. .. | M | 6 | — | — | — | — | — | — | 2 | 2 | 2 | 10 | — | — | — | 6 | 1 | 1 | 2 | — | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | 4 | — | — | — | 1 | — | — | 3 | — | — |
| 24 Cirrhosis of liver .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 11 | — | — | — | — | — | 1 | 5 | 3 | 2 |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis .. | M | 14 | — | — | — | — | — | 1 | 8 | 3 | 2 | 25 | — | — | — | — | 1 | 6 | 12 | 3 | 3 |
| | F | 11 | — | — | — | — | — | — | 8 | 1 | 2 | 22 | — | — | — | — | 2 | 5 | 3 | 6 | 6 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | 2 | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 10 | — | — | — | — | — | 10 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 13 | 13 | — | — | — | — | — | — | — | — | 51 | 50 | — | — | 1 | — | — | — | — | — |
| | F | 14 | 14 | — | — | — | — | — | — | — | — | 30 | 30 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 5 | — | — | — | — | — | — | 4 | 1 | — | 11 | — | — | — | — | 1 | — | 8 | 2 | — |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | 6 | — | — | — | — | — | 3 | 3 | — | — |
| 30 Other deaths from violence.. .. | M | 9 | — | — | — | 1 | 1 | 1 | 1 | 1 | 4 | 38 | 1 | 1 | 1 | 5 | 6 | 9 | 8 | 3 | 4 |
| | F | 7 | — | — | — | — | — | — | — | 2 | 5 | 21 | — | 1 | 5 | 1 | — | — | 6 | 4 | 4 |
| 31 Other defined diseases .. .. | M | 78 | 3 | 2 | — | — | 3 | 5 | 18 | 19 | 28 | 136 | 29 | 6 | 1 | 4 | 4 | 16 | 29 | 14 | 33 |
| | F | 107 | 2 | 1 | — | 1 | 1 | 3 | 17 | 19 | 63 | 117 | 16 | 4 | 4 | 2 | 3 | 11 | 28 | 15 | 34 |
| 32 Causes ill-defined or unknown .. | M | 2 | — | 1 | — | — | — | — | — | 1 | — | 2 | — | 1 | — | — | — | — | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Birmingham. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Blackburn. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 5240 | 788 | 200 | 175 | 163 | 219 | 671 | 1500 | 913 | 611 | 873 | 138 | 25 | 24 | 26 | 29 | 108 | 278 | 160 | 85 |
| | F | 5050 | 582 | 188 | 164 | 206 | 221 | 590 | 1167 | 917 | 1015 | 869 | 71 | 18 | 15 | 19 | 45 | 110 | 256 | 189 | 146 |
| 1 Enteric fever .. | M | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 99 | 22 | 43 | 29 | 5 | — | — | — | — | — | 4 | 1 | 1 | 2 | — | — | — | — | — | — |
| | F | 86 | 19 | 34 | 25 | 8 | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 16 | — | — | 8 | 6 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 23 | — | 1 | 8 | 11 | 1 | 2 | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 17 | 6 | 7 | 3 | — | — | — | 1 | — | — | 5 | 4 | — | — | 1 | — | — | — | — | — |
| | F | 27 | 10 | 10 | 7 | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 56 | 5 | 7 | 19 | 23 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 82 | 1 | 11 | 26 | 37 | 3 | 1 | 1 | 1 | 1 | 1 | — | — | — | 1 | — | — | — | — | — |
| 7 Influenza .. .. | M | 123 | 3 | — | 4 | 1 | 8 | 21 | 47 | 31 | 8 | 34 | — | — | — | — | 1 | 7 | 18 | 5 | 3 |
| | F | 136 | 4 | 4 | 3 | 5 | 7 | 19 | 33 | 32 | 29 | 21 | 1 | — | — | — | 3 | 4 | 6 | 5 | 2 |
| 8 Encephalitis lethargica .. | M | 5 | — | — | 2 | — | — | 1 | 2 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 5 | — | — | 1 | 1 | — | 2 | — | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis .. | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 501 | 1 | 2 | 2 | 8 | 70 | 223 | 175 | 19 | 1 | 52 | — | — | — | 4 | 4 | 20 | 21 | 3 | — |
| | F | 337 | 1 | 2 | 1 | 14 | 93 | 157 | 59 | 9 | 1 | 38 | — | 1 | — | — | 16 | 14 | 6 | — | 1 |
| 11 Other tuberculous diseases .. .. | M | 91 | 19 | 12 | 16 | 14 | 8 | 11 | 8 | 2 | 1 | 18 | 1 | 2 | 3 | 4 | 2 | 4 | — | 2 | — |
| | F | 81 | 10 | 13 | 19 | 19 | 6 | 10 | 1 | 3 | — | 18 | — | 1 | — | 5 | 5 | 4 | 2 | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 541 | — | 2 | 2 | 1 | 2 | 43 | 288 | 157 | 46 | 82 | — | — | — | 1 | — | 4 | 52 | 22 | 3 |
| | F | 577 | — | — | — | 1 | 3 | 65 | 269 | 154 | 85 | 103 | — | — | — | 1 | — | 13 | 63 | 19 | 7 |
| 13 Rheumatic fever .. | M | 15 | 1 | — | — | 7 | 2 | 3 | 1 | 1 | — | 3 | — | — | — | 1 | — | 1 | 1 | — | — |
| | F | 24 | — | — | 2 | 9 | 7 | 3 | 2 | 1 | — | 3 | — | — | — | — | 1 | 1 | — | 1 | — |
| 14 Diabetes .. .. | M | 30 | — | — | — | 1 | 3 | 4 | 11 | 9 | 2 | 7 | — | — | — | 1 | — | 3 | 2 | 1 | — |
| | F | 54 | — | — | — | 1 | 2 | 7 | 24 | 15 | 5 | 10 | — | — | — | — | — | 2 | 5 | 2 | 1 |
| 15 Cerebral hæmorrhage, &c. .. | M | 269 | — | — | — | 1 | 1 | 12 | 112 | 92 | 51 | 45 | — | — | — | — | 1 | 2 | 15 | 13 | 14 |
| | F | 346 | — | — | — | 1 | 1 | 20 | 119 | 103 | 102 | 56 | — | — | — | — | 1 | 1 | 12 | 23 | 19 |
| 16 Heart disease .. | M | 481 | — | — | 1 | 7 | 25 | 62 | 160 | 141 | 85 | 85 | — | — | — | 2 | — | 6 | 28 | 32 | 17 |
| | F | 694 | — | 1 | — | 14 | 27 | 67 | 200 | 192 | 193 | 125 | — | — | — | — | 4 | 12 | 50 | 36 | 23 |
| 17 Arterio-sclerosis .. | M | 130 | — | — | — | — | — | — | 42 | 50 | 38 | 30 | — | — | — | — | — | — | 8 | 15 | 7 |
| | F | 80 | — | — | — | — | — | 1 | 17 | 32 | 30 | 29 | — | — | — | — | — | — | 7 | 11 | 11 |
| 18 Bronchitis .. | M | 427 | 39 | 10 | 4 | 3 | 1 | 18 | 88 | 145 | 119 | 80 | 13 | 5 | 1 | — | — | 6 | 26 | 19 | 10 |
| | F | 460 | 30 | 11 | 6 | 2 | — | 13 | 86 | 146 | 166 | 83 | 1 | 3 | 2 | 1 | — | 1 | 14 | 32 | 29 |
| 19 Pneumonia (all forms) .. .. | M | 520 | 121 | 75 | 38 | 14 | 19 | 66 | 119 | 41 | 27 | 121 | 18 | 8 | 7 | 1 | 12 | 27 | 34 | 11 | 3 |
| | F | 400 | 107 | 63 | 22 | 14 | 9 | 37 | 71 | 45 | 32 | 82 | 8 | 8 | 4 | 2 | 1 | 14 | 31 | 11 | 3 |
| 20 Other respiratory diseases .. .. | M | 76 | 4 | 2 | 2 | 4 | 2 | 8 | 36 | 13 | 5 | 13 | 1 | — | 1 | — | — | — | 7 | 1 | 3 |
| | F | 46 | — | 3 | 4 | 1 | 1 | 7 | 13 | 9 | 8 | 14 | — | — | 2 | — | — | 4 | 4 | 3 | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 53 | — | — | — | — | 1 | 27 | 20 | 5 | — | 11 | — | — | — | — | 1 | 3 | 5 | 2 | — |
| | F | 27 | — | — | — | — | — | 10 | 12 | 4 | 1 | 3 | — | — | — | — | — | 2 | 1 | — | — |
| 22 Diarrhœa, &c. .. | M | 159 | 121 | 17 | 8 | 3 | — | 3 | 4 | — | 3 | 16 | 11 | 1 | 2 | — | — | 2 | — | — | — |
| | F | 88 | 60 | 9 | 4 | — | 1 | 2 | 2 | 3 | 7 | 15 | 6 | 1 | — | — | 1 | 3 | 3 | 1 | — |
| 23 Appendicitis and typhlitis.. .. | M | 30 | — | — | 3 | 6 | 5 | 5 | 7 | 4 | — | 4 | — | — | 1 | 2 | — | 1 | — | — | — |
| | F | 23 | — | — | 1 | 7 | 3 | 6 | 5 | 1 | — | 4 | — | — | — | 1 | 1 | 1 | 1 | — | — |
| 24 Cirrhosis of liver .. | M | 23 | — | — | — | — | — | 1 | 18 | 3 | 1 | 4 | — | — | — | — | — | — | 3 | 1 | — |
| | F | 12 | — | — | — | — | — | 1 | 10 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis .. | M | 144 | 1 | 1 | 1 | 8 | 7 | 18 | 63 | 32 | 13 | 20 | — | — | — | — | — | 3 | 9 | 5 | 3 |
| | F | 114 | — | 1 | — | 5 | 5 | 14 | 48 | 20 | 21 | 38 | — | — | — | 1 | — | 4 | 16 | 11 | 6 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 34 | — | — | — | — | 5 | 29 | — | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 31 | — | — | — | — | 6 | 23 | 2 | — | — | 8 | — | — | — | — | — | 8 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 335 | 331 | 3 | — | — | 1 | — | — | — | — | 57 | 56 | 1 | — | — | — | — | — | — | — |
| | F | 238 | 232 | 2 | — | 3 | 1 | — | — | — | — | 39 | 39 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 85 | — | — | — | — | 6 | 22 | 42 | 12 | 3 | 14 | — | — | — | — | 1 | 2 | 10 | 1 | — |
| | F | 32 | — | — | — | — | 3 | 9 | 16 | 3 | 1 | 9 | — | — | — | — | 4 | 2 | 2 | 1 | — |
| 30 Other deaths from violence.. .. | M | 187 | 18 | 4 | 16 | 23 | 20 | 36 | 47 | 15 | 8 | 20 | 1 | 1 | 4 | 2 | 1 | 5 | 5 | 1 | — |
| | F | 106 | 11 | 3 | 9 | 9 | 5 | 7 | 23 | 11 | 28 | 10 | — | — | 3 | 2 | — | 1 | 1 | 1 | 2 |
| 31 Other defined diseases .. .. | M | 786 | 95 | 14 | 17 | 28 | 34 | 80 | 187 | 131 | 200 | 141 | 31 | 6 | 2 | 7 | 5 | 11 | 32 | 25 | 22 |
| | F | 870 | 97 | 19 | 26 | 43 | 32 | 74 | 146 | 128 | 305 | 145 | 14 | 2 | 3 | 5 | 7 | 15 | 28 | 30 | 41 |
| 32 Causes ill-defined or unknown .. | M | 38 | 1 | 1 | — | — | — | 4 | 22 | 10 | — | 4 | 1 | — | 1 | — | — | — | 1 | 1 | — |
| | F | 15 | — | 1 | — | — | — | 3 | 8 | 3 | — | 3 | — | — | — | — | — | — | 2 | 1 | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Blackpool. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Bolton. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 538 | 43 | 6 | 2 | 17 | 19 | 54 | 184 | 129 | 84 | 1161 | 162 | 40 | 23 | 35 | 51 | 124 | 353 | 230 | 143 |
| | F | 551 | 35 | 7 | 2 | 6 | 16 | 55 | 176 | 132 | 122 | 1201 | 113 | 29 | 39 | 30 | 45 | 145 | 342 | 248 | 210 |
| 1 Enteric fever .. | M | 2 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 1 | 1 | — | — | — | — | — | — | — | — | 4 | 3 | 1 | — | — | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | 1 | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | 2 | 1 | — | — | — | — | — |
| 5 Whooping cough .. | M | 2 | 2 | — | — | — | — | — | — | — | — | 7 | 3 | 4 | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 4 | 3 | — | 1 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 2 | — | 1 | — | 1 | — | — | — | — | — | 3 | 1 | — | 1 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | — | — | 3 | 3 | — | — | — | — | — |
| 7 Influenza .. .. | M | 5 | — | — | — | — | — | 1 | 1 | 3 | — | 41 | 1 | — | 1 | 1 | 5 | 11 | 13 | 7 | 2 |
| | F | 4 | 1 | — | — | — | — | 1 | 1 | — | 1 | 54 | 1 | — | — | 1 | 6 | 14 | 17 | 7 | 8 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 29 | — | — | — | — | 6 | 12 | 9 | 2 | — | 84 | — | — | — | — | 15 | 26 | 41 | 2 | — |
| | F | 20 | — | — | — | — | 5 | 13 | 2 | — | — | 75 | — | — | — | 4 | 14 | 33 | 22 | 2 | — |
| 11 Other tuberculous diseases .. .. | M | 12 | 1 | 1 | — | 4 | 3 | 3 | — | — | — | 24 | 3 | — | 3 | 7 | 8 | 3 | — | — | — |
| | F | 6 | 2 | 2 | 1 | — | — | — | 1 | — | — | 25 | 1 | 6 | 2 | 3 | 4 | 6 | 3 | — | — |
| 12 Cancer, malignant disease .. .. | M | 50 | — | — | — | — | 2 | 2 | 31 | 11 | 4 | 102 | — | — | — | 1 | — | 4 | 60 | 29 | 8 |
| | F | 82 | — | — | — | — | 3 | 3 | 46 | 24 | 6 | 115 | — | — | — | — | — | 10 | 67 | 21 | 17 |
| 13 Rheumatic fever .. | M | 3 | — | — | — | — | 1 | — | — | 2 | — | 6 | — | — | — | 3 | — | 3 | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 14 Diabetes .. .. | M | 7 | — | — | — | — | — | — | 2 | 5 | — | 11 | — | — | — | 1 | 1 | 2 | 3 | 4 | — |
| | F | 12 | — | — | — | — | 1 | 1 | 6 | 2 | 2 | 18 | — | — | — | — | 2 | 2 | 8 | 5 | 1 |
| 15 Cerebral hæmorrhage, &c. .. | M | 48 | — | — | — | — | — | 1 | 20 | 13 | 14 | 73 | — | — | — | — | — | 1 | 29 | 27 | 16 |
| | F | 52 | — | — | — | — | — | 2 | 26 | 18 | 6 | 94 | — | — | — | — | — | 3 | 28 | 43 | 20 |
| 16 Heart disease .. | M | 67 | — | — | — | — | — | 7 | 27 | 25 | 8 | 139 | — | — | — | 2 | 2 | 25 | 54 | 38 | 18 |
| | F | 84 | — | — | — | — | 1 | 9 | 22 | 34 | 18 | 176 | — | — | — | 5 | 6 | 23 | 61 | 46 | 35 |
| 17 Arterio-sclerosis .. | M | 32 | — | — | — | — | — | — | 11 | 11 | 10 | 51 | — | — | — | — | — | — | 12 | 16 | 23 |
| | F | 18 | — | — | — | — | — | — | 4 | 2 | 12 | 41 | — | — | — | — | — | — | 4 | 12 | 25 |
| 18 Bronchitis .. | M | 43 | 2 | 1 | — | — | — | 3 | 8 | 16 | 13 | 102 | 9 | 1 | 1 | 1 | — | 5 | 17 | 44 | 24 |
| | F | 42 | 3 | 1 | — | 1 | — | — | 6 | 10 | 21 | 124 | 5 | 2 | 3 | 1 | 2 | 1 | 41 | 40 | 29 |
| 19 Pneumonia (all forms) .. .. | M | 42 | 8 | 1 | 1 | 1 | — | 8 | 16 | 6 | 1 | 122 | 26 | 24 | 6 | 4 | 6 | 10 | 27 | 14 | 5 |
| | F | 25 | 4 | 1 | — | — | 1 | 1 | 7 | 5 | 6 | 95 | 32 | 9 | 11 | 5 | 2 | 5 | 16 | 9 | 6 |
| 20 Other respiratory diseases .. .. | M | 7 | — | — | — | 1 | — | — | 2 | 2 | 2 | 19 | 1 | 1 | 1 | 1 | — | 1 | 12 | — | 2 |
| | F | 4 | — | — | — | — | — | 2 | 1 | — | 1 | 13 | 2 | 1 | 1 | — | — | 2 | 2 | 2 | 3 |
| 21 Ulcer of stomach or duodenum .. | M | 7 | — | — | — | — | — | 2 | 4 | 1 | — | 11 | — | — | — | — | 1 | 2 | 6 | 2 | — |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 6 | — | — | — | — | — | 2 | 2 | 1 | 1 |
| 22 Diarrhœa, &c. .. | M | 4 | 2 | 1 | — | 1 | — | — | — | — | — | 29 | 18 | 3 | — | 1 | 1 | — | 4 | 1 | 1 |
| | F | 5 | 2 | 1 | — | — | — | 1 | 1 | — | — | 31 | 16 | 3 | 4 | — | 1 | 2 | 1 | 3 | 1 |
| 23 Appendicitis and typhlitis.. .. | M | 5 | — | — | — | — | 1 | 1 | 3 | — | — | 9 | — | — | 1 | 1 | — | 2 | 4 | 1 | — |
| | F | 5 | — | — | — | 1 | — | — | 2 | 1 | 1 | 11 | — | — | — | 1 | 2 | 2 | 4 | 2 | — |
| 24 Cirrhosis of liver .. | M | 3 | — | — | — | — | — | — | 2 | 1 | — | 6 | — | — | — | 1 | — | — | 3 | 1 | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| 25 Acute and chronic nephritis .. | M | 27 | — | — | — | — | — | 2 | 15 | 8 | 2 | 27 | — | — | — | 3 | 2 | 2 | 8 | 7 | 5 |
| | F | 18 | — | — | — | — | — | 1 | 10 | 6 | 1 | 41 | — | 1 | — | — | — | 5 | 17 | 15 | 3 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 8 | — | — | — | — | 1 | 6 | 1 | — | — | 9 | — | — | — | — | — | 9 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 18 | 17 | — | — | 1 | — | — | — | — | — | 58 | 58 | — | — | — | — | — | — | — | — |
| | F | 15 | 15 | — | — | — | — | — | — | — | — | 39 | 39 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 15 | — | — | — | — | — | 4 | 8 | 3 | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 5 | — | — | — | — | — | 4 | 1 | — | — |
| 30 Other deaths from violence.. .. | M | 21 | 2 | — | 1 | 5 | 1 | 3 | 8 | — | 1 | 38 | — | 1 | 4 | 1 | 4 | 8 | 13 | 4 | 3 |
| | F | 8 | — | 1 | — | — | — | 1 | 2 | 3 | 1 | 16 | — | 2 | 1 | 2 | — | 2 | 4 | 3 | 2 |
| 31 Other defined diseases .. .. | M | 95 | 8 | 1 | — | 2 | 4 | 7 | 23 | 21 | 29 | 175 | 39 | 5 | 4 | 5 | 5 | 15 | 38 | 29 | 35 |
| | F | 130 | 8 | — | 1 | 3 | 3 | 12 | 32 | 25 | 46 | 187 | 14 | 4 | 9 | 4 | 6 | 12 | 43 | 36 | 59 |
| 32 Causes ill-defined or unknown .. | M | 2 | — | — | — | — | — | — | — | 2 | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 4 | — | — | — | — | — | — | 2 | 2 | — | 2 | — | 1 | — | — | — | 1 | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Bootle. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Bournemouth. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 583 | 104 | 37 | 23 | 18 | 25 | 71 | 161 | 83 | 61 | 479 | 40 | 5 | 4 | 10 | 15 | 53 | 112 | 115 | 125 |
| | F | 489 | 67 | 31 | 25 | 16 | 22 | 78 | 106 | 75 | 69 | 641 | 24 | 5 | 5 | 9 | 13 | 44 | 156 | 151 | 234 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 18 | 5 | 9 | 4 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | |
| | F | 7 | 1 | 1 | 4 | 1 | — | — | — | — | — | 4 | 2 | 1 | — | 1 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 2 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| 5 Whooping cough .. | M | 7 | 2 | 4 | 1 | — | — | — | — | — | — | 6 | 5 | 1 | — | — | — | — | — | — | — |
| | F | 7 | — | 5 | 1 | 1 | — | — | — | — | — | 4 | 2 | 2 | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 6 | — | — | 1 | — | — | 1 | 2 | 1 | 1 | 5 | — | — | — | — | — | — | 2 | — | 3 |
| | F | 5 | — | — | — | — | 1 | 1 | 2 | 1 | — | 9 | — | — | — | — | — | 1 | 4 | 2 | 2 |
| 8 Encephalitis lethargica .. | M | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| | F | 3 | — | — | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 2 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 63 | 2 | — | — | 2 | 11 | 18 | 28 | 2 | — | 48 | — | — | — | — | 6 | 32 | 8 | 2 | — |
| | F | 44 | — | 1 | — | 3 | 10 | 23 | 6 | 1 | — | 32 | — | — | — | 1 | 4 | 13 | 9 | 4 | 1 |
| 11 Other tuberculous diseases .. .. | M | 16 | 5 | 4 | 1 | 2 | 2 | 1 | 1 | — | — | 7 | — | 2 | 1 | 1 | — | 1 | 1 | — | 1 |
| | F | 14 | — | 2 | 3 | 1 | 1 | 6 | 1 | — | — | 6 | — | — | — | — | 4 | — | 2 | — | — |
| 12 Cancer, malignant disease .. .. | M | 37 | — | — | — | 1 | 1 | 3 | 18 | 10 | 4 | 47 | — | — | — | — | 2 | 2 | 20 | 15 | 8 |
| | F | 40 | — | — | — | — | 1 | 5 | 21 | 10 | 3 | 90 | — | — | — | — | — | 6 | 36 | 27 | 21 |
| 13 Rheumatic fever .. | M | 2 | — | — | 1 | — | — | — | — | — | 1 | 3 | — | — | 1 | 2 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 14 Diabetes .. .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 6 | — | — | — | — | — | — | 1 | 2 | 3 |
| | F | 5 | — | — | — | — | — | — | 1 | 4 | — | 6 | — | — | — | — | 1 | — | — | 3 | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 18 | — | — | — | — | — | — | 6 | 8 | 4 | 41 | — | — | — | — | — | — | 8 | 20 | 13 |
| | F | 29 | — | — | — | — | — | 1 | 8 | 11 | 9 | 67 | — | — | — | — | — | 1 | 10 | 24 | 32 |
| 16 Heart disease .. | M | 46 | — | — | — | 1 | 2 | 10 | 15 | 12 | 6 | 82 | — | — | — | — | — | 3 | 19 | 25 | 35 |
| | F | 48 | — | — | — | 2 | — | 5 | 19 | 12 | 10 | 144 | — | — | — | 2 | — | 6 | 28 | 35 | 73 |
| 17 Arterio-sclerosis .. | M | 27 | — | — | — | — | — | — | 8 | 11 | 8 | 21 | — | — | — | — | — | — | 3 | 9 | 9 |
| | F | 15 | — | — | — | — | — | — | 2 | 7 | 6 | 31 | — | — | — | — | — | — | 5 | 8 | 18 |
| 18 Bronchitis .. | M | 45 | 6 | 3 | — | — | — | 1 | 10 | 9 | 16 | 21 | 1 | — | — | — | — | 2 | 4 | 4 | 10 |
| | F | 30 | 6 | 1 | — | — | — | 2 | 5 | 9 | 7 | 39 | 2 | — | — | — | — | — | 7 | 5 | 25 |
| 19 Pneumonia (all forms) .. .. | M | 79 | 16 | 12 | 6 | 3 | 1 | 8 | 23 | 7 | 3 | 20 | 5 | 1 | — | 1 | 1 | 1 | 4 | 3 | 4 |
| | F | 78 | 15 | 16 | 10 | 4 | 2 | 8 | 10 | 6 | 7 | 24 | 1 | — | 1 | — | 1 | 1 | 7 | 5 | 8 |
| 20 Other respiratory diseases .. .. | M | 8 | 1 | — | 1 | — | — | 3 | 2 | 1 | — | 7 | — | — | — | — | — | 1 | 2 | 2 | 2 |
| | F | 2 | — | — | 1 | — | — | — | — | 1 | — | 8 | — | — | — | — | — | — | — | 7 | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 6 | — | — | — | — | — | 4 | 2 | — | — | 5 | — | — | — | — | — | — | 4 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 22 Diarrhœa, &c. .. | M | 9 | 9 | — | — | — | — | — | — | — | — | 5 | 1 | — | — | — | — | — | — | — | 4 |
| | F | 15 | 7 | 2 | 2 | — | — | 3 | — | — | 1 | 6 | — | — | — | — | — | 2 | 2 | — | 2 |
| 23 Appendicitis and typhlitis.. .. | M | 2 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | — | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 24 Cirrhosis of liver .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 5 | — | — | — | — | — | — | 2 | 2 | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 5 | — | — | 1 | — | — | — | 1 | 2 | 1 |
| 25 Acute and chronic nephritis .. | M | 18 | — | — | — | — | 1 | 1 | 12 | 3 | 1 | 22 | — | — | 1 | 2 | — | 2 | 9 | 4 | 4 |
| | F | 16 | — | — | — | — | 1 | 2 | 8 | 3 | 2 | 22 | 1 | — | — | — | 1 | 1 | 8 | 10 | 1 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 39 | 39 | — | — | — | — | — | — | — | — | 23 | 23 | — | — | — | — | — | — | — | — |
| | F | 29 | 29 | — | — | — | — | — | — | — | — | 9 | 9 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 6 | — | — | — | — | — | 3 | 3 | — | — | 8 | — | — | — | — | — | 4 | 1 | 3 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 30 Other deaths from violence.. .. | M | 26 | — | 1 | 3 | 3 | 3 | 5 | 8 | 2 | 1 | 16 | — | — | — | 2 | 3 | 2 | 5 | 3 | 1 |
| | F | 10 | — | 1 | 1 | — | 1 | 1 | 2 | 1 | 3 | 14 | 2 | 1 | — | — | — | 2 | 3 | — | 6 |
| 31 Other defined diseases .. .. | M | 87 | 17 | 3 | 4 | 2 | 2 | 12 | 19 | 13 | 15 | 76 | 5 | — | 1 | 2 | 1 | 2 | 19 | 20 | 26 |
| | F | 81 | 8 | 2 | 3 | 1 | 3 | 16 | 18 | 9 | 21 | 108 | 5 | — | 3 | 3 | 1 | 6 | 30 | 19 | 41 |
| 32 Causes ill-defined or unknown .. | M | 11 | 2 | 1 | — | — | — | 1 | 3 | 3 | 1 | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Bradford. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Brighton. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 2054 | 245 | 77 | 48 | 47 | 79 | 262 | 632 | 427 | 237 | 781 | 85 | 13 | 16 | 27 | 25 | 81 | 209 | 167 | 158 |
| | F | 1965 | 170 | 61 | 36 | 42 | 62 | 225 | 523 | 486 | 360 | 912 | 47 | 12 | 24 | 15 | 22 | 75 | 216 | 188 | 313 |
| 1 Enteric fever .. | M | 3 | — | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 36 | 9 | 17 | 8 | 2 | — | — | — | — | — | 9 | 2 | 3 | 4 | — | — | — | — | — | — |
| | F | 28 | 6 | 13 | 8 | 1 | — | — | — | — | — | 7 | 1 | 4 | 2 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 2 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 4 | 1 | — | — | 2 | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 5 Whooping cough .. | M | 12 | 5 | 3 | 2 | 2 | — | — | — | — | — | 2 | 1 | — | — | 1 | — | — | — | — | — |
| | F | 10 | 4 | 3 | 1 | 2 | — | — | — | — | — | 6 | 1 | 2 | 2 | — | — | — | — | — | 1 |
| 6 Diphtheria .. | M | 11 | — | 1 | 5 | 3 | 1 | — | — | — | 1 | 14 | — | — | 4 | 8 | 2 | — | — | — | — |
| | F | 7 | 1 | — | 4 | 1 | 1 | — | — | — | — | 11 | 2 | — | 5 | 4 | — | — | — | — | — |
| 7 Influenza .. .. | M | 60 | 2 | 3 | 2 | — | 5 | 8 | 21 | 15 | 4 | 5 | — | — | — | — | — | 1 | 2 | — | 2 |
| | F | 54 | 1 | 2 | 1 | — | 2 | 6 | 16 | 17 | 9 | 8 | — | — | — | — | — | 2 | 2 | 1 | 3 |
| 8 Encephalitis lethargica .. | M | 4 | — | — | — | — | 1 | 2 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | 1 | — | — | 2 | 1 | — | — | — | — | 2 | — | — | 1 | — | — | — | 1 | — | — |
| 10 Tuberculosis of respiratory system | M | 137 | — | 1 | 2 | 1 | 21 | 52 | 53 | 6 | 1 | 48 | — | — | — | 2 | 6 | 15 | 20 | 3 | 2 |
| | F | 107 | 1 | — | — | 6 | 23 | 47 | 24 | 5 | 1 | 54 | — | — | — | 2 | 10 | 21 | 14 | 7 | — |
| 11 Other tuberculous diseases .. .. | M | 38 | 4 | 7 | 3 | 6 | 6 | 5 | 7 | — | — | 17 | 2 | 3 | 1 | 3 | 4 | 4 | — | — | — |
| | F | 29 | 3 | 2 | 5 | 5 | 7 | 3 | 4 | — | — | 9 | 1 | 1 | 4 | 1 | — | 1 | — | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 161 | — | — | — | — | — | 13 | 82 | 48 | 18 | 95 | — | — | — | — | 2 | 5 | 42 | 33 | 13 |
| | F | 226 | — | — | — | — | 3 | 29 | 106 | 64 | 24 | 146 | — | — | — | — | 1 | 14 | 62 | 36 | 33 |
| 13 Rheumatic fever .. | M | 7 | — | — | 1 | 3 | 3 | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 6 | — | — | — | 3 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes .. .. | M | 18 | — | — | — | — | — | 4 | 8 | 6 | — | 10 | — | — | — | 1 | 1 | — | 2 | 4 | 2 |
| | F | 34 | — | — | — | 1 | — | 3 | 16 | 11 | 3 | 14 | — | — | — | — | — | 2 | 5 | 5 | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 112 | — | — | — | — | — | 4 | 36 | 47 | 25 | 45 | — | — | — | — | 1 | 2 | 12 | 14 | 16 |
| | F | 143 | — | — | — | — | — | 6 | 54 | 51 | 32 | 70 | — | — | — | — | — | 1 | 18 | 15 | 36 |
| 16 Heart disease .. | M | 253 | — | — | 1 | — | 6 | 22 | 96 | 86 | 42 | 97 | — | — | — | 1 | 1 | 9 | 32 | 29 | 25 |
| | F | 308 | — | — | — | 2 | 2 | 24 | 87 | 131 | 62 | 131 | — | — | — | 2 | 1 | 6 | 34 | 38 | 50 |
| 17 Arterio-sclerosis .. | M | 96 | — | — | — | — | — | — | 22 | 41 | 33 | 26 | — | — | — | — | — | — | 4 | 11 | 11 |
| | F | 95 | — | — | — | — | — | 2 | 15 | 42 | 36 | 19 | — | — | — | — | — | 1 | 3 | 5 | 10 |
| 18 Bronchitis .. | M | 150 | 11 | 2 | 2 | — | 1 | 9 | 39 | 55 | 31 | 46 | 2 | 1 | — | 1 | — | 3 | 9 | 15 | 15 |
| | F | 168 | 4 | — | — | — | — | 1 | 39 | 62 | 62 | 67 | — | — | 1 | — | — | 1 | 8 | 14 | 43 |
| 19 Pneumonia (all forms) .. .. | M | 223 | 31 | 17 | 7 | 9 | 6 | 43 | 78 | 23 | 9 | 54 | 12 | 4 | 3 | — | — | 4 | 14 | 7 | 10 |
| | F | 142 | 18 | 25 | 9 | 6 | 4 | 22 | 23 | 23 | 12 | 43 | 8 | 3 | 2 | 2 | 3 | 1 | 9 | 7 | 8 |
| 20 Other respiratory diseases .. .. | M | 24 | 1 | 2 | — | 1 | — | 7 | 7 | 4 | 2 | 12 | 3 | — | — | — | — | 2 | 2 | 4 | 1 |
| | F | 18 | — | 2 | 1 | — | — | 2 | 4 | 2 | 7 | 18 | — | 1 | 1 | — | 1 | 2 | 5 | 4 | 4 |
| 21 Ulcer of stomach or duodenum .. | M | 23 | — | — | — | — | — | 10 | 9 | 4 | — | 5 | — | — | — | — | — | 2 | 2 | 1 | — |
| | F | 8 | — | — | — | — | — | 4 | 4 | — | — | 8 | — | — | — | — | — | 3 | 3 | 2 | — |
| 22 Diarrhœa, &c. .. | M | 29 | 15 | 5 | 4 | 1 | — | — | 2 | 2 | — | 7 | 1 | 2 | — | — | — | — | — | 2 | 2 |
| | F | 24 | 11 | 2 | — | 2 | — | 3 | 4 | — | 2 | 11 | 6 | — | 1 | — | 1 | 1 | — | — | 2 |
| 23 Appendicitis and typhlitis.. .. | M | 18 | — | — | — | 2 | 2 | 10 | 4 | — | — | 5 | — | — | — | 2 | — | — | 2 | 1 | — |
| | F | 9 | — | — | — | 2 | — | 1 | 4 | — | 2 | 3 | — | — | 2 | — | — | — | 1 | — | — |
| 24 Cirrhosis of liver .. | M | 9 | — | — | — | — | — | 2 | 5 | 2 | — | 8 | — | — | — | — | — | 2 | 4 | 1 | 1 |
| | F | 6 | — | — | — | — | — | 2 | 2 | 2 | — | 4 | — | — | — | — | — | — | 2 | 2 | — |
| 25 Acute and chronic nephritis .. | M | 51 | — | — | — | — | 2 | 4 | 31 | 12 | 2 | 31 | — | — | — | — | 2 | 6 | 17 | 5 | 1 |
| | F | 42 | — | — | — | 1 | 3 | 4 | 15 | 11 | 8 | 34 | — | — | — | — | — | 1 | 10 | 10 | 13 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 16 | — | — | — | — | 1 | 15 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 10 | — | — | — | — | 4 | 6 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 108 | 106 | 1 | — | — | — | 1 | — | — | — | 40 | 40 | — | — | — | — | — | — | — | — |
| | F | 70 | 69 | 1 | — | — | — | — | — | — | — | 16 | 16 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 30 | — | — | — | — | 2 | 11 | 15 | 1 | 1 | 9 | — | — | — | — | 1 | 4 | 2 | 2 | — |
| | F | 10 | — | — | — | — | 1 | 3 | 4 | 2 | — | 5 | — | — | — | — | 1 | 1 | 1 | 2 | — |
| 30 Other deaths from violence.. .. | M | 67 | — | 9 | 7 | 8 | 10 | 10 | 9 | 9 | 5 | 19 | 1 | — | 1 | — | — | 4 | 6 | 3 | 4 |
| | F | 35 | — | 1 | 3 | 2 | — | 3 | 10 | 9 | 7 | 16 | 1 | 1 | 1 | — | — | 2 | 3 | 2 | 6 |
| 31 Other defined diseases .. .. | M | 354 | 60 | 9 | 2 | 9 | 12 | 44 | 95 | 60 | 63 | 173 | 21 | — | 2 | 8 | 5 | 16 | 36 | 32 | 53 |
| | F | 341 | 50 | 9 | 4 | 4 | 7 | 37 | 85 | 52 | 93 | 206 | 11 | — | 2 | 3 | 2 | 14 | 35 | 37 | 102 |
| 32 Causes ill-defined or unknown .. | M | 18 | — | — | — | — | — | 1 | 11 | 6 | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 8 | — | 1 | — | — | — | 1 | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Bristol. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Burnley. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 2097 | 279 | 63 | 65 | 74 | 87 | 225 | 547 | 413 | 344 | 720 | 101 | 32 | 22 | 28 | 32 | 94 | 209 | 130 | 72 |
| | F | 2274 | 177 | 67 | 57 | 58 | 111 | 281 | 504 | 450 | 569 | 685 | 86 | 19 | 30 | 22 | 30 | 66 | 193 | 138 | 101 |
| 1 Enteric fever | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 3 | — | — | 1 | 1 | — | 1 | — | — | — |
| | F | 2 | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 19 | 1 | 13 | 5 | — | — | — | — | — | — | 4 | 1 | 3 | — | — | — | — | — | — | — |
| | F | 16 | 2 | 6 | 8 | — | — | — | — | — | — | 8 | 3 | 4 | 1 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 11 | — | 2 | 4 | 5 | — | — | — | — | — | 3 | — | — | — | 3 | — | — | — | — | — |
| | F | 7 | — | 1 | 5 | 1 | — | — | — | — | — | 6 | — | — | 3 | 3 | — | — | — | — | — |
| 5 Whooping cough | M | 34 | 19 | 11 | 4 | — | — | — | — | — | — | 8 | 6 | 1 | 1 | — | — | — | — | — | — |
| | F | 44 | 13 | 25 | 5 | — | 1 | — | — | — | — | 9 | 4 | 2 | 2 | 1 | — | — | — | — | — |
| 6 Diphtheria | M | 27 | — | 3 | 14 | 10 | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| | F | 21 | 1 | — | 9 | 11 | — | — | — | — | — | 5 | — | — | 4 | 1 | — | — | — | — | — |
| 7 Influenza | M | 32 | 1 | — | — | 1 | 1 | 6 | 11 | 10 | 2 | 8 | — | 1 | — | — | 2 | 1 | 1 | 2 | 1 |
| | F | 19 | 2 | — | — | — | — | 5 | 4 | 3 | 5 | 12 | 1 | — | — | — | 4 | 2 | 3 | 2 | — |
| 8 Encephalitis lethargica | M | 3 | — | 1 | — | — | — | — | 1 | 1 | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| | F | 10 | — | — | 1 | 1 | — | 2 | 2 | 4 | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | 3 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 170 | — | — | — | 1 | 36 | 65 | 59 | 7 | 2 | 65 | — | — | — | 3 | 15 | 21 | 23 | 3 | — |
| | F | 196 | 1 | — | 3 | 6 | 47 | 98 | 38 | 3 | — | 37 | 1 | — | — | 2 | 9 | 14 | 9 | 2 | — |
| 11 Other tuberculous diseases | M | 47 | 7 | 5 | 8 | 13 | 6 | 3 | 4 | 1 | — | 19 | — | 1 | 1 | 8 | 3 | 2 | 2 | 1 | 1 |
| | F | 53 | 5 | 6 | 5 | 11 | 12 | 6 | 7 | 1 | — | 14 | 1 | — | 3 | 3 | 2 | 4 | 1 | — | — |
| 12 Cancer, malignant disease | M | 206 | — | — | — | — | 1 | 8 | 106 | 67 | 24 | 67 | — | — | 1 | — | — | 6 | 39 | 14 | 7 |
| | F | 303 | 1 | — | — | — | 3 | 24 | 134 | 85 | 56 | 81 | — | — | — | — | — | 5 | 47 | 25 | 4 |
| 13 Rheumatic fever | M | 8 | — | — | 1 | 2 | 1 | 3 | 1 | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| | F | 9 | — | — | — | 3 | 3 | 3 | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| 14 Diabetes | M | 17 | — | — | — | 2 | 1 | — | 7 | 5 | 2 | 7 | — | — | — | — | — | 2 | 2 | 3 | — |
| | F | 29 | — | — | — | 1 | — | — | 16 | 11 | 1 | 5 | — | — | — | — | — | — | 4 | — | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 89 | — | — | — | — | 1 | 3 | 22 | 30 | 33 | 47 | — | — | — | — | — | 3 | 14 | 23 | 7 |
| | F | 140 | — | — | — | 1 | — | 4 | 32 | 45 | 58 | 42 | — | — | — | — | — | 1 | 16 | 16 | 9 |
| 16 Heart disease | M | 236 | — | 2 | — | 5 | 9 | 24 | 68 | 80 | 48 | 82 | — | — | — | — | 2 | 9 | 28 | 27 | 16 |
| | F | 344 | 1 | 1 | — | 10 | 15 | 30 | 88 | 103 | 96 | 93 | — | — | — | 2 | 2 | 12 | 35 | 27 | 15 |
| 17 Arterio-sclerosis | M | 99 | — | — | — | — | — | 2 | 22 | 42 | 33 | 21 | — | — | — | — | — | — | 5 | 13 | 3 |
| | F | 95 | — | — | — | — | — | 4 | 9 | 26 | 56 | 13 | — | — | — | — | — | — | 1 | 5 | 7 |
| 18 Bronchitis | M | 138 | 13 | 3 | — | — | — | 3 | 23 | 44 | 52 | 68 | 12 | 2 | 1 | 1 | 1 | 5 | 20 | 15 | 11 |
| | F | 143 | 5 | 2 | — | — | 1 | 1 | 16 | 31 | 87 | 66 | 10 | 3 | 2 | — | — | 1 | 10 | 22 | 18 |
| 19 Pneumonia (all forms) | M | 170 | 32 | 16 | 12 | 6 | 7 | 28 | 38 | 19 | 12 | 76 | 16 | 11 | 5 | 4 | 4 | 15 | 14 | 5 | 2 |
| | F | 148 | 28 | 13 | 8 | 1 | 7 | 19 | 30 | 17 | 25 | 56 | 11 | 6 | 8 | 3 | 2 | 8 | 10 | 3 | 5 |
| 20 Other respiratory diseases | M | 26 | 1 | — | — | — | 1 | 4 | 12 | 3 | 5 | 12 | — | — | 1 | — | 1 | — | 5 | 2 | 3 |
| | F | 25 | 1 | 1 | 1 | 2 | 1 | 3 | 3 | 4 | 9 | 6 | — | — | 1 | — | — | 1 | 2 | 1 | 1 |
| 21 Ulcer of stomach or duodenum | M | 26 | — | — | — | — | 1 | 7 | 15 | 1 | 2 | 9 | — | — | — | — | 1 | 4 | 2 | 2 | — |
| | F | 7 | — | — | — | — | 1 | — | 3 | 3 | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 22 Diarrhœa, &c. | M | 45 | 38 | 1 | — | 1 | 1 | 1 | — | 2 | 1 | 7 | 2 | 4 | — | — | — | 1 | — | — | — |
| | F | 35 | 14 | 6 | — | — | — | 3 | — | 7 | 5 | 15 | 7 | — | 2 | — | — | — | 5 | — | 1 |
| 23 Appendicitis and typhlitis | M | 16 | — | — | 1 | 1 | 2 | 6 | 4 | 2 | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| | F | 11 | — | — | — | 2 | 1 | 2 | 4 | 2 | — | 6 | — | — | — | 2 | 1 | 1 | 2 | — | — |
| 24 Cirrhosis of liver | M | 10 | — | — | — | — | — | — | 8 | 2 | — | 4 | — | — | — | — | — | 1 | 3 | — | — |
| | F | 5 | — | — | — | — | 1 | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 51 | 1 | — | — | 1 | 2 | 11 | 16 | 13 | 7 | 18 | — | — | — | — | 1 | 3 | 10 | 4 | — |
| | F | 84 | — | 1 | — | — | 3 | 15 | 31 | 21 | 13 | 26 | — | — | — | 1 | — | 2 | 15 | 6 | 2 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | — | — | — | — | — | 6 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 18 | — | — | — | — | 3 | 14 | 1 | — | — | 5 | — | — | — | — | 2 | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 119 | 117 | 1 | — | 1 | — | — | — | — | — | 46 | 44 | 1 | — | — | 1 | — | — | — | — |
| | F | 74 | 74 | — | — | — | — | — | — | — | — | 27 | 27 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 23 | — | — | — | — | 2 | 6 | 11 | 3 | 1 | 9 | — | — | — | — | — | 4 | 4 | — | 1 |
| | F | 5 | — | — | — | — | 1 | 2 | 1 | 1 | — | 7 | — | — | — | — | 2 | 1 | 2 | 1 | 1 |
| 30 Other deaths from violence | M | 72 | 5 | 2 | 5 | 9 | 7 | 14 | 20 | 6 | 4 | 17 | 1 | 1 | 3 | 1 | 1 | 3 | 4 | 1 | 2 |
| | F | 42 | 2 | — | 4 | 1 | 4 | 4 | 8 | 9 | 10 | 15 | — | — | 2 | — | 2 | — | 2 | 7 | 2 |
| 31 Other defined diseases | M | 397 | 41 | 3 | 11 | 16 | 7 | 31 | 97 | 75 | 116 | 108 | 19 | 6 | 6 | 5 | — | 11 | 29 | 14 | 18 |
| | F | 381 | 26 | 5 | 7 | 7 | 6 | 36 | 72 | 74 | 148 | 121 | 21 | 4 | 1 | 4 | 1 | 8 | 26 | 21 | 35 |
| 32 Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | 1 | — | — | — | — | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | 3 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Burton-upon-Trent. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Bury. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 330 | 43 | 6 | 5 | 7 | 10 | 40 | 99 | 75 | 45 | 452 | 43 | 10 | 8 | 8 | 16 | 69 | 156 | 89 | 53 |
| | F | 273 | 33 | 11 | 5 | 4 | 7 | 27 | 72 | 48 | 66 | 468 | 44 | 6 | 8 | 8 | 11 | 54 | 130 | 124 | 83 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 6 | 2 | 2 | 2 | — | — | — | — | — | — |
| | F | 2 | — | — | 1 | 1 | — | — | — | — | — | 7 | 3 | 1 | 3 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | 1 | 1 | — | 1 | — | — | — |
| | F | 2 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| | F | 7 | 4 | 2 | 1 | — | — | — | — | — | — | 2 | 1 | — | — | 1 | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 6 | — | — | — | — | 1 | 1 | 4 | — | — | 20 | — | 1 | — | — | — | 8 | 6 | 4 | 1 |
| | F | 9 | 4 | — | — | — | — | — | 1 | 4 | — | 17 | — | — | — | 1 | — | 5 | 8 | 2 | 1 |
| 8 Encephalitis lethargica .. | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 26 | — | — | — | 1 | 2 | 13 | 10 | — | — | 33 | — | — | — | — | 5 | 13 | 14 | 1 | — |
| | F | 19 | — | — | — | 1 | 3 | 11 | 3 | 1 | — | 23 | — | — | — | — | 4 | 13 | 3 | 3 | — |
| 11 Other tuberculous diseases .. .. | M | 8 | 1 | 3 | — | 1 | — | 2 | 1 | — | — | 4 | — | — | — | — | 3 | — | — | 1 | — |
| | F | 3 | 2 | — | — | 1 | — | — | — | — | — | 2 | — | — | 1 | — | — | — | 1 | — | — |
| 12 Cancer, malignant disease .. .. | M | 35 | — | — | — | — | — | 3 | 24 | 6 | 2 | 38 | — | — | — | — | — | 1 | 21 | 14 | 2 |
| | F | 46 | — | — | 1 | — | — | 5 | 20 | 10 | 10 | 47 | — | — | — | — | — | 6 | 18 | 20 | 3 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 2 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 14 Diabetes .. .. | M | 4 | — | — | — | — | 1 | — | 1 | 1 | 1 | 5 | — | — | — | — | — | 2 | 1 | 2 | — |
| | F | 3 | — | — | — | — | — | — | 1 | 2 | — | 13 | — | — | — | — | — | — | 4 | 5 | 4 |
| 15 Cerebral hæmorrhage, &c. .. | M | 21 | — | — | — | — | — | — | 5 | 8 | 8 | 28 | — | — | — | — | — | 1 | 9 | 13 | 5 |
| | F | 20 | — | — | — | — | — | 1 | 4 | 7 | 8 | 23 | — | — | — | — | — | — | 8 | 9 | 9 |
| 16 Heart disease .. | M | 38 | — | — | — | — | 2 | 3 | 18 | 14 | 1 | 64 | — | — | — | 1 | — | 4 | 31 | 17 | 11 |
| | F | 31 | — | — | — | — | — | 1 | 14 | 6 | 10 | 84 | — | — | — | — | — | 2 | 27 | 41 | 14 |
| 17 Arterio-sclerosis .. | M | 9 | — | — | — | — | — | — | 2 | 5 | 2 | 18 | — | — | — | — | — | 1 | 3 | 7 | 7 |
| | F | 6 | — | — | — | — | — | — | 1 | — | 5 | 15 | — | — | — | — | — | — | 1 | 2 | 12 |
| 18 Bronchitis .. | M | 22 | 2 | — | — | — | — | 2 | 3 | 8 | 7 | 30 | 3 | 1 | — | — | — | 2 | 11 | 5 | 8 |
| | F | 22 | 2 | 2 | — | — | — | — | 2 | 6 | 10 | 58 | 6 | 1 | — | — | — | 1 | 18 | 15 | 17 |
| 19 Pneumonia (all forms) .. .. | M | 25 | 3 | 1 | 2 | 1 | — | 6 | 5 | 5 | 2 | 71 | 6 | 6 | 1 | 3 | 5 | 17 | 24 | 7 | 2 |
| | F | 11 | 1 | 3 | — | 1 | — | 1 | 4 | 1 | — | 47 | 6 | 4 | 1 | 1 | 3 | 6 | 15 | 6 | 5 |
| 20 Other respiratory diseases .. .. | M | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 5 | 1 | — | — | — | 1 | — | 2 | — | 1 |
| | F | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 2 | — | — | — | — | — | 1 | — | 1 | — |
| 21 Ulcer of stomach or duodenum .. | M | 3 | — | — | — | — | — | — | 1 | 2 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| 22 Diarrhœa, &c. .. | M | 8 | 6 | — | — | — | — | — | 1 | — | 1 | 5 | 3 | — | — | — | — | — | 1 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | 3 | — | 1 | — | — | — | — | — | 1 |
| 23 Appendicitis and typhlitis.. .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 24 Cirrhosis of liver .. | M | 3 | — | — | — | — | — | — | 2 | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis .. | M | 10 | — | — | — | — | — | 1 | 3 | 5 | 1 | 14 | — | — | — | — | — | 5 | 2 | 7 | — |
| | F | 9 | — | — | — | — | — | 1 | 4 | 2 | 2 | 13 | — | — | — | — | — | 2 | 5 | 6 | — |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 26 | 25 | — | — | 1 | — | — | — | — | — | 18 | 18 | — | — | — | — | — | — | — | — |
| | F | 15 | 13 | 2 | — | — | — | — | — | — | — | 21 | 21 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 4 | — | — | — | — | — | — | 3 | 1 | — | 6 | — | — | — | — | — | 1 | 3 | 1 | 1 |
| | F | 5 | — | — | — | — | — | 1 | 3 | 1 | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| 30 Other deaths from violence.. .. | M | 8 | — | — | — | — | 2 | — | 3 | 3 | — | 18 | 1 | — | — | — | 1 | 4 | 8 | 1 | 3 |
| | F | 2 | — | 1 | — | — | — | — | 1 | — | — | 8 | — | — | 2 | 2 | — | — | 1 | 3 | — |
| 31 Other defined diseases .. .. | M | 65 | 5 | 1 | 2 | 3 | 2 | 8 | 10 | 15 | 19 | 55 | 9 | — | 2 | 3 | — | 8 | 14 | 7 | 12 |
| | F | 51 | 7 | 1 | — | — | — | 5 | 11 | 7 | 20 | 62 | 4 | — | — | 2 | 3 | 8 | 17 | 11 | 17 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Canterbury. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Carlisle. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 133 | 14 | 2 | 1 | 3 | 4 | 11 | 31 | 31 | 36 | 374 | 50 | 20 | 22 | 14 | 14 | 35 | 102 | 64 | 53 |
| | F | 147 | 8 | 1 | 1 | 5 | 12 | 12 | 33 | 33 | 42 | 382 | 52 | 23 | 21 | 11 | 10 | 36 | 76 | 77 | 76 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | 20 | 4 | 9 | 7 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 25 | 5 | 10 | 10 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 8 | 1 | 5 | 2 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | 1 | 3 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 7 | — | — | 3 | 3 | — | 1 | — | — | — |
| 7 Influenza .. .. | M | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 4 | — | — | — | — | — | — | 1 | 2 | 1 |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 5 | 1 | — | — | — | — | — | — | 3 | 1 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 12 | — | — | — | — | 3 | 5 | 4 | — | — | 21 | — | — | 1 | — | 6 | 10 | 4 | — | — |
| | F | 10 | — | — | — | 1 | 6 | 1 | 2 | — | — | 17 | — | — | — | 1 | 4 | 10 | 1 | 1 | — |
| 11 Other tuberculous diseases .. .. | M | 2 | — | 1 | — | — | — | — | 1 | — | — | 12 | 2 | 1 | 3 | 1 | 2 | 3 | — | — | — |
| | F | 2 | — | — | — | 1 | — | — | 1 | — | — | 7 | 1 | — | 1 | 2 | — | 1 | 2 | — | — |
| 12 Cancer, malignant disease .. .. | M | 18 | — | — | — | 1 | — | — | 7 | 7 | 3 | 44 | — | — | — | — | — | 1 | 20 | 16 | 7 |
| | F | 26 | — | — | — | — | — | 4 | 12 | 6 | 4 | 41 | — | — | — | — | — | 2 | 18 | 10 | 11 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 14 Diabetes .. .. | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 5 | — | — | — | — | — | 1 | 2 | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 5 | — | — | — | — | — | 1 | — | 1 | 3 | 21 | — | — | 1 | — | — | — | 10 | 5 | 5 |
| | F | 10 | — | — | — | — | — | — | 2 | 5 | 3 | 22 | — | — | — | — | — | — | 6 | 8 | 8 |
| 16 Heart disease .. | M | 18 | — | — | — | 1 | — | — | 2 | 9 | 6 | 40 | — | — | — | 1 | 1 | 5 | 14 | 13 | 6 |
| | F | 17 | — | — | — | — | 1 | — | 5 | 5 | 6 | 65 | — | — | — | 3 | — | 4 | 19 | 21 | 18 |
| 17 Arterio-sclerosis .. | M | 4 | — | — | — | — | — | — | — | 2 | 2 | 30 | — | — | — | — | — | — | 5 | 8 | 17 |
| | F | 5 | — | — | — | — | — | — | — | 3 | 2 | 23 | — | — | — | — | — | 1 | 1 | 10 | 11 |
| 18 Bronchitis .. | M | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 14 | — | 2 | — | — | — | 1 | 2 | 4 | 5 |
| | F | 9 | — | — | — | — | — | — | — | 4 | 5 | 7 | 2 | — | — | — | — | — | — | 1 | 4 |
| 19 Pneumonia (all forms) .. .. | M | 8 | 1 | — | — | — | 1 | 1 | 3 | — | 2 | 31 | 8 | 4 | 4 | 2 | 1 | 3 | 6 | 2 | 1 |
| | F | 9 | 1 | 1 | — | 2 | 1 | — | 1 | 3 | — | 27 | 5 | 7 | 3 | — | 2 | — | 3 | 5 | 2 |
| 20 Other respiratory diseases .. .. | M | 3 | 1 | — | — | 1 | — | — | — | 1 | — | 2 | — | — | — | — | — | — | 1 | — | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | — | — | 2 | 3 | — |
| 21 Ulcer of stomach or duodenum .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 6 | — | — | — | — | — | 1 | 3 | 1 | 1 |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. .. | M | 6 | 3 | — | 1 | — | — | — | — | — | 2 | 10 | 6 | 2 | — | — | — | — | 1 | — | 1 |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 10 | 4 | 1 | 1 | 1 | — | 1 | 1 | 1 | — |
| 23 Appendicitis and typhlitis.. .. | M | — | — | — | — | — | — | — | — | — | — | 5 | — | — | 3 | 1 | — | — | — | 1 | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 24 Cirrhosis of liver .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 3 | — | — | — | — | — | — | 2 | 1 | — | 11 | — | — | — | 1 | — | — | 8 | 2 | — |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 5 | — | — | — | — | 1 | — | 3 | — | 1 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 10 | — | — | — | — | 2 | 8 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 7 | 7 | — | — | — | — | — | — | — | — | 24 | 24 | — | — | — | — | — | — | — | — |
| | F | 4 | 4 | — | — | — | — | — | — | — | — | 27 | 26 | — | 1 | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | 1 | — | 1 |
| 30 Other deaths from violence.. .. | M | 5 | — | — | — | — | — | 2 | 2 | — | 1 | 16 | — | — | 1 | 3 | 2 | 3 | 5 | 2 | — |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 6 | 1 | — | — | 1 | — | 1 | 1 | — | 2 |
| 31 Other defined diseases .. .. | M | 31 | 2 | 1 | — | — | — | 1 | 7 | 4 | 16 | 46 | 6 | 1 | 1 | 1 | 2 | 6 | 15 | 6 | 8 |
| | F | 38 | 2 | — | — | 1 | 1 | 5 | 5 | 5 | 19 | 56 | 6 | — | — | — | 1 | 4 | 16 | 12 | 17 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | 1 | — | — | — | — | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Chester. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Coventry. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 279 | 42 | 11 | 9 | 2 | 13 | 37 | 69 | 51 | 45 | 638 | 93 | 20 | 19 | 15 | 25 | 101 | 200 | 101 | 64 |
| | F | 267 | 27 | 5 | 5 | 10 | 7 | 29 | 61 | 56 | 67 | 594 | 56 | 17 | 22 | 20 | 31 | 70 | 142 | 117 | 119 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 2 Small-pox | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | — | — | 1 | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | — | 2 | 3 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 5 | 2 | 1 | 2 | — | — | — | — | — | — | 4 | — | 2 | 2 | — | — | — | — | — | — |
| | F | 3 | 2 | — | 1 | — | — | — | — | — | — | 9 | 2 | 2 | 4 | 1 | — | — | — | — | — |
| 6 Diphtheria | M | 1 | — | — | 1 | — | — | — | — | — | — | 3 | 1 | — | — | 2 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 4 | — | 1 | 2 | 1 | — | — | — | — | — |
| 7 Influenza | M | 4 | — | — | — | — | — | — | 3 | — | 1 | 15 | — | — | — | 1 | — | 5 | 7 | 2 | — |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 9 | 1 | — | — | — | — | 4 | 1 | 2 | 1 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 26 | — | — | — | — | 6 | 12 | 7 | 1 | — | 80 | — | 1 | — | — | 7 | 45 | 26 | 1 | — |
| | F | 16 | — | — | — | 2 | 3 | 6 | 4 | 1 | — | 50 | — | — | — | 2 | 14 | 26 | 6 | 1 | 1 |
| 11 Other tuberculous diseases | M | 6 | 1 | 2 | — | — | — | 2 | — | 1 | — | 15 | 1 | 5 | 4 | 1 | 1 | 2 | 1 | — | — |
| | F | 9 | 1 | 3 | 2 | 1 | 1 | 1 | — | — | — | 10 | 3 | — | 2 | 4 | 1 | — | — | — | — |
| 12 Cancer, malignant disease | M | 22 | — | — | — | — | — | 1 | 6 | 10 | 5 | 64 | — | — | 1 | — | — | 2 | 37 | 21 | 3 |
| | F | 32 | — | — | — | — | 1 | 6 | 14 | 7 | 4 | 67 | — | — | — | 1 | — | 4 | 34 | 19 | 9 |
| 13 Rheumatic fever | M | 2 | — | — | — | 1 | 1 | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 5 | — | — | — | — | 1 | — | 1 | 2 | 1 | 5 | — | — | — | 1 | — | — | 4 | — | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 6 | — | — | — | — | 1 | — | 2 | 3 | — |
| 15 Cerebral hæmorrhage, &c. | M | 18 | — | — | — | — | — | 1 | 5 | 7 | 5 | 33 | — | — | — | — | — | 2 | 10 | 9 | 12 |
| | F | 30 | — | — | — | — | — | 4 | 5 | 8 | 13 | 45 | — | — | — | — | — | 1 | 14 | 17 | 13 |
| 16 Heart disease | M | 32 | — | — | — | — | 1 | 6 | 10 | 10 | 5 | 59 | — | — | — | 2 | 2 | 7 | 25 | 14 | 9 |
| | F | 41 | — | — | — | 2 | — | 3 | 11 | 13 | 12 | 69 | — | — | — | 1 | 2 | 5 | 24 | 22 | 15 |
| 17 Arterio-sclerosis | M | 10 | — | — | — | — | — | — | 2 | 3 | 5 | 17 | — | — | — | — | — | — | 5 | 7 | 5 |
| | F | 15 | — | — | — | — | — | — | 2 | 4 | 9 | 12 | — | — | — | — | — | — | 4 | 4 | 4 |
| 18 Bronchitis | M | 25 | 2 | — | 2 | — | — | 1 | 6 | 4 | 10 | 55 | 10 | 1 | 1 | — | — | 1 | 14 | 15 | 13 |
| | F | 28 | 2 | — | — | — | — | 1 | 4 | 10 | 11 | 65 | 8 | 1 | 1 | — | — | 2 | 12 | 15 | 26 |
| 19 Pneumonia (all forms) | M | 23 | 7 | 3 | — | 1 | — | 5 | 4 | 2 | 1 | 54 | 13 | 5 | — | 3 | 2 | 9 | 14 | 8 | — |
| | F | 12 | 2 | 2 | 2 | — | — | 1 | 1 | 2 | 2 | 30 | 4 | 5 | 1 | 2 | 2 | 2 | 8 | 4 | 2 |
| 20 Other respiratory diseases | M | 3 | 2 | — | — | — | — | — | 1 | — | — | 5 | 1 | — | — | — | — | 1 | 2 | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 9 | — | — | — | — | — | 2 | 3 | 1 | 3 |
| 21 Ulcer of stomach or duodenum | M | 4 | — | — | — | — | 1 | 1 | 2 | — | — | 5 | — | — | — | — | — | 1 | 3 | 1 | — |
| | F | 4 | — | — | — | — | — | 1 | 3 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 22 Diarrhœa, &c. | M | 5 | 3 | 2 | — | — | — | — | — | — | — | 7 | 3 | 1 | 1 | — | 1 | — | — | 1 | — |
| | F | 4 | 3 | — | — | — | — | — | 1 | — | — | 3 | 2 | — | — | — | — | — | 1 | — | — |
| 23 Appendicitis and typhlitis | M | 4 | — | — | — | — | 1 | 1 | 2 | — | — | 7 | — | — | — | 2 | 2 | 1 | 1 | 1 | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | 9 | — | — | — | 2 | 3 | 2 | 1 | 1 | — |
| 24 Cirrhosis of liver | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | — | 3 | — | 1 |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 6 | — | — | — | — | — | 2 | 3 | — | 1 |
| 25 Acute and chronic nephritis | M | 8 | — | — | — | — | — | 1 | 6 | 1 | — | 15 | — | — | — | — | — | 4 | 8 | 3 | — |
| | F | 7 | — | — | — | — | — | — | 5 | 1 | 1 | 11 | — | — | 1 | — | — | 1 | 3 | 3 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | — | 2 | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 15 | 15 | — | — | — | — | — | — | — | — | 54 | 53 | — | — | — | 1 | — | — | — | — |
| | F | 7 | 7 | — | — | — | — | — | — | — | — | 23 | 23 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 5 | — | — | — | — | — | 1 | 1 | 3 | — | 12 | — | — | — | — | 1 | 4 | 5 | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | — | 1 | 3 | — | 1 |
| 30 Other deaths from violence | M | 8 | 1 | 1 | 2 | — | — | 1 | 2 | 1 | — | 20 | 2 | — | 2 | — | 5 | 6 | 4 | — | 1 |
| | F | 4 | — | — | — | — | — | 1 | — | 1 | 2 | 7 | 2 | — | 1 | — | — | — | 2 | 1 | 1 |
| 31 Other defined diseases | M | 44 | 9 | 2 | 1 | — | 1 | 4 | 10 | 5 | 12 | 98 | 8 | 4 | 5 | 3 | 3 | 10 | 30 | 15 | 20 |
| | F | 43 | 10 | — | — | 3 | 1 | 3 | 8 | 6 | 12 | 126 | 11 | 5 | 7 | 4 | 4 | 11 | 21 | 24 | 39 |
| 32 Causes ill-defined or unknown | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Croydon. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Darlington. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 932 | 96 | 17 | 18 | 27 | 57 | 111 | 262 | 168 | 176 | 418 | 44 | 28 | 22 | 15 | 24 | 46 | 109 | 68 | 62 |
| | F | 1076 | 82 | 18 | 11 | 36 | 56 | 98 | 226 | 216 | 333 | 384 | 53 | 26 | 19 | 12 | 21 | 45 | 92 | 46 | 70 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 5 | 1 | 3 | 1 | — | — | — | — | — | — | 24 | 6 | 8 | 9 | 1 | — | — | — | — | — |
| | F | 4 | 1 | 1 | — | 2 | — | — | — | — | — | 27 | 3 | 11 | 12 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 5 Whooping cough | M | 6 | 3 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | 3 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 12 | — | — | 4 | 7 | — | 1 | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | 9 | — | — | 3 | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza | M | 9 | — | — | 1 | — | — | 2 | 3 | 2 | 1 | 10 | — | — | — | — | — | — | 6 | 2 | 2 |
| | F | 15 | 2 | — | — | — | — | 2 | 1 | 2 | 8 | 4 | — | — | — | — | — | 2 | 1 | — | 1 |
| 8 Encephalitis lethargica | M | 4 | — | — | 1 | — | 1 | 2 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | 1 | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 88 | 1 | — | — | 1 | 25 | 31 | 24 | 5 | 1 | 35 | — | — | 1 | 2 | 9 | 13 | 10 | — | — |
| | F | 75 | — | — | 1 | 2 | 29 | 31 | 8 | 3 | 1 | 32 | — | — | — | 3 | 9 | 10 | 9 | — | 1 |
| 11 Other tuberculous diseases | M | 22 | 3 | 3 | 2 | 2 | 7 | 2 | 2 | — | 1 | 8 | — | 4 | 2 | 2 | — | — | — | — | — |
| | F | 19 | 2 | 5 | — | 4 | 4 | 1 | 2 | 1 | — | 7 | — | 3 | 1 | 1 | — | 1 | 1 | — | — |
| 12 Cancer, malignant disease | M | 121 | — | — | — | — | 2 | 6 | 55 | 36 | 22 | 18 | — | — | — | — | — | 3 | 9 | 2 | 4 |
| | F | 143 | — | — | — | — | — | 19 | 63 | 33 | 28 | 47 | — | — | — | — | — | 7 | 26 | 7 | 7 |
| 13 Rheumatic fever | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | 1 | 1 | — | 2 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 14 Diabetes | M | 7 | — | 1 | — | 1 | — | — | 2 | 2 | 1 | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 14 | — | — | — | — | 1 | 1 | 4 | 6 | 2 | 4 | — | — | — | 1 | — | 1 | 1 | 1 | — |
| 15 Cerebral hæmorrhage, &c. | M | 40 | — | — | — | — | — | 3 | 12 | 11 | 14 | 28 | — | — | — | — | — | 1 | 10 | 14 | 3 |
| | F | 75 | — | — | — | — | — | 1 | 14 | 20 | 40 | 29 | — | — | — | — | 1 | — | 13 | 9 | 6 |
| 16 Heart disease | M | 117 | — | — | — | 2 | — | 14 | 37 | 31 | 33 | 28 | — | 1 | — | 1 | 2 | 3 | 5 | 9 | 7 |
| | F | 170 | — | — | — | 2 | — | 6 | 44 | 42 | 76 | 34 | — | — | — | 1 | — | 4 | 10 | 8 | 11 |
| 17 Arterio-sclerosis | M | 56 | — | — | — | — | — | — | 9 | 18 | 29 | 24 | — | — | — | — | — | — | 7 | 9 | 8 |
| | F | 66 | — | — | — | — | — | — | 9 | 18 | 39 | 6 | — | — | — | — | — | — | 1 | 4 | 1 |
| 18 Bronchitis | M | 42 | 2 | — | — | — | — | 3 | 8 | 10 | 19 | 24 | 4 | 2 | — | — | — | 1 | 8 | 8 | 1 |
| | F | 68 | 2 | 1 | — | 1 | — | 1 | 6 | 16 | 41 | 15 | 1 | 2 | — | — | 1 | — | 4 | 2 | 5 |
| 19 Pneumonia (all forms) | M | 78 | 16 | 7 | 1 | 3 | 3 | 13 | 15 | 13 | 7 | 56 | 4 | 7 | 4 | 1 | 2 | 13 | 17 | 6 | 2 |
| | F | 78 | 13 | 5 | 1 | 3 | 4 | 9 | 12 | 19 | 12 | 38 | 10 | 7 | 2 | — | 2 | 3 | 8 | 3 | 3 |
| 20 Other respiratory diseases | M | 14 | 2 | — | 1 | 1 | — | 3 | 5 | — | 2 | 3 | — | 1 | — | — | — | 1 | 1 | — | — |
| | F | 20 | — | 1 | — | — | — | 2 | 3 | 6 | 8 | 6 | 1 | 1 | — | — | 1 | — | 1 | — | 2 |
| 21 Ulcer of stomach or duodenum | M | 9 | — | — | — | — | — | 4 | 5 | — | — | 4 | — | — | — | — | 1 | 2 | — | 1 | — |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 Diarrhœa, &c. | M | 11 | 9 | — | 1 | — | — | — | 1 | — | — | 4 | 2 | 1 | 1 | — | — | — | — | — | — |
| | F | 18 | 10 | 1 | 1 | 1 | 1 | 2 | — | 2 | — | 7 | 3 | — | 1 | — | — | — | — | 1 | 2 |
| 23 Appendicitis and typhlitis | M | 12 | — | — | — | 2 | 1 | 2 | 6 | 1 | — | 4 | — | — | — | 1 | 2 | — | 1 | — | — |
| | F | 10 | — | — | — | 2 | 1 | 3 | 2 | 2 | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 24 Cirrhosis of liver | M | 7 | — | — | — | — | — | — | 6 | 1 | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 6 | — | — | — | — | — | — | 3 | 2 | 1 | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 25 Acute and chronic nephritis | M | 40 | — | — | 1 | — | — | 2 | 14 | 11 | 12 | 13 | — | — | — | 2 | 1 | — | 5 | 4 | 1 |
| | F | 24 | — | — | 1 | — | 2 | 1 | 7 | 8 | 5 | 5 | — | — | — | 1 | — | 1 | 2 | — | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 8 | — | — | — | — | 3 | 4 | 1 | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 37 | 36 | 1 | — | — | — | — | — | — | — | 19 | 19 | — | — | — | — | — | — | — | — |
| | F | 38 | 37 | 1 | — | — | — | — | — | — | — | 24 | 24 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 19 | — | — | — | — | 1 | 6 | 12 | — | — | 5 | — | — | — | — | — | — | 5 | — | — |
| | F | 5 | — | — | — | — | 1 | 1 | 2 | 1 | — | 4 | — | — | — | — | 1 | 1 | 2 | — | — |
| 30 Other deaths from violence | M | 37 | 1 | — | — | 2 | 9 | 9 | 8 | 5 | 3 | 16 | — | — | — | 1 | 4 | 3 | 2 | 2 | 4 |
| | F | 17 | 1 | — | 1 | 1 | 3 | 2 | 1 | 1 | 7 | 6 | — | — | 1 | — | 1 | 1 | — | 1 | 2 |
| 31 Other defined diseases | M | 137 | 22 | 1 | 3 | 5 | 7 | 8 | 38 | 22 | 31 | 85 | 9 | 3 | 3 | 3 | 3 | 5 | 18 | 11 | 30 |
| | F | 174 | 11 | 1 | 2 | 8 | 5 | 10 | 39 | 33 | 65 | 72 | 11 | 1 | 1 | 3 | 2 | 9 | 7 | 10 | 28 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | 3 | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| | Causes of Death. | Sex. | Derby. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Dewsbury. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Causes | M | 779 | 100 | 24 | 21 | 20 | 28 | 93 | 203 | 169 | 121 | 409 | 46 | 23 | 19 | 13 | 15 | 45 | 121 | 90 | 37 |
| | | F | 762 | 67 | 20 | 22 | 20 | 20 | 96 | 162 | 161 | 194 | 392 | 32 | 13 | 15 | 11 | 16 | 48 | 119 | 73 | 65 |
| 1 | Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles | M | 2 | 1 | 1 | — | — | — | — | — | — | — | 16 | 2 | 9 | 4 | 1 | — | — | — | — | — |
| | | F | 2 | — | — | 2 | — | — | — | — | — | — | 10 | 3 | 5 | 2 | — | — | — | — | — | — |
| 4 | Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | | F | 1 | — | — | 1 | — | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 5 | Whooping cough | M | 14 | 6 | 3 | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 11 | 4 | 5 | 2 | — | — | — | — | — | — | 4 | 1 | 2 | 1 | — | — | — | — | — | — |
| 6 | Diphtheria | M | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 2 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| 7 | Influenza | M | 12 | — | — | — | — | 1 | — | 7 | 2 | 2 | 11 | 1 | 1 | — | 1 | 2 | 3 | 2 | 1 | — |
| | | F | 21 | — | — | — | — | — | 5 | 2 | 9 | 5 | 18 | 1 | — | — | — | 1 | 7 | 6 | 1 | 2 |
| 8 | Encephalitis lethargica | M | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis | M | 2 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 60 | — | 1 | — | — | 7 | 34 | 16 | 2 | — | 23 | — | — | — | — | 6 | 9 | 8 | — | — |
| | | F | 46 | — | — | 1 | 2 | 6 | 27 | 9 | — | 1 | 10 | — | — | — | 1 | 6 | 1 | 2 | — | — |
| 11 | Other tuberculous diseases | M | 19 | 2 | 3 | 3 | 3 | 1 | 4 | 3 | — | — | 9 | — | — | 4 | 1 | 1 | 1 | 2 | — | — |
| | | F | 18 | — | 1 | 5 | 5 | 2 | 5 | — | — | — | 6 | — | — | — | — | 2 | 3 | — | 1 | — |
| 12 | Cancer, malignant disease | M | 80 | — | — | — | — | 1 | 6 | 35 | 30 | 8 | 30 | — | — | — | — | 1 | 2 | 16 | 11 | — |
| | | F | 97 | — | — | 1 | — | — | 12 | 46 | 30 | 8 | 47 | — | — | — | — | — | 7 | 30 | 5 | 5 |
| 13 | Rheumatic fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | | F | 3 | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 | Diabetes | M | 8 | — | — | — | — | 2 | 2 | 1 | 1 | 2 | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | | F | 8 | — | — | — | — | 1 | 1 | 2 | 2 | 2 | 6 | — | — | — | — | — | — | 3 | 3 | — |
| 15 | Cerebral hæmorrhage, &c. | M | 38 | — | — | — | — | — | 1 | 13 | 13 | 11 | 36 | — | — | — | — | — | 2 | 11 | 16 | 7 |
| | | F | 45 | — | — | — | — | — | 2 | 8 | 14 | 21 | 42 | — | — | — | 1 | — | 1 | 12 | 15 | 13 |
| 16 | Heart disease | M | 83 | — | — | — | 1 | 1 | 11 | 27 | 29 | 14 | 52 | — | — | — | 1 | — | 5 | 22 | 19 | 5 |
| | | F | 104 | — | — | — | 1 | 2 | 12 | 29 | 31 | 29 | 52 | — | — | — | 1 | 1 | 6 | 19 | 18 | 7 |
| 17 | Arterio-sclerosis | M | 17 | — | — | — | — | — | — | 5 | 7 | 5 | 14 | — | — | — | — | — | 1 | 4 | 6 | 3 |
| | | F | 12 | — | — | — | — | — | — | 1 | 8 | 3 | 11 | — | — | — | — | — | — | 2 | 4 | 5 |
| 18 | Bronchitis | M | 74 | 10 | 4 | — | — | — | 1 | 18 | 25 | 16 | 42 | 3 | 2 | 2 | — | — | 3 | 6 | 17 | 9 |
| | | F | 85 | 8 | 5 | — | — | — | 1 | 11 | 24 | 36 | 46 | 2 | — | 3 | 1 | — | 3 | 12 | 12 | 13 |
| 19 | Pneumonia (all forms) | M | 67 | 12 | 7 | 9 | 1 | 1 | 11 | 18 | 5 | 3 | 35 | 7 | 4 | 4 | 3 | 1 | 7 | 6 | 2 | 1 |
| | | F | 35 | 7 | 4 | 4 | 1 | 2 | 3 | 8 | 3 | 3 | 34 | 9 | 5 | 4 | — | — | 3 | 6 | 3 | 4 |
| 20 | Other respiratory diseases | M | 6 | 1 | — | — | — | — | 2 | 2 | — | 1 | 6 | — | — | — | — | — | 1 | 3 | 1 | 1 |
| | | F | 10 | — | — | — | — | 1 | — | 3 | 5 | 1 | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 21 | Ulcer of stomach or duodenum | M | 6 | — | — | — | — | — | 1 | 5 | — | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| | | F | 3 | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 | Diarrhœa, &c. | M | 15 | 9 | 2 | 2 | — | — | — | 1 | 1 | — | 7 | 3 | — | 2 | — | — | — | 1 | — | 1 |
| | | F | 7 | 4 | 2 | — | — | — | — | 1 | — | — | 4 | 2 | — | 1 | — | — | — | — | — | 1 |
| 23 | Appendicitis and typhlitis | M | 2 | — | — | — | 1 | — | — | — | 1 | — | 4 | — | — | 1 | — | — | 2 | 1 | — | — |
| | | F | 5 | — | — | — | 2 | — | 2 | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 24 | Cirrhosis of liver | M | 7 | — | — | — | — | — | — | 6 | 1 | — | 3 | — | — | — | — | — | — | 3 | — | — |
| | | F | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 25 | Acute and chronic nephritis | M | 20 | — | — | — | 1 | 3 | 2 | 10 | 3 | 1 | 20 | — | — | — | — | — | 3 | 11 | 5 | 1 |
| | | F | 17 | — | — | — | — | 2 | 3 | 10 | 1 | 1 | 17 | — | — | — | 1 | 1 | 4 | 8 | 3 | — |
| 26 | Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 5 | — | — | — | — | — | 5 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 3 | — | — | — | — | — | 3 | — | — | — | 4 | — | — | — | — | 1 | 3 | — | — | — |
| 28 | Congenital debility and malformation, premature birth | M | 37 | 37 | — | — | — | — | — | — | — | — | 24 | 24 | — | — | — | — | — | — | — | — |
| | | F | 37 | 35 | 1 | — | — | — | 1 | — | — | — | 9 | 9 | — | — | — | — | — | — | — | — |
| 29 | Suicide | M | 8 | — | — | — | — | — | 4 | 2 | 1 | 1 | 7 | — | — | — | — | — | — | 6 | 1 | — |
| | | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 3 | — | — | — | — | 1 | — | 2 | — | — |
| 30 | Other deaths from violence | M | 22 | 4 | 1 | 1 | 3 | 3 | 3 | 2 | 3 | 2 | 9 | — | 1 | — | 2 | 1 | 2 | 1 | 1 | 1 |
| | | F | 12 | — | — | 4 | — | 1 | 1 | 2 | 1 | 3 | 9 | — | — | — | 2 | 1 | 2 | — | — | 4 |
| 31 | Other defined diseases | M | 173 | 17 | 2 | — | 5 | 8 | 11 | 32 | 43 | 55 | 50 | 6 | 4 | 2 | 2 | 3 | 3 | 13 | 9 | 8 |
| | | F | 168 | 9 | 2 | 2 | 4 | 3 | 11 | 24 | 33 | 80 | 49 | 5 | 1 | 1 | 3 | — | 5 | 15 | 8 | 11 |
| 32 | Causes ill-defined or unknown | M | 2 | 1 | — | — | — | — | — | — | 1 | — | 2 | — | 1 | — | — | — | — | 1 | — | — |
| | | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| | Causes of Death. | Sex. | Dudley. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Eastbourne. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Causes | M | 374 | 64 | 30 | 21 | 15 | 19 | 37 | 77 | 67 | 44 | 226 | 14 | 4 | 4 | 3 | 7 | 29 | 63 | 50 | 52 |
| | | F | 348 | 40 | 28 | 27 | 16 | 16 | 52 | 50 | 60 | 59 | 297 | 14 | 1 | 6 | 2 | 7 | 28 | 73 | 69 | 97 |
| 1 | Enteric fever | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles | M | 26 | 7 | 10 | 6 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 29 | 4 | 10 | 13 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 | Scarlet fever | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 | Whooping cough | M | 2 | 2 | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | | F | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 | Diphtheria | M | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 2 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 | Influenza | M | 4 | — | — | — | — | — | 2 | — | 2 | — | 5 | — | — | — | 1 | — | 1 | 1 | 1 | 1 |
| | | F | 6 | — | — | — | — | 2 | 2 | 2 | — | — | 3 | — | — | — | — | — | — | 1 | 1 | 1 |
| 8 | Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 15 | — | — | — | — | 6 | 7 | 2 | — | — | 21 | — | — | — | — | 5 | 11 | 5 | — | — |
| | | F | 28 | — | — | — | 3 | 5 | 14 | 5 | 1 | — | 16 | — | — | — | — | 3 | 9 | 4 | — | — |
| 11 | Other tuberculous diseases | M | 3 | 1 | — | — | 1 | 1 | — | — | — | — | 5 | — | — | 1 | 1 | — | 2 | 1 | — | — |
| | | F | 5 | — | — | 1 | 1 | 2 | 1 | — | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| 12 | Cancer, malignant disease | M | 19 | — | — | — | — | — | 4 | 6 | 9 | — | 25 | — | — | — | — | — | — | 9 | 11 | 5 |
| | | F | 23 | — | — | — | — | — | 4 | 11 | 5 | 3 | 45 | — | — | — | — | — | 4 | 22 | 11 | 8 |
| 13 | Rheumatic fever | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| 14 | Diabetes | M | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | | F | 5 | — | — | — | — | 1 | — | — | 4 | — | 8 | — | — | — | — | 1 | 1 | 3 | 1 | 2 |
| 15 | Cerebral hæmorrhage, &c. | M | 24 | — | — | — | — | — | — | 10 | 7 | 7 | 11 | — | — | — | — | — | — | 2 | 3 | 6 |
| | | F | 22 | — | — | — | — | — | — | 4 | 10 | 8 | 34 | — | — | — | — | — | 1 | 8 | 11 | 14 |
| 16 | Heart disease | M | 24 | — | — | — | 1 | 1 | 4 | 9 | 8 | 1 | 37 | — | — | — | — | 1 | 6 | 12 | 8 | 10 |
| | | F | 30 | — | — | — | — | 1 | 9 | 9 | 9 | 2 | 45 | — | — | — | 1 | — | 3 | 6 | 13 | 22 |
| 17 | Arterio-sclerosis | M | 7 | — | — | — | — | — | 1 | 1 | 3 | 2 | 10 | — | — | — | — | — | — | 2 | 4 | 4 |
| | | F | 9 | — | — | — | — | — | — | — | 3 | 6 | 17 | — | — | — | — | — | — | 1 | 7 | 9 |
| 18 | Bronchitis | M | 40 | 5 | 2 | 2 | — | — | — | 10 | 10 | 11 | 13 | 1 | — | — | — | — | — | 3 | 2 | 7 |
| | | F | 33 | — | 4 | 1 | — | — | 1 | 6 | 7 | 14 | 21 | 1 | 1 | — | — | — | 1 | 1 | 4 | 13 |
| 19 | Pneumonia (all forms) | M | 44 | 3 | 11 | 7 | 2 | — | 5 | 9 | 6 | 1 | 14 | 3 | 1 | — | 1 | — | 2 | 3 | 3 | 1 |
| | | F | 34 | 5 | 10 | 8 | 2 | 1 | 2 | 1 | 2 | 3 | 9 | — | — | — | — | — | 1 | 4 | 2 | 2 |
| 20 | Other respiratory diseases | M | 6 | — | — | 1 | 1 | — | 1 | 3 | — | — | 3 | — | — | — | — | — | — | 1 | 2 | — |
| | | F | 2 | — | — | — | — | — | 1 | — | 1 | — | 4 | — | — | 1 | — | — | — | 1 | — | 2 |
| 21 | Ulcer of stomach or duodenum | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | | F | 2 | — | — | — | — | — | — | 2 | — | — | 3 | — | — | — | — | — | — | 2 | — | 1 |
| 22 | Diarrhœa, &c. | M | 18 | 12 | 2 | — | — | 1 | — | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | 1 |
| | | F | 11 | 3 | 2 | 2 | — | — | 2 | 1 | — | 1 | 2 | 1 | — | 1 | — | — | — | — | — | — |
| 23 | Appendicitis and typhlitis | M | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | | F | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 24 | Cirrhosis of liver | M | 2 | — | — | — | — | — | — | — | 2 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 | Acute and chronic nephritis | M | 6 | — | — | — | — | — | 4 | 2 | — | — | 11 | — | — | — | — | — | 1 | 4 | 4 | 2 |
| | | F | 5 | — | — | — | 1 | — | — | 2 | 1 | 1 | 9 | — | — | — | 1 | — | — | 4 | 4 | — |
| 26 | Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 5 | — | — | — | — | — | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28 | Congenital debility and malformation, premature birth | M | 22 | 22 | — | — | — | — | — | — | — | — | 7 | 7 | — | — | — | — | — | — | — | — |
| | | F | 20 | 20 | — | — | — | — | — | — | — | — | 11 | 10 | — | — | — | — | — | 1 | — | — |
| 29 | Suicide | M | — | — | — | — | — | — | — | — | — | — | 11 | — | — | — | — | — | 2 | 6 | 2 | 1 |
| | | F | 1 | — | — | — | — | — | — | 1 | — | — | 4 | — | — | — | — | — | — | 4 | — | — |
| 30 | Other deaths from violence | M | 16 | — | 2 | 2 | 3 | 3 | 3 | 2 | — | 1 | 5 | 1 | — | — | — | 1 | 1 | 1 | 1 | — |
| | | F | 9 | 2 | — | — | 2 | — | — | — | 3 | 2 | 5 | — | — | 2 | — | — | 1 | — | 1 | 1 |
| 31 | Other defined diseases | M | 83 | 11 | 3 | 3 | 2 | 5 | 3 | 16 | 19 | 21 | 41 | 2 | 2 | 3 | — | — | 3 | 11 | 6 | 14 |
| | | F | 62 | 5 | 2 | 1 | 3 | 3 | 10 | 5 | 14 | 19 | 51 | 1 | — | 2 | — | 1 | 3 | 8 | 14 | 22 |
| 32 | Causes ill-defined or unknown | M | 3 | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | East Ham. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Exeter. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 693 | 85 | 14 | 9 | 23 | 38 | 105 | 210 | 119 | 90 | 346 | 38 | 10 | 3 | 10 | 7 | 28 | 101 | 79 | 70 |
| | F | 626 | 61 | 8 | 9 | 23 | 41 | 87 | 159 | 94 | 144 | 387 | 24 | 2 | 5 | 17 | 17 | 31 | 93 | 81 | 117 |
| 1 Enteric fever | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 5 | — | 4 | 1 | — | — | — | — | — | — | 5 | 1 | 2 | 2 | — | — | — | — | — | — |
| | F | 3 | 1 | — | 2 | — | — | — | — | — | — | 3 | — | 1 | 2 | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 5 | 4 | — | 1 | — | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| | F | 2 | 1 | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 3 | — | 1 | 1 | 1 | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 7 Influenza | M | 13 | — | — | — | — | — | 4 | 7 | 1 | 1 | 6 | — | 1 | — | — | — | 1 | 1 | 3 | — |
| | F | 9 | — | — | — | — | 2 | 1 | 1 | 3 | 2 | 4 | — | — | — | 1 | — | — | 1 | 1 | 1 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | 1 | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 76 | — | 1 | 1 | 2 | 10 | 41 | 17 | 4 | — | 25 | — | — | — | — | 2 | 12 | 9 | 2 | — |
| | F | 53 | — | — | — | 1 | 18 | 25 | 8 | — | 1 | 21 | — | — | — | 2 | 8 | 8 | 3 | — | — |
| 11 Other tuberculous diseases | M | 17 | 3 | 2 | 1 | 7 | 2 | 2 | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| | F | 15 | 1 | 2 | 1 | 5 | 1 | 3 | 1 | 1 | — | 3 | 1 | — | — | 1 | — | 1 | — | — | — |
| 12 Cancer, malignant disease | M | 73 | — | — | — | — | — | 5 | 48 | 14 | 6 | 41 | — | — | — | 1 | — | 1 | 21 | 13 | 5 |
| | F | 78 | — | — | — | — | — | 7 | 48 | 13 | 10 | 67 | — | — | — | 1 | — | 2 | 34 | 21 | 9 |
| 13 Rheumatic fever | M | 2 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | 1 | 2 | 1 | 1 | — | — | 4 | — | — | — | 1 | 2 | — | 1 | — | — |
| 14 Diabetes | M | 7 | — | — | — | — | — | 1 | 6 | — | — | 5 | — | 1 | — | — | — | 1 | — | 1 | 2 |
| | F | 7 | — | — | — | — | 1 | 2 | — | 1 | 3 | — | — | — | — | — | — | — | — | — | — |
| 15 Cerebral hæmorrhage, &c. | M | 27 | — | — | — | — | — | 1 | 7 | 11 | 8 | 37 | — | — | — | — | — | — | 9 | 17 | 11 |
| | F | 38 | — | — | — | — | — | 3 | 10 | 15 | 10 | 32 | — | — | — | — | — | 3 | 5 | 7 | 17 |
| 16 Heart disease | M | 76 | — | — | — | 1 | 3 | 4 | 33 | 20 | 15 | 35 | — | — | — | — | — | 2 | 16 | 10 | 7 |
| | F | 87 | — | — | — | 1 | 5 | 6 | 32 | 21 | 22 | 56 | — | — | — | 4 | 1 | 4 | 15 | 20 | 12 |
| 17 Arterio-sclerosis | M | 17 | — | — | — | — | — | — | 5 | 8 | 4 | 13 | — | — | — | — | — | — | 2 | 6 | 5 |
| | F | 6 | — | — | — | — | — | — | 2 | 2 | 2 | 9 | — | — | — | — | — | — | — | 3 | 6 |
| 18 Bronchitis | M | 43 | 7 | — | — | — | — | 3 | 11 | 10 | 12 | 25 | 2 | — | — | — | — | — | 3 | 6 | 14 |
| | F | 56 | 1 | 1 | 1 | — | — | — | 10 | 11 | 32 | 37 | 2 | 1 | — | — | 1 | — | 6 | 10 | 17 |
| 19 Pneumonia (all forms) | M | 61 | 15 | 3 | 1 | 4 | 3 | 11 | 16 | 7 | 1 | 11 | 2 | 2 | — | — | — | 1 | 4 | 2 | — |
| | F | 39 | 11 | 2 | 2 | 3 | 2 | 1 | 6 | 4 | 8 | 19 | — | — | — | 2 | 1 | 2 | 5 | 6 | 3 |
| 20 Other respiratory diseases | M | 14 | — | — | — | — | — | 3 | 5 | 3 | 3 | 6 | — | — | — | 1 | — | 1 | 1 | 2 | 1 |
| | F | 5 | — | — | — | 1 | — | 2 | — | 2 | — | 5 | — | — | — | — | — | — | 2 | 1 | 2 |
| 21 Ulcer of stomach or duodenum | M | 13 | — | — | — | — | 1 | 7 | 4 | 1 | — | 4 | — | — | — | — | — | — | 4 | — | — |
| | F | 6 | — | — | — | — | — | 4 | 2 | — | — | 3 | — | — | — | — | — | — | 3 | — | — |
| 22 Diarrhœa, &c. | M | 11 | 10 | 1 | — | — | — | — | — | — | — | 5 | 4 | — | — | — | — | — | — | — | 1 |
| | F | 11 | 7 | 1 | 1 | — | — | — | 1 | 1 | — | 5 | 4 | — | — | — | — | — | — | — | 1 |
| 23 Appendicitis and typhlitis | M | 4 | — | — | — | — | 1 | — | 3 | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| | F | 5 | — | — | — | 3 | 2 | — | — | — | — | 2 | — | — | — | 1 | — | — | — | 1 | — |
| 24 Cirrhosis of liver | M | 6 | — | — | — | — | — | 1 | 3 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| 25 Acute and chronic nephritis | M | 28 | 1 | — | 1 | — | 3 | 2 | 14 | 5 | 2 | 24 | — | — | — | 1 | — | 2 | 10 | 6 | 5 |
| | F | 17 | — | — | — | 3 | — | 3 | 8 | 1 | 2 | 10 | — | — | — | — | 1 | — | 2 | — | 7 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | 2 | 3 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | — | 5 | — | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 27 | 26 | — | 1 | — | — | — | — | — | — | 23 | 22 | — | — | 1 | — | — | — | — | — |
| | F | 30 | 30 | — | — | — | — | — | — | — | — | 12 | 11 | — | 1 | — | — | — | — | — | — |
| 29 Suicide | M | 11 | — | — | — | — | 2 | 3 | 5 | 1 | — | 4 | — | — | — | — | 1 | 1 | 1 | 1 | — |
| | F | 5 | — | — | — | — | — | 1 | 3 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 30 Other deaths from violence | M | 23 | — | — | 1 | 4 | 6 | 3 | 4 | 2 | 3 | 14 | — | 1 | — | 3 | — | 2 | 5 | 3 | — |
| | F | 6 | — | — | — | — | 1 | 1 | 1 | — | 3 | 7 | — | — | — | 1 | — | — | 2 | — | 4 |
| 31 Other defined diseases | M | 128 | 19 | 2 | — | 3 | 6 | 12 | 22 | 29 | 35 | 55 | 7 | 1 | 1 | — | 2 | 4 | 14 | 7 | 19 |
| | F | 128 | 8 | 1 | 1 | 3 | 4 | 19 | 25 | 18 | 49 | 74 | 4 | — | 2 | 1 | 2 | 4 | 13 | 10 | 38 |
| 32 Causes ill-defined or unknown | M | 2 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| | Causes of Death. | Sex. | Gateshead. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Gloucester. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | All Causes .. | M | 894 | 173 | 67 | 39 | 46 | 42 | 114 | 214 | 132 | 67 | 318 | 42 | 7 | 7 | 10 | 15 | 33 | 85 | 58 | 61 |
| | | F | 756 | 129 | 56 | 50 | 35 | 31 | 100 | 152 | 97 | 106 | 328 | 31 | 10 | 6 | 10 | 16 | 38 | 58 | 62 | 97 |
| 1 | Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | | F | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 2 | Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — | — | 1 | — | — | 1 | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 3 | Measles .. .. | M | 55 | 10 | 23 | 15 | 6 | — | — | 1 | — | — | 7 | — | 3 | 4 | — | — | — | — | — | — |
| | | F | 36 | 11 | 13 | 12 | — | — | — | — | — | — | 5 | 1 | 4 | — | — | — | — | — | — | — |
| 4 | Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | 1 | — | — | — | — | — | 4 | — | — | 1 | 3 | — | — | — | — | — |
| 5 | Whooping cough .. | M | 15 | 5 | 3 | 6 | 1 | — | — | — | — | — | 3 | 3 | — | — | — | — | — | — | — | — |
| | | F | 16 | 3 | 7 | 6 | — | — | — | — | — | — | 4 | 3 | 1 | — | — | — | — | — | — | — |
| 6 | Diphtheria .. | M | 4 | — | 2 | 2 | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | | F | 1 | — | — | 1 | — | — | — | — | — | — | 3 | — | — | 2 | 1 | — | — | — | — | — |
| 7 | Influenza .. .. | M | 4 | — | — | — | 1 | — | 2 | 1 | — | — | 5 | — | — | — | — | — | 1 | 2 | — | 2 |
| | | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 6 | — | — | — | 2 | — | 1 | 2 | 1 | — |
| 8 | Encephalitis lethargica .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 90 | 1 | — | 1 | 4 | 17 | 39 | 26 | 2 | — | 27 | — | — | — | — | 7 | 11 | 8 | 1 | — |
| | | F | 59 | — | — | — | 9 | 20 | 22 | 7 | 1 | — | 22 | — | 1 | — | 1 | 8 | 8 | 3 | 1 | — |
| 11 | Other tuberculous diseases .. .. | M | 27 | 2 | 3 | 3 | 8 | 5 | 4 | 2 | — | — | 9 | — | 3 | 2 | 3 | — | — | 1 | — | — |
| | | F | 25 | 3 | 4 | 7 | 5 | 2 | — | 4 | — | — | 6 | — | 1 | 2 | — | — | 1 | 1 | 1 | — |
| 12 | Cancer, malignant disease .. .. | M | 68 | — | — | — | 1 | — | 5 | 39 | 18 | 5 | 36 | — | — | — | — | — | 2 | 17 | 9 | 8 |
| | | F | 71 | — | — | 1 | — | — | 13 | 31 | 18 | 8 | 45 | — | — | — | — | — | 4 | 14 | 13 | 14 |
| 13 | Rheumatic fever .. | M | 2 | — | — | — | 1 | — | — | 1 | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| | | F | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 14 | Diabetes .. .. | M | 4 | — | — | — | — | — | — | 1 | 2 | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| | | F | 13 | — | — | — | — | — | 4 | 5 | 3 | 1 | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 15 | Cerebral hæmorrhage, &c. .. | M | 39 | — | — | — | — | — | 1 | 17 | 12 | 9 | 17 | — | — | — | — | — | 1 | 3 | 7 | 6 |
| | | F | 57 | — | — | — | — | — | 4 | 23 | 16 | 14 | 34 | — | — | — | — | 1 | — | 7 | 9 | 17 |
| 16 | Heart disease .. | M | 62 | — | — | — | — | — | 10 | 24 | 21 | 7 | 39 | — | — | — | — | 1 | 3 | 14 | 11 | 10 |
| | | F | 66 | — | — | — | 4 | 1 | 10 | 22 | 17 | 12 | 49 | — | — | — | — | 1 | 9 | 11 | 12 | 16 |
| 17 | Arterio-sclerosis .. | M | 27 | — | — | — | — | — | — | 5 | 14 | 8 | 16 | — | — | — | — | — | — | 3 | 5 | 8 |
| | | F | 11 | — | — | — | — | — | — | 2 | 5 | 4 | 21 | — | — | — | — | — | — | 2 | 7 | 12 |
| 18 | Bronchitis .. | M | 58 | 15 | 5 | — | — | 2 | 2 | 11 | 18 | 5 | 26 | 1 | — | — | — | — | 3 | 4 | 8 | 10 |
| | | F | 61 | 9 | 4 | 3 | — | — | 3 | 9 | 12 | 21 | 21 | 1 | 1 | — | — | 1 | — | 1 | 5 | 12 |
| 19 | Pneumonia (all forms) .. .. | M | 100 | 30 | 17 | 7 | 7 | 4 | 11 | 15 | 7 | 2 | 24 | 6 | 1 | — | — | 2 | 4 | 7 | 3 | 1 |
| | | F | 44 | 13 | 12 | 2 | 4 | — | 4 | 4 | 2 | 3 | 21 | 1 | 1 | 1 | — | 2 | 6 | 3 | 1 | 6 |
| 20 | Other respiratory diseases .. .. | M | 6 | — | 1 | — | — | — | — | 3 | — | 2 | 3 | — | — | — | 1 | — | — | 2 | — | — |
| | | F | 4 | — | — | — | — | — | 1 | 3 | — | — | 6 | 1 | — | — | — | 1 | — | 3 | 1 | — |
| 21 | Ulcer of stomach or duodenum .. | M | 3 | — | — | — | — | 1 | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | | F | 3 | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 | Diarrhœa, &c. .. | M | 28 | 11 | 6 | 3 | 2 | — | — | 2 | 4 | — | 4 | 2 | — | — | — | — | — | — | — | 2 |
| | | F | 30 | 16 | 7 | 4 | — | — | — | 2 | — | 1 | 2 | 1 | — | — | — | — | — | — | — | 1 |
| 23 | Appendicitis and typhlitis.. .. | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | | F | 6 | — | — | — | 3 | — | 1 | 2 | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 24 | Cirrhosis of liver .. | M | 6 | — | — | — | — | — | 2 | 3 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 | Acute and chronic nephritis .. | M | 23 | 1 | — | — | 2 | — | 3 | 6 | 9 | 2 | 12 | — | — | — | 1 | 1 | 1 | 3 | 2 | 4 |
| | | F | 26 | 1 | — | — | — | 1 | 5 | 12 | 4 | 3 | 10 | — | — | — | — | — | 1 | 3 | 4 | 2 |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 9 | — | — | — | — | 1 | 8 | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 59 | 59 | — | — | — | — | — | — | — | — | 24 | 24 | — | — | — | — | — | — | — | — |
| | | F | 49 | 49 | — | — | — | — | — | — | — | — | 16 | 16 | — | — | — | — | — | — | — | — |
| 29 | Suicide .. .. | M | 17 | — | — | — | — | 1 | 5 | 10 | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | | F | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 | Other deaths from violence.. .. | M | 33 | 1 | 1 | — | 4 | 5 | 10 | 7 | 5 | — | 7 | — | — | 1 | — | — | 2 | 1 | 1 | 2 |
| | | F | 13 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | — | — | — | — | — | 1 | — | 1 | — |
| 31 | Other defined diseases .. .. | M | 152 | 38 | 6 | 2 | 9 | 4 | 18 | 33 | 16 | 26 | 46 | 5 | — | — | 2 | 3 | 3 | 15 | 10 | 8 |
| | | F | 138 | 23 | 7 | 9 | 7 | 3 | 17 | 19 | 16 | 37 | 39 | 6 | 1 | — | 2 | 1 | 1 | 5 | 6 | 17 |
| 32 | Causes ill-defined or unknown .. | M | 8 | — | — | — | — | 2 | — | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 5 | — | 1 | 1 | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Great Yarmouth All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Grimsby. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 339 | 35 | 4 | 10 | 12 | 19 | 39 | 70 | 66 | 84 | 499 | 89 | 15 | 6 | 13 | 22 | 67 | 130 | 99 | 58 |
| | F | 402 | 29 | 9 | 8 | 10 | 13 | 41 | 81 | 82 | 129 | 419 | 65 | 15 | 6 | 15 | 30 | 61 | 95 | 68 | 64 |
| 1 Enteric fever | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 2 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 4 | 1 | 2 | — | 1 | — | — | — | — | — | 6 | 4 | 1 | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 10 | 3 | 6 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 7 Influenza | M | 3 | — | — | 1 | — | — | 1 | — | 1 | — | 8 | — | — | — | — | — | — | 2 | 5 | 1 |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 34 | — | — | 1 | 1 | 10 | 16 | 5 | 1 | — | 50 | — | — | — | 1 | 9 | 23 | 15 | 2 | — |
| | F | 31 | — | — | — | 2 | 8 | 16 | 4 | 1 | — | 46 | 2 | 1 | — | 2 | 14 | 21 | 3 | 3 | — |
| 11 Other tuberculous diseases | M | 7 | — | — | 3 | 1 | 2 | 1 | — | — | — | 9 | 1 | 1 | 1 | 1 | 2 | 1 | — | 2 | — |
| | F | 8 | 1 | 2 | — | 1 | 1 | 1 | 2 | — | — | 8 | — | — | — | 2 | 5 | — | 1 | — | — |
| 12 Cancer, malignant disease | M | 38 | — | — | — | — | — | 1 | 19 | 10 | 8 | 58 | — | — | — | 1 | — | 1 | 34 | 17 | 5 |
| | F | 48 | — | — | — | 1 | — | 6 | 23 | 11 | 7 | 57 | — | — | — | — | — | 5 | 32 | 16 | 4 |
| 13 Rheumatic fever | M | 3 | — | — | 1 | 2 | — | — | — | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| | F | [illegible] | — | — | — | 2 | 1 | 1 | 1 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 14 Diabetes | M | 6 | — | — | — | — | — | — | 3 | 3 | — | 6 | — | — | — | — | — | 1 | 2 | 3 | — |
| | F | 7 | — | — | — | — | — | — | 3 | 2 | 2 | 5 | — | — | — | — | 1 | 1 | 1 | 2 | — |
| 15 Cerebral hæmorrhage, &c. | M | 18 | — | — | — | — | — | 1 | 2 | 9 | 6 | 25 | — | — | — | — | — | — | 10 | 10 | 5 |
| | F | 44 | — | — | — | — | — | 1 | 3 | 15 | 25 | 30 | — | — | — | — | — | — | 7 | 14 | 9 |
| 16 Heart disease | M | 37 | — | — | — | 1 | 1 | 3 | 16 | 7 | 9 | 54 | — | — | — | — | 1 | 9 | 18 | 17 | 9 |
| | F | 41 | — | — | — | — | — | 1 | 11 | 15 | 14 | 51 | — | — | — | 1 | 1 | 5 | 17 | 10 | 17 |
| 17 Arterio-sclerosis | M | 16 | — | — | — | — | — | — | 1 | 8 | 7 | 6 | — | — | — | — | — | — | 3 | — | 3 |
| | F | 17 | — | — | — | — | — | — | 2 | 2 | 13 | 4 | — | — | — | — | — | 1 | 2 | 1 | — |
| 18 Bronchitis | M | 16 | 4 | 1 | — | — | — | — | 3 | 2 | 6 | 34 | 14 | — | 1 | — | — | 2 | 4 | 9 | 4 |
| | F | 34 | 3 | — | — | — | — | 1 | 3 | 5 | 22 | 27 | 3 | 1 | — | 1 | — | 2 | 6 | 4 | 10 |
| 19 Pneumonia (all forms) | M | 11 | 3 | — | — | — | 2 | 3 | 1 | 2 | — | 34 | 5 | 9 | 1 | 1 | 1 | 4 | 4 | 5 | 4 |
| | F | 19 | 1 | 3 | 1 | 3 | 1 | 2 | 5 | 2 | 1 | 33 | 13 | 3 | 1 | 1 | 1 | 2 | 6 | 5 | 1 |
| 20 Other respiratory diseases | M | 7 | — | — | — | 1 | 1 | — | 2 | 2 | 1 | 8 | — | — | — | — | — | 2 | 3 | 1 | 2 |
| | F | 5 | — | 1 | — | — | — | — | — | 2 | 2 | 3 | — | — | — | — | — | 1 | 1 | — | 1 |
| 21 Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | — | 2 | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | 11 | 10 | — | — | — | — | — | — | 1 | — | 8 | 6 | 1 | — | — | — | — | — | — | 1 |
| | F | 5 | 3 | 1 | — | — | — | — | 1 | — | — | 11 | 9 | 1 | — | — | — | — | 1 | — | — |
| 23 Appendicitis and typhlitis | M | 3 | — | — | — | — | 1 | 2 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | 1 | — | — | 1 | — | — | — | 4 | — | — | — | 2 | — | 2 | — | — | — |
| 24 Cirrhosis of liver | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 11 | — | — | — | — | 1 | — | 5 | 3 | 2 | 17 | — | — | — | — | 2 | 2 | 5 | 6 | 2 |
| | F | 9 | — | — | — | — | — | — | 6 | 1 | 2 | 14 | — | — | 1 | 1 | 2 | — | 4 | 5 | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 8 | — | — | — | — | 3 | 5 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 12 | 12 | — | — | — | — | — | — | — | — | 38 | 38 | — | — | — | — | — | — | — | — |
| | F | 17 | 16 | — | 1 | — | — | — | — | — | — | 26 | 26 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 2 | — | — | — | — | — | 1 | — | 1 | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 4 | — | — | — | — | — | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence | M | 11 | — | — | — | 2 | 1 | 4 | 1 | — | 3 | 14 | — | 2 | 1 | 2 | 2 | 4 | 2 | 1 | — |
| | F | 6 | 1 | 1 | 1 | — | — | — | 1 | — | 2 | 6 | — | — | 1 | — | 2 | — | — | 1 | 2 |
| 31 Other defined diseases | M | 83 | 5 | — | 2 | 3 | — | 5 | 10 | 16 | 42 | 111 | 20 | 1 | 1 | 7 | 4 | 12 | 25 | 19 | 22 |
| | F | 89 | 4 | — | — | 1 | 2 | 7 | 12 | 25 | 38 | 65 | 9 | 2 | 1 | 4 | — | 12 | 12 | 6 | 19 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Halifax. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Hastings. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 641 | 69 | 18 | 12 | 11 | 24 | 68 | 222 | 140 | 77 | 385 | 18 | 8 | 2 | 7 | 10 | 21 | 100 | 98 | 121 |
| | F | 739 | 68 | 13 | 12 | 10 | 24 | 84 | 178 | 182 | 168 | 437 | 18 | 1 | 1 | 7 | 17 | 31 | 91 | 93 | 178 |
| 1 Enteric fever | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 4 | 1 | 2 | 1 | — | — | — | — | — | — |
| | F | 2 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | 1 | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 7 Influenza | M | 12 | 1 | — | — | 1 | 1 | 4 | 2 | 1 | 2 | 6 | — | — | — | — | — | — | 2 | 2 | 2 |
| | F | 21 | — | 1 | 1 | — | 3 | 2 | 3 | 8 | 3 | 8 | — | — | — | — | 1 | — | — | 2 | 5 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 44 | — | 1 | — | 1 | 5 | 17 | 19 | 1 | — | 23 | — | — | — | — | 2 | 10 | 10 | 1 | — |
| | F | 34 | — | — | 1 | 2 | 8 | 20 | 3 | — | — | 21 | 1 | — | — | — | 7 | 8 | 4 | 1 | — |
| 11 Other tuberculous diseases | M | 16 | 2 | 3 | — | 2 | 3 | 4 | 2 | — | — | 4 | — | 1 | — | 1 | — | 1 | 1 | — | — |
| | F | 10 | 1 | 1 | 1 | 2 | 2 | 3 | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 12 Cancer, malignant disease | M | 57 | — | — | — | 1 | — | 3 | 38 | 12 | 3 | 58 | — | — | — | — | 1 | 1 | 23 | 22 | 11 |
| | F | 93 | — | — | — | — | — | 12 | 39 | 32 | 10 | 65 | — | — | — | — | — | 5 | 27 | 13 | 20 |
| 13 Rheumatic fever | M | 3 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 9 | — | — | — | — | 2 | — | 2 | 2 | 3 | 6 | — | — | — | — | — | 1 | — | 3 | 2 |
| | F | 16 | — | — | — | — | — | 1 | 7 | 6 | 2 | 9 | — | — | — | — | — | — | 3 | 2 | 4 |
| 15 Cerebral hæmorrhage, &c. | M | 51 | — | — | — | — | 1 | — | 16 | 22 | 12 | 26 | — | — | — | — | — | — | 6 | 8 | 12 |
| | F | 78 | — | — | — | — | — | — | 23 | 33 | 22 | 45 | — | — | — | — | — | 2 | 11 | 11 | 21 |
| 16 Heart disease | M | 81 | — | — | — | — | — | 7 | 38 | 26 | 10 | 59 | — | — | — | 1 | — | — | 7 | 27 | 24 |
| | F | 98 | — | — | — | — | 2 | 11 | 28 | 33 | 24 | 82 | — | — | — | — | 2 | 2 | 14 | 30 | 34 |
| 17 Arterio-sclerosis | M | 24 | — | — | — | — | — | 1 | 8 | 11 | 4 | 17 | — | — | — | — | — | — | 6 | 3 | 8 |
| | F | 22 | — | — | — | — | — | 1 | 6 | 8 | 7 | 15 | — | — | — | — | — | — | — | 2 | 13 |
| 18 Bronchitis | M | 67 | 8 | 1 | 1 | — | 2 | 1 | 22 | 21 | 11 | 10 | — | — | — | — | — | — | 1 | 4 | 5 |
| | F | 68 | 5 | 1 | — | — | 1 | — | 12 | 20 | 29 | 13 | — | — | — | — | — | — | 1 | 3 | 9 |
| 19 Pneumonia (all forms) | M | 66 | 8 | 6 | 5 | 4 | 4 | 10 | 20 | 6 | 3 | 20 | — | 1 | — | — | — | 3 | 5 | 2 | 9 |
| | F | 59 | 11 | 8 | 4 | — | 2 | 8 | 11 | 6 | 9 | 18 | 2 | — | — | 1 | — | 1 | 3 | 5 | 6 |
| 20 Other respiratory diseases | M | 7 | 1 | — | — | — | — | — | 3 | 2 | 1 | 3 | — | — | — | 1 | — | — | 1 | — | 1 |
| | F | 5 | — | — | 1 | — | — | 1 | 2 | 1 | — | 7 | — | — | — | 1 | — | — | 1 | — | 5 |
| 21 Ulcer of stomach or duodenum | M | 7 | — | — | — | — | — | 4 | 3 | — | — | 5 | — | — | — | — | 1 | 1 | 1 | 1 | 1 |
| | F | 4 | — | — | — | — | 1 | 1 | 1 | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 22 Diarrhœa, &c. | M | 9 | 5 | 3 | — | — | — | — | — | — | 1 | 3 | 2 | — | — | 1 | — | — | — | — | — |
| | F | 5 | 4 | — | — | — | — | — | 1 | — | — | 3 | 1 | 1 | — | — | — | — | — | 1 | — |
| 23 Appendicitis and typhlitis | M | 6 | — | — | — | — | 1 | 1 | 3 | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 5 | — | — | — | — | — | 2 | 3 | — | — | 5 | — | — | — | 1 | — | — | 1 | 2 | 1 |
| 24 Cirrhosis of liver | M | 6 | — | — | 1 | — | — | 2 | 2 | — | 1 | 5 | — | — | — | — | — | — | 4 | 1 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | — | 2 | — | 1 |
| 25 Acute and chronic nephritis | M | 26 | — | — | — | — | 1 | 3 | 9 | 10 | 3 | 15 | 1 | — | — | — | — | — | 4 | 7 | 3 |
| | F | 21 | — | — | — | — | — | 4 | 6 | 5 | 6 | 11 | — | — | — | — | — | 1 | 7 | 1 | 2 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | — | — | — | — | 1 | 5 | — | — | — | 4 | — | — | — | — | 1 | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 31 | 31 | — | — | — | — | — | — | — | — | 12 | 11 | 1 | — | — | — | — | — | — | — |
| | F | 35 | 34 | — | — | 1 | — | — | — | — | — | 12 | 12 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 8 | — | — | — | — | — | 3 | 3 | 2 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 4 | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence | M | 13 | — | 3 | 1 | 1 | 1 | 1 | 5 | — | 1 | 14 | 1 | 1 | 1 | — | 3 | 1 | 4 | 1 | 2 |
| | F | 9 | 1 | — | — | — | — | — | 2 | 2 | 4 | 6 | 1 | — | 1 | 1 | 1 | — | 2 | — | — |
| 31 Other defined diseases | M | 94 | 12 | — | 3 | 1 | 3 | 5 | 26 | 24 | 20 | 89 | 2 | 1 | — | 1 | 3 | 2 | 23 | 16 | 41 |
| | F | 136 | 11 | 2 | — | 4 | 3 | 11 | 27 | 26 | 52 | 100 | — | — | — | 2 | 4 | 7 | 11 | 19 | 57 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Huddersfield | | | | | | | | | | Ipswich. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 701 | 77 | 14 | 9 | 14 | 29 | 108 | 241 | 144 | 65 | 415 | 52 | 7 | 11 | 10 | 16 | 47 | 108 | 88 | 76 |
| | F | 710 | 50 | 12 | 6 | 22 | 29 | 97 | 194 | 164 | 136 | 428 | 27 | 6 | 10 | 9 | 20 | 31 | 97 | 93 | 135 |
| 1 Enteric fever .. | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | 2 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | 1 | 1 | — | — | — | — | — | — | — | 2 | 1 | — | — | 1 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 2 | — | — | 1 | — | — | 1 | — | — | — | 2 | — | — | 1 | — | 1 | — | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | 3 | 2 | 1 | 1 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 3 | — | — | 1 | 2 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 17 | — | — | — | — | 3 | 6 | 6 | 2 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 13 | — | — | — | — | 3 | 2 | 3 | 1 | 4 | 5 | — | — | — | — | — | 1 | 1 | 1 | 2 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 65 | — | — | — | — | 13 | 26 | 26 | — | — | 40 | — | — | — | 1 | 7 | 18 | 10 | 4 | — |
| | F | 46 | — | — | — | 3 | 13 | 22 | 6 | 2 | — | 26 | — | — | 1 | 1 | 8 | 8 | 5 | 3 | — |
| 11 Other tuberculous diseases .. .. | M | 17 | — | 3 | 2 | 4 | 3 | 4 | 1 | — | — | 7 | 1 | 2 | 1 | — | 2 | — | 1 | — | — |
| | F | 12 | 3 | 2 | 1 | 2 | — | 1 | 3 | — | — | 10 | 2 | — | 1 | — | — | 3 | 3 | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 70 | 1 | — | — | — | 1 | 5 | 39 | 21 | 3 | 41 | — | — | — | 1 | — | 1 | 18 | 13 | 8 |
| | F | 93 | — | 1 | — | — | — | 16 | 46 | 25 | 5 | 75 | — | — | — | — | — | 5 | 33 | 15 | 22 |
| 13 Rheumatic fever .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | 1 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes .. .. | M | 10 | — | — | — | 1 | — | — | 4 | 4 | 1 | 4 | — | — | — | — | — | 2 | 2 | — | — |
| | F | 14 | — | — | — | — | 1 | 3 | 6 | 3 | 1 | 4 | — | — | — | — | 1 | 1 | 1 | 1 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 47 | — | — | — | — | — | 1 | 15 | 19 | 12 | 22 | — | 1 | — | — | — | — | 8 | 6 | 7 |
| | F | 53 | — | — | — | — | — | — | 16 | 17 | 20 | 38 | — | — | — | — | — | 2 | 9 | 18 | 9 |
| 16 Heart disease .. | M | 79 | — | — | — | 1 | 1 | 14 | 32 | 23 | 8 | 59 | — | — | — | 2 | — | 7 | 19 | 22 | 9 |
| | F | 111 | — | — | — | — | 2 | 10 | 33 | 39 | 27 | 57 | — | — | — | 1 | 1 | — | 19 | 19 | 17 |
| 17 Arterio-sclerosis .. | M | 45 | — | — | — | — | — | — | 18 | 19 | 8 | 10 | — | — | — | — | — | — | 3 | 3 | 4 |
| | F | 40 | — | — | — | — | — | — | 13 | 13 | 14 | 11 | — | — | — | — | — | — | — | 5 | 6 |
| 18 Bronchitis .. | M | 59 | 8 | 2 | — | 1 | — | 3 | 15 | 16 | 14 | 35 | 5 | 1 | — | — | — | 2 | 2 | 9 | 16 |
| | F | 61 | 2 | 1 | — | 1 | — | 2 | 10 | 21 | 24 | 32 | — | — | — | — | 1 | — | 4 | 9 | 18 |
| 19 Pneumonia (all forms) .. .. | M | 40 | 14 | 6 | — | 1 | 1 | 7 | 7 | 3 | 1 | 26 | 6 | 2 | 1 | 1 | 1 | 3 | 9 | 3 | — |
| | F | 38 | 5 | 4 | 3 | 4 | 1 | 6 | 9 | 3 | 3 | 23 | 2 | 4 | 1 | 1 | 2 | 2 | 2 | 3 | 6 |
| 20 Other respiratory diseases .. .. | M | 12 | — | 1 | — | — | — | 1 | 4 | 5 | 1 | 9 | 1 | — | 1 | 1 | — | — | 4 | 1 | 1 |
| | F | 3 | — | — | — | 1 | — | 1 | — | 1 | — | 11 | — | — | 1 | 2 | — | 1 | 3 | 3 | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 9 | — | — | — | — | — | 7 | 2 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 22 Diarrhœa, &c. .. | M | 5 | 3 | — | 2 | — | — | — | — | — | — | 3 | 1 | — | 1 | — | 1 | — | — | — | — |
| | F | 8 | 4 | — | — | 1 | — | — | 1 | — | 2 | 2 | — | — | — | — | — | — | — | — | 2 |
| 23 Appendicitis and typhlitis.. .. | M | 2 | — | — | — | — | 1 | 1 | — | — | — | 3 | — | — | — | — | 1 | 1 | — | 1 | — |
| | F | 3 | — | — | — | 1 | 1 | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| 24 Cirrhosis of liver .. | M | 4 | — | — | — | — | — | — | 4 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 25 Acute and chronic nephritis .. | M | 32 | — | — | — | — | — | 6 | 13 | 11 | 2 | 11 | — | — | — | — | — | — | 5 | 4 | 2 |
| | F | 32 | — | — | — | — | — | 5 | 16 | 11 | — | 9 | — | — | — | — | 1 | — | 3 | 2 | 3 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 9 | — | — | — | — | 1 | 8 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 33 | 33 | — | — | — | — | — | — | — | — | 26 | 26 | — | — | — | — | — | — | — | — |
| | F | 22 | 21 | — | — | 1 | — | — | — | — | — | 14 | 14 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 11 | — | — | — | — | — | 1 | 7 | 3 | — | 8 | — | — | — | — | 1 | 1 | 2 | 4 | — |
| | F | 5 | — | — | — | — | 1 | 1 | 3 | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 30 Other deaths from violence.. .. | M | 24 | 1 | 1 | 2 | 1 | 1 | 11 | 5 | 2 | — | 19 | 3 | — | 1 | 1 | 1 | 1 | 7 | — | 5 |
| | F | 14 | 1 | 1 | — | — | 1 | 1 | 1 | 5 | 4 | 10 | 1 | 1 | 2 | 1 | — | — | 2 | 2 | 1 |
| 31 Other defined diseases .. .. | M | 111 | 16 | 1 | 1 | 3 | 4 | 13 | 42 | 16 | 15 | 85 | 9 | 1 | 5 | 2 | 1 | 11 | 16 | 16 | 24 |
| | F | 104 | 10 | — | — | 3 | 2 | 11 | 23 | 23 | 32 | 84 | 7 | 1 | — | 2 | 3 | 5 | 9 | 10 | 47 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Kingston-upon-Hull. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Leeds. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 1835 | 317 | 67 | 48 | 43 | 107 | 218 | 497 | 304 | 234 | 3082 | 409 | 98 | 89 | 78 | 126 | 397 | 903 | 627 | 355 |
| | F | 1575 | 254 | 66 | 44 | 49 | 68 | 235 | 338 | 239 | 282 | 2903 | 363 | 92 | 65 | 87 | 151 | 352 | 719 | 571 | 503 |
| 1 Enteric fever .. | M | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 3 | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 3 | 2 | 1 | — | — | — | — | — | — | — | 24 | 4 | 9 | 10 | 1 | — | — | — | — | — |
| | F | 11 | 6 | 4 | 1 | — | — | — | — | — | — | 27 | 5 | 13 | 9 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 14 | 2 | 3 | 5 | 3 | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 17 | — | 4 | 3 | 5 | 5 | — | — | — | — |
| 5 Whooping cough .. | M | 17 | 6 | 5 | 6 | — | — | — | — | — | — | 15 | 3 | 11 | 1 | — | — | — | — | — | — |
| | F | 32 | 15 | 11 | 5 | 1 | — | — | — | — | — | 17 | 10 | 3 | 3 | 1 | — | — | — | — | — |
| 6 Diphtheria .. | M | 9 | 1 | — | 3 | 4 | — | — | — | 1 | — | 12 | — | 1 | 8 | 2 | — | 1 | — | — | — |
| | F | 14 | 2 | 2 | 1 | 8 | — | — | 1 | — | — | 8 | 2 | 3 | — | 2 | — | 1 | — | — | — |
| 7 Influenza .. .. | M | 15 | 1 | — | — | — | 2 | 2 | 7 | 2 | 1 | 61 | 7 | 1 | 1 | 1 | 2 | 14 | 13 | 19 | 3 |
| | F | 6 | — | — | — | — | 1 | 1 | 2 | 2 | — | 61 | — | 2 | — | 2 | 6 | 6 | 18 | 14 | 13 |
| 8 Encephalitis lethargica .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 6 | 1 | 2 | 1 | — | 1 | — | 1 | — | — |
| 9 Meningococcal meningitis .. | M | 2 | 1 | — | — | 1 | — | — | — | — | — | 3 | 3 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 163 | 1 | — | 1 | 1 | 41 | 50 | 64 | 4 | 1 | 282 | 2 | 6 | 3 | 3 | 36 | 126 | 90 | 13 | 3 |
| | F | 129 | 1 | — | 2 | 7 | 38 | 53 | 28 | — | — | 220 | 3 | 4 | 2 | 22 | 63 | 85 | 34 | 6 | 1 |
| 11 Other tuberculous diseases .. .. | M | 36 | 5 | 4 | 10 | 5 | 7 | 3 | 2 | — | — | 85 | 15 | 6 | 15 | 15 | 18 | 7 | 9 | — | — |
| | F | 38 | 4 | 6 | 10 | 9 | 1 | 6 | 2 | — | — | 57 | 5 | 7 | 9 | 10 | 14 | 9 | 3 | — | — |
| 12 Cancer, malignant disease .. .. | M | 133 | — | — | — | — | 4 | 7 | 76 | 28 | 18 | 259 | — | — | — | 1 | 2 | 19 | 136 | 74 | 27 |
| | F | 176 | — | — | — | — | 1 | 26 | 88 | 44 | 17 | 323 | — | — | — | 2 | 2 | 40 | 168 | 84 | 27 |
| 13 Rheumatic fever .. | M | 10 | — | — | — | 4 | 1 | 1 | 3 | 1 | — | 4 | — | — | — | — | 1 | 1 | 2 | — | — |
| | F | 5 | — | — | — | 2 | 1 | 1 | 1 | — | — | 11 | — | — | — | 5 | 1 | 1 | 1 | 2 | 1 |
| 14 Diabetes .. .. | M | 13 | — | — | 1 | 1 | 1 | 3 | 4 | 2 | 1 | 25 | — | — | — | — | 1 | 2 | 9 | 10 | 3 |
| | F | 16 | — | — | — | 1 | 1 | 4 | 4 | 6 | — | 29 | — | — | — | — | — | 3 | 15 | 6 | 5 |
| 15 Cerebral hæmorrhage, &c. .. | M | 95 | — | — | — | — | — | 11 | 28 | 35 | 21 | 152 | — | — | — | 1 | — | 2 | 54 | 59 | 36 |
| | F | 104 | — | — | — | — | — | 9 | 31 | 30 | 34 | 222 | — | — | — | 1 | 1 | 6 | 67 | 80 | 67 |
| 16 Heart disease .. | M | 201 | — | — | — | 4 | 4 | 18 | 83 | 63 | 29 | 342 | — | — | 1 | 4 | 10 | 49 | 124 | 104 | 50 |
| | F | 184 | — | — | 1 | 3 | 2 | 26 | 55 | 46 | 51 | 361 | — | — | 1 | 5 | 8 | 45 | 134 | 109 | 59 |
| 17 Arterio-sclerosis .. | M | 48 | — | — | — | — | — | 2 | 10 | 17 | 19 | 153 | — | — | — | — | — | 3 | 38 | 67 | 45 |
| | F | 28 | — | — | — | — | — | — | 7 | 6 | 15 | 107 | — | — | — | — | — | 1 | 21 | 32 | 53 |
| 18 Bronchitis .. | M | 142 | 13 | 7 | 4 | 1 | — | 5 | 48 | 36 | 28 | 259 | 18 | 5 | 1 | 3 | 3 | 9 | 84 | 89 | 47 |
| | F | 124 | 26 | 5 | 2 | 2 | 1 | 1 | 21 | 25 | 41 | 251 | 18 | 5 | 5 | 1 | 1 | 5 | 51 | 85 | 80 |
| 19 Pneumonia (all forms) .. .. | M | 155 | 38 | 25 | 5 | 2 | 11 | 20 | 28 | 18 | 8 | 281 | 53 | 33 | 15 | 10 | 13 | 36 | 79 | 37 | 5 |
| | F | 104 | 26 | 18 | 10 | 5 | 3 | 10 | 18 | 12 | 2 | 189 | 50 | 20 | 15 | 8 | 7 | 21 | 33 | 24 | 11 |
| 20 Other respiratory diseases .. .. | M | 40 | 2 | 1 | 1 | — | 3 | 12 | 11 | 6 | 4 | 42 | 4 | — | — | — | — | 5 | 21 | 4 | 8 |
| | F | 22 | 2 | — | — | — | 1 | 4 | 6 | 3 | 6 | 32 | 1 | 4 | 2 | 1 | 3 | 4 | 7 | 8 | 2 |
| 21 Ulcer of stomach or duodenum .. | M | 12 | — | — | — | — | — | 7 | 5 | — | — | 37 | — | — | — | — | — | 10 | 21 | 5 | 1 |
| | F | 8 | — | — | — | — | 2 | 4 | 1 | 1 | — | 10 | — | — | — | — | — | 3 | 7 | — | — |
| 22 Diarrhœa, &c. .. | M | 81 | 68 | 6 | 2 | — | — | 1 | 2 | 1 | 1 | 81 | 59 | 8 | 4 | 1 | 1 | 1 | 2 | 3 | 2 |
| | F | 48 | 37 | 6 | 1 | — | — | 1 | 2 | — | 1 | 61 | 47 | 2 | 1 | 3 | — | 4 | 2 | 1 | 1 |
| 23 Appendicitis and typhlitis.. .. | M | 19 | — | — | — | 5 | 6 | 4 | 3 | 1 | — | 20 | — | — | — | 5 | 3 | 4 | 6 | 2 | — |
| | F | 5 | — | — | 1 | — | 1 | 1 | 1 | — | 1 | 10 | — | — | — | — | 2 | 3 | 4 | 1 | — |
| 24 Cirrhosis of liver .. | M | 7 | — | — | — | — | — | — | 5 | 2 | — | 19 | 1 | — | — | — | — | — | 13 | 4 | 1 |
| | F | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 13 | — | — | — | — | — | 2 | 5 | 4 | 2 |
| 25 Acute and chronic nephritis .. | M | 46 | — | 1 | 1 | — | 2 | 7 | 20 | 12 | 3 | 109 | 1 | — | 1 | 2 | 1 | 13 | 40 | 30 | 21 |
| | F | 33 | — | — | — | 1 | 1 | 6 | 16 | 7 | 2 | 83 | — | — | 1 | 2 | 5 | 8 | 37 | 16 | 14 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 11 | — | — | — | — | 1 | 10 | — | — | — | 18 | — | — | — | — | 3 | 15 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 21 | — | — | — | — | 1 | 20 | — | — | — | 31 | — | — | — | — | 9 | 22 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 121 | 118 | — | 2 | — | 1 | — | — | — | — | 143 | 138 | 2 | — | 2 | — | 1 | — | — | — |
| | F | 92 | 90 | 1 | — | 1 | — | — | — | — | — | 160 | 157 | 1 | — | 1 | — | — | 1 | — | — |
| 29 Suicide .. .. | M | 25 | — | — | — | — | 1 | 6 | 14 | 4 | — | 33 | — | — | — | — | 2 | 7 | 20 | 4 | — |
| | F | 7 | — | — | — | — | — | 3 | 3 | 1 | — | 10 | — | — | — | — | — | 3 | 6 | 1 | — |
| 30 Other deaths from violence.. .. | M | 70 | 2 | 5 | 3 | 7 | 8 | 18 | 14 | 6 | 7 | 108 | 2 | 3 | 10 | 7 | 13 | 28 | 27 | 13 | 5 |
| | F | 30 | 2 | 1 | 4 | 2 | 1 | 4 | 3 | 1 | 12 | 55 | 1 | 2 | 6 | 3 | 2 | 9 | 10 | 11 | 11 |
| 31 Other defined diseases .. .. | M | 369 | 59 | 12 | 9 | 8 | 14 | 41 | 68 | 65 | 93 | 514 | 97 | 10 | 13 | 17 | 19 | 57 | 113 | 90 | 98 |
| | F | 318 | 43 | 12 | 6 | 7 | 10 | 41 | 45 | 54 | 100 | 510 | 62 | 18 | 7 | 13 | 18 | 56 | 94 | 86 | 156 |
| 32 Causes ill-defined or unknown .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 3 | — | 2 | — | — | — | — | — | 1 | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Leicester. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Lincoln. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 1401 | 225 | 39 | 25 | 34 | 52 | 184 | 381 | 249 | 212 | 397 | 43 | 7 | 9 | 4 | 11 | 45 | 116 | 77 | 85 |
| | F | 1386 | 158 | 33 | 31 | 36 | 65 | 183 | 304 | 266 | 310 | 357 | 32 | 13 | 8 | 8 | 13 | 39 | 69 | 65 | 110 |
| 1 Enteric fever | M | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 11 | 7 | 3 | 1 | — | — | — | — | — | — | 3 | — | 2 | 1 | — | — | — | — | — | — |
| | F | 14 | 5 | 3 | 5 | 1 | — | — | — | — | — | 5 | 1 | 1 | 2 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | 3 | 1 | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 16 | 9 | 5 | 2 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 16 | 5 | 9 | 2 | — | — | — | — | — | — | 3 | 1 | 1 | — | 1 | — | — | — | — | — |
| 6 Diphtheria | M | 6 | 1 | — | 1 | 2 | 1 | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 5 | 1 | — | — | 3 | 1 | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 7 Influenza | M | 17 | — | — | — | 1 | — | 6 | 4 | 6 | — | 9 | — | — | — | — | — | 3 | 4 | 1 | 1 |
| | F | 20 | 2 | — | — | 1 | — | 6 | 6 | 4 | 1 | 7 | 1 | — | — | — | 1 | 1 | 1 | 2 | 1 |
| 8 Encephalitis lethargica | M | 3 | 1 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 153 | — | 1 | 4 | 5 | 18 | 70 | 44 | 9 | 2 | 31 | 1 | — | — | — | 5 | 10 | 13 | 2 | — |
| | F | 140 | — | 1 | — | 8 | 37 | 72 | 20 | 2 | — | 18 | — | — | — | 1 | 7 | 7 | 2 | 1 | — |
| 11 Other tuberculous diseases | M | 30 | 6 | 7 | 3 | 7 | 3 | 3 | 1 | — | — | 4 | — | — | 1 | — | 2 | 1 | — | — | — |
| | F | 22 | 3 | 2 | — | 4 | 3 | 5 | 2 | 2 | 1 | 9 | 1 | 2 | 1 | 2 | — | 2 | 1 | — | — |
| 12 Cancer, malignant disease | M | 122 | — | — | — | — | 1 | 6 | 61 | 38 | 16 | 34 | — | — | — | — | — | 2 | 12 | 9 | 11 |
| | F | 159 | — | — | — | 1 | — | 14 | 70 | 54 | 20 | 37 | — | — | — | — | — | 6 | 13 | 6 | 12 |
| 13 Rheumatic fever | M | 2 | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | — | — | — | 2 | — | 2 | 2 | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 14 Diabetes | M | 9 | — | — | — | — | — | 2 | 2 | 2 | 3 | 3 | — | — | — | — | — | — | — | 1 | 2 |
| | F | 16 | — | — | — | 1 | — | 3 | 5 | 3 | 4 | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 15 Cerebral hæmorrhage, &c. | M | 84 | — | — | — | 1 | — | 3 | 33 | 30 | 17 | 30 | — | — | — | — | — | 2 | 10 | 13 | 5 |
| | F | 112 | — | — | 1 | — | — | 4 | 30 | 43 | 34 | 37 | — | — | — | — | — | 1 | 8 | 13 | 15 |
| 16 Heart disease | M | 158 | — | — | — | 1 | 7 | 23 | 61 | 44 | 22 | 50 | — | — | — | — | 1 | 4 | 16 | 16 | 13 |
| | F | 166 | — | — | — | 5 | 5 | 16 | 54 | 47 | 39 | 68 | — | — | — | — | 1 | 3 | 17 | 20 | 27 |
| 17 Arterio-sclerosis | M | 37 | — | — | — | — | — | — | 8 | 13 | 16 | 20 | — | — | — | — | — | 1 | 3 | 6 | 10 |
| | F | 38 | — | — | — | — | — | 1 | 8 | 10 | 19 | 18 | — | — | — | — | — | — | 1 | 6 | 11 |
| 18 Bronchitis | M | 91 | 10 | 1 | — | — | — | 1 | 25 | 25 | 29 | 40 | 5 | 3 | 3 | — | — | 1 | 6 | 9 | 13 |
| | F | 108 | 10 | 1 | — | — | — | — | 10 | 29 | 58 | 37 | 5 | 5 | 1 | — | — | — | 2 | 3 | 21 |
| 19 Pneumonia (all forms) | M | 122 | 21 | 12 | 5 | 1 | 5 | 20 | 39 | 10 | 9 | 39 | 5 | — | — | 1 | 1 | 10 | 13 | 3 | 6 |
| | F | 90 | 13 | 10 | 8 | 2 | 5 | 12 | 15 | 11 | 14 | 16 | 3 | 2 | 1 | — | — | — | 5 | 2 | 3 |
| 20 Other respiratory diseases | M | 21 | 1 | — | 2 | 1 | 1 | 1 | 8 | 6 | 1 | 3 | — | — | — | — | — | — | 2 | 1 | — |
| | F | 17 | 1 | — | 1 | — | — | 3 | 4 | 4 | 4 | 1 | — | — | — | — | — | — | — | — | 1 |
| 21 Ulcer of stomach or duodenum | M | 22 | — | — | — | — | 2 | 8 | 7 | 4 | 1 | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | — | 1 | 2 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 Diarrhœa, &c. | M | 56 | 47 | 4 | — | — | — | — | 4 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | F | 26 | 18 | 1 | 1 | — | 1 | 1 | 1 | 2 | 1 | 6 | 2 | 1 | — | — | — | — | — | 2 | 1 |
| 23 Appendicitis and typhlitis | M | 6 | — | — | 1 | 1 | — | 2 | 2 | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 7 | — | — | 1 | 2 | — | 2 | 2 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 24 Cirrhosis of liver | M | 10 | — | — | — | — | — | 2 | 4 | 4 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 33 | 1 | — | — | 1 | — | 7 | 12 | 4 | 8 | 10 | — | — | — | — | — | 1 | 3 | 5 | 1 |
| | F | 32 | — | — | — | 1 | 2 | 2 | 13 | 10 | 4 | 7 | 1 | — | — | — | — | 3 | 1 | 2 | — |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 8 | — | — | — | — | 2 | 6 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 9 | — | — | — | — | 1 | 7 | 1 | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 97 | 97 | — | — | — | — | — | — | — | — | 19 | 19 | — | — | — | — | — | — | — | — |
| | F | 63 | 62 | — | — | — | — | — | 1 | — | — | 13 | 13 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 21 | — | — | — | 1 | — | 5 | 12 | 3 | — | 8 | — | — | — | — | 1 | 1 | 5 | — | 1 |
| | F | 7 | — | — | — | — | — | 2 | 4 | 1 | — | 4 | — | — | — | — | 3 | — | 1 | — | — |
| 30 Other deaths from violence | M | 35 | 4 | — | 3 | 5 | 3 | 7 | 6 | 2 | 5 | 10 | — | — | 2 | 1 | 1 | 2 | 4 | — | — |
| | F | 35 | 7 | 2 | 4 | 2 | — | 3 | 7 | 4 | 6 | 4 | 1 | 1 | — | — | — | — | 1 | — | 1 |
| 31 Other defined diseases | M | 235 | 19 | 5 | 2 | 6 | 9 | 17 | 46 | 49 | 82 | 76 | 12 | 2 | 2 | 1 | — | 6 | 21 | 10 | 22 |
| | F | 259 | 31 | 3 | 8 | 3 | 8 | 20 | 45 | 38 | 103 | 55 | 3 | — | 2 | 1 | 1 | 12 | 12 | 7 | 17 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Liverpool. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Manchester. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 6040 | 1178 | 450 | 251 | 206 | 297 | 751 | 1563 | 845 | 499 | 5222 | 785 | 245 | 183 | 153 | 254 | 672 | 1572 | 888 | 470 |
| | F | 5396 | 887 | 387 | 234 | 194 | 264 | 672 | 1194 | 816 | 748 | 4856 | 575 | 213 | 155 | 142 | 249 | 596 | 1248 | 960 | 718 |
| 1 Enteric fever .. | M | 3 | — | — | — | — | 3 | — | — | — | — | 7 | — | — | — | — | — | 4 | 2 | — | 1 |
| | F | 3 | — | — | — | — | 2 | 1 | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 198 | 57 | 93 | 42 | 6 | — | — | — | — | — | 39 | 5 | 20 | 13 | 1 | — | — | — | — | — |
| | F | 162 | 42 | 79 | 38 | 3 | — | — | — | — | — | 45 | 9 | 24 | 10 | 2 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 23 | — | 3 | 13 | 6 | 1 | — | — | — | — | 14 | 2 | 2 | 4 | 5 | 1 | — | — | — | — |
| | F | 18 | — | — | 11 | 5 | 1 | — | 1 | — | — | 17 | — | 1 | 7 | 5 | 3 | 1 | — | — | — |
| 5 Whooping cough .. | M | 70 | 29 | 28 | 12 | 1 | — | — | — | — | — | 91 | 35 | 31 | 25 | — | — | — | — | — | — |
| | F | 86 | 39 | 28 | 17 | 2 | — | — | — | — | — | 95 | 39 | 33 | 23 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 45 | 5 | 10 | 20 | 10 | — | — | — | — | — | 23 | 2 | 1 | 11 | 8 | — | 1 | — | — | — |
| | F | 37 | 4 | 7 | 15 | 8 | — | 1 | 2 | — | — | 24 | — | 2 | 10 | 12 | — | — | — | — | — |
| 7 Influenza .. .. | M | 47 | 2 | 1 | — | 1 | 3 | 12 | 17 | 10 | 1 | 122 | 4 | 3 | 2 | 2 | 8 | 31 | 47 | 23 | 2 |
| | F | 67 | 2 | 1 | — | 2 | 7 | 15 | 13 | 18 | 9 | 157 | 9 | 6 | 3 | 5 | 6 | 23 | 52 | 37 | 16 |
| 8 Encephalitis lethargica .. | M | 18 | — | — | 1 | 2 | 4 | 6 | 4 | 1 | — | 8 | — | — | 1 | — | 1 | 1 | 5 | — | — |
| | F | 16 | — | — | — | 3 | 6 | 2 | 4 | 1 | — | 8 | — | — | — | 2 | — | 3 | 3 | — | — |
| 9 Meningococcal meningitis .. | M | 1 | 1 | — | — | — | — | — | — | — | — | 6 | 3 | — | 1 | 1 | 1 | — | — | — | — |
| | F | 8 | 4 | 2 | 1 | 1 | — | — | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 594 | 5 | 7 | 4 | 14 | 115 | 263 | 163 | 19 | 4 | 570 | 5 | 2 | 4 | 10 | 110 | 230 | 191 | 16 | 2 |
| | F | 454 | 5 | 3 | 5 | 32 | 126 | 193 | 77 | 12 | 1 | 366 | — | 2 | 4 | 18 | 107 | 145 | 76 | 13 | 1 |
| 11 Other tuberculous diseases .. .. | M | 151 | 23 | 27 | 24 | 32 | 24 | 8 | 11 | 2 | — | 105 | 13 | 10 | 16 | 20 | 18 | 11 | 13 | 4 | — |
| | F | 148 | 17 | 24 | 34 | 28 | 16 | 18 | 9 | 2 | — | 113 | 11 | 13 | 15 | 24 | 21 | 14 | 12 | 3 | — |
| 12 Cancer, malignant disease .. .. | M | 443 | — | — | 1 | 1 | 4 | 37 | 261 | 106 | 33 | 548 | 1 | — | 1 | 2 | 2 | 35 | 317 | 154 | 36 |
| | F | 501 | — | — | 1 | 1 | 2 | 53 | 269 | 115 | 60 | 510 | 1 | — | — | 1 | 1 | 71 | 252 | 133 | 51 |
| 13 Rheumatic fever .. | M | 14 | — | — | — | 8 | 1 | 1 | 2 | 1 | 1 | 19 | — | — | — | 5 | 4 | 7 | 3 | — | — |
| | F | 18 | — | — | 1 | 6 | 5 | 3 | 1 | 2 | — | 26 | — | — | — | 9 | 7 | 5 | 4 | 1 | — |
| 14 Diabetes .. .. | M | 30 | — | — | — | 2 | 4 | 5 | 9 | 8 | 2 | 41 | — | — | — | 1 | 1 | 6 | 18 | 10 | 5 |
| | F | 36 | — | — | — | — | — | 11 | 12 | 8 | 5 | 41 | — | — | — | 1 | 3 | 7 | 17 | 12 | 1 |
| 15 Cerebral hæmorrhage, &c. .. | M | 212 | — | — | 1 | 2 | 1 | 7 | 82 | 84 | 35 | 220 | — | 1 | — | 1 | 1 | 6 | 76 | 94 | 41 |
| | F | 270 | — | — | 1 | 1 | 1 | 14 | 98 | 84 | 71 | 277 | — | — | — | — | — | 12 | 91 | 97 | 77 |
| 16 Heart disease .. | M | 527 | — | 1 | — | 17 | 33 | 56 | 218 | 142 | 60 | 454 | — | 1 | 1 | 12 | 13 | 61 | 182 | 125 | 59 |
| | F | 592 | — | — | 2 | 17 | 21 | 91 | 187 | 153 | 121 | 568 | — | 1 | 3 | 9 | 30 | 71 | 213 | 144 | 97 |
| 17 Arterio-sclerosis .. | M | 253 | — | — | — | — | — | 6 | 63 | 107 | 77 | 162 | — | — | — | — | — | — | 45 | 70 | 47 |
| | F | 162 | — | — | — | — | — | 1 | 46 | 46 | 69 | 95 | — | — | — | — | — | 2 | 25 | 34 | 34 |
| 18 Bronchitis .. | M | 440 | 91 | 19 | 5 | 2 | 2 | 18 | 121 | 110 | 72 | 497 | 47 | 16 | 4 | 1 | 3 | 39 | 151 | 145 | 91 |
| | F | 465 | 73 | 16 | 10 | 1 | 3 | 15 | 108 | 107 | 132 | 564 | 39 | 10 | 9 | 2 | 2 | 15 | 125 | 190 | 172 |
| 19 Pneumonia (all forms) .. .. | M | 894 | 225 | 144 | 66 | 30 | 30 | 122 | 187 | 67 | 23 | 630 | 169 | 89 | 52 | 19 | 19 | 77 | 152 | 40 | 13 |
| | F | 660 | 170 | 137 | 59 | 24 | 16 | 61 | 88 | 58 | 47 | 467 | 108 | 79 | 44 | 14 | 11 | 52 | 73 | 68 | 18 |
| 20 Other respiratory diseases .. .. | M | 65 | 5 | 3 | 1 | 1 | 1 | 9 | 25 | 15 | 5 | 47 | 3 | 2 | 5 | 1 | — | 8 | 15 | 7 | 6 |
| | F | 45 | 6 | 1 | 4 | — | 3 | 7 | 11 | 3 | 10 | 32 | 2 | 4 | 1 | 2 | 2 | 2 | 9 | 7 | 3 |
| 21 Ulcer of stomach or duodenum .. | M | 43 | — | — | — | — | 4 | 15 | 22 | 2 | — | 39 | — | — | — | — | 2 | 14 | 15 | 6 | 2 |
| | F | 11 | — | — | — | — | — | 2 | 6 | 3 | — | 24 | — | — | — | — | — | 10 | 12 | 2 | — |
| 22 Diarrhœa, &c. .. | M | 227 | 159 | 46 | 10 | 5 | — | — | 4 | 1 | 2 | 161 | 109 | 26 | 12 | 1 | 1 | 2 | 2 | 5 | 3 |
| | F | 180 | 116 | 37 | 4 | 3 | 1 | 3 | 10 | 4 | 2 | 92 | 60 | 14 | 4 | 1 | 1 | 4 | 2 | 3 | 3 |
| 23 Appendicitis and typhlitis.. .. | M | 31 | 1 | — | 1 | 4 | 8 | 7 | 8 | 2 | — | 31 | — | 1 | 2 | 5 | 7 | 6 | 9 | — | 1 |
| | F | 21 | — | — | — | 8 | 2 | 5 | 5 | 1 | — | 22 | — | — | 3 | 6 | 3 | 3 | 6 | 1 | — |
| 24 Cirrhosis of liver .. | M | 14 | — | — | — | — | — | 2 | 11 | 1 | — | 17 | — | — | — | — | — | 2 | 11 | 4 | — |
| | F | 6 | — | — | — | — | — | — | 3 | 3 | — | 12 | — | — | — | — | — | 3 | 6 | 3 | — |
| 25 Acute and chronic nephritis .. | M | 172 | — | 1 | 2 | 5 | 4 | 13 | 103 | 26 | 18 | 117 | — | — | 2 | 3 | 1 | 16 | 56 | 31 | 8 |
| | F | 151 | 1 | — | — | 2 | 7 | 24 | 72 | 36 | 9 | 133 | — | 2 | 2 | 5 | 5 | 18 | 61 | 31 | 9 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 23 | — | — | — | — | 9 | 13 | 1 | — | — | 20 | — | — | — | — | 6 | 14 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 45 | — | — | — | — | 5 | 38 | 2 | — | — | 38 | — | — | — | — | 6 | 31 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 378 | 371 | 4 | 1 | 1 | — | 1 | — | — | — | 243 | 240 | 1 | — | — | 1 | — | 1 | — | — |
| | F | 277 | 276 | — | — | — | — | — | 1 | — | — | 197 | 196 | 1 | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 50 | — | — | — | — | 4 | 18 | 24 | 3 | 1 | 56 | — | — | — | — | 1 | 12 | 32 | 8 | 3 |
| | F | 18 | — | — | — | — | 2 | 8 | 8 | — | — | 14 | — | — | — | — | 2 | 6 | 5 | 1 | — |
| 30 Other deaths from violence.. . | M | 214 | 12 | 25 | 18 | 23 | 25 | 43 | 46 | 14 | 8 | 159 | 8 | 7 | 5 | 22 | 30 | 30 | 41 | 8 | 8 |
| | F | 100 | 6 | 10 | 11 | 13 | 6 | 9 | 15 | 13 | 17 | 93 | 7 | 3 | 5 | 7 | 9 | 11 | 27 | 10 | 14 |
| 31 Other defined diseases .. .. | M | 862 | 191 | 29 | 27 | 33 | 26 | 101 | 179 | 119 | 157 | 793 | 138 | 31 | 22 | 33 | 29 | 73 | 187 | 138 | 142 |
| | F | 801 | 126 | 38 | 19 | 33 | 23 | 84 | 138 | 145 | 195 | 790 | 94 | 15 | 12 | 15 | 21 | 72 | 170 | 169 | 222 |
| 32 Causes ill-defined or unknown .. | M | 21 | 1 | 9 | 2 | — | — | 1 | 3 | 5 | — | 3 | 1 | 1 | — | — | — | — | 1 | — | — |
| | F | 15 | — | 4 | 1 | 1 | — | — | 7 | 2 | — | 12 | — | 3 | — | — | 2 | — | 6 | 1 | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Middlesbrough. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Newcastle-on-Tyne. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 1007 | 187 | 84 | 65 | 36 | 43 | 129 | 250 | 136 | 77 | 2005 | 350 | 142 | 91 | 65 | 90 | 221 | 514 | 318 | 214 |
| | F | 774 | 136 | 55 | 48 | 29 | 38 | 101 | 166 | 123 | 78 | 1681 | 276 | 101 | 79 | 63 | 88 | 201 | 389 | 250 | 234 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 42 | 12 | 20 | 9 | 1 | — | — | — | — | — | 100 | 20 | 45 | 28 | 7 | — | — | — | — | — |
| | F | 39 | 10 | 18 | 11 | — | — | — | — | — | — | 52 | 11 | 29 | 12 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 10 | — | 1 | 3 | 4 | 2 | — | — | — | — | 3 | — | 2 | 1 | — | — | — | — | — | — |
| | F | 9 | — | 1 | 1 | 5 | 1 | 1 | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | 33 | 11 | 15 | 6 | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 47 | 23 | 10 | 12 | 2 | — | — | — | — | — |
| 6 Diphtheria .. | M | 3 | — | 1 | 1 | 1 | — | — | — | — | — | 6 | — | 2 | 1 | 3 | — | — | — | — | — |
| | F | 7 | — | 4 | 1 | 2 | — | — | — | — | — | 4 | — | — | 4 | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 13 | 1 | — | 3 | 1 | — | 5 | 1 | 1 | 1 | 9 | 1 | 1 | — | 1 | 1 | 1 | 1 | 2 | 1 |
| | F | 9 | — | — | — | 1 | 1 | 1 | 4 | 2 | — | 6 | — | — | — | — | — | 4 | 2 | — | — |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 1 | — | — | 1 | — | — | — | — | — | — | 4 | 1 | — | 1 | 1 | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | 2 | 1 | — | 3 | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 98 | 1 | 2 | 5 | 3 | 17 | 38 | 28 | 4 | — | 173 | — | 1 | 2 | 4 | 36 | 65 | 56 | 9 | — |
| | F | 56 | — | 1 | — | 4 | 18 | 25 | 8 | — | — | 139 | 1 | 1 | 2 | 11 | 39 | 63 | 20 | 1 | 1 |
| 11 Other tuberculous diseases .. .. | M | 21 | — | 4 | 3 | 5 | 3 | 5 | 1 | — | — | 54 | 6 | 11 | 13 | 10 | 6 | 2 | 6 | — | — |
| | F | 18 | 3 | 1 | 6 | 2 | 2 | 4 | — | — | — | 53 | 8 | 7 | 10 | 7 | 8 | 9 | 4 | — | — |
| 12 Cancer, malignant disease .. .. | M | 81 | — | — | — | — | 1 | 3 | 44 | 28 | 5 | 176 | — | — | 1 | 1 | 2 | 10 | 93 | 49 | 20 |
| | F | 75 | — | — | — | — | — | 9 | 35 | 21 | 10 | 153 | — | — | — | — | — | 19 | 79 | 38 | 17 |
| 13 Rheumatic fever .. | M | 2 | — | — | — | 1 | — | 1 | — | — | — | 10 | — | — | 2 | 3 | 1 | — | 3 | 1 | — |
| | F | 5 | — | — | — | 3 | — | 1 | — | 1 | — | 6 | — | — | — | 2 | 2 | 1 | — | 1 | — |
| 14 Diabetes .. .. | M | 3 | — | — | — | — | 1 | 1 | 1 | — | — | 16 | — | — | — | — | 2 | 3 | 5 | 5 | 1 |
| | F | 8 | — | — | — | 1 | 1 | — | 1 | 4 | 1 | 22 | — | — | — | — | 2 | 5 | 8 | 4 | 3 |
| 15 Cerebral hæmorrhage, &c. .. | M | 36 | — | — | — | — | 1 | 2 | 14 | 11 | 8 | 103 | — | — | — | — | — | 4 | 38 | 38 | 23 |
| | F | 44 | — | — | — | — | — | 1 | 19 | 14 | 10 | 109 | — | — | — | 1 | 2 | 4 | 41 | 36 | 25 |
| 16 Heart disease .. | M | 87 | 1 | 1 | 1 | 1 | 5 | 9 | 30 | 29 | 10 | 223 | — | — | — | 5 | 6 | 29 | 97 | 64 | 22 |
| | F | 79 | — | — | 2 | 2 | 3 | 11 | 32 | 20 | 9 | 196 | — | — | 1 | 6 | 7 | 16 | 79 | 57 | 30 |
| 17 Arterio-sclerosis .. | M | 20 | — | — | — | — | — | — | 7 | 6 | 7 | 101 | — | — | — | — | — | — | 20 | 35 | 46 |
| | F | 8 | — | — | — | — | — | 1 | — | 3 | 4 | 68 | — | — | — | — | — | 1 | 11 | 21 | 35 |
| 18 Bronchitis .. | M | 59 | 14 | 1 | 3 | — | — | 3 | 17 | 12 | 9 | 119 | 27 | 7 | 1 | 1 | — | 1 | 32 | 30 | 20 |
| | F | 50 | 7 | 4 | 3 | — | — | 1 | 10 | 11 | 14 | 111 | 21 | 6 | 1 | 1 | 1 | — | 17 | 23 | 41 |
| 19 Pneumonia (all forms) .. .. | M | 162 | 33 | 36 | 15 | 4 | 5 | 26 | 27 | 11 | 5 | 191 | 60 | 40 | 18 | 7 | 10 | 25 | 19 | 6 | 6 |
| | F | 95 | 20 | 16 | 13 | 4 | 2 | 11 | 18 | 11 | — | 160 | 44 | 30 | 24 | 13 | 7 | 9 | 16 | 11 | 6 |
| 20 Other respiratory diseases .. .. | M | 8 | — | — | — | — | — | 1 | 3 | 3 | 1 | 27 | — | 1 | — | — | 1 | 5 | 7 | 4 | 9 |
| | F | 11 | 1 | 1 | — | — | — | — | 2 | 4 | 3 | 16 | — | 1 | 2 | — | 2 | 1 | 3 | 1 | 6 |
| 21 Ulcer of stomach or duodenum .. | M | 6 | — | — | — | — | — | 3 | 2 | 1 | — | 13 | — | — | — | — | — | 4 | 7 | 2 | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | — | 1 | — | — | 1 |
| 22 Diarrhœa, &c. .. | M | 26 | 15 | 6 | 2 | — | — | — | — | 1 | 2 | 59 | 42 | 7 | 5 | 1 | — | 1 | 2 | 1 | — |
| | F | 25 | 19 | 3 | 1 | 1 | — | — | — | 1 | — | 43 | 19 | 11 | 4 | 2 | — | 1 | 1 | 2 | 3 |
| 23 Appendicitis and typhlitis.. .. | M | 4 | — | — | — | 1 | — | — | 2 | 1 | — | 8 | — | — | 2 | 1 | 1 | 4 | — | — | — |
| | F | 4 | — | — | — | — | 1 | 2 | 1 | — | — | 8 | — | — | — | 1 | 2 | 1 | 3 | 1 | — |
| 24 Cirrhosis of liver .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 10 | — | — | — | — | — | 1 | 6 | 3 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 25 Acute and chronic nephritis .. | M | 22 | — | — | 1 | 1 | — | 5 | 9 | 3 | 3 | 60 | 1 | — | — | 2 | 2 | 12 | 24 | 13 | 6 |
| | F | 13 | — | — | — | 1 | — | 4 | 4 | 3 | 1 | 55 | — | — | — | 4 | — | 8 | 24 | 11 | 8 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 2 | 1 | — | — | — | 11 | — | — | — | — | 1 | 10 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 13 | — | — | — | — | 2 | 11 | — | — | — | 15 | — | — | — | — | 3 | 11 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 83 | 82 | — | — | 1 | — | — | — | — | — | 139 | 136 | 2 | 1 | — | — | — | — | — | — |
| | F | 56 | 56 | — | — | — | — | — | — | — | — | 100 | 97 | 1 | — | — | — | 2 | — | — | — |
| 29 Suicide .. .. | M | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 19 | — | — | — | — | 1 | 8 | 8 | — | 2 |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 30 Other deaths from violence.. .. | M | 47 | — | 2 | 8 | 4 | 3 | 12 | 9 | 4 | 5 | 60 | — | — | 2 | 7 | 10 | 9 | 23 | 5 | 4 |
| | F | 14 | 1 | 1 | 3 | 1 | 1 | 2 | 2 | 1 | 2 | 33 | — | 2 | 4 | 2 | 2 | 5 | 9 | 5 | 4 |
| 31 Other defined diseases .. .. | M | 169 | 28 | 10 | 10 | 8 | 5 | 14 | 53 | 20 | 21 | 282 | 45 | 7 | 7 | 11 | 9 | 35 | 65 | 49 | 54 |
| | F | 127 | 19 | 4 | 6 | 2 | 3 | 13 | 29 | 27 | 24 | 257 | 50 | 2 | 2 | 7 | 10 | 28 | 67 | 37 | 54 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | 1 | — | — | — | — | 1 | 1 | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Northampton. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Norwich. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 534 | 52 | 5 | 10 | 16 | 21 | 55 | 159 | 104 | 112 | 641 | 99 | 30 | 16 | 28 | 25 | 76 | 145 | 110 | 112 |
| | F | 559 | 43 | 10 | 12 | 10 | 20 | 70 | 139 | 108 | 147 | 719 | 57 | 25 | 16 | 22 | 38 | 78 | 143 | 142 | 198 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 13 | 5 | 6 | 2 | — | — | — | — | — | — |
| | F | 4 | 1 | 2 | 1 | — | — | — | — | — | — | 15 | 1 | 7 | 4 | 3 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 4 | — | — | 2 | 2 | — | — | — | — | — | 7 | 1 | 1 | 2 | 2 | 1 | — | — | — | — |
| | F | 2 | — | — | — | 1 | 1 | — | — | — | — | 6 | — | 1 | 3 | 2 | — | — | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | 3 | 2 | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | 1 | 2 | 1 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 3 | — | — | 1 | 2 | — | — | — | — | — | 19 | — | 1 | 8 | 10 | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 12 | — | 2 | 5 | 5 | — | — | — | — | — |
| 7 Influenza .. .. | M | 13 | — | — | — | — | 4 | 3 | 3 | 2 | 1 | 3 | — | — | — | — | — | 2 | 1 | — | — |
| | F | 6 | — | — | — | — | — | — | 3 | 2 | 1 | 3 | — | — | — | — | — | 1 | 2 | — | — |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | 1 | — | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 42 | — | — | — | — | 11 | 18 | 13 | — | — | 55 | — | 1 | — | 1 | 5 | 25 | 21 | — | 2 |
| | F | 41 | — | — | — | 2 | 5 | 23 | 11 | — | — | 74 | — | — | — | 2 | 24 | 32 | 12 | 4 | — |
| 11 Other tuberculous diseases .. .. | M | 7 | 1 | 1 | 2 | — | 1 | 1 | 1 | — | — | 9 | — | 4 | 1 | 2 | 1 | — | 1 | — | — |
| | F | 9 | — | — | 2 | 2 | 3 | 1 | 1 | — | — | 12 | 2 | — | 1 | 3 | 3 | 2 | 1 | — | — |
| 12 Cancer, malignant disease .. .. | M | 60 | — | — | — | — | — | 2 | 33 | 18 | 7 | 63 | — | — | — | — | — | 1 | 35 | 17 | 10 |
| | F | 76 | — | — | — | — | — | 9 | 32 | 23 | 12 | 97 | — | — | — | — | 1 | 9 | 36 | 30 | 21 |
| 13 Rheumatic fever .. | M | 2 | — | — | — | 2 | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | — | — | 1 | 1 |
| 14 Diabetes .. .. | M | 5 | — | — | — | — | — | — | 3 | — | 2 | 10 | — | — | — | — | 1 | — | 1 | 5 | 3 |
| | F | 7 | — | — | — | — | 1 | 1 | 3 | 1 | 1 | 4 | — | — | — | — | — | 1 | — | 1 | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 47 | — | — | — | — | — | 1 | 14 | 16 | 16 | 41 | — | — | — | — | — | 3 | 10 | 12 | 16 |
| | F | 68 | — | — | — | 1 | — | — | 17 | 22 | 28 | 55 | — | — | — | — | — | 2 | 13 | 18 | 22 |
| 16 Heart disease .. | M | 58 | — | — | — | 1 | 1 | 8 | 24 | 18 | 6 | 71 | — | — | — | 2 | 5 | 12 | 16 | 18 | 18 |
| | F | 75 | — | — | — | 1 | 1 | 10 | 23 | 20 | 18 | 109 | — | 1 | — | — | 5 | 5 | 26 | 38 | 34 |
| 17 Arterio-sclerosis .. | M | 16 | — | — | — | — | — | — | 2 | 6 | 8 | 25 | — | — | — | — | — | 1 | 4 | 13 | 7 |
| | F | 8 | — | — | — | — | — | — | 2 | 2 | 4 | 27 | — | — | — | — | — | — | 5 | 4 | 18 |
| 18 Bronchitis .. | M | 50 | 4 | — | — | 1 | — | 2 | 11 | 16 | 16 | 24 | 5 | 3 | — | — | — | 2 | 4 | 2 | 8 |
| | F | 54 | 3 | — | — | — | — | 1 | 6 | 15 | 29 | 32 | 1 | 1 | — | — | — | 1 | 3 | 10 | 16 |
| 19 Pneumonia (all forms) .. .. | M | 38 | 6 | — | 2 | 1 | 1 | 11 | 12 | 5 | — | 46 | 11 | 8 | 2 | 3 | 3 | 3 | 7 | 6 | 3 |
| | F | 31 | 2 | 5 | 4 | 1 | 4 | 5 | 5 | 2 | 3 | 45 | 8 | 8 | 1 | 4 | — | 3 | 4 | 8 | 9 |
| 20 Other respiratory diseases .. .. | M | 7 | — | 1 | — | — | — | — | 5 | 1 | — | 12 | 1 | — | — | 1 | — | 1 | 5 | 2 | 2 |
| | F | 6 | — | — | — | — | — | — | 2 | 2 | 2 | 6 | — | — | — | — | — | 1 | 3 | 1 | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 3 | — | — | — | — | — | — | 3 | — | — | 4 | — | — | — | — | — | — | 3 | 1 | — |
| | F | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 22 Diarrhœa, &c. .. | M | 9 | 6 | — | — | — | — | — | 1 | 2 | — | 10 | 8 | — | — | — | — | — | — | 2 | — |
| | F | 6 | 4 | — | — | — | — | — | 1 | — | 1 | 9 | 4 | — | 1 | 1 | — | 1 | — | — | 2 |
| 23 Appendicitis and typhlitis.. .. | M | 3 | — | — | — | 2 | — | — | — | 1 | — | 6 | — | — | — | 3 | 1 | 1 | 1 | — | — |
| | F | 3 | — | — | — | 1 | — | — | 2 | — | — | 5 | — | 1 | — | 1 | — | 2 | — | 1 | — |
| 24 Cirrhosis of liver .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 8 | — | — | — | — | — | 1 | 5 | 2 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 25 Acute and chronic nephritis .. | M | 12 | — | — | — | 1 | — | 2 | 4 | 4 | 1 | 11 | — | — | — | — | 1 | 4 | 3 | 2 | 1 |
| | F | 12 | — | — | — | 1 | — | 2 | 7 | 1 | 1 | 13 | 1 | — | — | — | — | 3 | 4 | 4 | 1 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | — | 5 | — | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 27 | 27 | — | — | — | — | — | — | — | — | 51 | 51 | — | — | — | — | — | — | — | — |
| | F | 26 | 25 | 1 | — | — | — | — | — | — | — | 33 | 33 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 5 | — | — | — | — | — | 3 | 2 | — | — | 10 | — | — | — | — | 1 | 2 | 4 | 1 | 2 |
| | F | 4 | — | — | — | — | — | 2 | 2 | — | — | 5 | — | — | — | — | 2 | 1 | 1 | 1 | — |
| 30 Other deaths from violence.. .. | M | 10 | — | — | 1 | 2 | 1 | 2 | 2 | — | 2 | 12 | 2 | — | — | 1 | — | 1 | 4 | 2 | 2 |
| | F | 8 | — | 1 | 1 | — | — | 2 | — | 2 | 2 | 6 | 1 | — | — | — | — | 1 | 3 | — | 1 |
| 31 Other defined diseases .. .. | M | 108 | 7 | 2 | 1 | 2 | 2 | 2 | 24 | 15 | 53 | 124 | 13 | 4 | 1 | 3 | 5 | 15 | 20 | 25 | 38 |
| | F | 102 | 7 | 1 | 4 | — | 4 | 6 | 20 | 15 | 45 | 133 | 5 | 2 | — | — | 2 | 7 | 26 | 21 | 70 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Nottingham. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Oldham. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 1667 | 262 | 55 | 40 | 29 | 75 | 161 | 451 | 334 | 260 | 1214 | 169 | 47 | 38 | 45 | 45 | 157 | 365 | 239 | 109 |
| | F | 1625 | 204 | 59 | 30 | 36 | 68 | 172 | 401 | 339 | 316 | 1186 | 131 | 52 | 22 | 44 | 47 | 153 | 341 | 250 | 146 |
| 1 Enteric fever | M | 2 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 12 | 3 | 8 | 1 | — | — | — | — | — | — | 8 | 3 | 4 | 1 | — | — | — | — | — | — |
| | F | 15 | 1 | 11 | 3 | — | — | — | — | — | — | 5 | 1 | 2 | 1 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | 7 | — | — | 5 | — | 1 | — | 1 | — | — | 3 | — | — | 2 | — | 1 | — | — | — | — |
| | F | 4 | — | 1 | 2 | 1 | — | — | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| 5 Whooping cough | M | 15 | 6 | 5 | 4 | — | — | — | — | — | — | 20 | 10 | 7 | 3 | — | — | — | — | — | — |
| | F | 19 | 10 | 5 | 3 | 1 | — | — | — | — | — | 27 | 14 | 10 | 2 | 1 | — | — | — | — | — |
| 6 Diphtheria | M | 7 | — | 1 | 3 | 3 | — | — | — | — | — | 7 | — | 2 | 4 | 1 | — | — | — | — | — |
| | F | 5 | — | 2 | 2 | 1 | — | — | — | — | — | 4 | — | — | 2 | — | 2 | — | — | — | — |
| 7 Influenza | M | 14 | — | 1 | — | — | 2 | 1 | 5 | 2 | 3 | 56 | 2 | 2 | 3 | 2 | 5 | 11 | 18 | 8 | 5 |
| | F | 10 | — | — | — | — | — | 2 | 2 | 2 | 4 | 45 | 1 | — | 1 | 2 | 1 | 7 | 16 | 13 | 4 |
| 8 Encephalitis lethargica | M | 1 | — | — | — | — | — | — | 1 | — | — | 8 | — | — | — | 1 | — | 1 | 5 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | 1 | 1 | — | 1 | 1 | — | — |
| 9 Meningococcal meningitis | M | 2 | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 127 | 4 | — | 2 | 3 | 26 | 48 | 39 | 5 | — | 76 | — | — | 1 | 4 | 9 | 32 | 26 | 4 | — |
| | F | 115 | 2 | — | — | 1 | 30 | 51 | 25 | 4 | 2 | 60 | — | 3 | — | — | 16 | 31 | 7 | 3 | — |
| 11 Other tuberculous diseases | M | 35 | 8 | 4 | 7 | 4 | 5 | 5 | 2 | — | — | 25 | 2 | 3 | 2 | 7 | 8 | 2 | 1 | — | — |
| | F | 41 | 2 | 6 | 8 | 6 | 7 | 6 | 5 | 1 | — | 26 | 3 | 3 | 1 | 7 | 3 | 7 | 2 | — | — |
| 12 Cancer, malignant disease | M | 172 | 1 | — | — | 1 | 1 | 6 | 89 | 61 | 13 | 99 | — | — | — | 1 | 2 | 10 | 50 | 28 | 8 |
| | F | 220 | — | 1 | — | 1 | 2 | 14 | 125 | 47 | 30 | 98 | — | — | — | — | — | 6 | 58 | 28 | 6 |
| 13 Rheumatic fever | M | 3 | — | — | — | — | 1 | — | 2 | — | — | 3 | — | — | — | 2 | — | 1 | — | — | — |
| | F | 10 | — | — | — | 1 | 5 | 1 | 1 | 1 | 1 | 8 | — | — | — | 6 | — | 1 | 1 | — | — |
| 14 Diabetes | M | 5 | — | — | — | — | — | — | 2 | 1 | 2 | 9 | — | — | — | — | — | 1 | 6 | 2 | — |
| | F | 23 | — | — | — | 1 | — | 2 | 5 | 13 | 2 | 15 | — | — | — | — | — | 3 | 5 | 5 | 2 |
| 15 Cerebral hæmorrhage, &c. | M | 98 | — | — | — | — | — | 1 | 34 | 40 | 23 | 59 | — | — | — | — | — | — | 23 | 23 | 13 |
| | F | 134 | — | — | — | — | — | 5 | 42 | 51 | 36 | 76 | — | — | — | — | — | — | 30 | 33 | 13 |
| 16 Heart disease | M | 171 | 1 | — | 1 | 2 | 6 | 18 | 56 | 60 | 27 | 134 | — | — | 1 | 3 | 4 | 14 | 64 | 35 | 13 |
| | F | 206 | — | — | — | 4 | 6 | 16 | 63 | 72 | 45 | 174 | — | — | — | 4 | 6 | 25 | 62 | 57 | 20 |
| 17 Arterio-sclerosis | M | 67 | — | — | — | — | — | — | 18 | 25 | 24 | 21 | — | — | — | — | — | — | 8 | 7 | 6 |
| | F | 47 | — | — | — | — | — | — | 5 | 17 | 25 | 19 | — | — | — | — | — | — | 2 | 10 | 7 |
| 18 Bronchitis | M | 148 | 20 | 2 | 2 | — | — | 6 | 27 | 45 | 46 | 148 | 16 | 2 | 3 | 3 | — | 5 | 48 | 45 | 26 |
| | F | 146 | 12 | 4 | — | 3 | — | 2 | 19 | 48 | 58 | 158 | 12 | 2 | 1 | — | 1 | 4 | 55 | 40 | 43 |
| 19 Pneumonia (all forms) | M | 176 | 33 | 19 | 7 | 4 | 3 | 22 | 44 | 29 | 15 | 115 | 20 | 18 | 8 | 5 | 5 | 24 | 21 | 12 | 2 |
| | F | 113 | 29 | 15 | 5 | 4 | 3 | 7 | 24 | 18 | 8 | 106 | 15 | 24 | 7 | 7 | 3 | 11 | 22 | 14 | 3 |
| 20 Other respiratory diseases | M | 24 | 2 | 2 | 1 | — | 1 | 2 | 10 | 3 | 3 | 11 | 2 | — | — | 2 | — | 2 | 3 | 1 | 1 |
| | F | 10 | 1 | — | — | — | — | 1 | 3 | 1 | 4 | 12 | — | — | — | 1 | — | 1 | 8 | 2 | — |
| 21 Ulcer of stomach or duodenum | M | 11 | — | — | — | — | — | 3 | 8 | — | — | 12 | — | — | — | — | — | 3 | 9 | — | — |
| | F | 5 | 1 | — | — | — | — | — | 4 | — | — | 5 | — | — | — | — | — | — | 4 | 1 | — |
| 22 Diarrhœa, &c. | M | 40 | 32 | 4 | — | — | — | — | 1 | 2 | 1 | 22 | 12 | — | 2 | — | — | 1 | 3 | 3 | 1 |
| | F | 38 | 24 | 6 | — | — | 1 | 2 | 2 | 2 | 1 | 13 | 6 | 2 | 1 | — | — | — | 2 | 1 | 1 |
| 23 Appendicitis and typhlitis | M | 5 | — | — | — | — | 2 | 2 | 1 | — | — | 10 | — | — | — | 2 | 1 | 4 | 2 | 1 | — |
| | F | 7 | — | — | — | 3 | — | 4 | — | — | — | 8 | — | — | 1 | 3 | — | 3 | — | 1 | — |
| 24 Cirrhosis of liver | M | 4 | — | — | — | — | — | — | 3 | — | 1 | 6 | — | — | — | — | — | 1 | 5 | — | — |
| | F | 4 | 1 | — | — | — | — | 1 | 2 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis | M | 37 | — | — | — | — | 2 | 7 | 16 | 6 | 6 | 45 | — | — | 1 | — | 3 | 10 | 16 | 9 | 6 |
| | F | 34 | — | — | — | 1 | — | 6 | 14 | 9 | 4 | 39 | 1 | — | — | 1 | 2 | 11 | 16 | 6 | 2 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | — | — | 1 | 6 | — | — | — | 5 | — | — | — | — | — | 4 | 1 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 13 | — | — | — | — | — | 13 | — | — | — | 13 | — | — | — | — | 3 | 10 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 111 | 108 | 1 | — | 1 | — | — | — | 1 | — | 64 | 64 | — | — | — | — | — | — | — | — |
| | F | 92 | 91 | — | 1 | — | — | — | — | — | — | 58 | 57 | 1 | — | — | — | — | — | — | — |
| 29 Suicide | M | 25 | — | — | — | — | 3 | 5 | 16 | 1 | — | 15 | — | — | — | — | — | 4 | 6 | 5 | — |
| | F | 9 | — | — | — | — | 3 | 1 | 4 | 1 | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 30 Other deaths from violence | M | 45 | 2 | — | 2 | 7 | 9 | 7 | 9 | 6 | 3 | 31 | 3 | 1 | 2 | 5 | 2 | 12 | 1 | 2 | 3 |
| | F | 30 | 1 | 2 | 3 | 2 | 2 | 4 | 8 | 5 | 3 | 32 | 1 | 2 | 1 | 3 | 2 | 3 | 5 | 3 | 2 |
| 31 Other defined diseases | M | 300 | 41 | 8 | 5 | 4 | 11 | 27 | 65 | 46 | 93 | 193 | 33 | 7 | 5 | 6 | 5 | 17 | 46 | 49 | 25 |
| | F | 267 | 29 | 5 | 3 | 6 | 8 | 28 | 48 | 47 | 93 | 171 | 19 | 2 | 2 | 6 | 6 | 23 | 41 | 30 | 42 |
| 32 Causes ill-defined or unknown | M | 3 | — | — | — | — | — | — | 2 | 1 | — | 14 | 2 | 1 | — | 1 | — | 2 | 4 | 4 | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 9 | 1 | 1 | 1 | — | — | 1 | 2 | 2 | 1 |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Oxford. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Plymouth. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 284 | 21 | 2 | 6 | 8 | 10 | 39 | 66 | 52 | 80 | 1173 | 123 | 24 | 33 | 31 | 47 | 150 | 321 | 242 | 202 |
| | F | 310 | 18 | 3 | 3 | 8 | 12 | 25 | 58 | 76 | 107 | 1275 | 89 | 22 | 20 | 36 | 62 | 148 | 290 | 259 | 349 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | 2 | 2 | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 1 | — | 1 | — | — | — | — | — | — | — | 5 | 2 | 2 | 1 | — | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 4 | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 5 Whooping cough .. | M | 1 | — | — | — | 1 | — | — | — | — | — | 3 | — | 1 | 2 | — | — | — | — | — | — |
| | F | 4 | 2 | 1 | 1 | — | — | — | — | — | — | 5 | 3 | 2 | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 1 | — | — | 1 | — | — | — | — | — | — | 6 | — | — | 5 | 1 | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 3 | — | — | — | 3 | — | — | — | — | — |
| 7 Influenza .. .. | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 17 | 1 | — | — | 1 | 1 | 5 | 4 | 3 | 2 |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 16 | — | 1 | 1 | 1 | 2 | 1 | 4 | 2 | 4 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | 1 | — | 2 | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 12 | — | — | — | 1 | — | 10 | 1 | — | — | 97 | — | — | — | 1 | 23 | 44 | 27 | 2 | — |
| | F | 13 | — | — | — | — | 2 | 8 | 2 | 1 | — | 109 | — | — | — | 1 | 33 | 50 | 22 | 2 | 1 |
| 11 Other tuberculous diseases .. .. | M | 4 | — | — | — | 2 | — | — | 2 | — | — | 27 | 1 | 4 | 8 | 4 | 4 | 3 | 3 | — | — |
| | F | 10 | 1 | 1 | — | — | 2 | 6 | — | — | — | 22 | 1 | — | 1 | 4 | 5 | 4 | 2 | 5 | — |
| 12 Cancer, malignant disease .. .. | M | 35 | — | — | — | — | — | 3 | 19 | 7 | 6 | 133 | — | — | — | — | 2 | 10 | 70 | 39 | 12 |
| | F | 41 | — | — | — | — | — | — | 17 | 14 | 10 | 142 | 1 | — | — | 1 | 1 | 13 | 67 | 41 | 18 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | 8 | — | — | — | 5 | 2 | 1 | — | — | — |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | 1 | 1 | — | — | — | — |
| 14 Diabetes .. .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 9 | — | — | — | — | — | — | 2 | 4 | 3 |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 11 | — | — | — | 1 | — | 2 | 5 | 1 | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 20 | — | — | — | — | — | — | 4 | 6 | 10 | 70 | — | — | — | — | — | — | 26 | 29 | 15 |
| | F | 30 | — | — | — | — | — | — | 8 | 10 | 12 | 93 | — | — | — | — | 1 | 7 | 29 | 29 | 27 |
| 16 Heart disease .. | M | 34 | — | — | — | — | 1 | 2 | 8 | 12 | 11 | 182 | — | — | — | 1 | 4 | 21 | 53 | 58 | 45 |
| | F | 48 | — | — | — | — | 1 | 3 | 10 | 14 | 20 | 234 | — | — | — | 5 | 3 | 15 | 50 | 73 | 88 |
| 17 Arterio-sclerosis .. | M | 20 | — | — | — | — | — | — | 4 | 4 | 12 | 47 | — | — | — | — | — | — | 14 | 20 | 13 |
| | F | 8 | — | — | — | — | — | — | 1 | 6 | 1 | 30 | — | — | — | — | — | — | 8 | 6 | 16 |
| 18 Bronchitis .. | M | 15 | 2 | — | — | — | — | — | 2 | 4 | 7 | 84 | 9 | — | 2 | — | — | 3 | 9 | 26 | 35 |
| | F | 31 | 2 | — | — | 1 | — | — | 3 | 4 | 21 | 127 | 6 | 2 | 5 | 1 | — | 5 | 18 | 33 | 57 |
| 19 Pneumonia (all forms) .. .. | M | 11 | 1 | 1 | 3 | — | — | 3 | 1 | 2 | — | 74 | 10 | 7 | 6 | 3 | 3 | 10 | 17 | 8 | 10 |
| | F | 13 | 2 | — | — | 1 | — | 2 | 2 | 4 | 2 | 67 | 11 | 6 | 5 | 4 | 1 | 9 | 12 | 8 | 11 |
| 20 Other respiratory diseases .. .. | M | 3 | — | — | — | 1 | — | — | — | 1 | 1 | 18 | 2 | — | 1 | 6 | — | 4 | 4 | 1 | — |
| | F | 4 | — | — | — | — | — | — | 4 | — | — | 23 | — | — | 2 | 1 | — | 1 | 7 | 6 | 6 |
| 21 Ulcer of stomach or duodenum .. | M | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 18 | — | — | — | — | 1 | 7 | 7 | 2 | 1 |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | 7 | — | — | — | — | — | 1 | 4 | 2 | — |
| 22 Diarrhœa, &c. .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 19 | 11 | 3 | 2 | 1 | — | 1 | — | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 20 | 8 | 1 | — | — | — | 1 | 3 | 3 | 4 |
| 23 Appendicitis and typhlitis.. .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | 1 | — | 1 | 2 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 7 | — | — | 1 | 2 | 1 | — | 1 | — | 2 |
| 24 Cirrhosis of liver .. | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 6 | — | — | — | — | — | 1 | 4 | — | 1 |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 3 | — | — | — | — | — | — | 2 | — | 1 |
| 25 Acute and chronic nephritis .. | M | 7 | — | — | — | — | — | 1 | 1 | 3 | 2 | 40 | — | — | — | 1 | — | 6 | 16 | 9 | 8 |
| | F | 5 | — | — | — | — | — | 1 | — | 1 | 3 | 35 | — | — | — | 1 | 1 | 3 | 15 | 9 | 6 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 1 | 1 | 1 | — | — | 11 | — | — | — | — | 2 | 9 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 15 | 15 | — | — | — | — | — | — | — | — | 62 | 61 | — | 1 | — | — | — | — | — | — |
| | F | 10 | 10 | — | — | — | — | — | — | — | — | 38 | 37 | — | — | 1 | — | — | — | — | — |
| 29 Suicide .. .. | M | 6 | — | — | — | — | 1 | 2 | 1 | 2 | — | 12 | — | — | — | — | — | 2 | 8 | 2 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 5 | — | — | — | — | — | 1 | 4 | — | — |
| 30 Other deaths from violence.. .. | M | 10 | — | — | — | — | 3 | 5 | — | 1 | 1 | 22 | 2 | 1 | — | 2 | 2 | 4 | 4 | 3 | 4 |
| | F | 6 | — | — | 1 | 2 | 1 | 1 | — | — | 1 | 17 | — | — | 1 | 1 | 2 | 1 | — | 3 | 9 |
| 31 Other defined diseases .. .. | M | 73 | 3 | — | — | 2 | 3 | 8 | 18 | 9 | 30 | 205 | 24 | 6 | 4 | 4 | 4 | 24 | 51 | 35 | 53 |
| | F | 69 | 1 | — | — | 3 | 4 | 1 | 8 | 19 | 33 | 237 | 22 | 9 | 4 | 7 | 6 | 19 | 37 | 36 | 97 |
| 32 Causes ill-defined or unknown .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Portsmouth. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Preston. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65 | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 1345 | 176 | 50 | 47 | 39 | 40 | 136 | 356 | 241 | 260 | 841 | 133 | 27 | 27 | 21 | 30 | 101 | 251 | 157 | 94 |
| | F | 1272 | 105 | 31 | 38 | 52 | 49 | 176 | 287 | 219 | 315 | 833 | 105 | 27 | 16 | 25 | 23 | 98 | 208 | 179 | 152 |
| 1 Enteric fever | M | 4 | — | — | — | — | 1 | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | — | 1 | — | 6 | — | — | — | 3 | — | — | — | 1 | — | 1 | 1 | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 21 | 3 | 11 | 6 | 1 | — | — | — | — | — | 4 | 2 | 1 | 1 | — | — | — | — | — | — |
| | F | 19 | 4 | 8 | 5 | 2 | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | 2 | — | — | 1 | 1 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 3 | — | — | 1 | 1 | — | 1 | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| 5 Whooping cough | M | 5 | 3 | 1 | — | 1 | — | — | — | — | — | 7 | 3 | 4 | — | — | — | — | — | — | — |
| | F | 6 | 1 | 2 | 2 | 1 | — | — | — | — | — | 15 | 5 | 3 | 6 | — | — | — | — | 1 | — |
| 6 Diphtheria | M | 22 | — | 2 | 12 | 8 | — | — | — | — | — | 6 | 1 | — | 2 | 2 | 1 | — | — | — | — |
| | F | 25 | — | 2 | 8 | 14 | — | 1 | — | — | — | 4 | — | — | 3 | 1 | — | — | — | — | — |
| 7 Influenza | M | 21 | — | — | 1 | 2 | 1 | 3 | 6 | 4 | 4 | 32 | 1 | — | 1 | 1 | 2 | 7 | 13 | 6 | 1 |
| | F | 25 | 5 | 1 | 1 | — | 1 | 4 | 4 | 4 | 5 | 22 | — | — | — | — | — | 1 | 8 | 5 | 8 |
| 8 Encephalitis lethargica | M | 3 | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 103 | 1 | — | 1 | 2 | 18 | 43 | 32 | 5 | 1 | 61 | — | — | 1 | 2 | 5 | 22 | 29 | 2 | — |
| | F | 94 | — | — | 1 | 3 | 27 | 41 | 17 | 4 | 1 | 44 | — | — | — | 2 | 10 | 23 | 7 | 2 | — |
| 11 Other tuberculous diseases | M | 21 | 2 | 2 | 4 | 5 | 2 | 1 | 2 | 3 | — | 17 | 4 | 4 | 2 | 2 | 2 | 3 | — | — | — |
| | F | 23 | 3 | 4 | 6 | 3 | 3 | 2 | 1 | — | 1 | 17 | 2 | 2 | 1 | 3 | 4 | 3 | 2 | — | — |
| 12 Cancer, malignant disease | M | 135 | — | — | — | — | — | 11 | 60 | 47 | 17 | 69 | — | — | — | — | 2 | 3 | 43 | 17 | 4 |
| | F | 176 | — | — | — | 3 | — | 23 | 81 | 45 | 24 | 86 | — | — | — | — | — | 8 | 45 | 23 | 10 |
| 13 Rheumatic fever | M | 1 | — | — | — | — | 1 | — | — | — | — | 4 | 1 | — | — | — | 2 | — | 1 | — | — |
| | F | 5 | — | — | — | 2 | — | 1 | 1 | 1 | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| 14 Diabetes | M | 10 | — | — | — | — | — | 2 | 5 | 2 | 1 | 7 | — | — | — | — | — | 1 | 4 | 2 | — |
| | F | 17 | — | — | — | — | — | 4 | 7 | 5 | 1 | 14 | — | — | — | — | — | 1 | 5 | 4 | 4 |
| 15 Cerebral hæmorrhage, &c. | M | 78 | — | — | — | — | — | — | 23 | 25 | 30 | 46 | — | — | — | — | — | 1 | 14 | 18 | 13 |
| | F | 95 | — | — | — | — | 1 | 2 | 31 | 28 | 33 | 43 | — | 1 | — | — | — | — | 9 | 18 | 15 |
| 16 Heart disease | M | 152 | — | — | — | — | 2 | 12 | 59 | 50 | 29 | 72 | — | — | 1 | 2 | 2 | 12 | 26 | 20 | 9 |
| | F | 173 | — | — | — | 8 | 2 | 15 | 44 | 49 | 55 | 97 | — | — | — | 5 | 3 | 6 | 33 | 32 | 18 |
| 17 Arterio-sclerosis | M | 15 | — | — | — | — | — | — | 2 | 6 | 7 | 33 | — | — | — | — | — | — | 12 | 13 | 8 |
| | F | 13 | — | — | — | — | — | — | 5 | 2 | 6 | 25 | — | — | — | — | — | — | 7 | 8 | 10 |
| 18 Bronchitis | M | 81 | 10 | — | 3 | 2 | — | 2 | 23 | 12 | 29 | 79 | 12 | 2 | — | 1 | — | 4 | 17 | 24 | 19 |
| | F | 72 | 4 | 3 | — | — | — | 2 | 10 | 16 | 37 | 82 | 9 | 1 | — | — | 1 | — | 22 | 26 | 23 |
| 19 Pneumonia (all forms) | M | 95 | 20 | 18 | 7 | 3 | 1 | 9 | 20 | 14 | 3 | 109 | 27 | 12 | 7 | 5 | 4 | 16 | 23 | 9 | 6 |
| | F | 65 | 9 | 5 | 6 | 6 | 1 | 13 | 9 | 8 | 8 | 80 | 23 | 14 | 3 | 2 | 1 | 7 | 11 | 11 | 8 |
| 20 Other respiratory diseases | M | 15 | — | — | — | 1 | — | 2 | 8 | 1 | 3 | 8 | 1 | — | — | — | — | 2 | 4 | 1 | — |
| | F | 15 | — | — | 2 | — | — | 1 | 5 | 1 | 6 | 6 | — | — | — | — | 1 | 1 | 1 | 2 | 1 |
| 21 Ulcer of stomach or duodenum | M | 13 | — | — | — | — | — | 2 | 9 | 2 | — | 14 | — | — | 1 | — | 1 | 2 | 7 | 2 | 1 |
| | F | 10 | — | — | — | — | — | 5 | 3 | 1 | 1 | 2 | — | — | — | — | — | 2 | — | — | — |
| 22 Diarrhœa, &c. | M | 28 | 19 | 5 | 1 | — | — | — | — | — | 3 | 17 | 11 | 1 | 3 | — | — | — | 1 | — | 1 |
| | F | 23 | 10 | 2 | 2 | 1 | — | 1 | 1 | 3 | 3 | 13 | 9 | 1 | — | — | — | 2 | — | 1 | — |
| 23 Appendicitis and typhlitis | M | 15 | — | — | 1 | 2 | 4 | 2 | 5 | — | 1 | 6 | — | — | — | 1 | — | 3 | 1 | 1 | — |
| | F | 6 | — | — | — | 1 | — | 2 | 2 | 1 | — | 3 | — | — | — | — | — | 2 | — | 1 | — |
| 24 Cirrhosis of liver | M | 4 | — | — | — | — | — | — | 3 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 25 Acute and chronic nephritis | M | 56 | — | — | — | 4 | 2 | 4 | 20 | 14 | 12 | 14 | — | — | — | 1 | 2 | 3 | 2 | 6 | — |
| | F | 44 | — | — | — | — | 4 | 5 | 17 | 8 | 10 | 23 | — | — | — | 2 | — | 6 | 8 | 6 | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | — | — | 2 | 4 | 1 | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 14 | — | — | — | — | 2 | 12 | — | — | — | 9 | — | — | — | — | 1 | 8 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 99 | 97 | 1 | — | — | — | 1 | — | — | — | 52 | 52 | — | — | — | — | — | — | — | — |
| | F | 54 | 52 | — | — | — | 1 | — | — | 1 | — | 43 | 42 | — | — | 1 | — | — | — | — | — |
| 29 Suicide | M | 34 | — | — | — | — | 1 | 10 | 17 | 4 | 2 | 10 | — | — | — | — | — | 4 | 5 | 1 | — |
| | F | 7 | — | — | — | — | — | 2 | 4 | 1 | — | 6 | — | — | — | — | 1 | 3 | — | 2 | — |
| 30 Other deaths from violence | M | 39 | 2 | 2 | 2 | 2 | 4 | 8 | 10 | 3 | 6 | 28 | 1 | — | 4 | 2 | 4 | 9 | 5 | 3 | — |
| | F | 20 | 3 | 1 | 1 | — | — | 4 | 3 | 3 | 5 | 9 | 2 | — | — | 1 | — | 1 | 2 | 2 | 1 |
| 31 Other defined diseases | M | 271 | 19 | 7 | 7 | 5 | 3 | 22 | 49 | 47 | 112 | 129 | 17 | 2 | 3 | 1 | 2 | 7 | 35 | 30 | 32 |
| | F | 249 | 14 | 2 | 3 | 6 | 5 | 23 | 39 | 38 | 119 | 160 | 12 | 4 | 2 | 4 | 1 | 18 | 35 | 32 | 52 |
| 32 Causes ill-defined or unknown | M | 2 | — | 1 | 1 | — | — | — | — | — | — | 15 | — | 1 | — | 1 | 1 | 2 | 8 | 2 | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 14 | 1 | — | — | — | — | 1 | 9 | 2 | 1 |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| | Causes of Death. | Sex. | Reading. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Rochdale. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL CAUSES .. | M | 522 | 53 | 9 | 12 | 10 | 19 | 56 | 111 | 123 | 129 | 635 | 77 | 26 | 18 | 21 | 22 | 76 | 211 | 116 | 68 |
| | | F | 511 | 34 | 8 | 6 | 14 | 27 | 61 | 84 | 118 | 159 | 658 | 44 | 18 | 12 | 18 | 21 | 76 | 205 | 147 | 117 |
| 1 | Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles .. .. | M | 3 | — | 1 | 2 | — | — | — | — | — | — | 2 | — | 2 | — | — | — | — | — | — | — |
| | | F | 7 | 2 | 1 | 3 | 1 | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| 4 | Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 4 | — | 1 | 1 | 2 | — | — | — | — | — |
| | | F | 2 | — | — | — | 2 | — | — | — | — | — | 4 | — | — | 3 | 1 | — | — | — | — | — |
| 5 | Whooping cough .. | M | 2 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | | F | 4 | 2 | 1 | 1 | — | — | — | — | — | — | 3 | — | 2 | 1 | — | — | — | — | — | — |
| 6 | Diphtheria .. | M | 2 | — | — | 1 | 1 | — | — | — | — | | 6 | 1 | 1 | 4 | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | | 1 | 1 | — | — | — | — | — | — | — | — |
| 7 | Influenza .. .. | M | 5 | — | — | — | 1 | — | — | — | 3 | 1 | 25 | — | — | — | — | 1 | 8 | 11 | 3 | 2 |
| | | F | 1 | — | — | — | — | — | — | — | 1 | — | 16 | — | — | — | 1 | — | 3 | 6 | 4 | 2 |
| 8 | Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 49 | — | 1 | — | 2 | 9 | 26 | 9 | 1 | 1 | 50 | 1 | — | 1 | 3 | 6 | 16 | 23 | — | — |
| | | F | 45 | — | — | — | 2 | 16 | 20 | 5 | 1 | 1 | 36 | — | — | — | 1 | 14 | 12 | 7 | 2 | — |
| 11 | Other tuberculous diseases .. .. | M | 8 | 1 | — | 3 | 1 | 1 | 1 | 1 | — | — | 20 | 3 | 2 | 4 | 3 | 3 | 4 | 1 | — | — |
| | | F | 9 | — | 2 | — | 1 | 2 | 2 | 2 | — | — | 9 | — | 1 | 2 | 1 | 1 | 1 | 2 | 1 | — |
| 12 | Cancer, malignant disease .. .. | M | 53 | — | — | — | — | 1 | 4 | 18 | 18 | 12 | 51 | — | — | — | — | — | 3 | 31 | 14 | 3 |
| | | F | 67 | — | — | — | — | — | 3 | 17 | 31 | 16 | 78 | — | — | — | — | 1 | 11 | 39 | 18 | 9 |
| 13 | Rheumatic fever .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 5 | — | — | — | 2 | 1 | — | 2 | — | — |
| | | F | 2 | — | — | — | 1 | — | 1 | — | — | — | 4 | — | — | — | 1 | — | — | 2 | — | 1 |
| 14 | Diabetes .. .. | M | 4 | — | — | — | — | — | — | 1 | 3 | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | | F | 6 | — | — | — | — | — | 2 | 2 | 2 | — | 3 | — | — | — | — | — | — | 2 | — | 1 |
| 15 | Cerebral hæmorrhage, &c. .. | M | 32 | — | — | — | — | — | — | 4 | 16 | 12 | 22 | — | — | — | — | — | 2 | 8 | 8 | 4 |
| | | F | 39 | — | — | — | — | — | 1 | 6 | 13 | 19 | 41 | — | — | — | — | — | 1 | 14 | 15 | 11 |
| 16 | Heart disease .. | M | 73 | — | — | — | 2 | 1 | 5 | 13 | 24 | 28 | 80 | — | — | — | 1 | 1 | 14 | 40 | 15 | 9 |
| | | F | 68 | — | 1 | — | 2 | 2 | 3 | 16 | 21 | 23 | 106 | — | — | — | 3 | 2 | 8 | 43 | 34 | 16 |
| 17 | Arterio-sclerosis .. | M | 32 | — | — | — | — | — | — | 2 | 10 | 20 | 34 | — | — | — | — | — | — | 14 | 16 | 4 |
| | | F | 44 | — | — | — | — | — | — | 5 | 6 | 33 | 18 | — | — | — | — | — | — | 6 | 3 | 9 |
| 18 | Bronchitis .. | M | 32 | 2 | — | 2 | — | — | — | 1 | 5 | 22 | 65 | 4 | 2 | — | 1 | — | 1 | 26 | 18 | 13 |
| | | F | 47 | 2 | — | — | — | — | — | 5 | 12 | 28 | 65 | 1 | 3 | — | — | — | 3 | 14 | 21 | 23 |
| 19 | Pneumonia (all forms) .. .. | M | 34 | 8 | 1 | — | 1 | — | 4 | 9 | 7 | 4 | 60 | 16 | 8 | 4 | 2 | 3 | 6 | 15 | 4 | 2 |
| | | | 19 | 2 | 2 | 1 | — | 2 | — | 4 | 6 | 2 | 35 | 5 | 4 | 2 | 2 | — | 2 | 11 | 7 | 2 |
| 20 | Other respiratory diseases .. .. | M | 10 | — | — | — | — | — | — | 4 | 4 | 2 | 4 | — | 2 | — | — | — | — | 1 | — | 1 |
| | | F | 5 | 1 | — | — | — | — | — | 2 | — | 2 | 5 | 1 | 1 | — | — | — | — | 1 | — | 2 |
| 21 | Ulcer of stomach or duodenum .. | M | 7 | — | — | — | — | 1 | — | 5 | 1 | — | 4 | — | — | — | — | 1 | 1 | — | 2 | — |
| | | F | 5 | — | — | — | — | — | 1 | 3 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 | Diarrhœa, &c. .. | M | 7 | 3 | 3 | — | — | — | — | — | — | 1 | 3 | 1 | 1 | — | 1 | — | — | — | — | — |
| | | F | 4 | 2 | — | — | — | — | — | — | 2 | — | 10 | 3 | 1 | 1 | — | — | — | 2 | 2 | 1 |
| 23 | Appendicitis and typhlitis.. .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| | | F | 6 | — | — | — | 2 | 2 | — | 2 | — | — | 3 | — | — | — | 1 | — | 1 | — | 1 | — |
| 24 | Cirrhosis of liver .. | M | 4 | — | — | — | — | — | — | 4 | — | — | 5 | — | — | — | — | — | 2 | 3 | — | — |
| | | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 | Acute and chronic nephritis .. | M | 14 | — | — | — | — | 2 | — | 2 | 6 | 4 | 13 | — | — | — | — | — | 2 | 8 | 3 | — |
| | | F | 9 | — | — | — | — | — | 1 | 1 | 6 | 1 | 21 | — | — | — | 1 | — | 7 | 8 | 2 | 3 |
| 26 | Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 3 | — | — | — | — | — | 3 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 7 | — | — | — | — | — | 7 | — | — | — | 7 | — | — | — | — | — | 7 | — | — | — |
| 28 | Congenital debility and malformation, premature birth.. .. | M | 27 | 27 | — | — | — | — | — | — | — | — | 33 | 33 | — | — | — | — | — | — | — | — |
| | | F | 17 | 15 | 1 | — | — | — | 1 | — | — | — | 20 | 20 | — | — | — | — | — | — | — | — |
| 29 | Suicide .. .. | M | 5 | — | — | — | — | — | 2 | 2 | 1 | — | 8 | — | — | — | — | — | — | 8 | — | — |
| | | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 4 | — | — | — | 1 | — | 1 | 2 | — | — |
| 30 | Other deaths from violence.. .. | M | 17 | 1 | — | 1 | 2 | 2 | 4 | 3 | 3 | 1 | 19 | — | 1 | 3 | 2 | 1 | 4 | 5 | 2 | 1 |
| | | F | 10 | 1 | — | — | 2 | 2 | 1 | — | 2 | 2 | 11 | 1 | 1 | 2 | — | — | — | 2 | 4 | 1 |
| 31 | Other defined diseases .. .. | M | 96 | 11 | 2 | 2 | — | 2 | 8 | 31 | 19 | 21 | 112 | 18 | 4 | 1 | 4 | 4 | 9 | 12 | 31 | 29 |
| | | F | 78 | 7 | — | 1 | 1 | 1 | 11 | 12 | 14 | 31 | 148 | 11 | 3 | 1 | 4 | 3 | 17 | 42 | 31 | 36 |
| 32 | Causes ill-defined or unknown .. | M | 2 | — | — | — | — | — | — | — | 2 | — | 3 | — | 1 | — | — | — | 1 | 1 | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 4 | — | 1 | — | — | — | 1 | 1 | 1 | — |

# TABLE 20—*contd.*

## CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Rotherham. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | St. Helens. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 449 | 94 | 14 | 17 | 12 | 22 | 58 | 100 | 82 | 50 | 729 | 143 | 36 | 26 | 29 | 35 | 91 | 181 | 127 | 61 |
| | F | 379 | 77 | 28 | 10 | 12 | 13 | 34 | 78 | 63 | 64 | 548 | 96 | 40 | 25 | 21 | 22 | 78 | 123 | 85 | 58 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 7 | 2 | 1 | 4 | — | — | — | — | — | — | 5 | 1 | 2 | 2 | — | — | — | — | — | — |
| | F | 11 | 1 | 6 | 3 | 1 | — | — | — | — | — | 5 | 1 | 2 | 2 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | — | 4 | — | 2 | — | — | — | — | — |
| 7 Influenza | M | 7 | 1 | — | 1 | — | — | 3 | 1 | — | 1 | 16 | 1 | 1 | — | — | — | 3 | 8 | 2 | 1 |
| | F | 6 | — | — | 1 | — | — | — | 3 | 1 | 1 | 15 | 4 | 2 | — | 1 | 1 | 3 | 1 | 2 | 1 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | — | 3 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | 2 | — | — | — | 1 | — | — | — |
| 9 Meningococcal meningitis | M | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 36 | — | 1 | — | 1 | 9 | 16 | 6 | 3 | — | 51 | — | 1 | — | 1 | 12 | 24 | 12 | 1 | — |
| | F | 22 | — | 1 | — | — | 7 | 9 | 4 | 1 | — | 34 | — | — | — | 2 | 7 | 20 | 4 | 1 | — |
| 11 Other tuberculous diseases | M | 8 | 3 | — | 2 | 2 | — | — | 1 | — | — | 16 | 5 | 5 | 1 | 2 | 2 | 1 | — | — | — |
| | F | 4 | 2 | 1 | — | 1 | — | — | — | — | — | 11 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | — |
| 12 Cancer, malignant disease | M | 38 | — | — | — | 1 | — | 4 | 17 | 12 | 4 | 43 | — | 1 | — | — | — | 4 | 23 | 12 | 3 |
| | F | 30 | — | — | — | — | — | 4 | 13 | 7 | 6 | 48 | — | — | — | — | — | 10 | 20 | 12 | 6 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | 2 | 1 | 1 | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | 1 | 1 | 2 | — | — | — |
| 14 Diabetes | M | 1 | — | — | — | — | — | — | — | 1 | — | 9 | — | — | — | — | — | 2 | 4 | 3 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 15 Cerebral hæmorrhage, &c. | M | 11 | — | — | — | — | — | — | 5 | 4 | 2 | 31 | — | — | — | — | — | 3 | 10 | 11 | 7 |
| | F | 37 | — | — | — | — | — | — | 9 | 16 | 12 | 30 | — | — | — | — | — | 3 | 13 | 10 | 4 |
| 16 Heart disease | M | 28 | — | — | — | 1 | 1 | 1 | 10 | 9 | 6 | 71 | — | — | — | 2 | 3 | 9 | 31 | 19 | 7 |
| | F | 29 | — | — | — | — | 1 | 3 | 12 | 10 | 3 | 64 | — | — | — | 3 | 4 | 9 | 30 | 14 | 4 |
| 17 Arterio-sclerosis | M | 19 | — | — | — | — | — | — | 3 | 9 | 7 | 29 | — | — | — | — | — | 1 | 10 | 15 | 3 |
| | F | 12 | — | — | — | — | — | — | 3 | 2 | 7 | 11 | — | — | — | — | — | 1 | 1 | 5 | 4 |
| 18 Bronchitis | M | 39 | 6 | — | — | — | — | 1 | 11 | 15 | 6 | 52 | 7 | 1 | 1 | — | — | 2 | 12 | 20 | 9 |
| | F | 27 | 3 | 4 | 1 | — | — | 1 | 6 | 9 | 3 | 53 | 11 | 1 | — | — | 1 | 3 | 12 | 13 | 12 |
| 19 Pneumonia (all forms) | M | 76 | 21 | 7 | 8 | 2 | 4 | 13 | 13 | 5 | 3 | 100 | 25 | 12 | 9 | 9 | 4 | 12 | 17 | 9 | 3 |
| | F | 52 | 16 | 10 | 3 | 2 | 2 | 3 | 5 | 8 | 3 | 54 | 12 | 15 | 11 | 3 | 1 | 3 | 7 | 1 | 1 |
| 20 Other respiratory diseases | M | 5 | — | — | — | 1 | 1 | — | 2 | 1 | — | 10 | 4 | 1 | — | — | — | 2 | 3 | — | — |
| | F | 4 | 1 | — | — | — | — | 1 | — | — | 2 | 11 | 1 | 2 | 1 | — | — | 1 | 3 | 2 | 1 |
| 21 Ulcer of stomach or duodenum | M | 3 | — | — | — | — | — | 2 | 1 | — | — | 5 | — | — | — | — | — | 3 | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 22 Diarrhœa, &c. | M | 5 | 4 | — | — | — | — | — | 1 | — | — | 11 | 7 | 1 | 1 | 1 | — | — | — | — | 1 |
| | F | 6 | 4 | 1 | — | — | — | — | 1 | — | — | 13 | 6 | 5 | — | — | 1 | — | 1 | — | — |
| 23 Appendicitis and typhlitis | M | 2 | — | — | 1 | 1 | — | — | — | — | — | 5 | — | — | — | — | 1 | 2 | 2 | — | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | 4 | — | — | — | — | 1 | 2 | 1 | — | — |
| 24 Cirrhosis of liver | M | 1 | — | — | — | — | — | — | — | 1 | — | 7 | — | — | — | — | — | 1 | 5 | 1 | — |
| | F | 4 | — | — | — | — | — | 2 | 2 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis | M | 14 | — | 1 | 1 | — | 1 | 2 | 6 | 2 | 1 | 21 | — | — | 1 | — | 2 | 2 | 9 | 6 | 1 |
| | F | 6 | — | — | — | — | — | 1 | 2 | 3 | — | 14 | — | — | — | — | 1 | — | 4 | 7 | 2 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 41 | 41 | — | — | — | — | — | — | — | — | 67 | 67 | — | — | — | — | — | — | — | — |
| | F | 34 | 33 | 1 | — | — | — | — | — | — | — | 37 | 37 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 4 | — | — | — | — | — | 2 | 1 | 1 | — | 6 | — | — | — | — | — | 3 | 3 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 30 Other deaths from violence | M | 25 | 2 | 2 | — | 2 | 4 | 6 | 7 | 2 | — | 43 | — | 2 | 5 | 5 | 7 | 7 | 10 | 5 | 2 |
| | F | 4 | — | 1 | 1 | — | 1 | — | 1 | — | — | 9 | — | — | 3 | — | — | 1 | 1 | — | 4 |
| 31 Other defined diseases | M | 75 | 13 | 1 | — | — | 2 | 8 | 15 | 16 | 20 | 110 | 25 | 8 | 5 | 4 | 2 | 7 | 13 | 22 | 24 |
| | F | 79 | 16 | 2 | 1 | 4 | 2 | 6 | 15 | 6 | 27 | 106 | 22 | 4 | 6 | 5 | 2 | 11 | 20 | 17 | 19 |
| 32 Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | — | 1 | — | 7 | 1 | — | — | 1 | 1 | 1 | 3 | — | — |
| | F | 3 | 1 | 1 | — | — | — | — | 1 | — | — | 4 | — | 2 | — | 1 | — | — | 1 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Salford. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Sheffield. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 1660 | 282 | 79 | 50 | 49 | 73 | 251 | 497 | 248 | 131 | 3157 | 531 | 121 | 91 | 102 | 133 | 389 | 885 | 585 | 320 |
| | F | 1617 | 214 | 77 | 62 | 54 | 104 | 208 | 366 | 281 | 251 | 2855 | 384 | 137 | 97 | 81 | 131 | 350 | 660 | 522 | 493 |
| 1 Enteric fever | M | 2 | — | — | — | — | — | 2 | — | — | — | 5 | — | — | — | — | — | 2 | 3 | — | — |
| | F | 4 | — | — | — | — | 2 | 1 | 1 | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 5 | 4 | — | 1 | — | — | — | — | — | — | 5 | 1 | 2 | 2 | — | — | — | — | — | — |
| | F | 8 | 5 | 2 | 1 | — | — | — | — | — | — | 5 | 2 | 1 | 2 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 7 | — | 3 | 1 | 2 | 1 | — | — | — | — | 4 | — | — | 3 | 1 | — | — | — | — | — |
| | F | 12 | — | 1 | 7 | 2 | 1 | 1 | — | — | — | 8 | — | 1 | 4 | 3 | — | — | — | — | — |
| 5 Whooping cough | M | 19 | 8 | 6 | 5 | — | — | — | — | — | — | 65 | 39 | 16 | 9 | 1 | — | — | — | — | — |
| | F | 29 | 10 | 9 | 10 | — | — | — | — | — | — | 65 | 22 | 23 | 16 | 4 | — | — | — | — | — |
| 6 Diphtheria | M | 17 | 2 | 5 | 7 | 3 | — | — | — | — | — | 6 | — | 1 | 3 | 2 | — | — | — | — | — |
| | F | 15 | 3 | — | 4 | 6 | 1 | 1 | — | — | — | 11 | 1 | 1 | 3 | 6 | — | — | — | — | — |
| 7 Influenza | M | 44 | 3 | 1 | — | — | 1 | 14 | 12 | 6 | 7 | 149 | 9 | 2 | 3 | 6 | 6 | 35 | 52 | 26 | 10 |
| | F | 57 | 4 | 3 | 3 | — | 2 | 12 | 10 | 15 | 8 | 117 | 5 | 2 | 7 | 3 | 8 | 22 | 24 | 25 | 21 |
| 8 Encephalitis lethargica | M | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 2 | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 5 | 1 | 3 | — | — | 1 | — | — | — | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 189 | — | 3 | 1 | 4 | 24 | 92 | 55 | 10 | — | 262 | 2 | 3 | 1 | 3 | 34 | 92 | 108 | 17 | 2 |
| | F | 138 | — | 1 | — | 8 | 53 | 51 | 24 | 1 | — | 184 | 1 | 2 | 2 | 9 | 49 | 77 | 36 | 7 | 1 |
| 11 Other tuberculous diseases | M | 35 | 1 | 6 | 7 | 10 | 4 | 6 | 1 | — | — | 48 | 6 | 7 | 5 | 13 | 6 | 8 | 2 | 1 | — |
| | F | 31 | 4 | 5 | 3 | 7 | 4 | 6 | 2 | — | — | 42 | 7 | 7 | 7 | 8 | 5 | 3 | 5 | — | — |
| 12 Cancer, malignant disease | M | 170 | — | — | 1 | — | 1 | 11 | 106 | 44 | 7 | 299 | — | 1 | — | — | 4 | 17 | 178 | 76 | 23 |
| | F | 146 | — | — | — | 1 | — | 19 | 77 | 23 | 26 | 324 | 1 | — | — | — | 1 | 50 | 146 | 89 | 37 |
| 13 Rheumatic fever | M | 5 | — | — | 1 | 2 | — | 2 | — | — | — | 8 | — | — | — | 3 | 4 | 1 | — | — | — |
| | F | 7 | — | — | — | 2 | 2 | 2 | 1 | — | — | 12 | — | — | 1 | 5 | 2 | 2 | 1 | 1 | — |
| 14 Diabetes | M | 13 | — | — | — | — | 1 | 1 | 6 | 4 | 1 | 19 | — | — | — | — | 3 | 2 | 11 | 2 | 1 |
| | F | 15 | — | — | — | — | — | — | 12 | 3 | — | 27 | — | — | — | — | 1 | 3 | 13 | 10 | — |
| 15 Cerebral hæmorrhage, &c. | M | 48 | — | — | — | — | — | 4 | 17 | 14 | 13 | 133 | — | — | — | — | — | 6 | 41 | 58 | 28 |
| | F | 80 | — | — | — | — | — | 2 | 25 | 30 | 23 | 195 | — | — | — | — | 1 | 4 | 60 | 70 | 60 |
| 16 Heart disease | M | 131 | — | — | 2 | 6 | 6 | 16 | 57 | 30 | 14 | 247 | — | — | 1 | 13 | 12 | 31 | 88 | 72 | 30 |
| | F | 198 | — | — | — | 4 | 8 | 26 | 73 | 54 | 33 | 321 | — | — | 2 | 6 | 13 | 49 | 100 | 80 | 71 |
| 17 Arterio-sclerosis | M | 47 | — | — | — | — | — | — | 17 | 19 | 11 | 250 | — | — | — | — | — | 3 | 49 | 113 | 85 |
| | F | 45 | — | — | — | — | — | — | 11 | 17 | 17 | 193 | — | — | — | — | — | 1 | 28 | 63 | 101 |
| 18 Bronchitis | M | 138 | 12 | 5 | 3 | 1 | 1 | 10 | 40 | 45 | 21 | 262 | 46 | 7 | 7 | 1 | — | 14 | 68 | 69 | 50 |
| | F | 184 | 15 | 5 | 1 | — | 2 | 8 | 36 | 63 | 54 | 230 | 38 | 9 | 5 | 1 | 2 | 5 | 43 | 60 | 67 |
| 19 Pneumonia (all forms) | M | 215 | 61 | 35 | 10 | 2 | 5 | 29 | 62 | 9 | 2 | 329 | 79 | 47 | 23 | 10 | 11 | 55 | 63 | 32 | 9 |
| | F | 163 | 32 | 37 | 16 | 6 | 6 | 23 | 20 | 12 | 11 | 237 | 52 | 52 | 32 | 11 | 10 | 20 | 29 | 18 | 13 |
| 20 Other respiratory diseases | M | 26 | 4 | — | 1 | — | 1 | 3 | 9 | 7 | 1 | 35 | 2 | 2 | 1 | 3 | 1 | 6 | 13 | 7 | — |
| | F | 21 | — | — | — | 2 | 2 | 3 | 5 | 4 | 5 | 24 | 1 | 3 | 1 | 1 | 1 | — | 5 | 8 | 4 |
| 21 Ulcer of stomach or duodenum | M | 11 | — | — | — | — | — | 4 | 5 | 2 | — | 21 | — | — | — | 1 | — | 12 | 6 | 2 | — |
| | F | 4 | — | — | — | — | — | 2 | 2 | — | — | 10 | — | — | — | — | — | 3 | 6 | 1 | — |
| 22 Diarrhœa, &c. | M | 47 | 38 | 5 | — | 1 | — | 2 | — | 1 | — | 81 | 64 | 9 | 3 | — | 1 | — | — | 2 | 2 |
| | F | 42 | 24 | 6 | 3 | — | 2 | 1 | 2 | 3 | 1 | 69 | 45 | 12 | 2 | 1 | 1 | 1 | 3 | 2 | 2 |
| 23 Appendicitis and typhlitis | M | 11 | — | — | 1 | 2 | 3 | 2 | 1 | 2 | — | 14 | — | — | 1 | 1 | 5 | 2 | 3 | 2 | — |
| | F | 7 | — | — | — | 1 | 3 | 1 | 1 | — | 1 | 10 | — | — | — | — | 1 | 2 | 6 | — | 1 |
| 24 Cirrhosis of liver | M | 7 | — | — | — | — | — | — | 4 | 3 | — | 15 | — | — | — | — | — | 2 | 6 | 7 | — |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 4 | — | — | — | — | — | — | 3 | 1 | — |
| 25 Acute and chronic nephritis | M | 41 | — | — | — | 3 | 4 | 7 | 14 | 10 | 3 | 109 | 1 | 2 | 2 | — | 2 | 19 | 55 | 18 | 10 |
| | F | 31 | — | — | — | — | — | 6 | 16 | 8 | 1 | 93 | — | — | — | 3 | 7 | 14 | 44 | 17 | 8 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | 1 | 4 | — | — | — | 14 | — | — | — | — | 4 | 10 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 14 | — | — | — | — | 1 | 13 | — | — | — | 26 | — | — | — | — | 2 | 22 | 2 | — | — |
| 28 Congenital debility and malformation, premature birth | M | 95 | 92 | 1 | 1 | — | 1 | — | — | — | — | 213 | 207 | 1 | 1 | 1 | — | 2 | 1 | — | — |
| | F | 80 | 78 | 1 | — | — | 1 | — | — | — | — | 148 | 143 | 1 | — | 3 | 1 | — | — | — | — |
| 29 Suicide | M | 17 | — | — | — | — | 1 | 6 | 10 | — | — | 33 | — | — | — | — | 2 | 15 | 11 | 5 | — |
| | F | 5 | — | — | — | — | — | — | 5 | — | — | 10 | — | — | — | — | — | 3 | 6 | — | 1 |
| 30 Other deaths from violence | M | 54 | 3 | 1 | 1 | 6 | 10 | 14 | 15 | 3 | 1 | 144 | 15 | 9 | 15 | 22 | 17 | 24 | 27 | 10 | 5 |
| | F | 37 | 2 | 2 | 2 | 6 | 2 | 3 | 6 | 10 | 4 | 47 | 6 | 5 | 5 | 6 | 1 | 6 | 7 | 6 | 5 |
| 31 Other defined diseases | M | 261 | 53 | 8 | 7 | 6 | 9 | 25 | 65 | 38 | 50 | 390 | 59 | 9 | 10 | 21 | 23 | 40 | 100 | 63 | 65 |
| | F | 225 | 37 | 5 | 11 | 7 | 11 | 20 | 31 | 36 | 67 | 420 | 58 | 15 | 7 | 11 | 20 | 52 | 92 | 64 | 101 |
| 32 Causes ill-defined or unknown | M | 4 | 1 | — | — | — | — | 1 | 1 | 1 | — | 5 | — | — | 1 | — | — | 1 | — | 3 | — |
| | F | 7 | — | — | — | 1 | — | 1 | 3 | 2 | — | 3 | 1 | 2 | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Smethwick. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Southampton. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 475 | 63 | 25 | 20 | 21 | 21 | 51 | 139 | 78 | 57 | 967 | 92 | 30 | 20 | 16 | 47 | 144 | 280 | 169 | 169 |
| | F | 378 | 41 | 20 | 15 | 17 | 15 | 60 | 74 | 69 | 67 | 892 | 83 | 14 | 35 | 33 | 45 | 116 | 199 | 137 | 230 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 11 | 1 | 8 | 2 | — | — | — | — | — | — | 8 | 1 | 3 | 4 | — | — | — | — | — | — |
| | F | 12 | 1 | 8 | 3 | — | — | — | — | — | — | 15 | 2 | 4 | 8 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | 4 | 1 | — | 2 | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 1 | — | 1 | — | — | — | — | — | — | — | 13 | 5 | 7 | 1 | — | — | — | — | — | — |
| | F | 3 | — | 1 | 2 | — | — | — | — | — | — | 15 | 8 | 3 | 2 | 2 | — | — | — | — | — |
| 6 Diphtheria | M | 10 | — | 1 | 5 | 4 | — | — | — | — | — | 8 | — | 2 | 1 | 4 | — | 1 | — | — | — |
| | F | 9 | 1 | 1 | 3 | 3 | — | — | 1 | — | — | 11 | 1 | — | 5 | 5 | — | — | — | — | — |
| 7 Influenza | M | 15 | 1 | — | — | — | 2 | 2 | 5 | 4 | 1 | 11 | — | — | — | — | 1 | 6 | 3 | 1 | — |
| | F | 9 | — | — | — | — | 1 | 2 | 4 | 1 | 1 | 13 | 1 | — | 1 | — | — | 5 | 4 | — | 2 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 47 | — | — | — | — | 8 | 20 | 18 | 1 | — | 101 | — | — | 1 | — | 23 | 43 | 26 | 6 | 2 |
| | F | 28 | — | 1 | — | — | 8 | 14 | 5 | — | — | 82 | — | — | — | 4 | 21 | 40 | 13 | 3 | 1 |
| 11 Other tuberculous diseases | M | 8 | 2 | — | 2 | 2 | 1 | — | 1 | — | — | 20 | 5 | 3 | 2 | 4 | 2 | 2 | 2 | — | — |
| | F | 7 | 1 | — | 1 | 4 | — | 1 | — | — | — | 22 | 2 | 1 | 7 | 3 | 3 | 4 | 1 | 1 | — |
| 12 Cancer, malignant disease | M | 48 | 1 | — | — | — | — | 2 | 25 | 16 | 4 | 117 | — | — | — | — | 2 | 11 | 52 | 33 | 19 |
| | F | 38 | — | — | — | — | — | 6 | 15 | 15 | 2 | 103 | — | 1 | — | — | — | 12 | 48 | 20 | 22 |
| 13 Rheumatic fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | 1 | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 4 | — | — | — | — | — | 1 | 1 | 2 | — |
| 14 Diabetes | M | 5 | — | — | — | — | — | — | 3 | 1 | 1 | 10 | — | — | — | — | — | 1 | 2 | 3 | 4 |
| | F | 6 | — | — | — | — | 1 | — | 2 | 3 | — | 12 | — | — | — | — | 1 | 2 | 5 | 3 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 28 | — | — | — | — | — | — | 16 | 8 | 4 | 61 | — | — | — | — | — | 3 | 21 | 17 | 20 |
| | F | 18 | — | — | — | — | — | 1 | 3 | 5 | 9 | 68 | — | — | — | — | — | 1 | 20 | 22 | 25 |
| 16 Heart disease | M | 44 | — | — | — | — | 2 | 3 | 15 | 14 | 10 | 116 | — | — | 1 | 3 | 2 | 7 | 40 | 26 | 37 |
| | F | 63 | — | — | — | 4 | 1 | 5 | 17 | 14 | 22 | 132 | — | — | 1 | 1 | 4 | 12 | 33 | 34 | 47 |
| 17 Arterio-sclerosis | M | 13 | — | — | — | — | — | — | 4 | 5 | 4 | 42 | — | — | — | — | — | — | 9 | 13 | 20 |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 28 | — | — | — | — | — | — | 6 | 5 | 17 |
| 18 Bronchitis | M | 31 | 2 | — | 1 | — | — | 1 | 7 | 13 | 7 | 51 | 9 | 1 | — | — | — | 4 | 12 | 12 | 13 |
| | F | 33 | 1 | 2 | — | — | — | 1 | 6 | 11 | 12 | 61 | — | — | — | — | — | — | 10 | 18 | 33 |
| 19 Pneumonia (all forms) | M | 57 | 14 | 7 | 5 | 2 | 3 | 6 | 9 | 5 | 6 | 63 | 13 | 8 | 5 | — | 4 | 9 | 13 | 7 | 4 |
| | F | 25 | 7 | 3 | 2 | 1 | — | 4 | 3 | 3 | 2 | 41 | 6 | 2 | 6 | 4 | 1 | 3 | 9 | 4 | 6 |
| 20 Other respiratory diseases | M | 4 | — | — | — | — | 1 | — | 1 | 1 | 1 | 15 | 2 | — | 1 | — | — | 4 | 6 | 1 | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 13 | — | 1 | — | — | — | 2 | 5 | 1 | 4 |
| 21 Ulcer of stomach or duodenum | M | 7 | — | — | — | — | 1 | 2 | 4 | — | — | 6 | — | — | — | — | 1 | 1 | 3 | 1 | — |
| | F | 2 | — | — | — | — | — | 1 | — | 1 | — | 5 | — | — | — | — | 1 | — | 3 | — | 1 |
| 22 Diarrhœa, &c. | M | 8 | 6 | 2 | — | — | — | — | — | — | — | 18 | 12 | 1 | 1 | — | 1 | — | 1 | 1 | 1 |
| | F | 5 | 2 | 2 | — | — | — | — | — | 1 | — | 10 | 7 | — | — | 1 | — | 1 | 1 | — | — |
| 23 Appendicitis and typhlitis | M | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | 1 | 1 | 1 | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | 1 | — | — | 1 | — | 1 |
| 24 Cirrhosis of liver | M | 1 | — | — | — | — | — | — | 1 | — | — | 7 | — | — | — | — | — | — | 5 | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis | M | 9 | — | — | — | — | — | 1 | 6 | 1 | 1 | 42 | — | — | — | 1 | — | 4 | 13 | 17 | 7 |
| | F | 6 | — | — | — | 1 | — | — | 4 | — | 1 | 36 | — | — | 1 | 1 | 2 | 3 | 11 | 6 | 12 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 10 | — | — | — | — | — | 10 | — | — | — | 4 | — | — | — | — | 1 | 3 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 13 | — | — | — | — | 3 | 10 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 22 | 21 | — | — | 1 | — | — | — | — | — | 33 | 32 | 1 | — | — | — | — | — | — | — |
| | F | 19 | 18 | 1 | — | — | — | — | — | — | — | 42 | 40 | — | — | — | 1 | 1 | — | — | — |
| 29 Suicide | M | 6 | — | — | — | — | — | 3 | 3 | — | — | 26 | — | — | — | — | — | 8 | 14 | 3 | 1 |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 30 Other deaths from violence | M | 17 | 1 | 1 | 2 | 5 | — | 2 | 4 | — | 2 | 30 | 1 | 1 | 2 | 1 | 2 | 9 | 8 | 5 | 1 |
| | F | 6 | 1 | — | — | 1 | — | — | 1 | 3 | — | 15 | 5 | — | — | 1 | 1 | — | 3 | 3 | 2 |
| 31 Other defined diseases | M | 78 | 13 | 5 | 1 | 5 | 3 | 9 | 17 | 9 | 16 | 156 | 11 | 3 | — | 1 | 7 | 27 | 47 | 21 | 39 |
| | F | 73 | 9 | 1 | 4 | 3 | 2 | 14 | 11 | 12 | 17 | 138 | 10 | 2 | 4 | 7 | 5 | 16 | 23 | 15 | 56 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Southend-on-Sea. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Southport. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 485 | 40 | 7 | 10 | 13 | 10 | 52 | 156 | 98 | 99 | 453 | 40 | 14 | 6 | 7 | 12 | 36 | 134 | 108 | 96 |
| | F | 546 | 31 | 2 | 9 | 21 | 25 | 75 | 132 | 101 | 150 | 524 | 25 | 13 | 6 | 5 | 11 | 49 | 134 | 126 | 155 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | 7 | — | 5 | 2 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 2 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 3 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 2 | — | — | 1 | — | — | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 3 | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 5 | — | 2 | — | — | — | 1 | 1 | 1 | — | 11 | — | 1 | — | — | — | 3 | 4 | 2 | 1 |
| | F | 8 | — | — | 1 | — | — | 1 | 1 | 3 | 2 | 11 | — | — | — | 1 | 1 | 1 | 2 | 3 | 3 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 27 | — | — | — | 1 | 1 | 15 | 9 | 1 | — | 25 | — | — | — | — | 3 | 10 | 9 | 3 | — |
| | F | 57 | — | — | — | 1 | 16 | 32 | 5 | 3 | — | 30 | — | — | — | — | 6 | 16 | 6 | 1 | 1 |
| 11 Other tuberculous diseases .. .. | M | 8 | 2 | — | — | 1 | 2 | 2 | 1 | — | — | 12 | 3 | 2 | 1 | 2 | 1 | — | 3 | — | — |
| | F | 10 | — | — | 1 | 5 | 1 | 2 | 1 | — | — | 6 | — | 1 | 4 | — | — | — | 1 | — | — |
| 12 Cancer, malignant disease .. .. | M | 61 | — | — | — | — | — | 1 | 33 | 18 | 9 | 38 | — | — | — | — | — | 1 | 15 | 14 | 8 |
| | F | 68 | — | — | 1 | — | 2 | 4 | 31 | 19 | 11 | 57 | — | — | — | — | — | 2 | 28 | 15 | 12 |
| 13 Rheumatic fever .. | M | 2 | — | — | — | 1 | — | — | 1 | — | — | 3 | — | — | — | 2 | — | — | — | — | 1 |
| | F | 3 | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes .. .. | M | 5 | — | — | — | — | — | 1 | — | 4 | — | 10 | — | — | — | — | — | 2 | 5 | 1 | 2 |
| | F | 10 | — | — | — | 1 | — | 1 | 3 | 2 | 3 | 4 | — | — | — | — | — | 2 | — | 2 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 41 | — | — | — | — | — | — | 16 | 11 | 14 | 33 | — | — | — | — | — | — | 13 | 11 | 9 |
| | F | 47 | — | — | — | — | — | — | 12 | 12 | 23 | 40 | — | — | — | — | — | 3 | 6 | 16 | 15 |
| 16 Heart disease .. | M | 75 | — | — | — | 1 | — | 5 | 16 | 27 | 26 | 78 | — | — | — | — | — | 6 | 24 | 27 | 21 |
| | F | 82 | — | — | — | — | — | 6 | 26 | 18 | 32 | 79 | — | — | — | 1 | — | 2 | 24 | 28 | 24 |
| 17 Arterio-sclerosis .. | M | 11 | — | — | — | — | — | — | 1 | 2 | 8 | 16 | — | — | — | — | — | — | 4 | 6 | 6 |
| | F | 14 | — | — | — | — | — | — | 3 | 7 | 4 | 15 | — | — | — | — | — | — | 2 | 6 | 7 |
| 18 Bronchitis .. | M | 32 | 6 | 1 | — | — | — | 1 | 7 | 6 | 11 | 41 | 2 | 1 | — | — | — | 1 | 8 | 13 | 16 |
| | F | 47 | 3 | — | — | — | — | — | 4 | 14 | 26 | 45 | 1 | 1 | — | 1 | — | 1 | 8 | 8 | 25 |
| 19 Pneumonia (all forms) .. .. | M | 32 | 2 | 1 | 1 | 1 | 1 | 7 | 13 | 5 | 1 | 30 | 3 | 1 | 1 | — | 1 | 6 | 12 | 3 | 3 |
| | F | 28 | 3 | — | 1 | 1 | — | 3 | 7 | 7 | 6 | 37 | 2 | 4 | — | 1 | — | 3 | 7 | 11 | 9 |
| 20 Other respiratory diseases .. .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 5 | — | — | — | — | — | 1 | 1 | 1 | 2 |
| | F | 11 | 2 | — | — | — | — | — | 5 | 2 | 2 | 9 | — | — | — | — | — | — | 2 | 1 | 6 |
| 21 Ulcer of stomach or duodenum .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 3 | — | — | — | — | — | 2 | — | 1 | — |
| 22 Diarrhœa, &c. .. | M | 6 | 3 | — | 1 | — | — | — | 1 | — | 1 | 7 | 5 | — | — | — | — | — | 1 | — | 1 |
| | F | 3 | 2 | — | — | — | — | — | 1 | — | — | 5 | 3 | 1 | — | — | — | 1 | — | — | — |
| 23 Appendicitis and typhlitis.. .. | M | 4 | — | — | — | 2 | — | 1 | 1 | — | — | 4 | — | — | 1 | 1 | — | — | 1 | 1 | — |
| | F | 7 | — | — | — | 2 | — | 1 | 2 | 1 | 1 | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 24 Cirrhosis of liver .. | M | 9 | — | — | — | — | — | — | 5 | 3 | 1 | 4 | — | — | — | — | — | — | 3 | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 5 | — | — | — | — | — | — | 3 | 2 | — |
| 25 Acute and chronic nephritis .. | M | 19 | — | — | — | — | — | 3 | 9 | 4 | 3 | 18 | — | — | — | — | 1 | 2 | 9 | 4 | 2 |
| | F | 20 | — | — | — | — | 1 | 3 | 9 | 2 | 5 | 16 | — | — | — | — | — | 1 | 11 | 4 | — |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 24 | 22 | 1 | 1 | — | — | — | — | — | — | 17 | 17 | — | — | — | — | — | — | — | — |
| | F | 15 | 15 | — | — | — | — | — | — | — | — | 14 | 13 | — | 1 | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 6 | — | — | — | — | — | 2 | 3 | — | 1 | 4 | — | — | — | — | — | — | 2 | 1 | 1 |
| | F | 7 | — | — | — | — | — | 3 | 4 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 30 Other deaths from violence.. .. | M | 21 | — | 1 | 5 | 1 | 4 | 3 | 4 | 1 | 2 | 10 | — | 1 | 1 | — | 4 | — | 3 | — | 1 |
| | F | 14 | — | — | — | 6 | 1 | 1 | 3 | — | 3 | 6 | — | 1 | — | — | — | 2 | 1 | 2 | — |
| 31 Other defined diseases .. .. | M | 83 | 4 | — | 1 | 2 | 1 | 9 | 30 | 14 | 22 | 74 | 9 | 3 | — | 1 | 2 | 3 | 16 | 18 | 22 |
| | F | 81 | 6 | 2 | 1 | 3 | 2 | 13 | 12 | 10 | 32 | 128 | 5 | 4 | — | 1 | 4 | 9 | 28 | 24 | 53 |
| 32 Causes ill-defined or unknown .. | M | 4 | — | — | — | — | 1 | — | 2 | 1 | — | 4 | 1 | — | — | — | — | — | 1 | 2 | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 4 | — | — | 1 | — | — | — | 2 | 1 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | South Shields. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Stockport. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 919 | 157 | 75 | 50 | 55 | 50 | 116 | 199 | 118 | 99 | 789 | 109 | 24 | 20 | 24 | 29 | 77 | 234 | 177 | 95 |
| | F | 797 | 140 | 59 | 41 | 49 | 48 | 108 | 150 | 109 | 93 | 801 | 95 | 20 | 14 | 24 | 30 | 89 | 212 | 176 | 141 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 44 | 11 | 19 | 9 | 5 | — | — | — | — | — | 4 | 1 | 3 | — | — | — | — | — | — | — |
| | F | 39 | 6 | 20 | 10 | 3 | — | — | — | — | — | 5 | 2 | 2 | 1 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 2 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 3 | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 28 | 12 | 12 | 3 | 1 | — | — | — | — | — | 5 | 5 | — | — | — | — | — | — | — | — |
| | F | 29 | 9 | 12 | 8 | — | — | — | — | — | — | 6 | 3 | 2 | 1 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 6 | — | 1 | 2 | 3 | — | — | — | — | — | 8 | 1 | 3 | — | 3 | 1 | — | — | — | — |
| | F | 4 | — | — | — | 4 | — | — | — | — | — | 6 | — | 3 | — | 3 | — | — | — | — | — |
| 7 Influenza .. .. | M | 8 | — | 1 | — | 2 | 1 | — | 2 | 1 | 1 | 24 | — | — | — | 1 | 3 | 3 | 8 | 8 | 1 |
| | F | 11 | — | — | — | 2 | 3 | — | 5 | 1 | — | 31 | — | — | 1 | 1 | 1 | 5 | 12 | 6 | 5 |
| 8 Encephalitis lethargica .. | M | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 100 | — | 1 | 3 | 7 | 19 | 50 | 19 | 1 | — | 70 | — | — | — | 1 | 10 | 25 | 31 | 3 | — |
| | F | 69 | — | — | 1 | 8 | 22 | 36 | 2 | — | — | 49 | — | — | — | 3 | 10 | 18 | 15 | 3 | — |
| 11 Other tuberculous diseases .. .. | M | 25 | 2 | 2 | 4 | 10 | 4 | 2 | 1 | — | — | 13 | 1 | — | 5 | 2 | 2 | 2 | — | 1 | — |
| | F | 35 | 1 | 2 | 2 | 11 | 10 | 5 | 4 | — | — | 15 | 4 | 1 | 4 | — | 5 | 1 | — | — | — |
| 12 Cancer, malignant disease .. .. | M | 71 | — | — | — | — | — | 4 | 44 | 18 | 5 | 67 | — | — | — | — | 1 | 4 | 37 | 18 | 7 |
| | F | 56 | — | — | — | — | 1 | 8 | 28 | 14 | 5 | 97 | — | — | — | — | — | 9 | 54 | 22 | 12 |
| 13 Rheumatic fever .. | M | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 10 | — | — | — | 5 | 1 | 2 | 1 | 1 | — |
| 14 Diabetes .. .. | M | 8 | — | — | — | — | 1 | 3 | 2 | 1 | 1 | 7 | — | — | — | — | — | 1 | 3 | 3 | — |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | 5 | — | — | — | 2 | — | — | 1 | 2 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 50 | — | — | — | — | — | 2 | 16 | 24 | 8 | 43 | — | — | — | — | — | 1 | 11 | 22 | 9 |
| | F | 53 | — | — | — | — | — | 6 | 22 | 12 | 13 | 39 | — | — | — | — | — | — | 11 | 15 | 13 |
| 16 Heart disease .. | M | 69 | — | — | — | 2 | 2 | 9 | 33 | 17 | 6 | 107 | — | — | — | 1 | 3 | 8 | 42 | 42 | 11 |
| | F | 72 | — | — | — | 5 | 1 | 10 | 23 | 24 | 9 | 137 | — | — | — | 1 | 2 | 21 | 39 | 44 | 30 |
| 17 Arterio-sclerosis .. | M | 29 | — | — | — | — | — | — | 7 | 7 | 15 | 50 | — | — | — | — | — | — | 15 | 17 | 18 |
| | F | 15 | — | — | — | — | — | — | 4 | 6 | 5 | 35 | — | — | — | — | — | 1 | 7 | 16 | 11 |
| 18 Bronchitis .. | M | 73 | 15 | 7 | 7 | — | — | 4 | 13 | 13 | 14 | 72 | 7 | 3 | 1 | 1 | — | 3 | 12 | 25 | 20 |
| | F | 60 | 15 | 5 | 2 | 1 | 1 | 1 | 7 | 14 | 14 | 92 | 10 | 5 | 2 | — | — | 1 | 21 | 21 | 32 |
| 19 Pneumonia (all forms) .. .. | M | 67 | 15 | 13 | 9 | 5 | 4 | 7 | 9 | 5 | — | 65 | 12 | 6 | 9 | 1 | 1 | 5 | 17 | 10 | 4 |
| | F | 68 | 17 | 9 | 11 | 4 | 4 | 10 | 5 | 5 | 3 | 44 | 11 | 4 | 3 | 2 | 4 | 3 | 5 | 9 | 3 |
| 20 Other respiratory diseases .. .. | M | 6 | — | — | 1 | 1 | — | — | 2 | 1 | 1 | 8 | — | 1 | — | 1 | — | — | 3 | 1 | 2 |
| | F | 4 | 1 | — | — | — | — | 1 | 1 | 1 | — | 4 | — | — | — | — | — | 1 | 1 | — | 2 |
| 21 Ulcer of stomach or duodenum .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | — | — | 1 | 3 | — | — |
| | F | 6 | — | — | — | — | — | 1 | 4 | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 22 Diarrhœa, &c. .. | M | 15 | 5 | 9 | — | — | 1 | — | — | — | — | 12 | 7 | 3 | — | 1 | — | 1 | — | — | — |
| | F | 17 | 10 | 3 | 1 | — | 1 | — | 2 | — | — | 8 | 5 | — | — | — | — | — | 1 | — | 2 |
| 23 Appendicitis and typhlitis.. .. | M | 9 | — | — | — | 5 | 2 | 2 | — | — | — | 5 | — | — | 1 | 1 | — | 1 | 1 | — | 1 |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 7 | — | — | — | 1 | — | 5 | 1 | — | — |
| 24 Cirrhosis of liver .. | M | 5 | — | — | — | — | — | 2 | 3 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 25 Acute and chronic nephritis .. | M | 21 | 1 | — | — | 2 | — | 2 | 11 | 3 | 2 | 29 | — | — | — | — | 1 | 5 | 14 | 6 | 3 |
| | F | 15 | — | — | — | — | — | 1 | 11 | 3 | — | 27 | — | — | 1 | — | — | 7 | 11 | 6 | 2 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 8 | — | — | — | — | — | 7 | 1 | — | — | 7 | — | — | — | — | — | 7 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 60 | 60 | — | — | — | — | — | — | — | — | 36 | 36 | — | — | — | — | — | — | — | — |
| | F | 55 | 55 | — | — | — | — | — | — | — | — | 40 | 38 | 1 | — | 1 | — | — | — | — | — |
| 29 Suicide .. .. | M | 7 | — | — | — | — | — | 3 | 3 | 1 | — | 12 | — | — | — | — | 1 | 4 | 6 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 30 Other deaths from violence.. .. | M | 39 | 1 | — | 3 | 6 | 8 | 9 | 9 | 2 | 1 | 21 | 4 | 1 | — | 5 | 2 | 2 | 6 | — | 1 |
| | F | 11 | 1 | — | 1 | 2 | — | 3 | — | 2 | 2 | 13 | 1 | — | 1 | 1 | 2 | 1 | 3 | 3 | 1 |
| 31 Other defined diseases .. .. | M | 163 | 35 | 9 | 7 | 5 | 6 | 12 | 21 | 23 | 45 | 122 | 35 | 4 | 3 | 5 | 3 | 10 | 24 | 20 | 18 |
| | F | 146 | 25 | 7 | 3 | 7 | 3 | 16 | 18 | 25 | 42 | 113 | 20 | 2 | — | 4 | 4 | 5 | 23 | 27 | 28 |
| 32 Causes ill-defined or unknown .. | M | 11 | — | — | — | 1 | 1 | 4 | 4 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 11 | — | 1 | — | 1 | — | — | 9 | — | — | 1 | 1 | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Stoke-on-Trent. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Sunderland. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 1911 | 369 | 103 | 62 | 60 | 85 | 238 | 569 | 280 | 145 | 1163 | 214 | 100 | 65 | 60 | 52 | 121 | 261 | 170 | 120 |
| | F | 1625 | 264 | 90 | 68 | 48 | 75 | 193 | 388 | 261 | 238 | 1124 | 183 | 92 | 57 | 52 | 62 | 131 | 228 | 160 | 159 |
| 1 Enteric fever | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 58 | 16 | 27 | 14 | 1 | — | — | — | — | — | 35 | 7 | 20 | 8 | — | — | — | — | — | — |
| | F | 38 | 7 | 19 | 11 | 1 | — | — | — | — | — | 40 | 8 | 21 | 9 | 2 | — | — | — | — | — |
| 4 Scarlet fever | M | 12 | — | 2 | 5 | 4 | — | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 12 | — | 5 | 6 | — | — | — | 1 | — | — | 3 | — | — | 2 | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 5 | 4 | — | 1 | — | — | — | — | — | — | 33 | 21 | 9 | 3 | — | — | — | — | — | — |
| | F | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 37 | 17 | 13 | 7 | — | — | — | — | — | — |
| 6 Diphtheria | M | 5 | — | 1 | 2 | 1 | 1 | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| | F | 5 | 1 | — | 2 | 2 | — | — | — | — | — | 3 | — | — | 3 | — | — | — | — | — | — |
| 7 Influenza | M | 47 | 2 | 3 | 1 | — | 2 | 16 | 14 | 6 | 3 | 5 | — | — | — | — | 1 | 1 | 2 | 1 | — |
| | F | 37 | 1 | — | 1 | 2 | 3 | 7 | 13 | 5 | 5 | 5 | — | — | — | 1 | — | — | 3 | 1 | — |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 162 | 1 | 1 | — | 3 | 24 | 66 | 64 | 3 | — | 89 | — | — | 3 | 11 | 22 | 31 | 22 | — | — |
| | F | 108 | 1 | 1 | — | 5 | 36 | 48 | 15 | 2 | — | 96 | — | — | 1 | 9 | 30 | 42 | 13 | 1 | — |
| 11 Other tuberculous diseases | M | 38 | 5 | 11 | 8 | 4 | 4 | 5 | 1 | — | — | 35 | 3 | 8 | 7 | 10 | 4 | 2 | 1 | — | — |
| | F | 31 | 3 | 5 | 6 | 6 | 5 | 1 | 2 | 3 | — | 23 | 4 | 2 | 4 | 3 | 5 | 2 | 2 | 1 | — |
| 12 Cancer, malignant disease | M | 131 | 1 | — | — | 1 | — | 9 | 82 | 26 | 12 | 89 | — | — | — | 1 | — | — | 52 | 28 | 8 |
| | F | 148 | — | — | — | — | 2 | 14 | 82 | 33 | 17 | 91 | — | — | — | — | — | 15 | 48 | 18 | 10 |
| 13 Rheumatic fever | M | 12 | — | — | — | 2 | 6 | 2 | 2 | — | — | 5 | — | — | — | 2 | — | 1 | 1 | 1 | — |
| | F | 6 | — | — | — | 1 | 1 | 2 | 2 | — | — | 4 | — | — | — | 3 | 1 | — | — | — | — |
| 14 Diabetes | M | 16 | — | — | — | — | — | 4 | 8 | 3 | 1 | 5 | — | — | — | — | — | 1 | 2 | 2 | — |
| | F | 14 | — | — | — | — | 1 | 1 | 8 | 4 | — | 12 | — | — | — | — | 2 | — | 6 | 4 | — |
| 15 Cerebral hæmorrhage, &c. | M | 75 | — | — | — | — | 1 | 6 | 37 | 22 | 9 | 65 | — | — | — | — | — | 2 | 25 | 23 | 15 |
| | F | 112 | — | 1 | — | 1 | — | 7 | 45 | 41 | 17 | 67 | — | — | — | — | — | — | 20 | 27 | 20 |
| 16 Heart disease | M | 178 | — | — | 1 | 8 | 8 | 21 | 77 | 46 | 17 | 94 | — | — | — | 1 | 2 | 8 | 32 | 32 | 19 |
| | F | 175 | — | — | — | 5 | 10 | 14 | 67 | 40 | 39 | 102 | — | — | 2 | 3 | 6 | 13 | 26 | 29 | 23 |
| 17 Arterio-sclerosis | M | 93 | — | — | — | — | — | 1 | 20 | 33 | 39 | 46 | — | — | — | — | — | — | 6 | 20 | 20 |
| | F | 46 | — | — | — | — | — | — | 4 | 13 | 29 | 44 | — | — | — | — | — | — | 8 | 15 | 21 |
| 18 Bronchitis | M | 206 | 32 | 10 | 3 | 1 | 1 | 9 | 70 | 54 | 26 | 102 | 29 | 8 | 5 | — | — | 7 | 16 | 18 | 19 |
| | F | 168 | 21 | 11 | 4 | 1 | — | 7 | 35 | 48 | 41 | 127 | 29 | 18 | 3 | 1 | — | 3 | 21 | 21 | 31 |
| 19 Pneumonia (all forms) | M | 151 | 27 | 25 | 9 | 4 | 11 | 30 | 39 | 6 | — | 133 | 16 | 30 | 13 | 11 | 4 | 22 | 26 | 7 | 4 |
| | F | 128 | 28 | 25 | 17 | 10 | 3 | 16 | 19 | 8 | 2 | 104 | 24 | 20 | 15 | 8 | 1 | 12 | 15 | 8 | 1 |
| 20 Other respiratory diseases | M | 39 | 1 | — | — | 1 | 1 | 9 | 17 | 10 | — | 6 | — | — | — | 1 | — | 1 | 3 | 1 | — |
| | F | 16 | — | — | 2 | — | 1 | 3 | 4 | 6 | — | 11 | — | 1 | — | — | 1 | 1 | 4 | 4 | — |
| 21 Ulcer of stomach or duodenum | M | 14 | — | — | — | — | — | 8 | 4 | 2 | — | 5 | — | — | — | — | — | 2 | 3 | — | — |
| | F | 6 | — | — | — | — | — | 5 | 1 | — | — | 7 | — | — | — | — | — | 3 | 4 | — | — |
| 22 Diarrhœa, &c. | M | 82 | 69 | 7 | 3 | — | — | — | 1 | 1 | 1 | 49 | 22 | 15 | 7 | — | 1 | 2 | 2 | — | — |
| | F | 65 | 47 | 9 | 5 | — | — | 1 | 1 | — | 2 | 41 | 28 | 6 | 3 | 1 | — | — | 1 | 1 | 1 |
| 23 Appendicitis and typhlitis | M | 10 | — | — | — | 4 | 2 | 2 | 2 | — | — | 5 | — | — | 1 | 1 | 2 | 1 | — | — | — |
| | F | 9 | — | — | 1 | 2 | 1 | 1 | 4 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 24 Cirrhosis of liver | M | 11 | — | — | — | — | 1 | 1 | 5 | 3 | 1 | 6 | — | — | — | — | — | 1 | 3 | 2 | — |
| | F | 5 | — | — | — | — | — | — | 3 | 2 | — | 2 | — | — | — | — | — | — | — | 2 | — |
| 25 Acute and chronic nephritis | M | 52 | — | — | 1 | 2 | 2 | 7 | 25 | 11 | 4 | 33 | 1 | — | — | 5 | 1 | 5 | 11 | 9 | 1 |
| | F | 45 | 1 | — | — | 2 | 1 | 5 | 20 | 11 | 5 | 34 | — | 1 | — | 1 | 3 | 5 | 15 | 5 | 4 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 10 | — | — | — | — | 2 | 8 | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 19 | — | — | — | — | — | 19 | — | — | — | 12 | — | — | — | — | 4 | 8 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 146 | 145 | — | — | 1 | — | — | — | — | — | 82 | 77 | 2 | 1 | 1 | 1 | — | — | — | — |
| | F | 99 | 98 | — | 1 | — | — | — | — | — | — | 58 | 54 | 1 | 1 | 2 | — | — | — | — | — |
| 29 Suicide | M | 17 | — | — | — | — | 1 | 2 | 12 | 2 | — | 16 | — | — | — | — | 1 | 3 | 11 | 1 | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| 30 Other deaths from violence | M | 76 | 3 | 4 | 5 | 10 | 12 | 14 | 17 | 7 | 4 | 45 | 1 | — | 3 | 5 | 9 | 11 | 7 | 2 | 7 |
| | F | 28 | 2 | 2 | 3 | 3 | 1 | 2 | 9 | 3 | 3 | 17 | — | — | 2 | 3 | 1 | — | 5 | 2 | 4 |
| 31 Other defined diseases | M | 269 | 63 | 11 | 9 | 12 | 7 | 25 | 70 | 44 | 28 | 176 | 37 | 7 | 11 | 11 | 4 | 20 | 36 | 23 | 27 |
| | F | 281 | 51 | 11 | 8 | 6 | 7 | 29 | 49 | 42 | 78 | 169 | 19 | 8 | 5 | 13 | 4 | 21 | 35 | 20 | 44 |
| 32 Causes ill-defined or unknown | M | 5 | — | 1 | — | 1 | — | — | 2 | 1 | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 5 | 2 | — | — | — | — | 1 | 2 | — | — | 4 | — | 1 | — | 1 | — | — | 1 | 1 | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Tynemouth. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Wakefield. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES .. | M | 422 | 82 | 25 | 25 | 18 | 18 | 45 | 112 | 61 | 36 | 367 | 51 | 14 | 5 | 12 | 16 | 61 | 91 | 73 | 44 |
| | F | 416 | 58 | 35 | 26 | 22 | 21 | 40 | 93 | 52 | 69 | 339 | 52 | 13 | 8 | 7 | 27 | 37 | 65 | 75 | 55 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 25 | 9 | 7 | 5 | 4 | — | — | — | — | — | 8 | — | 6 | 1 | 1 | — | — | — | — | — |
| | F | 27 | 6 | 8 | 9 | 4 | — | — | — | — | — | 4 | — | 3 | — | 1 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 12 | 4 | 3 | 3 | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 18 | 4 | 3 | 11 | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 3 | — | — | 1 | 2 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 2 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 2 | — | — | — | — | — | 1 | — | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 5 | — | — | — | — | 1 | — | 1 | 2 | 1 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 42 | — | — | 1 | 2 | 10 | 14 | 14 | 1 | — | 29 | — | — | — | 2 | 5 | 16 | 4 | 2 | — |
| | F | 35 | — | 1 | — | 7 | 9 | 11 | 7 | — | — | 22 | — | — | — | 1 | 8 | 6 | 6 | 1 | — |
| 11 Other tuberculous diseases .. .. | M | 8 | 1 | — | 3 | 2 | 1 | 1 | — | — | — | 6 | — | — | 2 | 1 | 3 | — | — | — | — |
| | F | 11 | — | — | 2 | 6 | 2 | — | — | 1 | — | 7 | — | — | 2 | 1 | 4 | — | — | — | — |
| 12 Cancer, malignant disease .. .. | M | 38 | — | — | — | — | — | 1 | 24 | 7 | 6 | 24 | — | — | — | — | — | 3 | 13 | 8 | — |
| | F | 26 | — | — | — | — | — | 3 | 14 | 6 | 3 | 41 | — | — | — | — | — | 7 | 14 | 14 | 6 |
| 13 Rheumatic fever .. | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 14 Diabetes .. .. | M | 4 | — | — | — | — | — | 1 | 1 | 1 | 1 | 5 | — | — | — | — | — | — | 2 | 3 | — |
| | F | 4 | — | — | — | — | — | 1 | — | 2 | 1 | 3 | — | — | — | — | — | — | 1 | 2 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 22 | — | — | — | — | — | — | 8 | 9 | 5 | 28 | — | — | — | — | — | — | 9 | 10 | 9 |
| | F | 37 | — | — | — | — | — | 2 | 13 | 9 | 13 | 28 | — | — | — | — | — | 1 | 6 | 14 | 7 |
| 16 Heart disease .. | M | 36 | — | — | — | — | 2 | 6 | 15 | 13 | — | 55 | — | — | — | — | 1 | 9 | 18 | 19 | 8 |
| | F | 35 | — | — | — | 1 | 2 | 2 | 15 | 7 | 8 | 44 | — | — | — | 2 | 3 | 2 | 17 | 14 | 6 |
| 17 Arterio-sclerosis .. | M | 11 | — | — | — | — | — | — | 4 | 4 | 3 | 8 | — | — | — | — | — | — | 3 | 3 | 2 |
| | F | 7 | — | — | — | — | — | — | 1 | 3 | 3 | 2 | — | — | — | — | — | — | — | 1 | 1 |
| 18 Bronchitis .. | M | 22 | 4 | — | 1 | — | — | — | 7 | 7 | 3 | 31 | 5 | — | 1 | — | 1 | 4 | 6 | 6 | 8 |
| | F | 23 | 3 | — | — | 1 | — | — | 6 | 5 | 8 | 25 | 4 | 2 | 1 | — | — | 1 | 5 | 6 | 6 |
| 19 Pneumonia (all forms) .. .. | M | 41 | 8 | 8 | 7 | 2 | 3 | 7 | 5 | 1 | — | 39 | 8 | 5 | 1 | 1 | 1 | 9 | 6 | 7 | 1 |
| | F | 32 | 5 | 10 | 2 | — | 1 | 1 | 6 | 3 | 4 | 37 | 9 | 6 | 2 | — | 1 | 3 | 8 | 4 | 4 |
| 20 Other respiratory diseases .. .. | M | 4 | — | — | — | 1 | — | — | 3 | — | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| | F | 2 | — | — | — | — | — | — | — | — | 2 | 3 | — | — | 1 | — | — | — | 1 | 1 | — |
| 21 Ulcer of stomach or duodenum .. | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 6 | — | — | — | — | 1 | 3 | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. .. | M | 12 | 9 | 1 | 1 | — | — | — | 1 | — | — | 15 | 10 | 2 | — | 1 | — | 2 | — | — | — |
| | F | 15 | 7 | 6 | — | — | — | — | 1 | — | 1 | 9 | 6 | 1 | 1 | — | — | — | — | 1 | — |
| 23 Appendicitis and typhlitis.. .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| 24 Cirrhosis of liver .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis .. | M | 9 | — | — | — | 1 | — | 1 | 2 | 3 | 2 | 7 | — | — | — | — | — | — | 1 | 3 | 3 |
| | F | 15 | — | — | — | 1 | — | 1 | 7 | 2 | 4 | 7 | — | — | — | — | — | 1 | 2 | 2 | 2 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 3 | — | — | — | — | 3 | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | — | 5 | — | — | — | 6 | — | — | — | — | 1 | 5 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 28 | 27 | — | — | — | 1 | — | — | — | — | 20 | 20 | — | — | — | — | — | — | — | — |
| | F | 22 | 22 | — | — | — | — | — | — | — | — | 23 | 23 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 4 | — | — | — | — | — | 1 | 3 | — | — | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 30 Other deaths from violence.. .. | M | 10 | 1 | 2 | — | — | — | 3 | 3 | 1 | — | 12 | — | — | — | — | 1 | 4 | 5 | 2 | — |
| | F | 4 | — | 2 | — | 1 | — | — | — | 1 | — | 9 | 1 | — | 1 | 1 | 3 | 2 | — | 1 | — |
| 31 Other defined diseases .. .. | M | 80 | 19 | 3 | 2 | 1 | 1 | 8 | 17 | 13 | 16 | 55 | 7 | 1 | — | 4 | 1 | 6 | 13 | 10 | 13 |
| | F | 78 | 11 | 3 | 1 | — | 5 | 8 | 18 | 10 | 22 | 51 | 5 | 1 | — | — | 1 | 7 | 3 | 12 | 22 |
| 32 Causes ill-defined or unknown .. | M | 4 | — | 1 | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | 2 | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Wallasey. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Walsall. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES .. | M | 459 | 48 | 7 | 9 | 13 | 15 | 58 | 158 | 86 | 65 | 636 | 123 | 42 | 23 | 29 | 22 | 67 | 143 | 104 | 83 |
| | F | 503 | 36 | 10 | 6 | 12 | 21 | 61 | 129 | 97 | 131 | 540 | 96 | 32 | 35 | 22 | 20 | 57 | 103 | 78 | 97 |
| 1 Enteric fever .. | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | 18 | 3 | 8 | 6 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 19 | 1 | 8 | 10 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 4 | 2 | 1 | — | 1 | — | — | — | — | — | 13 | 3 | 6 | 3 | 1 | — | — | — | — | — |
| | F | 2 | 1 | 1 | — | — | — | — | — | — | — | 22 | 9 | 4 | 8 | 1 | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 5 | — | — | 2 | 3 | — | — | — | — | — |
| 7 Influenza .. .. | M | 14 | 2 | 2 | — | 1 | — | 1 | 6 | 2 | — | 5 | 1 | — | — | — | — | 2 | 1 | 1 | — |
| | F | 18 | 2 | 1 | — | 1 | — | 1 | 6 | 2 | 5 | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 8 Encephalitis lethargica .. | M | 2 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 32 | — | — | — | 1 | 3 | 16 | 9 | 2 | 1 | 48 | — | — | — | — | 8 | 21 | 15 | 4 | — |
| | F | 31 | — | — | 1 | 1 | 6 | 13 | 9 | 1 | — | 43 | — | — | — | 5 | 12 | 18 | 7 | — | 1 |
| 11 Other tuberculous diseases .. .. | M | 11 | — | 2 | 4 | 2 | — | 1 | 2 | — | — | 12 | 3 | 2 | — | 4 | — | 1 | 2 | — | — |
| | F | 5 | 1 | — | — | 1 | 1 | 2 | — | — | — | 12 | 1 | 3 | 2 | 2 | 1 | 2 | 1 | — | — |
| 12 Cancer, malignant disease .. .. | M | 62 | — | — | — | — | — | 3 | 29 | 25 | 5 | 55 | — | — | — | 2 | — | 3 | 29 | 18 | 3 |
| | F | 62 | — | — | — | — | — | 4 | 30 | 16 | 12 | 53 | — | — | — | — | — | 6 | 26 | 15 | 6 |
| 13 Rheumatic fever .. | M | 2 | — | — | — | 1 | — | 1 | — | — | — | 4 | — | — | — | 2 | 1 | 1 | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | — | 1 | — | 3 | — | — | 1 | — | — | 2 | — | — | — |
| 14 Diabetes .. .. | M | 8 | — | — | — | — | — | — | 7 | 1 | — | 2 | — | — | — | — | — | 1 | — | — | 1 |
| | F | 8 | — | — | — | — | — | 1 | 4 | 3 | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 19 | — | — | — | — | — | — | 9 | 3 | 7 | 34 | — | — | — | — | — | — | 11 | 15 | 8 |
| | F | 34 | — | — | — | 1 | — | — | 12 | 13 | 8 | 33 | — | — | — | — | — | 1 | 12 | 13 | 7 |
| 16 Heart disease .. | M | 62 | — | — | — | 2 | 1 | 8 | 23 | 15 | 13 | 44 | — | — | — | 2 | — | 2 | 16 | 13 | 11 |
| | F | 89 | — | — | — | 1 | 2 | 5 | 23 | 21 | 37 | 49 | — | — | — | 1 | 1 | 6 | 19 | 14 | 8 |
| 17 Arterio-sclerosis .. | M | 34 | — | — | — | — | — | — | 8 | 16 | 10 | 13 | — | — | — | — | — | — | 2 | 7 | 4 |
| | F | 31 | — | — | — | — | — | — | 3 | 9 | 19 | 6 | — | — | — | — | — | — | — | 4 | 2 |
| 18 Bronchitis .. | M | 21 | 4 | — | 1 | — | — | 1 | 5 | 3 | 7 | 45 | 4 | 4 | 2 | 1 | — | 2 | 12 | 11 | 9 |
| | F | 34 | 1 | — | — | — | — | 1 | 5 | 8 | 19 | 55 | 6 | 3 | — | 1 | 1 | — | 9 | 15 | 20 |
| 19 Pneumonia (all forms) .. .. | M | 44 | 5 | 2 | 1 | — | 3 | 5 | 18 | 6 | 4 | 63 | 7 | 14 | 4 | 2 | 4 | 9 | 15 | 6 | 2 |
| | F | 34 | 5 | 2 | 3 | 3 | 2 | 6 | 9 | 2 | 2 | 38 | 9 | 9 | 7 | 5 | 1 | 1 | 5 | — | 1 |
| 20 Other respiratory diseases .. .. | M | 4 | — | — | — | — | — | 3 | 1 | — | — | 4 | — | 1 | — | — | — | — | 3 | — | — |
| | F | 4 | — | — | 1 | — | — | — | 2 | 1 | — | 6 | 1 | — | — | — | — | 2 | 2 | — | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 5 | — | — | — | — | — | 1 | 4 | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 22 Diarrhœa, &c. .. | M | 8 | 4 | — | — | 1 | — | 1 | 2 | — | — | 23 | 18 | 3 | — | — | — | — | — | 1 | 1 |
| | F | 5 | 3 | — | — | — | — | 1 | 1 | — | — | 23 | 14 | 4 | 1 | — | — | 1 | 1 | 1 | 1 |
| 23 Appendicitis and typhlitis.. .. | M | 4 | — | — | — | — | 3 | — | 1 | — | — | 4 | — | — | — | 2 | 1 | — | 1 | — | — |
| | F | 6 | — | — | — | — | 3 | 2 | 1 | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| 24 Cirrhosis of liver .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 25 Acute and chronic nephritis .. | M | 10 | — | — | — | — | — | — | 6 | — | 4 | 12 | — | — | 1 | — | 1 | 3 | 5 | 2 | — |
| | F | 17 | — | — | — | — | — | 2 | 5 | 5 | 5 | 9 | — | — | — | — | — | 4 | 4 | — | 1 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | — | — | — | — | — | 6 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 20 | 20 | — | — | — | — | — | — | — | — | 58 | 55 | — | — | 3 | — | — | — | — | — |
| | F | 13 | 13 | — | — | — | — | — | — | — | — | 40 | 39 | — | 1 | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 7 | — | — | — | — | 1 | 3 | 2 | 1 | — |
| | F | 2 | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 30 Other deaths from violence.. .. | M | 18 | 1 | — | — | 2 | 2 | 5 | 5 | — | 3 | 16 | — | — | 1 | 4 | 1 | 3 | 4 | 2 | 1 |
| | F | 6 | — | — | — | — | 1 | — | 2 | 1 | 2 | 6 | 2 | — | 1 | 1 | — | — | 1 | — | 1 |
| 31 Other defined diseases .. .. | M | 69 | 10 | — | 3 | 2 | 3 | 9 | 18 | 13 | 11 | 144 | 28 | 4 | 3 | 5 | 5 | 14 | 20 | 22 | 43 |
| | F | 86 | 10 | 5 | 1 | 3 | 5 | 12 | 16 | 12 | 22 | 103 | 14 | 1 | 2 | 2 | 3 | 8 | 10 | 15 | 48 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Warrington. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | West Bromwich. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 473 | 88 | 29 | 18 | 16 | 30 | 53 | 124 | 76 | 39 | 530 | 93 | 36 | 37 | 35 | 32 | 50 | 105 | 87 | 55 |
| | F | 395 | 45 | 25 | 16 | 15 | 20 | 50 | 87 | 80 | 57 | 443 | 71 | 27 | 37 | 20 | 19 | 54 | 80 | 60 | 75 |
| 1 Enteric fever | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 13 | 2 | 9 | 1 | 1 | — | — | — | — | — | 22 | 5 | 11 | 5 | 1 | — | — | — | — | — |
| | F | 5 | 1 | 3 | 1 | — | — | — | — | — | — | 17 | 2 | 6 | 8 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 3 | — | 1 | 1 | 1 | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 4 | — | — | 3 | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 8 | 5 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 13 | 5 | 5 | 3 | — | — | — | — | — | — | 2 | — | 1 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | 2 | — | — | — | 1 | 1 | — | — | — | — | 26 | — | 2 | 12 | 12 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 12 | — | 1 | 6 | 5 | — | — | — | — | — |
| 7 Influenza | M | 15 | 1 | 1 | — | — | 1 | 5 | 6 | — | 1 | 24 | — | — | 1 | 2 | 3 | 8 | 6 | 3 | 1 |
| | F | 21 | — | — | — | 1 | — | 5 | 4 | 6 | 5 | 10 | — | — | — | — | 1 | 5 | 3 | 1 | — |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 57 | — | 1 | — | 4 | 11 | 15 | 20 | 6 | — | 23 | — | — | 2 | — | 7 | 11 | 2 | 1 | — |
| | F | 35 | — | — | — | 3 | 9 | 16 | 7 | — | — | 25 | 1 | — | 1 | — | 7 | 12 | 4 | — | — |
| 11 Other tuberculous diseases | M | 15 | — | 3 | 5 | 1 | 4 | 1 | — | 1 | — | 7 | 1 | 1 | 2 | 2 | — | — | 1 | — | — |
| | F | 7 | — | 1 | 1 | 3 | — | 1 | 1 | — | — | 8 | 1 | — | 3 | 2 | 1 | 1 | — | — | — |
| 12 Cancer, malignant disease | M | 41 | — | — | — | — | — | 3 | 24 | 10 | 4 | 37 | — | — | — | — | — | 1 | 23 | 13 | — |
| | F | 39 | — | — | — | — | — | 2 | 19 | 14 | 4 | 37 | — | — | — | — | — | 9 | 17 | 8 | 3 |
| 13 Rheumatic fever | M | 3 | — | — | — | — | 1 | — | 2 | — | — | 5 | — | — | — | 3 | 1 | — | — | 1 | — |
| | F | 5 | — | — | — | 4 | 1 | — | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 14 Diabetes | M | 3 | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | — | — | 2 | — | 3 | — | — | — | — | — | — | — | 2 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 21 | — | — | — | — | — | — | 9 | 8 | 4 | 26 | — | — | — | — | — | 1 | 8 | 6 | 11 |
| | F | 31 | — | — | — | — | — | 1 | 11 | 11 | 8 | 16 | — | — | — | — | — | 1 | 4 | 4 | 7 |
| 16 Heart disease | M | 43 | — | — | 1 | 1 | 1 | 7 | 16 | 10 | 7 | 32 | — | — | — | 1 | 3 | 5 | 12 | 5 | 6 |
| | F | 38 | — | — | 1 | — | 4 | 4 | 10 | 13 | 6 | 39 | — | — | — | 2 | 2 | 7 | 12 | 8 | 8 |
| 17 Arterio-sclerosis | M | 10 | — | — | — | — | — | — | 2 | 5 | 3 | 20 | — | — | — | — | — | — | 2 | 10 | 8 |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 7 | — | — | — | — | — | — | 1 | 1 | 5 |
| 18 Bronchitis | M | 50 | 14 | 1 | 1 | — | 1 | — | 9 | 16 | 8 | 56 | 13 | 3 | 3 | 1 | — | 1 | 9 | 17 | 9 |
| | F | 45 | 5 | — | 2 | — | — | 2 | 11 | 15 | 10 | 43 | 6 | 1 | 1 | — | — | — | 9 | 13 | 13 |
| 19 Pneumonia (all forms) | M | 50 | 13 | 7 | 3 | 2 | 1 | 10 | 8 | 4 | 2 | 63 | 13 | 5 | 6 | 2 | 7 | 10 | 7 | 11 | 2 |
| | F | 29 | 5 | 9 | 4 | — | — | 1 | 6 | 2 | 2 | 49 | 10 | 9 | 8 | 4 | 3 | 3 | 5 | 3 | 4 |
| 20 Other respiratory diseases | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | 1 | 1 | — | — | 2 | — | — |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | 4 | 2 | 1 | — | 1 | — | — | — | — | — |
| 21 Ulcer of stomach or duodenum | M | 4 | — | — | — | — | 1 | 2 | 1 | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 22 Diarrhœa, &c. | M | 6 | 4 | 1 | — | — | — | — | 1 | — | — | 17 | 9 | 4 | 2 | 1 | — | — | 1 | — | — |
| | F | 12 | 7 | 2 | 1 | — | — | — | — | — | 2 | 16 | 10 | 2 | 2 | 1 | — | 1 | — | — | — |
| 23 Appendicitis and typhlitis | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 3 | — | — | — | 2 | 1 | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 9 | — | — | — | — | 1 | — | 6 | 1 | 1 | 16 | — | 1 | — | — | 1 | 3 | 8 | 3 | — |
| | F | 7 | — | — | — | — | — | 2 | 3 | 2 | — | 12 | — | 1 | — | — | — | 2 | 4 | 3 | 2 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | — | — | 3 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | — | — | — | — | 1 | 5 | — | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 36 | 35 | — | 1 | — | — | — | — | — | — | 34 | 33 | 1 | — | — | — | — | — | — | — |
| | F | 13 | 13 | — | — | — | — | — | — | — | — | 25 | 25 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 1 | — | — | — | — | — | 1 | — | — | — | 7 | — | — | — | — | 1 | 1 | 5 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 30 Other deaths from violence | M | 12 | — | — | 1 | 2 | 4 | 1 | 3 | 1 | — | 12 | 1 | 1 | — | 4 | 1 | 1 | 3 | 1 | — |
| | F | 5 | — | — | — | 1 | — | — | 2 | — | 2 | 12 | 3 | 2 | — | 2 | — | — | 3 | 1 | 1 |
| 31 Other defined diseases | M | 64 | 14 | 4 | 3 | 4 | 2 | 7 | 8 | 13 | 9 | 84 | 18 | 4 | 2 | 2 | 7 | 7 | 11 | 15 | 18 |
| | F | 62 | 9 | 4 | 3 | 1 | 1 | 5 | 10 | 12 | 17 | 84 | 11 | 2 | 4 | — | 2 | 4 | 14 | 16 | 31 |
| 32 Causes ill-defined or unknown | M | 5 | — | 1 | — | — | — | — | 4 | — | — | 7 | — | 2 | — | — | — | 1 | 4 | — | — |
| | F | 2 | — | 1 | — | — | — | 1 | — | — | — | 4 | — | 1 | — | — | — | — | 3 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | West Ham. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | West Hartlepool. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 1803 | 272 | 55 | 44 | 62 | 97 | 252 | 513 | 293 | 215 | 425 | 92 | 18 | 16 | 15 | 18 | 42 | 98 | 81 | 45 |
| | F | 1528 | 194 | 55 | 48 | 52 | 92 | 185 | 347 | 282 | 273 | 363 | 68 | 21 | 15 | 13 | 22 | 36 | 80 | 58 | 50 |
| 1 Enteric fever .. | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 7 | — | 6 | — | 1 | — | — | — | — | — | 5 | — | 1 | 3 | 1 | — | — | — | — | — |
| | F | 5 | 2 | 1 | 2 | — | — | — | — | — | — | 5 | 1 | 2 | 1 | 1 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 5 | — | 3 | 2 | — | — | — | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 5 Whooping cough .. | M | 13 | 6 | 4 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 10 | 1 | 3 | 6 | — | — | — | — | — | — | 5 | 3 | 1 | 1 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 13 | — | 5 | 4 | 4 | — | — | — | — | — | 3 | 1 | 1 | — | — | — | 1 | — | — | — |
| | F | 14 | — | 2 | 5 | 7 | — | — | — | — | — | 3 | — | 1 | — | 1 | 1 | — | — | — | — |
| 7 Influenza .. .. | M | 25 | 1 | — | 2 | — | 1 | 8 | 11 | 1 | 1 | 8 | — | — | — | — | 1 | 1 | 4 | 1 | 1 |
| | F | 22 | — | 1 | — | 1 | 2 | 5 | 7 | 5 | 1 | 6 | 1 | — | — | — | 1 | — | 1 | 2 | 1 |
| 8 Encephalitis lethargica .. | M | 2 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 164 | — | 3 | — | — | 33 | 81 | 42 | 4 | 1 | 33 | — | — | 1 | — | 9 | 10 | 13 | — | — |
| | F | 135 | 1 | — | — | 9 | 52 | 43 | 26 | 2 | 2 | 26 | — | — | 2 | 5 | 12 | 3 | 4 | — | — |
| 11 Other tuberculous diseases .. .. | M | 38 | 3 | 10 | 5 | 8 | 7 | 5 | — | — | — | 15 | 5 | 2 | 2 | 5 | 1 | — | — | — | — |
| | F | 33 | 2 | 7 | 2 | 9 | 6 | 5 | 2 | — | — | 6 | — | — | 1 | 2 | 1 | 1 | — | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 184 | — | — | 1 | 2 | — | 14 | 96 | 54 | 17 | 30 | — | — | — | — | — | 2 | 12 | 14 | 2 |
| | F | 165 | — | 1 | — | — | 1 | 23 | 75 | 43 | 22 | 36 | — | — | — | — | — | 2 | 18 | 10 | 6 |
| 13 Rheumatic fever .. | M | 7 | — | — | — | 2 | 1 | 2 | 2 | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| | F | 6 | — | — | — | 2 | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes .. .. | M | 9 | — | — | — | — | — | 2 | 3 | 3 | 1 | 4 | — | — | — | — | — | 1 | — | 3 | — |
| | F | 11 | — | — | — | — | — | 2 | 7 | 1 | 1 | 5 | — | — | — | — | — | 1 | 1 | 2 | 1 |
| 15 Cerebral hæmorrhage, &c. .. | M | 76 | — | — | — | — | — | 4 | 24 | 22 | 26 | 14 | — | — | — | — | — | 1 | 2 | 7 | 4 |
| | F | 108 | — | — | — | — | 1 | 8 | 34 | 33 | 32 | 27 | — | — | — | — | — | 2 | 8 | 10 | 7 |
| 16 Heart disease .. | M | 182 | — | — | — | 6 | 11 | 24 | 58 | 52 | 31 | 35 | — | — | — | — | 1 | 1 | 14 | 14 | 5 |
| | F | 202 | — | — | 1 | 8 | 8 | 12 | 68 | 57 | 48 | 35 | — | — | — | 2 | 1 | 3 | 10 | 11 | 8 |
| 17 Arterio-sclerosis .. | M | 47 | — | — | — | — | — | — | 15 | 17 | 15 | 14 | — | — | — | — | — | — | 6 | 4 | 4 |
| | F | 21 | — | — | — | — | — | — | 2 | 9 | 10 | 7 | — | — | — | — | — | — | 2 | 1 | 4 |
| 18 Bronchitis .. | M | 140 | 14 | 1 | — | — | — | 5 | 48 | 38 | 34 | 29 | 13 | 1 | 1 | — | — | — | 4 | 8 | 2 |
| | F | 144 | 10 | 2 | 1 | — | — | 7 | 24 | 46 | 54 | 28 | 11 | 2 | 1 | — | — | — | 5 | 3 | 6 |
| 19 Pneumonia (all forms) .. .. | M | 210 | 49 | 13 | 15 | 7 | 13 | 31 | 55 | 18 | 9 | 51 | 15 | 10 | 5 | 2 | 3 | 4 | 7 | 5 | — |
| | F | 129 | 29 | 25 | 11 | 5 | 3 | 7 | 24 | 16 | 9 | 38 | 7 | 11 | 3 | — | 1 | 6 | 4 | 4 | 2 |
| 20 Other respiratory diseases .. .. | M | 21 | — | 1 | 1 | — | — | 1 | 11 | 5 | 2 | 6 | — | — | 1 | — | — | 1 | 1 | 2 | 1 |
| | F | 20 | — | — | 1 | 1 | — | 4 | 3 | 5 | 6 | 7 | — | — | — | — | 1 | 2 | 2 | 1 | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 19 | — | — | — | — | — | 5 | 13 | — | 1 | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 7 | — | — | — | — | — | 1 | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. .. | M | 49 | 36 | 4 | 3 | — | — | 1 | 2 | 2 | 1 | 8 | 6 | — | — | — | — | 1 | — | 1 | — |
| | F | 43 | 26 | 4 | 3 | — | — | 2 | 2 | 2 | 4 | 4 | 2 | 1 | 1 | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis.. .. | M | 13 | — | — | 1 | 4 | 4 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 17 | — | — | — | 2 | 4 | 3 | 7 | 1 | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| 24 Cirrhosis of liver .. | M | 6 | — | — | — | — | — | 1 | 4 | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 4 | — | — | — | — | — | — | 3 | 1 | — | 2 | — | — | — | — | — | — | — | 2 | — |
| 25 Acute and chronic nephritis .. | M | 54 | 2 | — | 1 | 1 | — | 7 | 23 | 13 | 7 | 8 | — | — | — | — | — | — | 6 | 1 | 1 |
| | F | 25 | — | — | — | 3 | 1 | 6 | 7 | 7 | 1 | 10 | — | — | — | — | — | 5 | 4 | 1 | — |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 11 | — | — | — | — | 1 | 10 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 13 | — | — | — | — | 1 | 12 | — | — | — | 4 | — | — | — | — | 1 | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 114 | 111 | — | 1 | — | 1 | — | 1 | — | — | 29 | 29 | — | — | — | — | — | — | — | — |
| | F | 85 | 84 | — | 1 | — | — | — | — | — | — | 28 | 28 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 26 | — | — | — | — | 4 | 1 | 17 | 3 | 1 | 4 | — | — | — | — | — | 2 | 2 | — | — |
| | F | 2 | — | — | — | — | 2 | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 30 Other deaths from violence.. .. | M | 82 | 13 | — | 2 | 11 | 7 | 14 | 26 | 4 | 5 | 16 | 1 | — | — | — | — | 4 | 5 | 4 | 2 |
| | F | 31 | 6 | 2 | 8 | — | 2 | 4 | 1 | 4 | 4 | 7 | — | 1 | 1 | — | — | — | 1 | 1 | 3 |
| 31 Other defined diseases .. .. | M | 293 | 36 | 4 | 3 | 15 | 13 | 43 | 61 | 55 | 63 | 105 | 22 | 3 | 3 | 5 | 3 | 11 | 19 | 16 | 23 |
| | F | 260 | 32 | 6 | 6 | 4 | 7 | 28 | 51 | 47 | 79 | 66 | 15 | 2 | 4 | 2 | 1 | 5 | 17 | 9 | 11 |
| 32 Causes ill-defined or unknown .. | M | 2 | — | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex | Wigan. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Wolverhampton. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 635 | 132 | 25 | 24 | 20 | 31 | 92 | 167 | 96 | 48 | 640 | 108 | 28 | 14 | 13 | 16 | 73 | 174 | 133 | 81 |
| | F | 596 | 76 | 32 | 19 | 19 | 25 | 89 | 130 | 125 | 81 | 610 | 65 | 20 | 24 | 9 | 15 | 73 | 133 | 112 | 159 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | — | — | — | — | — | — | — | — | — | — | 17 | 2 | 7 | 6 | 1 | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 9 | 1 | 4 | 4 | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | 2 | — | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 6 | 1 | 1 | 4 | — | — | — | — | — | — | 6 | 3 | 2 | — | 1 | — | — | — | — | — |
| | F | 8 | 4 | 3 | 1 | — | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 2 | — | 1 | — | 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 7 Influenza | M | 25 | — | — | 4 | 1 | — | 8 | 5 | 6 | 1 | 10 | 1 | — | — | 1 | — | 1 | 5 | — | 2 |
| | F | 25 | — | 1 | 1 | — | 1 | 7 | 7 | 4 | 4 | 9 | — | 1 | — | 1 | 1 | 1 | 1 | 1 | 3 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 42 | — | — | — | 2 | 8 | 20 | 12 | — | — | 44 | — | — | — | — | 2 | 29 | 11 | 2 | — |
| | F | 37 | — | — | 1 | 5 | 11 | 13 | 7 | — | — | 28 | — | — | — | — | 6 | 14 | 8 | — | — |
| 11 Other tuberculous diseases | M | 6 | — | 1 | 2 | 2 | 1 | — | — | — | — | 11 | 1 | 4 | 1 | 1 | 2 | 1 | 1 | — | — |
| | F | 7 | — | — | 1 | 1 | 2 | 1 | 1 | 1 | — | 13 | 1 | 2 | 5 | 1 | 2 | 2 | — | — | — |
| 12 Cancer, malignant disease | M | 27 | — | — | — | — | — | 3 | 12 | 10 | 2 | 60 | — | — | — | 1 | — | 2 | 37 | 17 | 3 |
| | F | 43 | — | — | — | — | 1 | 6 | 21 | 12 | 3 | 79 | — | — | — | — | — | 7 | 34 | 23 | 15 |
| 13 Rheumatic fever | M | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 4 | — | — | — | 1 | — | 3 | — | — | — | 3 | — | — | 1 | — | 1 | 1 | — | — | — |
| 14 Diabetes | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 3 | — | — | — | — | 1 | — | — | 1 | 1 | 3 | — | — | — | — | — | — | 2 | 1 | — |
| 15 Cerebral hæmorrhage, &c. | M | 22 | — | — | — | — | 1 | — | 10 | 8 | 3 | 33 | — | — | — | — | — | 1 | 6 | 16 | 10 |
| | F | 29 | — | — | — | — | — | 1 | 11 | 13 | 4 | 37 | — | — | — | — | — | 2 | 8 | 9 | 18 |
| 16 Heart disease | M | 55 | — | — | 1 | 1 | 2 | 5 | 25 | 12 | 9 | 72 | — | — | — | 2 | — | 3 | 25 | 23 | 19 |
| | F | 64 | — | — | — | — | — | 12 | 25 | 21 | 6 | 84 | — | — | — | 2 | 1 | 7 | 19 | 25 | 30 |
| 17 Arterio-sclerosis | M | 17 | — | — | — | — | — | — | 6 | 6 | 5 | 15 | — | — | — | — | — | — | 2 | 4 | 9 |
| | F | 10 | — | — | — | — | — | — | 1 | 5 | 4 | 12 | — | — | — | — | — | — | 3 | 5 | 4 |
| 18 Bronchitis | M | 73 | 13 | 4 | — | — | — | 3 | 28 | 19 | 6 | 56 | 10 | — | 1 | — | — | 2 | 12 | 22 | 9 |
| | F | 77 | 11 | 3 | 3 | — | — | 5 | 19 | 20 | 16 | 72 | 7 | 3 | 1 | — | — | 2 | 12 | 14 | 33 |
| 19 Pneumonia (all forms) | M | 95 | 24 | 11 | 9 | 4 | 6 | 18 | 17 | 6 | — | 66 | 13 | 8 | 2 | 1 | 1 | 12 | 22 | 5 | 2 |
| | F | 66 | 13 | 15 | 5 | 3 | 2 | 9 | 11 | 6 | 2 | 38 | 7 | 3 | 4 | 1 | 1 | 9 | 5 | 6 | 2 |
| 20 Other respiratory diseases | M | 6 | — | — | — | — | 1 | 2 | 2 | 1 | — | 11 | — | — | — | — | 1 | 2 | 3 | 3 | 2 |
| | F | 7 | 1 | — | 2 | — | — | 1 | — | — | 3 | 10 | — | — | — | — | — | 1 | 1 | 2 | 6 |
| 21 Ulcer of stomach or duodenum | M | 7 | — | — | — | — | — | 5 | 2 | — | — | 9 | — | — | — | — | — | 2 | 6 | — | 1 |
| | F | 3 | — | — | — | — | 1 | 1 | — | 1 | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 22 Diarrhœa, &c. | M | 9 | 4 | 3 | — | — | — | 1 | 1 | — | — | 22 | 17 | 1 | — | 1 | — | 1 | 1 | 1 | — |
| | F | 12 | 4 | 4 | 1 | — | — | 1 | 2 | — | — | 17 | 11 | 2 | 1 | — | — | — | 1 | 1 | 1 |
| 23 Appendicitis and typhlitis | M | 3 | — | — | — | 2 | 1 | — | — | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| | F | 4 | — | — | — | 2 | 2 | — | — | — | — | 3 | — | — | — | 1 | 1 | — | — | — | 1 |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| 25 Acute and chronic nephritis | M | 20 | — | — | — | — | 1 | 3 | 10 | 6 | — | 19 | — | — | 1 | — | — | 1 | 6 | 8 | 3 |
| | F | 8 | — | — | — | — | — | 3 | 3 | 2 | — | 15 | — | 1 | — | — | — | 2 | 6 | 6 | — |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 8 | — | — | — | — | — | 8 | — | — | — | 10 | — | — | — | — | — | 10 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 63 | 63 | — | — | — | — | — | — | — | — | 43 | 42 | 1 | — | — | — | — | — | — | — |
| | F | 33 | 33 | — | — | — | — | — | — | — | — | 27 | 26 | — | 1 | — | — | — | — | — | — |
| 29 Suicide | M | 7 | — | — | — | — | 1 | 2 | 3 | 1 | — | 7 | — | — | — | — | — | 5 | — | 1 | 1 |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 30 Other deaths from violence | M | 27 | — | 2 | 1 | 2 | 6 | 7 | 9 | — | — | 19 | 1 | 1 | 2 | 1 | 5 | 1 | 1 | 3 | 4 |
| | F | 10 | — | — | — | 1 | 2 | — | 2 | 5 | — | 12 | 1 | 1 | 1 | 2 | — | 1 | 2 | — | 4 |
| 31 Other defined diseases | M | 113 | 27 | 1 | 1 | 6 | 3 | 12 | 22 | 19 | 22 | 102 | 18 | 3 | 1 | 3 | 3 | 5 | 26 | 27 | 16 |
| | F | 124 | 10 | 3 | 1 | 5 | 2 | 14 | 18 | 33 | 38 | 111 | 10 | 1 | 5 | — | 2 | 7 | 25 | 19 | 42 |
| 32 Causes ill-defined or unknown | M | 3 | — | 1 | 1 | — | — | 1 | — | — | — | 6 | — | — | — | — | — | — | 5 | 1 | — |
| | F | 4 | — | 2 | 1 | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Worcester. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | York. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | M | 274 | 23 | 11 | 5 | 7 | 11 | 31 | 75 | 58 | 53 | 410 | 40 | 12 | 6 | 6 | 22 | 47 | 104 | 92 | 81 |
| | F | 278 | 30 | 6 | 10 | 9 | 10 | 30 | 51 | 55 | 77 | 480 | 43 | 13 | 11 | 16 | 25 | 53 | 90 | 97 | 132 |
| 1 Enteric fever | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | — | — | — | — | — | — | — | — | — | — | 5 | 2 | 1 | 1 | 1 | — | — | — | — | — |
| | F | 5 | — | 2 | 2 | 1 | — | — | — | — | — | 9 | 2 | 3 | 3 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 1 | — | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 4 | 2 | — | 2 | — | — | — | — | — | — | 5 | 2 | 2 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 7 Influenza | M | 5 | — | — | — | — | — | — | — | 2 | 3 | 13 | — | 1 | 1 | 1 | — | 3 | 3 | 2 | 2 |
| | F | 2 | — | — | — | 1 | — | — | — | — | 1 | 15 | — | 1 | 1 | — | — | 2 | 3 | 4 | 4 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 23 | — | — | — | — | 3 | 12 | 7 | 1 | — | 31 | — | — | — | — | 9 | 18 | 3 | 1 | — |
| | F | 23 | — | — | — | 1 | 6 | 11 | 4 | — | 1 | 21 | — | — | — | — | 6 | 12 | 2 | 1 | — |
| 11 Other tuberculous diseases | M | 5 | 1 | 1 | — | 1 | — | 1 | — | — | 1 | 9 | — | 2 | 1 | 1 | 3 | 1 | 1 | — | — |
| | F | 6 | — | — | 2 | 1 | 3 | — | — | — | — | 15 | — | 1 | 1 | 3 | 1 | 6 | 2 | 1 | — |
| 12 Cancer, malignant disease | M | 23 | — | — | — | — | — | — | 9 | 6 | 8 | 45 | — | — | — | 1 | 1 | 1 | 17 | 17 | 8 |
| | F | 32 | — | — | — | — | — | — | 16 | 12 | 4 | 44 | — | — | — | — | — | 4 | 15 | 14 | 11 |
| 13 Rheumatic fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | — | 1 | — |
| 14 Diabetes | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 3 | — | — | — | — | — | — | 1 | 1 | 1 |
| | F | 5 | — | — | 1 | 1 | — | — | — | 1 | 2 | 7 | — | — | — | — | — | 2 | 3 | 2 | — |
| 15 Cerebral hæmorrhage, &c. | M | 15 | — | — | — | — | — | — | 6 | 7 | 2 | 33 | — | — | — | — | — | — | 4 | 16 | 13 |
| | F | 20 | — | — | — | — | — | 1 | 6 | 6 | 7 | 43 | — | — | 1 | — | — | — | 11 | 14 | 17 |
| 16 Heart disease | M | 52 | — | — | — | 2 | 1 | 2 | 19 | 11 | 17 | 63 | — | — | — | — | — | 6 | 22 | 19 | 16 |
| | F | 59 | — | — | — | 1 | — | 4 | 14 | 16 | 24 | 65 | — | — | 1 | 1 | 4 | 7 | 16 | 16 | 20 |
| 17 Arterio-sclerosis | M | 10 | — | — | — | — | — | — | 4 | 5 | 1 | 15 | — | — | — | — | — | — | 5 | 4 | 6 |
| | F | 3 | — | — | — | — | — | — | — | 1 | 2 | 9 | — | — | — | — | — | — | 1 | 4 | 4 |
| 18 Bronchitis | M | 17 | 1 | — | — | — | — | 1 | 2 | 10 | 3 | 27 | 2 | — | — | — | — | — | 6 | 9 | 10 |
| | F | 18 | 1 | — | — | — | — | — | — | 5 | 12 | 40 | 1 | — | 1 | — | — | 2 | 6 | 11 | 19 |
| 19 Pneumonia (all forms) | M | 26 | 4 | 4 | — | — | 3 | 1 | 7 | 3 | 4 | 23 | 5 | 4 | 1 | — | 3 | 4 | 2 | — | 4 |
| | F | 8 | 3 | 1 | 1 | — | — | — | 2 | — | 1 | 19 | 5 | 4 | — | 1 | 2 | 1 | 3 | 2 | 1 |
| 20 Other respiratory diseases | M | 7 | — | — | 1 | — | — | 1 | 2 | 2 | 1 | 3 | — | — | — | — | — | — | 1 | — | 2 |
| | F | 2 | — | — | 1 | — | — | 1 | — | — | — | 9 | 1 | — | 1 | 1 | — | — | — | 4 | 2 |
| 21 Ulcer of stomach or duodenum | M | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 Diarrhœa, &c. | M | 8 | 3 | 2 | 1 | — | — | — | 1 | — | 1 | 4 | 2 | — | — | 1 | — | — | 1 | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — | 5 | 4 | 1 | — | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 24 Cirrhosis of liver | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | 3 | — | — |
| 25 Acute and chronic nephritis | M | 12 | — | — | — | 1 | 1 | 3 | 3 | 4 | — | 23 | — | — | — | — | — | 1 | 16 | 3 | 3 |
| | F | 6 | — | — | — | 1 | — | 3 | — | 1 | 1 | 18 | — | — | — | 1 | 1 | 6 | 2 | 6 | 2 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 4 | — | — | — | — | 3 | 1 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 10 | 10 | — | — | — | — | — | — | — | — | 20 | 19 | — | — | — | 1 | — | — | — | — |
| | F | 20 | 19 | 1 | — | — | — | — | — | — | — | 21 | 21 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 4 | — | — | — | — | 1 | 1 | 1 | 1 | — |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| 30 Other deaths from violence | M | 11 | 2 | — | 2 | 1 | 1 | 1 | 2 | — | 2 | 8 | — | 1 | — | — | 3 | 3 | — | — | 1 |
| | F | 5 | — | — | — | — | — | 1 | — | — | 4 | 10 | 1 | — | — | 1 | 3 | — | — | 1 | 4 |
| 31 Other defined diseases | M | 42 | 2 | 3 | 1 | 1 | 1 | 7 | 11 | 6 | 10 | 72 | 9 | 3 | 2 | 1 | 1 | 6 | 17 | 18 | 15 |
| | F | 49 | 3 | 2 | 1 | 2 | — | 7 | 6 | 12 | 16 | 111 | 6 | 1 | 1 | 5 | 4 | 9 | 21 | 16 | 48 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923 (Civilian population only).

| Causes of Death. | Sex. | Cardiff. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Merthyr Tydfil. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 1524 | 214 | 52 | 35 | 38 | 97 | 246 | 411 | 249 | 182 | 535 | 86 | 32 | 33 | 26 | 36 | 60 | 142 | 81 | 39 |
| | F | 1211 | 157 | 35 | 31 | 39 | 86 | 194 | 284 | 161 | 224 | 474 | 69 | 35 | 21 | 22 | 37 | 65 | 112 | 60 | 53 |
| 1 Enteric fever .. | M | 3 | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 18 | 3 | 4 | 11 | — | — | — | — | — | — | 29 | 6 | 8 | 12 | 3 | — | — | — | — | — |
| | F | 8 | 4 | 3 | 1 | — | — | — | — | — | — | 29 | 6 | 14 | 7 | 2 | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 20 | 10 | 7 | 3 | — | — | — | — | — | — | 7 | 4 | 1 | 1 | 1 | — | — | — | — | — |
| | F | 13 | 7 | 5 | 1 | — | — | — | — | — | — | 10 | 6 | 2 | 1 | 1 | — | — | — | — | — |
| 6 Diphtheria .. | M | 4 | — | 1 | 2 | 1 | — | — | — | — | — | 5 | — | 1 | 1 | 3 | — | — | — | — | — |
| | F | 7 | — | — | 5 | 2 | — | — | — | — | — | 10 | — | 1 | 3 | 5 | 1 | — | — | — | — |
| 7 Influenza .. .. | M | 11 | 2 | — | — | — | — | 2 | 5 | 1 | 1 | 7 | 1 | — | 1 | — | 1 | 1 | 2 | 1 | — |
| | F | 15 | 1 | — | — | — | — | 1 | 8 | 3 | 2 | 4 | — | — | — | — | 1 | 2 | — | — | 1 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| | F | 6 | — | 1 | — | 2 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 3 | — | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 172 | 1 | 3 | — | 2 | 32 | 93 | 38 | 1 | 2 | 41 | 1 | 1 | — | — | 11 | 15 | 11 | 2 | — |
| | F | 131 | 1 | 2 | — | 4 | 48 | 55 | 20 | 1 | — | 39 | — | 1 | — | 2 | 14 | 18 | 4 | — | — |
| 11 Other tuberculous diseases .. .. | M | 42 | 5 | 4 | 7 | 4 | 10 | 8 | 3 | 1 | — | 12 | — | — | 1 | 2 | 3 | 5 | — | 1 | — |
| | F | 38 | 3 | 2 | 8 | 6 | 5 | 7 | 5 | 1 | 1 | 7 | — | 1 | 1 | 3 | 2 | — | — | — | — |
| 12 Cancer, malignant disease .. .. | M | 141 | — | — | — | — | 4 | 16 | 76 | 32 | 13 | 36 | — | — | — | — | — | 5 | 21 | 9 | 1 |
| | F | 130 | — | — | — | — | 1 | 24 | 67 | 21 | 17 | 44 | — | — | — | — | — | 3 | 30 | 10 | 1 |
| 13 Rheumatic fever .. | M | 5 | — | — | — | 3 | 1 | 1 | — | — | — | 3 | — | — | — | 1 | 1 | 1 | — | — | — |
| | F | 9 | — | — | 1 | 2 | 3 | 1 | 1 | 1 | — | 4 | — | — | — | 1 | — | 1 | 2 | — | — |
| 14 Diabetes .. .. | M | 17 | — | — | — | — | — | 2 | 7 | 4 | 4 | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 14 | — | — | — | — | — | 2 | 6 | 3 | 3 | — | — | — | — | — | — | — | — | — | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 56 | — | — | — | — | — | 1 | 21 | 17 | 17 | 30 | — | — | — | — | 1 | — | 10 | 10 | 9 |
| | F | 53 | — | — | — | — | — | — | 19 | 17 | 17 | 15 | — | — | — | — | — | — | 7 | 4 | 4 |
| 16 Heart disease .. | M | 160 | — | — | 1 | 4 | 3 | 24 | 61 | 45 | 22 | 40 | — | — | 1 | 1 | 3 | 5 | 20 | 7 | 3 |
| | F | 152 | — | — | — | 5 | 3 | 12 | 50 | 38 | 44 | 55 | — | — | — | 1 | 6 | 13 | 20 | 9 | 6 |
| 17 Arterio-sclerosis .. | M | 54 | — | — | — | — | — | 1 | 18 | 13 | 22 | 15 | — | — | — | — | — | — | 5 | 6 | 4 |
| | F | 31 | — | — | — | — | — | — | 5 | 12 | 14 | 5 | — | — | — | — | — | — | 2 | 2 | 1 |
| 18 Bronchitis .. | M | 121 | 12 | 6 | 2 | 1 | — | 5 | 27 | 43 | 25 | 47 | 7 | 1 | 1 | — | — | 1 | 13 | 19 | 5 |
| | F | 70 | 8 | — | 1 | — | — | 5 | 12 | 13 | 31 | 43 | 7 | 2 | 2 | — | 1 | 2 | 8 | 12 | 9 |
| 19 Pneumonia (all forms) .. .. | M | 159 | 22 | 14 | 5 | 6 | 11 | 33 | 41 | 21 | 6 | 59 | 11 | 13 | 5 | 1 | 3 | 8 | 12 | 5 | 1 |
| | F | 79 | 20 | 11 | 3 | 2 | 1 | 11 | 13 | 7 | 11 | 31 | 10 | 3 | 3 | 1 | — | 1 | 5 | 4 | 4 |
| 20 Other respiratory diseases .. .. | M | 20 | 1 | 1 | — | — | 1 | 3 | 7 | 6 | 1 | 6 | — | 1 | — | 1 | — | 1 | 3 | — | — |
| | F | 13 | — | — | — | 1 | 2 | 1 | 1 | 2 | 6 | 1 | — | — | — | — | — | — | — | — | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 10 | — | — | — | — | — | 4 | 5 | 1 | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 8 | — | — | — | — | — | 1 | 5 | — | 2 | 3 | — | — | — | — | 1 | — | 2 | — | — |
| 22 Diarrhœa, &c. .. | M | 48 | 39 | 2 | — | — | 1 | — | 3 | 2 | 1 | 13 | 9 | 1 | 1 | — | — | — | 2 | — | — |
| | F | 37 | 26 | 3 | — | — | 1 | 5 | 1 | 1 | — | 10 | 5 | 2 | 1 | — | — | — | 1 | 1 | — |
| 23 Appendicitis and typhlitis.. .. | M | 15 | 1 | — | — | 2 | 6 | 4 | 2 | — | — | 3 | — | — | — | 2 | — | — | 1 | — | — |
| | F | 11 | — | — | 1 | 2 | 1 | 5 | 1 | — | 1 | 4 | — | — | — | — | 2 | 2 | — | — | — |
| 24 Cirrhosis of liver .. | M | 6 | — | — | — | — | — | 2 | 1 | 3 | — | 5 | — | — | — | — | — | — | 4 | 1 | — |
| | F | 3 | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 38 | — | — | — | 1 | — | 6 | 17 | 11 | 3 | 15 | — | — | 1 | 2 | 2 | 1 | 7 | 2 | — |
| | F | 37 | — | — | 1 | — | 1 | 9 | 12 | 9 | 5 | 13 | — | — | — | — | 3 | 2 | 6 | 2 | — |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 14 | — | — | — | — | 7 | 7 | — | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 9 | — | — | — | — | 1 | 8 | — | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 70 | 70 | — | — | — | — | — | — | — | — | 32 | 31 | — | 1 | — | — | — | — | — | — |
| | F | 64 | 63 | — | 1 | — | — | — | — | — | — | 20 | 20 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 10 | — | — | — | — | 2 | 1 | 5 | 1 | 1 | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 30 Other deaths from violence.. .. | M | 67 | 6 | — | 4 | 8 | 10 | 10 | 16 | 9 | 4 | 36 | — | 1 | 3 | 4 | 6 | 8 | 12 | 2 | — |
| | F | 33 | 2 | — | 1 | 7 | 5 | 5 | 3 | 2 | 8 | 9 | — | 1 | 1 | 1 | 1 | — | 4 | — | 1 |
| 31 Other defined diseases .. .. | M | 253 | 42 | 9 | — | 6 | 12 | 29 | 57 | 38 | 60 | 85 | 16 | 3 | 3 | 5 | 3 | 8 | 17 | 14 | 16 |
| | F | 220 | 22 | 7 | 6 | 6 | 5 | 31 | 53 | 30 | 60 | 104 | 15 | 8 | 2 | 4 | 2 | 13 | 19 | 16 | 25 |
| 32 Causes ill-defined or unknown .. | M | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | 2 | 2 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1923
(Civilian population only).

| Causes of Death. | Sex. | Newport. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Swansea. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 553 | 80 | 31 | 14 | 16 | 35 | 73 | 166 | 73 | 65 | 1019 | 150 | 37 | 28 | 41 | 55 | 145 | 306 | 149 | 108 |
| | F | 471 | 58 | 24 | 13 | 16 | 32 | 67 | 112 | 68 | 81 | 880 | 115 | 29 | 28 | 32 | 48 | 126 | 175 | 158 | 169 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 18 | 7 | 7 | 4 | — | — | — | — | — | — | 12 | 3 | 5 | 2 | 2 | — | — | — | — | — |
| | F | 20 | 5 | 9 | 6 | — | — | — | — | — | — | 7 | 1 | 4 | 2 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 1 | — | — | 1 | — | — | — | — | — | — | 5 | — | — | — | 3 | — | 2 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | — | 2 | 3 | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 13 | 5 | 3 | 5 | — | — | — | — | — | — | 9 | 5 | 3 | 1 | — | — | — | — | — | — |
| | F | 13 | 4 | 5 | 4 | — | — | — | — | — | — | 12 | 8 | 1 | 3 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 3 | — | — | 1 | 1 | 1 | — | — | — | — | 10 | — | 1 | 5 | 3 | 1 | — | — | — | — |
| | F | 3 | — | 1 | 1 | 1 | — | — | — | — | — | 4 | — | — | 3 | 1 | — | — | — | — | — |
| 7 Influenza .. .. | M | 9 | — | — | — | — | 1 | 3 | 1 | 1 | 3 | 20 | 2 | 1 | — | 2 | — | 5 | 8 | 1 | 1 |
| | F | 4 | — | — | — | — | — | 2 | — | 2 | — | 18 | — | — | — | 1 | 3 | 3 | 6 | 2 | 3 |
| 8 Encephalitis lethargica .. | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 47 | — | 1 | — | — | 11 | 20 | 12 | 2 | 1 | 99 | — | 2 | 1 | 2 | 18 | 40 | 32 | 3 | 1 |
| | F | 44 | — | — | — | 3 | 13 | 20 | 7 | 1 | — | 71 | — | 1 | — | 5 | 23 | 33 | 9 | — | — |
| 11 Other tuberculous diseases .. .. | M | 18 | 1 | 3 | — | 7 | 4 | 3 | — | — | — | 28 | 4 | 4 | 4 | 5 | 4 | 4 | 3 | — | — |
| | F | 6 | — | — | 1 | 3 | 2 | — | — | — | — | 19 | 1 | 2 | 1 | 6 | 4 | 3 | 1 | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 36 | — | — | — | — | — | 1 | 19 | 13 | 3 | 81 | — | — | — | — | 1 | 7 | 51 | 18 | 4 |
| | F | 52 | — | — | — | — | 1 | 12 | 24 | 13 | 2 | 83 | — | — | — | 3 | — | 12 | 41 | 19 | 8 |
| 13 Rheumatic fever .. | M | 2 | — | — | — | 1 | — | 1 | — | — | — | 8 | — | — | — | 4 | 2 | 1 | 1 | — | — |
| | F | 3 | — | — | — | — | 2 | — | 1 | — | — | 6 | — | — | — | 3 | 1 | 2 | — | — | — |
| 14 Diabetes .. .. | M | 4 | — | — | — | — | — | 1 | 3 | — | — | 5 | — | — | — | — | 1 | — | 3 | 1 | — |
| | F | 7 | — | — | — | — | — | 1 | 3 | 2 | 1 | 8 | — | — | — | — | — | 2 | 4 | 1 | 1 |
| 15 Cerebral hæmorrhage, &c. .. | M | 31 | — | — | — | — | — | 2 | 15 | 8 | 6 | 65 | — | — | — | — | 1 | 2 | 26 | 23 | 13 |
| | F | 43 | — | — | — | — | — | 2 | 17 | 9 | 15 | 83 | — | — | — | — | — | 5 | 25 | 18 | 35 |
| 16 Heart disease .. | M | 83 | — | — | — | 1 | 2 | 9 | 40 | 17 | 14 | 97 | — | — | — | 2 | 7 | 15 | 32 | 25 | 16 |
| | F | 80 | — | 1 | — | 2 | 2 | 2 | 30 | 20 | 23 | 120 | — | — | — | 6 | 3 | 14 | 35 | 41 | 21 |
| 17 Arterio-sclerosis .. | M | 14 | — | — | — | — | — | — | 6 | 4 | 4 | 30 | — | — | — | — | — | 1 | 11 | 8 | 10 |
| | F | 10 | — | — | — | — | — | — | 1 | 2 | 7 | 24 | — | — | — | — | — | — | 3 | 6 | 15 |
| 18 Bronchitis .. | M | 40 | 11 | 2 | — | — | — | — | 12 | 9 | 6 | 92 | 7 | 1 | 1 | — | — | 6 | 30 | 26 | 21 |
| | F | 18 | 7 | 1 | — | — | — | — | 2 | 4 | 4 | 76 | 6 | 2 | 1 | 1 | — | 2 | 11 | 26 | 27 |
| 19 Pneumonia (all forms) .. .. | M | 33 | 4 | 8 | — | — | — | 7 | 11 | 2 | 1 | 90 | 17 | 8 | 4 | 3 | 4 | 13 | 22 | 11 | 8 |
| | F | 18 | 6 | 5 | — | 1 | 1 | 3 | 2 | — | — | 54 | 13 | 13 | 4 | 1 | 1 | 5 | 5 | 6 | 6 |
| 20 Other respiratory diseases .. .. | M | 8 | 1 | 2 | — | — | — | 2 | 3 | — | — | 18 | 1 | 2 | — | — | 1 | — | 8 | 4 | 2 |
| | F | 6 | — | — | 1 | 1 | 1 | 1 | 1 | — | 1 | 10 | 1 | — | 1 | — | — | — | 3 | 3 | 2 |
| 21 Ulcer of stomach or duodenum .. | M | 4 | — | — | — | — | — | 1 | 2 | 1 | — | 8 | — | — | — | — | — | 2 | 3 | 2 | 1 |
| | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| 22 Diarrhœa, &c. .. | M | 11 | 8 | 3 | — | — | — | — | — | — | — | 25 | 19 | 4 | 1 | — | — | — | 1 | — | — |
| | F | 8 | 7 | — | — | 1 | — | — | — | — | — | 12 | 6 | 1 | 1 | — | — | 1 | 1 | 2 | — |
| 23 Appendicitis and typhlitis.. .. | M | 5 | — | — | — | — | 2 | 1 | 2 | — | — | 8 | — | — | — | 2 | 2 | 3 | 1 | — | — |
| | F | 2 | — | — | — | 1 | 1 | — | — | — | — | 4 | — | — | — | 1 | 1 | 1 | 1 | — | — |
| 24 Cirrhosis of liver .. | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 4 | — | — | — | — | — | — | 4 | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 25 Acute and chronic nephritis .. | M | 21 | — | — | — | 1 | 3 | 2 | 9 | 4 | 2 | 27 | — | — | 1 | 2 | — | 3 | 14 | 6 | 1 |
| | F | 14 | — | 1 | — | — | — | 3 | 6 | 2 | 2 | 20 | — | — | 1 | 1 | — | 3 | 8 | 4 | 3 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | — | 4 | — | — | — | 3 | — | — | — | — | 2 | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 8 | — | — | — | — | 2 | 5 | 1 | — | — | 11 | — | — | — | — | 2 | 9 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 33 | 32 | 1 | — | — | — | — | — | — | — | 58 | 57 | 1 | — | — | — | — | — | — | — |
| | F | 24 | 24 | — | — | — | — | — | — | — | — | 54 | 53 | — | — | 1 | — | — | — | — | — |
| 29 Suicide .. .. | M | 5 | — | — | — | — | 1 | — | 3 | 1 | — | 8 | — | — | — | — | 1 | 2 | 5 | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 30 Other deaths from violence.. .. | M | 19 | — | — | — | 1 | 5 | 6 | 4 | 2 | 1 | 51 | — | 1 | 4 | 4 | 8 | 18 | 15 | 1 | — |
| | F | 5 | — | — | — | 3 | — | — | 2 | — | — | 14 | 1 | 2 | 3 | 1 | 1 | 1 | 3 | — | 2 |
| 31 Other defined diseases .. .. | M | 91 | 11 | 1 | 2 | 4 | 5 | 13 | 23 | 8 | 24 | 157 | 34 | 4 | 4 | 6 | 4 | 20 | 35 | 20 | 30 |
| | F | 72 | 5 | 1 | — | — | 6 | 9 | 12 | 13 | 26 | 152 | 25 | 1 | 5 | 1 | 7 | 22 | 17 | 28 | 46 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — | — | — | — | 1 | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BEDFORD—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. Ages. All | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | M | 603 | 69 | 14 | 10 | 20 | 30 | 67 | 153 | 123 | 117 | 465 | 52 | 8 | 12 | 7 | 19 | 39 | 92 | 91 | 145 |
| | F | 685 | 50 | 9 | 10 | 14 | 28 | 67 | 155 | 131 | 221 | 467 | 30 | 2 | 3 | 14 | 20 | 46 | 74 | 108 | 170 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | — | — | 1 | — | — | — | — | — | — | 2 | — | 1 | 1 | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 5 Whooping cough | M | 3 | — | 2 | 1 | — | — | — | — | — | — | 4 | 4 | — | — | — | | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 5 | 3 | 2 | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 1 | — | — | 1 | — | — | — | — | — | — | 3 | — | — | 2 | 1 | — | — | — | — | — |
| | F | 3 | — | — | 2 | 1 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 7 Influenza | M | 5 | — | — | — | — | — | — | 2 | 2 | 1 | 12 | 2 | — | — | — | 1 | 2 | 1 | 3 | 3 |
| | F | 7 | — | — | — | — | 1 | 1 | 2 | 1 | 2 | 16 | — | — | — | — | — | 3 | 3 | 5 | 5 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 50 | — | — | — | 2 | 11 | 24 | 10 | 1 | 2 | 27 | — | — | — | — | 5 | 18 | 3 | 1 | — |
| | F | 44 | — | 1 | — | 1 | 17 | 14 | 8 | 1 | 2 | 34 | 1 | — | — | 2 | 8 | 16 | 5 | — | 2 |
| 11 Other tuberculous diseases | M | 12 | — | 3 | 1 | 1 | 1 | 3 | 2 | 1 | — | 10 | 1 | 2 | — | 2 | 1 | 3 | 1 | — | — |
| | F | 11 | — | — | 2 | 5 | — | — | 1 | 1 | 2 | 12 | 1 | — | — | 3 | 3 | 1 | 3 | — | 1 |
| 12 Cancer, malignant disease | M | 72 | — | — | — | 1 | — | 5 | 34 | 19 | 13 | 54 | — | — | — | — | — | 3 | 20 | 18 | 13 |
| | F | 97 | — | — | — | — | — | 11 | 39 | 24 | 23 | 67 | — | — | — | — | — | 6 | 21 | 29 | 11 |
| 13 Rheumatic fever | M | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 10 | — | — | — | 1 | 1 | 4 | 3 | 1 | — | 4 | — | — | 1 | — | — | 2 | — | 1 | — |
| | F | 9 | — | — | — | 1 | — | — | 3 | 4 | 1 | 7 | — | — | — | — | 1 | — | 1 | 4 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 38 | — | — | — | 1 | — | 2 | 7 | 18 | 10 | 38 | — | — | — | — | — | — | 9 | 11 | 18 |
| | F | 70 | — | — | — | 1 | 1 | 2 | 13 | 24 | 29 | 47 | — | — | — | — | — | — | 8 | 15 | 24 |
| 16 Heart disease | M | 80 | — | — | — | 2 | 4 | 5 | 28 | 22 | 19 | 56 | — | — | — | — | — | — | 14 | 17 | 25 |
| | F | 122 | — | — | 1 | — | 2 | 10 | 39 | 27 | 43 | 73 | — | — | — | 2 | 2 | 6 | 12 | 22 | 29 |
| 17 Arterio-sclerosis | M | 30 | — | — | — | — | — | — | 6 | 9 | 15 | 20 | — | — | — | — | — | — | 1 | 6 | 13 |
| | F | 13 | — | — | — | — | — | — | 2 | 3 | 8 | 9 | — | — | — | — | — | — | 2 | 2 | 5 |
| 18 Bronchitis | M | 35 | 6 | 1 | — | — | — | 1 | 8 | 9 | 10 | 28 | 3 | — | — | — | — | — | 4 | 5 | 16 |
| | F | 47 | 4 | 1 | — | — | — | — | 9 | 5 | 28 | 34 | 1 | — | — | — | — | — | 5 | 9 | 19 |
| 19 Pneumonia (all forms) | M | 34 | 1 | 1 | 1 | — | 4 | 9 | 12 | 4 | 2 | 18 | 3 | 4 | — | — | 2 | 1 | 3 | 4 | 1 |
| | F | 28 | 5 | 2 | 2 | 1 | — | 3 | 5 | 4 | 6 | 9 | — | — | 1 | 1 | — | — | 2 | 1 | 4 |
| 20 Other respiratory diseases | M | 7 | — | 1 | — | 1 | — | 1 | — | 4 | — | 7 | — | — | — | — | — | — | 2 | 4 | 1 |
| | F | 11 | — | — | — | — | 1 | — | 4 | 1 | 5 | 5 | — | — | — | — | — | — | — | 1 | 4 |
| 21 Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 3 | — | — | — | — | 1 | — | 2 | — | — |
| | F | 5 | — | — | — | — | — | 3 | 1 | 1 | — | 3 | — | — | — | — | — | 1 | — | 2 | — |
| 22 Diarrhœa, &c. | M | 7 | 3 | 1 | — | 1 | — | — | 1 | 1 | — | 4 | 3 | — | — | 1 | — | — | — | — | — |
| | F | 6 | 5 | — | — | — | — | — | — | — | 1 | 2 | 1 | — | — | — | — | — | — | — | 1 |
| 23 Appendicitis and typhlitis | M | 11 | — | — | 1 | 5 | 3 | — | 2 | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| | F | 4 | — | — | — | — | — | 1 | 2 | — | 1 | 3 | — | — | — | 2 | — | 1 | — | — | — |
| 24 Cirrhosis of liver | M | 6 | — | — | — | — | — | — | 6 | — | — | 3 | — | — | — | — | — | — | 1 | 2 | — |
| | F | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 25 Acute and chronic nephritis | M | 14 | — | — | — | — | — | — | 3 | 6 | 5 | 7 | — | — | 1 | — | — | — | 2 | 1 | 3 |
| | F | 23 | — | — | — | — | — | 2 | 5 | 9 | 7 | 9 | — | — | — | — | 1 | — | 3 | 2 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | — | — | — | 7 | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 44 | 44 | — | — | — | — | — | — | — | — | 24 | 24 | — | — | — | — | — | — | — | — |
| | F | 25 | 25 | — | — | — | — | — | — | — | — | 15 | 15 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 2 | — | — | — | — | 1 | — | — | 1 | — | 8 | — | — | — | — | 1 | 1 | 3 | 2 | 1 |
| | F | 3 | — | — | — | — | — | 1 | 2 | — | — | 3 | — | — | — | — | — | 1 | 1 | — | 1 |
| 30 Other deaths from violence | M | 20 | 2 | 1 | — | 1 | 3 | 3 | 7 | 1 | 2 | 19 | — | — | 6 | 1 | 3 | 3 | 5 | — | 1 |
| | F | 15 | 1 | 1 | — | 1 | — | 1 | 4 | 1 | 6 | 9 | 1 | — | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| 31 Other defined diseases | M | 116 | 13 | 4 | 4 | 4 | 1 | 9 | 20 | 24 | 37 | 104 | 12 | 1 | 1 | 1 | 3 | 4 | 18 | 14 | 50 |
| | F | 118 | 9 | 2 | 2 | 1 | 4 | 7 | 14 | 22 | 57 | 93 | 7 | — | — | 1 | 1 | 7 | 6 | 13 | 58 |
| 32 Causes ill-defined or unknown | M | 2 | — | — | — | — | — | — | 1 | — | 1 | 4 | — | — | — | — | 1 | — | 1 | 2 | — |
| | F | 4 | 1 | — | — | — | — | 1 | — | 2 | — | 3 | — | — | — | 1 | — | — | — | 2 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BERKS—1923 (Civilian population only).

| Causes of Death. | Sex | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 391 | 40 | 6 | 8 | 6 | 16 | 46 | 93 | 86 | 90 | 741 | 69 | 15 | 16 | 24 | 30 | 61 | 165 | 164 | 197 |
| | F | 408 | 23 | 8 | 13 | 10 | 11 | 43 | 87 | 86 | 127 | 686 | 43 | 14 | 11 | 16 | 30 | 59 | 161 | 138 | 214 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 3 | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 2 | — | — | 1 | — | — | 1 | — | — | — |
| 4 Scarlet fever | M | 2 | — | 1 | — | — | — | — | 1 | — | — | 3 | — | 1 | 2 | — | — | — | — | — | — |
| | F | 2 | — | — | 2 | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 5 Whooping cough | M | — | — | — | — | — | — | — | — | — | — | 9 | 4 | 1 | 1 | 3 | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 8 | 2 | 6 | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 5 | — | — | 4 | — | — | — | 1 | — | — | 10 | — | 1 | 2 | 7 | — | — | — | — | — |
| | F | 5 | — | — | 2 | 2 | — | 1 | — | — | — | 9 | 1 | 1 | — | 7 | — | — | — | — | — |
| 7 Influenza | M | 10 | — | — | — | — | — | 5 | 3 | 1 | 1 | 12 | 1 | — | 1 | — | — | 1 | 7 | 1 | 1 |
| | F | 5 | — | 1 | 1 | — | — | — | 1 | 2 | — | 9 | — | — | — | 1 | — | 1 | 4 | 2 | 1 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 31 | — | — | — | — | 7 | 20 | 3 | 1 | — | 44 | 1 | 1 | — | 1 | 10 | 20 | 10 | 1 | — |
| | F | 22 | — | — | — | 1 | 3 | 12 | 4 | 2 | — | 45 | 1 | — | — | — | 15 | 19 | 9 | — | 1 |
| 11 Other tuberculous diseases | M | 3 | 1 | — | 1 | — | — | 1 | — | — | — | 12 | 2 | 2 | — | 3 | — | 3 | 2 | — | — |
| | F | 13 | 1 | 2 | 2 | 3 | 1 | 1 | 1 | 1 | 1 | 7 | 1 | — | 1 | — | — | 2 | 2 | — | 1 |
| 12 Cancer, malignant disease | M | 42 | — | — | — | — | — | 2 | 18 | 16 | 6 | 90 | — | — | 1 | — | — | 2 | 31 | 40 | 16 |
| | F | 65 | — | — | 1 | — | — | 2 | 23 | 22 | 17 | 106 | — | — | 1 | — | — | 8 | 50 | 28 | 19 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 14 Diabetes | M | 4 | — | — | — | — | — | — | 2 | 1 | 1 | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | 5 | — | — | — | — | — | 2 | 1 | 1 | 1 | 8 | — | — | — | — | 1 | — | 4 | 1 | 2 |
| 15 Cerebral hæmorrhage, &c. | M | 27 | — | — | — | — | — | — | 6 | 11 | 10 | 44 | — | — | — | 1 | — | 1 | 7 | 10 | 25 |
| | F | 39 | — | — | — | — | — | — | 6 | 13 | 20 | 55 | — | — | — | — | — | — | 9 | 21 | 25 |
| 16 Heart disease | M | 50 | — | — | — | — | 1 | 4 | 18 | 12 | 15 | 115 | — | — | — | — | 3 | 12 | 25 | 35 | 40 |
| | F | 61 | — | — | — | 1 | 2 | 5 | 25 | 15 | 13 | 97 | — | — | — | — | 3 | 7 | 19 | 27 | 41 |
| 17 Arterio-sclerosis | M | 25 | — | — | — | — | — | — | 4 | 11 | 10 | 34 | — | — | — | — | — | — | 8 | 12 | 14 |
| | F | 22 | — | — | — | — | — | — | 1 | 5 | 16 | 29 | — | — | — | — | — | — | 4 | 6 | 19 |
| 18 Bronchitis | M | 17 | — | — | — | — | — | — | 1 | 8 | 8 | 42 | 3 | — | 1 | — | 2 | 1 | 2 | 9 | 24 |
| | F | 14 | — | — | — | — | — | — | 1 | 3 | 10 | 54 | 3 | 2 | 2 | — | — | — | 4 | 13 | 30 |
| 19 Pneumonia (all forms) | M | 19 | 4 | 1 | 1 | 1 | 1 | 2 | 4 | — | 5 | 30 | 2 | 2 | — | — | 3 | 4 | 11 | 4 | 4 |
| | F | 22 | 5 | 1 | 1 | 1 | — | 1 | 5 | 2 | 6 | 29 | 4 | — | 3 | — | 4 | 3 | 5 | 5 | 5 |
| 20 Other respiratory diseases | M | 10 | 2 | — | — | — | — | 1 | 2 | 3 | 2 | 7 | — | 1 | — | — | — | — | 3 | 2 | 1 |
| | F | 5 | — | — | — | — | — | — | 1 | 2 | 2 | 9 | — | — | — | 1 | — | 1 | 4 | 1 | 2 |
| 21 Ulcer of stomach or duodenum | M | 5 | — | — | — | — | 1 | 1 | 1 | 2 | — | 5 | — | — | — | — | — | 1 | 2 | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | — | 2 | 2 | — |
| 22 Diarrhœa, &c. | M | 5 | 4 | 1 | — | — | — | — | — | — | — | 8 | 4 | — | 2 | — | — | — | 1 | — | 1 |
| | F | 3 | 2 | 1 | — | — | — | — | — | — | — | 6 | 1 | 2 | 1 | — | — | — | 1 | — | 1 |
| 23 Appendicitis and typhlitis | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 9 | — | — | — | 1 | 1 | 3 | 3 | 1 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 8 | — | — | — | 1 | 2 | 2 | 2 | 1 | — |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | — | — | 1 | 1 | 3 | — | — | — | — | — | — | 2 | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 6 | — | — | — | — | — | 2 | 2 | 2 | — |
| 25 Acute and chronic nephritis | M | 8 | — | — | — | — | 1 | — | 2 | 3 | 2 | 20 | — | 1 | — | — | — | 3 | 6 | 5 | 5 |
| | F | 12 | — | — | — | — | — | — | 3 | 2 | 7 | 17 | — | — | — | — | — | 1 | 10 | 3 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 22 | 21 | 1 | — | — | — | — | — | — | — | 30 | 29 | 1 | — | — | — | — | — | — | — |
| | F | 11 | 9 | — | 1 | — | — | — | 1 | — | — | 24 | 23 | — | 1 | — | — | — | — | — | — |
| 29 Suicide | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 15 | — | — | — | — | 2 | — | 11 | 1 | 1 |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 30 Other deaths from violence | M | 17 | 1 | — | 1 | 3 | 4 | — | 4 | 1 | 3 | 36 | 4 | 2 | — | 6 | 3 | 7 | 6 | 6 | 2 |
| | F | 4 | — | 1 | — | — | 1 | 1 | 1 | — | — | 13 | 1 | — | — | 1 | — | 2 | 4 | 3 | 2 |
| 31 Other defined diseases | D | 77 | 7 | — | — | 2 | — | 9 | 18 | 15 | 26 | 149 | 18 | 1 | 6 | 2 | 6 | 2 | 20 | 32 | 62 |
| | F | 79 | 5 | 1 | 1 | 1 | 1 | 12 | 11 | 13 | 34 | 127 | 5 | 3 | 1 | 4 | 4 | 5 | 23 | 20 | 62 |
| 32 Causes ill-defined or unknown | M | 2 | — | — | — | — | — | — | 2 | — | — | 6 | — | 1 | — | — | — | — | 2 | 2 | 1 |
| | F | 6 | — | — | 1 | — | 1 | — | 2 | 2 | — | 6 | — | — | — | — | — | 2 | 2 | 2 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BUCKINGHAM—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | —0 | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | M | 507 | 38 | 9 | 8 | 9 | 18 | 53 | 126 | 118 | 128 | 745 | 46 | 11 | 11 | 20 | 33 | 69 | 194 | 150 | 211 |
| | F | 525 | 40 | 6 | 15 | 15 | 8 | 44 | 118 | 116 | 163 | 759 | 50 | 7 | 6 | 12 | 19 | 63 | 183 | 161 | 258 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 4 | — | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | 1 | — | 2 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| | F | 2 | — | — | 2 | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 3 | 1 | — | 2 | — | — | — | — | — | — | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| | F | 5 | 4 | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | 1 | 3 | — | — | — | — | — |
| | F | 5 | — | — | 2 | 3 | — | — | — | — | — | 3 | — | — | — | 2 | 1 | — | — | — | — |
| 7 Influenza | M | 8 | — | — | — | — | — | 1 | 5 | — | 2 | 11 | — | — | — | — | 1 | — | 3 | 3 | 4 |
| | F | 11 | — | — | 1 | — | — | 2 | 2 | 1 | 5 | 15 | — | — | 1 | 2 | — | 1 | 4 | 2 | 5 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 34 | — | — | — | 1 | 7 | 14 | 12 | — | — | 49 | — | — | — | 1 | 8 | 25 | 14 | 1 | — |
| | F | 26 | — | — | — | 1 | 3 | 16 | 5 | 1 | — | 31 | — | — | — | 1 | 8 | 18 | 3 | 1 | — |
| 11 Other tuberculous diseases | M | 9 | 1 | 3 | — | — | 3 | 2 | — | — | — | 13 | — | 3 | 3 | 2 | — | 3 | 2 | — | — |
| | F | 13 | 1 | 3 | 1 | 4 | — | — | 3 | — | 1 | 10 | — | — | 1 | 1 | 2 | 3 | 2 | 1 | — |
| 12 Cancer, malignant disease | M | 55 | — | — | — | — | — | 7 | 17 | 21 | 10 | 92 | — | — | — | — | — | 2 | 40 | 37 | 13 |
| | F | 70 | — | — | — | — | — | 3 | 28 | 28 | 11 | 111 | — | — | 1 | — | 1 | 8 | 47 | 34 | 20 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | 1 | — | 2 | — | — | — |
| 14 Diabetes | M | 4 | — | — | — | — | — | — | 1 | 3 | — | 7 | — | — | — | 2 | — | 1 | 2 | — | 2 |
| | F | 5 | — | — | — | — | 1 | 1 | 1 | 1 | 1 | 10 | — | — | — | — | — | — | 5 | 4 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 30 | — | — | — | — | — | 2 | 8 | 8 | 12 | 51 | — | — | — | — | 1 | — | 11 | 13 | 26 |
| | F | 36 | — | — | — | — | — | 2 | 6 | 14 | 14 | 63 | — | — | — | — | — | 1 | 9 | 21 | 32 |
| 16 Heart disease | M | 65 | — | — | — | 1 | 1 | 7 | 14 | 22 | 20 | 99 | — | — | — | — | 4 | 4 | 30 | 28 | 33 |
| | F | 74 | — | — | — | 2 | 1 | 6 | 21 | 22 | 22 | 125 | — | — | — | — | 1 | 5 | 39 | 35 | 45 |
| 17 Arterio-sclerosis | M | 28 | — | — | — | — | — | 1 | 2 | 12 | 13 | 30 | — | — | — | — | — | — | 7 | 11 | 12 |
| | F | 21 | — | — | — | — | — | — | 1 | 8 | 12 | 20 | — | — | — | — | — | — | 5 | 4 | 11 |
| 18 Bronchitis | M | 37 | 3 | — | — | — | — | 2 | 7 | 9 | 16 | 60 | 3 | 1 | — | — | 1 | — | 6 | 16 | 33 |
| | F | 37 | 2 | — | 1 | — | — | — | 4 | 8 | 22 | 53 | 2 | 1 | — | — | — | — | 2 | 14 | 34 |
| 19 Pneumonia (all forms) | M | 27 | 5 | — | 1 | — | — | 4 | 6 | 9 | 2 | 34 | 3 | 1 | 3 | 1 | 2 | 5 | 11 | 1 | 7 |
| | F | 24 | 3 | 3 | 3 | 1 | 1 | 1 | 4 | 5 | 3 | 28 | 3 | 1 | — | 1 | — | 2 | 9 | 7 | 5 |
| 20 Other respiratory diseases | M | 9 | — | — | — | 1 | — | 1 | 5 | 2 | — | 11 | — | 1 | — | — | 1 | 2 | 3 | 3 | 1 |
| | F | 8 | 1 | — | — | — | — | — | 3 | — | 4 | 6 | 1 | — | — | 1 | — | 1 | — | 3 | — |
| 21 Ulcer of stomach or duodenum | M | 12 | — | — | — | — | — | 1 | 7 | 4 | — | 8 | — | — | — | — | — | 1 | 2 | 3 | 2 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 5 | — | — | — | — | — | 1 | 3 | — | 1 |
| 22 Diarrhœa, &c. | M | — | — | — | — | — | — | — | — | — | — | 4 | 3 | — | — | — | — | — | 1 | — | — |
| | F | 8 | 4 | — | — | 2 | — | 1 | 1 | — | — | 7 | — | 1 | — | — | — | — | 2 | 3 | 1 |
| 23 Appendicitis and typhlitis | M | 8 | — | — | 1 | 2 | 1 | — | 3 | 1 | — | 7 | — | — | — | 1 | 2 | 1 | 3 | — | — |
| | F | 3 | — | — | — | — | — | 1 | 2 | — | — | 5 | — | — | — | — | 1 | 3 | 1 | — | — |
| 24 Cirrhosis of liver | M | 6 | — | — | — | — | — | — | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis | M | 14 | — | — | — | — | 1 | 1 | 6 | 6 | — | 29 | — | — | — | 1 | 1 | 3 | 10 | 9 | 5 |
| | F | 18 | — | — | — | — | — | 2 | 8 | 5 | 3 | 20 | — | — | — | — | — | 3 | 8 | 6 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 21 | 21 | — | — | — | — | — | — | — | — | 26 | 25 | — | — | 1 | — | — | — | — | — |
| | F | 17 | 16 | — | — | 1 | — | — | — | — | — | 37 | 36 | — | — | 1 | — | — | — | — | — |
| 29 Suicide | M | 8 | — | — | — | — | 1 | 3 | 4 | — | — | 10 | — | — | — | — | 1 | 3 | 5 | — | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | 1 | — | 1 | — | 1 |
| 30 Other deaths from violence | M | 18 | 1 | 1 | — | 3 | — | 3 | 6 | 3 | 1 | 27 | — | 1 | 1 | 1 | 4 | 8 | 8 | 2 | 2 |
| | F | 6 | — | — | — | — | — | — | 1 | 2 | 3 | 11 | 1 | — | 1 | — | 1 | 3 | 3 | 1 | 1 |
| 31 Other defined diseases | M | 100 | 6 | 4 | 1 | — | 4 | 4 | 13 | 16 | 52 | 161 | 10 | 1 | 1 | 7 | 6 | 11 | 33 | 22 | 70 |
| | F | 119 | 8 | — | 2 | 1 | 1 | 4 | 21 | 20 | 62 | 171 | 6 | 4 | 1 | 1 | 2 | 6 | 35 | 19 | 97 |
| 32 Causes ill-defined or unknown | M | 6 | — | — | — | — | — | — | 6 | — | — | 4 | — | 1 | — | — | — | — | 2 | 1 | — |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | 11 | — | — | — | — | — | — | 4 | 6 | 1 |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CAMBRIDGE—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 290 | 19 | 4 | 7 | 9 | 13 | 31 | 72 | 68 | 67 | 404 | 32 | 6 | 3 | 4 | 9 | 29 | 87 | 86 | 148 |
| | F | 337 | 22 | 3 | 3 | 10 | 9 | 23 | 83 | 75 | 109 | 458 | 37 | 5 | 3 | 5 | 9 | 43 | 77 | 83 | 196 |
| 1 Enteric fever | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | — | — | — | — | — | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 1 | 1 | — | — | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | 2 | 1 | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 5 | — | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | — | 1 | 1 | 4 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 7 Influenza | M | 5 | — | — | — | — | — | 1 | 2 | — | 2 | 7 | — | — | — | — | 2 | 2 | 1 | 2 | — |
| | F | 6 | — | — | — | — | — | 1 | — | 1 | 4 | 5 | — | — | — | — | 1 | — | 1 | — | 3 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 26 | — | — | — | — | 5 | 13 | 8 | — | — | 20 | — | — | — | — | — | 11 | 6 | 2 | 1 |
| | F | 21 | — | — | — | 2 | 3 | 8 | 5 | 2 | 1 | 22 | 1 | — | — | 1 | 5 | 9 | 3 | 3 | — |
| 11 Other tuberculous diseases | M | 3 | 1 | — | — | 2 | — | — | — | — | — | 7 | 1 | — | 2 | 1 | 2 | 1 | — | — | — |
| | F | 5 | 1 | — | 1 | 1 | — | — | 1 | 1 | — | 7 | — | 1 | — | 1 | — | 1 | 2 | 2 | — |
| 12 Cancer, malignant disease | M | 46 | — | — | — | — | — | 4 | 17 | 18 | 7 | 53 | — | — | — | — | — | 3 | 20 | 18 | 12 |
| | F | 52 | — | — | — | — | — | 3 | 25 | 14 | 10 | 56 | — | — | — | — | — | 3 | 24 | 14 | 15 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 14 Diabetes | M | 2 | — | — | — | — | — | 1 | — | 1 | — | 5 | — | — | — | — | 1 | — | 1 | 2 | 1 |
| | F | 7 | — | — | — | — | 1 | — | — | 4 | 2 | 6 | — | — | — | — | — | 1 | 3 | 2 | — |
| 15 Cerebral hæmorrhage, &c. | M | 16 | — | — | — | — | — | — | 3 | 8 | 5 | 52 | — | — | — | — | — | — | 11 | 17 | 24 |
| | F | 24 | — | — | — | — | — | — | 6 | 5 | 13 | 36 | — | — | — | — | — | 1 | 3 | 6 | 26 |
| 16 Heart disease | M | 23 | — | — | — | — | — | — | 9 | 7 | 7 | 46 | — | — | — | — | — | 2 | 13 | 12 | 19 |
| | F | 50 | — | — | — | 1 | — | 2 | 13 | 20 | 14 | 72 | — | — | — | — | — | 7 | 10 | 23 | 32 |
| 17 Arterio-sclerosis | M | 6 | — | — | — | — | — | — | 1 | 3 | 2 | 27 | — | — | — | — | — | — | 3 | 3 | 21 |
| | F | 8 | — | — | — | — | — | — | 1 | 2 | 5 | 18 | — | — | — | — | — | — | 2 | 5 | 11 |
| 18 Bronchitis | M | 19 | — | 1 | 1 | — | — | 1 | 2 | 5 | 9 | 23 | 1 | — | — | — | — | — | 1 | 7 | 14 |
| | F | 25 | 1 | — | — | — | — | — | 4 | 5 | 15 | 44 | 5 | 1 | — | — | — | 1 | 4 | 9 | 24 |
| 19 Pneumonia (all forms) | M | 12 | — | 2 | 1 | — | — | 3 | 3 | 2 | 1 | 11 | 2 | — | — | — | 1 | 1 | 2 | 1 | 4 |
| | F | 16 | 3 | 1 | — | 2 | 1 | 1 | 4 | 1 | 3 | 13 | — | — | 1 | 1 | — | 3 | — | 2 | 6 |
| 20 Other respiratory diseases | M | 3 | — | — | — | — | — | — | 1 | 2 | — | 7 | — | — | — | — | — | 1 | 3 | — | 3 |
| | F | 6 | 1 | — | 1 | — | — | — | 3 | — | 1 | 3 | — | — | — | — | — | — | 2 | — | 1 |
| 21 Ulcer of stomach or duodenum | M | 4 | — | — | — | — | — | 1 | 2 | 1 | — | 7 | — | — | — | — | — | 1 | 4 | 1 | 1 |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 Diarrhœa, &c. | M | 3 | 2 | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | 1 | — | 1 |
| | F | 3 | 1 | — | — | — | — | — | 1 | — | 1 | 6 | 3 | — | — | — | — | — | 1 | — | 2 |
| 23 Appendicitis and typhlitis | M | 5 | — | — | — | 1 | 1 | 1 | 1 | 1 | — | 2 | — | — | — | 1 | — | — | — | — | 1 |
| | F | 2 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 24 Cirrhosis of liver | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | — | 1 | 2 | 1 |
| 25 Acute and chronic nephritis | M | 11 | — | — | — | — | — | — | 6 | 3 | 2 | 8 | — | — | — | — | — | 1 | — | 3 | 4 |
| | F | 6 | — | — | — | — | — | — | 4 | 1 | 1 | 12 | — | — | — | 1 | — | 3 | 3 | 2 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 6 | — | — | — | — | — | 6 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 12 | 9 | — | 1 | — | 2 | — | — | — | — | 21 | 21 | — | — | — | — | — | — | — | — |
| | F | 12 | 12 | — | — | — | — | — | — | — | — | 15 | 15 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 4 | — | — | — | — | — | — | 3 | 1 | — | 9 | — | — | — | — | — | 1 | 5 | 3 | — |
| | F | 5 | — | — | — | — | — | 1 | 2 | 2 | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 30 Other deaths from violence | M | 14 | 1 | 1 | — | 2 | 3 | 2 | 3 | 2 | — | 12 | 2 | 2 | 1 | — | 1 | 1 | 5 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 9 | — | — | 2 | — | — | — | 2 | — | 5 |
| 31 Other defined diseases | M | 66 | 5 | — | 1 | 1 | 1 | 4 | 9 | 14 | 31 | 80 | 4 | 2 | — | 1 | 2 | 4 | 10 | 15 | 42 |
| | F | 79 | 3 | 1 | — | — | 3 | 5 | 12 | 17 | 38 | 106 | 11 | — | — | — | 1 | 5 | 11 | 11 | 67 |
| 32 Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 7 | — | 1 | — | 1 | — | 1 | 2 | 2 | — |

# TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CHESTER—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 2597 | 317 | 71 | 61 | 72 | 87 | 341 | 747 | 532 | 369 | 1012 | 116 | 18 | 23 | 35 | 34 | 96 | 259 | 223 | 208 |
| | F | 2553 | 210 | 57 | 67 | 64 | 85 | 276 | 661 | 537 | 596 | 939 | 78 | 11 | 16 | 17 | 29 | 101 | 221 | 208 | 258 |
| 1 Enteric fever | M | 8 | — | — | — | 2 | 1 | 4 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 2 | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 10 | 2 | 6 | 2 | — | — | — | — | — | — | 4 | 2 | 1 | — | 1 | — | — | — | — | — |
| | F | 19 | 3 | 7 | 7 | 2 | — | — | — | — | — | 3 | — | 1 | 2 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 5 | — | — | 3 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | 2 | — | — | 1 | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 5 Whooping cough | M | 16 | 9 | 4 | 3 | — | — | — | — | — | — | 12 | 7 | 3 | 2 | — | — | — | — | — | — |
| | F | 18 | 7 | 5 | 5 | — | — | — | — | — | 1 | 14 | 8 | 3 | 1 | 1 | — | — | — | 1 | — |
| 6 Diphtheria | M | 8 | — | 1 | 2 | 5 | — | — | — | — | — | 5 | — | 1 | 3 | 1 | — | — | — | — | — |
| | F | 7 | — | — | 4 | 2 | — | — | — | 1 | — | 4 | — | — | 1 | 2 | 1 | — | — | — | — |
| 7 Influenza | M | 85 | 3 | 2 | 4 | 1 | 5 | 20 | 26 | 17 | 7 | 32 | 2 | — | — | 7 | 1 | 7 | 6 | 6 | 3 |
| | F | 63 | — | — | 4 | 3 | 2 | 9 | 26 | 16 | 3 | 19 | — | — | — | — | — | — | 7 | 7 | 5 |
| 8 Encephalitis lethargica | M | 5 | — | 1 | — | 2 | 1 | — | 1 | — | — | 2 | — | — | 1 | — | — | — | 1 | — | — |
| | F | 3 | — | 1 | — | — | — | — | 2 | — | — | 4 | — | — | — | — | — | 2 | 1 | — | 1 |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 152 | — | — | 1 | 1 | 20 | 76 | 48 | 6 | — | 38 | — | — | 1 | — | 11 | 15 | 10 | 1 | — |
| | F | 118 | — | — | — | 4 | 27 | 49 | 32 | 4 | 2 | 36 | — | — | — | 1 | 9 | 17 | 9 | — | — |
| 11 Other tuberculous diseases | M | 58 | 7 | 7 | 11 | 13 | 5 | 10 | 2 | 3 | — | 17 | 4 | 3 | 1 | 2 | 3 | 1 | 2 | 1 | — |
| | F | 54 | 4 | 7 | 11 | 9 | 12 | 7 | 2 | 2 | — | 15 | — | — | 3 | 3 | 1 | 4 | 4 | — | — |
| 12 Cancer, malignant disease | M | 245 | — | — | 1 | 3 | 1 | 18 | 112 | 84 | 26 | 108 | — | — | — | — | 1 | 4 | 52 | 34 | 17 |
| | F | 312 | — | — | — | — | 3 | 35 | 146 | 83 | 45 | 125 | — | — | — | — | — | 9 | 60 | 37 | 19 |
| 13 Rheumatic fever | M | 15 | — | — | 1 | 5 | 3 | 3 | 2 | 1 | — | 5 | — | — | 1 | 1 | 1 | — | 2 | — | — |
| | F | 9 | — | — | 1 | 1 | 1 | 3 | 1 | 2 | — | 4 | — | — | — | 1 | 3 | — | — | — | — |
| 14 Diabetes | M | 25 | — | — | — | — | 2 | 6 | 10 | 3 | 4 | 15 | — | — | — | 2 | 1 | 1 | 3 | 6 | 2 |
| | F | 35 | — | — | — | — | 3 | 2 | 16 | 8 | 6 | 12 | — | — | — | 2 | 1 | 3 | 2 | 3 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 143 | — | — | — | — | 2 | 6 | 47 | 62 | 26 | 61 | — | — | — | — | — | 1 | 19 | 25 | 16 |
| | F | 182 | — | — | — | — | — | 3 | 63 | 53 | 63 | 78 | — | — | — | — | 1 | — | 18 | 28 | 31 |
| 16 Heart disease | M | 305 | — | 1 | 1 | 1 | 7 | 36 | 120 | 93 | 46 | 133 | — | — | 1 | 1 | 5 | 11 | 33 | 45 | 37 |
| | F | 374 | — | — | — | 8 | 10 | 33 | 111 | 106 | 106 | 141 | — | — | — | — | 1 | 7 | 40 | 50 | 43 |
| 17 Arterio-sclerosis | M | 111 | — | — | — | — | — | 1 | 29 | 37 | 44 | 50 | — | — | — | — | — | — | 6 | 28 | 16 |
| | F | 94 | — | — | — | — | — | — | 18 | 34 | 42 | 30 | — | — | — | — | — | 1 | 1 | 15 | 13 |
| 18 Bronchitis | M | 206 | 25 | 5 | 1 | — | 1 | 11 | 45 | 69 | 49 | 62 | 8 | — | 2 | 1 | — | 3 | 11 | 14 | 23 |
| | F | 239 | 25 | 5 | 1 | 1 | 2 | 5 | 38 | 62 | 100 | 56 | 3 | 1 | 1 | — | — | 4 | 5 | 14 | 28 |
| 19 Pneumonia (all forms) | M | 251 | 40 | 18 | 18 | 7 | 8 | 37 | 79 | 30 | 14 | 83 | 12 | 2 | 1 | 1 | — | 18 | 28 | 16 | 5 |
| | F | 161 | 22 | 19 | 16 | 7 | 5 | 18 | 29 | 27 | 18 | 53 | 11 | 1 | 5 | 1 | 1 | 7 | 10 | 5 | 12 |
| 20 Other respiratory diseases | M | 35 | 2 | 3 | 2 | 1 | — | 8 | 11 | 3 | 5 | 13 | — | — | — | 1 | — | 2 | 3 | 3 | 4 |
| | F | 27 | — | — | 2 | — | 1 | 2 | 10 | 7 | 5 | 7 | — | — | — | — | — | — | 2 | 2 | 3 |
| 21 Ulcer of stomach or duodenum | M | 23 | — | — | — | — | 1 | 9 | 9 | 2 | 2 | 14 | — | — | — | — | — | 3 | 8 | 3 | — |
| | F | 6 | — | — | — | 1 | — | 3 | 2 | — | — | 3 | — | — | — | — | — | — | 3 | — | — |
| 22 Diarrhœa, &c. | M | 44 | 29 | 4 | 1 | — | 1 | 1 | 5 | — | 3 | 8 | 2 | 2 | — | 1 | — | 1 | 1 | 1 | — |
| | F | 35 | 16 | 2 | 1 | 1 | — | 3 | 2 | 8 | 2 | 12 | 4 | 2 | — | — | — | 2 | — | 1 | 3 |
| 23 Appendicitis and typhlitis | M | 21 | — | — | 1 | 6 | 3 | 5 | 5 | 1 | — | 5 | — | — | — | 2 | 1 | 1 | 1 | — | — |
| | F | 9 | — | — | 1 | 3 | 2 | 1 | 2 | — | — | 6 | — | — | — | — | 2 | — | 2 | 2 | — |
| 24 Cirrhosis of liver | M | 15 | — | — | — | — | — | 2 | 9 | 2 | 2 | 3 | — | — | — | — | — | — | 3 | — | — |
| | F | 6 | — | — | — | — | — | 3 | 3 | — | — | 3 | — | — | — | — | — | — | 3 | — | — |
| 25 Acute and chronic nephritis | M | 76 | — | — | — | 1 | 6 | 7 | 33 | 14 | 15 | 22 | — | — | — | — | — | 2 | 7 | 7 | 6 |
| | F | 86 | — | 1 | — | 1 | 1 | 15 | 38 | 24 | 6 | 27 | — | — | — | 1 | 2 | 3 | 8 | 8 | 5 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 12 | — | — | — | — | 1 | 11 | — | — | — | 3 | — | — | — | — | 2 | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 25 | — | — | — | — | 3 | 20 | 2 | — | — | 10 | — | — | — | — | — | 10 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 138 | 136 | — | 1 | 1 | — | — | — | — | — | 53 | 53 | — | — | — | — | — | — | — | — |
| | F | 110 | 105 | 1 | — | 2 | 1 | — | — | 1 | — | 37 | 35 | — | — | 1 | — | 1 | — | — | — |
| 29 Suicide | M | 41 | — | — | — | — | — | 9 | 24 | 7 | 1 | 14 | — | — | — | — | 1 | 4 | 6 | 3 | — |
| | F | 10 | — | — | — | — | — | 4 | 5 | 1 | — | 10 | — | — | — | — | — | 4 | 5 | 1 | — |
| 30 Other deaths from violence | M | 94 | 5 | 1 | 5 | 13 | 7 | 26 | 24 | 9 | 4 | 52 | 2 | 2 | 5 | 7 | 4 | 10 | 16 | 2 | 4 |
| | F | 46 | 2 | 1 | 3 | 4 | 1 | 5 | 14 | 3 | 13 | 21 | 2 | 1 | — | 1 | — | 4 | 2 | 7 | 4 |
| 31 Other defined diseases | M | 461 | 59 | 18 | 3 | 9 | 13 | 46 | 104 | 88 | 121 | 195 | 24 | 4 | 4 | 7 | 5 | 10 | 39 | 28 | 74 |
| | F | 484 | 26 | 7 | 9 | 14 | 8 | 44 | 97 | 95 | 184 | 198 | 15 | 2 | 2 | 3 | 4 | 19 | 38 | 26 | 89 |
| 32 Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | — | 1 | — | 5 | — | — | 1 | — | — | 1 | 2 | — | 1 |
| | F | 3 | — | 1 | — | — | — | — | 2 | — | — | 5 | — | — | — | — | — | 2 | 1 | 1 | 1 |

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of CORNWALL—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 895 | 70 | 14 | 14 | 21 | 38 | 84 | 259 | 164 | 231 | 1122 | 115 | 13 | 10 | 20 | 37 | 115 | 247 | 261 | 304 |
| | F | 1049 | 52 | 18 | 12 | 16 | 35 | 95 | 216 | 225 | 380 | 1167 | 65 | 13 | 10 | 17 | 41 | 107 | 240 | 257 | 417 |
| 1 Enteric fever | M | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | 1 | — | 1 | 1 | — |
| | F | 2 | — | — | — | — | 1 | — | — | — | 1 | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 9 | 3 | 3 | 3 | — | — | — | — | — | — | 3 | 1 | 1 | — | 1 | — | — | — | — | — |
| | F | 12 | 1 | 7 | 4 | — | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 5 | 2 | 2 | 1 | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| | F | 3 | 2 | — | 1 | — | — | — | — | — | — | 6 | 5 | 1 | — | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 7 Influenza | M | 9 | — | 1 | — | — | — | 2 | 5 | 1 | — | 28 | — | 2 | — | — | — | 2 | 9 | 4 | 11 |
| | F | 13 | 1 | — | — | — | — | 2 | 3 | 4 | 3 | 24 | 3 | — | 1 | — | 1 | 4 | 4 | 6 | 5 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 8 | — | — | 1 | — | 1 | 1 | 4 | — | |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 9 Meningococcal meningitis | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 100 | — | 1 | — | 1 | 21 | 35 | 38 | 4 | — | 75 | — | — | 1 | — | 12 | 37 | 21 | 3 | 1 |
| | F | 57 | — | — | — | 1 | 15 | 26 | 11 | 4 | — | 62 | — | — | — | 1 | 17 | 30 | 11 | 3 | — |
| 11 Other tuberculous diseases | M | 14 | 2 | — | 2 | 3 | 1 | 2 | 3 | 1 | — | 19 | 1 | 1 | 1 | 3 | 4 | 7 | 2 | — | — |
| | F | 13 | 2 | 1 | — | 1 | 4 | 1 | 3 | — | 1 | 23 | — | 1 | 2 | 4 | 4 | 4 | 6 | 2 | — |
| 12 Cancer, malignant disease | M | 82 | — | — | — | — | — | 2 | 38 | 28 | 14 | 111 | — | — | — | — | — | 9 | 33 | 44 | 25 |
| | F | 157 | — | — | — | 1 | — | 13 | 59 | 42 | 42 | 161 | — | — | — | — | 1 | 11 | 76 | 38 | 35 |
| 13 Rheumatic fever | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 14 Diabetes | M | 8 | — | — | — | — | — | — | 2 | 4 | 2 | 17 | — | — | — | — | — | 1 | 6 | 9 | 1 |
| | F | 12 | — | — | — | 2 | — | 1 | 6 | 2 | 1 | 16 | — | — | — | 1 | — | — | 5 | 9 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 67 | — | — | — | — | 1 | 2 | 19 | 21 | 24 | 84 | — | — | — | — | — | — | 14 | 28 | 42 |
| | F | 110 | — | — | — | — | 2 | 3 | 25 | 35 | 45 | 102 | — | — | — | — | 1 | 1 | 26 | 31 | 43 |
| 16 Heart disease | M | 134 | — | — | — | 1 | 2 | 6 | 38 | 36 | 51 | 148 | — | — | 1 | — | — | 5 | 37 | 55 | 50 |
| | F | 173 | — | — | — | 2 | 2 | 10 | 45 | 51 | 63 | 165 | — | — | — | 1 | 2 | 9 | 25 | 64 | 64 |
| 17 Arterio-sclerosis | M | 29 | — | — | — | — | — | — | 9 | 8 | 12 | 36 | — | — | — | — | — | 1 | 4 | 13 | 18 |
| | F | 30 | — | — | — | — | — | — | 4 | 8 | 18 | 32 | — | — | — | — | — | — | 3 | 8 | 21 |
| 18 Bronchitis | M | 45 | 3 | — | — | — | — | — | 15 | 10 | 17 | 60 | 4 | 2 | — | 2 | — | — | 12 | 17 | 23 |
| | F | 59 | — | — | — | — | — | — | 7 | 17 | 35 | 69 | 3 | 1 | 2 | 1 | — | 1 | 5 | 14 | 42 |
| 19 Pneumonia (all forms) | M | 36 | 8 | 2 | 3 | — | 2 | 5 | 10 | 2 | 4 | 33 | 7 | 2 | 1 | — | — | 5 | 9 | 4 | 5 |
| | F | 27 | 5 | 3 | 2 | 1 | — | 2 | 5 | 1 | 8 | 44 | 9 | 2 | 2 | 2 | 1 | 7 | 3 | 10 | 8 |
| 20 Other respiratory diseases | M | 25 | — | — | — | — | — | 2 | 12 | 7 | 4 | 40 | 1 | — | — | — | 1 | 7 | 19 | 10 | 2 |
| | F | 10 | — | 1 | — | — | — | — | 4 | 1 | 4 | 20 | — | — | — | — | — | 2 | 4 | 7 | 7 |
| 21 Ulcer of stomach or duodenum | M | 11 | — | — | — | — | 1 | 3 | 4 | 3 | — | 10 | — | — | — | — | — | 3 | 2 | 4 | 1 |
| | F | 2 | — | — | — | — | — | — | — | 2 | — | 3 | — | — | — | — | — | — | — | — | 3 |
| 22 Diarrhœa, &c. | M | 8 | 4 | 2 | 1 | — | — | — | — | — | 1 | 8 | 5 | — | 1 | — | — | — | — | 1 | 1 |
| | F | 16 | 6 | 2 | — | — | — | — | 4 | 2 | 2 | 13 | 2 | 2 | 1 | — | — | 1 | 1 | 3 | 3 |
| 23 Appendicitis and typhlitis | M | 10 | — | — | — | 3 | — | 3 | 2 | 2 | — | 7 | — | — | — | 2 | 1 | 2 | 2 | — | — |
| | F | 7 | — | 1 | — | — | 2 | 2 | 2 | — | — | 8 | — | — | — | 2 | 2 | 2 | — | 2 | — |
| 24 Cirrhosis of liver | M | 5 | — | — | — | — | 1 | 1 | 2 | — | 1 | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| 25 Acute and chronic nephritis | M | 25 | — | — | — | 1 | 1 | 1 | 13 | 7 | 2 | 36 | — | 1 | — | 3 | 1 | 1 | 17 | 6 | 7 |
| | F | 29 | — | — | — | — | — | 6 | 6 | 14 | 3 | 18 | 1 | — | — | — | — | 1 | 6 | 6 | 4 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 4 | — | — | — | — | 2 | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | — | — | 2 | 5 | — | — | — | 13 | — | — | — | — | 1 | 11 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth | M | 35 | 34 | 1 | — | — | — | — | — | — | — | 75 | 75 | — | — | — | — | — | — | — | — |
| | F | 27 | 26 | — | — | 1 | — | — | — | — | — | 34 | 33 | — | — | — | — | 1 | — | — | — |
| 29 Suicide | M | 6 | — | — | — | — | — | 2 | 3 | 1 | — | 10 | — | — | — | — | — | 5 | 4 | 1 | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 7 | — | — | — | — | — | 1 | 5 | 1 | — |
| 30 Other deaths from violence | M | 32 | 1 | — | 2 | 5 | 5 | 9 | 8 | — | 2 | 44 | 3 | — | 2 | 4 | 6 | 9 | 13 | 5 | 2 |
| | F | 10 | — | — | 2 | 1 | 2 | — | 1 | 1 | 3 | 17 | 1 | 1 | 1 | — | 1 | 2 | 3 | 4 | 4 |
| 31 Other defined diseases | M | 192 | 12 | 2 | 2 | 5 | 2 | 8 | 35 | 29 | 97 | 250 | 15 | 4 | 1 | 5 | 9 | 18 | 30 | 54 | 114 |
| | F | 261 | 8 | 3 | 3 | 5 | 4 | 18 | 30 | 39 | 151 | 311 | 7 | 4 | 1 | 2 | 7 | 14 | 52 | 47 | 177 |
| 32 Causes ill-defined or unknown | M | 4 | 1 | — | — | 1 | — | 1 | 1 | — | — | 9 | 1 | — | — | — | — | — | 7 | 1 | — |
| | F | 2 | 1 | — | — | — | — | — | — | 1 | — | 4 | 1 | — | — | — | — | — | 2 | 1 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CUMBERLAND—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 839 | 129 | 37 | 33 | 36 | 40 | 96 | 196 | 158 | 114 | 605 | 82 | 17 | 8 | 12 | 18 | 49 | 121 | 133 | 165 |
| | F | 815 | 86 | 25 | 25 | 41 | 30 | 108 | 171 | 158 | 171 | 534 | 47 | 20 | 12 | 21 | 18 | 55 | 96 | 110 | 155 |
| 1 Enteric fever | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 19 | 3 | 10 | 5 | — | 1 | — | — | — | — | 6 | 2 | 2 | 1 | 1 | — | — | — | — | — |
| | F | 13 | 3 | 5 | 2 | 2 | — | — | 1 | — | — | 12 | 3 | 3 | 2 | 4 | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | 1 | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | F | 3 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| 5 Whooping cough | M | 2 | 2 | — | — | — | — | — | — | — | — | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| | F | 3 | 2 | 1 | — | — | — | — | — | — | — | 5 | 4 | — | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | 13 | — | 1 | 7 | 5 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | 14 | 2 | — | 3 | 9 | — | — | — | — | — | 5 | — | — | 2 | 2 | — | 1 | — | — | — |
| 7 Influenza | M | 17 | 1 | — | 1 | 3 | 1 | 3 | 4 | 2 | 2 | 11 | — | — | — | — | — | 3 | 3 | 3 | 2 |
| | F | 10 | — | — | — | — | 2 | 1 | 2 | 3 | 2 | 3 | — | — | — | — | — | — | 1 | — | 2 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 3 | — | 1 | — | — | — | — | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | 1 | — | — | — | 1 | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 48 | — | — | — | 1 | 6 | 28 | 10 | 3 | — | 20 | — | — | — | — | 2 | 9 | 9 | — | — |
| | F | 49 | 1 | — | — | 1 | 11 | 25 | 11 | — | — | 28 | — | — | — | — | 9 | 15 | 4 | — | — |
| 11 Other tuberculous diseases | M | 21 | 3 | 1 | 3 | 4 | 3 | 4 | 3 | — | — | 7 | 1 | — | — | 2 | 3 | 1 | — | — | — |
| | F | 27 | 4 | 2 | 5 | 6 | 3 | 5 | 1 | 1 | — | 12 | — | 1 | 4 | 3 | 2 | 1 | 1 | — | — |
| 12 Cancer, malignant disease | M | 78 | — | — | 1 | — | — | 2 | 37 | 27 | 11 | 57 | — | — | — | — | — | 1 | 17 | 25 | 14 |
| | F | 89 | — | — | 1 | — | — | 15 | 39 | 21 | 13 | 52 | — | — | — | — | — | 7 | 23 | 14 | 8 |
| 13 Rheumatic fever | M | 7 | — | — | — | 2 | 1 | 3 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 9 | — | — | — | 3 | — | 5 | 1 | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 14 Diabetes | M | 5 | — | — | — | — | — | 1 | 2 | 2 | — | 4 | — | — | — | — | — | 2 | — | 2 | — |
| | F | 10 | — | — | — | — | — | 4 | 4 | 1 | 1 | 6 | — | — | — | — | — | — | 4 | 1 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 53 | — | — | — | — | — | 2 | 14 | 21 | 16 | 45 | — | — | — | — | — | 2 | 6 | 19 | 18 |
| | F | 70 | — | 1 | — | — | — | 1 | 18 | 26 | 24 | 63 | — | — | — | — | — | 1 | 16 | 25 | 21 |
| 16 Heart disease | M | 91 | — | 1 | — | 1 | 4 | 9 | 32 | 30 | 14 | 81 | — | — | — | 2 | 4 | 4 | 26 | 24 | 21 |
| | F | 109 | — | — | — | 5 | 2 | 7 | 29 | 37 | 29 | 66 | — | — | — | — | — | 5 | 14 | 30 | 17 |
| 17 Arterio-sclerosis | M | 24 | — | — | — | — | — | — | 8 | 10 | 6 | 28 | — | — | — | — | — | — | 3 | 9 | 16 |
| | F | 13 | — | — | — | — | — | — | 2 | 4 | 7 | 16 | — | — | — | — | — | — | 1 | 4 | 11 |
| 18 Bronchitis | M | 43 | 11 | — | 1 | 1 | — | — | 11 | 10 | 9 | 38 | 11 | — | — | — | — | — | 4 | 9 | 14 |
| | F | 62 | 8 | 2 | 1 | — | — | 1 | 12 | 18 | 20 | 29 | 1 | 2 | 1 | 2 | — | — | 2 | 4 | 17 |
| 19 Pneumonia (all forms) | M | 65 | 16 | 7 | 5 | 3 | 5 | 6 | 14 | 6 | 3 | 44 | 10 | 4 | 1 | 1 | 4 | 6 | 8 | 3 | 7 |
| | F | 40 | 2 | 3 | 5 | 2 | — | 7 | 8 | 9 | 4 | 15 | 4 | 2 | — | — | — | 2 | — | 4 | 3 |
| 20 Other respiratory diseases | M | 13 | — | — | — | — | — | 4 | 6 | 1 | 2 | 13 | — | — | 1 | — | 1 | 1 | 3 | 6 | 1 |
| | F | 10 | — | 1 | — | — | — | — | — | 4 | 5 | 7 | — | 1 | — | 1 | — | 3 | 1 | — | 1 |
| 21 Ulcer of stomach or duodenum | M | 4 | — | — | — | — | — | 3 | — | 1 | — | 9 | — | — | — | — | — | 2 | 5 | 1 | 1 |
| | F | 2 | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 22 Diarrhœa, &c. | M | 32 | 19 | 6 | 1 | 1 | — | 1 | 1 | 1 | 2 | 7 | 3 | 2 | — | — | — | — | — | 2 | — |
| | F | 21 | 10 | 1 | 3 | 1 | 1 | 1 | 2 | 2 | — | 9 | 1 | 4 | — | 1 | — | — | 1 | — | 2 |
| 23 Appendicitis and typhlitis | M | 8 | — | 1 | 1 | 2 | 3 | — | 1 | — | — | 3 | — | — | — | 2 | — | 1 | — | — | — |
| | F | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 24 Cirrhosis of liver | M | 4 | — | — | — | — | — | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis | M | 15 | — | — | — | — | 2 | 3 | 6 | 4 | — | 13 | — | 1 | — | — | 1 | 2 | 5 | 1 | 3 |
| | F | 9 | — | — | — | — | 1 | 1 | 4 | 3 | — | 12 | — | — | — | 1 | — | 1 | 6 | 3 | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 16 | — | — | — | — | 2 | 14 | — | — | — | 7 | — | — | — | — | 1 | 6 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 56 | 53 | 1 | — | 2 | — | — | — | — | — | 36 | 35 | 1 | — | — | — | — | — | — | — |
| | F | 39 | 39 | — | — | — | — | — | — | — | — | 23 | 22 | 1 | — | — | — | — | — | — | — |
| 29 Suicide | M | 7 | — | — | — | — | 1 | — | 4 | 2 | — | 6 | — | — | — | — | — | 3 | 2 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence | M | 32 | 2 | — | 4 | 1 | 7 | 8 | 8 | 1 | 1 | 20 | 1 | 1 | 1 | — | 2 | 3 | 6 | 3 | 3 |
| | F | 21 | 2 | 1 | 3 | 1 | 1 | 5 | 4 | 1 | 3 | 10 | — | 1 | — | 1 | 4 | 1 | — | 1 | 2 |
| 31 Other defined diseases | M | 170 | 19 | 9 | 3 | 10 | 5 | 18 | 24 | 35 | 47 | 142 | 18 | 3 | 2 | 1 | 1 | 9 | 19 | 24 | 65 |
| | F | 162 | 13 | 8 | 2 | 8 | 5 | 14 | 23 | 26 | 63 | 133 | 12 | 4 | 1 | 2 | 1 | 8 | 17 | 19 | 69 |
| 32 Causes ill-defined or unknown | M | 10 | — | — | — | — | — | 1 | 7 | 1 | 1 | 4 | — | — | — | — | — | — | 3 | 1 | — |
| | F | 8 | — | — | — | — | — | — | 8 | — | — | 8 | — | — | — | — | — | 1 | 3 | 4 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DERBY—1923 (Civilian population only).

| | Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes | M | 1694 | 293 | 48 | 45 | 65 | 56 | 188 | 412 | 330 | 257 | 1589 | 257 | 67 | 50 | 42 | 77 | 142 | 346 | 312 | 296 |
| | | F | 1694 | 206 | 67 | 46 | 48 | 69 | 197 | 418 | 333 | 310 | 1455 | 192 | 50 | 51 | 42 | 60 | 161 | 300 | 272 | 327 |
| 1 | Enteric fever | M | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | | F | 4 | — | — | — | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles | M | 28 | 9 | 9 | 8 | 2 | — | — | — | — | — | 20 | 6 | 7 | 7 | — | — | — | — | — | — |
| | | F | 19 | — | 9 | 9 | 1 | — | — | — | — | — | 13 | 4 | 5 | 4 | — | — | — | — | — | — |
| 4 | Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | | F | 2 | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 5 | Whooping cough | M | 16 | 9 | 2 | 3 | 2 | — | — | — | — | — | 20 | 9 | 7 | 2 | 2 | — | — | — | — | — |
| | | F | 18 | 7 | 7 | 4 | — | — | — | — | — | — | 27 | 7 | 11 | 8 | 1 | — | — | — | — | — |
| 6 | Diphtheria | M | 5 | — | — | 1 | 4 | — | — | — | — | — | 5 | — | — | 1 | 3 | — | — | 1 | — | — |
| | | F | 7 | — | 1 | 1 | 4 | 1 | — | — | — | — | 8 | 1 | — | 4 | 2 | 1 | — | — | — | — |
| 7 | Influenza | M | 31 | 2 | 1 | — | — | — | 2 | 15 | 8 | 3 | 38 | 3 | 1 | 2 | 2 | 3 | 5 | 9 | 8 | 5 |
| | | F | 41 | 1 | 2 | 1 | — | 2 | 5 | 11 | 16 | 3 | 32 | 2 | — | 2 | 4 | 1 | 3 | 8 | 7 | 5 |
| 8 | Encephalitis lethargica | M | 3 | — | — | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 9 | Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 89 | — | — | 1 | 2 | 10 | 49 | 26 | — | 1 | 88 | 2 | 1 | 1 | 4 | 19 | 28 | 29 | 4 | — |
| | | F | 93 | — | — | 1 | 6 | 28 | 33 | 20 | 5 | — | 75 | 1 | — | 1 | 7 | 18 | 35 | 12 | 1 | — |
| 11 | Other tuberculous diseases | M | 28 | 8 | 3 | 3 | 8 | 2 | 2 | 2 | — | — | 32 | 6 | 7 | 4 | 4 | 5 | 5 | 1 | — | — |
| | | F | 22 | 1 | 4 | 2 | 4 | 2 | 4 | 4 | 1 | — | 27 | 1 | 3 | 6 | 4 | 3 | 6 | 2 | 1 | 1 |
| 12 | Cancer, malignant disease | M | 135 | — | — | — | — | — | 4 | 67 | 51 | 13 | 126 | — | — | 1 | 1 | 1 | 7 | 59 | 37 | 20 |
| | | F | 189 | — | — | — | 1 | 2 | 23 | 102 | 43 | 18 | 156 | — | — | — | — | — | 13 | 75 | 35 | 33 |
| 13 | Rheumatic fever | M | 3 | — | — | — | — | — | — | 3 | — | — | 4 | — | — | 1 | — | 1 | — | 2 | — | — |
| | | F | 6 | — | — | — | 2 | — | 3 | 1 | — | — | 6 | — | — | — | 1 | 1 | 2 | 2 | — | — |
| 14 | Diabetes | M | 12 | — | — | — | — | — | 3 | 3 | 5 | 1 | 15 | — | — | — | — | 1 | 1 | 4 | 8 | 1 |
| | | F | 25 | — | — | — | 1 | 1 | 3 | 7 | 10 | 3 | 18 | — | — | — | 1 | — | 2 | 7 | 7 | 1 |
| 15 | Cerebral hæmorrhage, &c. | M | 98 | — | — | — | — | — | 2 | 27 | 32 | 37 | 94 | — | — | — | — | — | 1 | 26 | 39 | 28 |
| | | F | 132 | — | — | — | — | — | 2 | 42 | 58 | 30 | 95 | — | — | — | — | — | 3 | 26 | 30 | 36 |
| 16 | Heart disease | M | 160 | — | — | — | 1 | 3 | 17 | 55 | 66 | 18 | 166 | — | — | — | 4 | 5 | 14 | 46 | 63 | 34 |
| | | F | 202 | — | — | — | 3 | 6 | 22 | 69 | 60 | 42 | 180 | — | — | — | 1 | 8 | 10 | 55 | 72 | 34 |
| 17 | Arterio-sclerosis | M | 60 | — | — | — | — | — | — | 17 | 26 | 17 | 54 | — | — | — | — | — | 1 | 12 | 19 | 22 |
| | | F | 31 | — | — | — | — | — | — | 4 | 10 | 17 | 46 | — | — | — | — | — | 1 | 8 | 14 | 23 |
| 18 | Bronchitis | M | 115 | 15 | 3 | 1 | 4 | 1 | 4 | 23 | 30 | 34 | 105 | 13 | 4 | 3 | — | — | 1 | 15 | 35 | 34 |
| | | F | 118 | 17 | 5 | 3 | — | 1 | 1 | 18 | 33 | 40 | 85 | 4 | 2 | 1 | — | — | 2 | 14 | 21 | 41 |
| 19 | Pneumonia (all forms) | M | 133 | 44 | 10 | 10 | 1 | 4 | 13 | 29 | 19 | 3 | 119 | 27 | 23 | 10 | 4 | 3 | 15 | 22 | 11 | 4 |
| | | F | 101 | 25 | 15 | 11 | 4 | 3 | 9 | 16 | 11 | 7 | 92 | 22 | 13 | 13 | 1 | 5 | 12 | 10 | 8 | 8 |
| 20 | Other respiratory diseases | M | 35 | 5 | 3 | 1 | 2 | — | 9 | 3 | 5 | 7 | 20 | 4 | — | — | 1 | — | 2 | 9 | 3 | 1 |
| | | F | 25 | 4 | 1 | 1 | — | — | 3 | 3 | 8 | 5 | 12 | — | — | — | — | — | 1 | 4 | 3 | 4 |
| 21 | Ulcer of stomach or duodenum | M | 15 | — | — | — | — | 1 | 5 | 8 | 1 | — | 8 | — | — | — | — | — | 4 | 3 | 1 | — |
| | | F | 6 | — | — | — | — | — | 4 | 2 | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| 22 | Diarrhœa, &c. | M | 31 | 21 | 6 | — | — | 2 | — | 1 | — | 1 | 28 | 17 | 6 | 1 | 1 | — | 1 | — | 1 | 1 |
| | | F | 20 | 10 | 4 | 1 | — | — | 1 | 2 | — | 2 | 31 | 17 | 4 | 3 | 1 | 1 | 2 | 1 | 2 | — |
| 23 | Appendicitis and typhlitis | M | 11 | — | — | — | 4 | 1 | 5 | — | 1 | — | 15 | — | — | — | 2 | 9 | 2 | 1 | 1 | — |
| | | F | 6 | — | — | — | 2 | 2 | — | 1 | — | 1 | 11 | — | — | — | 3 | 1 | 3 | 4 | — | — |
| 24 | Cirrhosis of liver | M | 9 | — | — | — | — | — | — | 7 | 2 | — | 12 | — | — | — | — | — | 2 | 6 | 4 | — |
| | | F | 9 | — | — | — | — | — | 1 | 4 | 4 | — | 5 | — | — | — | — | — | — | 2 | 1 | 2 |
| 25 | Acute and chronic nephritis | M | 46 | 1 | — | — | 3 | 2 | 10 | 15 | 10 | 5 | 41 | — | 1 | 2 | — | 5 | 7 | 12 | 11 | 3 |
| | | F | 53 | — | 1 | — | 4 | 1 | 9 | 26 | 9 | 3 | 38 | — | 1 | — | 2 | 1 | 6 | 11 | 12 | 5 |
| 26 | Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 7 | — | — | — | — | 2 | 5 | — | — | — | 11 | — | — | — | — | 1 | 10 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 24 | — | — | — | — | 4 | 18 | 2 | — | — | 22 | — | — | — | — | 5 | 17 | — | — | — |
| 28 | Congenital debility and malformation, premature birth | M | 125 | 122 | — | — | 1 | 2 | — | — | — | — | 110 | 108 | 1 | — | 1 | — | — | — | — | — |
| | | F | 99 | 96 | 2 | 1 | — | — | — | — | — | — | 95 | 94 | 1 | — | — | — | — | — | — | — |
| 29 | Suicide | M | 21 | — | — | — | — | — | 4 | 11 | 5 | 1 | 13 | — | — | — | — | — | 5 | 6 | 1 | 1 |
| | | F | 7 | — | — | — | — | 1 | 3 | 3 | — | — | 6 | — | — | — | — | 3 | 1 | 1 | — | 1 |
| 30 | Other deaths from violence | M | 97 | 1 | 1 | 6 | 15 | 17 | 24 | 20 | 6 | 7 | 75 | 1 | 1 | 7 | 5 | 16 | 13 | 21 | 7 | 4 |
| | | F | 26 | 1 | 2 | 5 | 2 | — | 5 | 2 | 4 | 5 | 31 | 4 | — | 4 | 1 | 7 | 3 | 2 | 2 | 8 |
| 31 | Other defined diseases | M | 365 | 56 | 10 | 11 | 16 | 8 | 30 | 68 | 57 | 109 | 359 | 58 | 7 | 8 | 6 | 9 | 27 | 53 | 53 | 138 |
| | | F | 384 | 42 | 12 | 6 | 11 | 12 | 39 | 72 | 56 | 134 | 314 | 34 | 8 | 4 | 11 | 3 | 27 | 49 | 53 | 125 |
| 32 | Causes ill-defined or unknown | M | 21 | — | — | — | — | — | 4 | 11 | 6 | — | 17 | 2 | — | — | — | — | — | 9 | 6 | — |
| | | F | 18 | 2 | 1 | — | 1 | — | 3 | 6 | 5 | — | 14 | 1 | 2 | — | 1 | — | 1 | 6 | 3 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DEVON—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 1273 | 97 | 12 | 22 | 25 | 52 | 103 | 297 | 289 | 376 | 1246 | 104 | 21 | 18 | 21 | 42 | 112 | 306 | 265 | 357 |
| | F | 1450 | 58 | 15 | 13 | 18 | 43 | 137 | 294 | 340 | 532 | 1317 | 81 | 18 | 16 | 25 | 51 | 133 | 276 | 271 | 446 |
| 1 Enteric fever | M | 3 | — | — | — | — | 1 | — | 2 | — | — | 4 | — | — | — | — | 2 | 2 | — | — | — |
| | F | 2 | — | — | — | 1 | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 12 | 2 | 5 | 4 | — | — | 1 | — | — | — | 7 | 1 | 3 | 1 | 1 | — | — | 1 | — | — |
| | F | 6 | — | 2 | 2 | 1 | — | — | — | — | 1 | 8 | 2 | 2 | 3 | — | 1 | — | — | — | — |
| 4 Scarlet fever | M | 2 | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 2 | 1 | 1 | — | — | — | — | — | — | — | 7 | 6 | — | — | — | — | — | — | — | 1 |
| | F | 6 | 6 | — | — | — | — | — | — | — | — | 6 | 2 | 2 | 2 | — | — | — | — | — | — |
| 6 Diphtheria | M | 7 | — | — | 3 | 4 | — | — | — | — | — | 4 | — | — | 1 | 3 | — | — | — | — | — |
| | F | 2 | — | — | 1 | 1 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 7 Influenza | M | 8 | — | — | — | — | — | 1 | 2 | 3 | 2 | 24 | 2 | — | — | — | 2 | 1 | 9 | 4 | 6 |
| | F | 17 | — | 1 | — | — | — | 2 | 3 | 6 | 5 | 29 | — | 1 | 1 | — | 1 | 3 | 7 | 7 | 9 |
| 8 Encephalitis lethargica | M | 3 | — | — | — | — | — | 2 | 1 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 2 | — | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 97 | — | — | — | 1 | 25 | 33 | 30 | 6 | 2 | 78 | 1 | — | — | 1 | 13 | 41 | 19 | 3 | — |
| | F | 96 | — | — | — | 2 | 19 | 48 | 23 | 3 | 1 | 101 | — | — | — | 2 | 26 | 49 | 20 | 3 | 1 |
| 11 Other tuberculous diseases | M | 22 | 2 | — | 3 | 5 | 3 | 3 | 2 | 2 | 2 | 15 | 1 | — | 2 | 1 | 2 | 6 | 3 | — | — |
| | F | 18 | — | 2 | 1 | 3 | 3 | 1 | 6 | 2 | — | 28 | 2 | 2 | — | 5 | 3 | 12 | 3 | — | 1 |
| 12 Cancer, malignant disease | M | 153 | — | — | — | — | — | 6 | 58 | 54 | 35 | 116 | — | — | — | — | 1 | 4 | 53 | 35 | 23 |
| | F | 208 | — | — | — | — | 1 | 12 | 77 | 76 | 42 | 168 | — | — | — | 2 | 1 | 8 | 63 | 53 | 41 |
| 13 Rheumatic fever | M | 8 | — | — | — | 1 | 3 | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | 1 | 1 | 1 | — | 1 | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| 14 Diabetes | M | 21 | — | — | — | — | — | 4 | 5 | 6 | 6 | 13 | — | — | — | — | 2 | 2 | 4 | 4 | 1 |
| | F | 14 | — | — | — | — | 2 | — | 5 | 4 | 3 | 6 | — | — | — | — | — | — | 3 | — | 3 |
| 15 Cerebral hæmorrhage, &c. | M | 81 | — | — | — | — | — | 1 | 11 | 24 | 45 | 68 | — | — | — | — | — | 2 | 15 | 20 | 31 |
| | F | 134 | — | — | — | — | — | 7 | 30 | 40 | 57 | 104 | — | — | — | — | — | 2 | 20 | 28 | 54 |
| 16 Heart disease | M | 170 | — | — | — | 1 | 5 | 6 | 42 | 59 | 57 | 196 | 1 | — | 1 | — | 3 | 11 | 55 | 58 | 67 |
| | F | 231 | — | — | — | — | 5 | 14 | 43 | 69 | 100 | 228 | — | — | — | 1 | 4 | 7 | 50 | 76 | 90 |
| 17 Arterio-sclerosis | M | 79 | — | — | — | — | — | — | 14 | 21 | 44 | 54 | — | — | — | — | — | 1 | 5 | 22 | 26 |
| | F | 80 | — | — | — | — | — | — | 4 | 21 | 55 | 48 | — | — | — | — | — | 2 | 5 | 19 | 22 |
| 18 Bronchitis | M | 83 | 6 | 1 | 1 | — | — | 1 | 14 | 17 | 43 | 79 | 7 | — | 2 | — | — | — | 8 | 25 | 37 |
| | F | 76 | 2 | — | 1 | — | — | 1 | 3 | 19 | 50 | 60 | 4 | — | 1 | — | 1 | 2 | 5 | 13 | 34 |
| 19 Pneumonia (all forms) | M | 50 | 6 | 3 | 1 | 1 | 1 | 3 | 15 | 7 | 13 | 69 | 13 | 6 | 3 | 4 | — | 4 | 16 | 13 | 10 |
| | F | 65 | 4 | 4 | 3 | 3 | 3 | 3 | 15 | 17 | 13 | 60 | 3 | 2 | 2 | 2 | 3 | 7 | 14 | 14 | 13 |
| 20 Other respiratory diseases | M | 17 | — | — | 2 | — | — | 3 | 1 | 8 | 3 | 16 | — | — | 1 | — | — | — | 6 | 4 | 5 |
| | F | 22 | — | — | — | — | — | 1 | 3 | 9 | 9 | 11 | 1 | — | 1 | — | — | 2 | — | 1 | 6 |
| 21 Ulcer of stomach or duodenum | M | 8 | — | — | — | — | — | 2 | 2 | 2 | 2 | 8 | — | — | — | — | 1 | — | 2 | 2 | 3 |
| | F | 9 | — | — | — | — | 1 | 3 | 4 | — | 1 | 5 | — | — | — | — | — | 1 | 3 | 1 | — |
| 22 Diarrhœa, &c. | M | 20 | 11 | — | 1 | — | — | — | 2 | — | 6 | 13 | 7 | 2 | — | — | — | — | 1 | — | 3 |
| | F | 15 | 8 | — | 1 | 1 | — | 1 | — | 1 | 3 | 15 | 11 | 1 | — | — | — | — | 2 | 1 | — |
| 23 Appendicitis and typhlitis | M | 11 | — | — | — | 1 | 4 | 3 | 3 | — | — | 11 | — | — | — | 2 | 2 | 1 | 3 | 3 | — |
| | F | 9 | — | — | — | 2 | 1 | 1 | 5 | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 24 Cirrhosis of liver | M | 4 | — | — | — | — | — | — | 3 | 1 | — | 4 | — | — | — | — | — | 1 | — | 2 | 1 |
| | F | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis | M | 47 | — | — | — | 2 | 1 | 4 | 11 | 15 | 14 | 42 | — | 1 | 2 | 1 | 1 | 4 | 12 | 11 | 10 |
| | F | 46 | — | — | — | — | 2 | 4 | 11 | 16 | 13 | 29 | — | — | — | — | 1 | 4 | 12 | 4 | 8 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 6 | — | — | — | — | — | 6 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | — | 5 | — | — | — | 14 | — | — | — | — | 4 | 10 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 50 | 47 | 1 | — | 1 | 1 | — | — | — | — | 48 | 45 | 1 | — | — | 2 | — | — | — | — |
| | F | 26 | 24 | — | — | — | 1 | 1 | — | — | — | 43 | 39 | 1 | 1 | 2 | — | — | — | — | — |
| 29 Suicide | M | 15 | — | — | — | — | — | 5 | 7 | 3 | — | 28 | — | — | — | — | 2 | 7 | 12 | 5 | 2 |
| | F | 7 | — | — | — | — | — | 1 | 4 | 1 | 1 | 4 | — | — | — | — | — | 1 | 2 | 1 | — |
| 30 Other deaths from violence | M | 37 | 1 | 1 | 2 | 5 | 3 | 6 | 13 | 3 | 3 | 49 | 2 | 2 | 2 | 2 | 6 | 8 | 18 | 5 | 4 |
| | F | 21 | 1 | 1 | 1 | 1 | — | 3 | 3 | 1 | 10 | 20 | 1 | — | 3 | 2 | — | 2 | 4 | — | 8 |
| 31 Other defined diseases | M | 255 | 21 | — | 4 | 3 | 4 | 17 | 52 | 56 | 98 | 280 | 17 | 6 | 3 | 4 | 3 | 16 | 59 | 45 | 127 |
| | F | 319 | 13 | 4 | 2 | 2 | 2 | 25 | 51 | 52 | 168 | 302 | 15 | 7 | 2 | 4 | 4 | 13 | 56 | 45 | 156 |
| 32 Causes ill-defined or unknown | M | 8 | — | — | — | — | — | 1 | 5 | 1 | 1 | 9 | 1 | — | — | — | — | — | 4 | 4 | — |
| | F | 4 | — | — | — | — | — | — | 3 | 1 | — | 11 | 1 | — | — | — | — | — | 6 | 4 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DORSET—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 624 | 62 | 9 | 9 | 14 | 29 | 64 | 150 | 140 | 147 | 589 | 63 | 6 | 8 | 9 | 18 | 51 | 132 | 118 | 184 |
| | F | 688 | 51 | 10 | 9 | 8 | 19 | 59 | 143 | 157 | 232 | 619 | 46 | 4 | 5 | 12 | 15 | 63 | 143 | 135 | 196 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 5 | 2 | 2 | 1 | — | — | — | — | — | — | 6 | 5 | 1 | — | — | — | — | — | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 7 Influenza | M | 8 | — | — | 1 | — | 1 | 2 | — | 1 | 3 | 8 | 1 | — | — | 1 | — | 1 | 4 | 1 | — |
| | F | 8 | — | 1 | — | — | — | 1 | 2 | 3 | 1 | 22 | — | — | — | 1 | 1 | 4 | 5 | 4 | 7 |
| 8 Encephalitis lethargica | M | 1 | — | — | — | 1 | — | — | — | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | — | — | 1 | — | — | — |
| 10 Tuberculosis of respiratory system | M | 52 | — | — | 1 | — | 9 | 24 | 14 | 3 | 1 | 38 | — | — | — | — | 5 | 20 | 12 | — | 1 |
| | F | 35 | — | — | — | — | 8 | 15 | 8 | 3 | 1 | 43 | — | — | — | 1 | 8 | 18 | 12 | 4 | — |
| 11 Other tuberculous diseases | M | 15 | 2 | 1 | — | 1 | 2 | 5 | 3 | 1 | — | 3 | 1 | — | — | — | 1 | 1 | — | — | — |
| | F | 14 | 2 | 1 | 2 | 2 | 3 | 1 | 3 | — | — | 13 | 1 | — | 1 | 2 | — | 6 | 1 | 1 | 1 |
| 12 Cancer, malignant disease | M | 69 | — | — | — | 1 | — | 5 | 27 | 23 | 13 | 75 | — | — | 1 | 1 | — | 4 | 31 | 29 | 9 |
| | F | 99 | — | — | 1 | — | — | 7 | 29 | 37 | 25 | 81 | — | — | — | — | — | 8 | 27 | 26 | 20 |
| 13 Rheumatic fever | M | 2 | — | — | — | 1 | 1 | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| | F | 3 | — | — | — | 1 | — | 1 | 1 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 14 Diabetes | M | 7 | — | — | — | — | 1 | 1 | 2 | 3 | — | 4 | — | — | — | — | — | — | 3 | — | 1 |
| | F | 13 | — | — | — | — | — | 1 | 4 | 5 | 3 | 5 | — | — | — | — | — | 1 | 2 | — | 2 |
| 15 Cerebral hæmorrhage, &c. | M | 38 | — | — | — | — | — | — | 13 | 13 | 12 | 49 | — | — | — | — | — | — | 8 | 18 | 23 |
| | F | 66 | — | — | — | — | — | 2 | 19 | 14 | 31 | 56 | — | — | — | — | — | — | 10 | 20 | 26 |
| 16 Heart disease | M | 92 | — | — | — | 1 | 1 | 5 | 27 | 34 | 24 | 91 | — | — | — | — | 1 | 2 | 22 | 27 | 39 |
| | F | 104 | — | — | — | — | 1 | 3 | 14 | 38 | 48 | 111 | — | — | — | — | 1 | 3 | 33 | 37 | 37 |
| 17 Arterio-sclerosis | M | 35 | — | — | — | — | — | — | 4 | 13 | 18 | 21 | — | — | — | — | — | — | 2 | 4 | 15 |
| | F | 18 | — | — | — | — | — | — | 3 | 8 | 7 | 22 | — | — | — | — | — | — | 1 | 6 | 15 |
| 18 Bronchitis | M | 25 | 2 | 2 | — | — | — | 1 | 1 | 6 | 13 | 26 | 1 | — | — | — | — | — | 2 | 4 | 19 |
| | F | 36 | 3 | 1 | — | 1 | — | — | 4 | 6 | 21 | 37 | 1 | — | — | — | — | — | 4 | 8 | 24 |
| 19 Pneumonia (all forms) | M | 19 | 4 | 1 | 1 | — | 1 | 3 | 5 | 2 | 2 | 15 | 3 | 2 | 2 | 1 | — | 2 | 3 | 1 | 1 |
| | F | 29 | 6 | 3 | 1 | — | 1 | 4 | 5 | 4 | 5 | 17 | 3 | 1 | 2 | 2 | — | 2 | 1 | 2 | 4 |
| 20 Other respiratory diseases | M | 12 | — | — | — | — | 1 | — | 6 | 5 | — | 10 | — | 1 | — | 1 | — | — | 2 | 2 | 4 |
| | F | 10 | — | — | — | — | 1 | 1 | 3 | 3 | 2 | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 21 Ulcer of stomach or duodenum | M | 6 | — | — | — | — | — | 1 | 4 | 1 | — | 4 | — | — | — | — | — | — | 2 | 2 | — |
| | F | 3 | — | — | — | — | — | 1 | 2 | — | — | 5 | 1 | — | — | — | — | — | 3 | 1 | — |
| 22 Diarrhœa, &c. | M | 7 | 2 | — | 2 | — | — | 1 | — | — | 2 | 9 | 4 | 1 | — | — | — | — | — | 2 | 2 |
| | F | 2 | — | — | — | — | — | — | — | — | 2 | 5 | 3 | — | — | 1 | — | — | — | 1 | — |
| 23 Appendicitis and typhlitis | M | 5 | — | — | — | — | 1 | — | 3 | 1 | — | 4 | — | — | — | — | 1 | 1 | 2 | — | — |
| | F | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 24 Cirrhosis of liver | M | 7 | — | — | — | — | — | — | 1 | 4 | 2 | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 4 | — | — | — | — | — | — | 3 | — | 1 | 2 | — | — | — | — | — | — | 2 | — | — |
| 25 Acute and chronic nephritis | M | 23 | — | — | — | — | 2 | 6 | 8 | 2 | 5 | 15 | 1 | — | 1 | — | 1 | — | 4 | 3 | 5 |
| | F | 15 | — | — | — | 1 | — | 1 | 6 | 5 | 2 | 12 | — | — | — | — | 1 | 2 | 2 | 4 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | 1 | 3 | — | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 36 | 36 | — | — | — | — | — | — | — | — | 35 | 35 | — | — | — | — | — | — | — | — |
| | F | 31 | 29 | — | 2 | — | — | — | — | — | — | 28 | 28 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 4 | — | — | — | — | — | — | 3 | 1 | — | 8 | — | — | — | — | 1 | 2 | 3 | 1 | 1 |
| | F | 2 | — | — | — | — | — | 1 | — | 1 | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 30 Other deaths from violence | M | 29 | 2 | 1 | 2 | 4 | 2 | 2 | 12 | 2 | 2 | 27 | — | — | 3 | 2 | 5 | 7 | 8 | — | 2 |
| | F | 11 | 1 | 2 | 1 | — | — | 1 | 2 | — | 4 | 8 | — | — | — | 1 | 1 | 2 | 3 | 1 | — |
| 31 Other defined diseases | M | 123 | 11 | 1 | 1 | 5 | 7 | 6 | 17 | 25 | 50 | 130 | 12 | 1 | 1 | 1 | 2 | 9 | 20 | 23 | 61 |
| | F | 171 | 8 | 1 | 2 | 8 | 4 | 12 | 33 | 29 | 79 | 129 | 7 | — | — | 4 | 1 | 9 | 32 | 19 | 57 |
| 32 Causes ill-defined or unknown | M | 2 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — | — | 1 | — | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DURHAM—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | M | 3563 | 665 | 257 | 201 | 162 | 189 | 403 | 754 | 528 | 404 | 2727 | 558 | 165 | 152 | 126 | 164 | 266 | 544 | 420 | 332 |
| | F | 3100 | 526 | 225 | 179 | 172 | 176 | 370 | 608 | 468 | 376 | 2245 | 416 | 161 | 123 | 99 | 106 | 294 | 455 | 293 | 298 |
| 1 Enteric fever | M | 3 | — | — | — | — | 1 | 2 | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| | F | 5 | — | — | — | 2 | 1 | 2 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 133 | 27 | 59 | 38 | 9 | — | — | — | — | — | 109 | 34 | 38 | 27 | 10 | — | — | — | — | — |
| | F | 113 | 9 | 52 | 41 | 11 | — | — | — | — | — | 84 | 15 | 37 | 28 | 4 | — | — | — | — | — |
| 4 Scarlet fever | M | 8 | — | 1 | 6 | 1 | — | — | — | — | — | 15 | — | 1 | 7 | 6 | 1 | — | — | — | — |
| | F | 8 | — | — | 3 | 2 | 1 | 2 | — | — | — | 8 | — | — | 3 | 5 | — | — | — | — | — |
| 5 Whooping cough | M | 66 | 28 | 24 | 12 | 2 | — | — | — | — | — | 43 | 21 | 14 | 7 | 1 | — | — | — | — | — |
| | F | 73 | 33 | 26 | 12 | 2 | — | — | — | — | — | 53 | 26 | 19 | 7 | 1 | — | — | — | — | — |
| 6 Diphtheria | M | 25 | 1 | 4 | 11 | 8 | — | 1 | — | — | — | 11 | — | 2 | 5 | 4 | — | — | — | — | — |
| | F | 19 | — | 1 | 12 | 6 | — | — | — | — | — | 5 | — | — | 4 | 1 | — | — | — | — | — |
| 7 Influenza | M | 46 | — | — | — | 4 | 7 | 14 | 14 | 4 | 3 | 45 | 3 | 1 | 3 | 3 | 2 | 10 | 18 | 2 | 3 |
| | F | 30 | 2 | — | — | 2 | 3 | 6 | 10 | 5 | 2 | 24 | 3 | 1 | 2 | 2 | 1 | 4 | 6 | 3 | 2 |
| 8 Encephalitis lethargica | M | 3 | — | — | — | 1 | — | 2 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 9 Meningococcal meningitis | M | 1 | — | — | — | — | — | — | 1 | — | — | 2 | 1 | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — | — | 1 | 1 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 237 | 3 | 3 | 3 | 10 | 62 | 103 | 45 | 8 | — | 166 | 1 | 1 | 5 | 10 | 41 | 71 | 33 | 4 | — |
| | F | 235 | 1 | 3 | 4 | 27 | 68 | 99 | 29 | 4 | — | 157 | — | — | 3 | 17 | 51 | 69 | 17 | — | — |
| 11 Other tuberculous diseases | M | 117 | 7 | 24 | 22 | 33 | 19 | 5 | 7 | — | — | 85 | 6 | 12 | 24 | 18 | 9 | 10 | 4 | 2 | — |
| | F | 107 | 11 | 13 | 20 | 32 | 15 | 10 | 4 | 2 | — | 73 | 6 | 14 | 13 | 13 | 10 | 12 | 5 | — | — |
| 12 Cancer, malignant disease | M | 251 | — | — | — | — | 2 | 25 | 113 | 84 | 27 | 175 | — | 2 | — | 4 | 2 | 14 | 91 | 41 | 21 |
| | F | 288 | — | — | — | — | 1 | 41 | 152 | 62 | 32 | 196 | — | — | — | — | — | 26 | 100 | 48 | 22 |
| 13 Rheumatic fever | M | 20 | — | — | 1 | 9 | 4 | 4 | 2 | — | — | 6 | — | — | 1 | — | 2 | 1 | 1 | 1 | — |
| | F | 11 | — | — | — | 6 | 4 | — | 1 | — | — | 7 | — | — | 1 | 2 | 1 | — | 3 | — | — |
| 14 Diabetes | M | 19 | — | — | 1 | — | 1 | 5 | 5 | 4 | 3 | 25 | — | — | — | 1 | 5 | 6 | 7 | 5 | 1 |
| | F | 32 | — | — | — | — | 2 | 7 | 15 | 7 | 1 | 17 | — | — | — | — | 2 | 4 | 6 | 3 | 2 |
| 15 Cerebral hæmorrhage, &c. | M | 199 | — | — | — | 1 | — | 8 | 75 | 60 | 55 | 169 | — | 1 | — | — | — | 1 | 40 | 75 | 52 |
| | F | 191 | — | — | 1 | — | 1 | 4 | 72 | 73 | 40 | 164 | — | — | 1 | 1 | — | 8 | 57 | 55 | 42 |
| 16 Heart disease | M | 295 | — | — | — | 7 | 11 | 32 | 102 | 99 | 44 | 219 | — | — | — | 9 | 5 | 18 | 79 | 75 | 33 |
| | F | 309 | — | 1 | — | 9 | 18 | 43 | 106 | 86 | 46 | 230 | — | — | — | 7 | 4 | 34 | 86 | 52 | 47 |
| 17 Arterio-sclerosis | M | 148 | — | — | — | — | — | 1 | 28 | 67 | 52 | 90 | — | — | — | — | — | — | 12 | 43 | 35 |
| | F | 86 | — | — | — | — | — | — | 20 | 26 | 40 | 41 | — | — | — | — | — | — | 6 | 12 | 23 |
| 18 Bronchitis | M | 246 | 67 | 26 | 8 | 3 | 2 | 6 | 43 | 49 | 42 | 219 | 50 | 13 | 13 | 1 | — | 4 | 39 | 57 | 42 |
| | F | 219 | 47 | 15 | 11 | 4 | — | 4 | 27 | 54 | 57 | 171 | 45 | 23 | 7 | 2 | 2 | 7 | 27 | 26 | 32 |
| 19 Pneumonia (all forms) | M | 410 | 78 | 62 | 47 | 24 | 12 | 64 | 85 | 27 | 11 | 236 | 58 | 38 | 18 | 14 | 17 | 31 | 39 | 16 | 5 |
| | F | 290 | 75 | 57 | 41 | 25 | 6 | 21 | 27 | 25 | 13 | 142 | 32 | 28 | 18 | 14 | 2 | 14 | 22 | 7 | 5 |
| 20 Other respiratory diseases | M | 43 | 2 | 4 | 2 | 2 | — | 4 | 18 | 7 | 4 | 35 | 3 | 1 | — | 1 | — | 4 | 10 | 8 | 8 |
| | F | 24 | 2 | 2 | 2 | 2 | — | 5 | 5 | 3 | 3 | 24 | 4 | — | 2 | 1 | — | 4 | 3 | 7 | 3 |
| 21 Ulcer of stomach or duodenum | M | 36 | — | — | — | — | 2 | 13 | 14 | 6 | 1 | 17 | — | — | — | — | 2 | 8 | 6 | 1 | — |
| | F | 10 | — | — | — | — | — | 4 | 6 | — | — | 9 | — | — | — | — | — | 3 | 5 | — | 1 |
| 22 Diarrhœa, &c. | M | 105 | 59 | 19 | 9 | 3 | 1 | 4 | 5 | — | 5 | 62 | 32 | 14 | 7 | 3 | — | — | 2 | 1 | 3 |
| | F | 89 | 39 | 22 | 5 | 5 | — | 1 | 8 | 5 | 4 | 69 | 31 | 12 | 8 | 2 | — | 3 | 7 | 3 | 3 |
| 23 Appendicitis and typhlitis | M | 13 | — | — | 1 | 4 | 2 | 5 | 1 | — | — | 9 | — | — | 1 | 1 | 1 | 2 | 4 | — | — |
| | F | 14 | — | — | — | 4 | 3 | 3 | 3 | 1 | — | 7 | — | — | — | 1 | 1 | 2 | 3 | — | — |
| 24 Cirrhosis of liver | M | 13 | — | — | — | — | — | 2 | 9 | 2 | — | 11 | — | — | — | — | — | — | 8 | 2 | 1 |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 4 | — | — | — | — | — | — | 2 | 1 | 1 |
| 25 Acute and chronic nephritis | M | 65 | — | — | 3 | 3 | 5 | 11 | 25 | 13 | 5 | 53 | — | — | 2 | 5 | 5 | 6 | 21 | 12 | 2 |
| | F | 89 | — | 1 | 1 | 6 | 2 | 21 | 29 | 23 | 6 | 62 | — | 2 | 3 | 3 | 5 | 9 | 22 | 13 | 5 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 14 | — | — | — | — | 3 | 11 | — | — | — | 15 | — | — | — | — | 1 | 14 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 41 | — | — | — | — | 12 | 29 | — | — | — | 27 | — | — | — | — | 5 | 22 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 289 | 288 | — | — | 1 | — | — | — | — | — | 243 | 237 | 3 | 2 | 1 | — | — | — | — | — |
| | F | 230 | 225 | 2 | 3 | — | — | — | — | — | — | 188 | 186 | 1 | — | — | 1 | — | — | — | — |
| 29 Suicide | M | 29 | — | — | — | — | 4 | 8 | 11 | 5 | 1 | 20 | — | — | — | — | 1 | 5 | 9 | 3 | 2 |
| | F | 7 | — | — | — | — | 1 | 4 | 2 | — | — | 8 | — | — | — | — | 1 | 3 | 3 | 1 | — |
| 30 Other deaths from violence | M | 155 | 3 | 3 | 11 | 13 | 35 | 36 | 39 | 12 | 3 | 159 | 2 | 2 | 13 | 15 | 42 | 41 | 34 | 5 | 5 |
| | F | 44 | 4 | 5 | 4 | 5 | 8 | 5 | 3 | 4 | 6 | 32 | 2 | 2 | 8 | 7 | 2 | 3 | 4 | 2 | 2 |
| 31 Other defined diseases | M | 554 | 102 | 26 | 26 | 22 | 17 | 43 | 95 | 76 | 147 | 473 | 108 | 20 | 16 | 15 | 26 | 32 | 77 | 61 | 118 |
| | F | 499 | 78 | 22 | 19 | 22 | 26 | 43 | 78 | 85 | 126 | 408 | 65 | 19 | 15 | 15 | 14 | 51 | 65 | 56 | 108 |
| 32 Causes ill-defined or unknown | M | 34 | — | 2 | — | 2 | 2 | 5 | 17 | 5 | 1 | 27 | 2 | 2 | 1 | 2 | 2 | 2 | 9 | 6 | 1 |
| | F | 19 | — | 3 | — | — | — | 3 | 10 | 3 | — | 14 | — | 3 | — | — | — | 1 | 6 | 4 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ELY, ISLE OF—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 243 | 32 | 8 | 3 | 3 | 9 | 19 | 55 | 49 | 65 | 203 | 26 | 4 | 3 | 7 | 4 | 21 | 40 | 38 | 60 |
| | F | 251 | 17 | 5 | 3 | 8 | 9 | 29 | 45 | 44 | 91 | 227 | 21 | 6 | 9 | 5 | 6 | 14 | 35 | 59 | 72 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 2 | 1 | 1 | — | — | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | 1 | 2 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 5 | — | — | — | — | — | 1 | 2 | — | 2 | 3 | — | — | — | — | 1 | 2 | — | — | — |
| | F | 4 | — | — | — | 1 | — | — | — | 1 | 2 | 10 | — | 1 | — | — | 1 | 1 | 1 | 5 | 1 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 8 | 1 | — | — | 1 | — | 4 | 2 | — | — | 6 | — | — | — | — | 1 | 2 | 3 | — | — |
| | F | 19 | — | — | — | 1 | 6 | 9 | 3 | — | — | 8 | — | — | — | — | 2 | 4 | 2 | — | — |
| 11 Other tuberculous diseases .. .. | M | 2 | — | 1 | — | — | 1 | — | — | — | — | 6 | 1 | — | 1 | 3 | 1 | — | — | — | — |
| | F | 5 | — | — | 1 | 2 | 1 | 1 | — | — | — | 4 | — | — | 2 | 1 | — | — | 1 | — | — |
| 12 Cancer, malignant disease .. .. | M | 31 | — | — | — | — | — | 2 | 8 | 16 | 5 | 27 | — | — | — | — | — | 2 | 13 | 7 | 5 |
| | F | 47 | — | — | — | — | — | 5 | 20 | 11 | 11 | 31 | — | — | — | — | — | 5 | 9 | 13 | 4 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | 1 |
| 14 Diabetes .. .. | M | 4 | — | — | — | — | — | — | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 4 | — | — | — | — | — | — | — | 4 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 11 | — | — | — | — | — | — | 5 | 3 | 3 | 12 | — | — | — | — | — | — | 1 | 5 | 6 |
| | F | 17 | — | — | — | — | — | 1 | 2 | 8 | 6 | 18 | — | — | — | — | — | — | 1 | 7 | 10 |
| 16 Heart disease .. | M | 25 | — | — | — | — | 1 | 2 | 7 | 9 | 6 | 15 | — | — | — | — | — | 1 | 3 | 2 | 9 |
| | F | 20 | — | — | — | — | — | 1 | 5 | 6 | 8 | 28 | — | — | — | — | — | — | 7 | 10 | 11 |
| 17 Arterio-sclerosis .. | M | 9 | — | — | — | — | — | — | 1 | 3 | 5 | 5 | — | — | — | — | — | — | 1 | — | 4 |
| | F | 7 | — | — | — | — | — | — | — | 1 | 6 | 7 | — | — | — | — | — | — | — | 3 | 4 |
| 18 Bronchitis .. | M | 12 | 2 | — | — | — | — | — | 3 | 2 | 5 | 10 | — | — | — | — | — | — | 1 | 6 | 3 |
| | F | 21 | 2 | — | — | — | — | — | 2 | 4 | 13 | 13 | — | — | — | 1 | — | — | — | 5 | 7 |
| 19 Pneumonia (all forms) .. .. | M | 14 | 2 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 1 | 11 | 4 | 2 | — | 1 | — | — | 1 | — | 3 |
| | F | 15 | 2 | 1 | — | 1 | — | 1 | 1 | 3 | 6 | 15 | 4 | 2 | 1 | — | — | 1 | 1 | 4 | 2 |
| 20 Other respiratory diseases .. .. | M | 5 | — | 1 | 1 | — | — | 1 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | — | — | 2 | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. .. | M | 9 | 2 | 2 | 1 | — | — | 1 | 1 | — | 2 | 5 | 1 | — | — | — | — | — | 1 | — | 3 |
| | F | 6 | 3 | 1 | — | 1 | — | — | — | — | 1 | 3 | 3 | — | — | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis.. .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | 1 | — | — | 1 | 1 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 24 Cirrhosis of liver .. | M | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 6 | — | — | — | — | — | — | 3 | 1 | 2 | 8 | — | — | — | — | — | — | 5 | 1 | 2 |
| | F | 4 | — | — | — | — | — | 1 | — | — | 3 | 7 | — | — | — | 1 | — | — | 3 | 1 | 2 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | — | 4 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 16 | 16 | — | — | — | — | — | — | — | — | 14 | 14 | — | — | — | — | — | — | — | — |
| | F | 9 | 9 | — | — | — | — | — | — | — | — | 8 | 8 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 4 | — | — | — | — | — | 2 | 1 | 1 | — | 4 | — | — | — | — | — | 2 | 2 | — | — |
| | F | 3 | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence.. .. | M | 12 | 1 | — | — | — | 4 | — | 5 | 1 | 1 | 18 | 1 | 1 | — | 2 | 1 | 6 | 2 | 4 | 1 |
| | F | 8 | — | — | 1 | — | — | — | 1 | 3 | 3 | 3 | — | — | — | — | 1 | — | 1 | 1 | — |
| 31 Other defined diseases .. .. | M | 63 | 7 | 1 | — | 1 | 2 | 2 | 11 | 8 | 31 | 49 | 4 | 1 | 1 | — | — | 5 | 5 | 10 | 23 |
| | F | 48 | 1 | 1 | — | — | 1 | 2 | 5 | 6 | 32 | 55 | 6 | 2 | | — | 1 | 1 | 8 | 4 | 29 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ESSEX—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 3015 | 307 | 39 | 60 | 85 | 135 | 342 | 869 | 601 | 577 | 1615 | 147 | 12 | 22 | 35 | 52 | 157 | 330 | 354 | 506 |
| | F | 3043 | 224 | 35 | 54 | 67 | 162 | 353 | 697 | 620 | 831 | 1523 | 116 | 13 | 18 | 31 | 52 | 126 | 329 | 304 | 534 |
| 1 Enteric fever .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 4 | — | — | — | 1 | 1 | 1 | — | 1 | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 6 | 2 | 1 | 1 | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 2 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 5 | — | — | 2 | 3 | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 14 | 4 | 3 | 6 | 1 | — | — | — | — | — | 9 | 6 | 1 | 1 | 1 | — | — | — | — | — |
| | F | 18 | 8 | 6 | 4 | — | — | — | — | — | — | 9 | 5 | — | 3 | 1 | — | — | — | — | — |
| 6 Diphtheria .. | M | 12 | — | — | 5 | 5 | — | 2 | — | — | — | 4 | 1 | 1 | 1 | 1 | — | — | — | — | — |
| | F | 17 | — | — | 6 | 11 | — | — | — | — | — | 6 | — | — | 1 | 4 | — | — | 1 | — | — |
| 7 Influenza .. .. | M | 57 | 3 | — | 1 | 2 | 3 | 10 | 24 | 9 | 5 | 29 | 1 | 1 | — | — | 4 | 2 | 8 | 5 | 8 |
| | F | 46 | — | 1 | 2 | 4 | 3 | 8 | 10 | 9 | 9 | 30 | 1 | — | — | — | 1 | 5 | 6 | 6 | 11 |
| 8 Encephalitis lethargica .. | M | 6 | — | — | 1 | 3 | — | — | 2 | — | — | 2 | — | — | 1 | — | 1 | — | — | — | — |
| | F | 2 | — | — | 1 | — | 1 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 4 | 1 | — | — | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 263 | — | 1 | 1 | 1 | 49 | 101 | 103 | 6 | 1 | 92 | — | — | — | 2 | 17 | 45 | 20 | 8 | — |
| | F | 195 | — | — | 1 | 9 | 61 | 80 | 33 | 8 | 3 | 70 | 1 | — | 1 | 3 | 19 | 29 | 14 | 2 | 1 |
| 11 Other tuberculous diseases .. .. | M | 54 | 7 | 6 | 6 | 9 | 11 | 9 | 4 | 2 | — | 29 | 1 | 3 | 6 | 7 | 3 | 6 | 3 | — | — |
| | F | 48 | 5 | 4 | 10 | 4 | 7 | 9 | 6 | 2 | 1 | 20 | 1 | 3 | 2 | 2 | 5 | 4 | 2 | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 351 | — | — | — | 1 | 3 | 21 | 161 | 119 | 46 | 170 | — | — | — | 1 | 1 | 2 | 59 | 69 | 38 |
| | F | 456 | — | — | — | — | 4 | 49 | 198 | 123 | 82 | 231 | — | — | — | 1 | 3 | 18 | 96 | 64 | 49 |
| 13 Rheumatic fever .. | M | 11 | — | — | 1 | 3 | 1 | 1 | 3 | 2 | — | 4 | — | — | — | 1 | — | 1 | 2 | — | — |
| | F | 8 | — | — | 1 | 2 | 4 | 1 | — | — | — | 5 | — | — | — | 3 | 1 | 1 | — | — | — |
| 14 Diabetes .. .. | M | 28 | — | — | — | 2 | 1 | 4 | 8 | 11 | 2 | 18 | — | — | — | — | 1 | 2 | 6 | 5 | 4 |
| | F | 31 | — | — | — | — | 2 | 6 | 9 | 9 | 5 | 21 | — | — | — | 3 | — | 1 | 4 | 11 | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 173 | — | — | — | 1 | — | 6 | 37 | 71 | 58 | 103 | — | — | — | — | — | 2 | 15 | 31 | 55 |
| | F | 252 | — | — | — | — | — | 5 | 52 | 78 | 117 | 120 | — | — | — | — | — | 3 | 23 | 37 | 57 |
| 16 Heart disease .. | M | 359 | — | — | 1 | 4 | 15 | 35 | 112 | 95 | 97 | 212 | — | — | — | 1 | 2 | 19 | 49 | 78 | 63 |
| | F | 455 | — | — | — | 2 | 15 | 42 | 115 | 128 | 153 | 233 | — | 1 | — | — | 4 | 3 | 67 | 64 | 94 |
| 17 Arterio-sclerosis .. | M | 86 | — | — | — | — | — | — | 19 | 27 | 40 | 79 | — | — | — | — | — | 1 | 8 | 24 | 46 |
| | F | 73 | — | — | — | — | — | — | 11 | 19 | 43 | 42 | — | — | — | — | — | — | 2 | 9 | 31 |
| 18 Bronchitis .. | M | 198 | 12 | 1 | 1 | — | — | 7 | 51 | 53 | 73 | 117 | 6 | 1 | 1 | 1 | — | 3 | 7 | 23 | 75 |
| | F | 245 | 11 | 3 | 3 | 1 | — | 1 | 38 | 76 | 112 | 92 | 3 | 1 | — | — | — | 1 | 7 | 22 | 58 |
| 19 Pneumonia (all forms) .. .. | M | 190 | 23 | 11 | 14 | 5 | 7 | 29 | 57 | 25 | 19 | 60 | 7 | 1 | 1 | 3 | 2 | 8 | 25 | 8 | 5 |
| | F | 146 | 26 | 10 | 4 | 4 | 5 | 27 | 29 | 22 | 19 | 55 | 9 | 3 | 3 | 1 | — | 8 | 19 | 5 | 7 |
| 20 Other respiratory diseases .. .. | M | 45 | 4 | 2 | 2 | — | 1 | 5 | 16 | 7 | 8 | 22 | — | — | — | — | — | 2 | 4 | 9 | 7 |
| | F | 51 | — | — | 3 | 2 | — | 4 | 14 | 15 | 13 | 17 | — | 1 | — | — | — | 2 | 3 | 6 | 5 |
| 21 Ulcer of stomach or duodenum .. | M | 40 | — | — | — | — | 2 | 10 | 23 | 3 | 2 | 10 | — | — | — | — | 1 | 3 | 4 | 1 | 1 |
| | F | 16 | — | — | — | — | 2 | 5 | 4 | 4 | 1 | 7 | — | — | — | — | 1 | 2 | 3 | — | 1 |
| 22 Diarrhœa, &c. .. | M | 51 | 34 | 3 | 2 | 1 | — | 1 | 5 | 2 | 3 | 15 | 10 | 1 | — | 1 | — | 1 | — | 2 | — |
| | F | 41 | 20 | 4 | 2 | — | 1 | 5 | 3 | 2 | 4 | 16 | 9 | 1 | — | 1 | 1 | 1 | 1 | — | 2 |
| 23 Appendicitis and typhlitis.. .. | M | 25 | 1 | 1 | — | 4 | 5 | 3 | 9 | 1 | 1 | 11 | — | — | — | 3 | 2 | 2 | 3 | 1 | — |
| | F | 24 | — | — | — | 1 | 9 | 1 | 11 | 2 | — | 8 | — | — | 1 | 2 | 1 | 2 | 1 | 1 | — |
| 24 Cirrhosis of liver .. | M | 16 | — | — | — | — | — | 1 | 7 | 7 | 1 | 3 | — | — | — | — | — | — | 2 | 1 | — |
| | F | 11 | 1 | — | — | — | — | 1 | 5 | 4 | — | 4 | — | — | 1 | — | 1 | — | 1 | 1 | — |
| 25 Acute and chronic nephritis .. | M | 90 | 1 | 1 | — | 1 | 5 | 10 | 33 | 23 | 16 | 52 | — | — | — | — | 3 | 4 | 21 | 12 | 12 |
| | F | 89 | — | — | 1 | 4 | 7 | 11 | 35 | 20 | 11 | 47 | — | — | 1 | 2 | 1 | 7 | 14 | 13 | 9 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 15 | — | — | — | — | 4 | 11 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 28 | — | — | — | — | 6 | 22 | — | — | — | 12 | — | — | — | — | 1 | 11 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 150 | 145 | 1 | 1 | 3 | — | — | — | — | — | 90 | 89 | — | — | 1 | — | — | — | — | — |
| | F | 114 | 113 | — | — | — | — | 1 | — | — | — | 68 | 68 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 44 | — | — | — | — | 3 | 14 | 23 | 3 | 1 | 23 | — | — | — | — | 2 | 4 | 13 | 2 | 2 |
| | F | 21 | — | — | — | — | 2 | 10 | 7 | 2 | — | 9 | — | — | — | — | 2 | 4 | 2 | 1 | — |
| 30 Other deaths from violence.. .. | M | 109 | 6 | 2 | 9 | 13 | 7 | 22 | 33 | 6 | 11 | 76 | 4 | — | 6 | 4 | 7 | 18 | 16 | 10 | 11 |
| | F | 47 | 3 | 1 | 4 | 2 | 9 | 2 | 8 | 5 | 13 | 31 | — | 2 | 3 | — | 2 | 2 | 4 | 9 | 9 |
| 31 Other defined diseases .. .. | M | 617 | 64 | 6 | 6 | 20 | 21 | 47 | 133 | 127 | 193 | 375 | 21 | 3 | 5 | 8 | 4 | 31 | 59 | 65 | 179 |
| | F | 582 | 36 | 6 | 12 | 18 | 19 | 51 | 106 | 89 | 245 | 353 | 18 | 1 | 2 | 8 | 9 | 18 | 51 | 48 | 198 |
| 32 Causes ill-defined or unknown .. | M | 9 | — | — | — | — | 1 | 2 | 4 | 2 | — | 6 | — | — | — | — | 1 | — | 5 | — | — |
| | F | 5 | — | — | — | — | — | — | 3 | 2 | — | 13 | — | — | — | — | — | 2 | 7 | 4 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLOUCESTER—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 568 | 45 | 8 | 12 | 14 | 26 | 70 | 138 | 107 | 148 | 1309 | 106 | 16 | 19 | 31 | 55 | 126 | 300 | 296 | 360 |
| | F | 681 | 42 | 12 | 10 | 16 | 29 | 55 | 137 | 143 | 237 | 1321 | 91 | 16 | 27 | 32 | 49 | 132 | 244 | 296 | 434 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 4 | — | — | — | — | — | 2 | 2 | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 8 | — | 4 | 2 | 2 | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| | F | 9 | — | 5 | 2 | 2 | — | — | — | — | — | 3 | — | 1 | 1 | 1 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 2 | — | — | 1 | 1 | — | — | — | — | — | 3 | — | — | 2 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | 2 | 1 | — | — | — | — | — |
| 5 Whooping cough .. | M | 4 | 1 | — | 3 | — | — | — | — | — | — | 5 | 2 | 1 | 2 | — | — | — | — | — | — |
| | F | 9 | 5 | 3 | 1 | — | — | — | — | — | — | 5 | 2 | 1 | 2 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 5 | — | — | 2 | 3 | — | — | — | — | — | 5 | — | — | 3 | 1 | — | 1 | — | — | — |
| | F | 3 | — | — | — | 3 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 7 Influenza .. .. | M | 7 | — | 1 | — | — | 1 | 2 | — | 3 | — | 49 | 2 | — | 2 | — | 3 | 5 | 16 | 7 | 14 |
| | F | 10 | — | — | — | 2 | — | — | 3 | 2 | 3 | 30 | — | 1 | 2 | 2 | 1 | 3 | 7 | 4 | 10 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 45 | — | — | — | — | 8 | 21 | 15 | — | 1 | 62 | 1 | — | — | — | 13 | 28 | 17 | 3 | — |
| | F | 38 | — | — | — | 1 | 12 | 18 | 4 | 3 | — | 64 | — | 1 | 1 | 2 | 21 | 30 | 6 | 3 | — |
| 11 Other tuberculous diseases .. .. | M | 7 | 1 | — | 1 | 1 | 2 | 1 | 1 | — | — | 24 | 2 | — | 2 | 5 | 6 | 7 | 1 | 1 | — |
| | F | 15 | 2 | 1 | 1 | 2 | 8 | — | 1 | — | — | 30 | 4 | 1 | 4 | 8 | 4 | 6 | 2 | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 52 | — | — | — | — | 1 | 2 | 24 | 15 | 10 | 144 | — | — | — | — | 1 | 6 | 63 | 40 | 34 |
| | F | 83 | — | — | — | — | — | 5 | 41 | 21 | 16 | 156 | — | — | — | 2 | — | 19 | 56 | 52 | 27 |
| 13 Rheumatic fever .. | M | 2 | — | — | — | 1 | — | 1 | — | — | — | 4 | — | — | — | 1 | 2 | — | — | 1 | — |
| | F | 4 | — | — | — | 1 | — | 1 | 1 | 1 | — | 6 | — | — | — | 2 | 2 | — | 1 | 1 | — |
| 14 Diabetes .. .. | M | 5 | — | — | — | — | — | 3 | 1 | 1 | — | 13 | — | — | — | 1 | 1 | — | 1 | 8 | 2 |
| | F | 5 | — | — | — | — | — | — | 2 | 2 | 1 | 21 | — | — | — | — | — | 2 | 7 | 7 | 5 |
| 15 Cerebral hæmorrhage, &c. .. | M | 34 | — | — | — | — | — | — | 6 | 9 | 19 | 78 | — | — | — | — | — | 2 | 16 | 25 | 35 |
| | F | 64 | — | — | — | — | — | 1 | 8 | 20 | 35 | 129 | — | — | — | — | — | 1 | 23 | 47 | 58 |
| 16 Heart disease .. | M | 83 | — | — | — | — | 1 | 8 | 21 | 26 | 27 | 209 | — | — | — | 3 | 2 | 10 | 57 | 75 | 62 |
| | F | 99 | — | — | 1 | — | — | 4 | 26 | 29 | 39 | 248 | — | — | — | 1 | 3 | 15 | 56 | 73 | 100 |
| 17 Arterio-sclerosis .. | M | 26 | — | — | — | — | — | — | 5 | 6 | 15 | 70 | — | — | — | — | — | — | 9 | 15 | 46 |
| | F | 34 | — | — | — | — | — | — | 2 | 8 | 24 | 55 | — | — | — | — | — | 1 | 6 | 21 | 27 |
| 18 Bronchitis .. | M | 28 | 6 | — | — | — | — | 1 | 4 | 8 | 9 | 86 | 5 | 2 | — | — | — | 4 | 14 | 23 | 38 |
| | F | 33 | 3 | 1 | — | — | — | 1 | 1 | 6 | 21 | 62 | 8 | 2 | — | — | — | — | 5 | 10 | 37 |
| 19 Pneumonia (all forms) .. .. | M | 32 | 7 | — | 1 | 1 | 2 | 7 | 8 | 3 | 3 | 58 | 9 | 2 | 3 | 1 | 5 | 4 | 13 | 17 | 4 |
| | F | 35 | 7 | 1 | 2 | — | 1 | 2 | 6 | 6 | 10 | 57 | 8 | 5 | 6 | 3 | — | 6 | 9 | 10 | 10 |
| 20 Other respiratory diseases .. .. | M | 11 | 2 | — | — | — | — | — | 2 | 3 | 4 | 16 | — | 1 | — | — | 1 | 1 | 5 | 5 | 3 |
| | F | 8 | 1 | — | — | — | — | 1 | — | 3 | 3 | 16 | 1 | — | 1 | 1 | — | 2 | 2 | 2 | 7 |
| 21 Ulcer of stomach or duodenum .. | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 8 | — | — | — | — | 2 | 2 | 3 | 1 | — |
| | F | 4 | — | — | — | — | — | — | 2 | 2 | — | 5 | — | — | — | — | — | 2 | — | 3 | — |
| 22 Diarrhœa, &c. .. | M | 10 | 3 | — | 1 | — | — | — | 3 | 2 | 1 | 12 | 6 | 1 | — | 1 | — | 1 | 1 | — | 2 |
| | F | 7 | 5 | 1 | — | — | — | — | 1 | — | — | 10 | 2 | — | 1 | 1 | — | — | — | 3 | 3 |
| 23 Appendicitis and typhlitis.. .. | M | 6 | — | 1 | — | — | — | 1 | 4 | — | — | 10 | — | — | — | 1 | 1 | 3 | 3 | 2 | — |
| | F | 4 | — | — | — | 1 | — | — | 1 | 2 | — | 9 | — | 1 | — | — | — | — | 5 | 1 | 2 |
| 24 Cirrhosis of liver .. | M | 5 | — | — | — | — | — | — | 4 | 1 | — | 8 | 1 | — | — | — | — | — | 5 | 1 | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 25 Acute and chronic nephritis .. | M | 18 | — | — | — | — | — | — | 8 | 2 | 8 | 51 | 2 | — | 1 | 2 | 4 | 6 | 17 | 14 | 5 |
| | F | 22 | — | — | 1 | — | — | 1 | 9 | 2 | 9 | 40 | — | — | 1 | 2 | — | 3 | 18 | 8 | 8 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | 1 | 4 | — | — | — | 8 | — | — | — | — | 2 | 6 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 10 | — | — | — | — | 2 | 8 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 19 | 18 | — | — | — | — | 1 | — | — | — | 53 | 52 | 1 | — | — | — | — | — | — | — |
| | F | 14 | 14 | — | — | — | — | — | — | — | — | 43 | 43 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 11 | — | — | — | — | — | 3 | 6 | 2 | — | 17 | — | — | — | — | 1 | 5 | 8 | 1 | 2 |
| | F | 8 | — | — | — | — | 1 | 4 | 2 | 1 | — | 6 | — | — | — | — | 1 | 1 | 2 | 2 | — |
| 30 Other deaths from violence.. .. | M | 21 | 1 | 2 | 1 | — | 5 | 7 | 2 | — | 3 | 52 | — | — | 2 | 6 | 7 | 13 | 14 | 5 | 5 |
| | F | 7 | — | — | — | 2 | — | 2 | 2 | 1 | — | 23 | 2 | — | 3 | 2 | 3 | 2 | 1 | 4 | 6 |
| 31 Other defined diseases .. .. | M | 121 | 6 | — | — | 5 | 6 | 11 | 20 | 25 | 48 | 258 | 23 | 5 | 2 | 8 | 6 | 24 | 35 | 49 | 106 |
| | F | 153 | 4 | — | 2 | 2 | 5 | 9 | 21 | 34 | 76 | 271 | 20 | 3 | 2 | 3 | 10 | 23 | 33 | 43 | 134 |
| 32 Causes ill-defined or unknown .. | M | 3 | — | — | — | — | — | — | 2 | 1 | — | 8 | — | 2 | — | — | — | 1 | 1 | 3 | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | 1 | — | — | — | — | — | 1 | 1 | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HEREFORD—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | M | 278 | 36 | 15 | 4 | 12 | 9 | 29 | 47 | 68 | 58 | 531 | 59 | 6 | 8 | 11 | 17 | 50 | 124 | 101 | 155 |
| | F | 262 | 30 | 7 | 7 | 4 | 9 | 20 | 47 | 51 | 87 | 393 | 27 | 6 | 6 | 8 | 15 | 35 | 79 | 75 | 142 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 12 | 1 | 5 | 3 | 3 | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 8 | 1 | 4 | 2 | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 5 | 3 | 1 | — | 1 | — | — | — | — | — | 5 | 2 | 2 | 1 | — | — | — | — | — | — |
| | F | 6 | 2 | 2 | 2 | — | — | — | — | — | — | 7 | 3 | 3 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | 2 | — | — | 1 | — | — |
| 7 Influenza | M | 7 | 1 | — | — | 1 | — | 1 | 3 | 1 | — | 7 | — | — | — | — | 1 | — | 2 | 3 | 1 |
| | F | 2 | 1 | — | — | — | — | — | — | 1 | — | 5 | — | — | — | — | — | — | — | 2 | 3 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | 1 | — | 1 | 1 | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 16 | — | 1 | — | — | 2 | 9 | 3 | 1 | — | 35 | — | — | — | 1 | 9 | 17 | 7 | — | 1 |
| | F | 13 | — | — | — | 1 | 3 | 6 | 3 | — | — | 23 | — | — | — | 1 | 7 | 12 | 2 | 1 | — |
| 11 Other tuberculous diseases | M | 2 | 1 | — | — | 1 | — | — | — | — | — | 3 | 1 | — | — | — | — | 1 | 1 | — | — |
| | F | 2 | — | — | — | — | 1 | — | — | 1 | — | 5 | — | — | — | 1 | 2 | 1 | 1 | — | — |
| 12 Cancer, malignant disease | M | 24 | — | — | — | — | — | — | 5 | 10 | 9 | 55 | — | — | 1 | — | — | 1 | 23 | 14 | 16 |
| | F | 40 | — | — | — | — | — | 4 | 19 | 8 | 9 | 44 | — | — | — | — | — | 3 | 17 | 16 | 8 |
| 13 Rheumatic fever | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 3 | — | — | — | — | 1 | 1 | — | 1 | — | 6 | — | — | — | — | — | 2 | 2 | 1 | 1 |
| | F | 3 | — | — | — | — | — | 2 | — | 1 | — | 6 | — | — | — | — | — | 1 | 3 | 2 | — |
| 15 Cerebral hæmorrhage, &c. | M | 27 | — | — | — | — | — | — | 5 | 13 | 9 | 45 | — | — | — | 1 | — | 3 | 11 | 14 | 16 |
| | F | 28 | — | — | — | — | — | — | 4 | 9 | 15 | 31 | — | — | — | — | — | — | 6 | 10 | 15 |
| 16 Heart disease | M | 37 | — | — | — | — | 1 | 2 | 8 | 17 | 9 | 77 | — | — | — | — | 4 | 3 | 15 | 20 | 35 |
| | F | 45 | — | — | — | — | — | 2 | 11 | 14 | 18 | 82 | — | — | — | — | 1 | 1 | 15 | 23 | 42 |
| 17 Arterio-sclerosis | M | 10 | — | — | — | — | — | — | 2 | 3 | 5 | 26 | — | — | — | — | — | — | 3 | 8 | 15 |
| | F | 6 | — | — | — | — | — | — | 1 | 2 | 3 | 14 | — | — | — | — | — | — | 1 | — | 13 |
| 18 Bronchitis | M | 9 | — | 1 | — | — | — | — | — | 1 | 7 | 33 | 4 | 1 | — | — | — | 1 | 1 | 7 | 19 |
| | F | 13 | — | — | — | — | — | — | — | 1 | 12 | 26 | 1 | 1 | — | — | — | — | 4 | 4 | 16 |
| 19 Pneumonia (all forms) | M | 27 | 4 | 6 | — | 1 | 2 | 3 | 5 | 5 | 1 | 19 | 3 | 1 | — | 2 | — | 2 | 6 | 2 | 3 |
| | F | 10 | 2 | — | 2 | 1 | — | — | 2 | 2 | 1 | 12 | 2 | — | 1 | — | — | 4 | 3 | 1 | 1 |
| 20 Other respiratory diseases | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 6 | — | — | — | — | — | — | 2 | 2 | 2 |
| | F | 2 | — | — | — | — | — | 1 | — | — | 1 | 3 | — | 1 | 1 | — | — | — | — | — | 1 |
| 21 Ulcer of stomach or duodenum | M | — | — | — | — | — | — | — | — | — | — | 6 | — | — | — | — | — | 2 | 1 | 2 | 1 |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | 1 | — | 1 |
| 22 Diarrhœa, &c. | M | 4 | 2 | — | 1 | — | — | — | — | — | 1 | 4 | 3 | — | — | — | — | — | — | 1 | — |
| | F | 7 | 5 | — | 1 | — | — | — | — | 1 | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | 1 | — | 1 | 1 | — | — | — |
| 24 Cirrhosis of liver | M | 3 | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis | M | 12 | — | — | — | — | — | 2 | 5 | 3 | 2 | 19 | — | — | — | 1 | 1 | 2 | 6 | 5 | 4 |
| | F | 7 | — | — | — | — | 1 | 1 | 1 | 3 | 1 | 13 | — | — | — | 1 | 1 | — | 7 | 1 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 19 | 18 | — | — | — | 1 | — | — | — | — | 36 | 36 | — | — | — | — | — | — | — | — |
| | F | 12 | 12 | — | — | — | — | — | — | — | — | 16 | 16 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 8 | — | — | — | — | — | 1 | 7 | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence | M | 9 | — | — | — | — | 1 | 4 | 1 | 3 | — | 26 | 2 | 1 | 3 | 2 | 2 | 4 | 8 | 3 | 1 |
| | F | 4 | 1 | — | — | — | — | 1 | — | 1 | 1 | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 31 Other defined diseases | M | 42 | 6 | 1 | — | 3 | 1 | 5 | 7 | 4 | 15 | 100 | 8 | 1 | 1 | 3 | — | 7 | 24 | 16 | 40 |
| | F | 45 | 6 | 1 | — | 1 | 1 | 1 | 5 | 5 | 25 | 79 | 5 | 1 | 1 | 1 | 2 | 4 | 14 | 12 | 39 |
| 32 Causes ill-defined or unknown | M | 5 | — | — | — | 2 | — | 1 | — | 2 | — | 7 | — | — | — | — | — | 2 | 2 | 3 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 3 | — | — | — | — | — | — | 1 | 2 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HERTFORD—1923 (Civilian population only).

| | Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes | M | 1111 | 111 | 13 | 15 | 25 | 36 | 117 | 330 | 210 | 254 | 557 | 52 | 7 | 12 | 14 | 24 | 59 | 109 | 133 | 147 |
| | | F | 1091 | 55 | 17 | 18 | 27 | 45 | 108 | 249 | 229 | 343 | 501 | 28 | 5 | 3 | 12 | 17 | 57 | 105 | 120 | 154 |
| 1 | Enteric fever | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 2 | Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles | M | 2 | — | 2 | — | — | — | — | — | — | — | 4 | 1 | 3 | — | — | — | — | — | — | — |
| | | F | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 4 | Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | — | — | 1 | — | — | — |
| | | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 5 | Whooping cough | M | 5 | 3 | — | 2 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 6 | Diphtheria | M | 4 | — | — | 1 | 2 | 1 | — | — | — | — | 3 | — | — | 2 | 1 | — | — | — | — | — |
| | | F | 5 | 1 | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 | Influenza | M | 23 | — | — | 1 | 1 | 1 | 2 | 7 | 5 | 6 | 8 | — | — | — | — | 1 | — | 3 | 2 | 2 |
| | | F | 23 | 1 | — | — | 1 | 1 | 3 | 8 | 4 | 5 | 7 | — | — | — | — | — | 2 | 2 | 2 | 1 |
| 8 | Encephalitis lethargica | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 3 | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 69 | — | — | — | 2 | 9 | 32 | 24 | 2 | — | 41 | — | — | — | 2 | 8 | 23 | 8 | — | — |
| | | F | 63 | — | — | — | 3 | 19 | 25 | 12 | 3 | 1 | 29 | — | — | — | — | 7 | 11 | 10 | 1 | — |
| 11 | Other tuberculous diseases | M | 20 | — | 4 | 1 | 2 | 3 | 5 | 4 | 1 | — | 7 | 1 | — | — | — | — | 3 | 2 | 1 | — |
| | | F | 18 | 4 | 1 | 1 | 4 | 4 | 2 | 2 | — | — | 4 | — | — | — | 3 | 1 | — | — | — | — |
| 12 | Cancer, malignant disease | M | 133 | — | — | — | — | 3 | 8 | 60 | 38 | 24 | 68 | — | — | — | 1 | — | 3 | 19 | 29 | 16 |
| | | F | 174 | — | — | — | — | 1 | 16 | 76 | 44 | 37 | 85 | — | 1 | — | 1 | 1 | 12 | 29 | 25 | 16 |
| 13 | Rheumatic fever | M | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 3 | — | — | — | — | 3 | — | — | — | — |
| | | F | 2 | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 14 | Diabetes | M | 12 | — | — | — | — | 1 | 3 | 6 | 1 | 1 | 4 | — | — | — | 1 | — | — | 1 | 1 | 1 |
| | | F | 17 | — | — | — | — | 1 | 2 | 8 | 5 | 1 | 6 | — | — | — | — | — | 1 | 2 | 2 | 1 |
| 15 | Cerebral hæmorrhage, &c. | M | 71 | — | — | — | — | — | 3 | 18 | 29 | 21 | 50 | — | — | — | — | — | 1 | 8 | 17 | 24 |
| | | F | 70 | — | — | — | — | — | — | 14 | 23 | 33 | 43 | — | — | — | — | — | — | 6 | 16 | 21 |
| 16 | Heart disease | M | 148 | — | — | — | — | 4 | 15 | 49 | 37 | 43 | 75 | — | — | — | — | 1 | 6 | 21 | 27 | 20 |
| | | F | 176 | — | — | — | 3 | 2 | 6 | 41 | 46 | 78 | 76 | — | — | — | 1 | 1 | 5 | 14 | 24 | 31 |
| 17 | Arterio-sclerosis | M | 48 | — | — | — | — | — | 1 | 12 | 14 | 21 | 22 | — | — | — | — | — | — | 4 | 9 | 9 |
| | | F | 28 | — | — | — | — | — | — | 5 | 10 | 13 | 8 | — | — | — | — | — | — | — | 1 | 7 |
| 18 | Bronchitis | M | 98 | 6 | 3 | — | 1 | — | 3 | 17 | 21 | 47 | 51 | 2 | — | 2 | — | — | — | 6 | 11 | 30 |
| | | F | 90 | 4 | 1 | — | — | — | 1 | 8 | 24 | 52 | 38 | — | 2 | — | — | — | 3 | 5 | 8 | 20 |
| 19 | Pneumonia (all forms) | M | 72 | 13 | 2 | 3 | 2 | 3 | 8 | 23 | 11 | 7 | 22 | 8 | — | — | — | 1 | 3 | 6 | 3 | 1 |
| | | F | 54 | 7 | 7 | 7 | 1 | 2 | 3 | 9 | 10 | 8 | 27 | 4 | — | — | — | — | 3 | 5 | 9 | 6 |
| 20 | Other respiratory diseases | M | 14 | 1 | — | — | — | — | 2 | 4 | 4 | 3 | 6 | — | — | 1 | — | 1 | — | 1 | 1 | 2 |
| | | F | 11 | — | — | — | 1 | 1 | 4 | 3 | 2 | — | 6 | — | — | — | — | — | — | 2 | 2 | 2 |
| 21 | Ulcer of stomach or duodenum | M | 15 | — | — | — | — | — | 4 | 6 | 4 | 1 | 6 | — | — | — | — | — | 2 | 3 | 1 | — |
| | | F | 6 | — | — | — | — | — | 4 | 1 | 1 | — | 4 | — | — | — | — | — | — | 1 | 3 | — |
| 22 | Diarrhœa, &c. | M | 11 | 6 | — | 1 | — | — | 1 | 2 | — | 1 | 8 | 3 | 1 | — | — | — | — | 1 | 3 | — |
| | | F | 11 | 4 | 1 | 2 | 1 | — | — | — | 2 | 1 | 2 | — | — | — | — | — | — | — | 1 | 1 |
| 23 | Appendicitis and typhlitis | M | 13 | — | — | 1 | 2 | 1 | 6 | 3 | — | — | 7 | — | — | 1 | 1 | 1 | 2 | 1 | 1 | — |
| | | F | 9 | — | — | 1 | — | — | 2 | 2 | 2 | 2 | 4 | — | — | — | 2 | — | — | 2 | — | — |
| 24 | Cirrhosis of liver | M | 7 | — | — | — | — | — | 1 | 5 | 1 | — | 4 | — | — | — | — | — | 1 | 1 | 2 | — |
| | | F | 3 | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 | Acute and chronic nephritis | M | 31 | — | — | — | 1 | 2 | 2 | 10 | 9 | 7 | 11 | — | — | — | — | — | 1 | 4 | 2 | 4 |
| | | F | 22 | — | — | — | — | 2 | 6 | 8 | 3 | 3 | 14 | — | — | — | 1 | — | 1 | 4 | 5 | 3 |
| 26 | Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 3 | — | — | — | — | — | 3 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 9 | — | — | — | — | 4 | 5 | — | — | — | 4 | — | — | — | — | 1 | 3 | — | — | — |
| 28 | Congenital debility and malformation, premature birth | M | 68 | 66 | — | — | — | 1 | 1 | — | — | — | 32 | 31 | 1 | — | — | — | — | — | — | — |
| | | F | 26 | 25 | 1 | — | — | — | — | — | — | — | 18 | 17 | — | — | 1 | — | — | — | — | — |
| 29 | Suicide | M | 13 | — | — | — | — | — | 2 | 11 | — | — | 4 | — | — | — | — | — | — | 4 | — | — |
| | | F | 9 | — | — | — | — | — | 4 | 5 | — | — | 3 | — | — | — | — | — | — | 1 | 2 | — |
| 30 | Other deaths from violence | M | 38 | 1 | — | 1 | 6 | 2 | 7 | 14 | 3 | 4 | 16 | 1 | — | 1 | 4 | 2 | 3 | 4 | 1 | — |
| | | F | 21 | 1 | 1 | — | 3 | — | — | 6 | 2 | 8 | 10 | — | — | 1 | 1 | — | 3 | 1 | 1 | 3 |
| 31 | Other defined diseases | M | 188 | 15 | 2 | 4 | 6 | 5 | 10 | 50 | 28 | 68 | 98 | 4 | 2 | 4 | 4 | 6 | 9 | 10 | 22 | 37 |
| | | F | 231 | 7 | 2 | 4 | 8 | 6 | 19 | 36 | 48 | 101 | 106 | 7 | 1 | 1 | 1 | 5 | 10 | 21 | 18 | 42 |
| 32 | Causes ill-defined or unknown | M | 3 | — | — | — | — | — | — | 2 | 1 | — | 4 | — | — | — | — | — | 1 | 2 | — | 1 |
| | | F | 3 | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HUNTINGDON—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 140 | 18 | 2 | 2 | 9 | 4 | 18 | 26 | 30 | 31 | 204 | 24 | 1 | 1 | 2 | 8 | 23 | 42 | 42 | 61 |
| | F | 128 | 12 | 2 | 2 | 3 | 4 | 12 | 15 | 26 | 52 | 188 | 10 | 1 | 1 | 2 | 6 | 15 | 30 | 39 | 84 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 3 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 1 | 1 | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | 2 | — | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza | M | 2 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — | — | 1 | — | 1 |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | — | — | — | — | 2 | 2 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 11 | — | — | 1 | 1 | 2 | 4 | 3 | — | — | 15 | — | — | — | — | 2 | 7 | 5 | 1 | — |
| | F | 8 | — | — | — | — | 3 | 3 | 1 | 1 | — | 7 | — | — | — | — | 2 | 4 | 1 | — | — |
| 11 Other tuberculous diseases | M | 6 | — | — | — | 2 | 1 | 3 | — | — | — | 5 | — | — | 1 | 1 | — | 3 | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 5 | — | — | — | — | 2 | 1 | 1 | 1 | — |
| 12 Cancer, malignant disease | M | 22 | — | — | — | — | — | 1 | 9 | 11 | 1 | 25 | — | — | — | — | — | 1 | 11 | 7 | 6 |
| | F | 23 | — | — | — | — | — | 2 | 4 | 10 | 7 | 27 | — | — | — | — | — | 1 | 6 | 11 | 9 |
| 13 Rheumatic fever | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 2 | — | — | — | — | — | 1 | — | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | 1 | 2 | — | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 9 | — | — | — | — | — | — | 1 | 3 | 5 | 10 | — | — | — | — | — | — | 1 | 5 | 4 |
| | F | 8 | — | — | — | — | — | — | — | 4 | 4 | 14 | — | — | — | — | — | — | 2 | 4 | 8 |
| 16 Heart disease | M | 17 | — | — | — | — | 1 | 2 | 2 | 6 | 6 | 27 | — | — | — | — | — | 2 | 5 | 9 | 11 |
| | F | 17 | — | — | — | — | 1 | 1 | 6 | 2 | 7 | 31 | — | — | — | — | — | 1 | 6 | 11 | 13 |
| 17 Arterio-sclerosis | M | 2 | — | — | — | — | — | — | — | 1 | 1 | 3 | — | — | — | — | — | — | — | 2 | 1 |
| | F | 4 | — | — | — | — | — | — | — | 1 | 3 | 3 | — | — | — | — | — | — | — | — | 3 |
| 18 Bronchitis | M | 10 | 1 | — | — | — | — | — | 1 | 3 | 5 | 12 | — | — | — | — | — | — | 1 | 4 | 7 |
| | F | 4 | 1 | — | — | — | — | — | — | 1 | 2 | 18 | — | 1 | — | — | — | — | 3 | 2 | 12 |
| 19 Pneumonia (all forms) | M | 3 | — | — | — | 1 | — | — | — | — | 2 | 12 | 5 | — | — | — | — | 2 | 1 | 2 | 2 |
| | F | 6 | 2 | 1 | — | — | — | — | 1 | — | 2 | 6 | — | — | — | — | — | 1 | 1 | 2 | 2 |
| 20 Other respiratory diseases | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | 1 | 2 |
| | F | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 1 | — | — | — | — | — | 1 | — | — | — |
| 21 Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | — | 2 | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 4 | — | — | — | — | — | 1 | 2 | — | 1 |
| 22 Diarrhœa, &c. | M | 1 | 1 | — | — | — | — | — | — | — | — | 5 | 3 | — | — | — | — | — | — | 1 | 1 |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis | M | 2 | — | — | — | 1 | — | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 24 Cirrhosis of liver | M | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis | M | 2 | — | — | — | — | — | — | 2 | — | — | 4 | — | — | — | — | — | — | 2 | 1 | 1 |
| | F | 3 | — | — | — | — | — | 1 | — | 1 | 1 | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 13 | 13 | — | — | — | — | — | — | — | — | 12 | 12 | — | — | — | — | — | — | — | — |
| | F | 8 | 8 | — | — | — | — | — | — | — | — | 6 | 6 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 2 | — | — | — | — | — | 1 | — | — | 1 | 4 | — | — | — | — | — | 1 | 3 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 30 Other deaths from violence | M | 4 | — | — | — | 2 | — | 1 | 1 | — | — | 13 | — | 1 | — | — | 4 | 2 | 2 | 2 | 2 |
| | F | 3 | — | — | — | — | — | — | — | 1 | 2 | 6 | — | — | — | 1 | — | — | — | 1 | 4 |
| 31 Other defined diseases | M | 24 | 2 | 1 | — | — | — | 2 | 5 | 5 | 9 | 42 | 2 | — | — | — | 2 | 2 | 7 | 6 | 23 |
| | F | 32 | — | — | 1 | 1 | — | 2 | 1 | 4 | 23 | 43 | 2 | — | — | — | — | 4 | 5 | 3 | 29 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of KENT—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes | M | 3993 | 389 | 93 | 66 | 95 | 156 | 445 | 1014 | 792 | 943 | 1658 | 152 | 24 | 22 | 42 | 54 | 174 | 346 | 357 | 487 |
| | F | 4058 | 289 | 53 | 62 | 87 | 156 | 450 | 947 | 789 | 1225 | 1609 | 119 | 27 | 20 | 43 | 68 | 198 | 336 | 317 | 481 |
| 1 Enteric fever | M | 2 | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 5 | — | — | — | 1 | 2 | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 19 | 4 | 6 | 5 | 3 | 1 | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| | F | 13 | 4 | 3 | 2 | 4 | — | — | — | — | — | 5 | — | 4 | — | — | — | 1 | — | — | — |
| 4 Scarlet fever | M | 6 | — | 1 | 3 | 1 | 1 | — | — | — | — | 3 | 1 | — | — | 2 | — | — | — | — | — |
| | F | 7 | 1 | 1 | 2 | 3 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 5 Whooping cough | M | 15 | 8 | 3 | 4 | — | — | — | — | — | — | 7 | 3 | 2 | 1 | 1 | — | — | — | — | — |
| | F | 22 | 10 | 4 | 6 | 1 | — | — | 1 | — | — | 8 | 7 | 1 | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 17 | 1 | 2 | 4 | 9 | 1 | — | — | — | — | 4 | — | — | 2 | 2 | — | — | — | — | — |
| | F | 20 | — | 1 | 3 | 16 | — | — | — | — | — | 5 | — | — | 1 | 4 | — | — | — | — | — |
| 7 Influenza | M | 44 | 1 | 2 | — | 1 | 1 | 6 | 15 | 12 | 6 | 25 | 2 | 2 | — | 1 | — | 4 | 6 | 4 | 6 |
| | F | 62 | — | — | — | 2 | 1 | 12 | 13 | 16 | 18 | 17 | 2 | — | 1 | 1 | — | 4 | 6 | — | 3 |
| 8 Encephalitis lethargica | M | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 5 | — | — | — | — | 1 | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | 2 | — | 1 | — | — | — | 1 | — | — | — | 2 | 1 | — | — | 1 | — | — | — | — | — |
| | F | 2 | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 10 Tuberculosis of respiratory system | M | 292 | 2 | 1 | — | 3 | 55 | 146 | 68 | 15 | 2 | 126 | 1 | — | 1 | 2 | 29 | 55 | 30 | 7 | 1 |
| | F | 294 | — | — | — | 8 | 87 | 134 | 46 | 16 | 3 | 123 | — | — | 2 | 5 | 36 | 56 | 18 | 6 | — |
| 11 Other tuberculous diseases | M | 74 | 11 | 11 | 10 | 14 | 16 | 5 | 7 | — | — | 28 | 7 | 4 | 1 | 3 | — | 4 | 5 | 2 | 2 |
| | F | 51 | 4 | 6 | 7 | 7 | 6 | 8 | 9 | 1 | 3 | 34 | 3 | 6 | 5 | 5 | 6 | 7 | 2 | — | — |
| 12 Cancer, malignant disease | M | 460 | — | — | — | 1 | 5 | 18 | 206 | 144 | 86 | 202 | — | — | — | — | — | 9 | 79 | 69 | 45 |
| | F | 633 | 1 | — | 3 | 1 | 1 | 65 | 251 | 179 | 132 | 211 | — | — | — | — | — | 21 | 100 | 55 | 35 |
| 13 Rheumatic fever | M | 11 | — | — | — | 2 | 3 | 2 | 4 | — | — | 3 | — | — | — | 2 | — | — | — | 1 | — |
| | F | 16 | 1 | — | — | 5 | 4 | 1 | 3 | 2 | — | 6 | — | — | — | 2 | 1 | 1 | 2 | — | — |
| 14 Diabetes | M | 41 | — | — | — | 1 | 2 | 4 | 15 | 8 | 11 | 18 | — | — | — | 1 | — | — | 9 | 5 | 3 |
| | F | 49 | — | — | — | 2 | 3 | 6 | 11 | 19 | 8 | 16 | — | — | — | 1 | — | 1 | 5 | 4 | 5 |
| 15 Cerebral hæmorrhage, &c. | M | 236 | — | — | — | — | — | 5 | 60 | 81 | 90 | 96 | — | — | — | — | — | — | 21 | 21 | 54 |
| | F | 312 | — | — | 1 | — | — | 6 | 84 | 81 | 140 | 133 | — | — | — | — | — | 3 | 30 | 39 | 61 |
| 16 Heart disease | M | 550 | — | 1 | — | 6 | 10 | 42 | 159 | 167 | 165 | 243 | — | — | — | 1 | 3 | 14 | 58 | 79 | 88 |
| | F | 669 | — | — | 1 | 6 | 8 | 39 | 182 | 179 | 254 | 255 | — | — | — | 2 | 4 | 17 | 51 | 85 | 96 |
| 17 Arterio-sclerosis | M | 153 | — | — | — | — | — | — | 39 | 48 | 66 | 64 | — | — | — | — | — | — | 12 | 23 | 29 |
| | F | 96 | — | — | — | — | — | — | 18 | 17 | 61 | 43 | — | — | — | — | — | — | 3 | 17 | 23 |
| 18 Bronchitis | M | 238 | 18 | 7 | 1 | 1 | 1 | 2 | 27 | 56 | 125 | 90 | 8 | — | 1 | — | — | — | 10 | 22 | 49 |
| | F | 279 | 10 | 2 | 3 | — | — | 7 | 35 | 58 | 164 | 90 | 2 | 1 | — | 1 | — | 1 | 10 | 23 | 52 |
| 19 Pneumonia (all forms) | M | 232 | 30 | 20 | 15 | 4 | 8 | 37 | 62 | 37 | 19 | 89 | 13 | 9 | 2 | 5 | 7 | 9 | 15 | 14 | 15 |
| | F | 161 | 31 | 11 | 6 | 3 | 4 | 16 | 36 | 27 | 27 | 77 | 10 | 3 | 5 | 4 | 1 | 7 | 21 | 11 | 15 |
| 20 Other respiratory diseases | M | 56 | 2 | 1 | 1 | 1 | 1 | 4 | 22 | 14 | 10 | 23 | 2 | — | — | — | — | 3 | 7 | 6 | 5 |
| | F | 50 | 3 | 1 | — | 1 | 3 | 7 | 10 | 13 | 12 | 12 | — | 2 | — | — | — | 1 | 4 | 2 | 3 |
| 21 Ulcer of stomach or duodenum | M | 38 | — | — | — | — | — | 11 | 19 | 7 | 1 | 14 | — | — | — | — | — | 5 | 6 | 3 | — |
| | F | 16 | — | — | — | 1 | — | 2 | 8 | 5 | — | 5 | — | — | — | — | 1 | 1 | 2 | — | 1 |
| 22 Diarrhœa, &c. | M | 61 | 42 | 6 | 2 | 1 | 1 | 1 | 3 | 3 | 2 | 18 | 13 | 1 | — | — | — | — | 1 | 3 | — |
| | F | 55 | 27 | 5 | 4 | 1 | — | 4 | 5 | 3 | 6 | 15 | 12 | — | 1 | — | — | 1 | 1 | — | — |
| 23 Appendicitis and typhlitis | M | 35 | — | — | 1 | 8 | 5 | 2 | 14 | 5 | — | 8 | — | — | — | — | — | 3 | 2 | 2 | 1 |
| | F | 20 | — | — | 2 | 1 | 3 | 7 | 3 | 3 | 1 | 12 | — | — | 1 | 1 | — | 2 | 6 | 1 | 1 |
| 24 Cirrhosis of liver | M | 31 | — | — | — | — | — | 2 | 17 | 11 | 1 | 2 | — | — | — | — | — | — | 1 | — | 1 |
| | F | 22 | — | — | — | — | — | 2 | 16 | 3 | 1 | 2 | — | — | — | — | — | 1 | — | — | 1 |
| 25 Acute and chronic nephritis | M | 104 | 1 | — | — | 1 | 1 | 13 | 37 | 29 | 22 | 51 | — | — | 1 | 2 | 1 | 5 | 9 | 17 | 16 |
| | F | 130 | — | — | 1 | 3 | 2 | 13 | 44 | 38 | 29 | 41 | — | — | — | — | — | 6 | 9 | 13 | 13 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 16 | — | — | — | — | 2 | 14 | — | — | — | 11 | — | — | — | — | — | 11 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 25 | — | — | — | — | 2 | 23 | — | — | — | 12 | — | — | — | — | 3 | 9 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 187 | 186 | — | — | 1 | — | — | — | — | — | 82 | 81 | — | — | — | 1 | — | — | — | — |
| | F | 143 | 136 | 3 | — | 3 | 1 | — | — | — | — | 60 | 57 | 1 | 1 | 1 | — | — | — | — | — |
| 29 Suicide | M | 71 | — | — | — | — | 3 | 16 | 39 | 8 | 5 | 21 | — | — | — | — | — | 9 | 9 | 3 | — |
| | F | 28 | — | — | — | — | — | 9 | 17 | 1 | 1 | 9 | — | — | — | — | — | 3 | 3 | 2 | 1 |
| 30 Other deaths from violence | M | 151 | 3 | 10 | 6 | 14 | 21 | 35 | 40 | 9 | 13 | 72 | 2 | 3 | 4 | 5 | 5 | 23 | 20 | 8 | 2 |
| | F | 75 | 6 | 1 | 8 | 5 | 2 | 5 | 10 | 13 | 25 | 30 | 4 | 3 | — | 3 | — | 2 | 6 | 2 | 10 |
| 31 Other defined diseases | M | 845 | 79 | 21 | 13 | 22 | 19 | 91 | 151 | 132 | 317 | 359 | 17 | 2 | 9 | 14 | 8 | 29 | 44 | 67 | 169 |
| | F | 765 | 53 | 14 | 12 | 13 | 23 | 65 | 135 | 110 | 340 | 369 | 22 | 6 | 2 | 11 | 16 | 39 | 55 | 57 | 161 |
| 32 Causes ill-defined or unknown | M | 21 | 1 | — | 1 | — | — | 2 | 10 | 5 | 2 | 4 | — | — | — | — | — | 1 | 2 | — | 1 |
| | F | 17 | 2 | 1 | — | — | — | 2 | 8 | 4 | — | 4 | — | — | 1 | — | — | 1 | 2 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LANCASTER—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 9631 | 1293 | 312 | 283 | 285 | 430 | 1154 | 2782 | 1953 | 1139 | 1432 | 170 | 35 | 22 | 37 | 64 | 151 | 382 | 298 | 273 |
| | F | 9372 | 902 | 260 | 230 | 274 | 392 | 1097 | 2449 | 2063 | 1705 | 1384 | 103 | 28 | 21 | 38 | 49 | 170 | 328 | 318 | 329 |
| 1 Enteric fever | M | 17 | — | — | — | — | 2 | 7 | 8 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 18 | — | — | — | 2 | 8 | 4 | 3 | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 67 | 17 | 29 | 18 | 2 | — | — | 1 | — | — | 6 | 2 | 2 | 1 | 1 | — | — | — | — | — |
| | F | 53 | 14 | 23 | 10 | 5 | — | 1 | — | — | — | 5 | 1 | 2 | 1 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | 21 | 2 | 3 | 7 | 7 | 1 | 1 | — | — | — | 4 | — | — | — | 3 | 1 | — | — | — | — |
| | F | 31 | — | 2 | 12 | 11 | 3 | 2 | 1 | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 5 Whooping cough | M | 94 | 42 | 26 | 22 | 4 | — | — | — | — | — | 10 | 6 | 4 | — | — | — | — | — | — | — |
| | F | 91 | 40 | 29 | 18 | 4 | — | — | — | — | — | 13 | 5 | 4 | 4 | — | — | — | — | — | — |
| 6 Diphtheria | M | 47 | 6 | 5 | 20 | 15 | 1 | — | — | — | — | 4 | — | — | 2 | 1 | 1 | — | — | — | — |
| | F | 43 | 1 | 4 | 20 | 18 | — | — | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 7 Influenza | M | 287 | 14 | 3 | 7 | 6 | 21 | 53 | 106 | 55 | 22 | 44 | — | — | — | 1 | 4 | 9 | 18 | 7 | 5 |
| | F | 307 | 5 | 6 | 4 | 4 | 12 | 63 | 91 | 79 | 43 | 32 | — | — | — | 1 | — | 10 | 8 | 6 | 7 |
| 8 Encephalitis lethargica | M | 22 | — | — | 4 | 5 | 2 | 8 | 3 | — | — | 3 | — | — | — | — | 1 | — | 2 | — | — |
| | F | 12 | — | — | 1 | 1 | 1 | 1 | 7 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | 4 | — | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | 1 | — | 3 | 2 | — | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 632 | 1 | 4 | — | 11 | 113 | 272 | 199 | 29 | 3 | 72 | — | — | — | 2 | 22 | 21 | 24 | 3 | — |
| | F | 471 | 1 | 2 | 6 | 29 | 147 | 196 | 77 | 12 | 1 | 75 | — | — | 2 | 1 | 18 | 38 | 14 | 1 | 1 |
| 11 Other tuberculous diseases | M | 212 | 19 | 28 | 31 | 46 | 33 | 28 | 20 | 6 | 1 | 20 | 2 | 2 | 1 | 4 | 2 | 5 | 3 | 1 | — |
| | F | 156 | 14 | 15 | 13 | 39 | 25 | 35 | 13 | — | 2 | 24 | 1 | 3 | 2 | 10 | 2 | 2 | 2 | — | 2 |
| 12 Cancer, malignant disease | M | 768 | — | 1 | 2 | — | 9 | 42 | 395 | 256 | 63 | 134 | — | 1 | — | 1 | 1 | 5 | 63 | 50 | 13 |
| | F | 1025 | 2 | 2 | 2 | — | 4 | 92 | 506 | 286 | 131 | 149 | — | — | — | — | — | 11 | 66 | 47 | 25 |
| 13 Rheumatic fever | M | 50 | — | — | 3 | 13 | 7 | 15 | 12 | — | — | 3 | — | — | — | — | 1 | 1 | — | 1 | — |
| | F | 47 | — | 1 | — | 16 | 10 | 13 | 5 | — | 2 | 11 | — | — | — | 3 | 4 | 4 | — | — | — |
| 14 Diabetes | M | 101 | — | — | — | 1 | 14 | 16 | 31 | 32 | 7 | 13 | — | 1 | — | — | — | — | 7 | 5 | — |
| | F | 121 | — | — | 1 | 6 | 5 | 15 | 58 | 30 | 6 | 22 | — | — | — | — | — | 2 | 13 | 5 | 2 |
| 15 Cerebral hæmorrhage, &c. | M | 581 | — | — | 1 | 1 | 3 | 14 | 214 | 225 | 123 | 76 | — | — | — | — | — | 1 | 23 | 25 | 27 |
| | F | 715 | 1 | — | — | 1 | — | 30 | 223 | 286 | 174 | 120 | — | — | — | — | — | 1 | 40 | 44 | 35 |
| 16 Heart disease | M | 1063 | 2 | — | 3 | 26 | 32 | 127 | 417 | 316 | 140 | 176 | — | — | — | 1 | 4 | 13 | 52 | 63 | 43 |
| | F | 1272 | — | — | 2 | 12 | 35 | 133 | 482 | 370 | 238 | 196 | — | — | — | 5 | 6 | 10 | 54 | 72 | 49 |
| 17 Arterio-sclerosis | M | 336 | — | — | — | — | — | 3 | 99 | 156 | 78 | 58 | — | — | — | — | — | — | 15 | 17 | 26 |
| | F | 244 | — | — | — | — | — | 1 | 40 | 104 | 99 | 40 | — | — | — | — | — | — | 7 | 11 | 22 |
| 18 Bronchitis | M | 851 | 105 | 30 | 15 | 4 | 7 | 38 | 191 | 267 | 194 | 97 | 15 | 2 | 3 | — | — | 3 | 19 | 25 | 30 |
| | F | 918 | 90 | 26 | 11 | 4 | 3 | 25 | 171 | 284 | 304 | 102 | 9 | — | — | — | — | 7 | 16 | 31 | 39 |
| 19 Pneumonia (all forms) | M | 972 | 201 | 95 | 61 | 37 | 50 | 170 | 237 | 87 | 34 | 136 | 13 | 10 | 5 | 5 | 5 | 28 | 45 | 17 | 8 |
| | F | 646 | 108 | 85 | 55 | 27 | 28 | 79 | 124 | 83 | 57 | 94 | 13 | 12 | 5 | 3 | 2 | 13 | 19 | 18 | 9 |
| 20 Other respiratory diseases | M | 119 | 5 | 9 | 7 | 3 | 4 | 17 | 42 | 21 | 11 | 25 | — | — | — | — | 1 | 4 | 7 | 7 | 6 |
| | F | 109 | 6 | 2 | 6 | 2 | 3 | 14 | 29 | 28 | 19 | 27 | 1 | 1 | 4 | — | 2 | 6 | 4 | 3 | 6 |
| 21 Ulcer of stomach or duodenum | M | 83 | — | — | — | — | 7 | 22 | 46 | 8 | — | 9 | — | — | — | — | 1 | 4 | 3 | — | 1 |
| | F | 29 | — | — | — | — | 2 | 10 | 11 | 5 | 1 | 6 | — | — | — | — | — | 2 | 3 | 1 | — |
| 22 Diarrhœa, &c. | M | 160 | 100 | 23 | 3 | — | 1 | 7 | 7 | 8 | 11 | 15 | 9 | 2 | 2 | — | — | — | 1 | — | 1 |
| | F | 137 | 66 | 13 | 6 | 7 | 3 | 9 | 13 | 11 | 9 | 14 | 5 | — | — | — | 1 | 1 | 3 | 3 | 1 |
| 23 Appendicitis and typhlitis | M | 69 | — | — | 2 | 14 | 21 | 10 | 19 | 3 | — | 16 | — | — | 2 | 3 | 2 | 4 | 5 | — | — |
| | F | 52 | — | — | 1 | 13 | 10 | 13 | 12 | 2 | 1 | 8 | — | — | — | 2 | 1 | 2 | 2 | 1 | — |
| 24 Cirrhosis of liver | M | 60 | — | — | — | — | — | 6 | 37 | 11 | 6 | 6 | — | — | — | — | — | — | 3 | 2 | 1 |
| | F | 12 | — | — | — | — | — | — | 9 | 3 | — | 3 | — | — | — | — | — | — | 1 | 1 | 1 |
| 25 Acute and chronic nephritis | M | 276 | — | 3 | 3 | 4 | 6 | 48 | 131 | 66 | 15 | 44 | 1 | — | — | 2 | — | 8 | 15 | 13 | 5 |
| | F | 282 | 1 | 3 | 5 | 5 | 12 | 34 | 132 | 68 | 22 | 36 | — | — | — | 2 | 1 | 8 | 11 | 12 | 2 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 37 | — | — | — | — | 6 | 31 | — | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 83 | — | — | — | — | 10 | 72 | 1 | — | — | 11 | — | — | — | — | 1 | 10 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 536 | 528 | 2 | 1 | 3 | 1 | — | 1 | — | — | 79 | 76 | 1 | 1 | 1 | — | — | — | — | — |
| | F | 398 | 395 | 1 | — | 1 | — | 1 | — | — | — | 55 | 52 | 3 | — | — | — | — | — | — | — |
| 29 Suicide | M | 138 | — | — | — | — | 9 | 34 | 64 | 25 | 6 | 16 | — | — | — | — | 1 | 4 | 8 | 1 | 2 |
| | F | 40 | — | — | — | — | 3 | 17 | 19 | 1 | — | 11 | — | — | — | — | — | 7 | 3 | — | 1 |
| 30 Other deaths from violence | M | 342 | 5 | 15 | 30 | 34 | 36 | 77 | 96 | 37 | 12 | 62 | 2 | 2 | 3 | 6 | 8 | 20 | 14 | 6 | 1 |
| | F | 156 | 7 | 7 | 16 | 20 | 7 | 11 | 32 | 26 | 30 | 22 | 1 | — | 2 | 3 | 3 | 2 | 2 | 4 | 5 |
| 31 Other defined diseases | M | 1648 | 244 | 31 | 39 | 46 | 48 | 129 | 369 | 332 | 410 | 290 | 43 | 7 | 2 | 6 | 8 | 21 | 50 | 49 | 104 |
| | F | 1804 | 150 | 37 | 39 | 43 | 51 | 188 | 366 | 364 | 566 | 284 | 13 | 3 | 1 | 5 | 7 | 26 | 53 | 55 | 121 |
| 32 Causes ill-defined or unknown | M | 75 | 2 | 5 | 2 | 1 | 2 | 10 | 37 | 13 | 3 | 13 | 1 | 1 | — | — | — | — | 5 | 6 | — |
| | F | 56 | 1 | 1 | 2 | 1 | 2 | 7 | 23 | 19 | — | 12 | 1 | — | — | — | — | 2 | 5 | 3 | 1 |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LEICESTER—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 623 | 84 | 15 | 9 | 18 | 22 | 64 | 176 | 120 | 115 | 885 | 100 | 23 | 23 | 39 | 33 | 91 | 176 | 205 | 195 |
| | F | 566 | 63 | 23 | 10 | 18 | 30 | 49 | 126 | 115 | 132 | 854 | 81 | 23 | 21 | 20 | 40 | 105 | 158 | 161 | 245 |
| 1 Enteric fever .. | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | — | 1 | — | — | 1 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 11 | 1 | 4 | 3 | 2 | — | 1 | — | — | — | 13 | 3 | 3 | 1 | 3 | 1 | — | 1 | 1 | — |
| | F | 10 | — | 7 | 2 | 1 | — | — | — | — | — | 2 | — | 2 | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 5 | 3 | 1 | 1 | — | — | — | — | — | — | 6 | 3 | 2 | 1 | — | — | — | — | — | — |
| | F | 10 | 2 | 4 | 4 | — | — | — | — | — | — | 9 | 3 | 4 | 2 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 1 | — | 1 | — | — | — | — | — | — | — | 16 | — | 1 | 5 | 10 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 12 | — | 1 | 3 | 6 | 1 | — | 1 | — | — |
| 7 Influenza .. .. | M | 7 | — | — | — | 1 | — | — | 4 | 1 | 1 | 20 | 1 | — | 2 | 1 | 2 | 2 | 6 | 4 | 2 |
| | F | 4 | — | — | — | — | — | 1 | — | 3 | — | 27 | 1 | — | — | — | 1 | 6 | 5 | 6 | 8 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 44 | — | — | — | 1 | 7 | 19 | 16 | 1 | — | 51 | — | — | — | 1 | 10 | 22 | 13 | 4 | 1 |
| | F | 41 | — | — | — | 1 | 18 | 17 | 4 | — | 1 | 69 | — | — | — | 2 | 21 | 33 | 10 | 2 | 1 |
| 11 Other tuberculous diseases .. .. | M | 7 | 2 | — | — | 3 | 1 | 1 | — | — | — | 13 | — | 2 | 3 | 2 | — | 3 | 1 | 2 | — |
| | F | 6 | — | 1 | 1 | 3 | 1 | — | — | — | — | 14 | 4 | 1 | 2 | — | 2 | 3 | 2 | — | — |
| 12 Cancer, malignant disease .. .. | M | 55 | — | — | — | — | — | 5 | 19 | 16 | 15 | 81 | — | — | — | — | — | 6 | 27 | 30 | 18 |
| | F | 82 | — | — | — | — | 1 | 7 | 42 | 20 | 12 | 98 | — | — | — | — | 1 | 11 | 46 | 26 | 14 |
| 13 Rheumatic fever .. | M | 2 | — | — | — | 1 | — | — | 1 | — | — | 11 | — | — | — | 2 | 2 | 1 | 2 | 2 | 2 |
| | F | 3 | — | — | — | 1 | 1 | 1 | — | — | — | 9 | — | — | — | 1 | 1 | 1 | 4 | 2 | — |
| 14 Diabetes .. .. | M | 7 | — | — | — | — | — | — | 3 | 2 | 2 | 15 | — | — | — | — | — | 4 | 4 | 7 | — |
| | F | 10 | — | — | — | — | — | 3 | 4 | 1 | 2 | 11 | — | — | 1 | — | 2 | 1 | 3 | 3 | 1 |
| 15 Cerebral hæmorrhage, &c. .. | M | 44 | — | — | — | — | — | 1 | 18 | 9 | 16 | 55 | — | — | — | — | — | 1 | 9 | 26 | 19 |
| | F | 47 | — | — | — | — | 1 | 2 | 12 | 20 | 12 | 77 | — | — | — | — | — | — | 18 | 24 | 35 |
| 16 Heart disease .. | M | 70 | — | — | — | 2 | — | 4 | 29 | 23 | 12 | 92 | — | — | — | — | 2 | 8 | 23 | 38 | 21 |
| | F | 73 | — | — | — | 3 | — | 2 | 25 | 27 | 16 | 112 | — | — | — | — | — | 10 | 20 | 34 | 48 |
| 17 Arterio-sclerosis .. | M | 17 | — | — | — | — | — | — | 2 | 5 | 10 | 36 | — | — | — | — | — | — | 3 | 12 | 21 |
| | F | 14 | — | — | — | — | — | — | — | 7 | 7 | 19 | — | — | — | — | — | — | 1 | 5 | 13 |
| 18 Bronchitis .. | M | 42 | 6 | 2 | — | — | — | 2 | 10 | 12 | 10 | 50 | 6 | 1 | — | — | — | 1 | 5 | 12 | 25 |
| | F | 36 | 3 | 5 | — | — | — | — | 4 | 9 | 15 | 36 | 4 | 1 | — | — | — | — | 1 | 8 | 22 |
| 19 Pneumonia (all forms) .. .. | M | 34 | 6 | 2 | — | — | 2 | 6 | 11 | 5 | 2 | 59 | 7 | 7 | 4 | 1 | 2 | 8 | 14 | 10 | 6 |
| | F | 21 | 4 | — | 2 | 1 | 2 | 2 | 8 | — | 2 | 44 | 13 | 2 | 6 | 2 | — | 3 | 7 | 6 | 5 |
| 20 Other respiratory diseases .. .. | M | 5 | — | — | 1 | — | — | — | — | 4 | — | 14 | 1 | 1 | — | — | — | — | 6 | 2 | 4 |
| | F | 8 | 1 | 1 | — | 1 | — | — | 4 | 1 | — | 9 | — | 1 | 1 | — | — | — | 1 | 1 | 5 |
| 21 Ulcer of stomach or duodenum .. | M | 8 | — | — | — | — | — | 1 | 6 | 1 | — | 5 | — | — | — | — | 1 | — | 2 | 2 | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 22 Diarrhœa, &c. .. | M | 11 | 8 | 1 | — | — | — | 1 | — | 1 | — | 8 | 5 | — | — | 1 | — | — | 1 | 1 | — |
| | F | 12 | 9 | 1 | — | — | — | — | 1 | — | 1 | 14 | 4 | 6 | — | — | — | — | 1 | — | 3 |
| 23 Appendicitis and typhlitis.. .. | M | 7 | — | — | 1 | 1 | — | 1 | 4 | — | — | 10 | — | — | 1 | 4 | 1 | 2 | 2 | — | — |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | 3 | — | — | — | 1 | 1 | — | 1 | — | — |
| 24 Cirrhosis of liver .. | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 4 | — | — | — | — | — | — | 2 | 2 | — |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 5 | — | — | — | — | — | 2 | 1 | 1 | 1 |
| 25 Acute and chronic nephritis .. | M | 13 | — | — | 1 | — | 1 | 1 | 6 | 4 | — | 20 | 1 | — | 1 | — | — | 4 | 8 | 3 | 3 |
| | F | 8 | — | — | — | — | — | 3 | 1 | 2 | 2 | 24 | — | — | 1 | — | 1 | 5 | 7 | 6 | 4 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 7 | — | — | — | — | — | 6 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 38 | 38 | — | — | — | — | — | — | — | — | 54 | 52 | — | — | — | — | 1 | 1 | — | — |
| | F | 35 | 35 | — | — | — | — | — | — | — | — | 43 | 42 | — | — | 1 | — | — | — | — | — |
| 29 Suicide .. .. | M | 15 | — | — | — | — | 2 | 5 | 5 | 3 | — | 15 | — | — | — | — | 1 | 6 | 5 | 3 | — |
| | F | 5 | — | — | — | — | — | 2 | 2 | 1 | — | 2 | — | — | — | — | 2 | — | — | — | — |
| 30 Other deaths from violence.. .. | M | 26 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 4 | 2 | 42 | 1 | 1 | 2 | 5 | 5 | 11 | 10 | 4 | 3 |
| | F | 6 | 1 | — | 1 | — | — | — | 1 | 2 | 1 | 10 | 1 | — | 2 | — | 2 | — | — | 3 | 2 |
| 31 Other defined diseases .. .. | M | 145 | 18 | 3 | 1 | 3 | 5 | 11 | 32 | 27 | 45 | 185 | 20 | 5 | 2 | 8 | 5 | 9 | 27 | 39 | 70 |
| | F | 118 | 8 | 3 | — | 6 | 5 | 3 | 13 | 20 | 60 | 182 | 9 | 5 | 3 | 6 | 4 | 17 | 24 | 31 | 83 |
| 32 Causes ill-defined or unknown .. | M | 6 | 1 | — | — | — | — | — | 4 | 1 | — | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | 4 | — | 1 | — | — | — | 2 | — | 1 | — | 6 | — | — | — | — | 1 | 1 | 2 | 2 | — |

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF HOLLAND)—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 242 | 26 | 6 | 8 | 5 | 10 | 20 | 61 | 50 | 56 | 287 | 41 | 4 | 5 | 5 | 12 | 24 | 57 | 51 | 88 |
| | F | 236 | 23 | 8 | 6 | 5 | 9 | 23 | 41 | 49 | 72 | 254 | 31 | 4 | 1 | 3 | 9 | 29 | 38 | 55 | 84 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 4 | 1 | 1 | 2 | — | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 3 | 1 | 2 | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza | M | 6 | 1 | — | — | — | — | 2 | 2 | 1 | — | 8 | 1 | — | — | — | — | 2 | 2 | 2 | 1 |
| | F | 3 | 1 | — | — | — | — | — | — | 1 | 1 | 9 | — | — | — | — | — | — | 1 | 4 | 4 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 10 | — | — | — | — | 4 | 5 | 1 | — | — | 15 | — | — | — | — | 4 | 7 | 3 | 1 | — |
| | F | 20 | — | — | — | — | 6 | 8 | 6 | — | — | 14 | — | — | — | 1 | 2 | 10 | 1 | — | — |
| 11 Other tuberculous diseases | M | 7 | — | 1 | 1 | 1 | 1 | 1 | 2 | — | — | 3 | — | 1 | — | — | — | 1 | 1 | — | — |
| | F | 5 | 1 | — | 1 | 1 | 1 | 1 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 12 Cancer, malignant disease | M | 29 | — | — | — | — | — | — | 9 | 14 | 6 | 33 | — | — | — | — | — | 2 | 13 | 9 | 9 |
| | F | 36 | — | — | — | 1 | — | 2 | 13 | 12 | 8 | 38 | — | — | — | — | 1 | 2 | 12 | 12 | 11 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 15 Cerebral hæmorrhage, &c. | M | 14 | — | — | — | — | — | — | 1 | 7 | 6 | 17 | — | — | — | — | — | 1 | 4 | 7 | 5 |
| | F | 20 | — | — | — | — | — | — | — | 6 | 14 | 12 | — | — | — | — | — | 1 | 1 | 1 | 9 |
| 16 Heart disease | M | 33 | — | — | — | — | 1 | — | 16 | 9 | 7 | 25 | — | — | — | 1 | — | 2 | 6 | 5 | 11 |
| | F | 34 | — | — | — | — | — | 1 | 10 | 11 | 12 | 28 | — | — | — | — | 1 | 1 | 4 | 13 | 9 |
| 17 Arterio-sclerosis | M | 5 | — | — | — | — | — | — | — | — | 5 | 7 | — | — | — | — | — | 1 | — | — | 6 |
| | F | — | — | — | — | — | — | — | — | — | — | 8 | — | — | — | — | — | — | — | 2 | 6 |
| 18 Bronchitis | M | 11 | 1 | 1 | — | — | — | — | 3 | 3 | 3 | 18 | 1 | 1 | — | — | — | — | 3 | 6 | 7 |
| | F | 9 | — | — | — | — | — | — | 1 | 2 | 6 | 20 | 1 | — | — | — | — | 1 | 2 | 4 | 12 |
| 19 Pneumonia (all forms) | M | 17 | 3 | 1 | 2 | 1 | 1 | 2 | 4 | 2 | 1 | 16 | 3 | — | 1 | — | — | 2 | 4 | 3 | 3 |
| | F | 6 | 1 | 3 | — | — | — | 1 | — | — | 1 | 10 | 4 | — | — | 1 | 1 | 1 | 1 | 2 | — |
| 20 Other respiratory diseases | M | 2 | — | — | — | 1 | — | — | 1 | — | — | 6 | — | — | — | — | 1 | — | 1 | 1 | 3 |
| | F | 5 | — | — | — | — | — | — | 2 | 1 | 2 | 3 | 1 | — | — | — | — | — | — | 1 | 1 |
| 21 Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 Diarrhœa, &c. | M | 3 | 3 | — | — | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| | F | 6 | 3 | — | 2 | — | — | — | — | 1 | — | 3 | 3 | — | — | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis | M | 4 | — | — | — | — | 1 | 1 | 2 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 2 | — |
| 24 Cirrhosis of liver | M | 3 | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis | M | 8 | — | 1 | — | — | — | — | 5 | 2 | — | 12 | — | — | — | 1 | — | 2 | 2 | 4 | 3 |
| | F | 6 | — | — | — | — | — | — | 2 | 4 | — | 5 | — | — | — | — | — | 1 | — | 2 | 2 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | 1 | 3 | — | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 11 | 11 | — | — | — | — | — | — | — | — | 22 | 21 | 1 | — | — | — | — | — | — | — |
| | F | 7 | 7 | — | — | — | — | — | — | — | — | 14 | 14 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 4 | — | — | — | — | — | — | 2 | 2 | — |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| 30 Other deaths from violence | M | 10 | — | — | — | — | 1 | 2 | 3 | 1 | 3 | 11 | — | — | 1 | 1 | 4 | 1 | 3 | 1 | — |
| | F | 3 | — | — | — | 2 | — | — | — | — | 1 | 2 | — | 1 | — | — | — | — | 1 | — | — |
| 31 Other defined diseases | M | 59 | 6 | 1 | 2 | 1 | 1 | 6 | 7 | 10 | 25 | 74 | 10 | — | 1 | 2 | 2 | 2 | 9 | 8 | 40 |
| | F | 62 | 10 | 4 | 2 | — | 1 | 6 | 5 | 7 | 27 | 64 | 7 | 1 | 1 | 1 | 1 | 5 | 8 | 11 | 29 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | 3 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | 1 | — | 2 | — | 1 |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF KESTEVEN)—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 250 | 17 | 10 | 6 | 7 | 14 | 23 | 60 | 60 | 53 | 411 | 51 | 9 | 5 | 8 | 17 | 30 | 77 | 79 | 135 |
| | F | 237 | 16 | 7 | 6 | 4 | 11 | 30 | 56 | 38 | 69 | 394 | 32 | 10 | 5 | 5 | 18 | 27 | 68 | 72 | 157 |
| 1 Enteric fever .. | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 3 | — | 2 | 1 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 5 Whooping cough .. | M | 5 | 1 | 3 | 1 | — | — | — | — | — | — | 2 | — | 2 | — | — | — | — | — | — | — |
| | F | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 7 Influenza .. .. | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 15 | 3 | — | — | — | 1 | 1 | 4 | 2 | 4 |
| | F | 5 | — | 2 | — | — | — | 2 | — | — | 1 | 7 | — | — | — | — | — | 2 | — | 2 | 3 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 16 | — | — | — | — | 6 | 8 | 1 | 1 | — | 18 | — | — | — | 1 | 4 | 6 | 6 | 1 | — |
| | F | 15 | — | 1 | — | — | 4 | 7 | 3 | — | — | 19 | — | — | — | 2 | 11 | 4 | 2 | — | — |
| 11 Other tuberculous diseases .. .. | M | 6 | — | — | 2 | 3 | — | — | 1 | — | — | 8 | — | 1 | 1 | 1 | 2 | 2 | 1 | — | — |
| | F | 9 | — | — | 2 | 2 | 2 | 3 | — | — | — | 8 | 1 | 1 | 1 | 1 | — | 3 | 1 | — | — |
| 12 Cancer, malignant disease .. .. | M | 25 | — | — | — | 1 | — | 1 | 11 | 9 | 3 | 53 | — | — | — | — | 1 | 3 | 19 | 15 | 15 |
| | F | 47 | — | — | — | — | — | 6 | 18 | 9 | 14 | 56 | — | 1 | — | — | — | 5 | 19 | 16 | 15 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes .. .. | M | 2 | — | — | — | — | — | 1 | — | — | 1 | 5 | — | — | — | 1 | — | 2 | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | — | — | — | — | 1 | 1 | 4 | — | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 26 | — | — | — | — | — | — | 11 | 9 | 6 | 30 | — | — | — | — | — | — | 5 | 11 | 14 |
| | F | 27 | — | — | — | — | — | — | 6 | 8 | 13 | 27 | — | — | — | — | — | — | 6 | 10 | 11 |
| 16 Heart disease .. | M | 37 | — | — | — | — | — | 1 | 10 | 17 | 9 | 63 | — | — | — | 2 | 2 | 5 | 11 | 21 | 22 |
| | F | 40 | — | — | — | — | 1 | 1 | 12 | 12 | 14 | 53 | — | — | — | — | 1 | 2 | 8 | 14 | 28 |
| 17 Arterio-sclerosis .. | M | 10 | — | — | — | — | — | 1 | 3 | 3 | 3 | 7 | — | — | — | — | — | — | 1 | — | 6 |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 8 | — | — | — | — | — | — | 1 | 1 | 6 |
| 18 Bronchitis .. | M | 13 | 1 | — | — | — | 1 | — | 2 | 3 | 6 | 40 | 9 | 1 | 1 | — | — | 1 | 4 | 9 | 15 |
| | F | 7 | 1 | — | — | — | — | — | 3 | 1 | 2 | 31 | 1 | 2 | 2 | — | — | — | — | 5 | 21 |
| 19 Pneumonia (all forms) .. .. | M | 16 | 5 | 3 | 1 | — | 2 | — | 2 | 1 | 2 | 10 | 1 | 1 | — | — | 1 | 1 | 3 | 2 | 1 |
| | F | 7 | — | — | 1 | — | — | 1 | 1 | 2 | 2 | 13 | 5 | 1 | 1 | — | 2 | — | 1 | 2 | 1 |
| 20 Other respiratory diseases .. .. | M | 3 | 1 | — | — | — | — | — | 2 | — | — | 5 | 1 | 1 | — | — | — | — | — | — | 3 |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | — | — | — | 1 | 2 | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 3 | — | — | — | — | 1 | 1 | — | — | 1 | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| 22 Diarrhœa, &c. .. | M | 2 | 1 | 1 | — | — | — | — | — | — | — | 3 | 1 | — | — | — | — | — | — | 1 | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | 2 | — | 1 | — | — | — | — | 2 | — |
| 23 Appendicitis and typhlitis.. .. | M | 2 | — | 1 | — | 1 | — | — | — | — | — | 3 | 1 | — | 1 | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 24 Cirrhosis of liver .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 10 | — | 1 | — | 1 | — | 1 | 3 | 2 | 2 |
| | F | 4 | — | — | — | — | — | 1 | 1 | 1 | 1 | 12 | — | — | — | — | 1 | 1 | 4 | 1 | 5 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 6 | 6 | — | — | — | — | — | — | — | — | 26 | 24 | — | — | 1 | — | 1 | — | — | — |
| | F | 10 | 10 | — | — | — | — | — | — | — | — | 16 | 16 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 5 | — | — | — | — | 1 | 2 | 2 | — | — | 7 | — | — | — | — | 1 | 3 | 2 | — | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 30 Other deaths from violence.. .. | M | 4 | — | — | — | — | 2 | — | 1 | — | 1 | 13 | 1 | — | 1 | — | 3 | — | 6 | 1 | 1 |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 6 | — | 1 | — | — | — | 1 | 2 | 2 | — |
| 31 Other defined diseases .. .. | M | 60 | 2 | — | 1 | 2 | 1 | 6 | 12 | 15 | 21 | 84 | 10 | 1 | 1 | — | 2 | 1 | 9 | 11 | 49 |
| | F | 54 | 5 | 2 | 3 | — | 3 | 7 | 9 | 4 | 21 | 110 | 7 | 3 | — | 1 | — | 4 | 18 | 12 | 65 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | 2 | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF LINDSEY)—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES .. | M | 688 | 95 | 16 | 19 | 17 | 43 | 83 | 162 | 140 | 113 | 812 | 92 | 16 | 14 | 16 | 31 | 72 | 141 | 176 | 254 |
| | F | 648 | 62 | 23 | 21 | 18 | 22 | 74 | 145 | 112 | 171 | 797 | 77 | 9 | 8 | 19 | 36 | 65 | 143 | 175 | 265 |
| 1 Enteric fever .. | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 4 | 1 | 2 | 1 | — | — | — | — | — | — | 3 | — | 1 | 2 | — | — | — | — | — | — |
| | F | 6 | 3 | 2 | 1 | — | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 5 Whooping cough .. | M | 5 | 2 | 2 | 1 | — | — | — | — | — | — | 3 | 2 | 1 | — | — | — | — | — | — | — |
| | F | 8 | 2 | 4 | 2 | — | — | — | — | — | — | 4 | 3 | 1 | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| | F | 4 | — | 1 | 1 | 1 | 1 | — | — | — | — | 3 | 1 | — | 1 | 1 | — | — | — | — | — |
| 7 Influenza .. .. | M | 18 | — | — | 1 | 1 | 2 | 1 | 5 | 3 | 5 | 30 | 3 | 2 | 1 | 1 | 3 | 3 | 3 | 9 | 5 |
| | F | 20 | — | 1 | 1 | 1 | — | 2 | 1 | 3 | 11 | 29 | 3 | — | — | — | 1 | 1 | 6 | 7 | 11 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 51 | 1 | — | — | 2 | 18 | 20 | 10 | — | — | 48 | — | — | 1 | 2 | 10 | 21 | 9 | 5 | — |
| | F | 36 | — | — | 1 | 6 | 11 | 12 | 6 | — | — | 51 | — | — | 1 | 2 | 16 | 21 | 7 | 3 | 1 |
| 11 Other tuberculous diseases .. .. | M | 17 | 3 | 1 | 4 | 1 | 5 | 3 | — | — | — | 13 | — | 1 | 2 | 3 | 3 | 4 | — | — | — |
| | F | 15 | 1 | 4 | 1 | 5 | 3 | — | 1 | — | — | 15 | — | — | 1 | 3 | 2 | 3 | 5 | — | 1 |
| 12 Cancer, malignant disease .. .. | M | 71 | — | — | — | — | — | — | 31 | 25 | 15 | 85 | — | — | — | — | — | 4 | 22 | 38 | 21 |
| | F | 73 | — | — | — | — | — | 11 | 33 | 20 | 9 | 105 | — | — | 1 | — | — | 5 | 41 | 39 | 19 |
| 13 Rheumatic fever .. | M | 7 | — | — | 1 | 3 | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | 1 | — | — | 1 | 1 | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 14 Diabetes .. .. | M | 7 | — | — | — | 1 | 1 | 1 | — | 3 | 1 | 10 | — | — | — | — | 1 | 2 | 4 | 3 | — |
| | F | 15 | — | — | — | — | — | 2 | 7 | 6 | — | 5 | — | — | — | 1 | — | — | 3 | — | 1 |
| 15 Cerebral hæmorrhage, &c. .. | M | 57 | — | — | — | — | — | 6 | 13 | 21 | 17 | 56 | — | — | — | — | — | 1 | 7 | 17 | 31 |
| | F | 62 | — | — | — | — | — | 2 | 20 | 14 | 26 | 58 | — | — | — | — | — | — | 8 | 20 | 30 |
| 16 Heart disease .. | M | 94 | — | — | — | 3 | 3 | 13 | 30 | 26 | 19 | 108 | — | — | — | — | — | 4 | 33 | 37 | 34 |
| | F | 83 | — | — | — | 3 | 1 | 9 | 22 | 26 | 22 | 115 | — | — | — | — | 1 | 9 | 23 | 46 | 36 |
| 17 Arterio-sclerosis .. | M | 22 | — | — | — | — | — | — | 2 | 13 | 7 | 25 | — | — | — | — | — | — | 5 | 3 | 17 |
| | F | 13 | — | — | — | — | — | — | 2 | 3 | 8 | 13 | — | — | — | — | — | — | 3 | 4 | 6 |
| 18 Bronchitis .. | M | 37 | 7 | 1 | — | — | — | — | 5 | 12 | 12 | 48 | 9 | 1 | — | — | — | 1 | 3 | 13 | 21 |
| | F | 43 | 7 | 2 | 2 | — | — | — | 6 | 9 | 17 | 42 | 4 | — | — | — | — | 2 | — | 12 | 24 |
| 19 Pneumonia (all forms) .. .. | M | 54 | 11 | 6 | 4 | — | 4 | 11 | 10 | 4 | 4 | 50 | 13 | 6 | 3 | — | 4 | 4 | 8 | 7 | 5 |
| | F | 40 | 9 | 3 | 4 | 1 | — | 6 | 6 | 5 | 6 | 39 | 9 | 4 | 2 | 2 | 3 | 3 | 3 | 6 | 7 |
| 20 Other respiratory diseases .. .. | M | 13 | 1 | — | 1 | — | 2 | 2 | 3 | 4 | — | 10 | — | 1 | 1 | 2 | — | — | 3 | — | 3 |
| | F | 12 | 1 | 2 | — | — | — | — | 4 | 2 | 3 | 5 | — | — | — | — | — | — | 2 | 2 | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 8 | — | — | — | — | 2 | — | 6 | — | — |
| | F | 2 | — | — | — | — | 1 | — | — | 1 | — | 3 | — | — | — | — | — | — | 2 | — | 1 |
| 22 Diarrhœa, &c. .. | M | 8 | 4 | 1 | 1 | — | — | — | 2 | — | — | 5 | 2 | — | — | — | — | — | 1 | — | 2 |
| | F | 12 | 7 | 2 | 2 | — | 1 | — | — | — | — | 7 | 3 | — | — | — | — | — | 1 | 1 | 2 |
| 23 Appendicitis and typhlitis .. .. | M | 4 | — | — | — | 1 | — | 1 | 2 | — | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| | F | 4 | — | — | — | — | — | 3 | 1 | — | — | 7 | — | — | — | 2 | — | 5 | — | — | — |
| 24 Cirrhosis of liver .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 3 | — | — | — | — | — | — | 1 | 2 | — |
| 25 Acute and chronic nephritis .. | M | 14 | — | — | — | — | — | 2 | 6 | 5 | 1 | 19 | — | — | — | — | — | — | 8 | 6 | 5 |
| | F | 13 | — | — | — | — | 1 | 2 | 3 | 4 | 3 | 11 | — | — | — | — | — | 1 | 5 | 3 | 2 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 4 | — | — | — | — | 1 | 3 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | — | 5 | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 51 | 51 | — | — | — | — | — | — | — | — | 45 | 44 | 1 | — | — | — | — | — | — | — |
| | F | 21 | 21 | — | — | — | — | — | — | — | — | 35 | 33 | — | 1 | — | 1 | — | — | — | — |
| 29 Suicide .. .. | M | 9 | — | — | — | — | — | 1 | 6 | 2 | — | 18 | — | — | — | — | 1 | 4 | 8 | 3 | 2 |
| | F | 4 | — | — | — | — | — | 2 | 1 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| 30 Other deaths from violence.. .. | M | 28 | 1 | — | 3 | 4 | 4 | 9 | 6 | 1 | — | 25 | 2 | 1 | 1 | 2 | 3 | 10 | 2 | 2 | 2 |
| | F | 7 | 1 | — | — | — | — | 2 | 2 | 1 | 1 | 11 | 3 | 1 | — | 3 | — | — | — | — | 4 |
| 31 Other defined diseases .. .. | M | 110 | 13 | 3 | 2 | 1 | 2 | 10 | 27 | 20 | 32 | 189 | 17 | 1 | 1 | 3 | 4 | 12 | 13 | 32 | 106 |
| | F | 137 | 9 | 2 | 5 | — | 2 | 12 | 26 | 17 | 64 | 220 | 18 | 2 | 1 | 4 | 10 | 8 | 30 | 29 | 118 |
| 32 Causes ill-defined or unknown .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 4 | — | — | — | 1 | — | — | 2 | 1 | — |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | 2 | — | — | — | — | — | — | — | 1 | 1 |

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MIDDLESEX*—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes | M | 5705 | 682 | 107 | 117 | 167 | 249 | 763 | 1620 | 1054 | 946 | 270 | 29 | 8 | 7 | 7 | 11 | 22 | 79 | 62 | 45 |
| | F | 5902 | 471 | 97 | 118 | 165 | 270 | 752 | 1359 | 1112 | 1558 | 259 | 16 | 5 | 1 | 4 | 18 | 28 | 53 | 50 | 84 |
| 1 Enteric fever | M | 4 | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 18 | 3 | 2 | 9 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 17 | 4 | 11 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | 8 | — | — | 5 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 8 | — | — | — | 4 | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 29 | 19 | 7 | 3 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 45 | 23 | 11 | 10 | 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 57 | 6 | 8 | 17 | 25 | — | 1 | — | — | — | 4 | — | 1 | 1 | 1 | 1 | — | — | — | — |
| | F | 57 | — | 6 | 22 | 24 | 3 | — | 2 | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 7 Influenza | M | 78 | 1 | 1 | 1 | 3 | 2 | 17 | 22 | 17 | 14 | 8 | — | 1 | 1 | 1 | — | 1 | 2 | 2 | — |
| | F | 107 | 3 | 3 | 1 | 3 | 9 | 13 | 23 | 24 | 28 | 5 | 1 | — | — | — | — | 2 | — | — | 2 |
| 8 Encephalitis lethargica | M | 2 | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 14 | — | — | — | 3 | 2 | 4 | 4 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | 8 | 4 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 459 | 2 | 2 | — | 5 | 86 | 222 | 123 | 18 | 1 | 24 | — | — | — | — | 4 | 6 | 14 | — | — |
| | F | 414 | — | — | 1 | 18 | 121 | 193 | 68 | 9 | 4 | 19 | — | — | — | — | 9 | 9 | 1 | — | — |
| 11 Other tuberculous diseases | M | 103 | 16 | 9 | 16 | 8 | 16 | 26 | 9 | 2 | 1 | 3 | 1 | — | — | — | 2 | — | — | — | — |
| | F | 94 | 11 | 8 | 22 | 18 | 8 | 11 | 11 | 2 | 3 | 4 | — | 1 | — | — | 1 | 1 | 1 | — | — |
| 12 Cancer, malignant disease | M | 692 | — | — | 3 | 5 | 6 | 45 | 347 | 195 | 91 | 35 | — | — | 1 | — | — | 1 | 17 | 14 | 2 |
| | F | 850 | — | — | 1 | 1 | 1 | 93 | 379 | 226 | 149 | 45 | — | — | — | — | — | 3 | 20 | 12 | 10 |
| 13 Rheumatic fever | M | 12 | — | — | 1 | 4 | 1 | 2 | 2 | 2 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 23 | — | — | 1 | 5 | 6 | 4 | 3 | 3 | 1 | 2 | — | — | — | — | — | — | 1 | — | 17 |
| 14 Diabetes | M | 49 | — | 1 | — | 3 | — | 7 | 22 | 12 | 4 | 3 | — | — | — | — | — | 1 | — | 2 | — |
| | F | 73 | — | — | — | — | 3 | 12 | 26 | 23 | 9 | 2 | — | — | — | — | — | 2 | — | — | — |
| 15 Cerebral hæmorrhage, &c. | M | 288 | — | — | — | — | — | 11 | 90 | 100 | 87 | 21 | — | — | — | — | — | — | 8 | 7 | 6 |
| | F | 407 | — | — | — | — | 1 | 17 | 111 | 118 | 160 | 22 | — | — | — | — | 1 | — | 7 | 7 | 7 |
| 16 Heart disease | M | 757 | — | — | — | 7 | 25 | 81 | 260 | 218 | 166 | 25 | — | — | — | — | — | 1 | 8 | 8 | 8 |
| | F | 875 | — | — | — | 9 | 30 | 81 | 235 | 234 | 286 | 41 | — | — | — | — | 1 | 4 | 8 | 13 | 15 |
| 17 Arterio-sclerosis | M | 169 | — | — | — | — | — | 4 | 44 | 65 | 56 | 6 | — | — | — | — | — | — | 4 | 2 | — |
| | F | 179 | — | — | — | — | — | 2 | 27 | 50 | 100 | 6 | — | — | — | — | — | — | 2 | 2 | 2 |
| 18 Bronchitis | M | 353 | 20 | 4 | 1 | 1 | 1 | 21 | 91 | 95 | 119 | 12 | 1 | — | — | — | — | 1 | 1 | 3 | 6 |
| | F | 404 | 26 | 4 | 1 | 1 | — | 4 | 49 | 97 | 222 | 10 | 2 | — | — | — | — | — | — | 2 | 6 |
| 19 Pneumonia (all forms) | M | 431 | 70 | 28 | 22 | 9 | 19 | 74 | 124 | 54 | 31 | 23 | 4 | 3 | — | — | — | 2 | 6 | 6 | 2 |
| | F | 361 | 37 | 29 | 14 | 17 | 9 | 43 | 68 | 69 | 75 | 10 | — | 1 | 1 | — | 2 | 2 | 3 | 1 | — |
| 20 Other respiratory diseases | M | 87 | 3 | 5 | 3 | — | 2 | 14 | 27 | 15 | 18 | — | — | — | — | — | — | — | — | — | — |
| | F | 62 | 3 | 1 | 1 | 2 | 2 | 6 | 19 | 12 | 16 | 2 | — | — | — | — | — | — | — | 2 | — |
| 21 Ulcer of stomach or duodenum | M | 75 | — | — | — | — | 2 | 25 | 40 | 6 | 2 | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 28 | — | — | — | — | 1 | 8 | 11 | 5 | 3 | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | 87 | 59 | 4 | 5 | 1 | — | 2 | 7 | 4 | 5 | 3 | 2 | 1 | — | — | — | — | — | — | — |
| | F | 92 | 60 | 3 | — | — | 2 | 2 | 9 | 6 | 10 | 3 | 1 | — | — | — | — | — | — | — | 2 |
| 23 Appendicitis and typhlitis | M | 46 | — | — | — | 10 | 6 | 10 | 13 | 5 | 2 | 3 | — | — | 1 | 1 | — | — | — | 1 | — |
| | F | 29 | — | — | 3 | 6 | 2 | 6 | 9 | 3 | — | 4 | — | — | — | 1 | — | — | 1 | 2 | — |
| 24 Cirrhosis of liver | M | 26 | — | — | — | — | — | 3 | 13 | 9 | 1 | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 20 | — | — | 1 | — | — | 3 | 12 | 4 | — | 1 | — | — | — | — | — | — | — | — | 1 |
| 25 Acute and chronic nephritis | M | 157 | 2 | — | 1 | 3 | 6 | 20 | 68 | 28 | 29 | 6 | — | — | — | — | — | — | 5 | 1 | — |
| | F | 129 | — | 1 | — | 4 | 7 | 23 | 49 | 25 | 20 | 5 | — | — | — | — | — | 1 | 2 | 1 | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 35 | — | — | — | — | 6 | 29 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 47 | — | — | — | — | 5 | 40 | 2 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 361 | 358 | 2 | 1 | — | — | — | — | — | — | 14 | 12 | 1 | — | 1 | — | — | — | — | — |
| | F | 218 | 213 | 1 | 2 | — | 2 | — | — | — | — | 10 | 10 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 78 | — | — | — | — | 6 | 20 | 39 | 9 | 4 | 3 | — | — | — | — | — | 2 | 1 | — | — |
| | F | 49 | — | — | — | — | 6 | 21 | 20 | 2 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 30 Other deaths from violence | M | 246 | 17 | 14 | 9 | 31 | 26 | 46 | 56 | 21 | 26 | 13 | — | — | 2 | — | 1 | 3 | 4 | 1 | 2 |
| | F | 135 | 7 | 8 | 17 | 13 | 5 | 18 | 22 | 17 | 28 | 5 | — | — | — | — | 1 | — | — | 1 | 3 |
| 31 Other defined diseases | M | 1019 | 101 | 18 | 19 | 44 | 41 | 108 | 220 | 179 | 289 | 58 | 8 | 1 | 1 | 3 | 3 | 4 | 5 | 14 | 19 |
| | F | 1117 | 79 | 10 | 20 | 34 | 38 | 111 | 199 | 183 | 443 | 56 | 2 | 1 | — | 1 | 2 | 3 | 6 | 7 | 34 |
| 32 Causes ill-defined or unknown | M | 6 | 1 | — | — | — | 2 | — | 3 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 6 | 3 | 1 | — | — | — | 1 | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — |



* For the Administrative County of London, see p. 233.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORFOLK—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 389 | 36 | 4 | 12 | 15 | 24 | 30 | 94 | 86 | 88 | 1490 | 150 | 23 | 14 | 32 | 41 | 119 | 293 | 306 | 512 |
| | F | 397 | 33 | 6 | 4 | 12 | 19 | 22 | 76 | 90 | 135 | 1457 | 128 | 14 | 13 | 32 | 38 | 122 | 283 | 278 | 551 |
| 1 Enteric fever | M | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 6 | 1 | 1 | 4 | — | — | — | — | — | — | 7 | 2 | 2 | 2 | 1 | — | — | — | — | — |
| | F | 4 | 2 | 1 | — | — | 1 | — | — | — | — | 9 | 1 | 4 | 1 | 2 | 1 | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 5 Whooping cough | M | 6 | 4 | — | 2 | — | — | — | — | — | — | 8 | 6 | — | 1 | — | 1 | — | — | — | — |
| | F | 5 | 4 | — | 1 | — | — | — | — | — | — | 10 | 7 | 2 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | 3 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| 7 Influenza | M | 1 | — | — | — | — | — | — | 1 | — | — | 16 | 1 | — | — | 1 | — | 2 | 6 | — | 6 |
| | F | 5 | — | — | — | — | — | — | 2 | 1 | 2 | 29 | 1 | — | — | 3 | 1 | 3 | 8 | 5 | 8 |
| 8 Encephalitis lethargica | M | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 9 Meningococcal meningitis | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 27 | — | — | — | 2 | 6 | 10 | 9 | — | — | 80 | — | 1 | — | 1 | 13 | 39 | 25 | 1 | — |
| | F | 22 | — | — | — | 4 | 8 | 7 | 3 | — | — | 78 | 1 | — | — | 4 | 13 | 34 | 20 | 6 | — |
| 11 Other tuberculous diseases | M | 4 | — | — | — | 2 | 2 | — | — | — | — | 19 | 3 | 1 | 1 | 5 | 3 | 4 | 2 | — | — |
| | F | 7 | — | 1 | — | 1 | 3 | 2 | — | — | — | 23 | 2 | 3 | 5 | 4 | 3 | 2 | 2 | 2 | — |
| 12 Cancer, malignant disease | M | 48 | — | — | — | — | 1 | 1 | 24 | 14 | 8 | 163 | — | — | — | — | — | 8 | 49 | 65 | 41 |
| | F | 61 | — | — | — | — | — | 3 | 23 | 20 | 15 | 211 | — | — | — | 2 | 2 | 11 | 99 | 50 | 47 |
| 13 Rheumatic fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | — | — | — | 1 | 2 | — | — | — | — | — | 1 | — | — | 1 |
| 14 Diabetes | M | 3 | — | — | — | — | 1 | — | — | 1 | 1 | 14 | — | — | — | — | 1 | 1 | 2 | 8 | 2 |
| | F | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 21 | — | — | — | 1 | 2 | 2 | 4 | 7 | 5 |
| 15 Cerebral hæmorrhage, &c. | M | 25 | — | — | — | — | — | — | 3 | 14 | 8 | 104 | — | — | — | — | — | 1 | 19 | 35 | 49 |
| | F | 29 | — | — | — | — | — | — | 8 | 6 | 15 | 129 | — | — | — | — | — | 1 | 17 | 35 | 76 |
| 16 Heart disease | M | 49 | — | — | — | 2 | 1 | 2 | 17 | 13 | 14 | 211 | — | — | — | 8 | 2 | 9 | 48 | 58 | 84 |
| | F | 52 | — | — | — | — | 1 | 2 | 7 | 22 | 20 | 248 | — | — | — | 2 | 2 | 9 | 54 | 69 | 112 |
| 17 Arterio-sclerosis | M | 19 | — | — | — | — | — | — | — | 6 | 13 | 69 | — | — | — | — | — | 1 | 1 | 15 | 52 |
| | F | 27 | — | — | — | — | — | — | 3 | 6 | 18 | 57 | — | — | — | — | — | — | 3 | 7 | 47 |
| 18 Bronchitis | M | 22 | 3 | 1 | 1 | — | — | 2 | 4 | 5 | 6 | 82 | 5 | 5 | — | — | — | 1 | 4 | 14 | 53 |
| | F | 24 | — | — | — | — | — | — | — | 8 | 16 | 70 | 12 | 2 | — | — | — | — | 6 | 10 | 40 |
| 19 Pneumonia (all forms) | M | 22 | 6 | 1 | 2 | 1 | 2 | 1 | 2 | 5 | 2 | 51 | 8 | 3 | 2 | — | 5 | 2 | 12 | 6 | 15 |
| | F | 21 | 2 | 1 | 3 | 2 | 2 | 2 | 1 | 2 | 6 | 44 | 7 | 2 | 1 | 2 | — | 1 | 10 | 15 | 6 |
| 20 Other respiratory diseases | M | 8 | — | — | 1 | 1 | — | 1 | — | 1 | 4 | 26 | 1 | — | — | 1 | — | 2 | 8 | 7 | 7 |
| | F | 3 | — | — | — | — | — | — | — | 3 | — | 22 | 1 | — | 1 | — | — | 3 | 5 | 4 | 8 |
| 21 Ulcer of stomach or duodenum | M | 1 | — | — | — | — | — | — | — | 1 | — | 12 | — | — | — | — | — | 3 | 3 | 3 | 3 |
| | F | 4 | — | — | — | — | — | — | 2 | 2 | — | 5 | — | — | — | — | — | 1 | 3 | — | 1 |
| 22 Diarrhœa, &c. | M | 8 | 3 | — | — | — | — | — | 2 | — | 3 | 12 | 5 | 3 | — | — | — | — | 1 | 1 | 2 |
| | F | 7 | — | 2 | — | — | — | — | 2 | 2 | 1 | 7 | 3 | — | — | — | 1 | — | — | — | 3 |
| 23 Appendicitis and typhlitis | M | 4 | — | — | — | 2 | — | — | 1 | 1 | — | 12 | — | — | — | 4 | 1 | 2 | 5 | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 6 | — | — | — | 2 | 1 | — | 3 | — | — |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 10 | — | — | — | — | — | — | 8 | 1 | 1 |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — | — | 1 | 1 |
| 25 Acute and chronic nephritis | M | 19 | — | — | — | — | 1 | 1 | 4 | 7 | 6 | 34 | 1 | — | — | 2 | — | 2 | 12 | 9 | 8 |
| | F | 7 | — | — | — | — | 1 | — | 1 | 2 | 3 | 23 | 1 | — | — | — | 1 | 5 | 4 | 7 | 5 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 13 | — | — | — | — | 3 | 10 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 15 | 14 | — | — | — | 1 | — | — | — | — | 84 | 83 | — | — | — | — | — | 1 | — | — |
| | F | 16 | 16 | — | — | — | — | — | — | — | — | 75 | 74 | — | — | — | — | 1 | — | — | — |
| 29 Suicide | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 32 | — | — | — | — | 1 | 4 | 18 | 5 | 4 |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| 30 Other deaths from violence | M | 16 | — | — | — | 1 | 4 | 4 | 2 | 3 | 2 | 55 | 3 | 2 | 4 | 1 | 8 | 10 | 16 | 8 | 8 |
| | F | 7 | — | — | — | 1 | — | 1 | 3 | — | 2 | 23 | — | — | 1 | 3 | — | 4 | 2 | 6 | 7 |
| 31 Other defined diseases | M | 72 | 5 | 1 | 2 | 2 | 4 | 7 | 18 | 13 | 20 | 368 | 32 | 5 | 2 | 7 | 5 | 27 | 53 | 56 | 181 |
| | F | 82 | 9 | 1 | — | 3 | 1 | 4 | 14 | 15 | 35 | 327 | 17 | 1 | 2 | 3 | 5 | 29 | 39 | 47 | 184 |
| 32 Causes ill-defined or unknown | M | 4 | — | — | — | — | — | — | 2 | 1 | 1 | 11 | — | — | — | — | — | 1 | — | 7 | 3 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 8 | 1 | — | — | — | — | 1 | 2 | 4 | — |

# Table 20—*contd.*

## Causes of Death at Different Periods of Life in the Administrative County of Northampton—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 536 | 68 | 11 | 3 | 14 | 26 | 56 | 131 | 120 | 107 | 700 | 57 | 7 | 9 | 20 | 21 | 60 | 153 | 155 | 218 |
| | F | 546 | 49 | 10 | 11 | 12 | 37 | 65 | 113 | 101 | 148 | 693 | 51 | 6 | 15 | 8 | 29 | 51 | 140 | 149 | 244 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | — | 1 | — | — | — | — | — | — | — | 6 | 1 | 2 | 1 | 2 | — | — | — | — | — |
| | F | 4 | — | 3 | 1 | — | — | — | — | — | — | 3 | 1 | — | 1 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 3 | — | — | 2 | — | — | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | 1 | — | 1 | — | — | — | — | — | — | 4 | 2 | 1 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | 1 | 2 | 1 | — | — | — | — |
| | F | 2 | — | — | 2 | — | — | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| 7 Influenza | M | 14 | — | — | 2 | — | — | 3 | 3 | 5 | 1 | 11 | — | — | — | — | — | 1 | 4 | 3 | 3 |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 10 | — | — | — | — | 1 | 2 | — | 1 | 6 |
| 8 Encephalitis lethargica | M | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 46 | — | — | — | 2 | 14 | 14 | 14 | 2 | — | 36 | — | — | — | — | 5 | 19 | 10 | 1 | 1 |
| | F | 45 | — | — | — | 3 | 24 | 10 | 7 | 1 | — | 32 | — | — | — | — | 14 | 12 | 5 | — | 1 |
| 11 Other tuberculous diseases | M | 8 | — | 1 | — | 2 | 1 | 3 | 1 | — | — | 12 | 1 | 1 | 1 | 4 | 2 | 3 | — | — | — |
| | F | 12 | — | 1 | 2 | 4 | 4 | 1 | — | — | — | 6 | 1 | — | 1 | — | 2 | 1 | 1 | — | — |
| 12 Cancer, malignant disease | M | 60 | — | — | — | — | 2 | 1 | 31 | 20 | 6 | 81 | — | — | — | — | 1 | 6 | 30 | 24 | 20 |
| | F | 64 | — | — | — | — | 1 | 5 | 28 | 17 | 13 | 89 | — | — | — | — | — | 6 | 37 | 27 | 19 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | 1 | — | — | — | 1 |
| 14 Diabetes | M | 3 | — | — | — | — | — | — | 2 | 1 | — | 6 | — | — | — | — | — | — | 3 | 3 | — |
| | F | 14 | — | — | — | — | — | 1 | 6 | 3 | 4 | 3 | — | — | — | — | — | — | 1 | 2 | — |
| 15 Cerebral hæmorrhage, &c. | M | 34 | — | — | — | — | — | 2 | 7 | 9 | 16 | 42 | 1 | — | — | — | — | — | 5 | 17 | 19 |
| | F | 37 | — | — | — | — | — | — | 9 | 10 | 18 | 73 | — | — | — | — | — | 1 | 22 | 26 | 24 |
| 16 Heart disease | M | 71 | — | — | — | 1 | — | 8 | 17 | 25 | 20 | 82 | — | — | — | 1 | 2 | 2 | 26 | 29 | 22 |
| | F | 92 | — | — | — | 1 | 2 | 13 | 19 | 34 | 23 | 94 | — | — | — | — | 1 | 5 | 23 | 31 | 34 |
| 17 Arterio-sclerosis | M | 8 | — | — | — | — | — | — | 3 | 3 | 2 | 29 | — | — | — | — | — | — | 5 | 6 | 18 |
| | F | 13 | — | — | — | — | — | — | 2 | 5 | 6 | 16 | — | — | — | — | — | — | 1 | 7 | 8 |
| 18 Bronchitis | M | 30 | 2 | — | — | — | — | 2 | 2 | 9 | 15 | 47 | 1 | — | 1 | — | — | 1 | 5 | 15 | 24 |
| | F | 31 | 1 | — | — | — | — | — | 5 | 9 | 16 | 58 | 5 | 1 | — | — | — | 2 | 9 | 13 | 28 |
| 19 Pneumonia (all forms) | M | 28 | 7 | 4 | — | 1 | 1 | 3 | 5 | 4 | 3 | 36 | 5 | 3 | — | 2 | 3 | 8 | 6 | 8 | 1 |
| | F | 31 | 11 | 3 | 1 | — | 1 | 2 | 4 | 4 | 5 | 20 | 1 | 1 | 3 | — | 5 | 2 | 4 | 3 | 1 |
| 20 Other respiratory diseases | M | 8 | 1 | 1 | — | — | — | 1 | 3 | 1 | 1 | 7 | — | — | 1 | — | — | — | 2 | 2 | 2 |
| | F | 5 | — | — | — | — | — | — | 1 | 1 | 3 | 6 | — | — | — | — | — | — | 2 | — | 4 |
| 21 Ulcer of stomach or duodenum | M | 4 | — | — | — | — | 1 | 1 | 2 | — | — | 7 | — | — | — | — | — | 1 | 5 | 1 | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | 9 | 6 | — | 1 | — | — | — | 2 | — | — | 7 | 4 | — | — | — | — | — | — | 1 | 2 |
| | F | 7 | 5 | 1 | — | — | — | — | — | — | 1 | 13 | 6 | — | 1 | — | 1 | 1 | 2 | 1 | 1 |
| 23 Appendicitis and typhlitis | M | 7 | — | — | — | 2 | — | 2 | 3 | — | — | 3 | — | — | — | 1 | — | — | 2 | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 5 | — | — | — | 1 | 1 | 1 | 1 | 1 | — |
| 24 Cirrhosis of liver | M | 4 | — | — | — | — | — | — | 2 | 2 | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis | M | 13 | — | — | — | — | — | 2 | 2 | 7 | 2 | 14 | — | — | — | — | — | 2 | 5 | 3 | 4 |
| | F | 12 | — | — | — | — | — | 2 | 2 | 2 | 6 | 25 | — | — | 1 | 1 | 1 | — | 6 | 11 | 5 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | 2 | 3 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 8 | — | — | — | — | 1 | 7 | — | — | — | 7 | — | — | — | — | — | 7 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 40 | 40 | — | — | — | — | — | — | — | — | 32 | 31 | — | — | 1 | — | — | — | — | — |
| | F | 23 | 23 | — | — | — | — | — | — | — | — | 22 | 22 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 9 | — | — | — | — | — | 3 | 5 | 1 | — | 17 | — | — | — | — | — | 5 | 7 | 2 | 3 |
| | F | 5 | — | — | — | — | — | 1 | 3 | 1 | — | 4 | — | — | — | — | — | 1 | 3 | — | — |
| 30 Other deaths from violence | M | 17 | 1 | — | — | 2 | 3 | 5 | 3 | 2 | 1 | 28 | 1 | — | 2 | 4 | 2 | 4 | 10 | 5 | — |
| | F | 15 | — | — | 1 | 1 | — | 3 | 4 | 1 | 5 | 16 | 2 | — | 1 | 2 | — | 1 | — | 1 | 9 |
| 31 Other defined diseases | M | 107 | 10 | 2 | — | 3 | 4 | 5 | 17 | 26 | 40 | 181 | 12 | 1 | 2 | 2 | 3 | 6 | 22 | 34 | 99 |
| | F | 101 | 7 | 2 | 1 | 1 | 2 | 11 | 17 | 13 | 47 | 173 | 11 | 2 | 5 | 1 | 1 | 7 | 20 | 23 | 103 |
| 32 Causes ill-defined or unknown | M | 10 | — | 1 | — | — | — | 1 | 5 | 3 | — | 6 | — | — | — | — | — | — | 5 | 1 | — |
| | F | 5 | — | — | — | 1 | — | 2 | 2 | — | — | 5 | — | — | — | — | — | 1 | 3 | 1 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORTHUMBERLAND—1923 (Civilian population only).

| | Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes | M | 1823 | 338 | 103 | 69 | 73 | 75 | 228 | 424 | 275 | 238 | 571 | 68 | 11 | 20 | 12 | 25 | 58 | 115 | 127 | 135 |
| | | F | 1627 | 244 | 85 | 77 | 60 | 83 | 188 | 346 | 276 | 268 | 578 | 50 | 12 | 12 | 16 | 25 | 61 | 129 | 129 | 144 |
| 1 | Enteric fever | M | 2 | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles | M | 71 | 13 | 33 | 20 | 5 | — | — | — | — | — | 4 | 2 | — | 2 | — | — | — | — | — | — |
| | | F | 55 | 7 | 23 | 23 | 2 | — | — | — | — | — | 6 | 2 | 1 | 1 | 1 | 1 | — | — | — | — |
| 4 | Scarlet fever | M | 6 | — | — | — | 5 | — | 1 | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | | F | 8 | — | 1 | 2 | 3 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 | Whooping cough | M | 41 | 21 | 11 | 6 | 3 | — | — | — | — | — | 5 | 4 | — | 1 | — | — | — | — | — | — |
| | | F | 28 | 9 | 10 | 9 | — | — | — | — | — | — | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| 6 | Diphtheria | M | 4 | 1 | — | 2 | 1 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | | F | 6 | 1 | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 | Influenza | M | 12 | — | — | 1 | 1 | — | 1 | 6 | 3 | — | 7 | — | — | — | — | — | — | 5 | 1 | 1 |
| | | F | 12 | — | — | — | 1 | — | 2 | 5 | 2 | 2 | 8 | — | — | — | — | — | 1 | 2 | 1 | 4 |
| 8 | Encephalitis lethargica | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 9 | Meningococcal meningitis | M | 2 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 142 | — | 4 | — | 6 | 27 | 52 | 51 | 2 | — | 36 | — | — | — | 2 | 8 | 13 | 10 | 2 | 1 |
| | | F | 132 | — | 2 | 2 | 8 | 41 | 51 | 26 | 2 | — | 35 | — | — | — | 1 | 11 | 17 | 6 | — | — |
| 11 | Other tuberculous diseases | M | 45 | 3 | 7 | 4 | 7 | 11 | 7 | 5 | 1 | — | 10 | 1 | 1 | 3 | — | 2 | 1 | 1 | 1 | — |
| | | F | 56 | 7 | 7 | 9 | 15 | 6 | 9 | 1 | 1 | 1 | 11 | — | 4 | 2 | 1 | — | 4 | — | — | — |
| 12 | Cancer, malignant disease | M | 156 | — | — | — | 2 | — | 9 | 69 | 57 | 19 | 61 | — | — | — | — | 1 | 2 | 21 | 24 | 13 |
| | | F | 163 | — | — | — | — | 1 | 19 | 90 | 34 | 19 | 80 | — | — | — | — | — | 6 | 36 | 26 | 12 |
| 13 | Rheumatic fever | M | 5 | — | — | — | 3 | 1 | 1 | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| | | F | 9 | — | — | — | 3 | 4 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 | Diabetes | M | 11 | — | — | — | 1 | — | 4 | 5 | — | 1 | 7 | — | — | — | — | 1 | 1 | 3 | — | 2 |
| | | F | 16 | — | — | — | — | 1 | 2 | 4 | 7 | 2 | 7 | — | — | — | — | — | — | 2 | 5 | — |
| 15 | Cerebral hæmorrhage, &c. | M | 88 | — | — | — | — | — | 2 | 33 | 27 | 26 | 34 | — | — | — | — | 1 | — | 6 | 12 | 15 |
| | | F | 113 | — | — | — | — | — | 3 | 35 | 42 | 33 | 45 | — | — | — | — | 1 | 1 | 11 | 14 | 18 |
| 16 | Heart disease | M | 169 | — | — | — | 2 | 4 | 29 | 63 | 43 | 28 | 81 | — | — | — | — | 2 | 5 | 17 | 30 | 27 |
| | | F | 173 | — | — | — | 2 | 3 | 18 | 56 | 57 | 37 | 87 | — | — | — | 1 | 2 | 8 | 18 | 31 | 27 |
| 17 | Arterio-sclerosis | M | 54 | — | — | — | — | — | — | 4 | 28 | 22 | 20 | — | — | — | — | — | — | 2 | 8 | 10 |
| | | F | 36 | — | — | — | — | — | — | 4 | 14 | 18 | 15 | — | — | — | — | — | — | 1 | 6 | 8 |
| 18 | Bronchitis | M | 103 | 28 | 6 | 5 | 1 | 2 | — | 22 | 17 | 22 | 16 | 4 | 3 | — | — | — | — | 1 | 4 | 4 |
| | | F | 87 | 15 | 8 | 5 | 1 | — | 1 | 10 | 19 | 28 | 25 | 2 | — | 1 | — | — | — | 4 | 4 | 14 |
| 19 | Pneumonia (all forms) | M | 152 | 42 | 20 | 14 | 4 | 3 | 26 | 21 | 10 | 12 | 41 | 7 | 1 | 7 | 1 | 1 | 4 | 11 | 7 | 2 |
| | | F | 120 | 31 | 18 | 10 | 5 | 3 | 7 | 19 | 16 | 11 | 33 | 7 | 1 | 2 | 1 | — | 3 | 6 | 7 | 6 |
| 20 | Other respiratory diseases | M | 26 | — | — | 1 | — | 1 | 3 | 12 | 5 | 4 | 12 | 2 | — | 1 | — | 1 | 1 | 4 | — | 3 |
| | | F | 15 | 3 | — | — | — | — | 1 | 2 | 3 | 6 | 8 | 1 | 1 | — | — | — | — | 1 | 1 | 4 |
| 21 | Ulcer of stomach or duodenum | M | 16 | — | — | — | — | 1 | 7 | 6 | — | 2 | 6 | — | — | — | — | — | 1 | 4 | 1 | — |
| | | F | 5 | — | — | — | — | — | 2 | 1 | 2 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 | Diarrhœa, &c. | M | 41 | 22 | 5 | 3 | 1 | — | 2 | 5 | 1 | 2 | 6 | 3 | 1 | 1 | — | — | — | 1 | — | — |
| | | F | 35 | 18 | 8 | 2 | 1 | 1 | 1 | — | 2 | 2 | 9 | 1 | 2 | — | 1 | — | — | 2 | 3 | — |
| 23 | Appendicitis and typhlitis | M | 8 | — | — | — | 2 | 2 | 2 | — | 1 | 1 | 4 | — | — | — | — | — | 2 | 1 | 1 | — |
| | | F | 12 | — | — | — | 1 | 3 | 3 | 5 | — | — | 7 | — | — | — | 2 | 1 | 1 | 2 | — | 1 |
| 24 | Cirrhosis of liver | M | 5 | — | — | — | — | — | 1 | — | 3 | 1 | 2 | — | — | — | — | — | — | 2 | — | — |
| | | F | 7 | — | — | — | — | — | 1 | 5 | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| 25 | Acute and chronic nephritis | M | 55 | — | — | — | 3 | 1 | 7 | 15 | 21 | 8 | 13 | — | — | — | 1 | 1 | 3 | 3 | 4 | 1 |
| | | F | 52 | — | — | 3 | — | 2 | 7 | 24 | 9 | 7 | 26 | 1 | — | 1 | — | — | 3 | 6 | 11 | 4 |
| 26 | Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 11 | — | — | — | — | 2 | 9 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 18 | — | — | — | — | 1 | 17 | — | — | — | 6 | — | — | — | — | 2 | 4 | — | — | — |
| 28 | Congenital debility and malformation, premature birth | M | 147 | 145 | — | 1 | — | — | — | — | 1 | — | 39 | 35 | 2 | — | — | 1 | 1 | — | — | — |
| | | F | 113 | 112 | — | 1 | — | — | — | — | — | — | 29 | 27 | — | 1 | — | — | — | 1 | — | — |
| 29 | Suicide | M | 11 | — | — | — | — | — | 4 | 5 | 1 | 1 | 4 | — | — | — | — | 1 | 2 | 1 | — | — |
| | | F | 9 | — | — | — | 1 | 3 | 2 | 3 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 30 | Other deaths from violence | M | 101 | 5 | 2 | 3 | 11 | 14 | 37 | 18 | 8 | 3 | 24 | — | 1 | — | 2 | 4 | 9 | 3 | 3 | 2 |
| | | F | 25 | 1 | 1 | 5 | 4 | 2 | 2 | 5 | 2 | 3 | 6 | — | 1 | 1 | 1 | — | — | 2 | 1 | — |
| 31 | Other defined diseases | M | 326 | 58 | 15 | 8 | 12 | 8 | 27 | 68 | 44 | 86 | 124 | 10 | 2 | 3 | 3 | — | 10 | 15 | 27 | 54 |
| | | F | 296 | 40 | 7 | 3 | 10 | 8 | 24 | 46 | 59 | 99 | 112 | 8 | — | 2 | 7 | 7 | 8 | 21 | 13 | 46 |
| 32 | Causes ill-defined or unknown | M | 22 | — | — | — | 2 | — | 3 | 15 | 2 | — | 7 | — | — | — | — | — | 1 | 4 | 2 | — |
| | | F | 13 | — | — | — | 1 | 1 | 3 | 4 | 4 | — | 13 | — | 1 | — | — | — | 2 | 5 | 5 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NOTTINGHAM—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 5— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 1382 | 248 | 84 | 52 | 56 | 76 | 132 | 316 | 230 | 188 | 809 | 108 | 12 | 24 | 25 | 38 | 71 | 175 | 158 | 198 |
| | F | 1333 | 195 | 68 | 39 | 52 | 75 | 189 | 288 | 181 | 246 | 736 | 68 | 14 | 24 | 20 | 26 | 74 | 158 | 146 | 206 |
| 1 Enteric fever .. | M | 2 | — | — | — | 1 | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 40 | 8 | 20 | 8 | 4 | — | — | — | — | — | 12 | 2 | 4 | 5 | 1 | — | — | — | — | — |
| | F | 24 | 7 | 11 | 4 | 2 | — | — | — | — | — | 10 | 4 | 3 | 3 | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 3 | — | | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | 4 | 1 | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 14 | 7 | 4 | 3 | — | — | — | — | — | — | 9 | 4 | 3 | 2 | — | — | — | — | — | — |
| | F | 14 | 3 | 8 | 3 | — | — | — | — | — | — | 6 | 3 | 1 | 2 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 7 | — | 2 | — | 4 | — | 1 | — | — | — | 4 | — | — | 1 | 3 | — | — | — | — | — |
| | F | 9 | — | 3 | 4 | 2 | — | — | — | — | — | 4 | — | — | 1 | 2 | 1 | — | — | — | — |
| 7 Influenza .. .. | M | 22 | — | — | — | — | 1 | 1 | 7 | 6 | 7 | 16 | — | — | — | — | 2 | 1 | 5 | 3 | 5 |
| | F | 15 | — | — | — | — | 1 | 3 | 3 | 5 | 3 | 18 | — | — | 1 | 1 | 1 | 2 | 5 | 4 | 4 |
| 8 Encephalitis lethargica .. | M | 3 | — | — | — | 1 | 1 | — | 1 | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 89 | 1 | 1 | — | 1 | 28 | 30 | 25 | 3 | — | 39 | — | — | — | 1 | 9 | 21 | 7 | 1 | — |
| | F | 95 | 1 | 2 | 2 | 5 | 35 | 44 | 6 | — | — | 44 | — | — | — | 3 | 11 | 21 | 9 | — | — |
| 11 Other tuberculous diseases .. .. | M | 35 | 6 | 5 | 5 | 10 | 7 | — | 1 | — | 1 | 15 | 2 | — | 5 | 1 | 2 | 2 | 3 | — | — |
| | F | 34 | 4 | 5 | 1 | 7 | 6 | 7 | 3 | — | 1 | 21 | 1 | — | 5 | 4 | 1 | 7 | 2 | — | 1 |
| 12 Cancer, malignant disease .. .. | M | 105 | — | — | — | — | — | 6 | 61 | 28 | 10 | 72 | — | — | 1 | — | 1 | 3 | 31 | 24 | 12 |
| | F | 153 | — | — | — | — | 2 | 24 | 80 | 25 | 22 | 84 | — | — | — | — | — | 9 | 34 | 28 | 13 |
| 13 Rheumatic fever .. | M | 4 | — | — | — | 1 | — | 2 | 1 | — | — | 4 | — | — | — | 2 | 2 | — | — | — | — |
| | F | 6 | — | — | — | 3 | 1 | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 14 Diabetes .. .. | M | 6 | — | — | — | — | — | 1 | 1 | 3 | 1 | 9 | — | — | — | — | 1 | — | 2 | 5 | 1 |
| | F | 15 | — | — | — | — | — | 2 | 9 | 2 | 2 | 8 | — | — | — | — | — | 2 | 2 | 4 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 80 | — | — | — | — | — | 3 | 19 | 39 | 19 | 53 | — | — | — | — | — | 3 | 12 | 14 | 24 |
| | F | 96 | — | — | — | 1 | — | 6 | 34 | 27 | 28 | 69 | — | — | — | — | 1 | — | 21 | 23 | 24 |
| 16 Heart disease .. | M | 118 | — | — | — | 2 | 8 | 12 | 34 | 45 | 17 | 86 | — | — | — | 2 | 2 | 5 | 24 | 35 | 18 |
| | F | 139 | — | — | — | 3 | 8 | 13 | 48 | 42 | 25 | 85 | — | — | — | 1 | 1 | 6 | 28 | 25 | 24 |
| 17 Arterio-sclerosis .. | M | 32 | — | — | — | — | — | — | 5 | 17 | 10 | 31 | — | — | — | — | — | 1 | 8 | 10 | 12 |
| | F | 16 | — | — | — | — | — | — | 1 | 4 | 11 | 19 | — | — | — | — | — | — | 6 | 6 | 7 |
| 18 Bronchitis .. | M | 101 | 18 | 3 | — | — | — | 4 | 18 | 26 | 32 | 45 | 6 | — | — | — | 1 | 1 | 3 | 9 | 25 |
| | F | 127 | 18 | 4 | 3 | — | — | 3 | 16 | 33 | 50 | 46 | 5 | 2 | — | 1 | — | — | 1 | 11 | 26 |
| 19 Pneumonia (all forms) .. .. | M | 144 | 37 | 28 | 18 | 5 | 5 | 15 | 23 | 9 | 4 | 59 | 19 | 1 | 2 | 1 | 4 | 4 | 15 | 8 | 5 |
| | F | 111 | 31 | 19 | 14 | 6 | 7 | 11 | 9 | 9 | 5 | 37 | 8 | 3 | 6 | 1 | 1 | 1 | 6 | 7 | 4 |
| 20 Other respiratory diseases .. .. | M | 20 | 1 | 1 | 2 | 2 | 1 | — | 10 | 1 | 2 | 14 | 2 | 1 | — | — | — | 2 | 5 | 1 | 3 |
| | F | 8 | — | 1 | — | 1 | — | — | 6 | — | — | 6 | — | — | — | 1 | — | — | — | 1 | 4 |
| 21 Ulcer of stomach or duodenum .. | M | 11 | — | — | — | — | 2 | 4 | 4 | 1 | — | 4 | — | — | — | — | — | — | 2 | 2 | — |
| | F | 7 | — | — | — | — | — | 4 | 2 | 1 | — | 5 | — | — | — | — | — | — | 3 | 1 | 1 |
| 22 Diarrhœa, &c. .. | M | 23 | 12 | 8 | 1 | — | 1 | — | — | — | 1 | 16 | 11 | 1 | — | 1 | — | 1 | — | 1 | 1 |
| | F | 16 | 10 | 1 | 1 | — | — | — | 1 | 1 | 2 | 10 | 2 | 1 | 1 | 1 | — | 1 | 4 | — | — |
| 23 Appendicitis and typhlitis.. .. | M | 5 | — | — | 1 | — | — | — | 4 | — | — | 6 | — | — | — | 2 | 1 | 1 | 1 | — | 1 |
| | F | 9 | — | — | 1 | — | 1 | 4 | 3 | — | — | 3 | — | — | — | 1 | 1 | 1 | — | — | — |
| 24 Cirrhosis of liver .. | M | 7 | — | — | — | — | — | — | 5 | 2 | — | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | 5 | — | — | — | — | — | 1 | 4 | — | — | 2 | — | — | — | — | — | 1 | — | — | 1 |
| 25 Acute and chronic nephritis .. | M | 19 | — | — | 1 | 1 | 1 | 3 | 5 | 5 | 3 | 31 | — | — | 2 | 1 | 2 | 5 | 7 | 8 | 6 |
| | F | 26 | — | — | — | 3 | — | 8 | 10 | 3 | 2 | 17 | — | — | — | 1 | — | — | 7 | 5 | 4 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | 1 | 4 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 12 | — | — | — | — | 1 | 11 | — | — | — | 8 | — | — | — | — | 2 | 6 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 103 | 100 | 2 | — | — | 1 | — | — | — | — | 44 | 44 | — | — | — | — | — | — | — | — |
| | F | 91 | 89 | 2 | — | — | — | — | — | — | — | 28 | 28 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 21 | — | — | — | — | — | 9 | 7 | 3 | 2 | 8 | — | — | — | — | — | 2 | 3 | 2 | 1 |
| | F | 6 | — | — | — | — | — | 3 | 3 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 30 Other deaths from violence.. .. | M | 81 | 4 | 2 | 4 | 12 | 11 | 21 | 18 | 4 | 5 | 41 | — | — | 2 | 5 | 4 | 11 | 11 | 4 | 4 |
| | F | 20 | — | 2 | 1 | 5 | 4 | 1 | 2 | 1 | 4 | 17 | 1 | 1 | 2 | — | 1 | 1 | — | 2 | 9 |
| 31 Other defined diseases .. .. | M | 272 | 53 | 6 | 8 | 10 | 8 | 19 | 57 | 38 | 73 | 177 | 17 | 2 | 4 | 3 | 7 | 7 | 28 | 29 | 80 |
| | F | 252 | 30 | 8 | 4 | 8 | 6 | 36 | 43 | 26 | 91 | 178 | 15 | 3 | 2 | 2 | 2 | 15 | 28 | 27 | 84 |
| 32 Causes ill-defined or unknown .. | M | 15 | 1 | 1 | 1 | — | — | 1 | 10 | — | 1 | 6 | 1 | — | — | — | — | — | 3 | 2 | — |
| | F | 12 | 2 | 1 | — | — | 1 | 1 | 5 | 2 | — | 6 | 1 | — | — | — | 1 | — | 2 | 2 | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of OXFORD—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 222 | 17 | 4 | 1 | 5 | 10 | 28 | 55 | 46 | 56 | 590 | 49 | 2 | 5 | 16 | 13 | 57 | 139 | 127 | 182 |
| | F | 229 | 11 | 6 | 2 | 2 | 4 | 27 | 51 | 53 | 73 | 600 | 42 | 5 | 6 | 12 | 18 | 44 | 116 | 127 | 230 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 5 Whooping cough | M | 1 | — | 1 | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| | F | 3 | — | 2 | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 6 | — | — | 2 | 4 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | 2 | 1 | — | — | — | — |
| 7 Influenza | M | 2 | — | — | — | — | — | — | — | 2 | — | 13 | — | — | — | — | — | 1 | 4 | 5 | 3 |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | 21 | — | 1 | — | — | — | 1 | 7 | 5 | 7 |
| 8 Encephalitis lethargica | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 14 | — | — | — | — | 4 | 5 | 5 | — | — | 30 | — | — | — | — | 3 | 19 | 7 | 1 | — |
| | F | 18 | — | — | — | 1 | 2 | 9 | 5 | — | 1 | 27 | — | — | — | — | 9 | 13 | 5 | — | — |
| 11 Other tuberculous diseases | M | 4 | — | — | — | 1 | — | 2 | 1 | — | — | 5 | — | — | 1 | — | 1 | 3 | — | — | — |
| | F | 3 | — | — | 1 | — | — | 1 | 1 | — | — | 7 | 1 | — | — | 2 | 2 | 2 | — | — | — |
| 12 Cancer, malignant disease | M | 18 | — | — | — | — | — | — | 8 | 8 | 2 | 75 | — | — | — | — | — | 2 | 31 | 26 | 16 |
| | F | 33 | — | — | — | — | — | 2 | 12 | 8 | 11 | 80 | — | — | — | — | — | 5 | 27 | 29 | 19 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 3 | — | — | — | 1 | — | 2 | — | — | — |
| 14 Diabetes | M | — | — | — | — | — | — | — | — | — | — | 6 | — | — | — | — | — | 1 | 4 | 1 | — |
| | F | 4 | — | — | — | — | — | 1 | 2 | 1 | — | 15 | — | — | — | — | 1 | 1 | 7 | 5 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 17 | — | — | — | — | — | 1 | 5 | 4 | 7 | 42 | — | — | — | 1 | — | — | 5 | 15 | 21 |
| | F | 23 | — | — | — | — | — | — | 3 | 11 | 9 | 66 | — | — | — | — | — | 2 | 6 | 18 | 40 |
| 16 Heart disease | M | 27 | — | — | — | — | — | 3 | 9 | 9 | 6 | 73 | — | — | — | — | — | 5 | 16 | 27 | 25 |
| | F | 33 | — | — | — | — | 1 | 4 | 7 | 10 | 11 | 98 | — | — | — | 1 | — | 3 | 28 | 29 | 37 |
| 17 Arterio-sclerosis | M | 3 | — | — | — | — | — | — | — | 1 | 2 | 26 | — | — | — | — | — | — | 5 | 10 | 11 |
| | F | 4 | — | — | — | — | — | — | — | 3 | 1 | 18 | — | — | — | — | — | — | 1 | 5 | 12 |
| 18 Bronchitis | M | 21 | 1 | — | — | — | — | 1 | 2 | 5 | 12 | 39 | 2 | — | — | — | 1 | 2 | 5 | 6 | 23 |
| | F | 21 | 1 | 1 | — | — | — | — | 2 | 7 | 10 | 38 | 1 | — | 1 | — | — | — | 1 | 6 | 29 |
| 19 Pneumonia (all forms) | M | 18 | 2 | 1 | — | — | — | 5 | 6 | 2 | 2 | 35 | 3 | 1 | 1 | 1 | — | 7 | 9 | 8 | 5 |
| | F | 9 | 2 | 1 | — | 1 | — | 1 | — | 1 | 3 | 23 | 3 | — | 2 | 1 | 1 | — | 6 | 5 | 5 |
| 20 Other respiratory diseases | M | 5 | 2 | — | — | — | — | 1 | 1 | 1 | — | 10 | — | — | — | — | 1 | 1 | 3 | — | 5 |
| | F | 11 | — | — | — | — | — | 1 | 6 | 2 | 2 | 5 | — | — | — | — | — | — | 1 | 3 | 1 |
| 21 Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 5 | — | — | — | — | — | — | 5 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | — | 2 | 2 | — | 1 |
| 22 Diarrhœa, &c. | M | 2 | 1 | — | — | — | — | — | — | 1 | — | 8 | 3 | — | — | — | — | 2 | 2 | — | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 8 | 2 | 1 | — | — | — | — | — | 1 | 4 |
| 23 Appendicitis and typhlitis | M | 2 | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | 2 | — | 1 | 1 | — | — |
| 24 Cirrhosis of liver | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | 1 | 1 | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 6 | — | — | — | — | — | — | 4 | 1 | 1 | 12 | — | — | — | — | 1 | 1 | 5 | 3 | 2 |
| | F | 3 | — | — | — | — | — | — | 1 | — | 2 | 14 | — | — | 1 | — | — | — | 2 | 2 | 9 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 9 | 9 | — | — | — | — | — | — | — | — | 33 | 31 | 1 | — | — | — | — | 1 | — | — |
| | F | 6 | 6 | — | — | — | — | — | — | — | — | 26 | 26 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | — | 3 | — | — |
| 30 Other deaths from violence | M | 11 | 1 | 1 | — | — | 2 | 2 | 2 | 2 | 1 | 27 | — | — | — | 3 | 3 | 4 | 11 | 5 | 1 |
| | F | 3 | 1 | — | — | — | — | — | 1 | — | 1 | 7 | — | — | — | 2 | 1 | — | 1 | 1 | 2 |
| 31 Other defined diseases | M | 53 | 1 | 1 | — | 3 | 3 | 4 | 10 | 9 | 22 | 125 | 7 | — | — | 5 | 1 | 6 | 21 | 17 | 68 |
| | F | 44 | 1 | 1 | — | — | — | 5 | 6 | 9 | 22 | 114 | 6 | 2 | 2 | 1 | 2 | 5 | 16 | 17 | 63 |
| 32 Causes ill-defined or unknown | M | 4 | — | — | — | 1 | — | 1 | — | 1 | 1 | 5 | — | — | — | — | 1 | 2 | 2 | — | — |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 4 | 1 | 1 | — | — | — | — | 1 | 1 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PETERBOROUGH, SOKE of—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes | M | 211 | 21 | 1 | 3 | 1 | 5 | 23 | 49 | 53 | 55 | 62 | 4 | 3 | — | — | 2 | 7 | 11 | 14 | 21 |
| | F | 171 | 8 | 2 | 1 | 3 | 6 | 19 | 46 | 37 | 49 | 58 | 5 | 1 | — | — | 2 | 6 | 14 | 13 | 17 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 16 | — | — | — | — | 1 | 10 | 3 | 2 | — | 4 | — | — | — | — | — | 3 | 1 | — | — |
| | F | 6 | — | — | — | — | 1 | 3 | 2 | — | — | 6 | — | — | — | — | 2 | 2 | 2 | — | — |
| 11 Other tuberculous diseases | M | 2 | — | — | 1 | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 2 | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 12 Cancer, malignant disease | M | 31 | — | — | — | — | — | 1 | 11 | 11 | 8 | 5 | — | — | — | — | — | — | 2 | 1 | 2 |
| | F | 27 | — | — | — | — | — | 3 | 13 | 6 | 5 | 15 | — | — | — | — | — | 1 | 6 | 4 | 4 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 4 | — | — | — | — | — | — | — | 3 | 1 | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| 15 Cerebral hæmorrhage, &c. | M | 16 | — | — | — | — | — | 1 | 2 | 7 | 6 | 5 | — | — | — | — | — | — | 2 | 1 | 2 |
| | F | 15 | — | — | — | — | — | 1 | 3 | — | 11 | 8 | — | — | — | — | — | — | 3 | 3 | 2 |
| 16 Heart disease | M | 22 | — | — | — | 1 | 1 | — | 5 | 11 | 4 | 8 | — | — | — | — | — | 1 | 1 | 3 | 3 |
| | F | 30 | — | — | — | — | — | 1 | 7 | 14 | 8 | 6 | — | — | — | — | — | 1 | 2 | 2 | 1 |
| 17 Arterio-sclerosis | M | 5 | — | — | — | — | — | — | 1 | 2 | 2 | 2 | — | — | — | — | — | — | — | 1 | 1 |
| | F | 5 | — | — | — | — | — | — | 2 | 1 | 2 | 1 | — | — | — | — | — | — | — | — | 1 |
| 18 Bronchitis | M | 19 | 1 | — | — | — | — | 1 | 2 | 2 | 13 | 5 | 1 | — | — | — | — | — | — | 1 | 3 |
| | F | 7 | 2 | — | — | — | — | — | 1 | 4 | — | 5 | — | — | — | — | — | — | — | 2 | 3 |
| 19 Pneumonia (all forms) | M | 17 | 4 | — | — | — | 1 | 2 | 6 | 2 | 2 | 5 | — | 2 | — | — | — | — | 1 | 1 | 1 |
| | F | 7 | 1 | 1 | — | — | — | 1 | 2 | 2 | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 20 Other respiratory diseases | M | 4 | — | — | — | — | 1 | 1 | — | 1 | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 3 | — | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — | 1 |
| 21 Ulcer of stomach or duodenum | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 24 Cirrhosis of liver | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 6 | — | — | — | — | — | — | 2 | 2 | 2 | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | — | — | — | — | 5 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 9 | 8 | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 4 | 4 | — | — | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence | M | 6 | 1 | — | — | — | — | 2 | 3 | — | — | 3 | — | 1 | — | — | 1 | 1 | — | — | — |
| | F | 6 | — | — | — | — | 1 | — | — | 2 | 3 | 1 | — | — | — | — | — | — | — | 1 | — |
| 31 Other defined diseases | M | 43 | 5 | — | 1 | — | 1 | 2 | 9 | 9 | 16 | 19 | 2 | — | — | — | 1 | 1 | 1 | 5 | 9 |
| | F | 37 | — | — | 1 | 1 | 4 | 4 | 7 | 3 | 17 | 9 | 1 | 1 | — | — | — | — | 1 | 1 | 5 |
| 32 Causes ill-defined or unknown | M | 3 | — | — | — | — | — | — | 3 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of RUTLAND—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 21 | 3 | 1 | 2 | — | — | — | 4 | 7 | 4 | 94 | 4 | 1 | — | — | 4 | 7 | 22 | 23 | 33 |
| | F | 14 | — | — | — | — | — | 2 | 2 | 8 | 2 | 80 | 10 | — | — | 2 | 3 | 2 | 20 | 16 | 27 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza .. .. | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | 2 | — | 1 | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | — | 2 | — |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 11 Other tuberculous diseases .. .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 12 Cancer, malignant disease .. .. | M | 5 | — | — | — | — | — | — | 1 | 1 | 3 | 14 | — | — | — | — | — | — | 5 | 4 | 5 |
| | F | 2 | — | — | — | — | — | — | — | 2 | — | 12 | — | — | — | — | — | — | 8 | 2 | 2 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes .. .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | — | 1 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 2 | — | — | — | — | — | — | — | 2 | — | 9 | — | — | — | — | — | — | 3 | 2 | 4 |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 12 | — | — | — | — | — | — | 1 | 3 | 8 |
| 16 Heart disease .. | M | 4 | — | — | — | — | — | — | 1 | 3 | — | 14 | — | — | — | — | — | — | 3 | 5 | 6 |
| | F | 4 | — | — | — | — | — | — | 2 | 2 | — | 11 | — | — | — | — | — | — | 5 | 2 | 4 |
| 17 Arterio-sclerosis .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | 2 | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 1 | 1 |
| 18 Bronchitis .. | M | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | 2 |
| 19 Pneumonia (all forms) .. .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 3 | — | — | — | — | — | — | 1 | 1 | 1 |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 3 | 1 | — | — | 1 | — | — | — | 1 | — |
| 20 Other respiratory diseases .. .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | 2 |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 21 Ulcer of stomach or duodenum .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 23 Appendicitis and typhlitis.. .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 24 Cirrhosis of liver .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| 25 Acute and chronic nephritis .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 3 | 3 | — | — | — | — | — | — | — | — | 3 | 3 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 1 | 1 |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence.. .. | M | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | 1 | 3 | — | — | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 31 Other defined diseases .. .. | M | 3 | — | — | 2 | — | — | — | 1 | — | — | 22 | — | 1 | — | — | — | — | 4 | 6 | 11 |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 24 | 6 | — | — | — | 2 | 1 | 2 | 4 | 9 |
| 32 Causes ill-defined or unknown .. | M | 1 | — | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SALOP—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 736 | 69 | 19 | 25 | 17 | 36 | 74 | 164 | 163 | 169 | 818 | 99 | 10 | 15 | 11 | 31 | 70 | 188 | 171 | 223 |
| | F | 743 | 51 | 16 | 22 | 23 | 28 | 69 | 172 | 138 | 224 | 749 | 72 | 15 | 12 | 21 | 34 | 71 | 147 | 135 | 242 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | 1 | 1 | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 5 | — | 1 | 4 | — | — | — | — | — | — | 2 | — | 1 | 1 | — | — | — | — | — | — |
| | F | 4 | 1 | 1 | 1 | 1 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| | F | 3 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 8 | 6 | 1 | 1 | — | — | — | — | — | — | 5 | 3 | 1 | — | 1 | — | — | — | — | — |
| | F | 7 | 2 | 1 | 4 | — | — | — | — | — | — | 10 | 4 | 3 | 1 | — | 2 | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | — | 1 | — | — | — |
| | F | 5 | — | — | 3 | 2 | — | — | — | — | — | 5 | — | — | — | 3 | 2 | — | — | — | — |
| 7 Influenza | M | 33 | — | 1 | 4 | 3 | 2 | 3 | 4 | 6 | 10 | 20 | — | 2 | — | — | 2 | 3 | 4 | 3 | 6 |
| | F | 31 | 3 | — | — | — | — | — | 8 | 12 | 8 | 21 | 1 | — | 1 | 2 | 4 | 1 | 2 | 3 | 7 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 9 Meningococcal meningitis | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 45 | — | — | — | — | 10 | 22 | 12 | — | 1 | 40 | — | — | — | 1 | 8 | 16 | 10 | 5 | — |
| | F | 41 | — | — | 1 | 2 | 13 | 15 | 9 | 1 | — | 31 | — | — | — | 2 | 12 | 12 | 5 | — | — |
| 11 Other tuberculous diseases | M | 12 | 1 | 1 | 1 | 2 | 2 | 3 | 2 | — | — | 15 | 1 | 2 | 1 | 1 | 2 | 6 | 2 | — | — |
| | F | 17 | 2 | 1 | 2 | 1 | 3 | 6 | 1 | 1 | — | 12 | 2 | — | 2 | 1 | — | 4 | 2 | — | 1 |
| 12 Cancer, malignant disease | M | 74 | — | — | 1 | — | 1 | 2 | 28 | 26 | 16 | 97 | — | — | 2 | 1 | 1 | 5 | 46 | 25 | 17 |
| | F | 103 | — | — | — | — | — | 11 | 44 | 28 | 20 | 96 | — | — | — | — | — | 6 | 45 | 24 | 21 |
| 13 Rheumatic fever | M | 1 | — | — | — | — | 1 | — | — | — | — | 3 | — | — | — | 2 | — | — | 1 | — | — |
| | F | 3 | — | — | — | 1 | 1 | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 14 Diabetes | M | 6 | — | — | — | — | 1 | 1 | 3 | 1 | — | 7 | — | — | — | — | 1 | — | 2 | 1 | 3 |
| | F | 7 | — | — | — | — | — | 1 | 5 | 1 | — | 5 | — | — | — | — | — | 2 | 1 | 2 | — |
| 15 Cerebral hæmorrhage, &c. | M | 36 | — | — | — | — | — | — | 9 | 10 | 17 | 51 | — | — | — | — | — | — | 7 | 21 | 23 |
| | F | 46 | — | — | — | — | — | — | 12 | 10 | 24 | 63 | — | — | — | — | 2 | — | 8 | 22 | 31 |
| 16 Heart disease | M | 112 | — | — | — | 1 | 4 | 7 | 36 | 39 | 25 | 123 | — | — | — | — | 2 | 7 | 29 | 48 | 37 |
| | F | 109 | — | — | — | 2 | 2 | 7 | 30 | 31 | 37 | 126 | — | — | — | 3 | 1 | 6 | 23 | 36 | 57 |
| 17 Arterio-sclerosis | M | 32 | — | — | — | — | — | — | 5 | 14 | 13 | 44 | — | — | — | — | — | — | 7 | 21 | 16 |
| | F | 16 | — | — | — | — | — | — | 3 | 2 | 11 | 21 | — | — | — | — | — | — | — | 6 | 15 |
| 18 Bronchitis | M | 38 | 2 | 1 | — | — | — | — | 4 | 12 | 19 | 41 | 4 | — | — | — | — | 1 | 3 | 5 | 28 |
| | F | 40 | 1 | 2 | 1 | — | — | — | 7 | 9 | 20 | 36 | 3 | 1 | — | 1 | — | — | 3 | 8 | 20 |
| 19 Pneumonia (all forms) | M | 56 | 9 | 7 | 1 | 2 | 1 | 9 | 10 | 8 | 9 | 35 | 6 | 1 | 3 | 1 | 2 | 3 | 7 | 3 | 9 |
| | F | 54 | 8 | 8 | 2 | 2 | — | 4 | 13 | 7 | 10 | 30 | 5 | 4 | 3 | 1 | — | 4 | 4 | 4 | 5 |
| 20 Other respiratory diseases | M | 6 | — | — | — | — | 1 | 1 | 1 | 2 | 1 | 5 | 1 | — | — | — | — | — | 2 | — | 2 |
| | F | 6 | — | — | — | — | — | 1 | 1 | 2 | 2 | 10 | 2 | — | — | — | — | — | 3 | 3 | 2 |
| 21 Ulcer of stomach or duodenum | M | 13 | — | — | — | — | 1 | 3 | 7 | 2 | — | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | 5 | — | — | — | — | — | 1 | 2 | 1 | 1 | 4 | — | — | — | — | — | 2 | 2 | — | — |
| 22 Diarrhœa, &c. | M | 7 | 3 | 1 | — | — | — | — | 1 | — | 2 | 11 | 5 | — | 1 | — | — | 1 | — | 1 | 3 |
| | F | 10 | 3 | 1 | — | — | 1 | 1 | 3 | — | 1 | 8 | 3 | — | — | 1 | — | — | 1 | 1 | 2 |
| 23 Appendicitis and typhlitis | M | 8 | — | — | — | 2 | 1 | 2 | 2 | 1 | — | 4 | — | — | — | — | — | — | 3 | 1 | — |
| | F | 5 | — | — | — | — | 1 | 1 | 3 | — | — | 5 | — | — | 1 | 1 | 1 | 1 | 1 | — | — |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis | M | 29 | — | — | — | 2 | 1 | 1 | 9 | 9 | 7 | 34 | — | — | — | — | 1 | 4 | 15 | 6 | 8 |
| | F | 20 | — | — | — | — | 1 | 2 | 3 | 4 | 10 | 16 | — | — | — | — | 2 | 1 | 5 | 5 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 14 | — | — | — | — | 3 | 11 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 43 | 40 | — | 1 | 1 | 1 | — | — | — | — | 60 | 60 | — | — | — | — | — | — | — | — |
| | F | 22 | 22 | — | — | — | — | — | — | — | — | 39 | 37 | 2 | — | — | — | — | — | — | — |
| 29 Suicide | M | 7 | — | — | — | — | — | 1 | 4 | 1 | 1 | 11 | — | — | — | — | — | 3 | 5 | 3 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | — | 2 | 3 | — | — |
| 30 Other deaths from violence | M | 24 | 1 | — | 5 | — | 5 | 6 | 3 | 3 | 1 | 36 | 1 | 1 | 3 | 1 | 8 | 9 | 10 | 2 | 1 |
| | F | 14 | 1 | 1 | 2 | 2 | — | — | — | 2 | 6 | 13 | — | 2 | 1 | 1 | — | — | 1 | 3 | 5 |
| 31 Other defined diseases | M | 130 | 7 | 6 | 5 | 3 | 3 | 11 | 23 | 25 | 47 | 153 | 16 | 2 | 4 | 1 | 3 | 10 | 24 | 23 | 70 |
| | F | 161 | 8 | — | 5 | 7 | 4 | 15 | 23 | 25 | 74 | 154 | 15 | 3 | 2 | 3 | 3 | 13 | 26 | 17 | 72 |
| 32 Causes ill-defined or unknown | M | 7 | — | — | 1 | — | 1 | 2 | — | 3 | — | 9 | 1 | — | — | — | — | — | 5 | 3 | — |
| | F | 6 | — | — | — | — | — | — | 4 | 2 | — | 14 | — | — | — | — | — | 1 | 11 | 1 | 1 |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOMERSET—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 874 | 73 | 19 | 20 | 17 | 28 | 107 | 234 | 191 | 185 | 1282 | 114 | 14 | 13 | 28 | 42 | 121 | 307 | 297 | 343 |
| | F | 978 | 45 | 26 | 20 | 20 | 37 | 91 | 217 | 198 | 324 | 1320 | 81 | 16 | 13 | 21 | 54 | 127 | 272 | 266 | 470 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 5 | 1 | 3 | 1 | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| | F | 6 | — | 3 | 2 | 1 | — | — | — | — | — | 3 | — | 2 | 1 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 5 | — | — | 3 | 2 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 5 Whooping cough | M | 7 | 2 | 1 | 4 | — | — | — | — | — | — | 7 | 6 | — | 1 | — | — | — | — | — | — |
| | F | 10 | 1 | 5 | 2 | 2 | — | — | — | — | — | 8 | 3 | 1 | 4 | — | — | — | — | — | — |
| 6 Diphtheria | M | 1 | — | — | 1 | — | — | — | — | — | — | 5 | — | — | 1 | 2 | — | 1 | — | 1 | — |
| | F | 4 | — | — | — | 3 | — | 1 | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 7 Influenza | M | 18 | — | 1 | — | 1 | — | 3 | 6 | 3 | 4 | 21 | — | 1 | — | — | 1 | 3 | 5 | 6 | 5 |
| | F | 10 | — | 1 | — | — | — | 1 | 1 | 2 | 5 | 17 | — | — | — | — | — | 3 | 4 | 5 | 5 |
| 8 Encephalitis lethargica | M | 2 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 2 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 55 | — | — | — | 2 | 6 | 29 | 11 | 4 | 3 | 72 | — | — | — | 1 | 12 | 31 | 26 | 2 | — |
| | F | 71 | — | — | — | 1 | 27 | 28 | 14 | 1 | — | 75 | — | — | — | 4 | 24 | 35 | 11 | 1 | — |
| 11 Other tuberculous diseases | M | 16 | 1 | 3 | 4 | 1 | 3 | 2 | 1 | 1 | — | 19 | — | 3 | — | 1 | 4 | 6 | 2 | 2 | 1 |
| | F | 21 | 3 | 2 | 2 | 2 | 2 | 4 | 1 | 2 | 3 | 25 | 3 | 1 | 2 | 4 | 3 | 8 | 3 | — | 1 |
| 12 Cancer, malignant disease | M | 99 | — | — | — | — | — | 11 | 40 | 34 | 14 | 159 | — | — | — | 1 | 1 | 8 | 68 | 58 | 23 |
| | F | 130 | — | — | 1 | — | — | 16 | 49 | 41 | 23 | 168 | — | — | — | — | 1 | 13 | 66 | 51 | 37 |
| 13 Rheumatic fever | M | 1 | — | — | — | — | 1 | — | — | — | — | 3 | — | — | — | 1 | — | 1 | 1 | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | 6 | — | — | — | 1 | 4 | — | 1 | — | — |
| 14 Diabetes | M | 6 | — | — | — | — | — | 1 | 4 | 1 | — | 12 | — | — | — | — | — | 1 | 8 | 2 | 1 |
| | F | 9 | — | — | — | — | — | 2 | 3 | 3 | 1 | 14 | — | — | — | 1 | — | 1 | 4 | 5 | 3 |
| 15 Cerebral hæmorrhage, &c. | M | 50 | — | — | — | — | — | 3 | 18 | 19 | 10 | 103 | 1 | — | — | — | — | 3 | 23 | 35 | 41 |
| | F | 73 | — | — | — | — | — | 3 | 19 | 18 | 33 | 121 | — | — | — | — | — | 1 | 27 | 38 | 55 |
| 16 Heart disease | M | 116 | — | — | — | 1 | 2 | 8 | 39 | 31 | 35 | 193 | — | 1 | — | 1 | 6 | 11 | 46 | 71 | 57 |
| | F | 159 | — | — | 1 | 2 | — | 10 | 52 | 48 | 46 | 225 | — | — | — | — | 1 | 7 | 55 | 76 | 86 |
| 17 Arterio-sclerosis | M | 51 | — | — | — | — | — | — | 17 | 18 | 16 | 41 | — | — | — | — | — | — | 7 | 9 | 25 |
| | F | 32 | — | — | — | — | — | — | 1 | 11 | 20 | 38 | — | — | — | — | — | — | 4 | 10 | 24 |
| 18 Bronchitis | M | 51 | 5 | — | 1 | 1 | — | 4 | 8 | 16 | 16 | 70 | 6 | — | 1 | — | — | — | 7 | 20 | 36 |
| | F | 78 | — | 2 | — | — | — | — | 7 | 23 | 46 | 76 | 6 | 1 | — | 1 | 1 | — | 7 | 12 | 48 |
| 19 Pneumonia (all forms) | M | 43 | 8 | 4 | 4 | — | 1 | 5 | 12 | 5 | 4 | 57 | 12 | 2 | 2 | 4 | 1 | 4 | 16 | 12 | 4 |
| | F | 34 | 4 | 4 | 1 | 2 | — | 4 | 8 | 5 | 6 | 43 | 5 | 4 | 1 | — | — | 5 | 7 | 10 | 11 |
| 20 Other respiratory diseases | M | 7 | — | — | — | — | — | — | 2 | 1 | 4 | 29 | — | 1 | 1 | — | — | 5 | 10 | 9 | 3 |
| | F | 9 | — | — | 1 | — | — | 2 | 2 | — | 4 | 11 | 1 | — | — | — | 1 | 2 | 2 | 1 | 4 |
| 21 Ulcer of stomach or duodenum | M | 20 | — | — | — | — | 1 | 4 | 9 | 3 | 3 | 16 | — | — | — | 1 | 1 | 2 | 8 | 1 | 3 |
| | F | 4 | — | — | — | — | — | 1 | 1 | 1 | 1 | 5 | — | — | — | — | 1 | — | 2 | — | 2 |
| 22 Diarrhœa, &c. | M | 17 | 7 | 4 | 1 | 1 | 1 | — | — | 1 | 2 | 14 | 4 | 2 | — | — | — | 1 | 2 | 1 | 4 |
| | F | 13 | 5 | 2 | 1 | 1 | — | — | 1 | 2 | 1 | 14 | 3 | 1 | — | 1 | — | 5 | 1 | 2 | 1 |
| 23 Appendicitis and typhlitis | M | 11 | — | — | 1 | — | 4 | 3 | — | 3 | — | 10 | 1 | — | 1 | 3 | 2 | 2 | — | 1 | — |
| | F | 6 | — | — | 2 | — | 1 | — | 1 | — | 2 | 7 | — | — | — | 1 | 1 | 2 | 3 | — | — |
| 24 Cirrhosis of liver | M | 6 | — | — | — | — | — | 1 | 4 | — | 1 | 5 | — | — | — | — | — | — | 4 | 1 | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 4 | — | — | — | — | — | — | 3 | — | 1 |
| 25 Acute and chronic nephritis | M | 32 | — | — | — | 2 | 1 | 6 | 13 | 4 | 6 | 37 | — | 1 | — | 1 | 2 | 5 | 11 | 9 | 8 |
| | F | 30 | — | 2 | — | — | — | — | 11 | 8 | 9 | 42 | 1 | — | — | — | — | 6 | 15 | 12 | 8 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 10 | — | — | — | — | 3 | 7 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 34 | 34 | — | — | — | — | — | — | — | — | 57 | 56 | 1 | — | — | — | — | — | — | — |
| | F | 26 | 24 | 1 | 1 | — | — | — | — | — | — | 42 | 39 | 2 | — | — | 1 | — | — | — | — |
| 29 Suicide | M | 12 | — | — | — | — | — | 4 | 5 | 2 | 1 | 16 | — | — | — | — | 3 | 7 | 3 | 3 | — |
| | F | 7 | — | — | — | — | 1 | 2 | 4 | — | — | 7 | — | — | — | — | — | 3 | 3 | 1 | — |
| 30 Other deaths from violence | M | 29 | 2 | — | 2 | 2 | 4 | 5 | 9 | 1 | 4 | 57 | 2 | — | 1 | 3 | 4 | 19 | 15 | 8 | 5 |
| | F | 18 | — | — | 4 | 1 | 1 | — | 6 | 2 | 4 | 25 | 1 | — | 1 | 1 | 3 | 1 | 6 | 3 | 9 |
| 31 Other defined diseases | M | 181 | 12 | 1 | 1 | 4 | 4 | 18 | 36 | 43 | 62 | 266 | 25 | 1 | 2 | 6 | 4 | 11 | 43 | 44 | 130 |
| | F | 217 | 8 | 4 | 1 | 2 | 3 | 14 | 34 | 31 | 120 | 322 | 18 | 2 | 3 | 6 | 9 | 24 | 46 | 39 | 175 |
| 32 Causes ill-defined or unknown | M | 2 | — | 1 | — | — | — | — | — | 1 | — | 3 | — | — | — | — | — | — | 1 | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | 1 | 2 | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOUTHAMPTON—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 937 | 125 | 9 | 19 | 30 | 36 | 94 | 245 | 173 | 206 | 1214 | 125 | 18 | 28 | 31 | 50 | 111 | 264 | 237 | 350 |
| | F | 875 | 78 | 16 | 19 | 25 | 37 | 93 | 184 | 165 | 258 | 1097 | 81 | 16 | 23 | 30 | 34 | 90 | 241 | 239 | 343 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | 2 | 1 | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 4 | 1 | 2 | 1 | — | — | — | — | — | — | 6 | — | 1 | 2 | 3 | — | — | — | — | — |
| | F | 5 | — | 3 | 2 | — | — | — | — | — | — | 3 | — | 1 | 2 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 3 | — | — | — | 3 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 9 | 6 | 2 | 1 | — | — | — | — | — | — | 12 | 6 | 2 | 1 | 2 | — | — | 1 | — | — |
| | F | 13 | 7 | 2 | 4 | — | — | — | — | — | — | 10 | 4 | 4 | 2 | — | — | — | — | — | — |
| 6 Diphtheria | M | 6 | — | 1 | 1 | 3 | — | — | 1 | — | — | 4 | — | 1 | 2 | 1 | — | — | — | — | — |
| | F | 8 | — | — | 4 | 3 | 1 | — | — | — | — | 7 | — | — | 2 | 3 | 1 | 1 | — | — | — |
| 7 Influenza | M | 9 | 1 | — | 1 | — | 2 | — | 1 | 3 | 1 | 10 | 2 | — | — | — | — | — | 1 | 5 | 2 |
| | F | 8 | — | — | — | 1 | — | 1 | 1 | 4 | 1 | 13 | 1 | — | — | 1 | 1 | — | 2 | 4 | 4 |
| 8 Encephalitis lethargica | M | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 4 | 1 | — | — | 1 | — | 1 | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 71 | — | — | — | — | 13 | 30 | 24 | 4 | — | 94 | 1 | — | — | 4 | 15 | 49 | 22 | 3 | — |
| | F | 57 | — | 1 | — | 3 | 14 | 30 | 6 | 3 | — | 47 | — | — | 1 | 1 | 13 | 20 | 10 | 2 | — |
| 11 Other tuberculous diseases | M | 31 | 4 | 2 | 4 | 5 | 3 | 9 | 3 | 1 | — | 16 | 3 | 2 | 4 | 2 | 3 | 2 | — | — | — |
| | F | 13 | 1 | 1 | 1 | 3 | 1 | 4 | — | 1 | 1 | 16 | 1 | 1 | 4 | 6 | 1 | — | 2 | 1 | — |
| 12 Cancer, malignant disease | M | 118 | — | — | — | — | — | 4 | 56 | 36 | 22 | 162 | — | — | — | — | — | 6 | 65 | 51 | 40 |
| | F | 114 | — | — | — | — | — | 12 | 47 | 33 | 22 | 161 | — | — | — | 1 | — | 10 | 70 | 52 | 28 |
| 13 Rheumatic fever | M | 2 | — | — | — | 1 | 1 | — | — | — | — | 3 | — | — | 1 | — | — | 1 | — | 1 | — |
| | F | 2 | — | — | — | — | 1 | — | 1 | — | — | 4 | — | — | — | 1 | — | — | 2 | 1 | — |
| 14 Diabetes | M | 9 | — | — | — | — | 3 | 1 | 1 | 2 | 2 | 12 | — | 1 | — | — | 3 | 1 | 2 | 2 | 3 |
| | F | 17 | — | — | — | — | 2 | 6 | 5 | 3 | 1 | 13 | — | — | — | 1 | 2 | — | 3 | 6 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 63 | — | — | — | — | 1 | 3 | 16 | 19 | 24 | 58 | — | — | — | — | — | — | 9 | 20 | 29 |
| | F | 58 | — | — | — | 1 | 1 | 1 | 16 | 14 | 25 | 92 | — | — | — | 1 | — | — | 22 | 28 | 41 |
| 16 Heart disease | M | 129 | 1 | — | 1 | 2 | 2 | 9 | 41 | 40 | 33 | 175 | — | — | 2 | — | 1 | 9 | 48 | 48 | 67 |
| | F | 136 | — | — | — | 3 | 1 | 7 | 36 | 37 | 52 | 222 | — | — | — | 2 | 3 | 11 | 47 | 76 | 83 |
| 17 Arterio-sclerosis | M | 28 | — | — | — | — | — | — | 8 | 7 | 13 | 57 | — | — | — | — | — | 1 | 7 | 14 | 35 |
| | F | 21 | — | — | — | — | — | — | 6 | 7 | 8 | 41 | — | — | — | — | — | — | 3 | 10 | 28 |
| 18 Bronchitis | M | 48 | 4 | 2 | 1 | 2 | — | 1 | 11 | 12 | 15 | 64 | 6 | 1 | 1 | — | — | — | 5 | 14 | 37 |
| | F | 50 | 5 | 1 | — | 1 | — | — | 3 | 13 | 27 | 57 | 4 | 2 | 1 | — | 1 | 1 | 4 | 14 | 30 |
| 19 Pneumonia (all forms) | M | 55 | 12 | — | 3 | 1 | 2 | 5 | 18 | 9 | 5 | 51 | 11 | 6 | 2 | 1 | 3 | 6 | 12 | 6 | 4 |
| | F | 34 | 5 | 2 | 1 | 2 | 3 | 4 | 6 | 5 | 6 | 41 | 9 | 5 | 1 | 3 | 1 | 7 | 9 | 3 | 3 |
| 20 Other respiratory diseases | M | 10 | 1 | — | — | — | — | 1 | 1 | 6 | 1 | 14 | 1 | — | — | — | — | 1 | 5 | 5 | 2 |
| | F | 8 | — | — | — | — | 1 | — | 2 | 3 | 2 | 7 | 1 | — | — | — | — | — | 1 | 1 | 4 |
| 21 Ulcer of stomach or duodenum | M | 3 | — | — | — | — | — | 2 | 1 | — | — | 7 | — | — | — | — | — | 2 | 4 | — | 1 |
| | F | 3 | — | — | — | — | 1 | 1 | 1 | — | — | 2 | — | — | — | — | — | 1 | — | — | 1 |
| 22 Diarrhœa, &c. | M | 10 | 7 | — | 2 | — | — | — | 1 | — | — | 14 | 7 | — | 2 | — | — | — | 2 | 2 | 1 |
| | F | 11 | 7 | 1 | — | — | — | — | 1 | 1 | 1 | 14 | 6 | — | 1 | 1 | — | 1 | 3 | — | 2 |
| 23 Appendicitis and typhlitis | M | 9 | — | — | — | 2 | 1 | 2 | 2 | 2 | — | 10 | — | — | — | 2 | 1 | 3 | 3 | 1 | — |
| | F | 7 | — | 1 | 1 | — | — | 3 | 2 | — | — | 5 | — | — | — | — | — | 2 | 3 | — | — |
| 24 Cirrhosis of liver | M | 5 | — | — | — | — | — | — | 4 | 1 | — | 6 | — | — | — | 1 | — | — | 1 | 4 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | — | 3 | — | — |
| 25 Acute and chronic nephritis | M | 32 | — | — | 1 | — | 1 | 2 | 15 | 10 | 3 | 56 | — | — | — | 1 | 1 | 3 | 21 | 17 | 13 |
| | F | 30 | — | — | — | — | — | 3 | 11 | 10 | 6 | 30 | — | — | — | 1 | 1 | 2 | 14 | 6 | 6 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | — | — | — | — | 2 | 4 | — | — | — | 9 | — | — | — | — | 2 | 7 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 66 | 65 | — | — | 1 | — | — | — | — | — | 65 | 64 | — | — | 1 | — | — | — | — | — |
| | F | 45 | 44 | — | — | — | — | — | 1 | — | — | 44 | 43 | — | — | 1 | — | — | — | — | — |
| 29 Suicide | M | 16 | — | — | — | — | — | 4 | 8 | 3 | 1 | 10 | — | — | — | — | 1 | 4 | 2 | 2 | 1 |
| | F | 3 | — | — | — | — | 1 | 1 | 1 | — | — | 4 | — | — | — | — | — | 1 | 2 | 1 | — |
| 30 Other deaths from violence | M | 24 | 3 | — | — | 3 | 3 | 4 | 8 | 2 | 1 | 48 | 4 | — | 2 | 5 | 12 | 8 | 11 | 4 | 2 |
| | F | 17 | 2 | 2 | 3 | 1 | — | 1 | 3 | 3 | 2 | 21 | 1 | 1 | 4 | 1 | 1 | 3 | 3 | 4 | 3 |
| 31 Other defined diseases | M | 173 | 20 | — | 3 | 6 | 4 | 17 | 22 | 16 | 85 | 248 | 20 | 3 | 9 | 4 | 8 | 14 | 40 | 37 | 113 |
| | F | 200 | 6 | 2 | 3 | 5 | 8 | 12 | 32 | 28 | 104 | 220 | 11 | 1 | 5 | 5 | 7 | 18 | 35 | 29 | 109 |
| 32 Causes ill-defined or unknown | M | 3 | — | — | — | — | — | — | 3 | — | — | 5 | — | 1 | — | 1 | — | — | 2 | 1 | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 4 | — | — | — | — | — | — | 3 | 1 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of STAFFORD—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts: All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts: All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 3077 | 485 | 191 | 144 | 109 | 127 | 349 | 731 | 528 | 413 | 1120 | 151 | 39 | 42 | 35 | 47 | 97 | 264 | 210 | 235 |
| | F | 2683 | 369 | 159 | 112 | 104 | 143 | 309 | 522 | 485 | 480 | 1105 | 108 | 31 | 31 | 27 | 50 | 113 | 229 | 216 | 300 |
| 1 Enteric fever | M | 3 | — | — | — | 1 | — | — | 1 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 3 | — | — | 1 | — | 1 | 1 | — | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 113 | 21 | 42 | 45 | 5 | — | — | — | — | — | 32 | 3 | 12 | 13 | 3 | — | 1 | — | — | — |
| | F | 105 | 16 | 44 | 29 | 16 | — | — | — | — | — | 16 | 2 | 8 | 5 | — | 1 | — | — | — | — |
| 4 Scarlet fever | M | 11 | — | — | 4 | 4 | 3 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 9 | — | 1 | 6 | 2 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 29 | 17 | 9 | 2 | 1 | — | — | — | — | — | 12 | 7 | 3 | 2 | — | — | — | — | — | — |
| | F | 17 | 6 | 7 | 4 | — | — | — | — | — | — | 9 | 2 | 4 | 3 | — | — | — | — | — | — |
| 6 Diphtheria | M | 13 | 1 | 2 | 4 | 6 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | F | 14 | 1 | 1 | 4 | 8 | — | — | — | — | — | 7 | — | — | 3 | 4 | — | — | — | — | — |
| 7 Influenza | M | 69 | 2 | 2 | 1 | 2 | 9 | 15 | 22 | 12 | 4 | 24 | — | — | 1 | — | 2 | 3 | 11 | 4 | 3 |
| | F | 50 | 1 | — | 1 | 1 | 10 | 11 | 8 | 9 | 9 | 23 | — | — | — | 2 | 2 | 4 | 7 | 5 | 3 |
| 8 Encephalitis lethargica | M | 2 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | 1 | — | — | 1 | — | 2 | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis | M | 1 | 1 | — | — | — | — | — | — | — | — | 2 | 1 | — | — | 1 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 187 | 1 | 3 | — | 7 | 25 | 92 | 53 | 6 | — | 67 | 1 | 2 | 1 | 2 | 16 | 22 | 20 | 2 | 1 |
| | F | 187 | 1 | 2 | 1 | 8 | 56 | 86 | 29 | 3 | 1 | 56 | — | 1 | — | 1 | 13 | 29 | 11 | 1 | — |
| 11 Other tuberculous diseases | M | 78 | 11 | 29 | 17 | 6 | 2 | 8 | 4 | — | 1 | 20 | 1 | 3 | 3 | 4 | 4 | 2 | 3 | — | — |
| | F | 47 | 7 | 12 | 5 | 7 | 7 | 2 | 7 | — | — | 27 | — | 5 | 4 | 7 | 5 | 4 | 2 | — | — |
| 12 Cancer, malignant disease | M | 253 | — | — | 1 | 2 | 3 | 15 | 137 | 71 | 24 | 100 | — | — | — | — | — | 1 | 52 | 30 | 17 |
| | F | 251 | — | 1 | — | — | 1 | 30 | 120 | 69 | 30 | 112 | — | — | — | — | 4 | 8 | 45 | 28 | 27 |
| 13 Rheumatic fever | M | 6 | — | — | — | 1 | 1 | 2 | 2 | — | — | 4 | — | — | — | — | 2 | 2 | — | — | — |
| | F | 5 | — | — | — | — | 2 | 2 | — | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 14 Diabetes | M | 27 | — | — | — | 1 | 2 | 4 | 14 | 6 | — | 13 | — | — | — | — | 1 | 2 | 4 | 5 | 1 |
| | F | 21 | — | — | — | — | 3 | 3 | 8 | 4 | 3 | 11 | — | — | — | 1 | — | 1 | 5 | 3 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 152 | — | — | — | — | — | 3 | 41 | 69 | 39 | 60 | — | — | — | — | — | 2 | 20 | 21 | 17 |
| | F | 182 | 1 | — | — | — | — | 6 | 56 | 69 | 50 | 91 | — | — | — | — | 1 | 2 | 29 | 27 | 32 |
| 16 Heart disease | M | 253 | — | — | — | 8 | 12 | 20 | 89 | 72 | 52 | 153 | — | — | — | 3 | 2 | 12 | 37 | 49 | 50 |
| | F | 313 | — | — | — | 16 | 10 | 31 | 91 | 110 | 55 | 181 | — | — | — | 3 | 2 | 8 | 51 | 71 | 46 |
| 17 Arterio-sclerosis | M | 75 | — | — | — | — | — | — | 13 | 29 | 33 | 43 | — | — | — | — | — | — | 8 | 12 | 23 |
| | F | 39 | — | — | — | — | — | 1 | 4 | 15 | 19 | 37 | — | — | — | — | — | — | 3 | 11 | 23 |
| 18 Bronchitis | M | 266 | 36 | 10 | 1 | 1 | — | 7 | 62 | 72 | 77 | 69 | 7 | 1 | 1 | 1 | — | 1 | 14 | 10 | 34 |
| | F | 240 | 27 | 11 | 7 | 1 | 1 | 5 | 43 | 61 | 84 | 69 | 11 | 3 | 2 | — | — | 2 | 6 | 11 | 34 |
| 19 Pneumonia (all forms) | M | 334 | 67 | 60 | 34 | 10 | 18 | 43 | 61 | 30 | 11 | 87 | 21 | 6 | 8 | 2 | 4 | 14 | 11 | 12 | 9 |
| | F | 232 | 57 | 45 | 26 | 13 | 9 | 18 | 37 | 15 | 12 | 53 | 13 | 6 | 2 | 2 | 1 | 8 | 9 | 2 | 10 |
| 20 Other respiratory diseases | M | 44 | 4 | 4 | 3 | 2 | 3 | 2 | 14 | 8 | 4 | 14 | — | — | 1 | — | 1 | 1 | 4 | 5 | 2 |
| | F | 31 | 1 | 3 | 3 | — | 1 | 4 | 8 | 7 | 4 | 12 | — | — | 1 | 1 | — | 1 | 4 | 1 | 4 |
| 21 Ulcer of stomach or duodenum | M | 33 | — | — | — | — | 1 | 13 | 15 | 4 | — | 12 | — | — | — | — | — | 3 | 8 | 1 | — |
| | F | 15 | — | — | — | — | 1 | 5 | 5 | 4 | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 22 Diarrhœa, &c. | M | 74 | 48 | 10 | 5 | 2 | 1 | 1 | 2 | 2 | 3 | 20 | 12 | 3 | 2 | — | — | — | 2 | 1 | — |
| | F | 71 | 46 | 9 | 2 | 3 | 1 | — | 1 | 7 | 2 | 20 | 9 | 1 | 3 | 1 | 1 | — | 1 | 2 | 2 |
| 23 Appendicitis and typhlitis | M | 25 | — | — | — | 10 | 5 | 7 | 3 | — | — | 13 | — | — | 1 | 5 | 1 | 1 | 3 | 1 | 1 |
| | F | 12 | — | — | — | 3 | 3 | 2 | 3 | 1 | — | 5 | 1 | — | — | — | 4 | — | — | — | — |
| 24 Cirrhosis of liver | M | 17 | — | 1 | — | — | — | 1 | 13 | 2 | — | 4 | — | — | — | — | — | — | 2 | 1 | 1 |
| | F | 4 | — | — | — | — | — | 1 | 2 | 1 | — | 5 | — | — | — | — | — | — | 3 | 2 | — |
| 25 Acute and chronic nephritis | M | 52 | — | — | 2 | 1 | — | 12 | 25 | 10 | 2 | 20 | — | — | — | 1 | — | 1 | 7 | 7 | 4 |
| | F | 54 | 1 | 1 | — | 1 | 6 | 14 | 21 | 9 | 1 | 22 | — | — | — | 1 | 1 | 3 | 6 | 8 | 3 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 15 | — | — | — | — | 2 | 12 | 1 | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 28 | — | — | — | — | 4 | 24 | — | — | — | 12 | — | — | — | — | 3 | 7 | 2 | — | — |
| 28 Congenital debility and malformation, premature birth | M | 211 | 206 | 1 | 2 | 1 | 1 | — | — | — | — | 67 | 66 | — | 1 | — | — | — | — | — | — |
| | F | 153 | 152 | — | — | 1 | — | — | — | — | — | 51 | 49 | 1 | 1 | — | — | — | — | — | — |
| 29 Suicide | M | 43 | — | — | — | — | 3 | 12 | 16 | 10 | 2 | 18 | — | — | — | — | 3 | 5 | 10 | — | — |
| | F | 8 | — | — | — | — | 4 | 1 | 3 | — | — | 7 | — | — | — | — | 1 | 2 | 2 | — | 2 |
| 30 Other deaths from violence | M | 161 | 8 | 2 | 13 | 22 | 24 | 41 | 32 | 11 | 8 | 63 | 3 | 1 | 6 | 6 | 7 | 13 | 13 | 7 | 7 |
| | F | 57 | 3 | — | 11 | 6 | 4 | 4 | 9 | 4 | 16 | 21 | 1 | — | 3 | — | 2 | 3 | 2 | 2 | 8 |
| 31 Other defined diseases | M | 533 | 61 | 12 | 9 | 16 | 13 | 51 | 107 | 112 | 152 | 195 | 29 | 8 | 2 | 4 | 4 | 11 | 31 | 41 | 65 |
| | F | 508 | 49 | 19 | 12 | 17 | 16 | 46 | 61 | 94 | 194 | 241 | 20 | 2 | 2 | 3 | 7 | 23 | 38 | 41 | 105 |
| 32 Causes ill-defined or unknown | M | 12 | 1 | 4 | — | — | — | — | 5 | 1 | 1 | 4 | — | — | — | — | — | — | 3 | 1 | — |
| | F | 6 | — | 2 | — | — | — | — | 3 | 1 | — | 3 | — | — | 1 | — | 1 | — | — | 1 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUFFOLK, EAST—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 395 | 51 | 3 | 5 | 11 | 20 | 46 | 93 | 72 | 94 | 645 | 60 | 10 | 13 | 11 | 25 | 47 | 125 | 151 | 203 |
| | F | 475 | 41 | 6 | 7 | 14 | 11 | 49 | 90 | 111 | 146 | 638 | 47 | 11 | 11 | 13 | 18 | 61 | 106 | 129 | 242 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 1 | 1 | — | — | — | — | — | — | — | — | 2 | — | 1 | 1 | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 1 | — | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 3 | 3 | — | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 5 | — | — | 1 | 4 | — | — | — | — | — | 3 | — | — | — | 2 | — | 1 | — | — | — |
| | F | 3 | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 2 | — | — | — | — | — | 1 | — | — | 1 | 7 | — | 1 | 1 | — | — | 1 | 1 | 2 | 1 |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 10 | — | — | 1 | — | 1 | 1 | 1 | 4 | 2 |
| 8 Encephalitis lethargica .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 36 | 1 | — | — | — | 9 | 16 | 10 | — | — | 49 | — | — | — | 1 | 12 | 22 | 12 | 2 | — |
| | F | 40 | — | 1 | — | 4 | 6 | 16 | 11 | 2 | — | 30 | — | — | — | — | 9 | 17 | 3 | 1 | — |
| 11 Other tuberculous diseases .. .. | M | 11 | 1 | 1 | 1 | 4 | 2 | 1 | 1 | — | — | 7 | 2 | — | 3 | — | — | — | 2 | — | — |
| | F | 5 | — | 2 | 1 | — | 1 | 1 | — | — | — | 16 | — | 4 | 3 | 2 | 1 | 3 | 1 | 2 | — |
| 12 Cancer, malignant disease .. .. | M | 40 | — | — | — | — | — | 2 | 15 | 16 | 7 | 70 | — | — | — | — | — | 2 | 31 | 19 | 18 |
| | F | 75 | — | — | — | — | 1 | 8 | 23 | 23 | 20 | 93 | — | — | — | — | 1 | 8 | 33 | 28 | 23 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | 1 | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 14 Diabetes .. .. | M | 3 | — | — | — | — | — | — | 2 | — | 1 | 7 | — | — | — | — | 1 | — | — | 4 | 2 |
| | F | 7 | — | — | — | 1 | 1 | 1 | 1 | 2 | 1 | 8 | — | — | — | 1 | — | 1 | 3 | 2 | 1 |
| 15 Cerebral hæmorrhage, &c. .. | M | 26 | — | — | — | — | — | 3 | 3 | 5 | 15 | 53 | — | — | — | — | 2 | — | 5 | 15 | 31 |
| | F | 38 | — | — | — | — | — | 3 | 6 | 15 | 14 | 52 | — | — | — | — | — | 1 | 7 | 13 | 31 |
| 16 Heart disease .. | M | 53 | — | — | — | — | 1 | 3 | 17 | 16 | 16 | 102 | — | — | — | — | 1 | 4 | 16 | 46 | 35 |
| | F | 75 | — | — | — | — | — | 2 | 15 | 23 | 35 | 105 | — | — | — | 1 | 1 | 6 | 18 | 34 | 45 |
| 17 Arterio-sclerosis .. | M | 14 | — | — | — | — | — | — | 5 | 3 | 6 | 24 | — | — | — | — | — | — | 2 | 6 | 16 |
| | F | 15 | — | — | — | — | — | — | 2 | 6 | 7 | 14 | — | — | — | — | — | — | — | 2 | 12 |
| 18 Bronchitis .. | M | 29 | 7 | — | — | — | 1 | — | 5 | 6 | 10 | 40 | 4 | — | — | — | — | 1 | — | 11 | 2 |
| | F | 27 | 1 | — | — | — | — | — | 2 | 5 | 19 | 34 | 2 | — | — | — | — | — | 2 | 7 | 23 |
| 19 Pneumonia (all forms) .. .. | M | 18 | 4 | — | 2 | — | — | 1 | 6 | 4 | 1 | 35 | 7 | 4 | 2 | 1 | 1 | 4 | 8 | 4 | 4 |
| | F | 16 | 3 | — | — | 1 | 1 | 2 | 3 | 3 | 3 | 21 | 4 | — | — | 2 | — | 3 | 3 | 6 | 3 |
| 20 Other respiratory diseases .. .. | M | 7 | — | — | — | — | — | 1 | 2 | 3 | 1 | 3 | — | — | — | 1 | — | — | — | 1 | 1 |
| | F | 11 | 1 | — | 1 | — | — | — | 1 | 4 | 4 | 4 | — | — | — | 1 | 1 | — | — | 1 | 1 |
| 21 Ulcer of stomach or duodenum .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 5 | — | — | — | — | — | 1 | 1 | 3 | — |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | 1 | — | — | — |
| 22 Diarrhœa, &c. .. | M | 6 | 4 | — | — | — | — | — | 1 | — | 1 | 9 | 4 | — | — | — | — | — | 2 | 1 | 2 |
| | F | 4 | — | 1 | — | — | — | — | 1 | — | 2 | 6 | 3 | 1 | 1 | — | — | 1 | — | — | — |
| 23 Appendicitis and typhlitis.. .. | M | 4 | — | — | — | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | 1 | — | — | 2 | — | — | — | 2 | — | 1 | — | — | — | — | 1 | — | — |
| 24 Cirrhosis of liver .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 11 | — | — | 1 | — | — | — | 2 | 5 | 3 | 19 | — | — | 1 | 1 | — | — | 8 | 5 | 4 |
| | F | 11 | — | — | — | 1 | — | — | 6 | 2 | 2 | 15 | — | — | — | 1 | — | 2 | 3 | 5 | 4 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 8 | — | — | — | — | 1 | 7 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 26 | 26 | — | — | — | — | — | — | — | — | 36 | 34 | — | 1 | — | 1 | — | — | — | — |
| | F | 27 | 27 | — | — | — | — | — | — | — | — | 29 | 29 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 13 | — | — | — | — | — | 4 | 6 | 3 | — |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 4 | — | — | — | — | — | 1 | 3 | — | — |
| 30 Other deaths from violence.. .. | M | 11 | 1 | — | — | 2 | 2 | 3 | 3 | — | — | 21 | — | — | 3 | 2 | 2 | 2 | 7 | 4 | 1 |
| | F | 11 | 4 | — | — | 1 | — | 1 | 1 | 2 | 2 | 13 | 1 | 1 | 1 | — | 1 | 1 | — | 1 | 7 |
| 31 Other defined diseases .. .. | M | 79 | 5 | — | — | — | 4 | 13 | 13 | 12 | 32 | 132 | 8 | 4 | 1 | 2 | 5 | 5 | 22 | 22 | 63 |
| | F | 87 | 4 | 1 | 2 | 3 | 1 | 9 | 12 | 20 | 35 | 166 | 5 | 3 | 5 | 3 | 2 | 8 | 28 | 23 | 89 |
| 32 Causes ill-defined or unknown .. | M | 5 | — | 1 | — | — | — | — | 2 | 2 | — | 2 | — | — | — | — | — | — | — | 1 | 1 |
| | F | 5 | — | — | — | — | — | — | 1 | 3 | 1 | 1 | — | — | — | — | — | — | — | — | 1 |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUFFOLK, WEST—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75 | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 216 | 14 | 5 | 3 | 4 | 10 | 9 | 60 | 58 | 53 | 389 | 39 | 5 | 3 | 6 | 12 | 30 | 95 | 77 | 122 |
| | F | 273 | 21 | 1 | 2 | 3 | 5 | 22 | 61 | 71 | 87 | 390 | 22 | 3 | 3 | 7 | 17 | 39 | 76 | 70 | 153 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | — | — | — | — | — | — | — | — | — | — | 3 | 2 | — | 1 | — | — | — | — | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — | 1 | 1 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 7 Influenza | M | 5 | — | — | — | 1 | 1 | — | 2 | — | 1 | 4 | 1 | — | — | — | — | — | — | 1 | 2 |
| | F | 5 | — | — | — | — | — | — | 2 | 2 | 1 | 9 | 1 | — | — | — | 3 | — | — | 1 | 4 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 23 | — | — | — | — | 4 | 5 | 12 | 2 | — | 32 | — | — | — | 1 | 6 | 13 | 12 | — | — |
| | F | 15 | — | — | — | 1 | 3 | 5 | 4 | 2 | — | 27 | — | — | — | 2 | 8 | 10 | 5 | 2 | — |
| 11 Other tuberculous diseases | M | 4 | — | 2 | 1 | — | 1 | — | — | — | — | 5 | — | — | — | 2 | — | — | 2 | 1 | — |
| | F | 6 | 1 | — | 1 | — | 1 | 2 | 1 | — | — | 10 | 1 | 1 | 1 | — | 2 | 4 | 1 | — | — |
| 12 Cancer, malignant disease | M | 36 | — | — | — | — | — | 1 | 12 | 19 | 4 | 39 | — | — | — | — | 1 | 1 | 19 | 9 | 9 |
| | F | 43 | — | — | — | — | — | 4 | 18 | 13 | 8 | 66 | — | — | — | — | — | 2 | 27 | 16 | 21 |
| 13 Rheumatic fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 3 | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 6 | — | — | — | — | 2 | — | 2 | 1 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 14 | — | — | — | — | — | — | 1 | 7 | 6 | 42 | — | — | — | — | — | — | 8 | 14 | 20 |
| | F | 26 | — | — | — | — | — | — | 6 | 13 | 7 | 42 | — | — | — | — | — | 1 | 8 | 10 | 23 |
| 16 Heart disease | M | 26 | — | — | — | — | 2 | 1 | 5 | 10 | 8 | 57 | — | — | — | — | 1 | 1 | 16 | 17 | 22 |
| | F | 28 | — | — | — | — | 1 | 2 | 7 | 14 | 4 | 51 | — | — | — | — | — | 1 | 5 | 15 | 30 |
| 17 Arterio-sclerosis | M | 17 | — | — | — | — | — | — | 2 | 6 | 9 | 17 | — | — | — | — | — | — | 1 | 3 | 13 |
| | F | 11 | — | — | — | — | — | — | — | — | 11 | 12 | — | — | — | — | — | — | 1 | 4 | 7 |
| 18 Bronchitis | M | 9 | — | — | — | — | — | — | 1 | 2 | 6 | 26 | 2 | 1 | — | — | — | — | 2 | 4 | 17 |
| | F | 31 | 1 | — | — | — | — | — | 4 | 8 | 18 | 23 | 1 | — | — | — | — | 2 | 1 | 3 | 16 |
| 19 Pneumonia (all forms) | M | 3 | — | 1 | — | — | — | — | 1 | 1 | — | 10 | 2 | 2 | — | 1 | — | 1 | 1 | 1 | 2 |
| | F | 8 | 1 | 1 | — | — | — | 1 | 2 | — | 3 | 7 | 2 | 1 | — | — | — | 1 | — | 3 | — |
| 20 Other respiratory diseases | M | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | — | — | — | 2 | 3 |
| | F | 5 | — | — | — | — | — | — | 2 | 1 | 2 | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 21 Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | — | 2 | — | — | 4 | — | — | — | — | — | 2 | 1 | 1 | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | — | — | — | — | — | — | — | — | — | — | 5 | 3 | 1 | — | — | — | — | 1 | — | — |
| | F | 3 | 1 | — | — | — | — | — | 1 | 1 | — | 5 | 2 | — | — | — | — | — | 1 | 1 | 1 |
| 23 Appendicitis and typhlitis | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | — | 1 | — | 1 | 2 | — | — | — | — | — | — | — | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis | M | 4 | — | — | 1 | — | — | — | 1 | — | 2 | 10 | — | — | — | 1 | — | — | 7 | 2 | — |
| | F | 9 | — | — | — | — | — | 1 | 3 | 4 | 1 | 5 | — | — | — | — | — | 1 | 2 | 1 | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 12 | 12 | — | — | — | — | — | — | — | — | 23 | 23 | — | — | — | — | — | — | — | — |
| | F | 11 | 10 | — | 1 | — | — | — | — | — | — | 11 | 11 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 4 | — | — | — | — | — | — | 4 | — | — | 7 | — | — | — | — | — | 2 | 4 | — | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 5 | — | — | — | — | — | — | 5 | — | — |
| 30 Other deaths from violence | M | 7 | — | — | — | — | 2 | — | 1 | 2 | 2 | 8 | — | — | — | — | 2 | 1 | 3 | 1 | 1 |
| | F | 5 | — | — | — | 1 | — | — | — | 2 | 2 | 8 | — | — | 1 | — | — | — | 1 | — | 6 |
| 31 Other defined diseases | M | 38 | 1 | 2 | 1 | — | — | 2 | 10 | 8 | 14 | 80 | 5 | 1 | 1 | — | — | 9 | 17 | 16 | 31 |
| | F | 55 | 5 | — | — | — | — | 5 | 7 | 10 | 28 | 83 | 3 | 1 | — | 3 | 1 | 8 | 14 | 11 | 42 |
| 32 Causes ill-defined or unknown | M | 3 | — | — | — | — | — | — | 2 | 1 | — | 5 | — | — | — | — | 1 | — | — | 3 | 1 |
| | F | 2 | — | — | — | — | — | 1 | — | — | 1 | 6 | — | — | — | — | — | 1 | 3 | 1 | 1 |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SURREY—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 2646 | 251 | 37 | 40 | 68 | 97 | 279 | 744 | 560 | 570 | 863 | 77 | 18 | 4 | 19 | 29 | 85 | 174 | 212 | 245 |
| | F | 2807 | 159 | 35 | 39 | 66 | 100 | 262 | 665 | 551 | 930 | 819 | 47 | 9 | 14 | 25 | 27 | 71 | 185 | 173 | 268 |
| 1 Enteric fever | M | 2 | — | — | — | — | 2 | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | 1 | — | 2 | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 12 | 5 | 3 | 3 | 1 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 8 | 1 | 3 | 2 | 2 | — | — | — | — | — | 3 | — | 2 | 1 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 8 | — | — | 4 | 4 | — | — | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — |
| | F | 3 | — | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 16 | 10 | 1 | 3 | 2 | — | — | — | — | — | 2 | — | 2 | — | — | — | — | — | — | — |
| | F | 16 | 9 | 2 | 3 | 1 | — | 1 | — | — | — | 4 | 3 | — | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | 10 | — | 1 | 3 | 6 | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| | F | 7 | — | 1 | 1 | 4 | 1 | — | — | — | — | 4 | — | — | 1 | 3 | — | — | — | — | — |
| 7 Influenza | M | 33 | 2 | — | — | 3 | 1 | 3 | 10 | 10 | 4 | 23 | — | — | — | — | — | 2 | 3 | 8 | 10 |
| | F | 38 | 1 | — | — | 1 | 2 | 2 | 8 | 12 | 12 | 22 | 1 | — | — | 2 | 2 | 1 | 1 | 7 | 8 |
| 8 Encephalitis lethargica | M | 6 | — | — | — | 2 | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 7 | — | — | 1 | 2 | — | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | 4 | 1 | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 201 | — | 1 | 1 | 5 | 30 | 77 | 80 | 6 | 1 | 48 | — | — | — | 1 | 10 | 27 | 9 | 1 | — |
| | F | 144 | — | — | 1 | 4 | 36 | 67 | 24 | 10 | 2 | 39 | — | — | — | 2 | 10 | 15 | 9 | 2 | 1 |
| 11 Other tuberculous diseases | M | 30 | 3 | 4 | 4 | 5 | 4 | 4 | 3 | 2 | 1 | 12 | 1 | 3 | — | 3 | — | 4 | — | — | 1 |
| | F | 38 | 3 | 6 | 5 | 8 | 4 | 5 | 4 | 2 | 1 | 16 | 1 | 1 | 4 | 3 | 1 | 1 | 3 | 1 | 1 |
| 12 Cancer, malignant disease | M | 333 | — | 1 | — | 2 | 3 | 20 | 134 | 109 | 64 | 124 | — | — | — | 1 | — | 5 | 44 | 46 | 28 |
| | F | 445 | 1 | — | — | 1 | 3 | 29 | 207 | 103 | 101 | 108 | — | — | 1 | — | — | 12 | 46 | 26 | 23 |
| 13 Rheumatic fever | M | 13 | — | — | — | 2 | 3 | 4 | 2 | 1 | 1 | 2 | — | — | — | 1 | 1 | — | — | — | — |
| | F | 6 | — | — | — | 4 | 1 | 1 | — | — | — | 3 | — | — | — | 1 | 1 | 1 | — | — | — |
| 14 Diabetes | M | 26 | — | — | — | — | 1 | 4 | 7 | 8 | 6 | 7 | — | — | — | 1 | — | — | 3 | 3 | — |
| | F | 31 | — | — | — | 1 | — | 3 | 13 | 6 | 8 | 14 | — | — | — | — | 1 | 2 | 4 | 5 | 2 |
| 15 Cerebral hæmorrhage, &c. | M | 145 | — | — | — | — | — | 1 | 42 | 46 | 56 | 40 | — | — | — | — | — | 1 | 5 | 16 | 18 |
| | F | 226 | — | — | — | — | 1 | 2 | 50 | 62 | 111 | 81 | — | — | — | — | — | 3 | 21 | 19 | 38 |
| 16 Heart disease | M | 365 | — | — | — | 4 | 6 | 35 | 125 | 112 | 83 | 113 | — | — | — | 1 | — | 8 | 27 | 36 | 41 |
| | F | 392 | — | — | 1 | 2 | 5 | 22 | 102 | 114 | 146 | 130 | — | — | — | 1 | 2 | 8 | 33 | 42 | 44 |
| 17 Arterio-sclerosis | M | 129 | — | — | — | — | — | 3 | 31 | 37 | 58 | 57 | — | — | — | — | — | — | 7 | 27 | 23 |
| | F | 143 | — | — | — | — | — | — | 16 | 41 | 86 | 46 | — | — | — | — | — | — | 3 | 14 | 29 |
| 18 Bronchitis | M | 159 | 4 | — | — | — | 1 | 2 | 26 | 42 | 84 | 42 | 5 | 1 | — | — | — | 1 | 5 | 9 | 21 |
| | F | 165 | 4 | 2 | 3 | 1 | — | 1 | 19 | 36 | 99 | 41 | 2 | 1 | 1 | — | — | 1 | — | 8 | 28 |
| 19 Pneumonia (all forms) | M | 196 | 25 | 12 | 8 | 1 | 12 | 20 | 65 | 29 | 24 | 53 | 10 | 4 | — | 2 | — | 6 | 16 | 8 | 7 |
| | F | 147 | 15 | 10 | 5 | 8 | 6 | 20 | 24 | 22 | 37 | 41 | 3 | 2 | 3 | 3 | 2 | 3 | 6 | 7 | 12 |
| 20 Other respiratory diseases | M | 37 | 1 | — | — | 1 | 1 | 8 | 12 | 7 | 7 | 15 | 1 | — | 1 | — | — | 3 | 2 | 3 | 5 |
| | F | 42 | — | 1 | 1 | — | 1 | 1 | 10 | 10 | 18 | 7 | — | — | — | — | 1 | 1 | 1 | 3 | 1 |
| 21 Ulcer of stomach or duodenum | M | 31 | — | — | — | — | — | 10 | 15 | 5 | 1 | 5 | — | — | — | — | — | 3 | — | 1 | 1 |
| | F | 16 | — | — | — | — | 1 | 5 | 7 | 3 | — | 3 | — | — | — | — | — | — | 2 | — | 1 |
| 22 Diarrhœa, &c. | M | 33 | 28 | 1 | — | 1 | — | — | — | 1 | 2 | 8 | 4 | 1 | — | — | 1 | — | 1 | — | 1 |
| | F | 26 | 10 | 2 | — | — | — | 2 | 1 | 3 | 8 | 5 | 2 | — | — | — | — | — | 1 | 1 | 1 |
| 23 Appendicitis and typhlitis | M | 25 | — | — | 2 | 5 | 5 | 3 | 6 | 4 | — | 8 | — | — | — | 4 | 1 | — | 2 | 1 | — |
| | F | 34 | — | — | 2 | 7 | 4 | 5 | 11 | 4 | 1 | 5 | — | — | — | 1 | 1 | 1 | 1 | 1 | — |
| 24 Cirrhosis of liver | M | 27 | — | — | — | — | — | 2 | 17 | 7 | 1 | — | — | — | — | — | — | — | — | — | — |
| | F | 11 | — | — | — | — | — | 1 | 6 | 3 | 1 | 4 | — | — | — | — | — | — | 4 | — | — |
| 25 Acute and chronic nephritis | M | 69 | — | — | — | — | 1 | 4 | 26 | 22 | 16 | 28 | — | — | — | 1 | 1 | 2 | 9 | 10 | 5 |
| | F | 83 | — | — | — | 1 | 3 | 12 | 29 | 21 | 17 | 28 | — | 1 | — | — | 1 | 1 | 8 | 11 | 6 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 9 | — | — | — | — | — | 9 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 20 | — | — | — | — | 3 | 17 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 122 | 118 | 1 | 2 | — | — | 1 | — | — | — | 42 | 41 | — | — | — | — | — | — | 1 | — |
| | F | 81 | 78 | 1 | 1 | — | — | 1 | — | — | — | 25 | 25 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 35 | — | — | — | — | 3 | 10 | 16 | 4 | 2 | 14 | — | — | — | — | 1 | 3 | 5 | 5 | — |
| | F | 22 | — | — | — | — | 4 | 7 | 10 | — | 1 | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| 30 Other deaths from violence | M | 95 | 6 | 5 | 4 | 7 | 10 | 15 | 24 | 17 | 7 | 31 | 1 | — | — | 2 | 8 | 4 | 4 | 9 | 3 |
| | F | 50 | 5 | 1 | 3 | 3 | 4 | 2 | 11 | 6 | 15 | 16 | 1 | 2 | — | 6 | 1 | — | 1 | 1 | 4 |
| 31 Other defined diseases | M | 477 | 44 | 6 | 6 | 14 | 12 | 51 | 102 | 90 | 152 | 183 | 13 | 6 | 1 | 1 | 6 | 15 | 32 | 28 | 81 |
| | F | 592 | 31 | 6 | 10 | 13 | 21 | 42 | 111 | 92 | 266 | 162 | 6 | — | 2 | 2 | 3 | 16 | 40 | 24 | 69 |
| 32 Causes ill-defined or unknown | M | 7 | 4 | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | 1 | — | — | — | — | — | 1 | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, EAST—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 681 | 44 | 9 | 15 | 18 | 28 | 67 | 185 | 141 | 174 | 676 | 63 | 4 | 9 | 16 | 31 | 64 | 164 | 145 | 180 |
| | F | 816 | 32 | 6 | 9 | 18 | 27 | 71 | 180 | 198 | 275 | 682 | 36 | 4 | 10 | 7 | 24 | 59 | 144 | 155 | 243 |
| 1 Enteric fever | M | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 3 | — | 1 | 1 | 1 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 4 | — | 1 | — | 1 | 1 | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | 1 | 1 | 1 | — | — | — | — |
| 5 Whooping cough | M | 3 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | 3 | — | 1 | 2 | — | — | — | — | — | — | 2 | — | — | 1 | — | 1 | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 7 Influenza | M | 7 | — | — | — | — | 1 | 1 | 2 | 2 | 1 | 19 | — | — | 2 | 1 | — | 1 | 6 | 7 | 2 |
| | F | 15 | — | — | — | 1 | — | 1 | 4 | 4 | 5 | 4 | — | — | — | — | — | 1 | 1 | 2 | — |
| 8 Encephalitis lethargica | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 56 | — | — | — | — | 9 | 26 | 19 | 2 | — | 48 | — | — | — | 1 | 11 | 23 | 11 | 2 | — |
| | F | 45 | — | — | — | 2 | 14 | 19 | 9 | 1 | — | 41 | 1 | — | — | — | 13 | 19 | 7 | 1 | — |
| 11 Other tuberculous diseases | M | 16 | 1 | 2 | 4 | 4 | 1 | 4 | — | — | — | 11 | 1 | — | 2 | 3 | 1 | 2 | 1 | — | 1 |
| | F | 12 | 1 | 2 | 3 | 4 | — | 1 | 1 | — | — | 5 | — | — | — | — | 1 | 3 | — | 1 | — |
| 12 Cancer, malignant disease | M | 89 | — | — | — | — | — | 3 | 40 | 31 | 15 | 78 | — | — | — | 1 | — | 7 | 28 | 30 | 12 |
| | F | 140 | 1 | — | — | — | — | 7 | 48 | 50 | 34 | 92 | — | — | — | — | — | 6 | 38 | 27 | 21 |
| 13 Rheumatic fever | M | 3 | — | — | — | 2 | — | — | — | 1 | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| | F | 3 | — | — | — | 1 | — | — | — | 1 | 1 | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 14 Diabetes | M | 8 | — | — | — | 1 | 2 | 1 | 2 | 2 | — | 5 | — | — | — | — | 1 | — | 2 | 1 | 1 |
| | F | 11 | — | — | — | — | 1 | 1 | 3 | 4 | 2 | 8 | — | — | — | — | 1 | 2 | 2 | 3 | — |
| 15 Cerebral hæmorrhage, &c. | M | 45 | — | — | — | — | — | 1 | 15 | 12 | 17 | 35 | — | — | — | — | — | 1 | 6 | 7 | 21 |
| | F | 80 | — | — | — | — | — | 1 | 24 | 27 | 28 | 70 | — | — | — | — | — | — | 20 | 25 | 25 |
| 16 Heart disease | M | 118 | — | — | — | 1 | 4 | 5 | 35 | 36 | 37 | 137 | — | — | — | 1 | 1 | 6 | 35 | 45 | 49 |
| | F | 134 | — | — | — | 2 | 2 | 7 | 24 | 47 | 52 | 124 | — | — | — | 1 | 1 | 4 | 21 | 46 | 51 |
| 17 Arterio-sclerosis | M | 25 | — | — | — | — | — | — | 7 | 6 | 12 | 22 | — | — | — | — | — | — | 7 | 6 | 9 |
| | F | 42 | — | — | — | — | — | — | 3 | 13 | 26 | 22 | — | — | — | — | — | — | 5 | 3 | 14 |
| 18 Bronchitis | M | 19 | 2 | — | 1 | — | — | — | 1 | 4 | 11 | 25 | 3 | — | — | — | — | 1 | 3 | 5 | 13 |
| | F | 37 | 2 | — | — | — | — | — | 3 | 5 | 27 | 24 | — | 1 | — | — | 1 | — | 2 | 5 | 15 |
| 19 Pneumonia (all forms) | M | 59 | 12 | 2 | 1 | — | — | 3 | 17 | 10 | 14 | 41 | 8 | 2 | 1 | 1 | 2 | 4 | 13 | 7 | 3 |
| | F | 34 | 5 | 2 | 1 | 1 | — | 3 | 7 | 11 | 4 | 29 | 1 | 1 | 3 | 1 | 1 | 3 | 5 | 5 | 9 |
| 20 Other respiratory diseases | M | 14 | — | — | 2 | — | 1 | 2 | 3 | — | 6 | 7 | 1 | — | — | — | — | — | 2 | 2 | 2 |
| | F | 8 | — | — | 1 | — | — | 2 | — | 2 | 3 | 8 | — | — | — | — | — | 1 | 1 | 4 | 2 |
| 21 Ulcer of stomach or duodenum | M | 4 | — | — | — | — | — | — | 3 | — | 1 | 6 | — | — | — | — | — | — | 3 | 2 | 1 |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | 4 | 2 | — | — | — | — | — | — | 1 | 1 | 6 | 3 | — | — | — | — | — | — | 2 | 1 |
| | F | 13 | 2 | — | 1 | — | 1 | — | 3 | 2 | 4 | 7 | 4 | — | — | — | — | — | — | 1 | 2 |
| 23 Appendicitis and typhlitis | M | 6 | — | — | — | 1 | 3 | 1 | — | — | 1 | 2 | — | — | — | 1 | — | 1 | — | — | — |
| | F | 7 | — | — | — | — | 2 | 1 | 1 | 1 | 2 | 1 | — | — | — | — | — | — | 1 | — | — |
| 24 Cirrhosis of liver | M | 4 | — | — | — | — | — | — | 1 | 1 | 2 | 4 | — | — | — | — | — | 1 | 2 | 1 | — |
| | F | 4 | — | — | — | — | — | — | 2 | 1 | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis | M | 23 | — | — | — | 1 | — | — | 7 | 6 | 9 | 19 | — | — | — | — | 1 | 2 | 7 | 3 | 6 |
| | F | 17 | — | — | — | — | — | 2 | 7 | 5 | 3 | 17 | — | — | — | — | — | 2 | 6 | 4 | 5 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | — | 5 | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 17 | 17 | — | — | — | — | — | — | — | — | 37 | 35 | — | 1 | — | 1 | — | — | — | — |
| | F | 16 | 15 | — | — | 1 | — | — | — | — | — | 27 | 25 | 1 | 1 | — | — | — | — | — | — |
| 29 Suicide | M | 6 | — | — | — | — | — | 1 | 3 | 1 | 1 | 8 | — | — | — | — | — | 2 | 6 | — | — |
| | F | 3 | — | — | — | — | — | 1 | 2 | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| 30 Other deaths from violence | M | 24 | 2 | — | — | 3 | — | 5 | 10 | 1 | 3 | 23 | 2 | — | 1 | 1 | 4 | 4 | 6 | 3 | 2 |
| | F | 19 | — | — | — | — | 3 | 1 | 6 | 3 | 6 | 17 | 1 | — | 2 | — | — | 1 | 3 | 1 | 9 |
| 31 Other defined diseases | M | 121 | 7 | — | 4 | 3 | 7 | 13 | 20 | 24 | 43 | 132 | 9 | 1 | 1 | 5 | 6 | 9 | 24 | 21 | 56 |
| | F | 158 | 4 | 1 | 2 | 3 | 3 | 16 | 32 | 21 | 76 | 164 | 4 | — | 2 | 2 | 2 | 9 | 28 | 27 | 90 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | — | 1 | — | 2 | 1 | 1 |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, WEST—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | M | 470 | 37 | 6 | 8 | 14 | 16 | 45 | 117 | 92 | 135 | 493 | 40 | 9 | 6 | 10 | 12 | 52 | 107 | 117 | 140 |
| | F | 572 | 21 | 8 | 7 | 9 | 12 | 40 | 140 | 123 | 212 | 460 | 25 | 3 | 3 | 7 | 12 | 52 | 104 | 91 | 163 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 3 | — | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 1 | — | 1 | — | — | — | — | — | — | — | 5 | 2 | 2 | 1 | — | — | — | — | — | — |
| | F | 2 | 1 | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 6 Diphtheria | M | 4 | 1 | 1 | — | 2 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza | M | 4 | — | — | — | — | 1 | — | — | 1 | 2 | 9 | — | 1 | 1 | — | — | 2 | 2 | 2 | 1 |
| | F | 10 | — | — | 1 | — | — | — | 4 | 1 | 4 | 5 | — | — | — | — | — | 1 | 2 | 1 | 1 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 34 | 1 | — | 1 | — | 7 | 14 | 9 | 1 | 1 | 26 | — | — | — | 2 | — | 12 | 10 | 2 | — |
| | F | 28 | — | — | — | 1 | 6 | 16 | 3 | 2 | — | 20 | — | — | — | — | 2 | 13 | 3 | 2 | — |
| 11 Other tuberculous diseases | M | 4 | — | — | 2 | 1 | — | — | — | — | 1 | 6 | — | — | 1 | 1 | 1 | 2 | 1 | — | — |
| | F | 11 | 1 | — | 3 | 3 | 1 | — | 1 | — | 2 | 12 | 1 | 2 | 1 | 1 | 4 | 1 | — | 1 | 1 |
| 12 Cancer, malignant disease | M | 51 | — | — | — | 1 | — | 3 | 19 | 21 | 7 | 68 | — | — | — | 1 | — | 5 | 25 | 24 | 13 |
| | F | 92 | — | — | — | — | — | 5 | 43 | 23 | 21 | 84 | — | — | — | — | — | 7 | 35 | 20 | 22 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | 1 | 1 | 1 | — | — | — |
| 14 Diabetes | M | 3 | — | — | — | — | — | — | 1 | 2 | — | 7 | — | — | — | 1 | — | 2 | 1 | 1 | 2 |
| | F | 11 | — | — | — | — | — | — | 2 | 2 | 7 | 8 | — | — | — | — | — | — | 3 | 2 | 3 |
| 15 Cerebral hæmorrhage, &c. | M | 26 | — | — | — | — | — | 1 | 4 | 4 | 17 | 33 | — | — | — | — | — | 1 | 4 | 13 | 15 |
| | F | 60 | — | — | — | — | — | 1 | 15 | 12 | 32 | 43 | — | — | — | — | — | 1 | 11 | 13 | 18 |
| 16 Heart disease | M | 71 | — | — | — | — | 1 | 5 | 23 | 16 | 26 | 71 | — | — | — | — | 2 | 2 | 13 | 24 | 30 |
| | F | 90 | — | — | — | — | 2 | 5 | 24 | 26 | 33 | 80 | — | — | — | — | 1 | 4 | 17 | 20 | 38 |
| 17 Arterio-sclerosis | M | 28 | — | — | — | — | — | — | 6 | 12 | 10 | 23 | — | — | — | — | — | — | — | 9 | 14 |
| | F | 20 | — | — | — | — | — | — | 4 | 6 | 10 | 13 | — | — | — | — | — | — | 1 | 4 | 8 |
| 18 Bronchitis | M | 25 | 3 | — | 1 | — | — | — | 6 | 4 | 11 | 27 | 3 | — | — | 1 | — | — | 3 | 5 | 15 |
| | F | 38 | 1 | 1 | — | — | — | — | 5 | 9 | 22 | 22 | — | — | — | — | — | — | 2 | 4 | 16 |
| 19 Pneumonia (all forms) | M | 19 | 3 | 1 | — | 1 | 1 | 3 | 8 | — | 2 | 17 | 1 | 3 | — | — | — | 3 | 6 | 2 | 2 |
| | F | 23 | — | 2 | — | 1 | 1 | 2 | 4 | 6 | 7 | 13 | 2 | — | — | — | — | 2 | 2 | 3 | 4 |
| 20 Other respiratory diseases | M | 9 | 1 | — | — | — | — | 1 | 4 | 1 | 2 | 8 | — | 1 | — | — | — | 1 | — | 2 | 4 |
| | F | 7 | — | — | — | 1 | — | 1 | 1 | 2 | 2 | 3 | 1 | — | — | — | — | — | — | — | 2 |
| 21 Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | 2 | — | — | — | 4 | — | — | — | — | — | — | 3 | 1 | — |
| | F | 4 | — | — | — | — | — | — | 3 | 1 | — | 4 | — | — | — | — | — | 2 | 2 | — | — |
| 22 Diarrhœa, &c. | M | 6 | 3 | — | — | — | — | 1 | 2 | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| | F | 8 | 1 | — | — | — | — | — | 3 | 2 | 2 | 2 | 1 | — | — | — | — | — | — | — | 1 |
| 23 Appendicitis and typhlitis | M | 4 | — | — | — | 1 | 1 | — | 1 | 1 | — | 2 | — | — | — | 1 | — | — | — | 1 | — |
| | F | 7 | — | — | — | 1 | — | 1 | 1 | 2 | 2 | 4 | — | — | — | 1 | 1 | 2 | — | — | — |
| 24 Cirrhosis of liver | M | 4 | — | — | — | — | — | 1 | 1 | 1 | 1 | 5 | — | — | — | — | — | — | 4 | — | 1 |
| | F | 2 | — | — | — | — | — | 1 | — | 1 | — | 3 | — | — | — | — | — | 1 | 1 | — | 1 |
| 25 Acute and chronic nephritis | M | 19 | — | — | — | — | — | 1 | 5 | 6 | 7 | 11 | — | — | — | — | — | — | 7 | 4 | — |
| | F | 16 | — | — | — | — | — | — | 1 | 7 | 8 | 6 | — | — | — | — | — | — | 2 | 3 | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 18 | 18 | — | — | — | — | — | — | — | — | 23 | 22 | 1 | — | — | — | — | — | — | — |
| | F | 14 | 13 | — | 1 | — | — | — | — | — | — | 17 | 17 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 5 | — | — | — | — | — | 1 | 2 | 2 | — | 12 | — | — | — | — | 1 | 4 | 4 | 2 | 1 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | — | 1 | 2 | — |
| 30 Other deaths from violence | M | 22 | — | 1 | 3 | 5 | 1 | 5 | 4 | 1 | 2 | 24 | 1 | — | 1 | 2 | 3 | 8 | 4 | 2 | 3 |
| | F | 7 | 1 | — | — | — | — | — | 2 | 1 | 3 | 10 | — | — | 1 | — | — | — | 6 | — | 3 |
| 31 Other defined diseases | M | 107 | 7 | 1 | 1 | 1 | 4 | 7 | 21 | 19 | 46 | 102 | 7 | 1 | — | 1 | 4 | 7 | 20 | 23 | 39 |
| | F | 112 | 3 | 4 | — | 1 | 2 | 3 | 22 | 20 | 57 | 94 | 2 | 1 | 1 | 3 | 1 | 12 | 14 | 16 | 44 |
| 32 Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of WARWICK—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 779 | 97 | 28 | 18 | 27 | 27 | 87 | 174 | 162 | 159 | 1070 | 147 | 24 | 42 | 44 | 36 | 114 | 251 | 200 | 212 |
| | F | 815 | 79 | 24 | 14 | 19 | 28 | 83 | 178 | 167 | 223 | 956 | 106 | 30 | 23 | 24 | 44 | 91 | 218 | 150 | 270 |
| 1 Enteric fever .. | M | 2 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 6 | 3 | 2 | — | — | — | 1 | — | — | — | 30 | 4 | 8 | 14 | 3 | 1 | — | — | — | — |
| | F | 7 | 1 | 5 | 1 | — | — | — | — | — | — | 11 | 3 | 6 | — | 2 | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | 1 | 3 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | 1 | — | 1 | — | 1 | — | — | — |
| 5 Whooping cough .. | M | 10 | 6 | 2 | 2 | — | — | — | — | — | — | 12 | 7 | 2 | 3 | — | — | — | — | — | — |
| | F | 5 | 1 | 2 | 2 | — | — | — | — | — | — | 13 | 3 | 6 | 4 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 4 | — | — | 2 | 2 | — | — | — | — | — | 11 | — | 1 | 4 | 6 | — | — | — | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | 11 | — | — | 5 | 5 | — | 1 | — | — | — |
| 7 Influenza .. .. | M | 24 | — | — | — | — | 1 | 1 | 10 | 8 | 4 | 27 | 3 | — | — | 1 | 2 | 1 | 9 | 6 | 5 |
| | F | 18 | — | — | — | 1 | — | 2 | 3 | 5 | 7 | 12 | — | 1 | — | — | 2 | — | 3 | 4 | 2 |
| 8 Encephalitis lethargica .. | M | 2 | — | — | — | 1 | — | 1 | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 49 | — | 2 | 2 | — | 7 | 26 | 10 | 1 | 1 | 70 | — | — | — | 4 | 13 | 35 | 13 | 4 | 1 |
| | F | 54 | 1 | — | — | 3 | 15 | 20 | 10 | 4 | 1 | 59 | — | 1 | — | 3 | 19 | 24 | 9 | 3 | — |
| 11 Other tuberculous diseases .. .. | M | 12 | 2 | 2 | 1 | 3 | 1 | 3 | — | — | — | 23 | 2 | 2 | 5 | 3 | 2 | 3 | 5 | 1 | — |
| | F | 14 | 1 | 2 | 2 | 2 | — | 2 | 5 | — | — | 12 | — | — | 4 | 2 | 4 | 1 | 1 | — | — |
| 12 Cancer, malignant disease .. .. | M | 74 | — | — | — | — | — | 8 | 32 | 22 | 12 | 104 | — | — | — | 1 | 2 | 7 | 46 | 28 | 20 |
| | F | 110 | — | — | — | — | 1 | 8 | 48 | 34 | 19 | 101 | — | — | — | — | — | 12 | 44 | 25 | 20 |
| 13 Rheumatic fever .. | M | 3 | — | 1 | — | — | 1 | 1 | — | — | — | 7 | — | — | — | 2 | — | — | 4 | 1 | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 14 Diabetes .. .. | M | 10 | — | — | — | — | — | 3 | 2 | 4 | 1 | 10 | — | — | — | — | 1 | 1 | 3 | 2 | 3 |
| | F | 7 | — | — | — | — | — | — | 3 | 3 | 1 | 16 | — | — | — | — | 1 | 4 | 8 | 1 | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 50 | — | — | — | — | — | 2 | 18 | 16 | 14 | 52 | — | — | — | — | — | — | 13 | 20 | 19 |
| | F | 67 | — | — | — | — | — | — | 18 | 17 | 32 | 92 | — | — | — | — | — | 2 | 24 | 27 | 39 |
| 16 Heart disease .. | M | 81 | — | — | 1 | — | 1 | 4 | 29 | 31 | 15 | 119 | — | — | — | 2 | 5 | 10 | 35 | 34 | 33 |
| | F | 131 | — | — | 1 | 3 | 1 | 9 | 28 | 45 | 44 | 124 | — | — | — | 1 | — | 8 | 52 | 28 | 35 |
| 17 Arterio-sclerosis .. | M | 36 | — | — | — | — | — | 1 | 4 | 10 | 21 | 36 | — | — | — | — | — | — | 7 | 16 | 13 |
| | F | 22 | — | — | — | — | — | — | 3 | 6 | 13 | 15 | — | — | — | — | — | — | 2 | 6 | 7 |
| 18 Bronchitis .. | M | 51 | 4 | 1 | — | 2 | — | 1 | 6 | 17 | 20 | 63 | 9 | 1 | 2 | — | — | — | 12 | 18 | 21 |
| | F | 45 | 11 | 2 | — | — | — | — | 4 | 8 | 20 | 60 | 9 | — | 1 | 1 | — | — | 9 | 11 | 29 |
| 19 Pneumonia (all forms) .. .. | M | 52 | 11 | 13 | 2 | 2 | 2 | 6 | 5 | 6 | 5 | 79 | 21 | 8 | 5 | 2 | — | 10 | 13 | 11 | 9 |
| | F | 39 | 5 | 6 | 4 | — | 1 | 2 | 8 | 3 | 10 | 43 | 11 | 7 | 2 | 1 | 1 | 2 | 9 | 4 | 6 |
| 20 Other respiratory diseases .. .. | M | 16 | 1 | — | 1 | — | — | 2 | 5 | 3 | 4 | 16 | 2 | — | — | 1 | — | 3 | 4 | 5 | 1 |
| | F | 9 | — | — | — | — | — | 3 | 1 | 2 | 3 | 7 | — | — | — | 1 | — | 2 | 2 | — | 2 |
| 21 Ulcer of stomach or duodenum .. | M | 9 | — | — | — | — | — | 2 | 3 | 2 | 2 | 7 | — | — | — | — | — | 1 | 6 | — | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 5 | — | — | — | — | 1 | — | 1 | 2 | 1 |
| 22 Diarrhœa, &c. .. | M | 11 | 7 | 1 | — | — | — | — | — | — | 3 | 11 | 9 | — | — | — | — | — | 1 | — | 1 |
| | F | 19 | 9 | 5 | 1 | — | — | 2 | — | 1 | 1 | 18 | 6 | 4 | 1 | — | — | 2 | 2 | 1 | 2 |
| 23 Appendicitis and typhlitis.. .. | M | 9 | — | — | | 2 | 2 | 2 | 1 | — | — | 12 | — | — | — | 2 | 2 | 3 | 4 | 1 | — |
| | F | 8 | 1 | — | — | 1 | — | 3 | 3 | — | — | 8 | — | — | 1 | 1 | 3 | — | 2 | 1 | — |
| 24 Cirrhosis of liver .. | M | 4 | — | — | — | — | — | — | 2 | 2 | — | 6 | — | — | — | — | — | 2 | 1 | 3 | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 5 | — | — | — | — | — | — | 3 | 1 | 1 |
| 25 Acute and chronic nephritis .. | M | 21 | 2 | — | — | — | 2 | 3 | 4 | 4 | 6 | 23 | — | — | — | 2 | — | 2 | 8 | 7 | 4 |
| | F | 30 | — | — | — | 1 | — | 2 | 11 | 9 | 7 | 22 | — | — | — | 1 | 1 | 1 | 11 | 3 | 5 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 5 | — | — | — | — | 1 | 4 | — | — | — | 4 | — | — | — | — | 2 | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | — | — | — | — | 1 | 5 | — | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 50 | 49 | — | — | — | 1 | — | — | — | — | 64 | 63 | — | 1 | — | — | — | — | — | — |
| | F | 37 | 37 | — | — | — | — | — | — | — | — | 59 | 56 | 1 | — | — | 1 | 1 | — | — | — |
| 29 Suicide .. .. | M | 9 | — | — | — | — | — | 4 | 5 | — | — | 18 | — | — | — | — | 1 | 4 | 12 | — | 1 |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | 6 | — | — | — | — | 1 | 2 | 3 | — | — |
| 30 Other deaths from violence.. .. | M | 31 | 1 | — | | 5 | 3 | 5 | 11 | 2 | 2 | 46 | 5 | — | 2 | 3 | 2 | 16 | 12 | 6 | — |
| | F | 13 | 4 | — | — | 1 | — | 3 | 3 | — | 2 | 18 | 1 | 1 | — | 2 | 2 | 4 | 2 | 1 | 5 |
| 31 Other defined diseases .. .. | M | 151 | 10 | 4 | 3 | 8 | 6 | 11 | 27 | 33 | 49 | 212 | 22 | 2 | 5 | 9 | 5 | 13 | 39 | 36 | 81 |
| | F | 157 | 8 | 2 | 3 | 5 | 6 | 17 | 25 | 28 | 63 | 224 | 17 | 2 | 5 | 2 | 4 | 18 | 31 | 31 | 114 |
| 32 Causes ill-defined or unknown .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 4 | — | — | — | — | — | 2 | 1 | 1 | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WESTMORLAND—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes | M | 162 | 18 | 1 | 4 | 4 | 4 | 13 | 45 | 33 | 40 | 239 | 24 | 7 | 4 | 5 | 4 | 19 | 46 | 56 | 74 |
| | F | 167 | 10 | 2 | 4 | 3 | 6 | 13 | 41 | 47 | 41 | 203 | 14 | — | 4 | 7 | 4 | 17 | 40 | 57 | 60 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | — | — | — | — | — | — | — | — | — | — | 2 | — | 1 | 1 | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 1 | 1 | — | — | — | — | — | — | — | — | 3 | — | 3 | — | — | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 7 Influenza | M | 3 | — | — | — | — | — | 1 | — | 2 | — | 6 | — | — | — | — | — | 1 | 1 | 3 | 1 |
| | F | 5 | — | — | — | — | — | — | 2 | 2 | 1 | 2 | — | — | 1 | — | — | 1 | — | — | — |
| 8 Encephalitis lethargica | M | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 2 | — | — | — | — | 1 | 1 | — | — | — | 7 | — | 1 | — | — | 2 | 2 | 2 | — | — |
| | F | 6 | — | — | — | — | 1 | 4 | — | 1 | — | 9 | — | — | — | 1 | 4 | 3 | 1 | — | — |
| 11 Other tuberculous diseases | M | 4 | — | 1 | 1 | — | 1 | — | — | — | 1 | 3 | — | — | — | 1 | — | 1 | 1 | — | — |
| | F | 4 | — | — | 2 | — | 1 | 1 | — | — | — | 3 | — | — | — | 1 | — | 2 | — | — | — |
| 12 Cancer, malignant disease | M | 19 | — | — | — | — | — | 1 | 8 | 6 | 4 | 26 | — | — | — | — | — | — | 12 | 9 | 5 |
| | F | 23 | — | — | — | — | — | — | 13 | 4 | 6 | 33 | — | — | — | — | — | 2 | 16 | 11 | 4 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 14 Diabetes | M | 2 | — | — | — | — | — | — | — | 1 | 1 | 2 | — | — | — | — | — | — | — | 2 | — |
| | F | 3 | — | — | — | — | 1 | 2 | — | — | — | 2 | — | — | — | — | — | — | — | 2 | — |
| 15 Cerebral hæmorrhage, &c. | M | 14 | — | — | — | — | — | — | 7 | 1 | 6 | 17 | — | — | — | — | — | — | 4 | 6 | 7 |
| | F | 21 | — | — | — | — | 1 | — | 9 | 7 | 4 | 18 | — | — | — | — | — | 1 | 1 | 6 | 10 |
| 16 Heart disease | M | 30 | — | — | — | — | — | 5 | 9 | 8 | 8 | 42 | — | — | — | — | — | 1 | 5 | 15 | 21 |
| | F | 29 | — | — | — | — | 1 | — | 6 | 11 | 11 | 40 | — | — | — | 1 | — | — | 7 | 17 | 15 |
| 17 Arterio-sclerosis | M | 5 | — | — | — | — | — | — | — | 3 | 2 | 7 | — | — | — | — | — | — | — | 1 | 6 |
| | F | 2 | — | — | — | — | — | — | — | — | 2 | 9 | — | — | — | — | — | — | 1 | 3 | 5 |
| 18 Bronchitis | M | 9 | 4 | — | — | — | — | 2 | 1 | 1 | 1 | 9 | 1 | — | 1 | — | — | 1 | — | — | 6 |
| | F | 5 | — | — | — | — | — | 1 | — | 3 | 1 | 10 | 1 | — | 1 | — | — | — | 1 | 2 | 5 |
| 19 Pneumonia (all forms) | M | 7 | 2 | — | — | — | 1 | — | 2 | 1 | 1 | 12 | 2 | — | — | — | — | 2 | 3 | 3 | 2 |
| | F | 8 | 1 | 1 | — | — | 1 | — | 1 | 3 | 1 | 8 | 1 | — | — | 1 | — | 2 | 1 | 3 | — |
| 20 Other respiratory diseases | M | 2 | — | — | — | 1 | — | — | — | — | 1 | 7 | — | 1 | — | — | — | 1 | 2 | — | 3 |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | 1 |
| 21 Ulcer of stomach or duodenum | M | 4 | — | — | — | — | — | 1 | 3 | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | — | — | — | — | — | — | — | — | — | — | 5 | 3 | — | — | — | — | 2 | — | — | — |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 23 Appendicitis and typhlitis | M | 3 | — | — | — | 2 | — | 1 | — | — | — | 5 | — | — | — | — | — | 2 | 2 | 1 | — |
| | F | 2 | — | — | — | 1 | — | — | 1 | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 25 Acute and chronic nephritis | M | 3 | — | — | — | — | — | — | 2 | 1 | — | 5 | — | — | — | 1 | 1 | — | 1 | 2 | — |
| | F | 5 | — | — | — | 2 | — | — | 1 | — | 2 | 3 | — | — | — | — | — | — | 1 | 2 | — |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth | M | 11 | 10 | — | 1 | — | — | — | — | — | — | 13 | 13 | — | — | — | — | — | — | — | — |
| | F | 5 | 4 | — | — | — | — | 1 | — | — | — | 9 | 9 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 1 | — | — | — | — | — | — | — | 1 | — | 5 | — | — | — | — | — | 1 | 4 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| 30 Other deaths from violence | M | 5 | — | — | — | 1 | 1 | — | 2 | — | 1 | 10 | — | 1 | 1 | — | 1 | 1 | 3 | 2 | 1 |
| | F | 2 | — | — | — | — | — | — | 1 | 1 | — | 2 | — | — | — | — | — | — | 1 | — | 1 |
| 31 Other defined diseases | M | 32 | 1 | — | 1 | — | — | 1 | 9 | 6 | 14 | 47 | 5 | — | 1 | 2 | — | 4 | 4 | 9 | 22 |
| | F | 37 | 4 | — | — | — | — | 2 | 6 | 14 | 11 | 40 | 2 | — | 1 | — | — | 2 | 5 | 11 | 19 |
| 32 Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | — | 1 | — | 4 | — | — | — | — | — | — | 2 | 2 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 1 | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WIGHT, ISLE OF—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes .. | M | 313 | 19 | 4 | 6 | 4 | 11 | 30 | 89 | 62 | 88 | 157 | 8 | 6 | — | 2 | 5 | 16 | 43 | 26 | 51 |
| | F | 366 | 16 | 3 | 3 | 6 | 11 | 32 | 68 | 84 | 143 | 145 | 6 | 1 | 4 | 5 | 4 | 15 | 36 | 24 | 50 |
| 1 Enteric fever .. | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 5 Whooping cough .. | M | 2 | 1 | 1 | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| | F | 2 | 1 | — | 1 | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 3 | — | — | — | — | — | — | — | 1 | 2 | 4 | — | — | 1 | — | — | 1 | 2 | — | — |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 33 | — | — | — | — | 4 | 17 | 10 | 2 | — | 11 | — | — | — | — | 1 | 6 | 4 | — | — |
| | F | 25 | — | — | 1 | — | 5 | 12 | 7 | — | — | 5 | — | — | — | — | 1 | 3 | 1 | — | — |
| 11 Other tuberculous diseases .. .. | M | 7 | — | — | 2 | — | 3 | 1 | 1 | — | — | 2 | — | 1 | — | — | — | 1 | — | — | — |
| | F | 5 | — | 1 | — | 2 | — | — | 1 | — | 1 | 3 | — | — | 1 | — | — | — | 2 | — | — |
| 12 Cancer, malignant disease .. .. | M | 39 | — | — | — | — | 1 | 1 | 15 | 11 | 11 | 22 | — | — | — | — | — | — | 9 | 9 | 4 |
| | F | 59 | — | — | — | — | — | 6 | 20 | 17 | 16 | 28 | — | — | — | — | — | 2 | 13 | 5 | 8 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes .. .. | M | 1 | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | 1 | 1 |
| | F | 9 | — | — | — | — | 1 | 2 | 1 | 3 | 2 | 1 | — | — | — | — | — | — | 1 | — | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 23 | — | — | — | — | — | — | 7 | 5 | 11 | 11 | — | — | — | — | — | — | 3 | 4 | 4 |
| | F | 40 | — | — | — | — | — | 1 | 4 | 15 | 20 | 13 | — | — | — | — | — | — | 4 | 3 | 6 |
| 16 Heart disease .. | M | 49 | — | — | — | — | — | 1 | 21 | 12 | 15 | 25 | — | — | — | — | — | 2 | 11 | 3 | 9 |
| | F | 50 | — | — | — | — | — | 2 | 8 | 21 | 19 | 20 | — | — | — | — | — | 1 | 2 | 6 | 11 |
| 17 Arterio-sclerosis .. | M | 15 | — | — | — | — | — | — | 4 | 6 | 5 | 5 | — | — | — | — | — | — | 1 | 3 | 1 |
| | F | 15 | — | — | — | — | — | — | 1 | 4 | 10 | 3 | — | — | — | — | — | — | — | — | 3 |
| 18 Bronchitis .. | M | 12 | 2 | — | — | — | — | — | 2 | 2 | 6 | 11 | — | — | — | — | — | — | — | 1 | 10 |
| | F | 23 | 1 | — | — | — | — | — | 1 | 4 | 17 | 10 | 1 | — | — | — | — | — | 1 | 2 | 6 |
| 19 Pneumonia (all forms) .. .. | M | 13 | 1 | 2 | — | — | — | 1 | 3 | 2 | 4 | 5 | — | 1 | — | — | 1 | 1 | 1 | — | 1 |
| | F | 8 | 1 | — | — | — | 1 | — | 1 | 1 | 4 | 4 | — | — | — | — | 1 | — | — | 3 | — |
| 20 Other respiratory diseases .. .. | M | 8 | — | — | 1 | — | — | 1 | 3 | 2 | 1 | 2 | — | — | — | — | — | — | 1 | — | 1 |
| | F | 8 | — | — | — | — | — | — | 2 | — | 6 | 3 | — | — | 1 | — | — | — | 1 | 1 | — |
| 21 Ulcer of stomach or duodenum .. | M | 2 | — | — | — | — | — | — | — | 1 | 1 | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 Diarrhœa, &c. .. | M | 5 | 2 | 1 | — | — | — | — | 1 | — | 1 | 2 | 1 | 1 | — | — | — | — | — | — | — |
| | F | 3 | — | 1 | — | — | — | — | 2 | — | — | 3 | 1 | — | — | — | — | — | — | 1 | 1 |
| 23 Appendicitis and typhlitis.. .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| | F | 3 | — | — | — | 1 | — | — | 1 | 1 | — | 3 | — | — | — | 2 | 1 | — | — | — | — |
| 24 Cirrhosis of liver .. | M | 4 | — | — | — | — | — | — | 1 | 1 | 2 | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 12 | — | — | — | — | — | 1 | 2 | 6 | 3 | 2 | — | — | — | — | — | — | — | — | 2 |
| | F | 10 | 2 | — | — | — | — | 1 | 3 | 1 | 3 | 3 | — | — | — | — | — | 1 | 2 | — | — |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 10 | 8 | — | 2 | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| | F | 10 | 10 | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 5 | — | — | — | — | — | 1 | 2 | 1 | 1 | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence.. .. | M | 9 | — | — | 1 | 1 | 2 | — | 1 | 3 | 1 | 6 | — | — | — | 2 | 1 | 2 | — | 1 | — |
| | F | 3 | — | — | — | — | — | — | 2 | — | 1 | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 31 Other defined diseases .. .. | M | 60 | 5 | — | — | 3 | 1 | 5 | 13 | 8 | 25 | 36 | 1 | 2 | — | — | 1 | 2 | 8 | 4 | 18 |
| | F | 77 | 1 | — | 1 | 3 | 2 | 4 | 11 | 14 | 41 | 32 | 1 | — | 1 | — | 1 | 5 | 6 | 3 | 15 |
| 32 Causes ill-defined or unknown .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WILTS—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 678 | 72 | 10 | 11 | 19 | 28 | 76 | 182 | 131 | 149 | 939 | 96 | 24 | 12 | 16 | 27 | 71 | 206 | 209 | 278 |
| | F | 703 | 53 | 9 | 13 | 21 | 22 | 65 | 166 | 158 | 196 | 875 | 58 | 5 | 11 | 20 | 23 | 81 | 203 | 166 | 308 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 3 | — | — | 3 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 3 | — | 1 | 2 | — | — | — | — | — | — | 2 | — | 1 | — | — | 1 | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 5 Whooping cough .. | M | 2 | 2 | — | — | — | — | — | — | — | — | 7 | 4 | 2 | 1 | — | — | — | — | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — | 7 | 4 | 1 | 2 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 3 | — | — | 1 | 2 | — | — | — | — | — | 3 | — | 1 | — | 2 | — | — | — | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | 4 | — | — | 1 | 3 | — | — | — | — | — |
| 7 Influenza .. .. | M | 8 | — | — | — | — | — | — | 1 | 3 | 4 | 21 | — | — | — | — | — | 3 | 6 | 8 | 4 |
| | F | 11 | — | — | 1 | — | — | — | 2 | 2 | 6 | 24 | 1 | — | — | — | — | 2 | 5 | 7 | 9 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 51 | — | — | — | 1 | 8 | 27 | 14 | — | 1 | 46 | — | — | — | 1 | 9 | 19 | 15 | 1 | 1 |
| | F | 44 | — | — | — | 4 | 10 | 21 | 6 | 3 | — | 34 | — | — | — | — | 6 | 19 | 7 | 2 | — |
| 11 Other tuberculous diseases .. .. | M | 22 | 5 | 5 | 1 | 1 | 2 | 4 | 4 | — | — | 13 | — | 2 | 3 | 4 | 1 | 3 | — | — | — |
| | F | 15 | 2 | — | 3 | 6 | 1 | 2 | 1 | — | — | 13 | — | — | 1 | 4 | 2 | 3 | 2 | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 91 | — | — | — | 1 | 1 | 7 | 45 | 28 | 9 | 125 | — | — | 1 | — | 2 | 2 | 55 | 33 | 32 |
| | F | 113 | — | — | 1 | — | — | 12 | 49 | 33 | 18 | 114 | — | — | — | 1 | — | 12 | 61 | 17 | 23 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| | F | 2 | — | — | — | 1 | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 14 Diabetes .. .. | M | 9 | — | — | — | — | 1 | — | 4 | 2 | 2 | 8 | — | — | — | — | 1 | 1 | 1 | 3 | 2 |
| | F | 7 | — | — | — | — | — | 1 | 3 | 2 | 1 | 11 | — | — | — | 1 | 1 | 2 | 3 | 4 | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 42 | — | — | 1 | — | — | 1 | 9 | 14 | 17 | 65 | — | — | — | — | — | 1 | 11 | 25 | 28 |
| | F | 54 | — | — | — | — | — | 1 | 12 | 15 | 26 | 83 | — | — | — | — | — | — | 25 | 26 | 32 |
| 16 Heart disease .. | M | 113 | — | — | — | — | 4 | 9 | 38 | 35 | 27 | 122 | — | — | — | 1 | — | 3 | 31 | 41 | 46 |
| | F | 112 | — | — | 1 | 2 | 1 | 3 | 35 | 43 | 27 | 154 | — | — | — | 1 | 2 | 4 | 32 | 45 | 70 |
| 17 Arterio-sclerosis .. | M | 28 | — | — | — | — | — | — | 5 | 9 | 14 | 69 | — | — | — | — | — | 1 | 12 | 27 | 29 |
| | F | 24 | — | — | — | — | — | — | 6 | 7 | 11 | 44 | — | — | — | — | — | — | 2 | 10 | 32 |
| 18 Bronchitis .. | M | 31 | 4 | — | 1 | — | — | 2 | 3 | 4 | 17 | 55 | 4 | 2 | — | — | 1 | 2 | 2 | 15 | 29 |
| | F | 58 | 2 | 1 | 1 | — | — | 1 | 6 | 15 | 32 | 43 | — | 1 | — | 1 | — | 2 | 3 | 11 | 25 |
| 19 Pneumonia (all forms) .. .. | M | 33 | 8 | 4 | 1 | 1 | 2 | 3 | 10 | 2 | 2 | 48 | 11 | 7 | 1 | 1 | 3 | 6 | 9 | 6 | 4 |
| | F | 22 | 4 | 4 | — | 1 | — | — | 3 | 5 | 5 | 26 | 1 | — | 2 | — | — | 9 | 10 | 3 | 1 |
| 20 Other respiratory diseases .. .. | M | 9 | — | — | — | 1 | — | — | 3 | 3 | 2 | 15 | — | — | — | — | 1 | 5 | 8 | 1 | — |
| | F | 10 | — | — | — | — | — | 1 | 2 | 1 | 6 | 5 | — | — | 1 | — | — | — | 2 | — | 2 |
| 21 Ulcer of stomach or duodenum .. | M | 4 | — | — | — | — | — | 1 | 3 | — | — | 18 | — | — | — | — | — | 2 | 9 | 5 | 2 |
| | F | 3 | — | — | — | — | — | 1 | 1 | — | 1 | 3 | — | — | — | — | — | — | 3 | — | — |
| 22 Diarrhœa, &c. .. | M | 5 | 1 | — | 1 | 1 | — | — | 1 | 1 | — | 9 | 4 | 1 | 1 | — | — | 1 | — | 1 | 1 |
| | F | 9 | 3 | 1 | 1 | — | — | — | 2 | 1 | 1 | 7 | 3 | 1 | — | — | — | — | 1 | — | 2 |
| 23 Appendicitis and typhlitis.. .. | M | 8 | — | — | — | 2 | — | 2 | 4 | — | — | 4 | 1 | — | — | — | 2 | — | 1 | — | — |
| | F | 5 | — | — | — | — | 1 | 4 | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| 24 Cirrhosis of liver .. | M | 4 | — | — | — | — | — | 1 | 2 | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 4 | — | — | — | — | — | — | 2 | 2 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis .. | M | 24 | — | — | — | 2 | 1 | — | 9 | 9 | 3 | 19 | — | — | — | 1 | — | 2 | 5 | 5 | 6 |
| | F | 28 | — | — | — | 1 | 4 | 3 | 9 | 6 | 5 | 19 | 1 | — | — | 1 | — | 2 | 6 | 4 | 5 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | 2 | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | 1 | 3 | — | — | — | 5 | — | — | — | — | — | 5 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 41 | 40 | — | 1 | — | — | — | — | — | — | 59 | 56 | 2 | — | 1 | — | — | — | — | — |
| | F | 30 | 30 | — | — | — | — | — | — | — | — | 37 | 36 | — | — | — | 1 | — | — | — | — |
| 29 Suicide .. .. | M | 7 | — | — | — | — | — | 3 | 3 | — | 1 | 5 | — | — | — | — | — | 3 | 2 | — | — |
| | F | 5 | — | — | — | — | — | 2 | 3 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 30 Other deaths from violence.. .. | M | 17 | 2 | — | — | 3 | 6 | 1 | 2 | 1 | 2 | 29 | 5 | 3 | 1 | — | 1 | 4 | 6 | 8 | 1 |
| | F | 10 | — | — | 1 | — | — | 1 | 2 | 4 | 2 | 18 | 2 | — | 1 | 1 | 2 | 1 | 6 | 3 | 2 |
| 31 Other defined diseases .. .. | M | 118 | 9 | 1 | 1 | 4 | 2 | 15 | 21 | 17 | 48 | 188 | 11 | 3 | 3 | 4 | 4 | 12 | 30 | 28 | 93 |
| | F | 120 | 10 | 2 | 2 | 4 | 4 | 7 | 20 | 19 | 52 | 210 | 10 | 1 | 3 | 6 | 5 | 16 | 33 | 31 | 105 |
| 32 Causes ill-defined or unknown .. | M | 4 | 1 | — | — | — | — | — | 1 | 2 | — | 4 | — | — | — | — | — | 1 | 1 | 2 | — |
| | F | 5 | — | — | — | — | — | — | 2 | — | 3 | 2 | — | — | — | — | — | — | 1 | 1 | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WORCESTER—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 961 | 135 | 32 | 31 | 23 | 33 | 112 | 218 | 200 | 177 | 762 | 87 | 10 | 14 | 18 | 26 | 82 | 172 | 164 | 189 |
| | F | 923 | 88 | 28 | 22 | 28 | 41 | 104 | 175 | 212 | 225 | 775 | 58 | 13 | 11 | 21 | 37 | 69 | 149 | 153 | 264 |
| 1 Enteric fever | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 24 | 9 | 7 | 8 | — | — | — | — | — | — | 3 | — | 2 | 1 | — | — | — | — | — | — |
| | F | 13 | 3 | 6 | 2 | 2 | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| 4 Scarlet fever | M | 4 | 1 | — | 2 | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 5 | — | 1 | 2 | 2 | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 5 Whooping cough | M | 5 | 3 | 2 | — | — | — | — | — | — | — | 8 | 6 | 2 | — | — | — | — | — | — | — |
| | F | 8 | 4 | 2 | 2 | — | — | — | — | — | — | 6 | 2 | 2 | 2 | — | — | — | — | — | — |
| 6 Diphtheria | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 4 | — | 1 | 2 | 1 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 7 Influenza | M | 23 | — | 1 | — | — | 2 | 6 | 8 | 4 | 2 | 16 | — | 1 | — | — | — | 2 | 5 | 4 | 4 |
| | F | 20 | 1 | — | 2 | 2 | 1 | 1 | 6 | 5 | 2 | 18 | — | 1 | — | 1 | — | 5 | 2 | 1 | 8 |
| 8 Encephalitis lethargica | M | 2 | — | — | — | 1 | — | — | — | 1 | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 65 | — | 2 | 2 | — | 10 | 33 | 14 | 4 | — | 39 | — | — | — | — | 7 | 22 | 9 | 1 | — |
| | F | 63 | — | — | 2 | 5 | 19 | 27 | 8 | 2 | — | 43 | — | — | — | 3 | 8 | 24 | 5 | 2 | 1 |
| 11 Other tuberculous diseases | M | 16 | 2 | 2 | 1 | 5 | 2 | 3 | 1 | — | — | 8 | 2 | 1 | — | 2 | 1 | 1 | 1 | — | — |
| | F | 15 | — | 1 | 1 | 2 | 4 | 3 | 3 | 1 | — | 13 | — | 2 | 1 | 1 | 4 | 3 | 2 | — | — |
| 12 Cancer, malignant disease | M | 96 | — | — | — | — | — | 5 | 37 | 40 | 14 | 83 | — | — | — | — | 3 | 3 | 31 | 26 | 20 |
| | F | 108 | — | — | — | — | — | 11 | 48 | 37 | 12 | 91 | — | 1 | — | — | — | 5 | 36 | 29 | 20 |
| 13 Rheumatic fever | M | 4 | — | — | 1 | 1 | — | 1 | — | 1 | — | 3 | — | — | — | — | 1 | — | 1 | 1 | — |
| | F | 3 | — | — | — | 1 | — | 2 | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 14 Diabetes | M | 10 | — | — | — | — | — | — | 4 | 5 | 1 | 3 | — | — | — | — | — | — | 2 | 1 | — |
| | F | 13 | — | — | — | — | 1 | 1 | 3 | 7 | 1 | 10 | — | — | — | — | — | 2 | 2 | 5 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 73 | — | — | — | — | — | 1 | 18 | 28 | 26 | 75 | — | — | — | — | — | 5 | 17 | 27 | 26 |
| | F | 92 | — | — | — | 1 | 1 | 2 | 19 | 33 | 36 | 77 | — | — | — | — | — | — | 21 | 21 | 35 |
| 16 Heart disease | M | 98 | — | — | 1 | 2 | 1 | 11 | 34 | 26 | 23 | 101 | — | — | — | — | 2 | 11 | 27 | 31 | 30 |
| | F | 148 | — | — | — | 3 | — | 18 | 36 | 54 | 37 | 121 | — | — | — | 2 | 3 | 6 | 24 | 36 | 50 |
| 17 Arterio-sclerosis | M | 31 | — | — | — | — | — | 2 | 4 | 14 | 11 | 14 | — | — | — | — | — | — | — | 5 | 9 |
| | F | 15 | — | — | — | — | — | — | 1 | 8 | 6 | 18 | — | — | — | — | — | — | — | 8 | 10 |
| 18 Bronchitis | M | 87 | 14 | 1 | 1 | — | 2 | 1 | 14 | 27 | 27 | 59 | 9 | 1 | 1 | — | — | 1 | 5 | 17 | 25 |
| | F | 53 | 3 | 3 | 1 | — | 1 | 1 | 4 | 15 | 25 | 64 | 5 | — | 1 | — | — | — | 5 | 17 | 36 |
| 19 Pneumonia (all forms) | M | 69 | 17 | 9 | 4 | 2 | 2 | 11 | 6 | 12 | 6 | 47 | 10 | — | 3 | 1 | 1 | 9 | 15 | 3 | 5 |
| | F | 53 | 11 | 5 | 2 | 3 | 2 | 5 | 9 | 8 | 8 | 29 | 5 | 3 | 2 | 3 | 1 | 2 | 6 | 1 | 6 |
| 20 Other respiratory diseases | M | 16 | 1 | 2 | — | 1 | 1 | 3 | 4 | 2 | 2 | 9 | — | — | — | — | — | — | 3 | 4 | 2 |
| | F | 9 | — | 1 | — | — | — | 1 | 6 | 1 | — | 11 | — | — | — | 1 | 1 | 1 | 4 | 2 | 2 |
| 21 Ulcer of stomach or duodenum | M | 6 | — | — | — | — | — | 2 | 4 | — | — | 5 | — | — | — | — | — | 1 | 3 | — | 1 |
| | F | 4 | — | — | — | — | — | 3 | 1 | — | — | 6 | — | — | — | — | — | 1 | 2 | 2 | 1 |
| 22 Diarrhœa, &c. | M | 18 | 11 | — | 2 | — | — | — | 1 | 2 | 2 | 16 | 9 | 1 | 1 | — | — | 2 | 1 | — | 2 |
| | F | 19 | 9 | 3 | 1 | 1 | — | — | 1 | 2 | 2 | 14 | 6 | 1 | — | 1 | — | 1 | 2 | — | 3 |
| 23 Appendicitis and typhlitis | M | 10 | — | — | 2 | — | 3 | — | 4 | — | 1 | 8 | — | — | — | — | 2 | 2 | 3 | 1 | — |
| | F | 7 | — | — | 1 | 1 | 1 | 1 | 2 | 1 | — | 5 | — | — | — | 1 | 1 | 3 | — | — | — |
| 24 Cirrhosis of liver | M | 5 | — | — | — | — | — | — | 4 | 1 | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| | F | 3 | — | — | — | — | — | 1 | 1 | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 25 Acute and chronic nephritis | M | 30 | — | — | 1 | 4 | — | 4 | 12 | 4 | 5 | 25 | — | 1 | — | 2 | 2 | 1 | 5 | 8 | 6 |
| | F | 19 | — | — | — | 1 | 5 | — | 5 | 5 | 3 | 12 | 2 | 1 | — | — | 2 | 1 | 4 | 1 | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 6 | — | — | — | — | — | 6 | — | — | — | 3 | — | — | — | — | 2 | 1 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 61 | 59 | — | 1 | 1 | — | — | — | — | — | 27 | 27 | — | — | — | — | — | — | — | — |
| | F | 42 | 42 | — | — | — | — | — | — | — | — | 34 | 34 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 14 | — | — | — | — | 2 | 5 | 6 | 1 | — | 12 | — | — | — | — | — | 4 | 7 | 1 | — |
| | F | 4 | — | — | — | — | — | 2 | 2 | — | — | 5 | — | — | — | — | — | 4 | 1 | — | — |
| 30 Other deaths from violence | M | 25 | 1 | — | 2 | 1 | 3 | 7 | 7 | 2 | 2 | 29 | 2 | 1 | 2 | 5 | 1 | 6 | 7 | 3 | 2 |
| | F | 19 | 2 | — | 2 | 1 | 2 | — | 3 | 3 | 6 | 18 | — | 1 | 2 | 1 | 3 | 3 | 2 | 3 | 3 |
| 31 Other defined diseases | M | 167 | 17 | 6 | 2 | 5 | 5 | 16 | 35 | 26 | 55 | 162 | 22 | — | 4 | 7 | 6 | 10 | 26 | 30 | 57 |
| | F | 172 | 13 | 4 | 2 | 2 | 4 | 15 | 17 | 28 | 87 | 164 | 4 | 1 | 1 | 5 | 9 | 6 | 27 | 25 | 86 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | — | 4 | — | — |
| | F | 3 | — | — | — | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, EAST RIDING—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes | M | 394 | 39 | 8 | 4 | 10 | 12 | 37 | 99 | 89 | 96 | 579 | 84 | 10 | 7 | 20 | 26 | 55 | 99 | 123 | 155 |
| | F | 416 | 23 | 6 | 7 | 8 | 15 | 39 | 102 | 90 | 126 | 506 | 42 | 9 | 7 | 11 | 27 | 55 | 106 | 96 | 153 |
| 1 Enteric fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 2 | — | 1 | — | 1 | — | — | — | — | — | 3 | 1 | — | 1 | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | 1 | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 2 | 1 | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 5 | 2 | 2 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 7 Influenza | M | 6 | — | — | — | — | — | 1 | 3 | — | 2 | 11 | — | — | — | 1 | — | 2 | 1 | 1 | 6 |
| | F | 2 | 1 | — | — | — | — | — | 1 | — | — | 13 | 1 | — | — | 1 | — | — | 3 | 4 | 4 |
| 8 Encephalitis lethargica | M | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 26 | — | — | — | — | 6 | 9 | 9 | 2 | — | 25 | 1 | — | — | 1 | 7 | 12 | 3 | 1 | — |
| | F | 21 | — | — | — | — | 7 | 8 | 5 | 1 | — | 34 | — | — | — | 2 | 9 | 17 | 5 | 1 | — |
| 11 Other tuberculous diseases | M | 6 | — | 1 | — | 2 | — | — | 3 | — | — | 13 | 1 | 2 | — | 4 | 3 | — | 3 | — | — |
| | F | 12 | — | — | 2 | — | 4 | 3 | 3 | — | — | 9 | 1 | 1 | — | — | 3 | 3 | 1 | — | — |
| 12 Cancer, malignant disease | M | 38 | — | — | — | — | — | 2 | 19 | 12 | 5 | 65 | — | — | — | — | — | 2 | 21 | 30 | 12 |
| | F | 63 | — | — | — | 1 | — | 5 | 23 | 22 | 12 | 71 | — | — | — | 1 | 1 | 7 | 33 | 14 | 15 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 14 Diabetes | M | 6 | — | — | — | — | — | 2 | 1 | 2 | 1 | 9 | — | — | — | — | 2 | 1 | 4 | 1 | 1 |
| | F | 5 | — | — | — | — | — | — | 5 | — | — | 8 | — | — | — | 1 | 1 | — | 3 | 3 | — |
| 15 Cerebral hæmorrhage, &c. | M | 37 | — | — | — | — | — | — | 4 | 21 | 12 | 19 | — | — | — | — | — | — | 3 | 8 | 8 |
| | F | 35 | — | — | 1 | — | — | — | 7 | 14 | 13 | 39 | — | — | — | — | — | — | 10 | 9 | 20 |
| 16 Heart disease | M | 43 | — | — | — | — | — | 3 | 16 | 15 | 9 | 75 | — | — | — | — | 3 | 3 | 19 | 26 | 24 |
| | F | 66 | — | — | — | 1 | — | 3 | 18 | 25 | 19 | 81 | — | — | — | — | 1 | 4 | 15 | 31 | 30 |
| 17 Arterio-sclerosis | M | 13 | — | — | — | — | — | — | 3 | 4 | 6 | 27 | — | — | — | — | — | — | 5 | 4 | 18 |
| | F | 16 | — | — | — | — | — | — | 3 | 4 | 9 | 18 | — | — | — | — | — | — | 1 | 3 | 14 |
| 18 Bronchitis | M | 23 | 3 | 1 | — | — | — | 1 | 2 | 7 | 9 | 49 | 5 | 2 | — | — | 1 | 1 | 3 | 11 | 26 |
| | F | 31 | 3 | 1 | — | — | — | 1 | 4 | 6 | 16 | 33 | — | 1 | — | — | — | 2 | 1 | 11 | 18 |
| 19 Pneumonia (all forms) | M | 14 | 2 | 3 | — | — | 1 | 2 | 4 | 2 | — | 32 | 6 | 1 | 2 | 1 | 1 | 8 | 6 | 5 | 2 |
| | F | 14 | 3 | 4 | — | — | — | 2 | 1 | 3 | 1 | 23 | 2 | 1 | 1 | — | — | 4 | 6 | 2 | 7 |
| 20 Other respiratory diseases | M | 4 | — | — | — | — | — | 1 | 1 | 1 | 1 | 14 | — | 1 | — | — | 1 | 4 | 1 | 2 | 5 |
| | F | 3 | — | — | — | — | — | 1 | — | — | 2 | 4 | 1 | — | — | — | — | — | 2 | 1 | — |
| 21 Ulcer of stomach or duodenum | M | 4 | — | — | — | — | 1 | — | 2 | 1 | — | 4 | — | — | — | — | — | 2 | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | 6 | 3 | — | 2 | 1 | — | — | — | — | — | 18 | 12 | 1 | — | 1 | — | — | 1 | 3 | — |
| | F | 8 | 2 | 1 | — | — | 1 | 1 | 1 | — | 2 | 6 | 2 | — | — | 1 | — | 1 | — | 1 | 1 |
| 23 Appendicitis and typhlitis | M | 3 | — | — | — | — | — | 1 | — | — | 2 | 2 | — | — | — | — | — | 1 | — | 1 | — |
| | F | 6 | — | — | — | 3 | — | 1 | 2 | — | — | 3 | — | 1 | — | — | 2 | — | — | — | — |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 1 | — | 1 |
| 25 Acute and chronic nephritis | M | 11 | — | — | — | — | — | 2 | 4 | 3 | 2 | 14 | — | — | — | — | — | 3 | 4 | 3 | 4 |
| | F | 12 | — | — | — | 1 | — | — | 4 | 2 | 5 | 8 | — | — | — | — | — | — | 5 | 2 | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 9 | — | — | — | — | 2 | 7 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 20 | 19 | — | — | — | — | 1 | — | — | — | 37 | 37 | — | — | — | — | — | — | — | — |
| | F | 10 | 10 | — | — | — | — | — | — | — | — | 20 | 20 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 7 | — | — | — | — | — | 2 | 4 | 1 | — | 4 | — | — | — | — | — | — | — | 3 | 1 |
| | F | 3 | — | — | — | — | — | 1 | 2 | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 30 Other deaths from violence | M | 19 | 1 | — | 1 | 4 | 1 | 7 | 3 | 2 | — | 28 | — | 1 | 2 | 4 | 3 | 9 | 6 | 3 | — |
| | F | 6 | — | — | — | — | — | — | 1 | 1 | 4 | 9 | 2 | 1 | 3 | 1 | — | — | 1 | — | 1 |
| 31 Other defined diseases | M | 98 | 10 | 1 | 1 | — | 3 | 2 | 18 | 16 | 47 | 122 | 20 | 1 | 2 | 5 | 4 | 5 | 16 | 21 | 48 |
| | F | 92 | 3 | — | 4 | — | 2 | 7 | 21 | 12 | 43 | 99 | 10 | 1 | 1 | 2 | 5 | 7 | 18 | 14 | 41 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |

## TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, NORTH RIDING—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes | M | 1153 | 157 | 56 | 46 | 33 | 52 | 121 | 260 | 221 | 207 | 786 | 85 | 16 | 17 | 10 | 37 | 62 | 154 | 190 | 215 |
| | F | 1066 | 129 | 53 | 55 | 34 | 37 | 111 | 239 | 180 | 228 | 788 | 64 | 7 | 6 | 14 | 32 | 69 | 179 | 167 | 250 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 47 | 9 | 24 | 11 | 3 | — | — | — | — | — | 7 | 2 | 2 | 1 | 1 | — | — | — | 1 | — |
| | F | 44 | 6 | 21 | 16 | 1 | — | — | — | — | — | 2 | 1 | — | — | — | — | — | 1 | — | — |
| 4 Scarlet fever | M | 2 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | 1 | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 5 | 4 | 1 | — | — | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — |
| | F | 13 | 6 | 3 | 4 | — | — | — | — | — | — | 3 | 2 | — | — | 1 | — | — | — | — | — |
| 6 Diphtheria | M | 3 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza | M | 24 | — | — | 1 | 2 | 1 | 5 | 7 | 3 | 5 | 20 | — | — | 1 | — | 3 | 2 | 2 | 6 | 6 |
| | F | 14 | 1 | 1 | 1 | 1 | — | 1 | 2 | 1 | 6 | 18 | — | — | 1 | 1 | — | 5 | 5 | — | 6 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 64 | — | — | 3 | — | 7 | 31 | 20 | 2 | 1 | 44 | — | — | 1 | 1 | 8 | 20 | 10 | 4 | — |
| | F | 63 | — | 1 | 3 | 4 | 15 | 23 | 12 | 4 | 1 | 33 | — | — | — | 2 | 10 | 13 | 6 | 2 | — |
| 11 Other tuberculous diseases | M | 21 | 2 | 5 | 4 | 3 | 4 | 1 | 1 | 1 | — | 8 | — | 1 | 1 | 2 | 2 | 1 | 1 | — | — |
| | F | 33 | 3 | 2 | 6 | 7 | 5 | 4 | 5 | — | 1 | 17 | 2 | 1 | 1 | 2 | 5 | 4 | 2 | — | — |
| 12 Cancer, malignant disease | M | 110 | — | — | — | 1 | 3 | 7 | 47 | 29 | 23 | 76 | — | — | — | — | — | 2 | 25 | 31 | 18 |
| | F | 126 | — | — | — | — | — | 7 | 73 | 35 | 11 | 102 | — | — | — | — | — | 8 | 41 | 33 | 20 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 5 | — | — | — | 2 | 3 | — | — | — | — |
| | F | 4 | — | — | — | 2 | — | 1 | 1 | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| 14 Diabetes | M | 12 | — | — | — | 1 | 1 | — | 3 | 6 | 1 | 11 | — | — | — | — | 1 | 3 | 2 | 4 | 1 |
| | F | 16 | — | — | — | 2 | 1 | 5 | 4 | 3 | 1 | 7 | — | — | — | — | 1 | — | 4 | 1 | 1 |
| 15 Cerebral hæmorrhage, &c. | M | 81 | — | — | — | — | — | 5 | 21 | 31 | 24 | 62 | — | — | — | — | — | — | 9 | 33 | 20 |
| | F | 75 | — | — | — | — | — | 5 | 28 | 21 | 21 | 67 | — | — | — | — | — | 2 | 21 | 21 | 23 |
| 16 Heart disease | M | 145 | — | — | — | 1 | — | 12 | 53 | 51 | 28 | 118 | — | — | — | 1 | 1 | 4 | 29 | 40 | 43 |
| | F | 134 | — | — | 1 | 3 | 2 | 11 | 31 | 38 | 48 | 123 | — | — | 1 | 1 | 4 | 4 | 31 | 39 | 43 |
| 17 Arterio-sclerosis | M | 51 | — | — | — | — | — | — | 5 | 27 | 19 | 38 | — | — | — | — | — | — | 4 | 9 | 25 |
| | F | 29 | — | — | — | — | — | — | 1 | 13 | 15 | 31 | — | — | — | — | — | — | 3 | 6 | 22 |
| 18 Bronchitis | M | 70 | 13 | 5 | 2 | — | — | 1 | 11 | 15 | 23 | 44 | 5 | 2 | 3 | — | — | 2 | 7 | 10 | 15 |
| | F | 59 | 6 | 4 | 6 | — | 1 | 1 | 4 | 10 | 27 | 37 | 4 | — | — | — | — | — | 3 | 7 | 23 |
| 19 Pneumonia (all forms) | M | 83 | 14 | 8 | 7 | 5 | 8 | 19 | 14 | 3 | 5 | 37 | 3 | 8 | 4 | — | 2 | 5 | 6 | 3 | 6 |
| | F | 64 | 5 | 11 | 2 | 4 | 1 | 12 | 15 | 8 | 6 | 47 | 6 | 3 | 2 | 1 | 1 | 3 | 12 | 9 | 10 |
| 20 Other respiratory diseases | M | 19 | — | 1 | 2 | 1 | — | 4 | 3 | 3 | 5 | 11 | — | — | 1 | — | 1 | 2 | 3 | 3 | 1 |
| | F | 16 | 2 | — | 1 | — | — | 4 | 3 | 2 | 4 | 8 | — | — | — | — | — | 2 | 2 | 2 | 2 |
| 21 Ulcer of stomach or duodenum | M | 6 | — | — | — | — | — | 2 | 4 | — | — | 4 | — | — | — | — | 1 | — | 1 | 2 | — |
| | F | 4 | — | — | — | — | 1 | — | 3 | — | — | 7 | — | — | — | — | — | 3 | 4 | — | — |
| 22 Diarrhœa, &c. | M | 18 | 11 | 3 | 2 | — | — | — | — | 1 | 1 | 12 | 6 | 1 | — | — | 1 | 1 | 1 | 1 | 1 |
| | F | 20 | 11 | 1 | 2 | — | — | 1 | 3 | 1 | 1 | 5 | 1 | — | — | — | — | — | 1 | 1 | 2 |
| 23 Appendicitis and typhlitis | M | 5 | — | — | — | 2 | — | 3 | — | — | — | 3 | — | — | — | — | — | — | 3 | — | — |
| | F | 7 | — | — | — | 1 | — | 2 | 3 | 1 | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 24 Cirrhosis of liver | M | 9 | — | — | — | — | — | 1 | 5 | 2 | 1 | 3 | — | — | — | — | — | — | 2 | 1 | — |
| | F | 5 | — | — | — | — | — | — | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 36 | — | — | 3 | — | — | 5 | 10 | 8 | 10 | 19 | — | — | — | — | — | — | 8 | 7 | 4 |
| | F | 38 | 1 | — | — | 1 | — | 6 | 8 | 11 | 11 | 32 | 1 | — | — | — | — | 6 | 4 | 12 | 9 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 10 | — | — | — | — | 3 | 7 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 73 | 71 | — | — | 1 | 1 | — | — | — | — | 40 | 39 | — | — | — | 1 | — | — | — | — |
| | F | 59 | 58 | — | 1 | — | — | — | — | — | — | 35 | 34 | 1 | — | — | — | — | — | — | — |
| 29 Suicide | M | 16 | — | — | — | — | 3 | 4 | 7 | 1 | 1 | 14 | — | — | — | — | 1 | 4 | 8 | — | 1 |
| | F | 7 | — | — | — | — | 1 | 2 | 4 | — | — | 4 | — | — | — | — | — | 1 | 2 | — | 1 |
| 30 Other deaths from violence | M | 45 | 2 | 2 | 1 | 4 | 10 | 7 | 11 | 5 | 3 | 22 | — | — | 3 | 1 | 5 | 4 | 7 | — | 2 |
| | F | 18 | 4 | 2 | 1 | 1 | 3 | — | 1 | 1 | 5 | 7 | — | — | — | — | 2 | — | 1 | 2 | 2 |
| 31 Other defined diseases | M | 200 | 31 | 6 | 8 | 8 | 13 | 13 | 33 | 31 | 57 | 184 | 29 | 1 | 2 | 2 | 7 | 12 | 25 | 34 | 72 |
| | F | 191 | 26 | 7 | 6 | 4 | 3 | 15 | 30 | 30 | 70 | 191 | 13 | 2 | 1 | 5 | 5 | 16 | 32 | 31 | 86 |
| 32 Causes ill-defined or unknown | M | 8 | — | — | — | — | — | 1 | 5 | 2 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 6 | — | — | — | 1 | — | 1 | 3 | 1 | — | 5 | — | — | — | — | — | — | 4 | 1 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, WEST RIDING—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 7102 | 1046 | 251 | 221 | 235 | 328 | 768 | 1950 | 1413 | 890 | 2265 | 381 | 73 | 70 | 79 | 117 | 251 | 463 | 435 | 396 |
| | F | 6866 | 778 | 227 | 216 | 231 | 295 | 745 | 1624 | 1399 | 1351 | 2078 | 314 | 84 | 67 | 63 | 96 | 206 | 435 | 397 | 416 |
| 1 Enteric fever .. | M | 12 | — | — | — | 1 | 2 | 8 | 1 | — | — | 6 | — | — | — | — | 2 | 3 | 1 | — | — |
| | F | 14 | — | — | — | 3 | 2 | 7 | 2 | — | — | 3 | — | — | — | 1 | 2 | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 91 | 23 | 40 | 22 | 6 | — | — | — | — | — | 24 | 7 | 7 | 9 | 1 | — | — | — | — | — |
| | F | 89 | 23 | 27 | 30 | 8 | — | 1 | — | — | — | 20 | 3 | 8 | 6 | 3 | — | — | — | — | — |
| 4 Scarlet fever .. | M | 17 | 2 | 1 | 5 | 8 | 1 | — | — | — | — | 6 | — | — | 3 | 2 | 1 | — | — | — | — |
| | F | 23 | — | — | 9 | 12 | — | 2 | — | — | — | 6 | — | 2 | — | 2 | 2 | — | — | — | — |
| 5 Whooping cough .. | M | 49 | 21 | 11 | 15 | 2 | — | — | — | — | — | 21 | 13 | 5 | 3 | — | — | — | — | — | — |
| | F | 68 | 28 | 15 | 23 | 2 | — | — | — | — | — | 23 | 5 | 6 | 12 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 22 | 1 | 3 | 10 | 6 | 1 | — | 1 | — | — | 7 | 1 | 3 | 2 | 1 | — | — | — | — | — |
| | F | 35 | — | 7 | 11 | 16 | — | — | 1 | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| 7 Influenza .. .. | M | 174 | 7 | 2 | 3 | 4 | 14 | 36 | 59 | 37 | 12 | 76 | 4 | 1 | — | 3 | 3 | 21 | 19 | 16 | 9 |
| | F | 171 | 6 | 2 | 5 | 7 | 8 | 38 | 40 | 37 | 28 | 64 | — | — | 2 | 2 | 4 | 8 | 20 | 17 | 11 |
| 8 Encephalitis lethargica .. | M | 6 | — | — | — | 2 | 2 | 2 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| | F | 7 | — | — | 2 | 1 | 2 | — | 2 | — | — | 3 | — | — | 1 | — | — | — | 2 | — | — |
| 9 Meningococcal meningitis .. | M | 3 | — | — | 1 | 1 | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 3 | — | — | — | 2 | — | 1 | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 443 | 7 | 5 | 12 | 12 | 72 | 177 | 139 | 19 | — | 115 | 1 | — | 1 | 5 | 22 | 46 | 35 | 4 | 1 |
| | F | 402 | 3 | 1 | 6 | 28 | 111 | 155 | 84 | 9 | 5 | 110 | — | 2 | 1 | 8 | 31 | 47 | 18 | 3 | — |
| 11 Other tuberculous diseases .. .. | M | 177 | 22 | 26 | 33 | 32 | 26 | 18 | 16 | 3 | 1 | 48 | 8 | 6 | 10 | 9 | 9 | 5 | 1 | — | — |
| | F | 143 | 13 | 23 | 23 | 17 | 22 | 24 | 16 | 4 | 1 | 57 | 5 | 14 | 6 | 11 | 13 | 4 | 2 | 1 | 1 |
| 12 Cancer, malignant disease .. .. | M | 565 | 1 | — | 2 | 1 | 5 | 30 | 286 | 184 | 56 | 201 | 1 | — | 1 | 1 | 3 | 11 | 85 | 70 | 29 |
| | F | 749 | — | — | 2 | 1 | 5 | 78 | 351 | 220 | 92 | 228 | — | — | — | — | 1 | 21 | 106 | 70 | 30 |
| 13 Rheumatic fever .. | M | 23 | — | — | 2 | 9 | 6 | 1 | 5 | — | — | 11 | — | — | — | 4 | 4 | 2 | 1 | — | — |
| | F | 29 | — | — | 1 | 5 | 10 | 9 | 2 | 1 | 1 | 8 | — | — | — | — | 5 | 2 | 1 | — | — |
| 14 Diabetes .. .. | M | 79 | — | — | — | 6 | 5 | 10 | 30 | 20 | 8 | 18 | — | — | — | — | 1 | 4 | 7 | 4 | 2 |
| | F | 82 | — | — | 1 | — | 4 | 8 | 33 | 26 | 10 | 28 | — | — | — | — | — | 4 | 15 | 6 | 3 |
| 15 Cerebral hæmorrhage, &c. .. | M | 439 | 2 | — | — | — | 2 | 7 | 146 | 173 | 109 | 135 | — | — | — | 1 | — | 1 | 30 | 51 | 52 |
| | F | 545 | — | — | — | — | 2 | 16 | 148 | 216 | 163 | 159 | — | — | — | — | — | 5 | 40 | 52 | 62 |
| 16 Heart disease .. | M | 793 | 2 | 1 | — | 12 | 22 | 74 | 315 | 245 | 122 | 232 | — | — | — | 2 | 7 | 32 | 57 | 73 | 61 |
| | F | 960 | — | 1 | — | 22 | 20 | 79 | 307 | 301 | 230 | 277 | — | — | 1 | 5 | 5 | 23 | 72 | 100 | 71 |
| 17 Arterio-sclerosis .. | M | 282 | — | — | — | — | — | 2 | 66 | 116 | 98 | 81 | — | — | — | — | — | 1 | 13 | 40 | 27 |
| | F | 176 | — | — | — | — | — | 1 | 25 | 56 | 94 | 44 | — | — | — | — | — | — | 6 | 11 | 27 |
| 18 Bronchitis .. | M | 579 | 87 | 13 | 10 | 2 | 1 | 20 | 132 | 186 | 128 | 155 | 30 | 7 | 4 | — | 1 | 5 | 22 | 43 | 43 |
| | F | 553 | 65 | 13 | 3 | 1 | 1 | 14 | 82 | 153 | 221 | 137 | 26 | 8 | 1 | 1 | — | 6 | 18 | 35 | 42 |
| 19 Pneumonia (all forms) .. .. | M | 692 | 160 | 78 | 48 | 34 | 34 | 90 | 141 | 74 | 33 | 201 | 52 | 19 | 14 | 8 | 13 | 32 | 40 | 13 | 10 |
| | F | 456 | 90 | 83 | 45 | 21 | 17 | 43 | 65 | 56 | 36 | 159 | 39 | 28 | 16 | 11 | 3 | 15 | 18 | 14 | 15 |
| 20 Other respiratory diseases .. ... | M | 104 | 6 | 3 | 6 | 6 | 5 | 17 | 32 | 17 | 12 | 36 | 2 | 2 | 1 | 5 | 1 | 3 | 10 | 6 | 6 |
| | F | 92 | 6 | 3 | 4 | 6 | 1 | 6 | 23 | 19 | 24 | 19 | 1 | — | 1 | — | 1 | — | 6 | 2 | 8 |
| 21 Ulcer of stomach or duodenum .. | M | 71 | — | 1 | — | — | — | 26 | 32 | 10 | 2 | 15 | — | — | — | — | 2 | 4 | 7 | 2 | — |
| | F | 24 | — | — | — | — | — | 8 | 12 | 4 | — | 9 | — | — | — | — | 1 | 1 | 5 | 2 | — |
| 22 Diarrhœa, &c. .. | M | 128 | 82 | 15 | 6 | 4 | 2 | 1 | 7 | 6 | 5 | 62 | 40 | 5 | 5 | 2 | — | 1 | 2 | 6 | 1 |
| | F | 134 | 74 | 17 | 5 | 4 | 2 | 6 | 9 | 11 | 6 | 45 | 24 | 6 | 6 | — | — | 2 | 1 | 2 | 4 |
| 23 Appendicitis and typhlitis.. .. | M | 60 | — | 1 | 1 | 11 | 15 | 16 | 11 | 3 | 2 | 12 | — | — | — | 2 | 6 | 1 | 1 | 1 | 1 |
| | F | 37 | — | — | 4 | 8 | 6 | 4 | 5 | 8 | 2 | 6 | — | — | — | — | 1 | 2 | 1 | 2 | — |
| 24 Cirrhosis of liver .. | M | 40 | — | — | — | — | — | 5 | 24 | 9 | 2 | 11 | — | — | — | — | — | 1 | 5 | 5 | — |
| | F | 25 | — | — | — | 1 | — | 1 | 20 | 1 | 2 | 6 | — | — | — | — | 1 | 1 | 2 | 2 | — |
| 25 Acute and chronic nephritis .. | M | 227 | 2 | 2 | 5 | 6 | 9 | 22 | 101 | 58 | 22 | 64 | — | — | — | 3 | 1 | 7 | 28 | 17 | 8 |
| | F | 224 | — | 1 | 3 | 6 | 15 | 29 | 88 | 54 | 28 | 59 | — | 1 | 3 | — | 3 | 7 | 23 | 12 | 10 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 35 | — | — | — | — | 8 | 27 | — | — | — | 19 | — | — | — | — | 6 | 13 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 59 | — | — | — | — | 5 | 54 | — | — | — | 21 | — | — | — | — | 7 | 13 | 1 | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 419 | 414 | 2 | — | — | 1 | 2 | — | — | — | 160 | 150 | 4 | 3 | 2 | 1 | — | — | — | — |
| | F | 330 | 325 | — | 4 | — | — | — | 1 | — | — | 150 | 150 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 74 | — | — | — | — | 4 | 20 | 37 | 11 | 2 | 24 | — | — | — | — | 2 | 10 | 7 | 4 | 1 |
| | F | 47 | — | — | — | — | 8 | 15 | 20 | 3 | 1 | 4 | — | — | — | — | — | 1 | 2 | — | 1 |
| 30 Other deaths from violence.. .. | M | 339 | 3 | 11 | 16 | 34 | 59 | 88 | 100 | 18 | 10 | 130 | 2 | 4 | 5 | 15 | 21 | 34 | 33 | 8 | 8 |
| | F | 124 | 15 | 4 | 11 | 19 | 7 | 8 | 25 | 13 | 22 | 44 | 2 | 2 | 6 | 7 | 1 | 4 | 7 | 10 | 5 |
| 31 Other defined diseases .. .. | M | 1172 | 203 | 34 | 24 | 36 | 38 | 90 | 262 | 219 | 266 | 407 | 70 | 9 | 9 | 12 | 16 | 27 | 56 | 71 | 137 |
| | F | 1219 | 130 | 27 | 24 | 41 | 38 | 111 | 257 | 207 | 384 | 362 | 58 | 6 | 3 | 10 | 9 | 27 | 68 | 55 | 126 |
| 32 Causes ill-defined or unknown .. | M | 22 | 1 | 2 | — | — | 1 | 6 | 7 | 5 | — | 5 | — | 1 | — | — | — | — | 3 | 1 | — |
| | F | 11 | — | 3 | — | — | 1 | — | 6 | — | 1 | 3 | — | 1 | — | — | — | — | 1 | 1 | — |

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ANGLESEY—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 154 | 18 | 4 | 2 | 6 | 10 | 21 | 48 | 20 | 25 | 222 | 23 | 3 | 7 | 4 | 9 | 19 | 43 | 50 | 64 |
| | F | 139 | 17 | 3 | 1 | 5 | 7 | 18 | 25 | 26 | 37 | 240 | 26 | 2 | 2 | 9 | 10 | 33 | 52 | 41 | 65 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | 2 | — | — | 1 | — | — | — | — | — |
| 6 Diphtheria .. | M | 2 | — | — | 1 | 1 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 7 Influenza .. .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 12 | 1 | 1 | — | — | 1 | 1 | 2 | 4 | 2 |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 17 | 3 | — | — | 1 | — | 1 | — | 4 | 8 |
| 8 Encephalitis lethargica .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 16 | 1 | — | — | — | 6 | 3 | 5 | 1 | — | 9 | — | — | — | — | 3 | 6 | — | — | — |
| | F | 12 | — | — | — | — | 4 | 6 | 1 | 1 | — | 28 | — | — | — | 1 | 6 | 14 | 7 | — | — |
| 11 Other tuberculous diseases .. .. | M | 4 | — | 1 | — | 1 | — | 1 | 1 | — | — | 5 | — | — | 1 | 1 | 1 | 1 | 1 | — | — |
| | F | 3 | — | — | — | 1 | — | 1 | 1 | — | — | 6 | — | — | — | 1 | 2 | 3 | — | — | — |
| 12 Cancer, malignant disease .. .. | M | 14 | — | — | — | — | — | 2 | 9 | 1 | 2 | 25 | — | — | — | — | — | — | 13 | 8 | 4 |
| | F | 21 | — | — | — | — | — | 2 | 5 | 9 | 5 | 32 | — | — | — | — | — | 3 | 14 | 12 | 3 |
| 13 Rheumatic fever .. | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes .. .. | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | 1 |
| 15 Cerebral hæmorrhage, &c. .. | M | 13 | — | — | — | — | — | — | 6 | 3 | 4 | 12 | — | — | — | — | — | — | 2 | 2 | 8 |
| | F | 18 | — | — | — | — | — | 1 | 3 | 5 | 9 | 23 | — | — | — | — | — | 2 | 8 | 3 | 10 |
| 16 Heart disease .. | M | 21 | — | — | — | — | 1 | 3 | 7 | 3 | 7 | 37 | — | — | — | — | — | 1 | 4 | 17 | 15 |
| | F | 10 | — | — | — | — | 1 | 1 | 1 | 2 | 5 | 32 | — | — | — | 1 | — | 1 | 6 | 8 | 16 |
| 17 Arterio-sclerosis .. | M | 4 | — | — | — | — | — | — | 1 | 2 | 1 | 8 | — | — | — | — | — | — | — | 3 | 5 |
| | F | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 3 | — | — | — | — | — | — | 1 | — | 2 |
| 18 Bronchitis .. | M | 4 | 1 | — | — | — | — | — | 2 | 1 | — | 9 | — | — | 1 | — | — | — | 3 | 1 | 4 |
| | F | 6 | — | — | — | — | — | — | 1 | 1 | 4 | 5 | — | — | — | — | — | — | 2 | 2 | 1 |
| 19 Pneumonia (all forms) .. .. | M | 17 | 5 | 1 | — | — | 1 | 6 | 2 | 1 | 1 | 8 | — | 2 | — | — | — | — | 3 | 2 | 1 |
| | F | 6 | 1 | 1 | — | — | — | 1 | 3 | — | — | 6 | 1 | 1 | 1 | — | — | — | 1 | 2 | — |
| 20 Other respiratory diseases .. .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 3 | — | — | — | — | — | 1 | — | 1 | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 21 Ulcer of stomach or duodenum .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 4 | — | — | — | — | — | 1 | 2 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. .. | M | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | 2 | — | 1 | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis.. .. | M | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 2 | — | — | — | 1 | — | — | 1 | — | — | 2 | — | — | — | 2 | — | — | — | — | — |
| 24 Cirrhosis of liver .. | M | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 6 | — | — | 1 | — | — | — | 3 | 1 | 1 | 6 | — | — | — | — | — | — | — | 3 | 3 |
| | F | 5 | — | — | — | — | — | — | 4 | 1 | — | 7 | — | 1 | — | — | — | 1 | 1 | 1 | 3 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 5 | — | — | — | — | 1 | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 8 | 8 | — | — | — | — | — | — | — | — | 12 | 11 | — | 1 | — | — | — | — | — | — |
| | F | 8 | 8 | — | — | — | — | — | — | — | — | 10 | 10 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence.. .. | M | 7 | — | — | — | 1 | 2 | — | 4 | — | — | 6 | — | — | 1 | — | 2 | 2 | 1 | — | — |
| | F | 2 | — | — | — | — | — | 1 | — | — | 1 | 3 | — | — | 1 | — | — | — | 1 | — | 1 |
| 31 Other defined diseases .. .. | M | 25 | 3 | 1 | — | 1 | — | 3 | 4 | 5 | 8 | 46 | 6 | — | 2 | 1 | 1 | 5 | 8 | 3 | 20 |
| | F | 28 | 6 | 2 | — | 1 | 1 | — | 3 | 5 | 10 | 51 | 8 | — | — | — | — | 4 | 10 | 9 | 20 |
| 32 Causes ill-defined or unknown .. | M | 2 | — | — | — | — | — | 1 | — | 1 | — | 11 | 1 | — | — | — | 1 | — | 3 | 5 | 1 |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | 1 | — | 1 | — | — |

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BRECKNOCK—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| All Causes | M | 114 | 10 | 4 | 5 | 3 | 8 | 11 | 31 | 23 | 19 | 256 | 44 | 3 | 8 | 4 | 8 | 28 | 66 | 50 | 45 |
| | F | 108 | 9 | 3 | 4 | 7 | 6 | 13 | 25 | 21 | 20 | 226 | 25 | 9 | 10 | 12 | 11 | 22 | 37 | 44 | 56 |
| 1 Enteric fever | M | 3 | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 2 | — | 1 | 1 | — | — | — | — | — | — | 3 | 2 | — | 1 | — | — | — | — | — | — |
| | F | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 4 | 1 | 2 | — | 1 | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 5 Whooping cough | M | 2 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 7 | 3 | 3 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| 7 Influenza | M | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 6 | — | — | — | — | 2 | 2 | 1 | 1 | — | 11 | — | — | — | — | 4 | 6 | 1 | — | — |
| | F | 9 | — | — | — | — | 2 | 5 | 2 | — | — | 15 | — | — | — | 2 | 4 | 5 | 4 | — | — |
| 11 Other tuberculous diseases | M | 3 | — | — | — | — | — | 3 | — | — | — | 2 | 1 | — | — | — | 1 | — | — | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | 5 | — | — | — | 2 | — | 3 | — | — | — |
| 12 Cancer, malignant disease | M | 7 | — | — | — | — | — | — | 2 | 4 | 1 | 19 | — | — | — | — | — | 3 | 9 | 6 | 1 |
| | F | 19 | — | — | — | — | — | 2 | 8 | 5 | 4 | 14 | — | — | — | — | — | — | 8 | 2 | 4 |
| 13 Rheumatic fever | M | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 3 | — | — | — | — | — | — | 2 | 1 | — |
| 15 Cerebral hæmorrhage, &c. | M | 4 | — | — | — | — | — | — | 1 | 1 | 2 | 22 | — | — | — | — | — | — | 5 | 11 | 6 |
| | F | 9 | — | — | — | — | — | 1 | 1 | 3 | 4 | 14 | — | — | — | — | — | — | 2 | 4 | 8 |
| 16 Heart disease | M | 13 | — | — | — | — | — | 1 | 5 | 3 | 4 | 35 | — | — | — | — | — | — | 11 | 11 | 13 |
| | F | 16 | — | — | — | 1 | 1 | 1 | 7 | 4 | 2 | 31 | — | — | — | — | — | 5 | 6 | 9 | 11 |
| 17 Arterio-sclerosis | M | 5 | — | — | — | — | — | — | — | 1 | 4 | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 18 Bronchitis | M | 7 | — | 1 | — | — | — | — | 2 | 2 | 2 | 27 | 2 | — | — | — | 1 | 1 | 5 | 13 | 5 |
| | F | 10 | 2 | 2 | — | — | — | 1 | 1 | 2 | 2 | 18 | 1 | — | 1 | 1 | — | — | 1 | 5 | 9 |
| 19 Pneumonia (all forms) | M | 7 | — | — | 1 | — | 2 | 1 | 3 | — | — | 16 | 4 | — | 2 | — | — | 4 | 4 | 2 | — |
| | F | 2 | — | — | — | 1 | — | — | — | — | 1 | 8 | 1 | 1 | 1 | — | — | — | — | 3 | 2 |
| 20 Other respiratory diseases | M | 2 | — | — | — | — | — | — | — | 2 | — | 5 | 1 | — | — | — | 1 | — | 2 | — | 1 |
| | F | 2 | — | — | 1 | — | — | — | 1 | — | — | 7 | — | 1 | 1 | — | 1 | — | 2 | 1 | 1 |
| 21 Ulcer of stomach or duodenum | M | — | — | — | — | — | — | — | — | — | — | 6 | — | — | — | — | 1 | 3 | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 Diarrhœa, &c. | M | 1 | — | — | — | — | — | — | — | — | 1 | 4 | 2 | 2 | — | — | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 5 | 3 | — | — | — | — | — | 1 | — | 1 |
| 23 Appendicitis and typhlitis | M | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | 1 | 1 | — | 2 | — | — | — |
| | F | 2 | — | — | — | — | 1 | — | — | 1 | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 1 | — | — | — | — | — | — | — | 1 | — | 9 | — | — | — | — | — | — | 6 | 2 | 1 |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 5 | — | — | 1 | — | 3 | — | 1 | — | — |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | 2 | 1 | — | — | — | 4 | — | — | — | — | 1 | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 7 | 6 | — | 1 | — | — | — | — | — | — | 23 | 23 | — | — | — | — | — | — | — | — |
| | F | 4 | 4 | — | — | — | — | — | — | — | — | 12 | 11 | 1 | — | — | — | — | — | — | — |
| 29 Suicide | M | 3 | — | — | — | — | — | — | 3 | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 30 Other deaths from violence | M | 4 | — | — | — | — | 1 | 1 | — | 2 | — | 5 | — | — | — | — | — | 1 | 3 | — | 1 |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 5 | — | — | 1 | 2 | — | — | — | — | 2 |
| 31 Other defined diseases | M | 32 | 4 | 1 | 1 | 2 | 1 | 1 | 12 | 5 | 5 | 50 | 9 | 1 | 2 | 1 | — | 3 | 13 | 4 | 17 |
| | F | 16 | 1 | — | — | 1 | — | — | 3 | 5 | 6 | 60 | 5 | 1 | 1 | 3 | 1 | 6 | 7 | 18 | 18 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | 3 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CARDIGAN—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 101 | 10 | 2 | 3 | 4 | 7 | 10 | 29 | 20 | 16 | 312 | 37 | 3 | 6 | 6 | 10 | 26 | 73 | 62 | 8 |
| | F | 128 | 5 | 2 | 2 | 3 | 5 | 17 | 19 | 32 | 43 | 371 | 17 | 4 | 2 | 3 | 16 | 36 | 60 | 78 | 13 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 5 Whooping cough | M | — | — | — | — | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | 1 | 2 | — | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 4 | — | — | 3 | 1 | — | — | — | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| 7 Influenza | M | 1 | — | — | — | — | — | — | 1 | — | — | 7 | 1 | — | — | — | — | — | 2 | 1 | |
| | F | 3 | — | — | — | — | — | 1 | — | 2 | — | 4 | — | — | — | — | — | — | — | 2 | |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 9 | — | — | — | — | 1 | 5 | 3 | — | — | 31 | 1 | — | — | 1 | 5 | 5 | 17 | 2 | — |
| | F | 14 | — | — | — | 1 | 5 | 5 | 2 | 1 | — | 34 | — | — | — | — | 11 | 14 | 7 | 1 | |
| 11 Other tuberculous diseases | M | 2 | — | — | — | 1 | 1 | — | — | — | — | 8 | 2 | — | 1 | 1 | 1 | 2 | 1 | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — |
| 12 Cancer, malignant disease | M | 12 | — | — | — | — | 1 | 1 | 6 | 3 | 1 | 25 | — | — | — | — | — | 1 | 7 | 11 | 6 |
| | F | 17 | — | — | — | — | — | 3 | 6 | 4 | 4 | 33 | — | — | — | — | — | — | 11 | 10 | 12 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 2 | — |
| 15 Cerebral hæmorrhage, &c. | M | 8 | — | — | — | — | 1 | — | 2 | 4 | 1 | 20 | — | — | — | — | — | — | 3 | 6 | 11 |
| | F | 9 | — | — | — | — | — | — | 1 | 3 | 5 | 31 | — | — | — | — | — | 1 | 4 | 10 | 16 |
| 16 Heart disease | M | 10 | — | — | — | 1 | — | — | 3 | 4 | 2 | 61 | — | — | — | — | — | 6 | 11 | 16 | 28 |
| | F | 22 | — | — | — | — | — | — | 3 | 10 | 9 | 73 | — | — | — | — | — | 4 | 8 | 28 | 33 |
| 17 Arterio-sclerosis | M | 4 | — | — | — | — | — | — | — | 3 | 1 | 8 | — | — | — | — | — | — | 5 | 1 | 2 |
| | F | 10 | — | — | — | — | — | — | 2 | 3 | 5 | 6 | — | — | — | — | — | — | 1 | 1 | 4 |
| 18 Bronchitis | M | 6 | — | — | — | — | — | — | 3 | 1 | 2 | 21 | 1 | 1 | — | — | — | — | 4 | 5 | 10 |
| | F | 6 | — | — | — | — | — | — | — | 2 | 4 | 22 | — | 1 | — | — | — | 1 | 2 | 4 | 14 |
| 19 Pneumonia (all forms) | M | 5 | — | 1 | — | — | — | 1 | 2 | — | 1 | 21 | 4 | 1 | — | — | 1 | 2 | 5 | 3 | 5 |
| | F | 10 | 3 | 1 | 1 | — | — | 2 | 1 | 2 | — | 18 | 1 | — | 1 | — | — | 1 | 3 | 5 | 7 |
| 20 Other respiratory diseases | M | 2 | — | — | 1 | — | — | — | — | — | 1 | 5 | — | — | — | — | — | — | 1 | 3 | 1 |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 6 | 1 | — | — | — | — | 1 | 1 | — | 3 |
| 21 Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | 2 | 1 | 1 | — | — | — | — | — | — | — | 3 | 2 | — | 1 | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis | M | 3 | — | — | 1 | 1 | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | — | — | 1 |
| 24 Cirrhosis of liver | M | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | — | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 4 | — | — | — | — | — | — | 1 | 1 | 2 | 13 | — | — | — | — | — | — | 3 | 4 | 6 |
| | F | 3 | — | — | — | — | — | 2 | 1 | — | — | 24 | — | — | — | — | — | 5 | 7 | 5 | 7 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 3 | — | — | — | — | — | 3 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 5 | 5 | — | — | — | — | — | — | — | — | 9 | 9 | — | — | — | — | — | — | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — | 7 | 7 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 4 | — | — | — | — | — | 1 | 2 | — | 1 | 3 | — | — | — | — | — | — | 3 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 1 | — | 1 |
| 30 Other deaths from violence | M | 3 | — | — | 1 | — | 1 | — | — | 1 | — | 8 | — | — | — | 1 | 1 | 4 | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 4 | — | — | — | — | 1 | 1 | 1 | 1 | — |
| 31 Other defined diseases | M | 17 | 4 | — | — | 1 | 1 | 1 | 4 | 2 | 4 | 49 | 12 | 1 | — | 1 | 2 | 3 | 8 | 5 | 17 |
| | F | 22 | — | 1 | — | — | — | — | 3 | 4 | 14 | 86 | 3 | — | 1 | 1 | 1 | 5 | 13 | 9 | 53 |
| 32 Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | 1 | — | — | 3 | 1 | — | — | — | — | — | — | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | — | — | 1 |

# Table 20—*contd.*

## Causes of Death at Different Periods of Life in the Administrative County of Carmarthen—1923 (Civilian population only).

| | Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes | M | 425 | 55 | 10 | 6 | 11 | 20 | 64 | 117 | 84 | 58 | 652 | 98 | 7 | 14 | 25 | 32 | 103 | 153 | 112 | 108 |
| | | F | 403 | 56 | 10 | 8 | 12 | 24 | 47 | 99 | 76 | 71 | 604 | 62 | 11 | 12 | 16 | 47 | 72 | 132 | 103 | 149 |
| 1 | Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | 3 | — | — | — | — |
| 2 | Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles | M | 3 | — | 2 | 1 | — | — | — | — | — | — | 7 | 3 | 1 | 2 | 1 | — | — | — | — | — |
| | | F | 4 | — | 2 | 1 | 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 4 | Scarlet fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 3 | — | — | 3 | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 5 | Whooping cough | M | — | — | — | — | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| | | F | 1 | 1 | — | — | — | — | — | — | — | — | 2 | — | 1 | 1 | — | — | — | — | — | — |
| 6 | Diphtheria | M | 3 | 1 | — | 1 | — | 1 | — | — | — | — | 5 | 1 | — | 1 | 3 | — | — | — | — | — |
| | | F | 3 | — | 2 | — | 1 | — | — | — | — | — | 6 | — | — | 3 | 3 | — | — | — | — | — |
| 7 | Influenza | M | 5 | — | — | — | — | — | 1 | 3 | 1 | — | 7 | — | 1 | — | — | 1 | 1 | 1 | 2 | 1 |
| | | F | 5 | — | — | — | — | 2 | — | 1 | 1 | 1 | 3 | — | — | — | — | — | 1 | 2 | — | — |
| 8 | Encephalitis lethargica | M | 1 | — | — | — | 1 | — | — | — | — | — | 3 | — | — | — | — | — | 2 | 1 | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 45 | — | 1 | 1 | — | 7 | 20 | 15 | 1 | — | 57 | 1 | — | — | 1 | 11 | 24 | 19 | 1 | — |
| | | F | 38 | — | — | — | 5 | 14 | 9 | 8 | 2 | — | 60 | — | — | — | 2 | 20 | 22 | 14 | 1 | 1 |
| 11 | Other tuberculous diseases | M | 7 | 2 | 1 | 1 | — | 2 | 1 | — | — | — | 22 | 2 | — | — | 6 | 2 | 7 | 5 | — | — |
| | | F | 14 | 1 | 2 | 3 | 1 | 1 | 5 | 1 | — | — | 12 | 1 | 2 | 2 | — | 4 | — | 2 | 1 | — |
| 12 | Cancer, malignant disease | M | 33 | — | — | — | — | — | 2 | 16 | 9 | 6 | 46 | — | — | — | — | — | 3 | 20 | 15 | 8 |
| | | F | 38 | — | — | — | — | — | 2 | 21 | 6 | 9 | 61 | — | — | — | — | — | 5 | 31 | 16 | 9 |
| 13 | Rheumatic fever | M | 1 | — | — | — | 1 | — | — | — | — | — | 3 | — | — | — | 1 | — | 2 | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 6 | — | — | — | 2 | 1 | 1 | 1 | 1 | — |
| 14 | Diabetes | M | 1 | — | — | — | — | — | — | — | 1 | — | 4 | — | — | — | — | 1 | 1 | — | 2 | — |
| | | F | 12 | — | — | — | — | 1 | 2 | 6 | 2 | 1 | 2 | — | — | — | — | — | — | 2 | — | — |
| 15 | Cerebral hæmorrhage, &c. | M | 31 | — | — | — | — | — | 1 | 10 | 12 | 8 | 37 | — | — | — | — | — | — | 10 | 12 | 15 |
| | | F | 16 | — | — | — | — | — | — | 5 | 8 | 3 | 44 | — | — | — | — | — | — | 5 | 18 | 21 |
| 16 | Heart disease | M | 69 | — | — | — | 2 | — | 6 | 19 | 28 | 14 | 77 | — | — | — | 2 | 1 | 4 | 24 | 27 | 19 |
| | | F | 70 | — | — | — | 1 | 2 | 5 | 22 | 24 | 16 | 103 | — | — | 1 | 2 | 3 | 7 | 27 | 25 | 38 |
| 17 | Arterio-sclerosis | M | 10 | — | — | — | — | — | — | 3 | 6 | 1 | 19 | — | — | — | — | — | — | 2 | 10 | 7 |
| | | F | 8 | — | — | — | — | — | — | 4 | 2 | 2 | 15 | — | — | — | — | — | 1 | 1 | 2 | 11 |
| 18 | Bronchitis | M | 17 | 4 | — | 1 | — | — | — | 5 | 4 | 3 | 35 | 6 | 1 | — | — | — | 4 | 9 | 4 | 11 |
| | | F | 21 | 4 | — | 1 | — | — | — | 3 | 7 | 6 | 32 | 3 | 2 | — | — | — | 1 | 5 | 8 | 13 |
| 19 | Pneumonia (all forms) | M | 30 | 3 | 4 | 1 | 1 | 1 | 7 | 7 | 4 | 2 | 32 | 3 | 1 | 4 | — | 2 | 4 | 7 | 6 | 5 |
| | | F | 31 | 4 | 3 | 2 | 1 | 1 | 7 | 5 | 5 | 3 | 20 | 3 | 1 | — | 1 | 3 | 1 | 4 | 6 | 1 |
| 20 | Other respiratory diseases | M | 6 | — | — | — | — | — | 2 | 1 | 2 | 1 | 14 | — | — | — | 1 | — | 1 | 6 | 6 | — |
| | | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 8 | — | — | 1 | — | — | — | 2 | 2 | 3 |
| 21 | Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 5 | — | — | — | — | — | 2 | 1 | 2 | — |
| | | F | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 | Diarrhœa, &c. | M | 13 | 10 | — | — | — | — | 1 | 1 | — | 1 | 10 | 7 | — | 1 | — | — | — | 1 | — | 1 |
| | | F | 9 | 7 | — | — | — | — | 1 | — | — | 1 | 8 | 3 | 1 | 1 | — | — | — | 1 | — | 2 |
| 23 | Appendicitis and typhlitis | M | 3 | — | — | — | 1 | 1 | 1 | — | — | — | 6 | — | — | — | 2 | 1 | 3 | — | — | — |
| | | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 7 | — | — | — | 2 | 4 | 1 | — | — | — |
| 24 | Cirrhosis of liver | M | 2 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 25 | Acute and chronic nephritis | M | 12 | — | — | — | — | 1 | — | 6 | 1 | 4 | 29 | — | — | — | — | 1 | 2 | 10 | 10 | 6 |
| | | F | 16 | — | — | — | — | 1 | 3 | 6 | 4 | 2 | 31 | — | — | — | — | — | 6 | 9 | 6 | 10 |
| 26 | Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 6 | — | — | — | — | — | 6 | — | — | — | 10 | — | — | — | — | 1 | 9 | — | — | — |
| 28 | Congenital debility and malformation, premature birth | M | 24 | 24 | — | — | — | — | — | — | — | — | 37 | 37 | — | — | — | — | — | — | — | — |
| | | F | 24 | 24 | — | — | — | — | — | — | — | — | 29 | 28 | — | 1 | — | — | — | — | — | — |
| 29 | Suicide | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 6 | — | — | — | — | — | 2 | 4 | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | 1 | — | 2 | — | — |
| 30 | Other deaths from violence | M | 34 | — | — | — | 2 | 6 | 14 | 11 | 1 | — | 58 | — | 2 | 1 | 5 | 9 | 28 | 12 | 1 | — |
| | | F | 6 | 1 | — | — | — | 1 | — | — | 3 | 1 | 7 | — | — | 1 | 1 | — | — | 1 | 1 | 3 |
| 31 | Other defined diseases | M | 69 | 11 | 2 | — | 2 | 1 | 7 | 16 | 12 | 18 | 117 | 33 | 1 | 2 | 2 | 3 | 11 | 17 | 13 | 35 |
| | | F | 72 | 14 | 1 | 1 | 2 | — | 5 | 13 | 11 | 25 | 116 | 22 | 3 | — | 3 | 6 | 13 | 18 | 15 | 36 |
| 32 | Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | 1 | — | — | 8 | 1 | — | — | — | — | 2 | 4 | 1 | — |
| | | F | 2 | — | — | — | — | — | — | 2 | — | — | 8 | — | — | — | — | 1 | 1 | 4 | 1 | 1 |

## TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CARNARVON—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts: All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts: All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 393 | 43 | 2 | 6 | 3 | 30 | 38 | 99 | 93 | 79 | 454 | 45 | 7 | 1 | 6 | 16 | 41 | 103 | 113 | 1 |
| | F | 424 | 29 | 8 | 4 | 6 | 17 | 50 | 89 | 93 | 128 | 462 | 42 | 4 | 5 | 12 | 17 | 53 | 113 | 86 | 1 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 5 Whooping cough | M | 1 | — | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza | M | 8 | 1 | — | — | — | — | 1 | 2 | 1 | 3 | 5 | 1 | — | — | — | — | — | 2 | 2 | — |
| | F | 10 | — | — | — | — | 1 | — | 2 | 4 | 3 | 7 | 2 | — | — | — | — | — | 2 | 2 | |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 41 | — | — | — | — | 16 | 14 | 11 | — | — | 50 | — | — | — | — | 8 | 15 | 21 | 6 | — |
| | F | 37 | — | 1 | — | 1 | 10 | 20 | 4 | 1 | — | 44 | — | — | — | 3 | 12 | 21 | 6 | 2 | — |
| 11 Other tuberculous diseases | M | 4 | — | — | — | 2 | 1 | 1 | — | — | — | 6 | 1 | 1 | — | 1 | 1 | 1 | 1 | — | — |
| | F | 6 | — | — | 1 | — | — | 1 | 2 | 1 | 1 | 8 | 2 | — | — | 1 | 1 | 2 | 2 | — | — |
| 12 Cancer, malignant disease | M | 41 | — | — | — | — | — | 1 | 16 | 20 | 4 | 45 | — | — | — | — | — | 1 | 11 | 25 | |
| | F | 53 | — | — | — | — | 1 | 2 | 22 | 15 | 13 | 58 | — | — | — | — | — | 5 | 28 | 15 | 1 |
| 13 Rheumatic fever | M | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | 2 | — | 1 | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | 5 | — | — | — | — | 1 | 1 | 2 | 1 | — |
| 14 Diabetes | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 3 | — | — | — | — | 1 | 1 | — | 1 | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| 15 Cerebral hæmorrhage, &c. | M | 27 | — | — | — | — | — | — | 11 | 11 | 5 | 42 | — | — | — | — | — | — | 12 | 14 | 1 |
| | F | 36 | — | — | — | — | — | 2 | 10 | 11 | 13 | 39 | — | — | — | — | — | — | 10 | 12 | 1 |
| 16 Heart disease | M | 47 | — | — | — | — | — | 5 | 13 | 14 | 15 | 62 | — | — | — | — | 1 | 3 | 17 | 19 | 2 |
| | F | 56 | — | — | — | 1 | 1 | 4 | 18 | 18 | 14 | 63 | — | — | — | 4 | — | 3 | 18 | 19 | 1 |
| 17 Arterio-sclerosis | M | 22 | — | — | — | — | — | 1 | 6 | 7 | 8 | 18 | — | — | — | — | — | 1 | 3 | 7 | 7 |
| | F | 10 | — | — | — | — | — | — | 1 | 3 | 6 | 16 | — | — | — | — | — | — | 5 | 3 | 8 |
| 18 Bronchitis | M | 20 | 4 | 1 | — | — | — | — | 1 | 2 | 12 | 20 | 2 | — | — | — | — | — | 4 | 1 | 13 |
| | F | 29 | 3 | — | — | — | — | 2 | 3 | 6 | 15 | 29 | 5 | — | 1 | — | 1 | 1 | 5 | 3 | 13 |
| 19 Pneumonia (all forms) | M | 27 | 6 | — | — | — | 1 | 4 | 7 | 7 | 2 | 25 | 4 | 2 | — | 1 | — | 1 | 9 | 7 | 1 |
| | F | 19 | 1 | 3 | 1 | — | — | 1 | 4 | 5 | 4 | 22 | 8 | — | 1 | 1 | — | — | 3 | 3 | 6 |
| 20 Other respiratory diseases | M | 7 | 1 | — | — | — | 2 | — | — | 2 | 2 | 7 | — | 1 | — | — | — | 1 | 1 | 2 | 2 |
| | F | 6 | — | 1 | — | — | — | 2 | — | 3 | — | 3 | — | — | — | — | — | — | 1 | 1 | 1 |
| 21 Ulcer of stomach or duodenum | M | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | — | — | 1 | 2 | 1 | — |
| 22 Diarrhœa, &c. | M | 7 | 3 | 1 | — | — | — | — | 2 | 1 | — | 4 | 3 | — | — | — | — | — | — | — | 1 |
| | F | 3 | — | — | — | — | — | — | — | — | 3 | 7 | 1 | — | — | — | 1 | 2 | — | — | 3 |
| 23 Appendicitis and typhlitis | M | 3 | — | — | — | 1 | 1 | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | 1 | — | 1 | 1 | — | — | — |
| 24 Cirrhosis of liver | M | 3 | — | — | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 21 | — | — | — | — | — | 3 | 9 | 6 | 3 | 25 | — | 1 | — | 1 | 1 | 1 | 8 | 7 | 6 |
| | F | 17 | — | — | — | — | — | 1 | 5 | 7 | 4 | 30 | — | — | — | — | — | 3 | 8 | 11 | 8 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | 1 | 3 | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 13 | 13 | — | — | — | — | — | — | — | — | 15 | 15 | — | — | — | — | — | — | — | — |
| | F | 21 | 20 | 1 | — | — | — | — | — | — | — | 8 | 8 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| 30 Other deaths from violence | M | 12 | — | — | 3 | — | 6 | — | 1 | 2 | — | 18 | — | — | — | 1 | — | 7 | 3 | 6 | 1 |
| | F | 4 | — | — | — | — | — | — | — | 2 | 2 | 4 | — | — | — | 1 | — | 1 | 1 | — | 1 |
| 31 Other defined diseases | M | 82 | 15 | — | 1 | — | 3 | 3 | 16 | 19 | 25 | 89 | 17 | 1 | — | — | 1 | 7 | 5 | 14 | 44 |
| | F | 96 | 4 | 1 | 1 | 3 | 1 | 7 | 15 | 15 | 49 | 98 | 15 | 3 | 2 | 1 | — | 4 | 17 | 13 | 43 |
| 32 Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | 1 | — | — | 7 | 1 | — | — | — | — | — | 4 | 1 | 1 |
| | F | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 1 | — | — | — | — | — | 1 | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DENBIGH—1923 (Civilian population only).

| | Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes | M | | 45 | 6 | 7 | 7 | 10 | 49 | 104 | 80 | 56 | 637 | 86 | 11 | 22 | 15 | 27 | 59 | 164 | 137 | 116 |
| | | F | 359 | 28 | 8 | 1 | 11 | 11 | 31 | 94 | 68 | 107 | 558 | 54 | 13 | 5 | 18 | 26 | 81 | 137 | 107 | 117 |
| 1 | Enteric fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| 2 | Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles | M | 1 | — | — | 1 | — | — | — | — | — | — | 4 | 1 | 1 | 2 | — | — | — | — | — | — |
| | | F | 2 | — | — | — | 1 | 1 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 4 | Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 | Whooping cough | M | 6 | 2 | 2 | 2 | — | — | — | — | — | — | 11 | 6 | 2 | 2 | 1 | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 5 | 2 | 2 | 1 | — | — | — | — | — | — |
| 6 | Diphtheria | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 | Influenza | M | 5 | — | — | — | — | 1 | — | 1 | 1 | 2 | 10 | 1 | — | — | — | 1 | — | 6 | 1 | 1 |
| | | F | 6 | — | — | — | — | — | — | 3 | 1 | 2 | 8 | — | — | — | — | 1 | 1 | 3 | 1 | 2 |
| 8 | Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | — |
| | | F | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis | M | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 0 | Tuberculosis of respiratory system | M | 22 | — | — | — | 3 | 2 | 8 | 9 | — | — | 30 | — | — | — | 1 | 5 | 13 | 10 | 1 | — |
| | | F | 25 | — | — | — | 1 | 3 | 12 | 6 | 3 | — | 39 | 1 | — | — | 5 | 6 | 23 | 4 | — | — |
| 1 | Other tuberculous diseases | M | 6 | — | 1 | 1 | — | 2 | 2 | — | — | — | 12 | — | — | 5 | 1 | 1 | 2 | 2 | 1 | — |
| | | F | 3 | — | — | 1 | 2 | — | — | — | — | — | 8 | 1 | 1 | 1 | — | — | 2 | 1 | 2 | — |
| 2 | Cancer, malignant disease | M | 45 | — | — | — | — | — | 4 | 14 | 19 | 8 | 58 | — | — | — | — | 3 | 4 | 26 | 19 | 6 |
| | | F | 45 | — | — | — | 1 | — | 4 | 19 | 11 | 10 | 72 | — | — | — | 1 | — | 7 | 34 | 23 | 7 |
| 3 | Rheumatic fever | M | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | 1 | 1 | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 4 | Diabetes | M | 2 | — | — | — | — | — | — | — | 1 | 1 | 5 | — | — | — | — | — | 1 | 3 | 1 | — |
| | | F | 4 | — | — | — | — | — | — | 1 | 3 | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 5 | Cerebral hæmorrhage, &c. | M | 25 | — | — | — | — | — | — | 6 | 11 | 8 | 56 | — | — | — | — | — | — | 16 | 23 | 17 |
| | | F | 35 | — | — | — | — | — | — | 7 | 12 | 16 | 54 | — | — | — | — | — | 1 | 14 | 17 | 22 |
| 6 | Heart disease | M | 55 | — | — | — | 1 | 1 | 7 | 19 | 16 | 11 | 84 | — | — | — | 3 | — | 3 | 21 | 32 | 25 |
| | | F | 66 | — | — | — | — | — | 3 | 19 | 20 | 24 | 103 | — | — | — | 1 | — | 8 | 29 | 32 | 33 |
| 7 | Arterio-sclerosis | M | 17 | — | — | — | — | — | 1 | 4 | 4 | 8 | 15 | — | — | — | — | — | — | 6 | 6 | 3 |
| | | F | 12 | — | — | — | — | — | — | 3 | 1 | 8 | 8 | — | — | — | — | — | — | 3 | 1 | 4 |
| 8 | Bronchitis | M | 15 | 3 | — | — | — | — | 1 | 5 | 5 | 1 | 40 | 4 | — | 1 | — | — | — | 6 | 14 | 15 |
| | | F | 24 | 3 | — | — | — | — | — | 7 | 3 | 11 | 37 | 5 | — | — | 1 | — | 1 | 6 | 6 | 18 |
| 9 | Pneumonia (all forms) | M | 29 | 9 | 2 | 2 | — | 1 | 3 | 7 | 3 | 2 | 57 | 11 | 4 | 6 | 2 | 2 | 5 | 13 | 10 | 4 |
| | | F | 19 | 3 | 5 | — | 1 | — | 2 | 5 | — | 3 | 40 | 8 | 7 | 2 | 2 | 2 | 6 | 6 | 4 | 3 |
| 0 | Other respiratory diseases | M | 3 | 1 | — | — | — | — | — | 1 | — | 1 | 10 | — | 2 | — | — | — | 1 | 2 | 2 | 3 |
| | | F | 9 | — | — | — | 1 | 1 | — | 1 | 1 | 5 | 6 | — | — | — | 1 | — | — | 3 | 2 | — |
| 1 | Ulcer of stomach or duodenum | M | 3 | — | — | — | — | — | 1 | 2 | — | — | 4 | — | — | — | — | — | 1 | 1 | 1 | 1 |
| | | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | 1 | — | — | 2 | 1 | — |
| 2 | Diarrhœa, &c. | M | 2 | 1 | — | — | — | — | — | 1 | — | — | 12 | 7 | — | — | — | — | 1 | 1 | 1 | 2 |
| | | F | 7 | 5 | — | — | — | — | — | 2 | — | — | 10 | 5 | 1 | — | 1 | 1 | — | 1 | — | 1 |
| 3 | Appendicitis and typhlitis | M | 2 | — | — | — | — | — | 1 | — | — | 1 | 5 | — | — | 1 | 1 | — | 2 | 1 | — | — |
| | | F | 5 | — | — | — | 2 | 2 | 1 | — | — | — | 3 | — | — | — | — | 1 | — | 2 | — | — |
| 4 | Cirrhosis of liver | M | 5 | — | — | — | — | — | — | 5 | — | — | 5 | — | — | — | — | — | — | 4 | — | 1 |
| | | F | 3 | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 | Acute and chronic nephritis | M | 19 | — | — | — | — | — | 4 | 5 | 7 | 3 | 24 | — | — | 1 | — | 2 | 1 | 10 | 6 | 4 |
| | | F | 11 | — | — | — | 1 | — | 1 | 3 | 5 | 1 | 21 | — | — | — | 1 | — | 6 | 8 | 6 | — |
| 6 | Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | 8 | — | — | — | — | — | 8 | — | — | — |
| 7 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 13 | — | — | — | — | — | 12 | 1 | — | — |
| 8 | Congenital debility and malformation, premature birth | M | 17 | 17 | — | — | — | — | — | — | — | — | 41 | 40 | 1 | — | — | — | — | — | — | — |
| | | F | 10 | 9 | — | — | — | 1 | — | — | — | — | 20 | 20 | — | — | — | — | — | — | — | — |
| 9 | Suicide | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 2 | — | — | — | — | 1 | — | — | 1 | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 0 | Other deaths from violence | M | 16 | 1 | — | 1 | 1 | 1 | 4 | 6 | 1 | 1 | 37 | — | — | 2 | 2 | 8 | 10 | 11 | 3 | 1 |
| | | F | 4 | — | 1 | — | — | — | — | 1 | — | 2 | 6 | — | — | — | 1 | — | — | — | — | 5 |
| 1 | Other defined diseases | M | 61 | 11 | 1 | — | 1 | 1 | 10 | 17 | 11 | 9 | 106 | 16 | 1 | 2 | 2 | 3 | 13 | 22 | 14 | 33 |
| | | F | 64 | 8 | 2 | — | 1 | 2 | 5 | 14 | 8 | 24 | 84 | 11 | 2 | 1 | 3 | 11 | 6 | 18 | 10 | 22 |
| 2 | Causes ill-defined or unknown | M | 3 | — | — | — | — | — | 2 | 1 | — | — | 4 | — | — | — | — | — | 1 | 2 | 1 | — |
| | | F | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | — | 2 | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of FLINT—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES .. | M | 236 | 25 | 4 | 9 | 6 | 10 | 36 | 55 | 43 | 48 | 436 | 59 | 6 | 13 | 9 | 25 | 46 | 116 | 92 | |
| | F | 246 | 21 | 1 | 5 | 9 | 5 | 30 | 62 | 49 | 64 | 417 | 35 | 4 | 9 | 12 | 13 | 47 | 99 | 82 | 1 |
| 1 Enteric fever .. | M | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | 3 | 1 | 1 | — | 1 | — | — | — | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — | 5 | 2 | — | 3 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | 2 | — | — | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| 7 Influenza .. .. | M | 14 | — | — | 1 | 2 | 1 | 4 | 2 | 1 | 3 | 11 | 2 | — | — | — | — | 2 | 3 | 1 | |
| | F | 10 | — | — | — | 1 | — | 3 | 3 | 2 | 1 | 13 | — | — | — | 1 | — | 4 | 2 | 3 | |
| 8 Encephalitis lethargica .. | M | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 18 | — | — | — | — | 3 | 6 | 6 | 2 | 1 | 34 | — | — | 1 | — | 7 | 12 | 11 | 2 | |
| | F | 12 | — | — | — | 3 | 2 | 4 | 3 | — | — | 20 | — | — | — | 1 | 3 | 11 | 4 | 1 | — |
| 11 Other tuberculous diseases .. .. | M | 8 | — | 2 | 1 | 1 | 1 | 3 | — | — | — | 9 | 1 | — | 2 | 2 | 2 | 2 | — | — | — |
| | F | 5 | — | 1 | 2 | 1 | 1 | — | — | — | — | 6 | — | — | 2 | 2 | — | — | 1 | 1 | — |
| 12 Cancer, malignant disease .. .. | M | 25 | — | — | — | — | — | 2 | 15 | 6 | 2 | 41 | — | — | — | — | — | — | 22 | 14 | |
| | F | 38 | — | — | — | — | — | 4 | 21 | 6 | 7 | 49 | — | — | — | — | — | 4 | 16 | 15 | 1 |
| 13 Rheumatic fever .. | M | 4 | — | — | 1 | — | 1 | 2 | — | — | — | 3 | — | — | — | — | 2 | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 14 Diabetes .. .. | M | 3 | — | — | — | — | — | 1 | — | 1 | 1 | 4 | — | — | — | — | — | — | 3 | — | |
| | F | 3 | — | — | — | — | — | 1 | 2 | — | — | 3 | — | — | — | — | 2 | — | 1 | — | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 14 | — | — | — | — | — | — | 4 | 6 | 4 | 28 | — | — | — | — | — | — | 7 | 16 | |
| | F | 28 | — | — | — | — | — | — | 8 | 8 | 12 | 44 | — | — | — | — | 1 | 1 | 17 | 11 | 1 |
| 16 Heart disease .. | M | 24 | — | — | — | — | 1 | 2 | 3 | 8 | 10 | 40 | — | — | — | — | 1 | 2 | 9 | 19 | |
| | F | 19 | — | — | — | — | 1 | 1 | 3 | 8 | 6 | 57 | — | — | 1 | — | — | 3 | 17 | 22 | 1 |
| 17 Arterio-sclerosis .. | M | 5 | — | — | — | — | — | — | 2 | 1 | 2 | 16 | — | — | — | — | — | — | 2 | 8 | |
| | F | 12 | — | — | — | — | — | 1 | 2 | 3 | 6 | 5 | — | — | — | — | — | — | 1 | — | |
| 18 Bronchitis .. | M | 14 | 2 | — | — | — | — | 2 | 3 | 5 | 2 | 31 | 4 | — | — | — | — | — | 7 | 9 | 1 |
| | F | 10 | — | — | — | — | — | 1 | 4 | 3 | 2 | 16 | 4 | 1 | — | — | — | 1 | — | 3 | |
| 19 Pneumonia (all forms) .. .. | M | 30 | 8 | 1 | 2 | 1 | 2 | 3 | 6 | 3 | 4 | 37 | 8 | 1 | 2 | 1 | 2 | 9 | 10 | 4 | — |
| | F | 7 | 4 | — | — | — | — | — | 1 | 2 | — | 30 | 3 | 1 | 1 | 1 | 2 | 4 | 5 | 6 | |
| 20 Other respiratory diseases .. .. | M | 1 | — | — | — | — | — | — | — | — | 1 | 4 | — | — | — | — | — | 1 | 1 | 2 | — |
| | F | 3 | — | — | — | — | — | — | 2 | 1 | — | 4 | — | — | — | — | — | 1 | 1 | — | |
| 21 Ulcer of stomach or duodenum .. | M | 2 | — | — | — | — | — | 1 | 1 | — | — | 4 | — | — | — | — | 1 | 3 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 22 Diarrhœa, &c. .. | M | 3 | — | — | — | — | — | 1 | 1 | — | 1 | 4 | 3 | 1 | — | — | — | — | — | — | — |
| | F | 1 | 1 | — | — | — | — | — | — | — | — | 6 | 4 | — | — | — | — | — | — | 1 | |
| 23 Appendicitis and typhlitis.. .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| | F | 2 | — | — | — | — | 1 | — | 1 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 24 Cirrhosis of liver .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 6 | — | — | — | — | — | 2 | 1 | — | 3 | 8 | — | — | — | — | — | 1 | 5 | — | |
| | F | 12 | — | — | — | — | — | 2 | 4 | 3 | 3 | 16 | — | — | — | — | 1 | 2 | 8 | 4 | |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 4 | — | — | — | — | — | 4 | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 9 | 9 | — | — | — | — | — | — | — | — | 28 | 28 | — | — | — | — | — | — | — | — |
| | F | 7 | 7 | — | — | — | — | — | — | — | — | 14 | 14 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 1 | — | — | — | — | — | — | — | 1 | — | 3 | — | — | — | — | — | 1 | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 30 Other deaths from violence.. .. | M | 6 | — | — | 1 | 1 | — | 2 | 1 | 1 | — | 32 | — | — | 3 | 4 | 3 | 5 | 12 | 4 | |
| | F | 2 | — | — | — | — | — | — | 2 | — | — | 6 | — | — | — | 1 | — | — | 1 | 1 | |
| 31 Other defined diseases .. .. | M | 40 | 5 | 1 | 2 | — | 1 | 4 | 7 | 6 | 14 | 79 | 11 | 2 | 4 | — | 5 | 7 | 15 | 9 | 2 |
| | F | 58 | 6 | — | 1 | 2 | — | 9 | 5 | 8 | 27 | 99 | 8 | 1 | 1 | 4 | 1 | 12 | 18 | 10 | 4 |
| 32 Causes ill-defined or unknown .. | M | 3 | 1 | — | — | — | — | — | — | 2 | — | 9 | — | — | — | — | — | — | 5 | 4 | — |
| | F | 5 | — | — | — | — | — | — | — | 5 | — | 10 | — | — | — | — | — | — | 5 | 3 | |

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLAMORGAN—1923 (Civilian population only).

| | Causes of Death. | Sex. | Aggregate of Urban Districts. | | | | | | | | | | Aggregate of Rural Districts. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
| | All Causes | M | 3657 | 653 | 165 | 150 | 158 | 218 | 527 | 982 | 508 | 296 | 1082 | 188 | 31 | 39 | 47 | 56 | 140 | 254 | 184 | 143 |
| | | F | 3082 | 488 | 213 | 135 | 146 | 214 | 440 | 635 | 410 | 401 | 920 | 129 | 33 | 20 | 36 | 61 | 130 | 195 | 143 | 173 |
| 1 | Enteric fever | M | 7 | — | — | — | 1 | 2 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | Measles | M | 118 | 29 | 47 | 35 | 7 | — | — | — | — | — | 24 | 5 | 7 | 9 | 3 | — | — | — | — | — |
| | | F | 104 | 14 | 59 | 24 | 7 | — | — | — | — | — | 17 | 2 | 7 | 7 | 1 | — | — | — | — | — |
| 4 | Scarlet fever | M | 19 | 1 | 1 | 9 | 6 | 1 | 1 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| | | F | 14 | 1 | 3 | 3 | 6 | — | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 5 | Whooping cough | M | 43 | 27 | 8 | 6 | 2 | — | — | — | — | — | 12 | 7 | 1 | 4 | — | — | — | — | — | — |
| | | F | 53 | 20 | 21 | 9 | 3 | — | — | — | — | — | 9 | 5 | 3 | 1 | — | — | — | — | — | — |
| 6 | Diphtheria | M | 26 | 1 | 1 | 14 | 10 | — | — | — | — | — | 12 | — | 1 | 4 | 7 | — | — | — | — | — |
| | | F | 50 | 2 | 2 | 21 | 23 | — | 1 | 1 | — | — | 8 | — | — | 1 | 6 | 1 | — | — | — | — |
| 7 | Influenza | M | 65 | 1 | 1 | 1 | 1 | 4 | 14 | 32 | 9 | 2 | 21 | — | — | — | 2 | 1 | 4 | 9 | 4 | 1 |
| | | F | 44 | 4 | 1 | 6 | 1 | 3 | 7 | 9 | 11 | 2 | 15 | — | — | — | — | — | 2 | 5 | 6 | 2 |
| 8 | Encephalitis lethargica | M | 3 | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 | Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 | Tuberculosis of respiratory system | M | 234 | 1 | 2 | — | 4 | 47 | 112 | 60 | 8 | — | 86 | — | 1 | 1 | 2 | 17 | 40 | 21 | 4 | — |
| | | F | 258 | — | 1 | 1 | 12 | 102 | 114 | 27 | 1 | — | 74 | — | — | — | 4 | 34 | 30 | 5 | 1 | — |
| 11 | Other tuberculous diseases | M | 79 | 14 | 5 | 8 | 16 | 13 | 20 | 3 | — | — | 25 | 3 | 1 | 1 | 10 | 3 | 6 | 1 | — | — |
| | | F | 65 | 4 | 7 | 4 | 22 | 7 | 14 | 5 | 1 | 1 | 17 | — | 1 | — | 4 | 2 | 6 | 4 | — | — |
| 12 | Cancer, malignant disease | M | 235 | — | — | — | 1 | 2 | 22 | 133 | 61 | 16 | 72 | — | — | — | — | 1 | 5 | 38 | 19 | 9 |
| | | F | 270 | — | — | 1 | — | 3 | 44 | 136 | 56 | 30 | 94 | — | — | — | — | 1 | 12 | 49 | 21 | 11 |
| 13 | Rheumatic fever | M | 22 | — | — | — | 6 | 5 | 4 | 7 | — | — | 9 | — | — | 1 | 4 | 1 | 1 | — | 2 | — |
| | | F | 32 | — | — | 1 | 13 | 11 | 4 | 1 | 1 | 1 | 6 | — | — | — | 2 | 2 | 1 | — | — | 1 |
| 14 | Diabetes | M | 22 | — | — | — | 2 | 1 | 5 | 10 | 4 | — | 6 | — | — | — | — | 2 | 2 | 1 | 1 | — |
| | | F | 24 | — | — | — | — | 1 | 5 | 14 | 2 | 2 | 10 | — | — | — | 1 | 1 | — | 3 | 4 | 1 |
| 15 | Cerebral hæmorrhage, &c. | M | 191 | — | — | 1 | — | 1 | 7 | 78 | 69 | 35 | 59 | — | — | — | — | — | — | 21 | 20 | 18 |
| | | F | 192 | — | — | — | — | — | 8 | 69 | 64 | 51 | 73 | — | — | — | — | — | 2 | 25 | 18 | 28 |
| 16 | Heart disease | M | 371 | 1 | — | 1 | 17 | 18 | 52 | 146 | 90 | 46 | 87 | — | 1 | — | — | 5 | 4 | 33 | 29 | 15 |
| | | F | 357 | — | 1 | 2 | 14 | 14 | 46 | 132 | 85 | 63 | 103 | — | — | — | 1 | 3 | 10 | 33 | 30 | 26 |
| 17 | Arterio-sclerosis | M | 67 | — | — | — | — | — | 2 | 22 | 23 | 20 | 23 | — | — | — | — | — | — | 8 | 7 | 8 |
| | | F | 40 | — | — | — | — | — | 1 | 10 | 18 | 11 | 14 | — | — | — | — | — | — | 2 | 8 | 4 |
| 18 | Bronchitis | M | 283 | 48 | 12 | 5 | 1 | 1 | 11 | 91 | 64 | 50 | 81 | 15 | 4 | 1 | 2 | — | — | 17 | 27 | 15 |
| | | F | 209 | 40 | 12 | 7 | 2 | 3 | 5 | 38 | 46 | 56 | 57 | 7 | 1 | — | — | — | 1 | 8 | 14 | 26 |
| 19 | Pneumonia (all forms) | M | 332 | 79 | 49 | 22 | 14 | 17 | 37 | 80 | 24 | 10 | 84 | 24 | 4 | 5 | 3 | 1 | 17 | 17 | 10 | 3 |
| | | F | 218 | 56 | 54 | 21 | 10 | 8 | 21 | 22 | 15 | 11 | 51 | 12 | 4 | 4 | 4 | 1 | 6 | 9 | 8 | 3 |
| 20 | Other respiratory diseases | M | 64 | 2 | 4 | 3 | 1 | — | 13 | 20 | 17 | 4 | 25 | 2 | — | 2 | — | — | 2 | 9 | 6 | 4 |
| | | F | 38 | 5 | 3 | 2 | 1 | 3 | 6 | 7 | 3 | 8 | 12 | 2 | — | 1 | 1 | — | 2 | 3 | 2 | 1 |
| 21 | Ulcer of stomach or duodenum | M | 21 | — | — | — | — | 2 | 12 | 5 | 2 | — | 9 | — | — | — | — | 1 | 5 | 2 | 1 | — |
| | | F | 21 | — | — | — | — | 1 | 8 | 10 | 1 | 1 | 8 | — | — | — | — | 3 | 2 | 2 | — | 1 |
| 22 | Diarrhœa, &c. | M | 92 | 55 | 9 | 7 | 5 | 2 | 2 | 7 | 3 | 2 | 23 | 17 | 1 | 1 | 1 | 1 | — | 2 | — | — |
| | | F | 73 | 38 | 13 | 2 | — | 5 | 1 | 7 | 5 | 2 | 23 | 12 | 5 | 2 | — | — | — | 2 | 1 | 1 |
| 23 | Appendicitis and typhlitis | M | 26 | — | — | — | 8 | 10 | 5 | 3 | — | — | 4 | 1 | — | — | 1 | 1 | — | 1 | — | — |
| | | F | 10 | — | — | — | 3 | 1 | 4 | 2 | — | — | 12 | — | 1 | — | 7 | 3 | 1 | — | — | — |
| 24 | Cirrhosis of liver | M | 14 | — | — | — | — | 1 | 1 | 8 | 3 | 1 | 6 | — | — | — | — | — | 1 | 3 | 2 | — |
| | | F | 7 | — | — | — | — | — | — | 5 | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 25 | Acute and chronic nephritis | M | 94 | — | 1 | 3 | 5 | 9 | 18 | 37 | 11 | 10 | 27 | — | 1 | 1 | 1 | 1 | 3 | 11 | 6 | 3 |
| | | F | 89 | 1 | — | 1 | 5 | 5 | 18 | 38 | 13 | 8 | 21 | — | — | — | — | 2 | 5 | 11 | 2 | 1 |
| 26 | Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 30 | — | — | — | — | 7 | 23 | — | — | — | 9 | — | — | — | — | 2 | 7 | — | — | — |
| 27 | Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F | 61 | — | — | — | — | 7 | 53 | 1 | — | — | 19 | — | — | — | — | 2 | 17 | — | — | — |
| 28 | Congenital debility and malformation, premature birth | M | 263 | 259 | 1 | — | 3 | — | — | — | — | — | 76 | 75 | — | — | 1 | — | — | — | — | — |
| | | F | 198 | 195 | — | 3 | — | — | — | — | — | — | 58 | 57 | 1 | — | — | — | — | — | — | — |
| 29 | Suicide | M | 23 | — | — | — | — | 2 | 7 | 10 | 4 | — | 6 | — | — | — | — | — | 2 | 4 | — | — |
| | | F | 11 | — | — | — | — | 5 | 2 | 3 | 1 | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 30 | Other deaths from violence | M | 315 | 5 | 7 | 17 | 26 | 60 | 91 | 90 | 13 | 6 | 91 | 1 | 4 | 6 | 6 | 14 | 33 | 19 | 6 | 2 |
| | | F | 48 | 3 | 5 | 7 | 6 | 1 | 5 | 4 | 6 | 11 | 15 | — | 1 | 1 | 1 | 3 | 3 | 4 | — | 2 |
| 31 | Other defined diseases | M | 622 | 130 | 15 | 18 | 22 | 19 | 84 | 137 | 103 | 94 | 208 | 38 | 5 | 2 | 4 | 6 | 13 | 35 | 40 | 65 |
| | | F | 556 | 105 | 26 | 20 | 18 | 25 | 48 | 92 | 79 | 143 | 191 | 32 | 9 | 3 | 3 | 1 | 20 | 30 | 28 | 65 |
| 32 | Causes ill-defined or unknown | M | 6 | — | 2 | — | — | — | 2 | 2 | — | — | 4 | — | — | 1 | — | — | 1 | 2 | — | — |
| | | F | 7 | — | 5 | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — |

# TABLE 20—*contd.*

## CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MERIONETH—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 154 | 20 | 7 | 1 | 5 | 5 | 12 | 35 | 36 | 33 | 200 | 17 | 4 | 4 | 6 | 14 | 15 | 41 | 42 | 57 |
| | F | 138 | 10 | 2 | 2 | — | 5 | 14 | 40 | 32 | 33 | 179 | 12 | 1 | 5 | 4 | 8 | 25 | 34 | 35 | 55 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 2 | 1 | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 7 Influenza | M | 8 | — | — | — | 1 | — | 1 | 3 | 2 | 1 | 6 | — | — | — | — | — | 1 | 2 | 1 | 2 |
| | F | 4 | — | — | — | — | — | 1 | 2 | 1 | — | 5 | — | — | — | — | — | 1 | — | 2 | 2 |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 12 | — | — | 1 | — | — | 5 | 4 | 2 | — | 18 | — | — | — | — | 5 | 4 | 3 | 6 | — |
| | F | 8 | — | — | — | — | 2 | 4 | 1 | 1 | — | 15 | — | — | — | — | 4 | 8 | 3 | — | — |
| 11 Other tuberculous diseases | M | 2 | — | — | — | 1 | — | — | — | 1 | — | 6 | — | — | — | 1 | 1 | 3 | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | 1 | 2 | — | 1 | — | — |
| 12 Cancer, malignant disease | M | 11 | — | — | — | — | — | — | 4 | 6 | 1 | 16 | — | — | — | — | 1 | — | 8 | 5 | 2 |
| | F | 19 | — | — | — | — | — | 1 | 11 | 7 | — | 24 | — | — | — | — | — | 1 | 6 | 10 | 7 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 14 Diabetes | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | 2 | 1 |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 15 Cerebral hæmorrhage, &c. | M | 7 | — | — | — | — | — | — | 2 | 3 | 2 | 16 | — | — | — | — | — | 1 | 2 | 4 | 9 |
| | F | 13 | — | — | — | — | — | 1 | 7 | 2 | 3 | 8 | — | — | — | — | — | — | 5 | 1 | 2 |
| 16 Heart disease | M | 31 | — | — | — | — | — | 2 | 3 | 13 | 13 | 24 | — | — | — | — | 1 | — | 4 | 6 | 13 |
| | F | 26 | — | — | — | — | — | — | 8 | 9 | 9 | 31 | — | — | — | — | — | 2 | 5 | 9 | 15 |
| 17 Arterio-sclerosis | M | 7 | — | — | — | — | — | — | 2 | 2 | 3 | 22 | — | — | — | — | — | — | 4 | 8 | 10 |
| | F | 2 | — | — | — | — | — | — | — | 1 | 1 | 9 | — | — | — | — | — | — | — | 3 | 6 |
| 18 Bronchitis | M | 9 | 2 | — | — | — | — | — | 1 | 3 | 3 | 3 | 1 | — | — | — | — | — | — | — | 2 |
| | F | 9 | 1 | — | — | — | — | — | 1 | 4 | 3 | 2 | — | — | — | — | — | — | — | — | 2 |
| 19 Pneumonia (all forms) | M | 5 | 2 | — | — | 1 | — | — | 2 | — | — | 10 | 1 | 2 | 1 | — | — | 3 | 2 | — | 1 |
| | F | 3 | — | 1 | — | — | — | — | — | 1 | 1 | 11 | 2 | — | — | 2 | — | 3 | 1 | 1 | 2 |
| 20 Other respiratory diseases | M | 6 | 1 | — | — | — | — | — | 5 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 4 | — | — | — | — | — | 2 | — | 2 | — | 1 | — | — | — | — | — | — | — | — | 1 |
| 21 Ulcer of stomach or duodenum | M | 2 | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 3 | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | 5 | 1 | 2 | — | — | — | — | — | 1 | 1 | 3 | 1 | — | — | — | 1 | — | — | — | 1 |
| | F | 2 | 1 | — | — | — | — | — | 1 | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis | M | 4 | — | — | — | 1 | 3 | — | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 24 Cirrhosis of liver | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 13 | 1 | — | 1 | — | — | 1 | 2 | 3 | 5 |
| | F | 5 | — | — | — | — | 1 | — | 1 | — | 3 | 10 | — | — | 1 | — | — | 1 | 2 | 2 | 4 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 12 | 10 | 2 | — | — | — | — | — | — | — | 6 | 6 | — | — | — | — | — | — | — | — |
| | F | 8 | 8 | — | — | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence | M | 6 | 1 | — | — | — | 2 | 1 | 1 | — | 1 | 7 | 1 | — | 1 | 1 | 1 | 1 | 2 | — | — |
| | F | 2 | — | 1 | — | — | — | — | — | 1 | — | 3 | — | — | 1 | — | — | 1 | — | — | 1 |
| 31 Other defined diseases | M | 19 | 2 | 1 | — | 1 | — | 2 | 5 | 2 | 6 | 33 | 5 | 1 | — | 2 | 2 | — | 6 | 6 | 11 |
| | F | 23 | — | — | — | — | — | 2 | 6 | 2 | 13 | 38 | 3 | 1 | — | — | — | 5 | 9 | 7 | 13 |
| 32 Causes ill-defined or unknown | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MONMOUTH—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 1783 | 316 | 98 | 81 | 79 | 92 | 214 | 444 | 300 | 159 | 300 | 24 | 6 | 6 | 12 | 9 | 38 | 66 | 64 | 75 |
| | F | 1531 | 274 | 89 | 78 | 85 | 90 | 222 | 283 | 204 | 206 | 246 | 24 | 4 | 4 | 12 | 18 | 23 | 42 | 56 | 63 |
| 1 Enteric fever .. | M | 3 | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | 81 | 16 | 37 | 22 | 5 | 1 | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — |
| | F | 67 | 19 | 32 | 11 | 5 | — | — | — | — | — | 2 | — | 2 | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | 2 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | 32 | 16 | 13 | 3 | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| | F | 44 | 21 | 16 | 6 | 1 | — | — | — | — | — | 3 | 3 | — | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 8 | — | 2 | 4 | 2 | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — | — | — | — |
| | F | 21 | — | 2 | 9 | 9 | 1 | — | — | — | — | 3 | — | — | 1 | 2 | — | — | — | — | — |
| 7 Influenza .. .. | M | 47 | 5 | 1 | 2 | 6 | 3 | 7 | 16 | 6 | 1 | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 16 | 1 | — | — | 1 | — | 1 | 5 | 2 | 6 | 1 | — | — | — | — | — | — | — | — | 1 |
| 8 Encephalitis lethargica .. | M | 3 | — | — | — | 1 | — | 1 | 1 | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 9 Meningococcal meningitis .. | M | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 86 | — | — | 1 | 2 | 17 | 39 | 24 | 3 | — | 21 | 2 | — | — | — | 4 | 13 | 2 | — | — |
| | F | 114 | 2 | — | 1 | 6 | 35 | 53 | 16 | 1 | — | 21 | — | — | — | 1 | 7 | 10 | 3 | — | — |
| 11 Other tuberculous diseases .. .. | M | 31 | 5 | — | 5 | 10 | 3 | 7 | 1 | — | — | 5 | 2 | — | 1 | — | — | 2 | — | — | — |
| | F | 35 | — | 1 | 5 | 12 | 7 | 8 | 2 | — | — | 8 | — | 1 | — | 1 | 3 | 2 | 1 | — | — |
| 12 Cancer, malignant disease .. .. | M | 123 | — | — | — | — | 1 | 5 | 63 | 46 | 8 | 26 | — | — | — | — | — | 1 | 10 | 5 | 10 |
| | F | 134 | — | — | — | 1 | 1 | 19 | 66 | 30 | 17 | 27 | — | — | — | — | — | 2 | 9 | 13 | 3 |
| 13 Rheumatic fever .. | M | 16 | — | — | — | 5 | 7 | 1 | 2 | 1 | — | 2 | — | — | 1 | — | — | 1 | — | — | — |
| | F | 21 | — | — | — | 10 | 5 | 4 | 2 | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| 14 Diabetes .. .. | M | 15 | — | — | — | — | — | 5 | 6 | 3 | 1 | 2 | — | — | — | — | — | — | — | 1 | 1 |
| | F | 12 | — | — | — | 3 | — | 2 | 7 | — | — | 5 | — | — | — | — | 1 | 1 | 1 | — | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 90 | — | — | — | — | 1 | 2 | 35 | 33 | 19 | 24 | — | — | — | — | — | — | 8 | 6 | 10 |
| | F | 105 | — | — | — | — | — | 3 | 41 | 41 | 20 | 12 | — | — | — | 1 | — | — | 1 | 5 | 5 |
| 16 Heart disease .. | M | 166 | — | — | — | 7 | 7 | 18 | 67 | 47 | 20 | 58 | — | — | — | — | — | 6 | 13 | 17 | 22 |
| | F | 135 | — | — | 1 | 2 | 11 | 17 | 47 | 37 | 20 | 44 | — | — | — | — | — | 1 | 8 | 16 | 19 |
| 17 Arterio-sclerosis .. | M | 34 | — | — | — | — | — | — | 9 | 16 | 9 | 8 | — | — | — | — | — | — | — | 5 | 3 |
| | F | 24 | — | — | — | — | — | — | 5 | 9 | 10 | 8 | — | — | — | — | — | — | 1 | 5 | 2 |
| 18 Bronchitis .. | M | 119 | 17 | 4 | 2 | 2 | 1 | 8 | 30 | 37 | 18 | 17 | 1 | — | — | — | — | 1 | 2 | 7 | 6 |
| | F | 104 | 15 | 5 | 3 | — | — | 6 | 17 | 27 | 31 | 13 | 3 | 1 | — | — | — | — | 1 | 4 | 4 |
| 19 Pneumonia (all forms) .. .. | M | 158 | 32 | 20 | 14 | 3 | 8 | 17 | 46 | 14 | 4 | 12 | 1 | 3 | — | — | 1 | 1 | 3 | 2 | 1 |
| | F | 112 | 36 | 17 | 23 | 8 | 2 | 12 | 4 | 8 | 2 | 8 | 2 | — | — | 1 | — | 1 | 1 | 1 | 2 |
| 20 Other respiratory diseases .. .. | M | 26 | — | 3 | 2 | 2 | 2 | 5 | 7 | 5 | — | 3 | — | 1 | — | — | — | — | 1 | 1 | — |
| | F | 15 | — | — | 3 | — | 1 | 2 | 5 | 4 | — | 1 | — | — | 1 | — | — | — | — | — | — |
| 21 Ulcer of stomach or duodenum .. | M | 13 | — | — | — | — | — | 8 | 3 | 2 | — | 5 | — | — | — | — | — | 2 | 3 | — | — |
| | F | 7 | — | — | — | — | 3 | 3 | 1 | — | — | 5 | — | — | — | — | — | 1 | 1 | 1 | 2 |
| 22 Diarrhœa, &c. .. | M | 24 | 20 | — | 1 | 1 | — | — | 1 | 1 | — | 4 | 1 | — | — | — | — | — | 2 | — | 1 |
| | F | 30 | 17 | 3 | 1 | 2 | 1 | 2 | 1 | — | 3 | 4 | 1 | — | — | — | — | — | 2 | 1 | — |
| 23 Appendicitis and typhlitis.. .. | M | 8 | — | — | — | 3 | — | 4 | — | 1 | — | 5 | — | — | — | 2 | 1 | 2 | — | — | — |
| | F | 5 | — | — | — | 2 | 1 | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 24 Cirrhosis of liver .. | M | 10 | — | — | — | — | — | 1 | 7 | 1 | 1 | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 4 | — | — | — | — | — | — | 2 | 2 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 25 Acute and chronic nephritis .. | M | 33 | — | — | 2 | 2 | 2 | 6 | 11 | 8 | 2 | 4 | — | — | — | — | — | — | 1 | 1 | 2 |
| | F | 36 | — | — | 1 | 3 | 2 | 7 | 14 | 7 | 2 | 8 | — | — | — | — | 1 | 1 | 1 | 3 | 2 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 9 | — | — | — | — | — | 8 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 27 | — | — | — | — | 5 | 22 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 146 | 139 | 3 | 2 | 2 | — | — | — | — | — | 11 | 10 | — | 1 | — | — | — | — | — | — |
| | F | 121 | 117 | 2 | — | 1 | — | — | 1 | — | — | 12 | 12 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 15 | — | — | — | — | — | 6 | 5 | 4 | — | 4 | — | — | — | — | 1 | 1 | 1 | 1 | — |
| | F | 4 | — | — | — | — | — | 3 | 1 | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| 30 Other deaths from violence.. .. | M | 156 | 3 | 3 | 10 | 12 | 28 | 39 | 42 | 14 | 5 | 22 | — | 1 | — | 3 | — | 6 | 6 | 5 | 1 |
| | F | 32 | 3 | 2 | 8 | 6 | 1 | 5 | 1 | 2 | 4 | 8 | — | — | 1 | — | 2 | — | 1 | 1 | 3 |
| 31 Other defined diseases .. .. | M | 327 | 62 | 8 | 9 | 12 | 10 | 34 | 63 | 58 | 71 | 56 | 5 | 1 | — | 5 | 2 | 2 | 11 | 12 | 18 |
| | F | 292 | 43 | 8 | 4 | 12 | 14 | 42 | 44 | 34 | 91 | 45 | 3 | — | 1 | 5 | 1 | 2 | 10 | 5 | 18 |
| 32 Causes ill-defined or unknown .. | M | 9 | — | 3 | — | 1 | — | — | 5 | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 2 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MONTGOMERY—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes | M | 126 | 8 | 1 | 2 | 2 | 9 | 15 | 36 | 32 | 21 | 250 | 29 | 5 | 3 | 5 | 4 | 19 | 52 | 61 | 72 |
| | F | 138 | 7 | 6 | 1 | 2 | 7 | 11 | 33 | 25 | 46 | 215 | 15 | 2 | 3 | 9 | 7 | 23 | 49 | 42 | 65 |
| 1 Enteric fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | M | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 4 Scarlet fever | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | M | 3 | 1 | — | 1 | — | — | — | — | 1 | — | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | 3 | 1 | 1 | 1 | — | — | — | — | — | — |
| 6 Diphtheria | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | 4 | — | — | — | — | — |
| 7 Influenza | M | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | 1 | — | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 8 Encephalitis lethargica | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 14 | — | — | — | 1 | 7 | 3 | 3 | — | — | 16 | — | — | — | — | 1 | 6 | 7 | 2 | — |
| | F | 6 | — | — | — | — | 3 | 1 | 2 | — | — | 17 | — | — | — | 1 | 3 | 9 | 4 | — | — |
| 11 Other tuberculous diseases | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — |
| | F | 3 | 1 | — | — | — | — | — | 2 | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 12 Cancer, malignant disease | M | 18 | — | — | — | 1 | — | — | 10 | 6 | 1 | 23 | — | — | — | — | — | — | 8 | 10 | 5 |
| | F | 14 | — | — | — | — | — | 2 | 5 | 3 | 4 | 38 | — | — | — | — | — | 1 | 15 | 10 | 12 |
| 13 Rheumatic fever | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | — | — | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes | M | 1 | — | — | — | — | — | — | — | — | 1 | 3 | — | — | — | — | — | — | 2 | 1 | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 15 Cerebral hæmorrhage, &c. | M | 6 | — | — | — | — | — | — | 3 | 2 | 1 | 16 | — | — | — | — | — | 1 | 2 | 8 | 5 |
| | F | 20 | — | — | — | — | — | — | 6 | 6 | 8 | 16 | — | — | — | — | — | — | 4 | 5 | 7 |
| 16 Heart disease | M | 13 | — | — | — | — | — | 1 | 1 | 6 | 5 | 34 | — | — | — | — | — | 3 | 12 | 9 | 10 |
| | F | 19 | — | — | — | — | — | 1 | 5 | 5 | 8 | 34 | — | — | — | — | — | 2 | 9 | 11 | 12 |
| 17 Arterio-sclerosis | M | 4 | — | — | — | — | — | — | — | 3 | 1 | 17 | — | — | — | — | — | — | 1 | 6 | 10 |
| | F | 7 | — | — | — | — | — | — | — | 2 | 5 | 4 | — | — | — | — | — | — | 1 | 1 | 2 |
| 18 Bronchitis | M | 4 | 1 | — | — | — | — | — | 1 | 2 | — | 16 | 3 | — | — | 1 | — | — | 1 | 4 | 7 |
| | F | 8 | — | — | — | — | — | — | 2 | 3 | 3 | 13 | — | — | — | — | — | — | 2 | 2 | 9 |
| 19 Pneumonia (all forms) | M | 4 | — | — | 1 | — | — | — | 1 | 2 | — | 13 | 1 | 1 | — | — | — | — | 4 | 4 | 3 |
| | F | 7 | 1 | 1 | 1 | — | — | 1 | 2 | 1 | — | 12 | 3 | — | — | — | — | 2 | 4 | 1 | 2 |
| 20 Other respiratory diseases | M | 1 | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | 2 | — | — |
| | F | 2 | — | — | — | — | — | 1 | 1 | — | — | 2 | — | — | 1 | — | — | — | — | — | 1 |
| 21 Ulcer of stomach or duodenum | M | 1 | — | — | — | — | — | — | 1 | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Diarrhœa, &c. | M | — | — | — | — | — | — | — | — | — | — | 5 | 2 | 1 | — | — | — | 1 | — | 1 | — |
| | F | 3 | 1 | 1 | — | — | 1 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 24 Cirrhosis of liver | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | M | 9 | — | — | — | — | — | 1 | 3 | 1 | 4 | 9 | — | — | — | — | — | — | 2 | 2 | 5 |
| | F | 4 | — | — | — | 1 | — | — | 1 | 2 | — | 9 | — | — | — | 1 | — | — | 3 | 4 | 1 |
| 26 Puerperal sepsis | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth | M | 4 | 4 | — | — | — | — | — | — | — | — | 12 | 12 | — | — | — | — | — | — | — | — |
| | F | 2 | 2 | — | — | — | — | — | — | — | — | 7 | 7 | — | — | — | — | — | — | — | — |
| 29 Suicide | M | 3 | — | — | — | — | 1 | — | 2 | — | — | 4 | — | — | — | — | — | 1 | 2 | 1 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 Other deaths from violence | M | 5 | — | — | — | — | — | 3 | 2 | — | — | 10 | 2 | — | 1 | 1 | — | 1 | 1 | 4 | — |
| | F | 3 | — | — | — | — | 1 | — | 1 | — | 1 | 3 | — | — | 1 | — | — | — | — | 2 | — |
| 31 Other defined diseases | M | 29 | 2 | — | — | — | — | 7 | 5 | 8 | 7 | 52 | 6 | 2 | — | 3 | — | 3 | 4 | 8 | 26 |
| | F | 35 | 2 | 2 | — | 1 | 1 | 3 | 6 | 3 | 17 | 44 | 3 | 1 | — | 2 | 2 | 6 | 6 | 5 | 19 |
| 32 Causes ill-defined or unknown | M | 1 | — | — | — | — | — | — | 1 | — | — | 3 | 2 | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PEMBROKE—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 256 | 33 | 3 | 9 | 12 | 13 | 31 | 66 | 55 | 34 | 323 | 41 | 5 | 2 | 9 | 14 | 33 | 81 | 72 | 66 |
| | F | 244 | 28 | 4 | 4 | 7 | 15 | 24 | 58 | 50 | 54 | 322 | 20 | 4 | 6 | 9 | 12 | 33 | 66 | 76 | 96 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | 3 | 2 | 1 | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | 2 | 2 | 2 | — | — | — | — | — | — |
| 6 Diphtheria .. | M | 5 | 1 | — | 2 | 2 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| | F | 3 | — | 1 | 1 | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — |
| 7 Influenza .. .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 5 | 1 | — | — | — | — | — | 3 | 1 | — |
| | F | 2 | — | — | — | — | — | 1 | — | — | 1 | 6 | — | — | — | — | — | 1 | 3 | — | 2 |
| 8 Encephalitis lethargica .. | M | 2 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 21 | — | — | 1 | 1 | 7 | 8 | 4 | — | — | 32 | — | — | — | 2 | 8 | 16 | 4 | 2 | — |
| | F | 21 | — | — | 1 | 1 | 8 | 9 | 1 | 1 | — | 19 | — | — | — | 1 | 4 | 7 | 6 | 1 | — |
| 11 Other tuberculous diseases .. .. | M | 12 | — | 1 | 1 | 1 | 5 | 3 | 1 | — | — | 3 | 1 | — | — | — | 1 | 1 | — | — | — |
| | F | 3 | — | — | — | — | 2 | 1 | — | — | — | 9 | — | — | 2 | 2 | 1 | 1 | 1 | 2 | — |
| 12 Cancer, malignant disease .. .. | M | 31 | — | — | — | — | — | 1 | 20 | 9 | 1 | 35 | — | — | — | — | — | 2 | 15 | 12 | 6 |
| | F | 33 | — | — | — | — | — | 2 | 19 | 12 | — | 42 | — | — | — | 1 | — | 2 | 16 | 14 | 9 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 14 Diabetes .. .. | M | 2 | — | — | — | — | — | — | 1 | — | 1 | 5 | — | — | — | — | — | — | 2 | 3 | — |
| | F | 3 | — | — | — | — | — | — | 3 | — | — | 6 | — | — | — | — | 1 | — | — | 3 | 2 |
| 15 Cerebral hæmorrhage, &c. .. | M | 8 | — | — | — | — | — | — | 2 | 4 | 2 | 26 | — | — | — | — | — | — | 9 | 9 | 8 |
| | F | 21 | — | — | — | — | — | — | 3 | 10 | 8 | 22 | — | — | — | — | — | — | 7 | 6 | 9 |
| 16 Heart disease .. | M | 38 | — | — | 1 | — | — | 1 | 10 | 17 | 9 | 41 | — | — | — | 2 | — | — | 15 | 14 | 10 |
| | F | 40 | — | — | — | 1 | 1 | 2 | 14 | 11 | 11 | 59 | — | — | — | — | — | 3 | 12 | 26 | 18 |
| 17 Arterio-sclerosis .. | M | 7 | — | — | — | — | — | — | 1 | 3 | 3 | 5 | — | — | — | — | — | — | 1 | — | 4 |
| | F | 3 | — | — | — | — | — | — | — | — | 3 | 3 | — | — | — | — | — | — | — | — | 3 |
| 18 Bronchitis .. | M | 12 | 1 | — | — | 1 | — | — | 2 | 5 | 3 | 12 | — | — | — | — | — | 1 | 2 | 6 | 3 |
| | F | 10 | 1 | — | — | 1 | — | — | 1 | 3 | 4 | 18 | 1 | — | — | — | — | 2 | — | 5 | 10 |
| 19 Pneumonia (all forms) .. .. | M | 11 | 3 | — | 1 | 1 | — | 3 | — | 1 | 2 | 17 | 4 | 1 | — | — | — | 2 | 3 | 5 | 2 |
| | F | 10 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 11 | — | — | 1 | 1 | — | 1 | 3 | 2 | 3 |
| 20 Other respiratory diseases .. .. | M | 2 | — | — | — | — | — | — | — | 1 | 1 | 11 | — | — | — | 1 | — | — | 2 | 3 | 5 |
| | F | 5 | — | — | — | — | — | — | 1 | 2 | 2 | 5 | — | 1 | — | — | 2 | — | 1 | 1 | — |
| 21 Ulcer of stomach or duodenum .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | — | 2 | — | — |
| 22 Diarrhœa, &c. .. | M | 6 | 5 | 1 | — | — | — | — | — | — | — | 6 | 5 | — | — | — | 1 | — | — | — | — |
| | F | 6 | 4 | 1 | — | — | — | — | 1 | — | — | 2 | 1 | — | — | — | — | — | — | — | 1 |
| 23 Appendicitis and typhlitis.. .. | M | 4 | — | — | — | 2 | 1 | 1 | — | — | — | 2 | — | — | — | — | 1 | — | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 24 Cirrhosis of liver .. | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 12 | 1 | — | — | — | — | 5 | 4 | 1 | 1 | 9 | — | — | — | — | — | — | 4 | 3 | 2 |
| | F | 6 | — | — | 1 | — | — | 1 | 3 | 1 | — | 11 | — | — | — | — | 1 | 2 | 3 | 2 | 3 |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 2 | — | — | — | — | 2 | — | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 4 | — | — | — | — | — | 4 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 17 | 17 | — | — | — | — | — | — | — | — | 17 | 17 | — | — | — | — | — | — | — | — |
| | F | 13 | 13 | — | — | — | — | — | — | — | — | 11 | 11 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | 2 | — | — | — | — | — | — | — | 2 | — | 3 | — | — | — | — | 1 | 2 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — |
| 30 Other deaths from violence.. .. | M | 10 | 1 | — | 1 | 2 | — | 2 | 4 | — | — | 12 | — | 1 | — | 1 | 1 | 4 | 4 | 1 | — |
| | F | 6 | 1 | — | — | — | — | 1 | 2 | 1 | 1 | 3 | 1 | — | — | — | — | — | 1 | 1 | — |
| 31 Other defined diseases .. .. | M | 44 | 4 | 1 | 1 | 1 | — | 4 | 12 | 10 | 11 | 68 | 11 | 1 | 1 | 2 | 1 | 2 | 14 | 11 | 25 |
| | F | 52 | 7 | 1 | — | 2 | — | 4 | 9 | 6 | 23 | 74 | 4 | 1 | 1 | 3 | 1 | 5 | 11 | 13 | 35 |
| 32 Causes ill-defined or unknown .. | M | 5 | — | — | — | — | — | 2 | 2 | 1 | — | 4 | — | — | 1 | — | — | 1 | 1 | — | 1 |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | — | 1 | — | — | 1 |

# TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of RADNOR—1923 (Civilian population only).

| Causes of Death. | Sex. | Aggregate of Urban Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— | Aggregate of Rural Districts. All Ages. | 0— | 1— | 2— | 5— | 15— | 25— | 45— | 65— | 75— |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| All Causes .. | M | 44 | 3 | 1 | 2 | — | 3 | 4 | 13 | 12 | 6 | 115 | 13 | 3 | — | 1 | 4 | 19 | 16 | 23 | 36 |
| | F | 35 | — | — | 1 | — | 1 | 4 | 7 | 10 | 12 | 89 | 4 | 3 | — | — | 5 | 12 | 17 | 16 | 32 |
| 1 Enteric fever .. | M | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles .. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Scarlet fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough .. | M | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Diphtheria .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza .. .. | M | 2 | — | — | 1 | — | — | — | 1 | — | — | 2 | — | — | — | — | — | — | — | 1 | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8 Encephalitis lethargica .. | M | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory system | M | 2 | — | — | — | — | 1 | — | 1 | — | — | 13 | — | — | — | — | 3 | 9 | 1 | — | — |
| | F | 2 | — | — | — | — | 1 | 1 | — | — | — | 4 | — | — | — | — | 2 | 1 | — | 1 | — |
| 11 Other tuberculous diseases .. .. | M | 2 | — | — | 1 | — | — | 1 | — | — | — | 3 | — | — | — | 1 | — | 1 | 1 | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| 12 Cancer, malignant disease .. .. | M | 4 | — | — | — | — | — | — | 1 | 2 | 1 | 10 | — | — | — | — | — | 2 | 3 | 3 | 2 |
| | F | 1 | — | — | — | — | — | — | 1 | — | — | 13 | — | — | — | — | — | 1 | 6 | 4 | 2 |
| 13 Rheumatic fever .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | 1 | 1 | 1 | — | — |
| 14 Diabetes .. .. | M | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 15 Cerebral hæmorrhage, &c. .. | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 6 | — | — | — | — | — | — | 1 | 1 | 4 |
| | F | 2 | — | — | — | — | — | — | 1 | — | 1 | 5 | — | — | — | — | — | — | 1 | 1 | 3 |
| 16 Heart disease .. | M | 2 | — | — | — | — | — | — | — | 2 | — | 13 | — | — | — | — | — | — | 5 | 2 | 6 |
| | F | 13 | — | — | — | — | — | — | 3 | 6 | 4 | 12 | — | — | — | — | — | — | 2 | 4 | 6 |
| 17 Arterio-sclerosis .. | M | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 2 | — | — | — | — | — | — | — | 1 | 1 |
| | F | 1 | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | 2 |
| 18 Bronchitis .. | M | 3 | — | — | — | — | — | — | 1 | 1 | 1 | 9 | — | — | — | — | — | — | 1 | 2 | 6 |
| | F | — | — | — | — | — | — | — | — | — | — | 5 | 1 | — | — | — | — | — | — | — | 4 |
| 19 Pneumonia (all forms) .. .. | M | 3 | — | 1 | — | — | 1 | — | — | 1 | — | 5 | 1 | 2 | — | — | 1 | 1 | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 6 | — | 2 | — | — | — | 3 | 1 | — | — |
| 20 Other respiratory diseases .. .. | M | 2 | — | — | — | — | — | — | 1 | 1 | — | 3 | — | — | — | — | — | — | — | 1 | 2 |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 21 Ulcer of stomach or duodenum .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 1 | 1 |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 22 Diarrhœa, &c. .. | M | 2 | 1 | — | — | — | — | — | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — |
| 23 Appendicitis and typhlitis.. .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 24 Cirrhosis of liver .. | M | 2 | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — | 1 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis .. | M | 3 | — | — | — | — | 1 | — | — | 2 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | — | 1 | 2 | — |
| 26 Puerperal sepsis .. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition. | M | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | F | 1 | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | 3 | — | — | — |
| 28 Congenital debility and malformation, premature birth.. .. | M | 1 | 1 | — | — | — | — | — | — | — | — | 4 | 4 | — | — | — | — | — | — | — | — |
| | F | — | — | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — |
| 29 Suicide .. .. | M | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | 1 | 1 | 1 | — |
| | F | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 30 Other deaths from violence.. .. | M | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 | — |
| | F | 2 | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | 1 |
| 31 Other defined diseases .. .. | M | 8 | 1 | — | — | — | — | 2 | 1 | 1 | 3 | 28 | 6 | 1 | — | — | — | 4 | — | 4 | 13 |
| | F | 9 | — | — | 1 | — | — | — | 2 | 2 | 4 | 26 | — | — | — | — | 2 | 3 | 3 | 4 | 14 |
| 32 Causes ill-defined or unknown .. | M | 1 | — | — | — | — | — | — | 1 | — | — | 3 | — | — | — | — | — | — | 1 | 2 | — |
| | F | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

## Table 21.—England and Wales.—Causes of Death in certain Administrative Areas, 1923.

Note.—This table relates to Municipal Boroughs, other Urban Districts and Rural Districts which, as now constituted, had populations exceeding 10,000 at the Census of 1921. The corresponding statistics for Districts not shown in this table are available for reference in the General Register Office, Somerset House, London.

### BEDFORDSHIRE.

| Causes of Death. | Bedford M.B. | | Luton M.B. | | Ampthill. R.D. | | Bedford R.D. | | Biggleswade R.D. | | Luton R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 189 | 238 | 247 | 295 | 139 | 123 | 110 | 125 | 129 | 131 | 56 | 57 | |
| 1 Enteric fever | — | — | — | — | 1 | — | — | — | — | — | — | 1 | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | 1 | — | 1 | — | — | 2 | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | — | 1 | — | 1 | 2 | 2 | 1 | 1 | 1 | — | — | 5 |
| 6 Diphtheria | — | 1 | — | 1 | 3 | 1 | — | 1 | — | — | — | — | 6 |
| 7 Influenza | 2 | 2 | 1 | 3 | 2 | 2 | 6 | 9 | 3 | 2 | 1 | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | 3 | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 14 | 10 | 21 | 23 | 7 | 6 | 5 | 6 | 10 | 17 | 4 | 3 | 10 |
| 11 Other tuberculous diseases | 2 | 4 | 8 | 4 | 3 | 5 | — | 2 | 4 | 4 | 1 | 1 | 11 |
| 12 Cancer, malignant disease | 16 | 34 | 33 | 46 | 14 | 22 | 8 | 18 | 21 | 17 | 6 | 6 | 12 |
| 13 Rheumatic fever | — | 1 | 1 | — | — | — | — | — | — | — | 1 | — | 13 |
| 14 Diabetes | 2 | 2 | 6 | 4 | 1 | 3 | 2 | 1 | — | 1 | 1 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 14 | 20 | 8 | 30 | 13 | 11 | 12 | 16 | 9 | 12 | 4 | 8 | 15 |
| 16 Heart disease | 24 | 35 | 38 | 59 | 19 | 19 | 12 | 16 | 13 | 16 | 11 | 14 | 16 |
| 17 Arterio-sclerosis | 19 | 11 | 4 | — | 5 | 3 | 10 | 4 | 3 | 2 | — | — | 17 |
| 18 Bronchitis | 10 | 15 | 14 | 22 | 8 | 7 | 5 | 12 | 6 | 11 | 6 | 3 | 18 |
| 19 Pneumonia (all forms) | 6 | 10 | 23 | 9 | 4 | 1 | 4 | — | 8 | 5 | 2 | 1 | 19 |
| 20 Other respiratory diseases | 3 | 3 | 3 | 8 | 2 | — | — | 1 | 2 | 3 | 1 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | — | 2 | 2 | 2 | — | 1 | 3 | — | — | 1 | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | 3 | — | — | 1 | — | 2 | 1 | — | — | 22 |
| 23 Appendicitis and typhlitis | 1 | 3 | 7 | 1 | — | — | — | 1 | 2 | 1 | 1 | — | 23 |
| 24 Cirrhosis of liver | 5 | 1 | 1 | 2 | 1 | 1 | 1 | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 6 | 14 | 4 | 5 | 2 | 3 | 2 | 4 | 2 | 1 | — | — | 25 |
| 26 Puerperal sepsis | — | 1 | — | 1 | — | 1 | — | — | — | 1 | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 4 | — | 3 | — | 1 | — | — | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 11 | 2 | 18 | 20 | 7 | 4 | 3 | 1 | 7 | 5 | 5 | 4 | 28 |
| 29 Suicide | — | 3 | 2 | — | 3 | 2 | 1 | — | 4 | — | — | 1 | 29 |
| 30 Other deaths from violence | 8 | 6 | 5 | 4 | 6 | 3 | 5 | 3 | 4 | 1 | 1 | — | 30 |
| 31 Other defined diseases | 45 | 52 | 45 | 39 | 35 | 25 | 25 | 28 | 27 | 29 | 11 | 9 | 31 |
| 32 Causes ill-defined or unknown | — | 1 | 1 | 2 | 2 | — | 1 | 1 | 1 | — | — | 2 | 32 |

### BERKSHIRE.

| Causes of Death. | Maidenhead M.B. | | Newbury M.B. | | New Windsor M.B. | | Abingdon R.D. | | Bradfield R.D. | | Cookham R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 97 | 93 | 96 | 78 | 101 | 115 | 62 | 52 | 69 | 85 | 68 | 57 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 3 | 2 | — | — | — | — | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | 1 | — | — | — | — | — | 3 | — | — | — | — | — | 4 |
| 5 Whooping cough | — | 1 | — | — | — | — | — | 1 | — | — | — | — | 5 |
| 6 Diphtheria | — | 1 | 1 | — | — | — | 9 | 4 | — | — | — | 2 | 6 |
| 7 Influenza | 3 | 1 | 2 | 1 | 2 | 1 | — | — | 2 | 1 | 2 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | 1 | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | 1 | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 7 | 7 | 6 | 4 | 12 | 4 | 3 | 4 | 4 | 2 | 1 | 3 | 10 |
| 11 Other tuberculous diseases | 1 | 2 | — | 3 | 1 | 3 | — | — | 2 | — | 1 | — | 11 |
| 12 Cancer, malignant disease | 14 | 18 | 9 | 12 | 6 | 20 | 9 | 12 | 8 | 12 | 10 | 10 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | — | — | — | — | — | — | — | 13 |
| 14 Diabetes | — | — | 2 | 1 | 1 | 2 | 1 | 1 | — | — | 1 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 5 | 6 | 3 | 5 | 12 | 2 | 3 | 5 | 4 | 3 | 6 | 15 |
| 16 Heart disease | 13 | 22 | 17 | 9 | 17 | 13 | 5 | 8 | 18 | 16 | 12 | 11 | 16 |
| 17 Arterio-sclerosis | 8 | 1 | 4 | 11 | 6 | 8 | — | 1 | 7 | 8 | 6 | 3 | 17 |
| 18 Bronchitis | 5 | 5 | 4 | 3 | 5 | 4 | 5 | 5 | 3 | 4 | 3 | 3 | 18 |
| 19 Pneumonia (all forms) | 4 | 5 | 6 | 6 | 6 | 6 | 3 | 2 | 2 | 1 | 4 | 3 | 19 |
| 20 Other respiratory diseases | 3 | — | 2 | 1 | 1 | 2 | — | — | 1 | 1 | — | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | 2 | — | — | — | — | 1 | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 3 | — | — | 1 | 1 | — | 2 | 1 | — | — | — | 1 | 22 |
| 23 Appendicitis and typhlitis | 1 | — | — | — | — | 1 | — | 1 | 1 | 2 | 1 | — | 23 |
| 24 Cirrhosis of liver | — | — | 1 | — | — | 1 | — | 1 | 1 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 2 | 2 | 3 | 1 | 2 | 7 | 3 | 1 | 3 | 3 | 2 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | 2 | — | — | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 3 | 2 | 9 | 4 | 6 | 2 | 4 | — | 1 | 3 | — | 2 | 28 |
| 29 Suicide | — | 2 | 1 | — | 1 | — | 2 | — | — | — | | — | 29 |
| 30 Other deaths from violence | 5 | 1 | 3 | — | 3 | 1 | 2 | 1 | 1 | 5 | | 3 | 30 |
| 31 Other defined diseases | 17 | 14 | 20 | 16 | 22 | 23 | 7 | 5 | 10 | 22 | 13 | 6 | 31 |
| 32 Causes ill-defined or unknown | — | 2 | — | 1 | 2 | 2 | 1 | 1 | — | — | — | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## BERKSHIRE—*cont.*

| Causes of Death. | East hampstead R.D. | | Faringdon * (pt.) R.D. | | Newbury R.D. | | Wantage R.D. | | Wokingham R.D. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | | | | |
| **All Causes** | 97 | 59 | 77 | 66 | 50 | 71 | 71 | 56 | 117 | 92 | | | | | | | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | | | | | | | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | | | | | | | 2 |
| 3 Measles | — | 2 | — | — | — | — | — | — | — | — | | | | | | | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | 1 | | | | | | | 4 |
| 5 Whooping cough | 2 | 3 | 3 | 1 | — | — | 2 | — | — | 2 | | | | | | | 5 |
| 6 Diphtheria | — | 1 | — | — | — | 1 | 1 | 1 | — | — | | | | | | | 6 |
| 7 Influenza | 1 | 2 | 4 | 4 | 1 | 1 | — | — | — | — | | | | | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | | | | | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | 1 | — | — | — | — | | | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 11 | 4 | 3 | 8 | — | 5 | 7 | 4 | 8 | 8 | | | | | | | 10 |
| 11 Other tuberculous diseases | 2 | — | 1 | 3 | — | — | 2 | 1 | 1 | 1 | | | | | | | 11 |
| 12 Cancer, malignant disease | 11 | 8 | 5 | 7 | 9 | 6 | 7 | 13 | 23 | 16 | | | | | | | 12 |
| 13 Rheumatic fever | — | — | — | — | — | — | — | — | — | — | | | | | | | 13 |
| 14 Diabetes | 2 | — | — | — | — | 1 | — | — | — | 1 | | | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 4 | 7 | 3 | 5 | 2 | 7 | 2 | 4 | 12 | 9 | | | | | | | 15 |
| 16 Heart disease | 7 | 4 | 13 | 6 | 8 | 14 | 13 | 4 | 15 | 8 | | | | | | | 16 |
| 17 Arterio-sclerosis | 2 | 1 | 2 | — | 8 | 10 | 3 | — | 3 | 1 | | | | | | | 17 |
| 18 Bronchitis | 3 | 6 | 7 | 9 | 3 | 2 | 6 | 7 | 7 | 8 | | | | | | | 18 |
| 19 Pneumonia (all forms) | 5 | 4 | 2 | 5 | 1 | 5 | 4 | — | 2 | 1 | | | | | | | 19 |
| 20 Other respiratory diseases | — | 1 | 2 | — | — | 1 | 1 | 1 | 2 | 1 | | | | | | | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 2 | — | — | — | — | 2 | 1 | — | | | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | 1 | — | — | 1 | — | — | — | | | | | | | 22 |
| 23 Appendicitis and typhlitis | 2 | 1 | 1 | 1 | — | — | 3 | 1 | — | — | | | | | | | 23 |
| 24 Cirrhosis of liver | — | 1 | — | 1 | — | 1 | — | — | 1 | 1 | | | | | | | 24 |
| 25 Acute and chronic nephritis | 2 | — | 1 | — | — | — | 3 | 1 | 4 | 5 | | | | | | | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | 1 | | | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | — | — | — | — | 1 | | | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 5 | — | 5 | 3 | — | 6 | 1 | 3 | 7 | 6 | | | | | | | 28 |
| 29 Suicide | 4 | — | 3 | — | — | 1 | 1 | — | 1 | 1 | | | | | | | 29 |
| 30 Other deaths from violence | 2 | — | 3 | — | 4 | — | 3 | 1 | 6 | 2 | | | | | | | 30 |
| 31 Other defined diseases | 31 | 13 | 16 | 11 | 14 | 9 | 9 | 13 | 23 | 17 | | | | | | | 31 |
| 32 Causes ill-defined or unknown | 1 | 1 | — | 1 | — | — | 2 | — | 1 | 1 | | | | | | | 32 |

## BUCKINGHAMSHIRE.

| Causes of Death. | Aylesbury M.B. | | Chepping Wycombe M.B. | | Slough U.D. | | Wolverton U.D. | | Amersham R.D. | | Aylesbury R.D. | | Eton R.D. | | Newport Pagnell R.D. | | Wycombe R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 62 | 62 | 112 | 102 | 80 | 79 | 64 | 71 | 99 | 129 | 91 | 87 | 132 | 146 | 107 | 102 | 147 | 133 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 2 | 2 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 3 |
| 4 Scarlet fever | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | 1 | 4 |
| 5 Whooping cough | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | 1 | 1 | 5 |
| 6 Diphtheria | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | 4 | 2 | 6 |
| 7 Influenza | — | 1 | 1 | — | — | 1 | — | 1 | 1 | 4 | 2 | 2 | — | — | 2 | 4 | 2 | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 4 | 12 | 7 | 3 | 4 | 5 | 5 | 6 | 5 | 2 | 1 | 10 | 7 | 9 | 5 | 12 | 5 | 10 |
| 11 Other tuberculous diseases | 1 | 2 | 2 | 4 | — | 3 | 1 | 1 | 3 | — | 4 | 2 | 4 | 2 | — | 3 | 1 | 1 | 11 |
| 12 Cancer, malignant disease | 12 | 9 | 13 | 8 | 10 | 18 | 6 | 5 | 14 | 20 | 13 | 12 | 19 | 30 | 14 | 8 | 16 | 21 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | 1 | 1 | 13 |
| 14 Diabetes | 2 | — | — | 1 | 1 | 1 | 1 | 1 | 1 | — | — | 1 | — | 3 | 3 | 2 | 2 | 4 | 14 |
| 15 Cerebral hæmorrhage, &c. | 2 | 4 | 7 | 7 | 6 | 10 | 3 | 4 | 4 | 4 | 6 | 9 | 4 | 11 | 10 | 11 | 10 | 9 | 15 |
| 16 Heart disease | 12 | 8 | 10 | 11 | 11 | 10 | 8 | 7 | 13 | 36 | 17 | 22 | 14 | 21 | 12 | 15 | 19 | 16 | 16 |
| 17 Arterio-sclerosis | 2 | 1 | 4 | 4 | 4 | 1 | 4 | 3 | 6 | 5 | 4 | 1 | 4 | 1 | 4 | 3 | 7 | 4 | 17 |
| 18 Bronchitis | 2 | 5 | 2 | 7 | 9 | 3 | 8 | 7 | 8 | 10 | 6 | 7 | 5 | 11 | 12 | 2 | 13 | 10 | 18 |
| 19 Pneumonia (all forms) | 4 | 5 | 6 | 9 | 5 | 1 | 5 | 2 | 4 | 3 | 7 | 2 | 8 | 7 | 1 | 3 | 11 | 6 | 19 |
| 20 Other respiratory diseases | 2 | 2 | — | — | — | 1 | — | — | 1 | 1 | 1 | 1 | 1 | 1 | 3 | — | 2 | — | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 1 | — | 4 | — | 2 | — | — | — | 1 | — | 4 | 2 | — | 1 | 1 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | 1 | — | 1 | — | 2 | 1 | — | — | — | — | 1 | 1 | — | 1 | — | 22 |
| 23 Appendicitis and typhlitis | — | — | 1 | 1 | 1 | — | 2 | 1 | — | 1 | — | — | 4 | — | 2 | 1 | 1 | 1 | 23 |
| 24 Cirrhosis of liver | — | 1 | 1 | — | 2 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 2 | 1 | 3 | — | 2 | 4 | 1 | 5 | 1 | 2 | 4 | 1 | 6 | 1 | 9 | 2 | 4 | 4 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | 2 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 3 | — | 9 | 7 | 2 | 3 | 2 | 3 | 5 | 3 | 2 | 2 | 6 | 8 | 4 | 7 | 3 | 9 | 28 |
| 29 Suicide | 3 | — | 2 | — | 1 | 1 | — | — | 3 | — | — | — | 2 | 1 | 1 | — | 3 | 1 | 29 |
| 30 Other deaths from violence | 4 | — | 4 | 2 | 1 | — | 2 | 1 | 1 | 1 | 2 | 1 | 10 | 3 | 3 | 3 | 4 | 1 | 30 |
| 31 Other defined diseases | 4 | 16 | 31 | 24 | 17 | 14 | 11 | 17 | 26 | 31 | 19 | 22 | 30 | 33 | 14 | 26 | 27 | 29 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | 1 | 1 | — | 3 | 2 | — | 2 | 1 | — | 1 | 1 | 2 | 2 | — | 3 | 32 |

* The remainder of Faringdon R.D. is in Gloucestershire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## CAMBRIDGESHIRE.

| Causes of Death. | Cambridge M.B. | | Chesterton R.D. | | Newmarket R.D. | | |
|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 290 | 337 | 123 | 157 | 102 | 123 | |
| 1 Enteric fever | 1 | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | 2 | — | — | — | 3 |
| 4 Scarlet fever | 1 | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | — | 1 | 1 | 1 | 1 | 5 |
| 6 Diphtheria | 5 | 6 | — | — | — | 1 | 6 |
| 7 Influenza | 5 | 6 | — | — | 1 | 3 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | 1 | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 26 | 21 | 6 | 8 | 3 | 4 | 10 |
| 11 Other tuberculous diseases | 3 | 5 | 1 | 3 | 3 | 2 | 11 |
| 12 Cancer, malignant disease | 46 | 52 | 19 | 20 | 13 | 11 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | 1 | 13 |
| 14 Diabetes | 2 | 7 | 3 | 1 | — | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 16 | 24 | 18 | 15 | 14 | 8 | 15 |
| 16 Heart disease | 23 | 50 | 17 | 23 | 10 | 20 | 16 |
| 17 Arterio-sclerosis | 6 | 8 | 8 | 5 | 9 | 9 | 17 |
| 18 Bronchitis | 19 | 25 | 9 | 18 | 4 | 14 | 18 |
| 19 Pneumonia (all forms) | 12 | 16 | 4 | 8 | 3 | 3 | 19 |
| 20 Other respiratory diseases | 3 | 6 | 1 | 1 | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | 4 | 2 | 3 | — | 3 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 1 | — | 1 | — | 2 | 22 |
| 23 Appendicitis and typhlitis | 5 | 2 | 1 | — | — | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | 1 | 24 |
| 25 Acute and chronic nephritis | 11 | 6 | — | 7 | 2 | 3 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 3 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 12 | 12 | 7 | 6 | 5 | 3 | 28 |
| 29 Suicide | 4 | 5 | 3 | — | 2 | — | 29 |
| 30 Other deaths from violence | 14 | — | 4 | 5 | 5 | 1 | 30 |
| 31 Other defined diseases | 67 | 81 | 16 | 28 | 22 | 29 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | — | 3 | 1 | 1 | 32 |

## CHESHIRE.

| Causes of Death. | Altrincham U.D. | | Bebington & Bromborough U.D. | | Cheadle & Gatley U.D. | | Congleton M.B. | | Crewe M.B. | | Dukinfield M.B. | | Ellesmere Port & Whitby U.D. | | Hazel Grove & Bramhall U.D. | | Hoylake & West Kirby U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 140 | 128 | 95 | 77 | 49 | 52 | 75 | 83 | 294 | 230 | 138 | 117 | 77 | 60 | 63 | 63 | 71 | 105 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | 4 | 3 | — | 5 | — | — | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | 1 | — | — | 1 | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | 1 | — | — | — | — | 3 | 2 | — | 4 | 6 | 2 | — | — | — | — | — | — | 5 |
| 6 Diphtheria | — | — | 1 | — | — | — | 1 | 1 | 2 | 1 | — | — | — | 1 | 1 | — | — | — | 6 |
| 7 Influenza | 7 | 3 | 3 | 2 | 1 | — | — | 2 | 12 | 6 | 4 | 4 | 3 | — | 3 | 2 | 2 | 7 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | 1 | 1 | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 10 | 6 | 6 | 7 | 3 | — | 2 | 8 | 20 | 11 | 11 | 4 | 1 | 8 | 1 | 3 | 4 | 7 | 10 |
| 11 Other tuberculous diseases | — | 2 | 4 | 1 | 2 | 1 | — | 2 | 6 | 3 | 4 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 11 |
| 12 Cancer, malignant disease | 16 | 16 | 7 | 10 | 5 | 5 | 4 | 4 | 30 | 28 | 11 | 14 | 6 | 8 | 3 | 5 | 8 | 18 | 12 |
| 13 Rheumatic fever | — | 2 | 1 | 1 | 1 | — | 1 | — | 4 | — | — | — | 1 | — | 1 | 2 | 1 | — | 13 |
| 14 Diabetes | 1 | 1 | 1 | 1 | — | — | — | 1 | 4 | 4 | 2 | — | 1 | 2 | 1 | 2 | 2 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 8 | 13 | 4 | 5 | 4 | 3 | 3 | 1 | 20 | 12 | 9 | 10 | 3 | 2 | 5 | 4 | 1 | 7 | 15 |
| 16 Heart disease | 15 | 17 | 13 | 15 | 10 | 13 | 5 | 7 | 33 | 31 | 12 | 26 | 7 | 4 | 10 | 9 | 7 | 9 | 16 |
| 17 Arterio-sclerosis | 4 | 2 | 4 | 1 | 5 | 6 | 5 | 4 | 9 | 3 | 2 | — | 1 | — | 4 | 3 | 7 | 7 | 17 |
| 18 Bronchitis | 13 | 12 | 4 | 3 | 3 | 2 | 12 | 16 | 25 | 22 | 7 | 12 | 8 | 1 | 3 | 8 | 2 | 7 | 18 |
| 19 Pneumonia (all forms) | 15 | 8 | 9 | 3 | 1 | 1 | 4 | 4 | 24 | 18 | 15 | 8 | 11 | 5 | 10 | 6 | 9 | 6 | 19 |
| 20 Other respiratory diseases | — | 1 | 4 | — | 1 | — | — | — | 4 | 4 | 1 | 2 | 2 | 1 | 1 | 1 | — | 2 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | 1 | — | — | — | — | — | 1 | 3 | 1 | 1 | 1 | — | — | — | 1 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | — | 2 | — | — | — | — | — | 6 | 2 | — | 1 | 2 | 4 | 1 | — | 1 | — | 22 |
| 23 Appendicitis and typhlitis | 4 | 2 | — | 1 | — | 1 | — | — | 2 | — | — | 1 | — | — | 2 | — | — | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | 1 | 1 | — | 2 | — | 24 |
| 25 Acute and chronic nephritis | 4 | 3 | 2 | 4 | 1 | 3 | 1 | 3 | 6 | 6 | 6 | 3 | 6 | 3 | — | 2 | 2 | 4 | 25 |
| 26 Puerperal sepsis | — | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 4 | — | 1 | — | — | — | — | — | 1 | — | 2 | — | — | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 6 | 5 | 5 | 4 | 1 | 3 | 5 | 2 | 20 | 12 | 8 | 6 | 5 | 5 | 2 | 2 | 4 | 4 | 28 |
| 29 Suicide | 3 | 1 | — | — | — | — | 1 | — | 3 | 1 | 2 | — | — | — | 1 | — | — | — | 29 |
| 30 Other deaths from violence | 5 | 2 | 5 | 1 | 3 | 2 | 2 | 5 | 9 | 3 | 5 | 1 | 5 | 2 | 1 | 1 | 1 | — | 30 |
| 31 Other defined diseases | 24 | 26 | 19 | 15 | 8 | 12 | 20 | 17 | 51 | 48 | 30 | 17 | 11 | 12 | 9 | 10 | 14 | 21 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## CHESHIRE—*cont.*

| Causes of Death. | Hyde M.B. | | Macclesfield. M.B. | | Northwich U.D. | | Runcorn U.D. | | Sale U.D. | | Stalybridge M.B. | | Winsford U.D. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F | M. | F. | M. | F. | M. | F. | | | | | |
| **All Causes** | 218 | 220 | 218 | 213 | 109 | 93 | 110 | 106 | 91 | 100 | 187 | 200 | 60 | 60 | | | | | |
| 1 Enteric fever | 1 | — | 1 | — | — | — | — | — | — | — | — | — | 1 | 1 | | | | | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | 2 |
| 3 Measles | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 3 | 4 | | | | | 3 |
| 4 Scarlet fever | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | | | | | 4 |
| 5 Whooping cough | 1 | 1 | — | — | — | — | 1 | 1 | — | 1 | — | 1 | — | — | | | | | 5 |
| 6 Diphtheria | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | | | | | 6 |
| 7 Influenza | 7 | 8 | 3 | 1 | 4 | 3 | 4 | 3 | 5 | 5 | 6 | 5 | 3 | 1 | | | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | | | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 14 | 16 | 18 | 10 | 3 | 2 | 3 | 3 | 9 | 3 | 7 | 4 | 2 | 1 | | | | | 10 |
| 11 Other tuberculous diseases | 6 | 6 | 6 | 12 | 3 | 3 | 2 | 1 | 2 | 5 | 7 | 4 | 1 | — | | | | | 11 |
| 12 Cancer, malignant disease | 28 | 24 | 8 | 33 | 11 | 10 | 8 | 8 | 6 | 15 | 18 | 24 | 5 | 3 | | | | | 12 |
| 13 Rheumatic fever | — | — | — | — | 1 | — | 1 | 1 | — | — | 1 | — | — | — | | | | | 13 |
| 14 Diabetes | 1 | 3 | — | 3 | 1 | — | 2 | — | 1 | — | 3 | 3 | — | 3 | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 9 | 11 | 8 | 13 | 5 | 5 | 4 | 6 | 4 | 7 | 11 | 13 | 2 | 4 | | | | | 15 |
| 16 Heart disease | 27 | 30 | 32 | 34 | 20 | 21 | 8 | 13 | 6 | 12 | 23 | 32 | 10 | 14 | | | | | 16 |
| 17 Arterio-sclerosis | 13 | 10 | 11 | 11 | 1 | 3 | 9 | 8 | 3 | 3 | 4 | 1 | 1 | 1 | | | | | 17 |
| 18 Bronchitis | 27 | 30 | 15 | 15 | 5 | 7 | 11 | 5 | 6 | 9 | 23 | 24 | 4 | 5 | | | | | 18 |
| 19 Pneumonia (all forms) | 25 | 14 | 12 | 5 | 8 | 5 | 14 | 15 | 10 | 6 | 22 | 17 | 1 | 3 | | | | | 19 |
| 20 Other respiratory diseases | 1 | 3 | 10 | 2 | 2 | 1 | 1 | 2 | 1 | — | 5 | 2 | — | — | | | | | 20 |
| 21 Ulcer of stomach or duodenum | 2 | 1 | 3 | — | — | — | 1 | — | 2 | — | 1 | — | — | — | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | 1 | 5 | 2 | 4 | 1 | — | — | — | — | 4 | 1 | 3 | 2 | | | | | 22 |
| 23 Appendicitis and typhlitis | 1 | 1 | 1 | — | — | 1 | 1 | — | 1 | — | — | — | 1 | — | | | | | 23 |
| 24 Cirrhosis of liver | — | — | 2 | — | — | — | — | 1 | 1 | 1 | 2 | 1 | — | — | | | | | 24 |
| 25 Acute and chronic nephritis | 5 | 3 | 6 | 11 | 2 | 4 | 4 | 3 | 3 | 7 | 5 | 6 | 5 | 2 | | | | | 25 |
| 26 Puerperal sepsis | — | 1 | — | 2 | — | — | — | — | — | — | — | 1 | — | — | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 1 | — | 2 | — | 1 | — | 1 | — | 1 | — | 1 | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 9 | 11 | 22 | 10 | 6 | 5 | 10 | 4 | 6 | 5 | 6 | 10 | 3 | 3 | | | | | 28 |
| 29 Suicide | 5 | 2 | 4 | 2 | 2 | — | 1 | — | 3 | — | 2 | 1 | 1 | — | | | | | 29 |
| 30 Other deaths from violence | 5 | 3 | 5 | 8 | 8 | 3 | 8 | 5 | 5 | 1 | 7 | 2 | 1 | 2 | | | | | 30 |
| 31 Other defined diseases | 31 | 38 | 44 | 37 | 23 | 16 | 16 | 25 | 17 | 19 | 30 | 47 | 13 | 10 | | | | | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | | | | | 32 |

## CHESHIRE—*cont.*

| Causes of Death. | Bucklow R.D. | | Chester R.D. | | Congleton R.D. | | Macclesfield R.D. | | Nantwich R.D. | | Northwich R.D. | | Runcorn R.D. | | Tarvin R.D. | | Wirral R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M | F. | M. | F. | |
| **All Causes** | 101 | 116 | 67 | 50 | 84 | 63 | 75 | 81 | 144 | 123 | 137 | 136 | 172 | 138 | 78 | 72 | 110 | 106 | |
| 1 Enteric fever | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | 1 | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | — | — | 1 | 1 | 2 | 2 | 1 | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | 1 | — | — | — | 2 | — | — | 3 | 4 | 3 | 3 | 2 | — | 3 | 3 | — | 1 | 5 |
| 6 Diphtheria | — | 1 | — | — | 2 | — | — | 1 | — | — | 1 | 1 | — | — | 2 | — | — | 1 | 6 |
| 7 Influenza | 2 | 3 | 2 | 2 | 3 | — | — | 3 | 6 | 1 | 5 | 3 | 8 | 2 | 3 | — | 2 | 3 | 7 |
| 8 Encephalitis lethargica | — | 1 | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | 1 | — | — | 1 | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | — | 5 | 4 | 2 | 4 | 1 | 4 | — | 6 | 4 | 7 | 6 | 3 | 7 | 2 | 1 | 8 | 9 | 10 |
| 11 Other tuberculous diseases | 2 | 3 | 3 | — | — | — | 2 | — | 2 | 1 | 1 | 2 | 2 | 2 | 1 | — | 3 | 4 | 11 |
| 12 Cancer, malignant disease | 11 | 14 | 3 | 10 | 10 | 5 | 12 | 7 | 18 | 20 | 14 | 15 | 17 | 27 | 4 | 3 | 12 | 13 | 12 |
| 13 Rheumatic fever | 1 | 1 | — | — | — | — | — | — | — | 1 | 2 | 1 | 1 | 1 | — | — | — | — | 13 |
| 14 Diabetes | 2 | 1 | 1 | 1 | 1 | 2 | 1 | — | 5 | 1 | — | 1 | 5 | 3 | — | 1 | — | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 9 | 10 | 2 | 2 | 5 | 2 | 3 | 9 | 8 | 11 | 11 | 6 | 11 | 12 | 5 | 8 | 5 | 12 | 15 |
| 16 Heart disease | 16 | 19 | 10 | 9 | 10 | 11 | 4 | 20 | 19 | 13 | 18 | 22 | 23 | 12 | 9 | 11 | 20 | 13 | 16 |
| 17 Arterio-sclerosis | 6 | 3 | 2 | — | 3 | 5 | 5 | 4 | 5 | 1 | 5 | 3 | 7 | 4 | — | 1 | 6 | 4 | 17 |
| 18 Bronchitis | 6 | 10 | 3 | 4 | 7 | 3 | 3 | 6 | 11 | 4 | 5 | 8 | 12 | 10 | 9 | 2 | 5 | 6 | 18 |
| 19 Pneumonia (all forms) | 15 | 3 | 7 | — | 8 | 3 | 6 | 3 | 11 | 9 | 7 | 12 | 16 | 9 | 4 | 7 | 8 | 6 | 19 |
| 20 Other respiratory diseases | — | — | 3 | 1 | 1 | — | — | 1 | 2 | 1 | 2 | — | — | 1 | 2 | 2 | 3 | — | 20 |
| 21 Ulcer of stomach or duodenum | — | 1 | 1 | — | 1 | — | 3 | — | 3 | — | — | 1 | 3 | — | — | 1 | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | — | — | 1 | — | — | 1 | 1 | 2 | — | 1 | — | — | 2 | 1 | 22 |
| 23 Appendicitis and typhlitis | — | 1 | 1 | — | — | — | 1 | 1 | — | 1 | 1 | 1 | 1 | 2 | — | — | 1 | — | 23 |
| 24 Cirrhosis of liver | — | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | 1 | 2 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 3 | 6 | 2 | 1 | 1 | 3 | 3 | 1 | 2 | 3 | 3 | 9 | 6 | — | 1 | — | 1 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | 3 | — | 2 | 27 |
| 28 Congenital debility and malformation, premature birth | 3 | 4 | 2 | 1 | 2 | 5 | 6 | 3 | 10 | 6 | 13 | 9 | 7 | 4 | 2 | 1 | 8 | 3 | 28 |
| 29 Suicide | 2 | — | 2 | — | 1 | 1 | — | — | 1 | 3 | — | 1 | 3 | 3 | 1 | 2 | 3 | — | 29 |
| 30 Other deaths from violence | 5 | 2 | 4 | 1 | 5 | 5 | 3 | — | 5 | 1 | 7 | 2 | 14 | 2 | 4 | 4 | 4 | 3 | 30 |
| 31 Other defined diseases | 16 | 23 | 14 | 15 | 20 | 14 | 17 | 21 | 25 | 33 | 29 | 25 | 28 | 31 | 21 | 21 | 18 | 18 | 31 |
| 32 Causes ill-defined or unknown | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | 1 | 3 | 2 | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## CORNWALL.

| Causes of Death. | Camborne U.D. | | Falmouth M.B. | | Penzance M.B. | | Truro M.B. | | Bodmin R.D. | | Helston R.D. | | Liskeard R.D. | | Redruth R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 104 | 133 | 84 | 76 | 88 | 96 | 63 | 81 | 61 | 64 | 90 | 127 | 92 | 92 | 121 | 140 | |
| 1 Enteric fever | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | 1 | — | — | 1 | 3 | 5 | 4 | — | — | — | — | — | — | 2 | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | 1 | — | — | 5 | 1 | — | — | — | 1 | — | — | — | 1 | — | — | 5 |
| 6 Diphtheria | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 6 |
| 7 Influenza | 1 | — | 1 | — | 1 | 2 | 1 | — | 1 | — | — | — | 4 | 2 | 1 | 3 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 2 | 1 | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 19 | 11 | 8 | 3 | 4 | 5 | 6 | 4 | 3 | 2 | 4 | 5 | 8 | 1 | 17 | 12 | 10 |
| 11 Other tuberculous diseases | 4 | 1 | 1 | — | 1 | 1 | — | 2 | 2 | — | 4 | 2 | — | 3 | 5 | 3 | 11 |
| 12 Cancer, malignant disease | 8 | 17 | 10 | 14 | 6 | 12 | 5 | 8 | 5 | 7 | 9 | 10 | 15 | 10 | 10 | 21 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 13 |
| 14 Diabetes | 2 | 3 | — | 1 | — | — | 1 | 1 | 1 | — | 2 | 2 | — | 1 | 3 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 8 | 9 | 6 | 10 | 12 | 17 | 4 | 9 | 13 | 10 | 10 | 7 | 3 | 8 | 10 | 16 | 15 |
| 16 Heart disease | 15 | 34 | 9 | 12 | 15 | 16 | 8 | 9 | 10 | 13 | 10 | 22 | 8 | 15 | 14 | 22 | 16 |
| 17 Arterio-sclerosis | 4 | 4 | 2 | 2 | 1 | 2 | 2 | 1 | — | 1 | 3 | 2 | 1 | 5 | 1 | 2 | 17 |
| 18 Bronchitis | 7 | 11 | 7 | 4 | 6 | 8 | 2 | 7 | 1 | 1 | 8 | 14 | 8 | 6 | 7 | 6 | 18 |
| 19 Pneumonia (all forms) | 7 | 7 | — | 4 | 3 | 3 | 4 | 3 | 3 | 7 | 3 | 5 | — | 7 | 2 | 6 | 19 |
| 20 Other respiratory diseases | 1 | 1 | 1 | 1 | 4 | — | — | — | 3 | 1 | 5 | 2 | 3 | 4 | 7 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | 2 | — | 2 | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 1 | 1 | 1 | 1 | 1 | — | — | — | — | — | 1 | 1 | 1 | 2 | — | 22 |
| 23 Appendicitis and typhlitis | 2 | — | 3 | — | — | — | 3 | 1 | — | 2 | 1 | 1 | — | — | 2 | — | 23 |
| 24 Cirrhosis of liver | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 2 | 5 | 3 | 4 | 1 | 1 | 1 | 5 | 1 | 1 | — | 2 | 3 | — | 4 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | — | 1 | — | — | — | 3 | — | 1 | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 1 | 5 | 1 | 4 | 2 | — | 1 | 1 | — | 2 | 6 | 12 | 3 | 8 | 1 | 28 |
| 29 Suicide | 2 | — | 2 | — | — | 1 | — | 1 | — | 1 | — | 1 | — | — | 2 | — | 29 |
| 30 Other deaths from violence | 1 | — | 2 | — | 2 | — | 4 | — | 2 | — | 4 | 2 | 4 | — | 3 | 4 | 30 |
| 31 Other defined diseases | 15 | 22 | 18 | 19 | 21 | 20 | 16 | 24 | 14 | 14 | 22 | 40 | 19 | 23 | 20 | 36 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | 2 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | 32 |

## CORNWALL—*cont.*

| Causes of Death. | St. Austell R.D. | | St. Columb Major R.D. | | St. Germans R.D. | | Truro R.D. | | West Penwith R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 193 | 221 | 86 | 49 | 85 | 82 | 110 | 120 | 49 | 67 | |
| 1 Enteric fever | — | — | — | — | 1 | — | — | — | — | 1 | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | — | — | — | 1 | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | 2 | — | 1 | — | — | — | 1 | — | — | 5 |
| 6 Diphtheria | 1 | — | 1 | — | — | — | — | — | — | — | 6 |
| 7 Influenza | 4 | 5 | 3 | 2 | 4 | 1 | 3 | 6 | 1 | 1 | 7 |
| 8 Encephalitis lethargica | — | — | 1 | — | 2 | — | — | — | 1 | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 17 | 9 | 3 | 2 | 4 | 9 | 5 | 10 | 2 | 4 | 10 |
| 11 Other tuberculous diseases | 2 | 5 | 3 | 2 | 1 | 1 | — | — | — | 2 | 11 |
| 12 Cancer, malignant disease | 18 | 34 | 7 | 7 | 7 | 8 | 11 | 21 | 6 | 8 | 12 |
| 13 Rheumatic fever | 1 | — | — | — | — | — | — | 1 | — | — | 13 |
| 14 Diabetes | 2 | 8 | 1 | — | 1 | 1 | 1 | 2 | 2 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 13 | 18 | 6 | 5 | 4 | 5 | 6 | 10 | 5 | 7 | 15 |
| 16 Heart disease | 21 | 23 | 12 | 3 | 11 | 10 | 20 | 22 | 7 | 5 | 16 |
| 17 Arterio-sclerosis | 9 | 9 | 4 | 2 | 4 | 1 | 5 | 3 | 3 | 4 | 17 |
| 18 Bronchitis | 9 | 15 | 3 | 4 | 3 | 4 | 8 | 4 | — | 3 | 18 |
| 19 Pneumonia (all forms) | 4 | 6 | 3 | 2 | 2 | 2 | — | 2 | 7 | 2 | 19 |
| 20 Other respiratory diseases | 10 | 4 | — | — | 2 | 2 | 7 | — | — | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | 1 | — | 3 | — | — | — | 1 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | — | 2 | — | — | 1 | — | 22 |
| 23 Appendicitis and typhlitis | 2 | — | — | — | 1 | — | — | — | 1 | 2 | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | 1 | 1 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 6 | 4 | 4 | 1 | 4 | 1 | 6 | 3 | 2 | 2 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | 1 | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 4 | — | 1 | — | 1 | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 13 | 8 | 5 | — | 8 | 2 | 7 | 3 | 3 | 7 | 28 |
| 29 Suicide | 1 | 2 | 2 | — | 3 | — | — | — | — | 1 | 29 |
| 30 Other deaths from violence | 12 | 2 | 4 | — | 3 | 3 | 3 | 1 | — | — | 30 |
| 31 Other defined diseases | 42 | 61 | 23 | 17 | 16 | 27 | 27 | 29 | 7 | 14 | 31 |
| 32 Causes ill-defined or unknown | 4 | 1 | 2 | — | 1 | 1 | — | 1 | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## CUMBERLAND.

| Causes of Death. | Maryport U.D. | | Whitehaven M.B. | | Workington M.B. | | Carlisle R.D. | | Cockermouth R.D. | | Penrith R.D. | | Whitehaven R.D. | | Wigton R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 74 | 71 | 172 | 136 | 175 | 169 | 67 | 64 | 156 | 138 | 69 | 64 | 86 | 80 | 82 | 84 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 5 | 2 | 2 | 2 | — | 4 | 1 | 2 | 1 | 7 | — | — | 1 | — | 2 | 1 | 3 |
| 4 Scarlet fever | — | 1 | — | — | 1 | — | — | 1 | 1 | 1 | — | 1 | — | — | — | — | 4 |
| 5 Whooping cough | — | 2 | — | — | — | — | — | 1 | 1 | — | 1 | 1 | — | — | — | 2 | 5 |
| 6 Diphtheria | 3 | 2 | — | — | 7 | 10 | — | 1 | 2 | 1 | — | — | — | 1 | — | — | 6 |
| 7 Influenza | — | — | 8 | 4 | 2 | 1 | 1 | — | 2 | — | — | — | 4 | 1 | 1 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | 1 | 1 | — | 1 | — | 1 | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 2 | 3 | 13 | 13 | 9 | 9 | 2 | 6 | 7 | 5 | — | 4 | 3 | 6 | 5 | 2 | 10 |
| 11 Other tuberculous diseases | 1 | 1 | 3 | 6 | 5 | 4 | 1 | 2 | 3 | 2 | — | 1 | 2 | 5 | — | 1 | 11 |
| 12 Cancer, malignant disease | 7 | 8 | 10 | 7 | 25 | 20 | 7 | 8 | 14 | 18 | 10 | 6 | 6 | 5 | 4 | 7 | 12 |
| 13 Rheumatic fever | — | — | — | 1 | 1 | 4 | — | — | — | — | — | — | — | 1 | — | 1 | 13 |
| 14 Diabetes | — | 1 | 2 | 1 | — | 4 | — | — | — | 3 | — | — | — | — | 2 | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 4 | 12 | 7 | 10 | 13 | 5 | 5 | 6 | 20 | 6 | 8 | 10 | 8 | 8 | 6 | 15 |
| 16 Heart disease | 13 | 7 | 8 | 23 | 21 | 16 | 8 | 10 | 13 | 16 | 12 | 7 | 9 | 5 | 15 | 13 | 16 |
| 17 Arterio-sclerosis | 1 | 1 | 5 | 1 | 6 | — | 4 | 1 | 6 | 4 | 3 | 3 | 3 | — | 3 | 4 | 17 |
| 18 Bronchitis | 4 | 3 | 16 | 14 | 6 | 12 | 3 | 5 | 14 | 9 | 3 | 1 | 7 | 6 | 3 | 4 | 18 |
| 19 Pneumonia (all forms) | 5 | 6 | 12 | 9 | 19 | 6 | 5 | 2 | 12 | 8 | 7 | — | 5 | 1 | 4 | 3 | 19 |
| 20 Other respiratory diseases | 1 | 1 | 2 | — | 2 | 2 | — | — | 5 | 1 | 1 | 2 | 2 | 3 | 4 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 1 | 1 | — | — | — | 1 | — | 3 | — | 1 | — | — | 1 | 2 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 1 | 11 | 3 | 7 | 4 | — | — | 3 | 2 | — | 1 | 2 | 1 | — | 1 | 22 |
| 23 Appendicitis and typhlitis | — | — | 2 | 1 | 3 | — | — | — | 2 | 1 | 1 | — | — | — | — | 1 | 23 |
| 24 Cirrhosis of liver | 1 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 2 | — | 1 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | 3 | 3 | — | 3 | 3 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 3 | — | 2 | — | — | — | 2 | — | 2 | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 7 | 6 | 13 | 5 | 11 | 7 | 2 | 1 | 14 | 5 | 2 | 3 | 5 | 6 | 6 | 3 | 28 |
| 29 Suicide | — | — | — | — | 1 | — | 1 | — | 1 | — | — | — | 2 | — | 2 | — | 29 |
| 30 Other deaths from violence | 1 | — | 8 | 7 | 4 | 5 | 1 | 2 | 6 | 2 | 2 | — | 3 | 2 | 2 | 1 | 30 |
| 31 Other defined diseases | 16 | 19 | 39 | 24 | 29 | 43 | 22 | 12 | 38 | 29 | 15 | 20 | 19 | 23 | 16 | 27 | 31 |
| 32 Causes ill-defined or unknown | — | 1 | 3 | 3 | 2 | 1 | 1 | 3 | — | 1 | — | — | 2 | 2 | — | 1 | 32 |

## DERBYSHIRE.

| Causes of Death. | Alfreton U.D. | | Belper U.D. | | Bolsover U.D. | | Buxton M.B. | | Chesterfield M.B. | | Glossop M.B. | | Heanor U.D. | | Ilkeston M.B. | | Long Eaton U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 125 | 105 | 60 | 63 | 61 | 59 | 62 | 95 | 407 | 376 | 119 | 154 | 110 | 110 | 172 | 176 | 108 | 93 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 4 | 1 | 1 | — | — | — | — | — | 7 | 9 | — | — | 4 | 1 | 1 | 2 | 3 | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 4 |
| 5 Whooping cough | 1 | — | — | — | 1 | 3 | 1 | — | 2 | 4 | — | — | 4 | 3 | 2 | 2 | 1 | — | 5 |
| 6 Diphtheria | 1 | — | — | 1 | — | 1 | 1 | — | — | — | 3 | 1 | — | — | — | 1 | — | — | 6 |
| 7 Influenza | — | 4 | — | 1 | — | — | — | 5 | 15 | 17 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys | 5 | 7 | 2 | 1 | 3 | — | 5 | 4 | 27 | 29 | 5 | 8 | 5 | 6 | 14 | 7 | 6 | 5 | 10 |
| 11 Other tuberculous diseases | 1 | — | — | 1 | 2 | — | 2 | — | 5 | 6 | — | 1 | 1 | 2 | 3 | 2 | 2 | 2 | 11 |
| 12 Cancer, malignant disease | 10 | 8 | 6 | 8 | 5 | 8 | 7 | 11 | 26 | 45 | 8 | 25 | 10 | 9 | 14 | 18 | 11 | 12 | 12 |
| 13 Rheumatic fever | — | 1 | — | — | — | — | — | 1 | 1 | — | — | — | — | — | 1 | 2 | 1 | — | 13 |
| 14 Diabetes | 1 | 2 | — | 3 | 1 | 4 | — | 3 | 1 | 2 | 1 | 1 | 1 | 1 | — | 5 | 2 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 8 | 6 | 6 | 7 | 3 | 4 | 3 | 6 | 21 | 35 | 9 | 9 | 5 | 10 | 9 | 13 | 5 | 9 | 15 |
| 16 Heart disease | 14 | 10 | 7 | 9 | 4 | 4 | 7 | 12 | 39 | 43 | 18 | 24 | 10 | 11 | 10 | 13 | 10 | 13 | 16 |
| 17 Arterio-sclerosis | 7 | 5 | 1 | — | 2 | — | 4 | 4 | 13 | 6 | 6 | 5 | 6 | — | 2 | — | 4 | 1 | 17 |
| 18 Bronchitis | 2 | 6 | 3 | 3 | 4 | 2 | 2 | 6 | 32 | 34 | 13 | 13 | 6 | 8 | 24 | 19 | 3 | 5 | 18 |
| 19 Pneumonia (all forms) | 7 | 7 | 3 | 5 | 5 | 5 | 2 | 5 | 44 | 24 | 7 | 9 | 7 | 9 | 22 | 13 | 7 | 6 | 19 |
| 20 Other respiratory diseases | 4 | 1 | 3 | 2 | 1 | 3 | — | — | 9 | 3 | 2 | — | 1 | 3 | 4 | 3 | 2 | — | 20 |
| 21 Ulcer of stomach or duodenum | 3 | — | — | — | 1 | — | — | 1 | 3 | 2 | 1 | — | — | — | 1 | — | 2 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 1 | — | — | 3 | 3 | — | — | 4 | 4 | 1 | 1 | 2 | 1 | 12 | 1 | — | — | 22 |
| 23 Appendicitis and typhlitis | 1 | — | — | — | 3 | — | — | — | 3 | 1 | 1 | — | — | — | — | 1 | — | — | 23 |
| 24 Cirrhosis of liver | — | 1 | — | — | — | — | 1 | — | — | 1 | 2 | — | 1 | 1 | 2 | 3 | — | — | 24 |
| 25 Acute and chronic nephritis | 8 | 3 | 2 | 3 | 1 | 2 | 2 | 5 | 7 | 6 | 5 | 10 | 2 | 3 | 3 | 4 | 2 | 3 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | — | — | 4 | — | 1 | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 5 | — | — | — | — | — | — | — | 5 | — | — | — | 2 | — | 2 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 10 | 7 | 10 | 5 | 5 | 6 | 7 | 4 | 37 | 23 | 5 | 5 | 12 | 9 | 9 | 15 | 4 | 5 | 28 |
| 29 Suicide | — | 1 | 1 | — | — | — | 1 | — | 5 | 3 | 2 | — | 1 | 1 | 1 | 1 | 3 | — | 29 |
| 30 Other deaths from violence | 9 | 2 | 4 | — | 5 | 1 | 3 | 2 | 17 | 5 | 5 | 2 | 6 | 3 | 12 | 2 | 5 | 3 | 30 |
| 31 Other defined diseases | 28 | 26 | 9 | 14 | 11 | 11 | 14 | 26 | 81 | 58 | 21 | 35 | 23 | 25 | 25 | 39 | 31 | 26 | 31 |
| 32 Causes ill-defined or unknown | — | — | 2 | — | 1 | 2 | — | — | 8 | 5 | — | 3 | 1 | 1 | — | 3 | 3 | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## DERBYSHIRE—*cont.*

| Causes of Death | Ripley U.D. | | Swadlincote District U.D. | | Ashbourne R.D. | | Bakewell R.D. | | Belper R.D. | | Blackwell R.D. | | Chapel-en-le-Frith R.D. | | Chesterfield R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 75 | 70 | 85 | 77 | 59 | 55 | 126 | 132 | 132 | 129 | 258 | 220 | 83 | 88 | 471 | 380 | |
| 1 Enteric fever | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 2 | 1 | — | 3 | — | — | — | — | — | 1 | 13 | 8 | — | — | 4 | 4 | 3 |
| 4 Scarlet fever | — | — | — | 1 | — | — | — | 1 | — | — | 1 | — | — | — | 1 | — | 4 |
| 5 Whooping cough | 1 | 1 | — | 1 | — | — | 1 | — | — | — | 4 | 6 | 1 | — | 9 | 13 | 5 |
| 6 Diphtheria | — | — | — | 2 | — | — | — | — | 1 | — | — | 1 | — | — | 2 | 2 | 6 |
| 7 Influenza | 3 | 1 | — | — | 1 | 2 | 6 | 2 | 2 | 1 | 2 | 4 | 3 | 3 | 13 | 12 | 7 |
| 8 Encephalitis lethargica | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 9 |
| 10 Tuberculosis of respiratory sys. | 3 | 6 | 1 | 3 | 2 | 2 | 6 | 3 | 6 | 6 | 11 | 16 | 3 | 2 | 28 | 23 | 10 |
| 11 Other tuberculous diseases | 3 | 2 | 5 | 1 | 1 | 1 | 2 | 4 | 5 | 2 | 5 | 4 | 1 | 2 | 12 | 7 | 11 |
| 12 Cancer, malignant disease | 5 | 7 | 10 | 8 | 7 | 5 | 18 | 18 | 11 | 18 | 20 | 24 | 6 | 12 | 23 | 29 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | 1 | 1 | — | — | — | 1 | 1 | — | — | — | 1 | 13 |
| 14 Diabetes | 1 | — | — | 1 | — | — | 3 | 1 | 2 | 3 | — | 4 | — | 4 | 2 | 4 | 14 |
| 15 Cerebral hæmorrhage, &c. | 5 | 4 | 3 | 9 | 1 | 5 | 8 | 8 | 8 | 16 | 17 | 9 | 11 | 7 | 29 | 18 | 15 |
| 16 Heart disease | 6 | 8 | 7 | 2 | 13 | 7 | 15 | 29 | 15 | 15 | 18 | 15 | 9 | 11 | 52 | 56 | 16 |
| 17 Arterio-sclerosis | — | 1 | 2 | 1 | 1 | — | 4 | 6 | 6 | 10 | 9 | 4 | 3 | 3 | 11 | 10 | 17 |
| 18 Bronchitis | 2 | 2 | 9 | 4 | — | 4 | 14 | 8 | 11 | 6 | 21 | 7 | 8 | 6 | 34 | 25 | 18 |
| 19 Pneumonia (all forms) | 1 | 2 | 4 | 4 | — | 4 | 9 | 5 | 7 | 4 | 28 | 22 | — | 1 | 53 | 38 | 19 |
| 20 Other respiratory diseases | — | 2 | 1 | 1 | — | — | 1 | 1 | — | 1 | 4 | 2 | 1 | 1 | 5 | 5 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | 3 | — | — | — | — | — | 1 | — | — | — | 1 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | 2 | — | — | — | 1 | — | — | 9 | 9 | — | 2 | 9 | 6 | 22 |
| 23 Appendicitis and typhlitis | — | — | — | 1 | — | — | 2 | — | 2 | 1 | 1 | 1 | — | 2 | 6 | 2 | 23 |
| 24 Cirrhosis of liver | — | — | — | 1 | — | — | — | — | 2 | 2 | 3 | 3 | 1 | — | 3 | — | 24 |
| 25 Acute and chronic nephritis | 2 | 2 | 1 | — | 1 | 2 | 2 | 5 | 3 | 3 | 7 | 5 | 2 | 5 | 13 | 7 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | — | — | 1 | — | 3 | — | 2 | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 3 | — | 1 | — | — | — | 2 | — | 2 | — | 4 | — | 2 | — | 3 | 27 |
| 28 Congenital debility and malformation, premature birth | 9 | 3 | 5 | 6 | 4 | — | 5 | 8 | 6 | 8 | 22 | 19 | 4 | 3 | 39 | 31 | 28 |
| 29 Suicide | 2 | — | 2 | — | 1 | — | — | — | — | — | 1 | 1 | 3 | 1 | 2 | 3 | 29 |
| 30 Other deaths from violence | 5 | 2 | 6 | — | 1 | 2 | 4 | 5 | 8 | 2 | 10 | 3 | 3 | 2 | 28 | 6 | 30 |
| 31 Other defined diseases | 19 | 21 | 26 | 23 | 21 | 18 | 24 | 24 | 35 | 26 | 47 | 45 | 23 | 17 | 86 | 70 | 31 |
| 32 Causes ill-defined or unknown | 4 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 3 | — | 1 | — | 5 | 2 | 32 |

## DERBYSHIRE—*cont.* DEVONSHIRE.

| Causes of Death. | Clowne R.D. | | Repton R.D. | | Shardlow R.D. | | Barnstaple M.B. | | Exmouth U.D. | | Ilfracombe U.D. | | Newton Abbot U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 84 | 72 | 79 | 77 | 148 | 155 | 89 | 108 | 74 | 89 | 48 | 68 | 90 | 100 | |
| 1 Enteric fever | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | — | 2 | 1 | 2 | 4 | — | 2 | — | — | — | — | — | — | 5 |
| 6 Diphtheria | — | 1 | — | 1 | 1 | 2 | — | 1 | — | — | 1 | — | — | — | 6 |
| 7 Influenza | 3 | — | — | 2 | 4 | 2 | 1 | 2 | — | 1 | 1 | 2 | — | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | 1 | 1 | — | — | — | — | — | 1 | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 7 | 8 | 1 | 1 | 11 | 5 | 10 | 9 | 4 | 3 | 2 | 4 | 8 | 7 | 10 |
| 11 Other tuberculous diseases | 1 | — | 2 | 2 | 1 | 2 | 5 | 2 | 2 | 2 | — | — | — | 2 | 11 |
| 12 Cancer, malignant disease | 8 | 3 | 8 | 9 | 10 | 24 | 10 | 12 | 10 | 23 | 13 | 13 | 15 | 12 | 12 |
| 13 Rheumatic fever | 1 | 1 | — | — | 1 | 1 | — | — | 1 | — | 1 | — | 2 | — | 13 |
| 14 Diabetes | 1 | — | 1 | — | 3 | 2 | — | 1 | 1 | 1 | — | — | 1 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 8 | 3 | 5 | 7 | 11 | 6 | 6 | 6 | 12 | 4 | 2 | 7 | 12 | 15 |
| 16 Heart disease | 7 | 9 | 13 | 9 | 12 | 17 | 9 | 18 | 16 | 16 | 5 | 17 | 7 | 12 | 16 |
| 17 Arterio-sclerosis | 1 | 1 | 3 | — | 5 | 1 | 6 | 6 | 5 | 1 | 4 | 11 | 8 | 8 | 17 |
| 18 Bronchitis | 1 | 5 | 3 | 4 | 6 | 8 | 5 | 5 | 2 | 3 | 3 | — | 7 | 9 | 18 |
| 19 Pneumonia (all forms) | 5 | 5 | 4 | 6 | 8 | 3 | 4 | 3 | 3 | 5 | 1 | 3 | 5 | 4 | 19 |
| 20 Other respiratory diseases | 3 | — | 2 | 1 | 1 | 1 | — | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | 2 | 2 | — | — | — | — | 1 | 1 | 1 | 2 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 1 | 1 | — | 2 | 2 | — | — | 1 | — | 1 | — | 1 | — | 22 |
| 23 Appendicitis and typhlitis | — | — | 1 | 1 | 1 | 2 | — | 1 | — | — | — | — | 1 | — | 23 |
| 24 Cirrhosis of liver | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 1 | — | 3 | 2 | 4 | 1 | 3 | 4 | 1 | 1 | — | 1 | 1 | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 3 | — | 2 | — | 1 | — | 1 | — | — | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 5 | 5 | 6 | 5 | 14 | 8 | 3 | 4 | — | — | 1 | 2 | 3 | 3 | 28 |
| 29 Suicide | — | — | 1 | 1 | 2 | — | 2 | 1 | 2 | — | 2 | 2 | 1 | — | 29 |
| 30 Other deaths from violence | 2 | — | 3 | 4 | 9 | 4 | 3 | 3 | 1 | — | 1 | 1 | 4 | — | 30 |
| 31 Other defined diseases | 30 | 20 | 20 | 20 | 39 | 48 | 21 | 24 | 16 | 20 | 5 | 8 | 16 | 23 | 31 |
| 32 Causes ill-defined or unknown | 1 | 2 | — | 1 | 1 | 2 | — | 1 | 1 | — | — | — | — | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## DEVONSHIRE—*cont.*

| Causes of Death. | Paignton U.D. | | Teignmouth U.D. | | Torquay M.B. | | Barnstaple R.D. | | Crediton R.D. | | Kingsbridge R.D. | | Newton Abbot R.D. | | Okehampton R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 84 | 83 | 40 | 74 | 253 | 264 | 101 | 120 | 56 | 64 | 67 | 72 | 133 | 123 | 61 | 77 | |
| 1 Enteric fever | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | 1 | 6 | 3 | — | — | — | — | — | 1 | 1 | 1 | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | 1 | — | — | 4 |
| 5 Whooping cough | — | — | — | — | — | — | — | 1 | — | — | 1 | 1 | — | 1 | — | — | 5 |
| 6 Diphtheria | 2 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 6 |
| 7 Influenza | 1 | — | — | 2 | 2 | 3 | 1 | 1 | 2 | — | 1 | 2 | 4 | 3 | — | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 5 | 2 | 1 | 16 | 17 | 10 | 12 | 3 | 3 | 2 | 4 | 11 | 11 | 4 | 7 | 10 |
| 11 Other tuberculous diseases | — | — | 1 | 1 | 7 | 2 | 1 | 3 | 1 | 1 | — | 1 | 1 | 2 | 1 | 1 | 11 |
| 12 Cancer, malignant disease | 9 | 13 | 5 | 11 | 26 | 39 | 15 | 17 | 4 | 6 | 11 | 12 | 11 | 12 | 6 | 11 | 12 |
| 13 Rheumatic fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 13 |
| 14 Diabetes | 4 | 1 | — | 2 | 5 | 1 | 2 | — | — | — | — | — | — | 2 | 1 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 6 | 5 | 2 | 8 | 22 | 30 | 8 | 8 | 1 | 6 | 7 | 4 | 6 | 12 | 2 | 8 | 15 |
| 16 Heart disease | 16 | 11 | 5 | 9 | 42 | 41 | 11 | 13 | 11 | 11 | 11 | 16 | 20 | 15 | 8 | 22 | 16 |
| 17 Arterio-sclerosis | 3 | 1 | 2 | 6 | 21 | 20 | 5 | 13 | 1 | — | 4 | 2 | 13 | 6 | 2 | — | 17 |
| 18 Bronchitis | 4 | 4 | 7 | 3 | 17 | 11 | 2 | 1 | 5 | 3 | 2 | 2 | 9 | 12 | 2 | 4 | 18 |
| 19 Pneumonia (all forms) | 3 | 4 | 3 | 5 | 9 | 14 | 6 | 3 | 8 | 4 | 3 | 3 | 8 | 7 | — | 1 | 19 |
| 20 Other respiratory diseases | 1 | 1 | 1 | 2 | 6 | 6 | 3 | 2 | 1 | 2 | 1 | — | 2 | — | — | 1 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | 1 | 2 | 3 | 1 | — | — | — | — | — | 1 | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 2 | — | — | 1 | — | — | 1 | — | — | — | — | 3 | 1 | 1 | 2 | 22 |
| 23 Appendicitis and typhlitis | — | 1 | 1 | 1 | — | 1 | — | 1 | — | — | — | — | 3 | — | 1 | — | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 3 | 1 | 4 | 6 | 5 | 9 | 1 | 2 | 3 | — | 1 | 2 | 3 | 1 | 5 | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 3 | 2 | 2 | 11 | 1 | 2 | 4 | 2 | 3 | 3 | 3 | 3 | 7 | 4 | 1 | 28 |
| 29 Suicide | 1 | — | — | — | 2 | 2 | 6 | 2 | 1 | — | 1 | — | 4 | — | 1 | — | 29 |
| 30 Other deaths from violence | — | 4 | 1 | 1 | 6 | 7 | 3 | 2 | 1 | — | 3 | 2 | 7 | 1 | 4 | 3 | 30 |
| 31 Other defined diseases | 19 | 26 | 4 | 11 | 44 | 50 | 23 | 32 | 12 | 24 | 15 | 17 | 23 | 25 | 15 | 11 | 31 |
| 32 Causes ill-defined or unknown | 1 | 1 | — | — | 2 | 1 | — | 1 | — | — | 1 | — | — | 2 | 3 | 1 | 32 |

## DEVONSHIRE—*cont.*

| Causes of Death. | Plympton St. Mary R.D. | | St. Thomas R.D. | | South Molton R.D. | | Tavistock R.D. | | Tiverton R.D. | | Totnes R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 137 | 142 | 143 | 160 | 64 | 66 | 77 | 83 | 91 | 87 | 64 | 67 | |
| 1 Enteric fever | — | 1 | 2 | — | — | — | — | — | 1 | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | 1 | 1 | 1 | 2 | 1 | — | — | 1 | — | 1 | 1 | 3 |
| 4 Scarlet fever | 1 | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | — | 1 | 1 | — | — | — | — | — | — | 1 | — | 5 |
| 6 Diphtheria | — | — | — | — | — | 1 | — | — | — | — | — | — | 6 |
| 7 Influenza | 2 | 5 | 3 | 4 | 4 | 3 | — | 2 | 2 | 1 | — | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | 1 | 1 | — | — | 8 |
| 9 Meningococcal meningitis | — | — | 1 | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 6 | 12 | 7 | 12 | 4 | 1 | 6 | 4 | 8 | 4 | 2 | 7 | 10 |
| 11 Other tuberculous diseases | 3 | 4 | — | 7 | 1 | 1 | — | 3 | 2 | — | 2 | 1 | 11 |
| 12 Cancer, malignant disease | 10 | 22 | 15 | 17 | 7 | 8 | 6 | 9 | 5 | 15 | 8 | 7 | 12 |
| 13 Rheumatic fever | — | 1 | — | — | — | — | — | — | — | — | — | 1 | 13 |
| 14 Diabetes | 1 | — | — | 1 | — | — | 1 | 1 | 1 | — | 1 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 9 | 13 | 6 | 16 | 5 | 7 | 7 | 5 | 4 | 4 | 1 | 5 | 15 |
| 16 Heart disease | 19 | 29 | 22 | 32 | 8 | 11 | 14 | 17 | 18 | 20 | 14 | 8 | 16 |
| 17 Arterio-sclerosis | 8 | 6 | 4 | 7 | 1 | 2 | 3 | 3 | 4 | — | — | 1 | 17 |
| 18 Bronchitis | 12 | 8 | 12 | 11 | 3 | 3 | 2 | 3 | 7 | 2 | — | 2 | 18 |
| 19 Pneumonia (all forms) | 8 | 5 | 5 | 7 | 6 | 2 | 4 | 6 | 4 | 6 | 4 | 5 | 19 |
| 20 Other respiratory diseases | 1 | — | 2 | 1 | 2 | 1 | — | 1 | 1 | 1 | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | — | — | — | 2 | — | 1 | 1 | — | 2 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | — | 2 | 1 | — | — | — | — | 1 | 1 | 1 | 22 |
| 23 Appendicitis and typhlitis | 1 | — | 2 | — | — | 1 | 1 | — | 2 | — | — | — | 23 |
| 24 Cirrhosis of liver | 1 | — | 2 | — | — | — | — | — | — | 1 | — | — | 24 |
| 25 Acute and chronic nephritis | 2 | 1 | 7 | 3 | 2 | 2 | 3 | 2 | 5 | 8 | — | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | — | — | 1 | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 2 | — | 2 | — | — | — | 2 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 5 | 5 | 5 | 4 | 3 | 2 | 3 | 2 | 4 | 4 | 5 | 2 | 28 |
| 29 Suicide | 2 | 1 | 4 | — | 3 | — | 1 | — | 2 | — | — | 1 | 29 |
| 30 Other deaths from violence | 3 | 1 | 6 | 1 | 3 | — | 3 | 1 | 4 | 1 | 6 | 1 | 30 |
| 31 Other defined diseases | 42 | 26 | 34 | 29 | 9 | 18 | 20 | 21 | 14 | 14 | 16 | 17 | 31 |
| 32 Causes ill-defined or unknown | — | — | 2 | 1 | — | — | 1 | 3 | — | — | 1 | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

**DORSETSHIRE.** **DURHAM**

| Causes of Death. | Poole M.B. | | Portland U.D. | | Weymouth & Melcombe Regis M.B. | | Wareham & Purbeck R.D. | | Wimborne & Cranborne R.D. | | Annfield Plain U.D. | | Bishop Auckland U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 232 | 267 | 50 | 41 | 109 | 121 | 57 | 71 | 106 | 87 | 102 | 103 | 102 | 77 | |
| 1 Enteric fever | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 1 | 1 | — | — | 1 | — | — | — | — | — | — | 1 | 1 | 1 | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | — | 2 | — | 2 | — | 1 | — | 1 | 1 | — | 1 | 1 | — | 5 |
| 6 Diphtheria | — | — | — | — | — | — | — | — | — | 1 | 1 | 2 | — | 1 | 6 |
| 7 Influenza | 2 | 3 | — | — | 1 | 3 | 1 | 4 | 1 | — | 1 | 1 | 3 | — | 7 |
| 8 Encephalitis lethargica | 1 | 1 | — | 1 | — | — | 2 | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 25 | 15 | 5 | 6 | 11 | 3 | 2 | 8 | 5 | 8 | 9 | 11 | 6 | 4 | 10 |
| 11 Other tuberculous diseases | 7 | 8 | — | — | 1 | 3 | — | 1 | 1 | 1 | 4 | 4 | 4 | 3 | 11 |
| 12 Cancer, malignant disease | 22 | 43 | 6 | 4 | 12 | 12 | 7 | 8 | 11 | 10 | 8 | 14 | 7 | 8 | 12 |
| 13 Rheumatic fever | 1 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | 13 |
| 14 Diabetes | 3 | 6 | 1 | 1 | 1 | 1 | — | — | — | 1 | — | 1 | — | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 9 | 13 | 5 | 5 | 10 | 19 | 4 | 7 | 11 | 9 | 11 | 8 | 5 | 2 | 15 |
| 16 Heart disease | 29 | 40 | 5 | 4 | 19 | 14 | 16 | 15 | 15 | 18 | 8 | 7 | 6 | 9 | 16 |
| 17 Arterio-sclerosis | 15 | 9 | 2 | 2 | 3 | — | — | 2 | 1 | 1 | 2 | 3 | 3 | — | 17 |
| 18 Bronchitis | 9 | 9 | 1 | — | 6 | 15 | 1 | 5 | 7 | 5 | 12 | 11 | 9 | 8 | 18 |
| 19 Pneumonia (all forms) | 7 | 10 | 3 | 4 | 3 | 7 | 2 | 1 | 3 | 1 | 9 | 11 | 14 | 9 | 19 |
| 20 Other respiratory diseases | 7 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 4 | 1 | 1 | 1 | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | 1 | — | 3 | 2 | — | — | 1 | 1 | 2 | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | — | — | — | — | — | 1 | 2 | 1 | 1 | 2 | — | 3 | 22 |
| 23 Appendicitis and typhlitis | — | 2 | 1 | — | — | — | — | 1 | 1 | — | — | 1 | — | 1 | 23 |
| 24 Cirrhosis of liver | 3 | 3 | 1 | — | — | 1 | — | — | — | — | — | — | 1 | — | 24 |
| 25 Acute and chronic nephritis | 10 | 9 | 2 | 1 | 5 | 2 | 1 | 1 | 4 | 3 | 4 | — | 2 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 1 | — | — | — | — | — | 1 | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 16 | 15 | 2 | 1 | 6 | 2 | 5 | 1 | 6 | 3 | 11 | 5 | 7 | 4 | 28 |
| 29 Suicide | 2 | 1 | — | — | 1 | — | — | — | 3 | — | — | — | 3 | — | 29 |
| 30 Other deaths from violence | 17 | 4 | 3 | 2 | 2 | 3 | 3 | 2 | 5 | 1 | 3 | 1 | 2 | 3 | 30 |
| 31 Other defined diseases | 43 | 68 | 8 | 7 | 21 | 32 | 10 | 13 | 23 | 19 | 12 | 17 | 22 | 19 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | — | — | — | — | — | — | 1 | — | 2 | — | 3 | — | 32 |

**DURHAM**—*cont.*

| Causes of Death. | Blaydon U.D. | | Brandon & Byshottles U.D. | | Chester le-Street U.D. | | Consett U.D. | | Crook U.D. | | Durham M.B. | | Felling U.D. | | Hartlepool M.B. | | Hebburn U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 203 | 175 | 112 | 109 | 107 | 83 | 89 | 87 | 72 | 73 | 105 | 99 | 193 | 161 | 172 | 154 | 182 | 191 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | 1 | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 8 | 5 | 12 | 10 | 2 | 2 | 2 | 2 | — | 2 | 5 | 3 | 5 | 4 | 4 | 3 | 14 | 10 | 3 |
| 4 Scarlet fever | — | — | — | 1 | 1 | — | — | 1 | — | — | — | 1 | 1 | — | — | 1 | 1 | — | 4 |
| 5 Whooping cough | 1 | 2 | 1 | 3 | 3 | — | — | 3 | — | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 6 | 15 | 5 |
| 6 Diphtheria | — | — | 2 | — | 2 | 1 | 3 | 1 | 1 | 1 | — | — | 1 | — | — | 1 | 2 | 1 | 6 |
| 7 Influenza | 2 | — | 4 | 1 | — | — | 2 | 1 | 1 | — | — | — | 2 | 3 | 2 | 1 | 1 | 2 | 7 |
| 8 Encephalitis lethargica | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 16 | 12 | 7 | 11 | 7 | 8 | 1 | 4 | 2 | 5 | 1 | 3 | 22 | 19 | 13 | 9 | 9 | 16 | 10 |
| 11 Other tuberculous diseases | 6 | 5 | 2 | 5 | 1 | 2 | 2 | 2 | 1 | 3 | — | 2 | 6 | 7 | 8 | 5 | 8 | 8 | 11 |
| 12 Cancer, malignant disease | 9 | 13 | 6 | 10 | 8 | 9 | 7 | 6 | 3 | 6 | 8 | 9 | 14 | 17 | 11 | 8 | 8 | 20 | 12 |
| 13 Rheumatic fever | 1 | 1 | — | 1 | — | 1 | 1 | 1 | — | — | 1 | — | 1 | 1 | 3 | — | 1 | 1 | 13 |
| 14 Diabetes | 1 | 3 | — | — | — | 2 | — | 4 | — | 2 | 1 | — | 2 | — | 3 | 1 | 1 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 12 | 13 | 6 | 14 | 10 | 6 | 7 | 12 | 4 | 7 | 3 | 3 | 15 | 8 | 10 | 15 | 5 | 10 | 15 |
| 16 Heart disease | 18 | 16 | 11 | 9 | 12 | 14 | 3 | 8 | 12 | 8 | 12 | 15 | 12 | 15 | 9 | 10 | 13 | 6 | 16 |
| 17 Arterio-sclerosis | 7 | 6 | — | 1 | 5 | 2 | — | 2 | 6 | 8 | 11 | 3 | 3 | 1 | — | 3 | 8 | 3 | 17 |
| 18 Bronchitis | 15 | 10 | 4 | 6 | 9 | 11 | 9 | 5 | 6 | — | 4 | 9 | 13 | 19 | 29 | 13 | 6 | 10 | 18 |
| 19 Pneumonia (all forms) | 20 | 17 | 12 | 7 | 13 | 3 | 9 | 8 | 7 | 3 | 16 | 12 | 23 | 13 | 19 | 22 | 34 | 25 | 19 |
| 20 Other respiratory diseases | 5 | 2 | — | 1 | 2 | — | — | — | 2 | 1 | — | — | — | 2 | 2 | 1 | 1 | 2 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 1 | 1 | — | — | — | 2 | 1 | 1 | 1 | 1 | 1 | 2 | — | — | 2 | 2 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 3 | 4 | — | — | 1 | 2 | 2 | 6 | 2 | 1 | 2 | 2 | 2 | 2 | 5 | 3 | 5 | 7 | 22 |
| 23 Appendicitis and typhlitis | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | 3 | 1 | 3 | — | 1 | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 1 | 8 | 1 | 3 | 5 | 4 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 | 5 | 5 | 2 | 5 | 25 |
| 26 Puerperal sepsis | — | 1 | — | 1 | — | — | — | 1 | — | 1 | — | 1 | — | 1 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | — | 3 | — | 2 | — | 1 | — | 1 | — | 4 | — | 2 | — | 3 | 27 |
| 28 Congenital debility and malformation, premature birth | 25 | 11 | 14 | 9 | 8 | 1 | 10 | 4 | 3 | 3 | 9 | 3 | 16 | 15 | 9 | 8 | 15 | 16 | 28 |
| 29 Suicide | 1 | — | 2 | — | 1 | — | 2 | — | 3 | — | 2 | — | 4 | — | 1 | — | 1 | — | 29 |
| 30 Other deaths from violence | 4 | 5 | 8 | 1 | 4 | 1 | 12 | — | 1 | — | 7 | 2 | 8 | — | 9 | 2 | 9 | 2 | 30 |
| 31 Other defined diseases | 42 | 35 | 18 | 12 | 12 | 10 | 13 | 11 | 13 | 12 | 15 | 22 | 29 | 23 | 24 | 37 | 27 | 25 | 31 |
| 32 Causes ill-defined or unknown | 3 | 2 | — | 3 | — | 1 | 1 | — | 1 | 3 | 2 | 1 | 1 | — | 1 | — | 2 | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## DURHAM—*cont.*

| Causes of Death. | Hetton U.D. | | Houghton-le-Spring U.D. | | Jarrow M.B. | | Ryton U.D. | | Seaham Harbour U.D. | | Shildon U.D. | | Southwick on Wear U.D. | | Spennymoor U.D. | | Stanley U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 116 | 101 | 84 | 69 | 286 | 204 | 74 | 55 | 124 | 121 | 96 | 81 | 104 | 92 | 123 | 114 | 145 | 137 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 5 | 4 | 3 | 8 | 6 | — | 1 | 1 | 5 | 5 | — | 1 | 1 | 2 | 14 | 6 | — | 1 | 3 |
| 4 Scarlet fever | 1 | — | — | — | 2 | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | 4 |
| 5 Whooping cough | 4 | 3 | 4 | 2 | 14 | 8 | — | — | 2 | 2 | — | — | 6 | 2 | 4 | 8 | 6 | 7 | 5 |
| 6 Diphtheria | — | — | 1 | — | 2 | — | — | — | 2 | 2 | — | — | — | — | — | — | 1 | 1 | 6 |
| 7 Influenza | 1 | — | 1 | 3 | — | — | 1 | — | 3 | 5 | 5 | 3 | — | — | 1 | 1 | 1 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 6 | 4 | 6 | 3 | 21 | 20 | 6 | 6 | 7 | 6 | 3 | 7 | 11 | 7 | 12 | 8 | 4 | 10 | 10 |
| 11 Other tuberculous diseases | 1 | 2 | 2 | 1 | 13 | 8 | 6 | 3 | 8 | 5 | 1 | 2 | 10 | 5 | 5 | 7 | 3 | 3 | 11 |
| 12 Cancer, malignant disease | 6 | 4 | 5 | 10 | 28 | 22 | 8 | 8 | 10 | 11 | 18 | 10 | 7 | 4 | 7 | 10 | 6 | 11 | 12 |
| 13 Rheumatic fever | 1 | 1 | 1 | — | 3 | 1 | 1 | 1 | — | — | — | — | 1 | 1 | — | — | 1 | — | 13 |
| 14 Diabetes | 1 | — | 1 | — | 1 | 2 | — | — | 1 | — | — | — | 1 | — | — | 3 | — | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 7 | 5 | 8 | 4 | 9 | 7 | 4 | 2 | 6 | 3 | 6 | 9 | 4 | 4 | 3 | 6 | 7 | 6 | 15 |
| 16 Heart disease | 10 | 9 | 5 | 9 | 21 | 13 | 6 | 7 | 6 | 8 | 10 | 20 | 3 | 7 | 9 | 10 | 11 | 13 | 16 |
| 17 Arterio-sclerosis | — | — | 2 | — | 12 | 6 | 9 | 2 | 7 | 4 | 3 | 1 | 3 | 2 | 5 | 2 | 10 | 6 | 17 |
| 18 Bronchitis | 7 | 13 | 2 | 3 | 19 | 14 | 5 | 2 | 12 | 12 | 3 | 4 | 7 | 12 | 10 | 13 | 12 | 5 | 18 |
| 19 Pneumonia (all forms) | 10 | 11 | 8 | 3 | 33 | 29 | 7 | 1 | 18 | 9 | 8 | 5 | 20 | 18 | 8 | 4 | 20 | 18 | 19 |
| 20 Other respiratory diseases | — | 1 | — | — | 7 | 2 | 1 | — | — | 3 | 1 | 1 | 2 | 1 | 2 | 1 | 7 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | 6 | — | — | — | 2 | 1 | 1 | — | 2 | — | 2 | — | 1 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 5 | — | 8 | 4 | 4 | 5 | 1 | — | 4 | 3 | 1 | 1 | 3 | 2 | 4 | — | 3 | 1 | 22 |
| 23 Appendicitis and typhlitis | 1 | — | 1 | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | 2 | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | — | — | — | 3 | — | — | — | 2 | 1 | — | — | 24 |
| 25 Acute and chronic nephritis | 3 | 4 | — | 2 | 6 | 4 | 1 | 1 | 2 | 6 | — | 2 | 1 | 2 | 3 | 6 | 3 | 4 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | 1 | — | 2 | — | — | — | 2 | — | 1 | — | — | — | 2 | 27 |
| 28 Congenital debility and malformation, premature birth | 13 | 10 | 8 | 8 | 15 | 14 | 6 | 6 | 12 | 15 | 8 | 5 | 5 | 6 | 6 | 9 | 20 | 14 | 28 |
| 29 Suicide | — | 2 | — | — | 2 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | 29 |
| 30 Other deaths from violence | 7 | — | 4 | — | 9 | 2 | 2 | — | 6 | 2 | 4 | — | 5 | 2 | 7 | 2 | 7 | 3 | 30 |
| 31 Other defined diseases | 26 | 26 | 14 | 9 | 48 | 42 | 8 | 11 | 11 | 17 | 19 | 6 | 10 | 14 | 19 | 17 | 18 | 24 | 31 |
| 32 Causes ill-defined or unknown | — | 1 | — | — | 5 | 1 | — | 1 | — | 1 | 1 | 1 | 1 | — | — | — | 3 | 1 | 32 |

## DURHAM—*cont.*

| Causes of Death. | Stockton-on-Tees M.B. | | Tanfield U.D. | | Washington. U.D. | | Whickham U.D. | | Auckland R.D. | | Barnard Castle R.D. | | Chester-le-Street R.D. | | Durham R.D. | | Easington R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 440 | 357 | 67 | 45 | 104 | 90 | 101 | 93 | 426 | 345 | 60 | 57 | 397 | 308 | 175 | 179 | 547 | 428 | |
| 1 Enteric fever | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 31 | 25 | 1 | 1 | 5 | 3 | 1 | 1 | 23 | 14 | 1 | — | 15 | 16 | 7 | 6 | 26 | 26 | 3 |
| 4 Scarlet fever | 1 | 1 | — | — | — | — | — | — | — | — | — | — | 5 | 3 | 3 | 2 | 2 | — | 4 |
| 5 Whooping cough | 2 | 4 | — | — | — | — | 7 | 3 | 5 | 4 | — | — | 10 | 14 | 4 | 2 | 5 | 11 | 5 |
| 6 Diphtheria | 2 | 2 | 1 | 1 | — | 3 | 1 | — | 2 | — | — | — | 2 | 1 | 1 | — | 2 | 1 | 6 |
| 7 Influenza | 10 | 6 | 1 | — | — | 1 | — | — | 5 | 3 | 1 | — | 9 | 4 | — | 1 | 12 | 1 | 7 |
| 8 Encephalitis lethargica | — | 1 | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | 2 | 1 | 9 |
| 10 Tuberculosis of respiratory sys. | 34 | 20 | 2 | 3 | 7 | 13 | 11 | 11 | 18 | 26 | 3 | 5 | 19 | 19 | 14 | 15 | 34 | 27 | 10 |
| 11 Other tuberculous diseases | 13 | 12 | — | 3 | 2 | 5 | 6 | 1 | 10 | 11 | 4 | 2 | 15 | 17 | 4 | 2 | 21 | 15 | 11 |
| 12 Cancer, malignant disease | 27 | 34 | 6 | 6 | 8 | 7 | 7 | 8 | 24 | 23 | 5 | 8 | 21 | 29 | 10 | 15 | 31 | 38 | 12 |
| 13 Rheumatic fever | 2 | 1 | — | — | — | — | — | — | 1 | 2 | 1 | — | 3 | 1 | — | 1 | 1 | — | 13 |
| 14 Diabetes | 3 | 4 | 2 | 1 | — | — | — | 1 | 3 | 4 | — | 1 | 4 | 3 | 2 | 2 | 5 | 4 | 14 |
| 15 Cerebral hæmorrhage, &c. | 17 | 25 | 6 | 4 | 8 | 4 | 2 | 3 | 34 | 32 | 8 | 4 | 19 | 13 | 12 | 14 | 30 | 30 | 15 |
| 16 Heart disease | 43 | 39 | 10 | 10 | 7 | 7 | 8 | 14 | 32 | 25 | 5 | 5 | 34 | 28 | 15 | 27 | 37 | 34 | 16 |
| 17 Arterio-sclerosis | 16 | 11 | 7 | — | 2 | 4 | 10 | 8 | 17 | 7 | 4 | — | 11 | 5 | 6 | 3 | 15 | 9 | 17 |
| 18 Bronchitis | 20 | 18 | 8 | 2 | 11 | 9 | 4 | 4 | 46 | 28 | — | 2 | 37 | 22 | 11 | 15 | 48 | 40 | 18 |
| 19 Pneumonia (all forms) | 53 | 34 | 6 | 2 | 14 | 6 | 4 | 2 | 23 | 24 | — | — | 35 | 21 | 14 | 11 | 50 | 18 | 19 |
| 20 Other respiratory diseases | 5 | 1 | — | 1 | 1 | 2 | — | — | 5 | 3 | 1 | 2 | 4 | 2 | 2 | — | 8 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | 6 | 1 | — | — | 1 | — | — | 1 | 5 | 2 | 1 | — | 1 | 2 | 1 | — | 2 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 13 | 3 | 2 | — | 1 | 3 | 1 | 1 | 6 | 5 | 1 | — | 4 | 4 | 1 | 6 | 17 | 8 | 22 |
| 23 Appendicitis and typhlitis | 1 | 2 | — | — | — | — | — | — | — | — | — | — | 3 | 1 | 2 | 2 | 2 | 3 | 23 |
| 24 Cirrhosis of liver | 2 | 1 | — | — | — | — | 1 | — | 4 | 2 | 1 | 1 | — | — | 1 | — | 1 | — | 24 |
| 25 Acute and chronic nephritis | 7 | 7 | — | 1 | 1 | 3 | 1 | 4 | 13 | 7 | — | 4 | 5 | 9 | 4 | 7 | 4 | 12 | 25 |
| 26 Puerperal sepsis | — | 3 | — | — | — | — | — | — | — | 2 | — | 1 | — | 2 | — | 1 | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 7 | — | — | — | 2 | — | — | — | 2 | — | 1 | — | 6 | — | — | — | 6 | 27 |
| 28 Congenital debility and malformation, premature birth | 31 | 20 | 4 | 4 | 12 | 7 | 9 | 7 | 36 | 23 | 5 | 4 | 41 | 29 | 16 | 17 | 61 | 34 | 28 |
| 29 Suicide | 2 | 1 | — | 1 | — | — | 2 | 1 | 2 | 2 | 1 | — | 5 | 1 | 1 | — | 2 | 2 | 29 |
| 30 Other deaths from violence | 12 | 8 | 2 | 1 | 5 | — | 9 | 3 | 27 | 2 | 2 | 1 | 22 | 4 | 13 | 2 | 32 | 17 | 30 |
| 31 Other defined diseases | 84 | 66 | 9 | 4 | 17 | 11 | 16 | 19 | 78 | 89 | 13 | 14 | 71 | 50 | 31 | 26 | 93 | 82 | 31 |
| 32 Causes ill-defined or unknown | 3 | — | — | — | 2 | — | 1 | — | 5 | 2 | 2 | 2 | 2 | 1 | — | 1 | 4 | 4 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## DURHAM—*cont.*

| Causes of Death. | Houghton-le-Spring R.D. | | Lanchester R.D. | | Sedgefield R.D. | | South Shields R.D. | | Sunderland R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 194 | 174 | 197 | 161 | 210 | 180 | 103 | 73 | 236 | 182 | |
| 1 Enteric fever | — | — | — | — | — | — | — | 1 | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 8 | 10 | 5 | 1 | 7 | 1 | 6 | 6 | 9 | 4 | 3 |
| 4 Scarlet fever | — | — | 1 | — | 2 | 1 | — | — | 2 | — | 4 |
| 5 Whooping cough | 8 | 9 | 2 | 3 | 2 | 2 | 2 | 2 | 5 | 4 | 5 |
| 6 Diphtheria | 1 | — | — | 1 | 2 | — | 1 | 2 | — | — | 6 |
| 7 Influenza | 7 | 1 | — | 3 | 3 | 6 | 1 | — | 2 | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | 1 | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 14 | 7 | 12 | 15 | 11 | 12 | 8 | 7 | 19 | 14 | 10 |
| 11 Other tuberculous diseases | 4 | 4 | — | 2 | 6 | 6 | 3 | 5 | 15 | 6 | 11 |
| 12 Cancer, malignant disease | 8 | 15 | 12 | 14 | 21 | 10 | 10 | 10 | 17 | 15 | 12 |
| 13 Rheumatic fever | — | 1 | — | — | — | — | — | 1 | — | 1 | 13 |
| 14 Diabetes | 2 | 2 | 1 | — | 1 | — | 2 | — | 3 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 9 | 11 | 14 | 17 | 14 | 19 | 8 | 3 | 9 | 13 | 15 |
| 16 Heart disease | 12 | 17 | 13 | 13 | 18 | 24 | 10 | 4 | 18 | 25 | 16 |
| 17 Arterio-sclerosis | 2 | 2 | 7 | 6 | 8 | 1 | 1 | — | 8 | 1 | 17 |
| 18 Bronchitis | 11 | 17 | 10 | 4 | 16 | 14 | 9 | 3 | 26 | 17 | 18 |
| 19 Pneumonia (all forms) | 21 | 13 | 18 | 18 | 23 | 12 | 9 | 4 | 22 | 14 | 19 |
| 20 Other respiratory diseases | 4 | — | 4 | 4 | 2 | 4 | 1 | 1 | 1 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 3 | — | 2 | 1 | — | 1 | 2 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 5 | 6 | 5 | 1 | — | 3 | — | 1 | 6 | 7 | 22 |
| 23 Appendicitis and typhlitis | — | — | — | — | 1 | — | 1 | — | — | — | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | 2 | 1 | 1 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 5 | 3 | 10 | 5 | 1 | 6 | 2 | 1 | 8 | 6 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | 2 | — | 2 | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 4 | — | — | — | — | — | — | — | 4 | 27 |
| 28 Congenital debility and malformation, premature birth | 18 | 28 | 21 | 11 | 13 | 13 | 4 | 5 | 21 | 13 | 28 |
| 29 Suicide | 4 | — | 1 | 1 | 1 | — | — | — | 1 | 1 | 29 |
| 30 Other deaths from violence | 12 | 1 | 9 | 2 | 16 | 2 | 7 | 1 | 12 | — | 30 |
| 31 Other defined diseases | 37 | 22 | 46 | 38 | 35 | 38 | 15 | 13 | 29 | 31 | 31 |
| 32 Causes ill-defined or unknown | 1 | 1 | 3 | 1 | 3 | 1 | 2 | — | 1 | 1 | 32 |

## ELY, ISLE OF.

| Causes of Death. | Wisbech M.B. | | Ely R.D. | | Wisbech R.D. | | |
|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 64 | 73 | 83 | 95 | 70 | 75 | |
| 1 Enteric fever | — | — | — | — | — | — | |
| 2 Small-pox | — | — | — | — | — | — | |
| 3 Measles | 1 | 3 | — | — | — | — | |
| 4 Scarlet fever | — | — | — | — | — | — | |
| 5 Whooping cough | 1 | — | — | 1 | — | — | |
| 6 Diphtheria | — | 1 | — | — | — | — | |
| 7 Influenza | — | 1 | — | 4 | 1 | 2 | |
| 8 Encephalitis lethargica | — | — | 1 | — | — | — | |
| 9 Meningococcal meningitis | — | — | — | — | — | — | |
| 10 Tuberculosis of respiratory sys. | 3 | 5 | 4 | 3 | 2 | 3 | |
| 11 Other tuberculous diseases | — | 1 | 2 | — | 1 | 2 | |
| 12 Cancer, malignant disease | 6 | 18 | 12 | 12 | 7 | 10 | |
| 13 Rheumatic fever | — | — | 1 | 1 | — | — | |
| 14 Diabetes | 2 | 2 | — | 2 | — | 1 | |
| 15 Cerebral hæmorrhage, &c. | 6 | 7 | 6 | 11 | 4 | 5 | |
| 16 Heart disease | 3 | 2 | 8 | 13 | 5 | 12 | |
| 17 Arterio-sclerosis | 2 | 6 | — | 1 | 5 | 5 | |
| 18 Bronchitis | 6 | 5 | 2 | 7 | 4 | 3 | |
| 19 Pneumonia (all forms) | 2 | 3 | 4 | 8 | 5 | 3 | |
| 20 Other respiratory diseases | 2 | — | — | 1 | 1 | — | |
| 21 Ulcer of stomach or duodenum | — | — | — | — | — | — | |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 2 | — | 2 | — | — | |
| 23 Appendicitis and typhlitis | 1 | 1 | — | — | 2 | 1 | |
| 24 Cirrhosis of liver | 1 | — | — | — | — | — | |
| 25 Acute and chronic nephritis | 2 | 1 | 7 | 3 | 1 | 3 | |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 1 | — | 1 | |
| 28 Congenital debility and malformation, premature birth | 1 | 2 | 4 | 5 | 8 | 1 | |
| 29 Suicide | — | 2 | 2 | — | 1 | — | |
| 30 Other deaths from violence | 3 | 1 | 7 | 1 | 7 | 2 | |
| 31 Other defined diseases | 21 | 8 | 22 | 19 | 16 | 20 | |
| 32 Causes ill-defined or unknown | — | — | 1 | — | — | — | |

## ESSEX.

| Causes of Death. | Barking Town U.D | | Chelmsford M.B. | | Clacton U.D. | | Colchester M.B | | |
|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 169 | 149 | 95 | 109 | 55 | 69 | 204 | 216 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 1 | — | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | 5 | 1 | — | 1 | — | — | 1 | 5 |
| 6 Diphtheria | — | 1 | — | — | — | — | 1 | 4 | 6 |
| 7 Influenza | 5 | 3 | — | — | — | 1 | 3 | 8 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | 1 | — | 9 |
| 10 Tuberculosis of respiratory sys. | 17 | 21 | 6 | 8 | 5 | 5 | 13 | 16 | 10 |
| 11 Other tuberculous diseases | 4 | 3 | 2 | — | — | 1 | 1 | 4 | 11 |
| 12 Cancer, malignant disease | 18 | 18 | 18 | 13 | 5 | 18 | 26 | 29 | 12 |
| 13 Rheumatic fever | — | 1 | — | — | — | — | 1 | — | 13 |
| 14 Diabetes | — | 3 | — | 3 | 2 | 1 | 3 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 10 | 7 | 6 | 11 | 4 | 7 | 14 | 12 | 15 |
| 16 Heart disease | 17 | 15 | 7 | 14 | 10 | 8 | 31 | 49 | 16 |
| 17 Arterio-sclerosis | 4 | 2 | 9 | 3 | 6 | 5 | 6 | 5 | 17 |
| 18 Bronchitis | 18 | 17 | 2 | 10 | 1 | 2 | 10 | 15 | 18 |
| 19 Pneumonia (all forms) | 12 | 7 | 5 | 2 | 5 | 1 | 10 | 4 | 19 |
| 20 Other respiratory diseases | 3 | 1 | 2 | 4 | — | — | 5 | 4 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 1 | 3 | — | 1 | 1 | 2 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 3 | 5 | 2 | — | — | 1 | 1 | — | 22 |
| 23 Appendicitis and typhlitis | 2 | 1 | 1 | — | — | — | — | 3 | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | — | — | 2 | 2 | 24 |
| 25 Acute and chronic nephritis | 5 | 4 | 1 | — | 1 | 2 | 4 | 5 | 25 |
| 26 Puerperal sepsis | — | 1 | — | 2 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 3 | — | 2 | — | — | — | 3 | 27 |
| 28 Congenital debility and malformation, premature birth | 12 | 5 | 5 | 7 | 2 | 1 | 11 | 10 | 28 |
| 29 Suicide | 1 | — | 2 | — | — | 2 | 6 | — | 29 |
| 30 Other deaths from violence | 6 | 3 | 4 | 1 | — | — | 7 | 2 | 30 |
| 31 Other defined diseases | 27 | 22 | 18 | 29 | 12 | 13 | 44 | 35 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | 1 | — | — | — | 2 | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

**ESSEX**—*cont.*

| Causes of Death. | Grays Thurrock U.D. | | Harwich M.B. | | Ilford U.D. | | Leyton U.D. | | Romford U.D. | | Walthamstow U.D. | | Wanstead U.D. | | Woodford U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 99 | 80 | 62 | 56 | 380 | 428 | 572 | 656 | 107 | 84 | 600 | 565 | 60 | 86 | 81 | 93 | |
| 1 Enteric fever | — | — | — | — | 1 | — | — | 1 | — | — | — | 2 | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | 2 | — | 1 | 1 | — | — | 1 | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | 1 | — | — | — | — | — | — | — | 2 | — | — | — | 4 |
| 5 Whooping cough | — | 1 | — | — | 3 | 1 | 2 | 3 | — | — | 1 | 3 | — | 2 | — | — | 5 |
| 6 Diphtheria | — | — | — | 3 | 4 | 1 | 3 | 1 | 1 | — | 1 | 5 | — | — | — | — | 6 |
| 7 Influenza | 2 | 1 | 1 | 1 | 9 | 3 | 8 | 7 | 2 | — | 16 | 8 | — | 3 | 4 | 3 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | 1 | — | 1 | 8 |
| 9 Meningococcal meningitis | — | 1 | — | — | 1 | — | 1 | — | — | — | 1 | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 10 | 4 | 3 | 2 | 33 | 22 | 62 | 44 | 5 | 5 | 59 | 42 | 5 | 5 | 7 | 5 | 10 |
| 11 Other tuberculous diseases | 2 | 1 | 2 | 1 | 4 | 8 | 14 | 4 | 4 | 1 | 12 | 15 | — | 1 | 2 | 1 | 11 |
| 12 Cancer, malignant disease | 13 | 16 | 4 | 8 | 48 | 70 | 69 | 94 | 13 | 9 | 73 | 83 | 9 | 14 | 5 | 15 | 12 |
| 13 Rheumatic fever | — | 1 | — | 1 | 1 | 2 | 2 | 1 | 1 | — | 2 | 1 | — | — | 1 | — | 13 |
| 14 Diabetes | — | 1 | 1 | 2 | 6 | 1 | 3 | 4 | — | — | 6 | 6 | 1 | 1 | 1 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 8 | 6 | 4 | 5 | 29 | 35 | 19 | 51 | 6 | 13 | 26 | 51 | 2 | 8 | 8 | 6 | 15 |
| 16 Heart disease | 11 | 14 | 11 | 8 | 42 | 76 | 65 | 88 | 19 | 12 | 67 | 70 | 9 | 14 | 7 | 19 | 16 |
| 17 Arterio-sclerosis | 3 | 3 | 1 | — | 8 | 15 | 11 | 18 | — | 2 | 11 | 8 | 3 | — | 4 | 2 | 17 |
| 18 Bronchitis | 3 | 5 | 6 | 6 | 13 | 24 | 57 | 72 | 9 | 10 | 46 | 44 | — | 5 | 6 | 5 | 18 |
| 19 Pneumonia (all forms) | 5 | 3 | 1 | 1 | 28 | 23 | 37 | 42 | 9 | 5 | 40 | 36 | 4 | 1 | 2 | 3 | 19 |
| 20 Other respiratory diseases | — | 1 | 1 | 1 | 5 | 10 | 7 | 12 | — | 2 | 10 | 10 | — | 3 | 4 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | 2 | — | 7 | 3 | 4 | 4 | 1 | — | 6 | 4 | 3 | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 2 | 1 | — | 6 | 3 | 8 | 3 | 1 | — | 9 | 7 | — | 1 | 1 | — | 22 |
| 23 Appendicitis and typhlitis | 1 | — | — | — | 5 | 1 | 3 | 6 | 2 | — | 6 | 7 | — | 1 | — | — | 23 |
| 24 Cirrhosis of liver | — | — | 1 | — | 3 | 1 | 3 | 4 | 1 | — | 2 | 1 | — | — | — | 2 | 24 |
| 25 Acute and chronic nephritis | 4 | 2 | 2 | 2 | 4 | 12 | 24 | 19 | 3 | 3 | 19 | 13 | 3 | 6 | 2 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 3 | — | 6 | — | — | — | 1 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | 1 | — | 4 | — | 1 | — | 4 | — | 1 | — | 5 | 27 |
| 28 Congenital debility and malformation, premature birth | 1 | 4 | 6 | 3 | 16 | 17 | 32 | 23 | 2 | 2 | 33 | 21 | — | 2 | 1 | 1 | 28 |
| 29 Suicide | 3 | 2 | — | 1 | 4 | 2 | 6 | 4 | 1 | 1 | 9 | 6 | 3 | 1 | 2 | 1 | 29 |
| 30 Other deaths from violence | 5 | — | 3 | — | 16 | 9 | 22 | 11 | 2 | 2 | 23 | 14 | 2 | — | 2 | 2 | 30 |
| 31 Other defined diseases | 25 | 12 | 12 | 11 | 81 | 84 | 107 | 129 | 25 | 15 | 118 | 103 | 14 | 16 | 22 | 19 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — | — | — | 32 |

**ESSEX**—*cont.*

| Causes of Death. | Billericay R.D. | | Braintree R.D. | | Chelmsford R.D. | | Dunmow R.D. | | Epping R.D. | | Lexden and Winstree R.D. | | Maldon R.D. | | Ongar R.D. | | Orsett R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 149 | 111 | 158 | 133 | 153 | 154 | 100 | 100 | 106 | 76 | 113 | 108 | 96 | 91 | 50 | 64 | 101 | 83 | |
| 1 Enteric fever | 1 | — | — | — | 1 | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 2 | 3 | — | 1 | 2 | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | 5 |
| 6 Diphtheria | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | 1 | 1 | 1 | 6 |
| 7 Influenza | 3 | 3 | 2 | 2 | 3 | 3 | 2 | 4 | 1 | 2 | — | 2 | 2 | 2 | 2 | — | — | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 12 | 7 | 10 | 5 | 4 | 4 | 1 | 8 | 3 | 2 | 4 | 6 | 4 | 4 | 2 | 1 | 7 | 7 | 10 |
| 11 Other tuberculous diseases | 3 | 1 | 1 | 1 | 4 | 1 | 1 | 2 | — | — | 3 | 2 | 3 | 1 | — | 1 | 1 | 3 | 11 |
| 12 Cancer, malignant disease | 15 | 14 | 18 | 22 | 15 | 19 | 16 | 20 | 14 | 11 | 10 | 9 | 7 | 15 | 3 | 7 | 10 | 18 | 12 |
| 13 Rheumatic fever | 1 | 1 | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | 1 | — | — | 13 |
| 14 Diabetes | 2 | 4 | 2 | 1 | 1 | 2 | 2 | — | 1 | 1 | — | 2 | 1 | 2 | — | — | 1 | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 10 | 8 | 15 | 16 | 13 | 9 | 4 | 7 | 9 | 11 | 8 | 10 | 6 | 4 | 3 | 7 | 4 | 5 | 15 |
| 16 Heart disease | 27 | 14 | 21 | 22 | 20 | 34 | 11 | 14 | 9 | 13 | 19 | 18 | 14 | 17 | 8 | 8 | 16 | 8 | 16 |
| 17 Arterio-sclerosis | 3 | 2 | 8 | 1 | 5 | 4 | 3 | 5 | 8 | 2 | 4 | 2 | 6 | 4 | 4 | — | 1 | 1 | 17 |
| 18 Bronchitis | 5 | 4 | 12 | 7 | 6 | 9 | 11 | 8 | 4 | 5 | 9 | 7 | 11 | 6 | 2 | 4 | 10 | 4 | 18 |
| 19 Pneumonia (all forms) | 7 | 9 | 5 | 7 | 2 | 6 | 5 | 2 | 8 | — | 3 | 2 | 5 | 1 | — | 1 | 6 | 1 | 19 |
| 20 Other respiratory diseases | — | 2 | — | 1 | 3 | — | 2 | 1 | 1 | — | 1 | — | 3 | 2 | 1 | 2 | 3 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 1 | — | — | 1 | 1 | — | — | — | — | 1 | 1 | 1 | — | 1 | 2 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | 1 | 1 | 1 | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | 22 |
| 23 Appendicitis and typhlitis | 1 | 1 | 2 | — | 1 | — | 1 | 1 | 2 | — | — | — | — | — | — | 1 | — | 1 | 23 |
| 24 Cirrhosis of liver | — | 1 | — | — | 2 | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 5 | 4 | 4 | 3 | 2 | 1 | 5 | 1 | 8 | 5 | 3 | 3 | 1 | 1 | 3 | 4 | 5 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 7 | 2 | 9 | 3 | 10 | 6 | 6 | 4 | 4 | 4 | 1 | 7 | 7 | 4 | 4 | 4 | 6 | 4 | 28 |
| 29 Suicide | 2 | 1 | 4 | — | — | 1 | 1 | 1 | — | — | 3 | 3 | 1 | — | 1 | — | 2 | — | 29 |
| 30 Other deaths from violence | 7 | 2 | 4 | 3 | 13 | 7 | — | 3 | 3 | — | 8 | 1 | 3 | 3 | 1 | 3 | 8 | 2 | 30 |
| 31 Other defined diseases | 36 | 26 | 37 | 32 | 45 | 41 | 24 | 18 | 29 | 20 | 33 | 29 | 20 | 21 | 15 | 17 | 18 | 20 | 31 |
| 32 Causes ill-defined or unknown | — | 1 | 1 | 3 | — | 2 | — | — | — | — | 1 | — | — | 2 | — | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

**ESSEX**—*cont.* **GLOUCESTERSHIRE.**

| Causes of Death. | Rochford R.D. | | Romford R.D. | | Saffron Walden R.D. | | Tendring R.D. | | Cheltenham M.B. | | Kingswood U.D. | | Chipping Sodbury R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 138 | 137 | 144 | 154 | 65 | 71 | 99 | 101 | 277 | 391 | 71 | 67 | 125 | 97 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | — | — | 6 | 5 | — | — | 1 | — | 3 |
| 4 Scarlet fever | — | — | 1 | — | — | — | — | — | 2 | — | — | — | — | 1 | 4 |
| 5 Whooping cough | — | — | 2 | 1 | — | 1 | 1 | 1 | 3 | 7 | 1 | 1 | 2 | — | 5 |
| 6 Diphtheria | 1 | — | 1 | 2 | — | — | — | — | 3 | — | 2 | 1 | — | — | 6 |
| 7 Influenza | 4 | — | 1 | 2 | 1 | 1 | 3 | 2 | 3 | 7 | 3 | — | 3 | 3 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 11 | 13 | 9 | 8 | 7 | 1 | 7 | 4 | 22 | 19 | 8 | 6 | 3 | 5 | 10 |
| 11 Other tuberculous diseases | 6 | 3 | 4 | 3 | 1 | — | 1 | 1 | 3 | 10 | 1 | 1 | 2 | 3 | 11 |
| 12 Cancer, malignant disease | 11 | 27 | 14 | 20 | 8 | 9 | 10 | 18 | 27 | 46 | 3 | 6 | 14 | 10 | 12 |
| 13 Rheumatic fever | — | 1 | — | 2 | — | — | — | — | 1 | — | — | 2 | — | — | 13 |
| 14 Diabetes | 2 | 3 | 1 | 1 | 2 | — | 2 | — | 2 | 2 | 2 | 1 | — | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 9 | 9 | 7 | 8 | 4 | 9 | 5 | 3 | 12 | 40 | 2 | 5 | 10 | 10 | 15 |
| 16 Heart disease | 13 | 17 | 17 | 24 | 4 | 11 | 14 | 15 | 39 | 50 | 11 | 13 | 19 | 20 | 16 |
| 17 Arterio-sclerosis | 8 | 4 | 2 | 4 | 8 | 7 | 12 | 4 | 13 | 22 | 3 | 2 | 7 | 1 | 17 |
| 18 Bronchitis | 9 | 8 | 6 | 10 | 5 | 4 | 7 | 3 | 10 | 15 | 3 | 5 | 14 | 8 | 18 |
| 19 Pneumonia (all forms) | 4 | 1 | 7 | 17 | 2 | — | 5 | 5 | 20 | 27 | 4 | 1 | 5 | 3 | 19 |
| 20 Other respiratory diseases | 2 | 2 | 2 | 1 | 1 | 3 | 2 | 1 | 5 | 5 | 2 | 1 | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 2 | 1 | 1 | 1 | — | 2 | — | 2 | 3 | — | — | — | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 5 | 6 | — | — | — | 1 | 2 | 4 | 1 | 1 | — | — | 22 |
| 23 Appendicitis and typhlitis | — | 2 | 2 | — | 1 | — | — | 2 | 5 | 3 | — | — | — | 1 | 23 |
| 24 Cirrhosis of liver | — | 1 | — | — | — | — | — | — | 3 | 1 | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 4 | 6 | 8 | 6 | 1 | 3 | — | 5 | 10 | 12 | — | 2 | 5 | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | 4 | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | 2 | — | 1 | — | 2 | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 12 | 9 | 13 | 6 | 3 | 4 | 3 | 6 | 10 | 6 | 3 | 3 | 5 | 3 | 28 |
| 29 Suicide | 2 | — | 2 | 1 | 1 | — | 1 | 1 | 6 | 7 | 1 | — | 3 | 1 | 29 |
| 30 Other deaths from violence | 10 | 2 | 9 | 2 | 3 | 1 | 2 | 2 | 7 | 3 | 4 | 4 | 2 | — | 30 |
| 31 Other defined diseases | 28 | 24 | 28 | 27 | 12 | 15 | 22 | 25 | 60 | 91 | 17 | 12 | 28 | 23 | 31 |
| 32 Causes ill-defined or unknown | 1 | 3 | 2 | 1 | — | — | — | 1 | 1 | — | — | — | 1 | — | 32 |

**GLOUCESTERSHIRE**—*cont.*

| Causes of Death. | Cirencester R.D. | | Dursley R.D. | | East Dean & United Parishes R.D. | | Faringdon (Part of)* R.D. | | Gloucester R.D. | | Stroud R.D. | | Thornbury R.D. | | Warmley R.D. | | West Dean R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 59 | 79 | 56 | 76 | 112 | 140 | 5 | 8 | 66 | 60 | 142 | 181 | 120 | 97 | 88 | 79 | 107 | 85 | |
| 1 Enteric fever | — | — | — | — | 2 | 1 | — | — | — | — | — | 1 | — | — | — | — | 1 | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | 1 | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | 2 | — | — | — | — | — | — | 1 | — | — | — | 2 | — | 4 |
| 5 Whooping cough | — | 1 | 1 | — | 1 | 1 | — | — | — | — | — | 1 | 1 | 1 | — | — | — | — | 5 |
| 6 Diphtheria | — | — | — | — | 1 | — | — | — | — | 1 | 1 | — | — | — | — | — | 1 | 1 | 6 |
| 7 Influenza | 1 | 2 | 4 | 2 | 3 | 2 | — | — | 2 | 1 | 6 | 6 | 12 | 1 | 1 | — | 4 | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 3 | 3 | 1 | 3 | 7 | — | — | 5 | 3 | 10 | 9 | 5 | 3 | 5 | 7 | 6 | 5 | 10 |
| 11 Other tuberculous diseases | — | 2 | — | 2 | — | 1 | — | — | 2 | 1 | 2 | 2 | 1 | 3 | 2 | 3 | 5 | 3 | 11 |
| 12 Cancer, malignant disease | 10 | 9 | 4 | 5 | 7 | 8 | 2 | — | 5 | 7 | 23 | 26 | 6 | 10 | 10 | 10 | 8 | 12 | 12 |
| 13 Rheumatic fever | — | — | — | 1 | — | — | — | — | — | — | — | 3 | 1 | — | — | — | — | — | 13 |
| 14 Diabetes | — | 3 | — | 2 | — | 1 | — | — | 1 | — | 1 | 4 | 2 | 1 | 2 | 1 | 2 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 8 | 5 | 4 | 1 | 17 | — | 1 | 5 | 6 | 11 | 20 | 12 | 9 | 4 | 10 | 4 | 4 | 15 |
| 16 Heart disease | 7 | 11 | 14 | 12 | 26 | 24 | 2 | — | 6 | 12 | 23 | 34 | 18 | 28 | 16 | 13 | 14 | 9 | 16 |
| 17 Arterio-sclerosis | 3 | 2 | 4 | 5 | 3 | 1 | — | — | 3 | 4 | 8 | 12 | 6 | 2 | 4 | 5 | 7 | 4 | 17 |
| 18 Bronchitis | 9 | 6 | 3 | 3 | 11 | 10 | — | 1 | 5 | 1 | 4 | 7 | 8 | 2 | 3 | 4 | 11 | 5 | 18 |
| 19 Pneumonia (all forms) | 2 | 5 | 2 | 6 | 6 | 7 | — | — | 3 | 2 | 4 | 6 | 4 | 2 | 4 | 1 | 6 | 2 | 19 |
| 20 Other respiratory diseases | 2 | 2 | — | 2 | 3 | 1 | — | — | 1 | — | 1 | 1 | 2 | 3 | 2 | 4 | 2 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 1 | — | — | 1 | 2 | — | — | 1 | — | 1 | — | 1 | — | — | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 3 | 1 | — | — | 22 |
| 23 Appendicitis and typhlitis | — | — | — | — | — | 1 | — | — | — | — | 3 | — | — | — | 1 | 2 | — | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | — | — | — | 1 | — | 3 | — | — | — | 1 | — | 24 |
| 25 Acute and chronic nephritis | 2 | 2 | 3 | 8 | 6 | 3 | — | 1 | 2 | 2 | 5 | 3 | 3 | 4 | 1 | 1 | 4 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | — | — | 1 | — | 2 | — | — | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | 3 | — | — | — | — | — | 2 | — | — | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 4 | 4 | 2 | 3 | 8 | — | 1 | 3 | 1 | 3 | 8 | 3 | 1 | 5 | 3 | 8 | 3 | 28 |
| 29 Suicide | — | — | 1 | — | 1 | — | — | — | 2 | 2 | 1 | — | 2 | — | 2 | — | 3 | 1 | 29 |
| 30 Other deaths from violence | 2 | 2 | 2 | 2 | 6 | 4 | — | — | 2 | 2 | 1 | 4 | 10 | 1 | 5 | 2 | 4 | 2 | 30 |
| 31 Other defined diseases | 9 | 15 | 6 | 18 | 27 | 34 | 1 | 4 | 17 | 12 | 30 | 29 | 19 | 26 | 17 | 12 | 14 | 28 | 31 |
| 32 Causes ill-defined or unknown | 1 | 1 | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | 32 |

* The remainder of Faringdon R.D. is in Berkshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## HEREFORDSHIRE.

| Causes of Death. | Hereford M.B. | | Hereford R.D. | | Ross R.D. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | | | | | | | | | | | | | |
| **All Causes** | 129 | 143 | 104 | 72 | 80 | 53 | | | | | | | | | | | | | |
| 1 Enteric fever | — | — | 1 | — | — | — | | | | | | | | | | | | | 1 |
| 2 Small-pox | — | — | — | — | — | — | | | | | | | | | | | | | 2 |
| 3 Measles | 11 | 5 | — | 1 | — | — | | | | | | | | | | | | | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | | | | | | | | | | | | | 4 |
| 5 Whooping cough | 2 | 2 | 1 | 2 | 2 | 1 | | | | | | | | | | | | | 5 |
| 6 Diphtheria | — | — | — | 1 | — | 1 | | | | | | | | | | | | | 6 |
| 7 Influenza | 5 | 2 | 1 | 1 | — | — | | | | | | | | | | | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | 1 | | | | | | | | | | | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | | | | | | | | | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 9 | 7 | 5 | 5 | 4 | 2 | | | | | | | | | | | | | 10 |
| 11 Other tuberculous diseases | 1 | — | 1 | 1 | — | 2 | | | | | | | | | | | | | 11 |
| 12 Cancer, malignant disease | 10 | 24 | 8 | 8 | 8 | 5 | | | | | | | | | | | | | 12 |
| 13 Rheumatic fever | 1 | — | — | — | — | — | | | | | | | | | | | | | 13 |
| 14 Diabetes | — | 1 | 2 | 1 | — | — | | | | | | | | | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 13 | 14 | 6 | 6 | 6 | 3 | | | | | | | | | | | | | 15 |
| 16 Heart disease | 14 | 28 | 9 | 7 | 8 | 8 | | | | | | | | | | | | | 16 |
| 17 Arterio-sclerosis | 2 | 4 | 7 | 6 | 6 | 3 | | | | | | | | | | | | | 17 |
| 18 Bronchitis | 5 | 6 | 6 | 7 | 7 | 6 | | | | | | | | | | | | | 18 |
| 19 Pneumonia (all forms) | 11 | 3 | 8 | 2 | 2 | — | | | | | | | | | | | | | 19 |
| 20 Other respiratory diseases | — | 2 | 1 | 1 | 1 | — | | | | | | | | | | | | | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 1 | — | 3 | — | | | | | | | | | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | 4 | 2 | — | — | — | | | | | | | | | | | | | 22 |
| 23 Appendicitis and typhlitis | — | — | — | — | 1 | 1 | | | | | | | | | | | | | 23 |
| 24 Cirrhosis of liver | 1 | 1 | — | — | — | — | | | | | | | | | | | | | 24 |
| 25 Acute and chronic nephritis | 4 | 2 | 2 | 1 | 3 | 3 | | | | | | | | | | | | | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | | | | | | | | | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 1 | — | 1 | | | | | | | | | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 14 | 8 | 10 | 4 | 5 | 3 | | | | | | | | | | | | | 28 |
| 29 Suicide | — | — | 3 | — | — | — | | | | | | | | | | | | | 29 |
| 30 Other deaths from violence | 6 | 2 | 4 | — | 4 | — | | | | | | | | | | | | | 30 |
| 31 Other defined diseases | 19 | 26 | 25 | 17 | 18 | 12 | | | | | | | | | | | | | 31 |
| 32 Causes ill-defined or unknown | 1 | — | 1 | — | 2 | 1 | | | | | | | | | | | | | 32 |

## HERTFORDSHIRE.

| Causes of Death. | Barnet U.D. | | Cheshunt U.D. | | East Barnet Valley U.D. | | Hemel Hempstead M.B. | | Hertford M.B. | | Hitchin U.D. | | Letchworth U.D. | | St. Albans M.B. | | Watford M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 55 | 63 | 63 | 51 | 67 | 48 | 75 | 69 | 58 | 59 | 64 | 67 | 43 | 44 | 111 | 114 | 198 | 207 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | 4 |
| 5 Whooping cough | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | 5 |
| 6 Diphtheria | 1 | — | — | — | 1 | 2 | — | — | — | — | — | — | 1 | — | — | — | — | 1 | 6 |
| 7 Influenza | — | 2 | 1 | — | 1 | 1 | — | 2 | 1 | — | 1 | 3 | 1 | 1 | 1 | 1 | 5 | 6 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 3 | 3 | 5 | 1 | 3 | 1 | 3 | 2 | 1 | 6 | 4 | 4 | 2 | 3 | 8 | 5 | 18 | 15 | 10 |
| 11 Other tuberculous diseases | — | — | 2 | 1 | 2 | 2 | 4 | 1 | 2 | — | — | 2 | 1 | — | 2 | 1 | 1 | 4 | 11 |
| 12 Cancer, malignant disease | 6 | 8 | 7 | 17 | 6 | 7 | 15 | 10 | 8 | 9 | 7 | 7 | 6 | 11 | 17 | 13 | 19 | 39 | 12 |
| 13 Rheumatic fever | 1 | — | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | 13 |
| 14 Diabetes | — | 3 | — | — | — | 1 | — | — | 1 | 1 | — | 2 | — | 1 | — | 3 | 7 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 4 | 7 | — | 8 | 2 | 5 | 1 | 2 | 5 | 4 | 6 | 1 | 4 | 8 | 10 | 7 | 13 | 15 |
| 16 Heart disease | 5 | 8 | 9 | 6 | 8 | 7 | 13 | 22 | 7 | 10 | 10 | 11 | 8 | 5 | 19 | 30 | 22 | 28 | 16 |
| 17 Arterio-sclerosis | 5 | 1 | 4 | 2 | 6 | 2 | 2 | 1 | 6 | 1 | 1 | — | 1 | 1 | 1 | 5 | 3 | 1 | 17 |
| 18 Bronchitis | 3 | 6 | 7 | 3 | 10 | 3 | 5 | 8 | 6 | 7 | 6 | 6 | 4 | 6 | 5 | 7 | 15 | 15 | 18 |
| 19 Pneumonia (all forms) | 4 | 1 | 5 | 2 | 5 | 2 | 3 | 4 | 7 | 2 | 5 | 4 | 3 | 3 | 6 | 6 | 10 | 8 | 19 |
| 20 Other respiratory diseases | 2 | — | 2 | 1 | 1 | — | 1 | 1 | — | 1 | — | — | — | — | 2 | — | 2 | 6 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | — | — | — | — | — | 1 | 1 | 2 | — | — | — | — | — | 6 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | 1 | — | 1 | — | — | 2 | 1 | — | — | — | — | — | 1 | 2 | 1 | 22 |
| 23 Appendicitis and typhlitis | — | 1 | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 2 | — | 3 | 3 | 23 |
| 24 Cirrhosis of liver | 2 | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 1 | — | — | 1 | — | — | 4 | 5 | 3 | 1 | 3 | 1 | — | 1 | 5 | 1 | 5 | 2 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 3 | — | 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 6 | 1 | 3 | 2 | 2 | 1 | 2 | 3 | 1 | — | 3 | 1 | 4 | — | 7 | 6 | 19 | 6 | 28 |
| 29 Suicide | 1 | — | 1 | 1 | 1 | — | 1 | — | — | — | — | 2 | 1 | — | — | 1 | 2 | 2 | 29 |
| 30 Other deaths from violence | 2 | 2 | 3 | 3 | 3 | 1 | 4 | — | 1 | 2 | 3 | — | 2 | — | 6 | — | 6 | 4 | 30 |
| 31 Other defined diseases | 10 | 20 | 5 | 7 | 8 | 14 | 11 | 8 | 6 | 11 | 13 | 15 | 7 | 6 | 20 | 22 | 45 | 46 | 31 |
| 32 Causes ill-defined or unknown | — | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## HERTFORDSHIRE—*cont.* HUNTS.

| Causes of Death. | Hitchin R.D. | | St. Albans R.D. | | Ware R.D. | | Watford R.D. | | Thrapston (part of) R.D.* | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 75 | 68 | 64 | 58 | 75 | 63 | 60 | 79 | 3 | 4 | |
| 1 Enteric fever | — | — | — | — | — | 1 | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 1 | — | 1 | — | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | 1 | — | — | — | 4 |
| 5 Whooping cough | — | — | — | 1 | — | — | — | — | — | — | 5 |
| 6 Diphtheria | — | — | 1 | — | — | — | — | — | — | — | 6 |
| 7 Influenza | 2 | 1 | 1 | — | 1 | — | — | — | — | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 10 | 5 | 4 | 10 | 7 | 1 | 11 | 6 | — | — | 10 |
| 11 Other tuberculous diseases | — | 1 | 2 | — | — | 1 | — | 1 | — | — | 11 |
| 12 Cancer, malignant disease | 7 | 7 | 12 | 9 | 4 | 10 | 5 | 16 | — | — | 12 |
| 13 Rheumatic fever | 1 | — | 2 | 1 | — | — | — | — | — | — | 13 |
| 14 Diabetes | 1 | 1 | — | — | 1 | 1 | — | 1 | — | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 5 | 8 | 4 | 4 | 9 | 4 | 3 | 6 | — | — | 15 |
| 16 Heart disease | 13 | 8 | 13 | 8 | 10 | 11 | 6 | 15 | — | — | 16 |
| 17 Arterio-sclerosis | — | — | 3 | 1 | 3 | 2 | — | — | — | — | 17 |
| 18 Bronchitis | 7 | 7 | 3 | 2 | 10 | 5 | 7 | 3 | — | 1 | 18 |
| 19 Pneumonia (all forms) | 2 | 2 | 3 | 1 | 4 | 4 | 3 | 3 | — | — | 19 |
| 20 Other respiratory diseases | 1 | 1 | — | 1 | 3 | 1 | — | — | — | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 3 | 1 | 1 | — | — | 1 | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | — | — | — | — | — | — | — | — | 22 |
| 23 Appendicitis and typhlitis | — | — | 1 | — | 1 | — | 1 | 2 | — | — | 23 |
| 24 Cirrhosis of liver | — | — | 1 | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 1 | — | 1 | 1 | 1 | 5 | 2 | 1 | — | — | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | — | — | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 4 | 2 | 5 | 5 | 4 | — | 4 | 5 | — | — | 28 |
| 29 Suicide | — | — | 1 | — | 2 | — | — | 1 | — | — | 29 |
| 30 Other deaths from violence | 2 | 2 | — | — | 2 | 3 | 4 | 1 | 1 | 1 | 30 |
| 31 Other defined diseases | 14 | 18 | 5 | 13 | 12 | 14 | 12 | 17 | 2 | 2 | 31 |
| 32 Causes ill-defined or unknown | 2 | — | — | — | 1 | — | — | — | — | — | 32 |

## KENT.

| Causes of Death. | Ashford U.D. | | Beckenham U.D. | | Bexley U.D. | | Broadstairs & St. Peter's U.D. | | Bromley M.B. | | Chatham M.B. | | Crayford U.D. | | Dartford U.D. | | Deal M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 65 | 84 | 130 | 164 | 128 | 103 | 49 | 57 | 170 | 197 | 257 | 191 | 40 | 49 | 117 | 104 | 80 | 64 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | — | — | 2 | 1 | — | — | 2 | 1 | 2 | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | 4 |
| 5 Whooping cough | — | — | 1 | — | — | — | 1 | — | 2 | 1 | — | — | — | — | — | 2 | — | 1 | 5 |
| 6 Diphtheria | — | — | — | 1 | 1 | 1 | — | — | 1 | 1 | — | — | — | — | 1 | — | — | — | 6 |
| 7 Influenza | 3 | 3 | 1 | 7 | 2 | 1 | 1 | 3 | — | 4 | 3 | 4 | 1 | — | 2 | 1 | — | — | 7 |
| 8 Encephalitis lethargica | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 9 | 5 | 6 | 13 | 12 | 4 | 5 | 2 | 13 | 10 | 21 | 21 | 3 | 7 | 14 | 7 | 4 | 8 | 10 |
| 11 Other tuberculous diseases | — | 1 | — | — | 5 | 1 | 1 | 1 | 5 | 1 | 3 | 5 | 3 | — | 1 | 3 | 1 | — | 11 |
| 12 Cancer, malignant disease | 10 | 11 | 15 | 32 | 11 | 16 | 2 | 12 | 16 | 32 | 26 | 19 | 2 | 7 | 9 | 17 | 12 | 5 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | 1 | — | 2 | — | 1 | 1 | 1 | 1 | — | — | — | — | 2 | 13 |
| 14 Diabetes | 1 | — | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 3 | 3 | — | — | — | 1 | — | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 7 | 11 | 12 | 7 | 6 | 3 | 2 | 12 | 10 | 10 | 13 | 3 | 4 | 5 | 10 | 8 | 7 | 15 |
| 16 Heart disease | 10 | 17 | 21 | 24 | 17 | 19 | 8 | 11 | 24 | 37 | 24 | 21 | 3 | 11 | 19 | 20 | 11 | 9 | 16 |
| 17 Arterio-sclerosis | 3 | 2 | 7 | 6 | 2 | 3 | 2 | 1 | 5 | 5 | 11 | 8 | — | — | 4 | 1 | 1 | — | 17 |
| 18 Bronchitis | 3 | 5 | 10 | 10 | 6 | 9 | — | 1 | 12 | 15 | 9 | 16 | 3 | 4 | 6 | 1 | 5 | 1 | 18 |
| 19 Pneumonia (all forms) | — | 6 | 10 | 7 | 11 | 5 | 2 | 3 | 12 | 11 | 13 | 7 | 3 | 1 | 7 | 7 | 4 | — | 19 |
| 20 Other respiratory diseases | 2 | 1 | — | 1 | — | 2 | — | — | 2 | 1 | 5 | 3 | — | — | — | — | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | — | 3 | 3 | — | — | 2 | — | — | 1 | — | — | 2 | — | 2 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | 1 | 1 | — | — | — | 1 | 4 | 3 | 2 | 1 | 1 | 2 | 1 | 1 | — | 22 |
| 23 Appendicitis and typhlitis | 1 | 1 | 1 | — | 1 | — | 2 | — | 2 | — | 1 | 1 | — | — | 4 | 1 | — | 1 | 23 |
| 24 Cirrhosis of liver | — | — | 1 | 1 | — | — | — | 3 | 2 | 2 | 2 | — | — | 1 | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | — | 3 | 5 | 6 | 1 | 4 | 1 | 2 | 7 | 6 | 5 | 6 | 1 | 3 | 1 | 2 | 2 | 7 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 2 | — | — | — | 1 | — | — | — | 1 | — | 2 | — | 2 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | — | 3 | 7 | 1 | 6 | 5 | 1 | 1 | 10 | 5 | 24 | 11 | 3 | 3 | 8 | 5 | 3 | 1 | 28 |
| 29 Suicide | 1 | — | 4 | 5 | 1 | — | 1 | — | 1 | — | 9 | — | — | — | — | — | 2 | — | 29 |
| 30 Other deaths from violence | 4 | 1 | 6 | 3 | 7 | 2 | 4 | 2 | 5 | 3 | 14 | 4 | — | — | 4 | 1 | 1 | 2 | 30 |
| 31 Other defined diseases | 14 | 17 | 21 | 29 | 33 | 19 | 13 | 9 | 33 | 43 | 65 | 38 | 10 | 4 | 24 | 22 | 22 | 17 | 31 |
| 32 Causes ill-defined or unknown | 1 | 1 | — | — | — | — | 1 | — | — | — | 4 | 4 | 1 | — | 1 | — | — | 1 | 32 |

* The remainder of Thrapston R.D. is in Northamptonshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

**KENT**—*cont.*

| Causes of Death | Dover M.B. | | Erith U.D. | | Faversham M.B. | | Folkestone M.B.* | | Gillingham M.B. | | Gravesend M.B. | | Herne Bay U.D. | | Maidstone M.B. | | Margate M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 212 | 211 | 132 | 131 | 57 | 65 | 205 | 182 | 262 | 225 | 202 | 154 | 39 | 57 | 205 | 207 | 134 | 163 | |
| 1 Enteric fever | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 2 | 1 | 1 | — | — | — | 3 | 2 | — | — | — | — | — | — | 1 | 1 | — | — | 3 |
| 4 Scarlet fever | — | 1 | — | 2 | — | — | 1 | — | — | 1 | 1 | — | — | — | — | — | 1 | — | 4 |
| 5 Whooping cough | — | 2 | — | — | — | — | — | — | 3 | 3 | 1 | 1 | — | — | 2 | — | — | — | 5 |
| 6 Diphtheria | — | — | 1 | 2 | 1 | — | — | 1 | 3 | 3 | 1 | — | — | — | 1 | — | 1 | — | 6 |
| 7 Influenza | 5 | — | — | — | — | — | 1 | 2 | 2 | 4 | 3 | 1 | — | 1 | 1 | 4 | 1 | 3 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 11 | 16 | 15 | 9 | 3 | 2 | 19 | 12 | 25 | 21 | 15 | 14 | — | 5 | 14 | 16 | 17 | 13 | 10 |
| 11 Other tuberculous diseases | 2 | 4 | 3 | 1 | 2 | 2 | 3 | 1 | 11 | 3 | 4 | 2 | — | — | 5 | 4 | 6 | 2 | 11 |
| 12 Cancer, malignant disease | 26 | 41 | 17 | 23 | 9 | 9 | 25 | 33 | 26 | 27 | 21 | 23 | 8 | 12 | 22 | 40 | 13 | 31 | 12 |
| 13 Rheumatic fever | 2 | 2 | — | — | — | — | — | — | 1 | 1 | — | 2 | — | — | — | 1 | 1 | — | 13 |
| 14 Diabetes | — | 1 | — | 1 | — | — | 3 | 4 | 2 | 3 | 3 | 1 | — | — | 1 | — | 2 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 21 | 19 | 5 | 10 | 2 | 6 | 12 | 8 | 16 | 16 | 15 | 13 | 5 | 4 | 11 | 17 | 4 | 13 | 15 |
| 16 Heart disease | 25 | 25 | 18 | 27 | 12 | 8 | 24 | 40 | 33 | 34 | 14 | 20 | 3 | 11 | 23 | 39 | 18 | 29 | 16 |
| 17 Arterio-sclerosis | 9 | 10 | 5 | — | 1 | — | 11 | 6 | 9 | 4 | 1 | 1 | 5 | 1 | 11 | 6 | 6 | 2 | 17 |
| 18 Bronchitis | 18 | 13 | 8 | 10 | 2 | 9 | 14 | 13 | 15 | 17 | 15 | 10 | 3 | 4 | 14 | 16 | 2 | 6 | 18 |
| 19 Pneumonia (all forms) | 18 | 8 | 10 | 7 | 1 | 2 | 17 | 3 | 12 | 13 | 19 | 3 | 2 | 1 | 11 | 4 | 8 | 5 | 19 |
| 20 Other respiratory diseases | 1 | 2 | 4 | 1 | 1 | 2 | 2 | 1 | 3 | 2 | 2 | 3 | — | — | 3 | 3 | 2 | 2 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 1 | 3 | 2 | — | — | 3 | 1 | 2 | 2 | 1 | 1 | — | — | 2 | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 3 | 1 | 1 | 1 | — | — | — | 1 | 9 | 1 | 5 | 3 | — | — | 3 | — | 1 | 1 | 22 |
| 23 Appendicitis and typhlitis | — | 2 | — | — | 1 | — | 3 | 1 | 3 | — | 1 | — | — | — | 4 | — | — | 2 | 23 |
| 24 Cirrhosis of liver | 1 | 1 | — | 1 | — | 1 | 4 | 1 | 2 | — | 1 | 1 | — | 1 | 5 | 2 | 1 | 1 | 24 |
| 25 Acute and chronic nephritis | 6 | 4 | 4 | 3 | 2 | 1 | 5 | 7 | 3 | 5 | 4 | 2 | 3 | 1 | 5 | 5 | 5 | 3 | 25 |
| 26 Puerperal sepsis | — | 1 | — | 1 | — | — | — | 1 | — | — | — | 2 | — | — | — | 2 | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | — | 1 | — | — | — | 1 | — | 1 | — | — | — | 3 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 11 | 10 | 7 | 5 | 1 | 2 | 6 | 5 | 14 | 7 | 5 | 5 | — | 2 | 12 | 6 | 10 | 4 | 28 |
| 29 Suicide | 3 | 1 | 2 | — | — | 1 | 1 | 4 | 5 | 3 | 7 | — | — | — | 5 | 1 | 1 | 2 | 29 |
| 30 Other deaths from violence | 3 | 3 | 2 | 4 | 3 | — | 3 | 6 | 6 | — | 20 | 3 | — | 1 | 7 | 7 | 2 | 4 | 30 |
| 31 Other defined diseases | 42 | 38 | 26 | 21 | 16 | 17 | 45 | 28 | 57 | 53 | 42 | 42 | 10 | 13 | 40 | 29 | 29 | 33 | 31 |
| 32 Causes ill-defined or unknown | 1 | 2 | — | — | — | 1 | — | — | — | — | 1 | — | — | — | 1 | 1 | 2 | 1 | 32 |

**KENT**—*cont.*

| Causes of Death. | Northfleet U.D. | | Penge U.D. | | Ramsgate M.B. | | Rochester M.B. | | Royal Tunbridge Wells M.B. | | Sheerness U.D. | | Tonbridge U.D. | | Bridge R.D. | | Bromley R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 97 | 78 | 166 | 165 | 174 | 218 | 160 | 169 | 214 | 275 | 103 | 66 | 85 | 98 | 72 | 72 | 127 | 121 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | 2 | 2 | 1 | 2 | — | — | 1 | 1 | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 | 4 |
| 5 Whooping cough | 1 | 3 | — | 1 | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — | — | 1 | 5 |
| 6 Diphtheria | 2 | 4 | 2 | 1 | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | 6 |
| 7 Influenza | 1 | — | 1 | 7 | — | 1 | 2 | 4 | 2 | 4 | 2 | — | 1 | 2 | 1 | 3 | 3 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | 1 | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | 9 |
| 10 Tuberculosis of respiratory sys. | 4 | 9 | 11 | 6 | 11 | 17 | 14 | 15 | 17 | 13 | 6 | 7 | 6 | 5 | 8 | 6 | 11 | 7 | 10 |
| 11 Other tuberculous diseases | 1 | — | 2 | 1 | 3 | 2 | 1 | 3 | 3 | 1 | 1 | 1 | 1 | 2 | — | 1 | 3 | 4 | 11 |
| 12 Cancer, malignant disease | 12 | 10 | 23 | 22 | 15 | 31 | 19 | 29 | 32 | 41 | 12 | 6 | 9 | 9 | 7 | 14 | 17 | 20 | 12 |
| 13 Rheumatic fever | — | 1 | 3 | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | 13 |
| 14 Diabetes | 3 | — | 3 | 3 | 5 | 2 | 2 | 3 | 3 | 4 | — | — | 1 | 3 | — | 1 | — | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 4 | 3 | 9 | 15 | 8 | 22 | 2 | 13 | 18 | 26 | 3 | 2 | 6 | 8 | 3 | 7 | 6 | 11 | 15 |
| 16 Heart disease | 22 | 22 | 18 | 23 | 22 | 23 | 18 | 20 | 44 | 58 | 12 | 9 | 13 | 19 | 6 | 8 | 11 | 22 | 16 |
| 17 Arterio-sclerosis | 2 | — | 14 | 5 | 4 | 4 | 11 | 4 | 12 | 9 | 2 | 3 | 1 | 5 | — | 1 | 3 | 2 | 17 |
| 18 Bronchitis | 5 | 6 | 13 | 16 | 8 | 17 | 19 | 21 | 8 | 15 | 8 | 2 | 4 | 4 | 5 | 5 | 14 | 12 | 18 |
| 19 Pneumonia (all forms) | 13 | 6 | 9 | 11 | 8 | 8 | 5 | 6 | 4 | 16 | 9 | 2 | 2 | 4 | 9 | 7 | 9 | 5 | 19 |
| 20 Other respiratory diseases | 1 | — | 1 | 4 | 4 | 7 | 3 | 1 | 3 | 2 | 5 | 1 | — | 1 | 1 | — | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | 1 | — | 2 | 1 | — | — | 5 | — | 2 | — | 1 | — | — | — | — | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 2 | 2 | 3 | 3 | — | 1 | 1 | — | — | 3 | 2 | — | — | — | 1 | 2 | 1 | 22 |
| 23 Appendicitis and typhlitis | — | 1 | — | 1 | 1 | 4 | 1 | 2 | 3 | 1 | — | — | — | — | — | — | 1 | 1 | 23 |
| 24 Cirrhosis of liver | 2 | — | 2 | 2 | — | 1 | — | — | — | — | 1 | — | 1 | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 3 | 5 | 5 | 4 | 11 | 8 | 3 | 4 | 5 | 16 | 1 | 1 | 2 | 2 | 4 | — | 9 | 1 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 3 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | — | 11 | 6 | 3 | 8 | 7 | 11 | 4 | 10 | 6 | 4 | 6 | 5 | 4 | 2 | 5 | 3 | 28 |
| 29 Suicide | 2 | — | 5 | — | 5 | 2 | 4 | 2 | 3 | 1 | 1 | 1 | 3 | — | 1 | — | — | — | 29 |
| 30 Other deaths from violence | 4 | — | 5 | — | 8 | 6 | 9 | 4 | 5 | 4 | 4 | — | 3 | 3 | 7 | 2 | 3 | 2 | 30 |
| 31 Other defined diseases | 8 | 5 | 26 | 33 | 46 | 47 | 37 | 19 | 42 | 53 | 23 | 21 | 24 | 23 | 16 | 11 | 29 | 26 | 31 |
| 32 Causes ill-defined or unknown | 2 | — | — | — | 3 | 1 | — | 1 | — | — | — | — | — | 2 | — | — | — | — | 32 |

* Excluding the civil parish of Folkestone next Sandgate.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

**KENT**—*cont.*

| Causes of Death. | Cranbrook R.D. | | Dartford R.D. | | East Ashford R.D. | | Eastry R.D. | | Faversham R.D. | | Hollingbourne R.D. | | Isle of Thanet R.D. | | Maidstone R.D. | | Malling R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 88 | 81 | 145 | 143 | 75 | 80 | 74 | 62 | 77 | 73 | 86 | 69 | 46 | 69 | 93 | 90 | 142 | 133 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | — | 2 | 1 | — | — | 1 | — | — | 1 | — | — | — | — | — | 1 | 1 | 1 | 5 |
| 6 Diphtheria | 2 | — | 1 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 6 |
| 7 Influenza | 2 | — | 1 | 2 | 2 | 2 | 2 | 1 | — | — | 2 | 1 | — | 2 | — | 1 | 3 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 2 | 4 | 11 | 11 | 9 | 5 | 8 | 3 | 9 | 6 | 1 | 8 | 6 | 6 | 6 | 4 | 13 | 14 | 10 |
| 11 Other tuberculous diseases | 2 | 3 | 2 | — | 1 | 1 | 2 | 2 | — | 2 | 1 | 2 | 1 | 1 | — | 1 | 1 | 7 | 11 |
| 12 Cancer, malignant disease | 11 | 6 | 12 | 11 | 7 | 11 | 5 | 7 | 7 | 9 | 15 | 10 | 3 | 10 | 14 | 11 | 15 | 20 | 12 |
| 13 Rheumatic fever | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | 1 | — | — | — | 13 |
| 14 Diabetes | 1 | 1 | 1 | 1 | — | 1 | — | — | 3 | 1 | — | — | 1 | 3 | — | 1 | 1 | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 8 | 12 | 9 | 17 | 5 | 6 | 5 | 1 | 3 | 2 | 4 | 2 | 2 | 11 | 8 | 5 | 8 | 14 | 15 |
| 16 Heart disease | 12 | 10 | 31 | 40 | 5 | 10 | 14 | 10 | 11 | 11 | 14 | 12 | 9 | 8 | 13 | 15 | 16 | 18 | 16 |
| 17 Arterio-sclerosis | 4 | 4 | 7 | 1 | — | — | 1 | 1 | 3 | — | 5 | 4 | 1 | 1 | 5 | 6 | 8 | 3 | 17 |
| 18 Bronchitis | 4 | 6 | 3 | 6 | 8 | 4 | 3 | 3 | 4 | 4 | 8 | 2 | 1 | 2 | 7 | 7 | 6 | 8 | 18 |
| 19 Pneumonia (all forms) | 4 | 5 | 8 | 9 | 2 | 3 | 2 | 2 | 6 | 2 | 3 | 5 | 2 | 2 | 6 | 3 | 4 | 6 | 19 |
| 20 Other respiratory diseases | — | 1 | 1 | 2 | 2 | 1 | 1 | — | 3 | 1 | 4 | — | — | — | — | 1 | 4 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 1 | 2 | — | — | 1 | — | — | 1 | — | — | — | — | — | — | 2 | 3 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 2 | 4 | — | 1 | — | — | 3 | — | — | 1 | — | — | 1 | — | 1 | — | 22 |
| 23 Appendicitis and typhlitis | 1 | 3 | 1 | 3 | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | 1 | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | 1 | — | 24 |
| 25 Acute and chronic nephritis | 4 | 2 | 4 | 2 | 2 | 5 | 4 | 3 | 2 | 1 | 1 | 2 | 2 | 4 | 2 | 1 | 3 | 2 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | 1 | — | 1 | — | 1 | — | — | — | — | — | 1 | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | — | — | 3 | — | 2 | — | — | — | — | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 5 | 3 | 17 | 2 | 6 | 6 | 1 | 3 | 3 | 6 | 2 | 2 | 2 | 2 | 2 | 1 | 11 | 9 | 28 |
| 29 Suicide | 2 | 1 | 2 | — | 2 | — | — | — | — | 1 | — | — | 2 | 1 | 2 | — | — | 1 | 29 |
| 30 Other deaths from violence | 4 | — | 10 | 8 | — | — | 3 | 2 | 3 | 1 | 2 | — | 3 | — | 4 | 3 | 5 | 3 | 30 |
| 31 Other defined diseases | 17 | 18 | 18 | 23 | 24 | 22 | 19 | 19 | 14 | 19 | 23 | 15 | 10 | 15 | 21 | 23 | 36 | 20 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | 1 | — | — | — | 1 | — | 1 | — | — | 1 | 1 | 1 | 32 |

**KENT**—*cont.* **LANCASHIRE.**

| Causes of Death. | Milton R.D. | | Sevenoaks R.D. | | Strood R.D. | | Tonbridge R.D. | | | | | | Accrington M.B. | | Ashton in Makerfield U.D. | | Ashton-under-Lyne M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | | | | | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 80 | 67 | 129 | 119 | 77 | 70 | 90 | 95 | | | | | 290 | 256 | 140 | 102 | 319 | 314 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | | | | | — | — | — | 1 | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | | | | | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | 1 | — | — | — | — | 1 | | | | | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | 1 | — | — | — | — | — | — | — | | | | | — | — | — | — | — | 2 | 4 |
| 5 Whooping cough | 1 | — | 2 | — | — | — | — | — | | | | | — | — | 5 | 3 | 6 | 11 | 5 |
| 6 Diphtheria | — | 1 | — | — | 1 | 1 | — | — | | | | | — | — | 2 | — | 1 | — | 6 |
| 7 Influenza | — | 1 | — | 2 | — | — | 3 | — | | | | | 3 | 7 | 4 | 2 | 14 | 18 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | | | | | — | — | — | — | 3 | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | | | | | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 8 | 7 | 7 | 12 | 5 | 5 | 7 | 8 | | | | | 24 | 10 | 9 | 11 | 21 | 16 | 10 |
| 11 Other tuberculous diseases | 2 | 1 | 3 | 2 | 2 | 4 | 1 | — | | | | | 6 | 4 | 4 | 1 | 8 | 7 | 11 |
| 12 Cancer, malignant disease | 10 | 12 | 17 | 13 | 14 | 6 | 18 | 13 | | | | | 21 | 37 | 12 | 7 | 30 | 33 | 12 |
| 13 Rheumatic fever | — | 1 | — | — | 1 | — | — | 1 | | | | | — | 3 | — | 1 | 1 | — | 13 |
| 14 Diabetes | 2 | — | 5 | — | — | 1 | 1 | 2 | | | | | 4 | 4 | 3 | 2 | 2 | 7 | 14 |
| 15 Cerebral hæmorrhage, &c. | 4 | 4 | 7 | 9 | 2 | 5 | 4 | 7 | | | | | 21 | 25 | 8 | 6 | 11 | 24 | 15 |
| 16 Heart disease | 12 | 13 | 28 | 17 | 7 | 7 | 15 | 25 | | | | | 36 | 50 | 9 | 11 | 45 | 50 | 16 |
| 17 Arterio-sclerosis | 4 | 4 | 3 | 3 | 4 | 3 | 3 | 3 | | | | | 9 | — | 3 | — | 18 | 7 | 17 |
| 18 Bronchitis | 1 | — | 6 | 13 | 5 | 6 | 6 | 2 | | | | | 23 | 16 | 7 | 9 | 30 | 36 | 18 |
| 19 Pneumonia (all forms) | 4 | 2 | 6 | 7 | 8 | 5 | 3 | 2 | | | | | 41 | 16 | 17 | 11 | 34 | 19 | 19 |
| 20 Other respiratory diseases | 2 | 1 | — | 1 | 1 | 2 | 2 | 1 | | | | | 3 | 4 | 1 | 2 | — | 1 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 1 | — | — | — | 2 | — | | | | | 3 | 2 | 1 | 1 | 2 | 2 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 3 | — | — | 1 | 2 | — | — | 1 | | | | | 3 | 1 | 1 | — | 8 | 4 | 22 |
| 23 Appendicitis and typhlitis | 1 | — | — | — | — | — | 1 | 1 | | | | | — | 2 | 1 | — | — | 2 | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | — | | | | | 4 | — | 2 | 1 | 2 | — | 24 |
| 25 Acute and chronic nephritis | 4 | 3 | 2 | 2 | 4 | 1 | — | 4 | | | | | 7 | 5 | 6 | 2 | 14 | 7 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | 3 | | | | | — | — | — | 2 | — | 5 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | — | — | 2 | | | | | — | 4 | — | 2 | — | 2 | 27 |
| 28 Congenital debility and malformation, premature birth | 3 | 2 | 7 | 5 | — | 3 | 3 | 2 | | | | | 18 | 5 | 7 | 11 | 12 | 10 | 28 |
| 29 Suicide | — | — | 3 | — | 2 | — | 2 | 1 | | | | | 7 | 3 | — | — | 2 | 1 | 29 |
| 30 Other deaths from violence | 3 | — | 4 | 1 | 5 | 2 | 4 | 3 | | | | | 5 | 4 | 14 | 2 | 12 | 2 | 30 |
| 31 Other defined diseases | 15 | 14 | 27 | 31 | 14 | 18 | 15 | 13 | | | | | 49 | 51 | 23 | 14 | 43 | 48 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | 1 | — | — | | | | | 3 | 3 | 1 | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## LANCASHIRE—*cont.*

| Causes of Death. | Atherton U.D. | | Bacup M.B. | | Chadderton U.D. | | Chorley M.B. | | Clitheroe M.B. | | Colne M.B. | | Crompton U.D. | | Dalton-in-Furness U.D. | | Darwen M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 123 | 120 | 151 | 130 | 190 | 214 | 186 | 200 | 64 | 92 | 162 | 161 | 94 | 104 | 88 | 86 | 251 | 277 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 4 | 10 | — | — | 3 | — | 8 | 2 | — | — | 1 | — | — | — | 3 | 2 | — | 1 | 3 |
| 4 Scarlet fever | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | 4 |
| 5 Whooping cough | 3 | 4 | — | — | 2 | 3 | 1 | 2 | — | 1 | — | 1 | 2 | — | 3 | 3 | — | — | 5 |
| 6 Diphtheria | 2 | 3 | — | — | — | 3 | 1 | — | — | 1 | 1 | — | — | — | — | — | 1 | — | 6 |
| 7 Influenza | 11 | 3 | 3 | 4 | 5 | 8 | 16 | 17 | 1 | — | 2 | 3 | 1 | 8 | 6 | 4 | 3 | 11 | 7 |
| 8 Encephalitis lethargica | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 8 |
| 9 Meningococcal meningitis | — | 1 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — | 9 |
| 10 Tuberculosis of respiratory sys. | 8 | 6 | 11 | 4 | 7 | 9 | 12 | 9 | 2 | 4 | 18 | 10 | 6 | 5 | 12 | 7 | 10 | 12 | 10 |
| 11 Other tuberculous diseases | 1 | 2 | 1 | 4 | 2 | 3 | 1 | 2 | 2 | — | 5 | 2 | 2 | 2 | 1 | 1 | 5 | 5 | 11 |
| 12 Cancer, malignant disease | 9 | 10 | 6 | 11 | 13 | 23 | 13 | 21 | 9 | 12 | 14 | 11 | 7 | 11 | 8 | 6 | 27 | 32 | 12 |
| 13 Rheumatic fever | — | — | — | 1 | 2 | — | 1 | 2 | — | — | 1 | 1 | — | — | — | — | 3 | 2 | 13 |
| 14 Diabetes | — | 2 | 1 | 2 | 1 | 4 | — | 6 | 1 | — | 2 | — | — | 2 | — | 3 | 3 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 5 | 5 | 14 | 19 | 13 | 17 | 9 | 16 | 4 | 3 | 13 | 6 | 2 | 8 | 8 | 5 | 20 | 17 | 15 |
| 16 Heart disease | 13 | 14 | 21 | 17 | 25 | 28 | 15 | 21 | 8 | 12 | 13 | 13 | 11 | 16 | 7 | 11 | 20 | 30 | 16 |
| 17 Arterio-sclerosis | 4 | 6 | 3 | 3 | 2 | 5 | 4 | 9 | 2 | 3 | 6 | 7 | 2 | 3 | 1 | 1 | 12 | 13 | 17 |
| 18 Bronchitis | 18 | 18 | 20 | 13 | 19 | 31 | 11 | 14 | 7 | 11 | 14 | 25 | 12 | 13 | 5 | 9 | 18 | 26 | 18 |
| 19 Pneumonia (all forms) | 11 | 14 | 7 | 1 | 31 | 12 | 15 | 12 | 4 | 6 | 13 | 5 | 8 | 5 | 7 | 6 | 27 | 18 | 19 |
| 20 Other respiratory diseases | 1 | — | 1 | — | 3 | 1 | 3 | 4 | — | — | 2 | 3 | — | — | 1 | 1 | 6 | 5 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | — | 1 | — | 4 | — | 1 | — | 2 | 1 | 1 | — | — | — | 2 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 1 | — | — | 2 | — | 5 | 4 | — | — | 7 | 1 | 2 | 1 | — | — | — | 2 | 22 |
| 23 Appendicitis and typhlitis | 1 | — | — | 2 | 2 | — | 1 | 1 | 1 | 1 | 1 | 1 | 4 | — | 1 | 1 | 6 | 2 | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | — | — | 2 | — | 1 | 1 | 1 | — | 1 | 1 | — | — | 1 | — | 24 |
| 25 Acute and chronic nephritis | 1 | 4 | 3 | 9 | 4 | 9 | 8 | 4 | 5 | 11 | 2 | 6 | 1 | 6 | 1 | — | 8 | 10 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | — | — | 3 | — | 2 | — | 1 | — | 2 | — | 1 | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 3 | 3 | 13 | 5 | 9 | 11 | 11 | 11 | 3 | 3 | 10 | 9 | 8 | 2 | 5 | 3 | 9 | 12 | 28 |
| 29 Suicide | 4 | — | 3 | 1 | 1 | — | 5 | 1 | 1 | — | — | 1 | 4 | 1 | 4 | — | 5 | 2 | 29 |
| 30 Other deaths from violence | 10 | 1 | 2 | 1 | 7 | 3 | 4 | 1 | — | 1 | 5 | 6 | — | 3 | 1 | 2 | 5 | 6 | 30 |
| 31 Other defined diseases | 11 | 12 | 39 | 33 | 34 | 38 | 29 | 35 | 12 | 20 | 26 | 43 | 20 | 16 | 14 | 21 | 55 | 61 | 31 |
| 32 Causes ill-defined or unknown | — | — | 2 | — | 1 | — | 7 | 3 | — | — | 2 | 3 | — | — | — | — | 3 | 4 | 32 |

## LANCASHIRE—*cont.*

| Causes of Death. | Denton U.D. | | Droylsden U.D. | | Eccles M.B. | | Failsworth U.D. | | Farnworth U.D. | | Fleetwood U.D. | | Great Crosby U.D. | | Great Harwood U.D. | | Haslingden M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 104 | 112 | 95 | 92 | 262 | 228 | 106 | 102 | 163 | 186 | 102 | 88 | 70 | 67 | 90 | 105 | 133 | 149 | |
| 1 Enteric fever | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | 1 | — | — | 2 | 1 | — | 1 | 2 | — | — | — | — | 3 | — | 1 | 1 | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 3 | — | 2 | 1 | — | 1 | — | 1 | — | 3 | — | — | — | — | 1 | 1 | — | — | 5 |
| 6 Diphtheria | 1 | — | — | 1 | — | 1 | 3 | 3 | — | 1 | 1 | 2 | — | — | 1 | 2 | — | — | 6 |
| 7 Influenza | 2 | 4 | 2 | 3 | 11 | 8 | 4 | 8 | 5 | 7 | 2 | 3 | 2 | 2 | 6 | 2 | 9 | 5 | 7 |
| 8 Encephalitis lethargica | — | 1 | 1 | — | 1 | — | — | 1 | — | — | 2 | — | 1 | — | 1 | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | 9 |
| 10 Tuberculosis of respiratory sys. | 8 | 9 | 5 | 4 | 26 | 17 | 12 | 11 | 16 | 7 | 6 | 8 | 6 | 5 | 4 | 4 | 4 | 8 | 10 |
| 11 Other tuberculous diseases | 2 | 4 | — | 2 | 7 | 3 | 3 | — | 5 | 1 | 3 | 1 | 3 | 1 | 1 | 1 | 7 | 5 | 11 |
| 12 Cancer, malignant disease | 8 | 10 | 6 | 8 | 28 | 30 | 12 | 10 | 12 | 22 | 8 | 14 | 7 | 13 | 8 | 11 | 11 | 24 | 12 |
| 13 Rheumatic fever | — | 1 | — | — | — | 1 | 2 | 2 | 1 | — | — | — | — | 1 | — | 1 | — | 1 | 13 |
| 14 Diabetes | 1 | 1 | 2 | 3 | 3 | 3 | — | 4 | 1 | 3 | 2 | 1 | 1 | 1 | 3 | 2 | — | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 15 | 5 | 5 | 17 | 18 | 2 | 6 | 8 | 12 | 10 | 7 | 6 | 4 | — | 15 | 7 | 13 | 15 |
| 16 Heart disease | 14 | 12 | 17 | 16 | 33 | 29 | 9 | 6 | 18 | 28 | 12 | 12 | 9 | 10 | 8 | 8 | 19 | 30 | 16 |
| 17 Arterio-sclerosis | 5 | 2 | 1 | 4 | 4 | 7 | 6 | 4 | 8 | 10 | 1 | — | 5 | 1 | 2 | 2 | 8 | 1 | 17 |
| 18 Bronchitis | 11 | 7 | 9 | 6 | 22 | 24 | 6 | 11 | 16 | 25 | 9 | 7 | 5 | 2 | 4 | 8 | 7 | 15 | 18 |
| 19 Pneumonia (all forms) | 10 | 6 | 12 | 8 | 20 | 13 | 10 | 8 | 20 | 15 | 7 | 5 | 8 | 4 | 12 | 12 | 8 | — | 19 |
| 20 Other respiratory diseases | 1 | 1 | 1 | — | 2 | 1 | — | 1 | 4 | 2 | — | 2 | — | — | — | 1 | 3 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | — | 1 | — | — | 5 | 1 | 1 | — | — | 1 | — | — | 1 | — | 1 | 1 | 2 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | 2 | 4 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 1 | — | 2 | 1 | 1 | 2 | 22 |
| 23 Appendicitis and typhlitis | — | — | — | — | 3 | — | 1 | — | 1 | 5 | — | 1 | 1 | — | — | 2 | — | 1 | 23 |
| 24 Cirrhosis of liver | — | — | 2 | — | — | 1 | — | — | 2 | — | 1 | — | — | 1 | 1 | 1 | 1 | — | 24 |
| 25 Acute and chronic nephritis | 3 | 5 | 2 | 3 | 2 | 6 | 2 | 6 | 4 | 2 | 2 | 1 | 1 | — | 1 | 4 | 3 | 5 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | 2 | — | — | — | 2 | — | — | — | 1 | — | 3 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 5 | 4 | 12 | 5 | 11 | 11 | 10 | 5 | 14 | 3 | 9 | 8 | 2 | 4 | 5 | — | 5 | 2 | 28 |
| 29 Suicide | 2 | 1 | — | 1 | 1 | — | 1 | — | 4 | — | — | — | — | — | — | 1 | 2 | — | 29 |
| 30 Other deaths from violence | 2 | 2 | 3 | 1 | 16 | 3 | 2 | 1 | 1 | 3 | 6 | 2 | 1 | 1 | 3 | 1 | 6 | 2 | 30 |
| 31 Other defined diseases | 23 | 26 | 12 | 17 | 44 | 42 | 17 | 12 | 18 | 28 | 16 | 11 | 10 | 15 | 17 | 20 | 29 | 27 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | 1 | — | — | — | 2 | — | 3 | 2 | — | — | 6 | — | — | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## LANCASHIRE—*cont.*

| Causes of Death. | Haydock U.D. | | Heywood M.B. | | Hindley U.D. | | Horwich U.D. | | Ince in Makerfield U.D. | | Lancaster M.B. | | Leigh M.B. | | Litherland U.D. | | Littleboro' U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 56 | 48 | 220 | 227 | 193 | 178 | 88 | 70 | 161 | 146 | 244 | 253 | 319 | 249 | 94 | 84 | 94 | 90 | |
| 1 Enteric fever | — | — | 1 | — | 1 | — | — | — | — | 2 | 2 | 1 | — | 2 | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | 2 | 2 | 2 | — | — | — | 1 | — | — | — | 1 | 3 | — | — | 3 |
| 4 Scarlet fever | — | 2 | — | — | 2 | — | — | — | — | 2 | — | 1 | 1 | 1 | 2 | 2 | — | — | 4 |
| 5 Whooping cough | 2 | — | — | — | 1 | 3 | 1 | — | 4 | 2 | 5 | 2 | 4 | 4 | 1 | — | — | — | 5 |
| 6 Diphtheria | — | 2 | 2 | 4 | 2 | 1 | 3 | — | 1 | 2 | 1 | — | — | 1 | 1 | 1 | — | — | 6 |
| 7 Influenza | — | — | 6 | 11 | 2 | 2 | 7 | 4 | 5 | 9 | 3 | 3 | 8 | 9 | 1 | — | 6 | 3 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 1 | 3 | 14 | 20 | 8 | 10 | 5 | 2 | 12 | 8 | 24 | 20 | 26 | 17 | 5 | 10 | 6 | 5 | 10 |
| 11 Other tuberculous diseases | 1 | 1 | 3 | 3 | 4 | 1 | 3 | 6 | 1 | 3 | 6 | 4 | 8 | 5 | 2 | 2 | 2 | 2 | 11 |
| 12 Cancer, malignant disease | 2 | 3 | 19 | 25 | 8 | 12 | 6 | 13 | 4 | 8 | 22 | 33 | 21 | 24 | 3 | 7 | 9 | 9 | 12 |
| 13 Rheumatic fever | 1 | — | — | 2 | 3 | — | — | — | — | 1 | 1 | — | 2 | 2 | — | 1 | — | — | 13 |
| 14 Diabetes | — | 1 | 1 | 3 | 2 | 3 | — | — | 2 | — | 4 | — | 2 | 1 | — | — | 1 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 1 | 14 | 16 | 7 | 11 | 2 | 4 | 9 | 12 | 18 | 25 | 16 | 15 | 1 | 1 | 9 | 4 | 15 |
| 16 Heart disease | 2 | 4 | 33 | 31 | 19 | 27 | 6 | 8 | 7 | 14 | 29 | 26 | 34 | 36 | 8 | 15 | 3 | 10 | 16 |
| 17 Arterio-sclerosis | 1 | — | 7 | 6 | 7 | 2 | 4 | 1 | 3 | 4 | 9 | 3 | 7 | 1 | 4 | 2 | 2 | — | 17 |
| 18 Bronchitis | 4 | 7 | 21 | 30 | 24 | 22 | 12 | 7 | 20 | 13 | 18 | 28 | 42 | 28 | 4 | 6 | 11 | 17 | 18 |
| 19 Pneumonia (all forms) | 9 | 4 | 34 | 17 | 40 | 32 | 9 | 6 | 28 | 14 | 17 | 17 | 46 | 24 | 16 | 7 | 5 | 3 | 19 |
| 20 Other respiratory diseases | 1 | — | 4 | 1 | — | — | — | 1 | 2 | 1 | 2 | 2 | 4 | 1 | 1 | 3 | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | 2 | 2 | — | — | 1 | — | — | — | 1 | — | 1 | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 2 | 2 | 2 | 2 | — | 1 | — | 1 | 3 | 2 | 2 | 2 | 1 | 2 | 3 | 1 | 1 | 22 |
| 23 Appendicitis and typhlitis | — | — | 4 | 1 | — | — | — | — | 3 | 3 | 3 | 1 | 2 | 1 | — | 1 | — | — | 23 |
| 24 Cirrhosis of liver | — | — | 3 | 1 | 1 | — | 1 | 1 | — | 1 | 2 | — | — | 1 | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 1 | — | 9 | 5 | 1 | 3 | 4 | 2 | 3 | 4 | 5 | 2 | 5 | 8 | 4 | — | 2 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 2 | — | 2 | — | — | — | 2 | — | 1 | — | 5 | — | — | — | 3 | 27 |
| 28 Congenital debility and malformation, premature birth | 7 | 2 | 5 | 10 | 12 | 12 | 3 | 4 | 12 | 10 | 9 | 8 | 18 | 9 | 9 | 2 | 5 | 3 | 28 |
| 29 Suicide | 1 | — | 4 | — | 6 | — | 2 | — | 2 | — | 3 | — | 4 | 2 | 3 | — | 2 | — | 29 |
| 30 Other deaths from violence | 3 | — | 5 | 3 | 7 | 1 | 1 | 2 | 11 | 3 | 5 | 3 | 19 | 12 | 2 | 4 | 8 | 3 | 30 |
| 31 Other defined diseases | 14 | 14 | 27 | 33 | 28 | 29 | 15 | 9 | 28 | 21 | 52 | 70 | 45 | 36 | 19 | 13 | 20 | 20 | 31 |
| 32 Causes ill-defined or unknown | 1 | 1 | 2 | 1 | 1 | 1 | 1 | — | 2 | 3 | 1 | — | — | 2 | 4 | — | — | 1 | 32 |

## LANCASHIRE—*cont.*

| Causes of Death. | Lytham St. Annes M.B. | | Middleton M.B. | | Morecambe M.B. | | Mossley M.B. | | Nelson M.B. | | Newton in Makerfield U.D. | | Oswaldtwistle U.D. | | Padiham U.D. | | Prestwich U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 116 | 145 | 179 | 177 | 113 | 119 | 95 | 91 | 234 | 215 | 113 | 91 | 95 | 105 | 88 | 61 | 98 | 91 | |
| 1 Enteric fever | — | 1 | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | 1 | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | 4 | 2 | — | — | 2 | 1 | 1 | 1 | 1 | 1 | — | — | — | — | — | 1 | 3 |
| 4 Scarlet fever | — | — | 2 | 1 | — | — | 1 | — | — | — | — | 2 | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | 1 | — | 1 | — | — | — | 1 | — | — | 4 | 3 | — | — | 2 | — | 1 | 1 | 5 |
| 6 Diphtheria | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | 1 | 1 | — | — | 6 |
| 7 Influenza | 4 | 1 | 9 | 4 | 5 | 2 | 1 | 1 | 4 | 2 | 1 | 3 | 2 | 3 | — | 1 | 6 | 4 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | 1 | 1 | — | — | — | 2 | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 3 | 10 | 9 | 11 | 4 | 6 | 7 | 10 | 9 | 5 | 6 | 3 | 2 | 9 | 3 | 8 | 7 | 10 |
| 11 Other tuberculous diseases | 2 | 1 | 5 | 1 | 1 | 1 | 4 | 3 | 9 | 2 | — | 1 | 2 | 2 | 5 | 1 | 2 | 1 | 11 |
| 12 Cancer, malignant disease | 20 | 25 | 18 | 18 | 7 | 20 | 5 | 8 | 22 | 29 | 9 | 15 | 7 | 13 | 5 | 3 | 7 | 10 | 12 |
| 13 Rheumatic fever | — | — | — | 3 | 2 | 1 | — | — | 3 | 1 | — | — | — | — | 1 | 1 | 1 | 1 | 13 |
| 14 Diabetes | 4 | 2 | 1 | — | 2 | 2 | 2 | — | 3 | — | 3 | 1 | — | — | — | — | 1 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 9 | 10 | 12 | 13 | 14 | 12 | 4 | 7 | 20 | 17 | 9 | 11 | 4 | 13 | 5 | 2 | 5 | 7 | 15 |
| 16 Heart disease | 11 | 27 | 28 | 34 | 11 | 13 | 10 | 10 | 35 | 29 | 10 | 11 | 12 | 10 | 9 | 12 | 11 | 19 | 16 |
| 17 Arterio-sclerosis | 5 | 13 | 7 | 10 | 3 | 3 | — | 2 | 12 | 2 | 3 | 2 | 4 | 3 | — | 4 | 7 | 3 | 17 |
| 18 Bronchitis | 4 | 6 | 15 | 23 | 8 | 11 | 9 | 8 | 16 | 20 | 9 | 3 | 14 | 13 | 12 | 7 | 4 | 3 | 18 |
| 19 Pneumonia (all forms) | 7 | 4 | 19 | 8 | 2 | 3 | 7 | 5 | 15 | 10 | 13 | 9 | 10 | 3 | 3 | 2 | 6 | 7 | 19 |
| 20 Other respiratory diseases | — | 5 | 4 | 2 | 5 | 4 | 1 | 2 | 4 | 5 | 1 | — | 1 | 1 | 3 | 2 | 1 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 1 | — | 1 | 1 | 2 | — | 2 | — | 1 | — | 1 | 1 | 1 | 1 | 2 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 3 | 1 | — | — | 1 | — | 4 | 1 | 3 | — | 4 | — | — | 3 | 1 | — | 22 |
| 23 Appendicitis and typhlitis | — | 2 | — | — | — | — | 1 | 1 | 3 | 1 | — | — | — | 1 | 2 | — | 1 | — | 23 |
| 24 Cirrhosis of liver | 1 | — | 4 | — | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | 1 | — | 24 |
| 25 Acute and chronic nephritis | 4 | 5 | 11 | 13 | 1 | 2 | 10 | 10 | 14 | 3 | 3 | — | 4 | 5 | 2 | 1 | 3 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | — | — | — | — | 3 | — | 1 | — | — | — | 1 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 3 | 2 | 3 | 6 | 3 | 4 | 7 | 3 | 12 | 13 | 8 | 5 | 4 | 4 | 5 | 2 | 5 | 2 | 28 |
| 29 Suicide | 1 | — | 1 | — | 1 | 2 | — | — | 3 | — | 3 | — | 1 | 3 | 2 | — | 2 | — | 29 |
| 30 Other deaths from violence | 5 | 2 | 5 | 2 | 2 | 1 | 4 | 2 | — | 1 | 4 | 1 | 3 | — | 4 | 1 | 3 | 2 | 30 |
| 31 Other defined diseases | 30 | 32 | 14 | 24 | 32 | 31 | 17 | 20 | 40 | 59 | 21 | 15 | 16 | 27 | 17 | 13 | 20 | 16 | 31 |
| 32 Causes ill-defined or unknown | 1 | 3 | 2 | 1 | — | 1 | — | — | 1 | 1 | 1 | 1 | 1 | 1 | — | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## LANCASHIRE—*cont.*

| Causes of Death. | Radcliffe U.D. | | Ramsbottom U.D. | | Rawtenstall M.B. | | Royton U.D. | | Stretford U.D. | | Swinton & Pendlebury U.D. | | Turton U.D. | | Tyldesley with Shakerley U.D. | | Ulverston U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 183 | 161 | 99 | 103 | 193 | 199 | 115 | 138 | 289 | 291 | 209 | 186 | 71 | 67 | 122 | 89 | 66 | 66 | |
| 1 Enteric fever | 1 | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | 1 | 2 | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 4 | 1 | 1 | — | 6 | — | — | — | 1 | 1 | — | 2 | — | — | 3 | 1 | — | — | 3 |
| 4 Scarlet fever | — | 1 | 3 | 1 | — | — | 1 | — | — | 2 | 1 | 3 | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 3 | 1 | — | — | — | 1 | 4 | 1 | 1 | 1 | 7 | 5 | — | — | — | — | — | 1 | 5 |
| 6 Diphtheria | — | 1 | 2 | — | 1 | — | — | — | 2 | 1 | — | — | — | — | 1 | — | — | — | 6 |
| 7 Influenza | 10 | 4 | 3 | 2 | 2 | 4 | 2 | 2 | 8 | 11 | 4 | 5 | 1 | — | 3 | 5 | — | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | 1 | 1 | 2 | 1 | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 11 | 5 | 3 | 4 | 8 | 7 | 6 | 5 | 23 | 10 | 20 | 9 | 3 | 3 | 6 | 2 | 5 | 1 | 10 |
| 11 Other tuberculous diseases | 4 | 5 | 1 | — | 2 | 4 | 3 | 6 | 3 | 4 | 7 | 3 | — | 1 | 1 | — | 3 | 2 | 11 |
| 12 Cancer, malignant disease | 14 | 12 | 5 | 7 | 21 | 29 | 8 | 13 | 30 | 43 | 11 | 15 | 15 | 6 | 7 | 7 | 5 | 5 | 12 |
| 13 Rheumatic fever | 2 | — | — | 1 | 1 | — | — | — | 1 | 3 | 3 | — | — | — | 2 | — | 2 | — | 13 |
| 14 Diabetes | 1 | 3 | 6 | 2 | 2 | 4 | 2 | — | 5 | 4 | — | 1 | 1 | — | — | — | 1 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 13 | 16 | 5 | 10 | 17 | 10 | 9 | 6 | 19 | 37 | 5 | 16 | 5 | 8 | 4 | 5 | 8 | 12 | 15 |
| 16 Heart disease | 15 | 20 | 19 | 16 | 22 | 38 | 15 | 25 | 28 | 46 | 19 | 24 | 9 | 12 | 8 | 13 | 12 | 12 | 16 |
| 17 Arterio-sclerosis | 5 | 3 | 4 | 1 | 8 | 7 | 1 | 2 | 14 | 2 | 4 | 7 | 4 | 4 | 9 | 5 | 1 | 3 | 17 |
| 18 Bronchitis | 16 | 21 | 7 | 15 | 11 | 12 | 17 | 27 | 25 | 15 | 34 | 19 | 3 | 5 | 9 | 8 | 8 | 1 | 18 |
| 19 Pneumonia (all forms) | 22 | 12 | 7 | 10 | 17 | 8 | 11 | 13 | 27 | 17 | 20 | 15 | 6 | 6 | 21 | 10 | 1 | 3 | 19 |
| 20 Other respiratory diseases | 2 | 2 | 4 | 2 | 6 | 3 | 2 | — | 2 | 3 | 5 | 2 | — | 2 | 2 | 2 | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | 2 | — | 2 | — | 1 | — | 1 | — | 3 | — | 3 | 2 | 1 | — | 1 | — | 1 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | 1 | — | 2 | 1 | 2 | 1 | 5 | 1 | 3 | 1 | — | — | 2 | 2 | 1 | — | 22 |
| 23 Appendicitis and typhlitis | 1 | 1 | — | — | 3 | 1 | 1 | — | 4 | — | — | 1 | — | 1 | — | — | — | — | 23 |
| 24 Cirrhosis of liver | — | 1 | 1 | — | 1 | — | 1 | — | 2 | 1 | 2 | — | — | — | 3 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 4 | 4 | 4 | 1 | 9 | 12 | 5 | 2 | 5 | 8 | 7 | 7 | 1 | 2 | 2 | 5 | — | — | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 1 | — | 1 | — | 3 | — | 4 | — | 1 | — | — | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 6 | 5 | 1 | 2 | 5 | 7 | 6 | 4 | 20 | 7 | 11 | 10 | 3 | — | 7 | 3 | 3 | — | 28 |
| 29 Suicide | 2 | 1 | 3 | 1 | 2 | — | 2 | — | 4 | 2 | 2 | — | 2 | 1 | — | — | — | — | 29 |
| 30 Other deaths from violence | 11 | 3 | 5 | 4 | 4 | 3 | 3 | 2 | 8 | 4 | 11 | 3 | 2 | 1 | 6 | 2 | 1 | 4 | 30 |
| 31 Other defined diseases | 33 | 37 | 11 | 22 | 37 | 43 | 12 | 24 | 48 | 60 | 28 | 34 | 15 | 15 | 23 | 16 | 12 | 18 | 31 |
| 32 Causes ill-defined or unknown | — | 1 | 1 | — | 5 | 4 | 1 | — | — | 1 | — | — | — | — | 1 | 1 | 1 | — | 32 |

## LANCASHIRE—*cont.*

| Causes of Death. | Walton le Dale U.D. | | Waterloo with Seaforth U.D. | | Westhoughton U.D. | | Widnes M.B. | | Worsley U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 67 | 74 | 183 | 180 | 98 | 103 | 260 | 196 | 69 | 95 | |
| 1 Enteric fever | — | — | — | — | 2 | 2 | — | 1 | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | 1 | 2 | — | — | 3 | 2 | — | — | 3 |
| 4 Scarlet fever | — | — | — | 2 | — | 1 | 2 | 3 | — | 1 | 4 |
| 5 Whooping cough | — | — | 2 | — | 2 | 2 | 10 | 5 | — | — | 5 |
| 6 Diphtheria | — | — | — | — | — | — | 4 | 4 | 1 | — | 6 |
| 7 Influenza | 1 | 1 | — | 3 | 1 | 9 | 13 | 10 | 2 | 7 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | 1 | 8 |
| 9 Meningococcal meningitis | — | 1 | — | — | — | — | 1 | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 1 | 17 | 9 | 8 | 6 | 16 | 16 | 4 | 2 | 10 |
| 11 Other tuberculous diseases | 2 | 3 | 6 | 4 | — | 2 | 5 | 2 | — | — | 11 |
| 12 Cancer, malignant disease | 5 | 14 | 15 | 30 | 7 | 6 | 17 | 15 | 6 | 6 | 12 |
| 13 Rheumatic fever | — | — | 1 | 1 | 1 | — | 1 | 3 | — | 1 | 13 |
| 14 Diabetes | 1 | 4 | 2 | 2 | — | 1 | 1 | — | 2 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 7 | 3 | 14 | 15 | 9 | 7 | 12 | 14 | 6 | 8 | 15 |
| 16 Heart disease | 11 | 13 | 9 | 24 | 3 | 9 | 19 | 9 | 11 | 22 | 16 |
| 17 Arterio-sclerosis | 1 | 1 | 5 | 5 | — | 3 | 7 | 3 | 5 | 1 | 17 |
| 18 Bronchitis | 7 | 9 | 8 | 11 | 15 | 13 | 24 | 8 | 4 | 4 | 18 |
| 19 Pneumonia (all forms) | 4 | 1 | 22 | 22 | 10 | 5 | 24 | 19 | 1 | 4 | 19 |
| 20 Other respiratory diseases | 1 | — | 1 | 2 | 1 | 1 | 2 | 3 | — | 2 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 2 | — | — | — | 1 | 1 | — | 2 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | 2 | 2 | — | — | 2 | 7 | 7 | 1 | — | 22 |
| 23 Appendicitis and typhlitis | — | 1 | 2 | 3 | 1 | — | 4 | — | 1 | — | 23 |
| 24 Cirrhosis of liver | — | — | 3 | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | — | 2 | 12 | 7 | 3 | 2 | 5 | 6 | 1 | 4 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 2 | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | — | — | — | 2 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 4 | 4 | 16 | 9 | 10 | 4 | 20 | 11 | 1 | 5 | 28 |
| 29 Suicide | 2 | — | 1 | — | 1 | — | 6 | 1 | 1 | — | 29 |
| 30 Other deaths from violence | — | — | 6 | 2 | 4 | 3 | 14 | 1 | 7 | 1 | 30 |
| 31 Other defined diseases | 16 | 11 | 33 | 26 | 20 | 23 | 39 | 49 | 15 | 21 | 31 |
| 32 Causes ill-defined or unknown | — | 1 | 3 | 1 | — | — | 3 | 1 | — | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## LANCASHIRE—*cont.*

| Causes of Death. | Barton upon Irwell R.D. | | Burnley R.D. | | Chorley R.D. | | Fylde R.D. | | Garstang R.D. | | Leigh R.D. | | Preston R.D. | | Ulverston R.D. | | Warrington R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 56 | 58 | 108 | 121 | 145 | 135 | 78 | 73 | 68 | 64 | 64 | 64 | 123 | 116 | 124 | 113 | 68 | 47 | |
| 1 Enteric fever | — | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | 2 | 1 | — | — | 3 |
| 4 Scarlet fever | — | 1 | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — | 4 |
| 5 Whooping cough | 1 | 1 | — | — | — | — | 1 | — | — | — | — | — | — | 1 | 1 | 2 | 4 | — | 5 |
| 6 Diphtheria | 1 | — | 1 | — | — | — | — | 1 | — | 1 | 1 | — | 1 | — | — | — | — | — | 6 |
| 7 Influenza | 1 | 3 | — | 3 | 10 | 3 | 6 | 1 | 4 | 1 | 3 | 1 | 4 | 5 | 3 | 5 | 1 | — | 7 |
| 8 Encephalitis lethargica | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 2 | 7 | 2 | 2 | 5 | 5 | 2 | 2 | 1 | 5 | 2 | 3 | 14 | 4 | 3 | 8 | — | 10 |
| 11 Other tuberculous diseases | 1 | 1 | 2 | 1 | 1 | 2 | — | — | 3 | 2 | — | 4 | 2 | 2 | 1 | 2 | 1 | — | 11 |
| 12 Cancer, malignant disease | 5 | 3 | 9 | 14 | 6 | 14 | 6 | 13 | 5 | 12 | 4 | 4 | 11 | 11 | 17 | 16 | 9 | 7 | 12 |
| 13 Rheumatic fever | 1 | 3 | 1 | 1 | — | 2 | — | — | — | — | — | — | — | — | 1 | — | — | — | 13 |
| 14 Diabetes | — | 1 | — | 3 | 1 | 1 | 2 | — | 1 | 3 | — | 3 | 2 | 1 | 1 | 1 | 2 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 4 | 6 | 6 | 7 | 9 | 12 | 5 | 9 | 3 | 5 | 4 | 5 | 4 | 11 | 9 | 10 | 3 | 7 | 15 |
| 16 Heart disease | 6 | 13 | 22 | 19 | 19 | 14 | 8 | 6 | 9 | 10 | 6 | 8 | 14 | 15 | 21 | 15 | 4 | 5 | 16 |
| 17 Arterio-sclerosis | 3 | 3 | 2 | 8 | 4 | 4 | 2 | 1 | 1 | — | 1 | — | 6 | — | 6 | 7 | 3 | — | 17 |
| 18 Bronchitis | 2 | 6 | 11 | 14 | 14 | 12 | 3 | 3 | 5 | 5 | 2 | 7 | 6 | 9 | 6 | 6 | 3 | 3 | 18 |
| 19 Pneumonia (all forms) | 10 | 3 | 7 | 8 | 20 | 11 | 5 | 6 | 8 | 1 | 7 | 7 | 9 | 9 | 4 | 3 | 8 | 5 | 19 |
| 20 Other respiratory diseases | — | — | 2 | 4 | 3 | 3 | — | 1 | 1 | — | 1 | 2 | 5 | 1 | — | — | 2 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | 1 | — | 1 | — | 1 | — | — | 1 | — | 2 | 1 | — | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | — | 1 | 2 | 1 | 1 | — | — | — | 2 | — | — | — | 3 | — | — | — | 22 |
| 23 Appendicitis and typhlitis | — | — | 3 | 1 | 3 | — | 1 | — | 2 | 3 | 1 | — | 1 | 1 | 2 | 1 | — | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | 3 | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | — | 1 | 3 | 2 | 8 | 5 | 1 | — | 4 | 1 | 3 | 3 | 2 | 2 | 2 | 2 | 1 | 1 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 1 | — | 4 | 7 | 5 | 11 | 4 | 1 | 3 | 3 | 6 | 7 | 16 | 2 | 2 | 2 | 5 | 5 | 28 |
| 29 Suicide | — | — | 2 | 1 | 1 | 1 | 2 | 1 | — | — | 1 | 1 | 5 | 1 | — | 3 | — | — | 29 |
| 30 Other deaths from violence | 3 | 2 | 3 | 1 | 5 | — | — | 2 | 9 | 2 | 5 | 3 | 3 | 1 | 4 | 3 | 1 | 1 | 30 |
| 31 Other defined diseases | 9 | 7 | 22 | 21 | 25 | 27 | 23 | 22 | 7 | 11 | 9 | 5 | 27 | 28 | 33 | 31 | 13 | 9 | 31 |
| 32 Causes ill-defined or unknown | — | — | 1 | 2 | 2 | 3 | 2 | 1 | — | — | — | — | — | 1 | 1 | — | — | 2 | 32 |

## LANCASHIRE—*cont.* LEICESTERSHIRE.

| Causes of Death. | West Lancashire R.D. | | Whiston R.D. | | | | | | Coalville U.D. | | Hinckley U.D. | | Loughborough M.B. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | | | | | M. | F. | M. | F. | M. | F. | | | | | |
| **All Causes** | 129 | 126 | 106 | 87 | | | | | 133 | 106 | 77 | 75 | 144 | 147 | | | | | |
| 1 Enteric fever | — | — | — | — | | | | | 1 | — | — | — | — | 1 | | | | | 1 |
| 2 Small-pox | — | — | — | — | | | | | — | — | — | — | — | — | | | | | 2 |
| 3 Measles | 1 | — | 1 | — | | | | | 5 | 2 | — | — | 4 | 3 | | | | | 3 |
| 4 Scarlet fever | — | — | — | — | | | | | — | — | — | — | — | — | | | | | 4 |
| 5 Whooping cough | — | 1 | — | — | | | | | 2 | 3 | — | — | 1 | 4 | | | | | 5 |
| 6 Diphtheria | — | — | — | — | | | | | — | — | — | — | — | — | | | | | 6 |
| 7 Influenza | 4 | 2 | 1 | 2 | | | | | 1 | — | — | 2 | 1 | — | | | | | 7 |
| 8 Encephalitis lethargica | — | — | 2 | — | | | | | — | — | — | — | — | — | | | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | | | | | — | — | — | — | — | — | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 8 | 7 | 6 | | | | | 10 | 8 | 8 | 5 | 12 | 7 | | | | | 10 |
| 11 Other tuberculous diseases | 1 | 3 | 1 | 3 | | | | | 2 | — | — | — | — | 1 | | | | | 11 |
| 12 Cancer, malignant disease | 17 | 11 | 6 | 12 | | | | | 16 | 16 | 6 | 14 | 11 | 16 | | | | | 12 |
| 13 Rheumatic fever | — | 1 | — | — | | | | | — | — | — | — | 1 | 2 | | | | | 13 |
| 14 Diabetes | — | — | 1 | 1 | | | | | 2 | 1 | 1 | 1 | 2 | 2 | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 8 | 11 | 8 | 9 | | | | | 4 | 4 | 9 | 5 | 6 | 9 | | | | | 15 |
| 16 Heart disease | 11 | 21 | 15 | 13 | | | | | 11 | 9 | 14 | 8 | 22 | 22 | | | | | 16 |
| 17 Arterio-sclerosis | 5 | 1 | 7 | — | | | | | 4 | 1 | 2 | 2 | 2 | 1 | | | | | 17 |
| 18 Bronchitis | 7 | 7 | 13 | 7 | | | | | 10 | 7 | 6 | 4 | 8 | 15 | | | | | 18 |
| 19 Pneumonia (all forms) | 17 | 9 | 13 | 5 | | | | | 7 | 6 | 3 | 2 | 11 | 3 | | | | | 19 |
| 20 Other respiratory diseases | 4 | 3 | 1 | 3 | | | | | 2 | 1 | — | 1 | — | 3 | | | | | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | — | | | | | 1 | 1 | — | — | 3 | 1 | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 1 | — | — | | | | | 1 | 4 | 3 | 1 | 3 | 4 | | | | | 22 |
| 23 Appendicitis and typhlitis | 1 | — | 1 | 1 | | | | | 2 | 1 | 1 | 1 | 2 | — | | | | | 23 |
| 24 Cirrhosis of liver | — | — | — | — | | | | | — | — | 1 | — | — | 1 | | | | | 24 |
| 25 Acute and chronic nephritis | 5 | 6 | 1 | 2 | | | | | 1 | 3 | 2 | 1 | 4 | 1 | | | | | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | | | | | — | — | — | — | — | — | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 2 | | | | | — | 2 | — | — | — | 1 | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 6 | 3 | 1 | | | | | 6 | 10 | 2 | 3 | 10 | 13 | | | | | 28 |
| 29 Suicide | 2 | — | — | 1 | | | | | 3 | — | 1 | — | 5 | 4 | | | | | 29 |
| 30 Other deaths from violence | 8 | 1 | 7 | 1 | | | | | 7 | 2 | — | — | 6 | 1 | | | | | 30 |
| 31 Other defined diseases | 28 | 31 | 17 | 17 | | | | | 35 | 23 | 16 | 25 | 29 | 31 | | | | | 31 |
| 32 Causes ill-defined or unknown | 2 | 1 | 1 | — | | | | | — | 2 | 2 | — | 1 | 1 | | | | | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## LEICESTERSHIRE—*cont.*

| Causes of Death. | Ashby-de-la-Zouch R.D. | | Barrow-upon-Soar R.D. | | Blaby R.D. | | Hinckley R.D. | | Lutterworth R.D. | | Market Bosworth R.D. | | Melton Mowbray R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 102 | 95 | 144 | 155 | 94 | 79 | 81 | 73 | 71 | 67 | 140 | 126 | 80 | 78 | |
| 1 Enteric fever | — | — | — | 1 | 1 | — | — | — | — | 1 | — | — | — | — | |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 3 Measles | — | 1 | 5 | — | 2 | — | — | — | — | 1 | 1 | — | — | — | 2 |
| 4 Scarlet fever | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 3 |
| 5 Whooping cough | 2 | 1 | — | 1 | — | — | — | 1 | — | — | 1 | — | — | 2 | 4 |
| 6 Diphtheria | 8 | 8 | — | 2 | 4 | 1 | — | — | 1 | — | 3 | 1 | — | — | 5 |
| 7 Influenza | 1 | — | 6 | 12 | — | 1 | — | 1 | 4 | 5 | 3 | 1 | 2 | 2 | 6 |
| 8 Encephalitis lethargica | — | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — | — | 7 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 10 Tuberculosis of respiratory sys. | 6 | 8 | 9 | 9 | 3 | 8 | 4 | 17 | 5 | 3 | 10 | 8 | 4 | 4 | 9 |
| 11 Other tuberculous diseases | 1 | 1 | 2 | 2 | 2 | 1 | — | 1 | 1 | 1 | 4 | 5 | — | 2 | 10 |
| 12 Cancer, malignant disease | 6 | 10 | 8 | 17 | 9 | 12 | 8 | 7 | 12 | 9 | 9 | 11 | 11 | 8 | 11 |
| 13 Rheumatic fever | 1 | — | 5 | 7 | 1 | — | 1 | 1 | — | — | 1 | 1 | 1 | — | 12 |
| 14 Diabetes | 2 | — | 1 | 3 | 3 | — | 2 | 1 | — | — | 2 | 1 | 1 | 3 | 13 |
| 15 Cerebral hæmorrhage, &c. | 7 | 10 | 5 | 12 | 10 | 6 | 9 | 5 | 3 | 11 | 4 | 10 | 6 | 6 | 14 |
| 16 Heart disease | 12 | 7 | 19 | 23 | 7 | 5 | 11 | 15 | 6 | 10 | 8 | 11 | 10 | 13 | 15 |
| 17 Arterio-sclerosis | — | 1 | 6 | 7 | 1 | 1 | 2 | — | 4 | — | 7 | 4 | 7 | 3 | 16 |
| 18 Bronchitis | 5 | 5 | 8 | 3 | 6 | 3 | 2 | — | 5 | 1 | 6 | 4 | 5 | 4 | 17 |
| 19 Pneumonia (all forms) | 11 | 8 | 10 | 8 | 7 | 2 | 4 | 3 | 5 | 2 | 14 | 8 | 4 | 5 | 18 |
| 20 Other respiratory diseases | 1 | 1 | 4 | 1 | — | 2 | 2 | — | 1 | 1 | 3 | 2 | 2 | 1 | 19 |
| 21 Ulcer of stomach or duodenum | — | 1 | — | — | 1 | 2 | 1 | — | 1 | — | 1 | — | 1 | — | 20 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | — | 1 | — | 1 | — | — | 1 | — | 7 | — | 1 | 21 |
| 23 Appendicitis and typhlitis | — | — | — | 2 | 2 | 1 | 1 | — | 1 | — | 2 | — | — | — | 22 |
| 24 Cirrhosis of liver | — | 2 | 1 | — | 1 | — | — | — | 1 | 2 | — | — | — | — | 23 |
| 25 Acute and chronic nephritis | 1 | 1 | 4 | 4 | 4 | 5 | 3 | 1 | 2 | 2 | 1 | 5 | 1 | 1 | 24 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | 25 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 1 | — | — | — | 2 | — | — | — | 2 | — | — | 26 |
| 28 Congenital debility and malformation, premature birth | 6 | 7 | 9 | 7 | 5 | 4 | 10 | 2 | 3 | 2 | 8 | 13 | 6 | 4 | 27 |
| 29 Suicide | 2 | — | 3 | 1 | — | 1 | 1 | — | 1 | — | 2 | — | 1 | — | 28 |
| 30 Other deaths from violence | 5 | 1 | 7 | 3 | 5 | — | 4 | — | — | — | 11 | 2 | 3 | 2 | 29 |
| 31 Other defined diseases | 24 | 18 | 28 | 27 | 19 | 24 | 14 | 14 | 15 | 14 | 37 | 29 | 15 | 17 | 30 |
| 32 Causes ill-defined or unknown | — | 2 | 2 | 1 | — | — | — | 1 | — | — | 2 | 1 | — | — | 31 |
| | | | | | | | | | | | | | | | 32 |

## LINCOLNSHIRE (PARTS OF HOLLAND).

| Causes of Death. | Boston M.B. | | Spalding U.D. | | Boston R.D. | | Spalding (part of) R.D.* | | |
|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 109 | 110 | 65 | 73 | 141 | 132 | 76 | 65 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | |
| 2 Small-pox | — | — | — | — | — | — | — | — | 1 |
| 3 Measles | 1 | — | — | — | — | — | 1 | — | 2 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | 3 |
| 5 Whooping cough | 2 | 1 | 2 | 1 | — | 1 | 1 | 2 | 4 |
| 6 Diphtheria | — | — | — | — | — | — | — | — | 5 |
| 7 Influenza | 2 | 1 | — | — | 6 | 4 | 1 | 4 | 6 |
| 8 Encephalitis lethargica | — | — | — | — | — | 1 | — | — | 7 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | 8 |
| 10 Tuberculosis of respiratory sys. | 5 | 13 | 2 | 5 | 6 | 8 | 4 | 5 | 9 |
| 11 Other tuberculous diseases | 4 | 5 | 3 | — | 1 | 2 | 2 | — | 10 |
| 12 Cancer, malignant disease | 12 | 12 | 7 | 12 | 15 | 18 | 9 | 11 | 11 |
| 13 Rheumatic fever | — | 1 | — | 1 | — | — | — | — | 12 |
| 14 Diabetes | — | 1 | — | — | 2 | — | — | — | 13 |
| 15 Cerebral hæmorrhage, &c. | 6 | 11 | 2 | 4 | 6 | 4 | 6 | 1 | 14 |
| 16 Heart disease | 18 | 17 | 8 | 12 | 14 | 15 | 7 | 7 | 15 |
| 17 Arterio-sclerosis | 2 | — | 1 | — | 4 | 4 | 2 | 4 | 16 |
| 18 Bronchitis | 6 | 6 | 4 | 3 | 10 | 15 | 3 | — | 17 |
| 19 Pneumonia (all forms) | 10 | 2 | 2 | 3 | 10 | 9 | 2 | — | 18 |
| 20 Other respiratory diseases | 2 | 2 | — | 1 | 2 | 1 | 1 | 1 | 19 |
| 21 Ulcer of stomach or duodenum | — | — | 2 | 1 | — | — | — | 1 | 20 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 1 | — | 2 | 2 | 1 | 2 | 2 | 21 |
| 23 Appendicitis and typhlitis | 3 | — | 1 | — | 1 | 2 | — | — | 22 |
| 24 Cirrhosis of liver | 1 | 1 | 1 | — | — | — | — | 1 | 23 |
| 25 Acute and chronic nephritis | 1 | 2 | 5 | 2 | 7 | 3 | 1 | 2 | 24 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | — | 25 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 2 | — | 2 | — | 2 | 26 |
| 28 Congenital debility and malformation, premature birth | 5 | 4 | 1 | 2 | 15 | 7 | 5 | 1 | 27 |
| 29 Suicide | — | — | 1 | 1 | 2 | 1 | 2 | 1 | 28 |
| 30 Other deaths from violence | 5 | 1 | 1 | — | 6 | 2 | 2 | — | 29 |
| 31 Other defined diseases | 22 | 28 | 22 | 20 | 32 | 31 | 25 | 19 | 30 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | 1 | — | 1 | 31 |
| | | | | | | | | | 32 |

## LINCOLNSHIRE (PARTS OF KESTEVEN).

| Causes of Death. | Grantham M.B. | | Bourne R.D. | | Branston R.D. | | |
|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 111 | 112 | 96 | 81 | 69 | 78 | |
| 1 Enteric fever | 1 | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | 2 |
| 3 Measles | 2 | — | 1 | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 4 | 1 | 1 | — | — | — | 5 |
| 6 Diphtheria | — | — | — | — | — | — | 6 |
| 7 Influenza | — | 1 | 1 | — | 2 | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 1 | 8 | 8 | 2 | 5 | 5 | 10 |
| 11 Other tuberculous diseases | 2 | 6 | 1 | 1 | 1 | 3 | 11 |
| 12 Cancer, malignant disease | 10 | 23 | 12 | 13 | 8 | 12 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | — | 13 |
| 14 Diabetes | 1 | — | 3 | 3 | — | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 19 | 13 | 7 | 5 | 6 | 3 | 15 |
| 16 Heart disease | 11 | 19 | 19 | 16 | 6 | 7 | 16 |
| 17 Arterio-sclerosis | 7 | 2 | — | 1 | 1 | 1 | 17 |
| 18 Bronchitis | 6 | 4 | 7 | 5 | 7 | 6 | 18 |
| 19 Pneumonia (all forms) | 10 | 4 | 2 | 2 | 2 | 5 | 19 |
| 20 Other respiratory diseases | — | — | 2 | 2 | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | — | — | 22 |
| 23 Appendicitis and typhlitis | — | — | 1 | — | — | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | 1 | — | 24 |
| 25 Acute and chronic nephritis | 2 | 2 | 1 | 1 | 3 | 3 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 3 | 4 | 8 | 3 | 5 | 4 | 28 |
| 29 Suicide | 3 | — | 1 | 1 | — | — | 29 |
| 30 Other deaths from violence | 3 | 1 | 4 | 2 | 1 | 1 | 30 |
| 31 Other defined diseases | 25 | 23 | 16 | 23 | 19 | 27 | 31 |
| 32 Causes ill-defined or unknown | — | 1 | 1 | — | 1 | — | 32 |

* The remainder of Spalding R.D. is in Lincolnshire (Parts of Kesteven).

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

**LINCOLNSHIRE (PARTS OF KESTEVEN)**—*cont.* **LINCOLNSHIRE (PARTS OF LINDSEY).**

| Causes of Death. | Grantham R.D. | | Sleaford R.D. | | Spalding (part of) R.D.* | | Cleethorpes U.D. | | Gainsborough U.D. | | Scunthorpe & Frodingham U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F | |
| **All Causes** | 78 | 68 | 92 | 107 | 3 | 2 | 136 | 113 | 115 | 125 | 175 | 118 | |
| 1 Enteric fever | — | — | — | — | — | — | — | 1 | — | — | 1 | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | 1 | — | — | — | — | — | — | 3 | 4 | 1 | 2 | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | — | — | — | — | — | — | — | 1 | 3 | 1 | 2 | 5 |
| 6 Diphtheria | — | — | — | — | — | — | — | 1 | — | 1 | — | 1 | 6 |
| 7 Influenza | 2 | 1 | 7 | 2 | — | — | 1 | 1 | 4 | 4 | 4 | 2 | 7 |
| 8 Encephalitis lethargica | — | 1 | — | 1 | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | 1 | — | — | — | — | — | — | — | — | — | — | 1 | 9 |
| 10 Tuberculosis of respiratory sys. | 2 | 3 | 1 | 8 | — | — | 13 | 4 | 7 | 10 | 13 | 13 | 10 |
| 11 Other tuberculous diseases | 3 | 2 | 2 | 2 | — | — | 5 | 2 | 3 | 2 | 3 | 3 | 11 |
| 12 Cancer, malignant disease | 12 | 7 | 15 | 15 | — | 1 | 13 | 10 | 9 | 13 | 18 | 14 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | — | 3 | 3 | — | — | — | — | 13 |
| 14 Diabetes | 1 | 1 | — | 1 | — | — | 2 | 5 | 3 | — | — | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 6 | 9 | 10 | — | — | 12 | 10 | 17 | 14 | 7 | 6 | 15 |
| 16 Heart disease | 11 | 9 | 17 | 13 | — | — | 20 | 16 | 14 | 17 | 18 | 6 | 16 |
| 17 Arterio-sclerosis | 4 | 1 | 2 | 5 | — | — | 5 | 2 | 2 | 1 | 6 | 3 | 17 |
| 18 Bronchitis | 7 | 5 | 9 | 7 | — | — | 9 | 11 | 5 | 10 | 12 | 10 | 18 |
| 19 Pneumonia (all forms) | 3 | 1 | 1 | 3 | — | — | 10 | 6 | 14 | 9 | 19 | 12 | 19 |
| 20 Other respiratory diseases | — | — | 1 | 2 | — | — | — | 2 | 1 | 3 | 6 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 1 | — | — | — | — | 1 | — | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | 1 | 1 | — | — | 1 | 1 | 3 | 2 | — | 2 | 6 | 22 |
| 23 Appendicitis and typhlitis | 1 | — | 1 | — | — | — | 1 | 1 | 1 | — | 1 | 1 | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | — | — | — | 1 | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 1 | 1 | 4 | 7 | — | — | 2 | — | 3 | 4 | 3 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | 1 | — | 1 | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | — | — | 1 | — | 2 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 5 | 3 | 4 | 4 | — | — | 10 | 6 | 6 | 2 | 15 | 6 | 28 |
| 29 Suicide | 1 | 1 | 2 | 1 | 1 | — | 2 | 1 | 1 | 2 | 1 | — | 29 |
| 30 Other deaths from violence | 2 | 2 | 4 | 1 | 1 | — | 7 | — | 4 | 3 | 12 | — | 30 |
| 31 Other defined diseases | 17 | 21 | 11 | 24 | 1 | — | 20 | 24 | 15 | 20 | 31 | 20 | 31 |
| 32 Causes ill-defined or unknown | — | 1 | — | — | — | — | — | — | — | — | — | — | 32 |

**LINCOLNSHIRE (PARTS OF LINDSEY)**—*cont.*

| Causes of Death. | Caistor R.D. | | Gainsborough R.D. | | Glanford Brigg R.D. | | Grimsby R.D. | | Horncastle R.D. | | Louth R.D. | | Spilsby R.D. | | Welton R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 73 | 68 | 75 | 72 | 134 | 160 | 70 | 48 | 70 | 85 | 118 | 108 | 141 | 149 | 64 | 65 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 1 | 1 | 1 | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | 3 |
| 4 Scarlet fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 4 |
| 5 Whooping cough | — | — | 1 | 2 | — | — | — | — | 1 | — | — | 1 | 1 | 1 | — | — | 5 |
| 6 Diphtheria | — | — | — | — | 1 | 2 | — | — | — | — | 2 | — | — | 1 | — | — | 6 |
| 7 Influenza | 3 | 3 | 3 | 2 | 6 | 8 | — | 1 | 2 | 3 | 6 | 4 | 4 | 6 | 2 | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 3 | 2 | 7 | 7 | 11 | 9 | 7 | 2 | 7 | 8 | 4 | 6 | 6 | 12 | 2 | 4 | 10 |
| 11 Other tuberculous diseases | 3 | — | 1 | — | 1 | 3 | — | — | — | 1 | 2 | 4 | 5 | 5 | — | 1 | 11 |
| 12 Cancer, malignant disease | 16 | 10 | 6 | 10 | 6 | 22 | 6 | 10 | 6 | 5 | 15 | 17 | 19 | 18 | 5 | 9 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 13 |
| 14 Diabetes | — | — | 1 | 1 | 2 | — | 1 | — | — | 1 | 3 | 2 | 2 | — | — | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 2 | 2 | 5 | 10 | 9 | 7 | 2 | 2 | 5 | 3 | 9 | 9 | 9 | 12 | 9 | 8 | 15 |
| 16 Heart disease | 10 | 14 | 8 | 5 | 17 | 24 | 6 | 4 | 9 | 17 | 23 | 18 | 20 | 22 | 9 | 6 | 16 |
| 17 Arterio-sclerosis | — | 1 | 3 | — | 4 | 2 | 2 | 1 | 2 | 1 | 6 | 3 | 5 | 2 | 1 | 2 | 17 |
| 18 Bronchitis | 4 | 2 | 6 | 2 | 4 | 10 | 4 | — | 5 | 6 | 4 | 6 | 10 | 10 | 7 | 4 | 18 |
| 19 Pneumonia (all forms) | 2 | — | 6 | 5 | 9 | 7 | 6 | 3 | 9 | 9 | 4 | 4 | 4 | 3 | 4 | 5 | 19 |
| 20 Other respiratory diseases | — | 3 | — | — | 2 | — | — | — | 1 | — | 2 | — | 2 | 1 | 3 | — | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 1 | — | — | 1 | — | — | 1 | 2 | 1 | — | 2 | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | 2 | 1 | — | 1 | — | — | — | 1 | — | — | — | — | 22 |
| 23 Appendicitis and typhlitis | — | 2 | — | — | 1 | 1 | 2 | 1 | — | — | — | 1 | — | 1 | — | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | 2 | 1 | — | 24 |
| 25 Acute and chronic nephritis | 1 | — | — | 1 | 3 | 4 | 3 | — | 1 | — | 4 | 3 | 2 | 1 | 3 | 2 | 25 |
| 26 Puerperal sepsis | — | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | 1 | — | 1 | — | — | — | 1 | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 4 | 1 | 4 | 3 | 7 | 11 | 1 | 4 | 5 | 2 | 7 | 3 | 11 | 7 | 3 | 4 | 28 |
| 29 Suicide | 3 | — | 1 | — | 5 | — | — | — | — | — | 5 | 1 | 2 | — | 1 | — | 29 |
| 30 Other deaths from violence | 1 | 2 | 1 | 2 | 6 | 1 | 7 | 1 | 3 | 1 | — | 1 | 3 | 2 | — | 1 | 30 |
| 31 Other defined diseases | 19 | 24 | 20 | 21 | 38 | 45 | 23 | 16 | 12 | 25 | 19 | 21 | 32 | 39 | 13 | 15 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | — | 1 | — | — | 1 | 1 | — | — | 1 | 32 |

* The remainder of Spalding R.D. is in Lincolnshire (parts of Holland).

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## MIDDLESEX.

| Causes of Death. | Acton M.B. | | Brentford U.D. | | Chiswick U.D. | | Ealing M.B. | | Edmonton U.D. | | Enfield U.D. | | Finchley U.D. | | Friern Barnet U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 313 | 296 | 100 | 94 | 218 | 253 | 314 | 411 | 346 | 305 | 287 | 266 | 191 | 236 | 80 | 68 | |
| 1 Enteric fever | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | 1 | — | — | — | — | 3 | 6 | 2 | — | — | — | — | 1 | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — | — | 4 |
| 5 Whooping cough | 2 | 2 | — | — | — | 1 | 1 | 6 | — | 4 | — | 1 | — | 1 | — | 1 | 5 |
| 6 Diphtheria | 2 | 1 | — | — | — | 1 | 2 | 4 | 2 | 4 | 4 | — | — | 4 | — | — | 6 |
| 7 Influenza | 6 | 5 | 1 | 1 | 2 | 1 | 7 | 4 | 2 | 7 | 3 | 2 | 8 | 6 | 1 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | 1 | — | 9 |
| 10 Tuberculosis of respiratory sys. | 33 | 20 | 6 | 8 | 19 | 13 | 27 | 33 | 54 | 23 | 25 | 25 | 17 | 14 | 6 | 3 | 10 |
| 11 Other tuberculous diseases | 7 | 10 | — | 4 | 4 | 5 | 6 | 4 | 7 | 5 | 3 | 5 | 2 | 2 | 2 | — | 11 |
| 12 Cancer, malignant disease | 24 | 32 | 8 | 9 | 33 | 42 | 52 | 66 | 37 | 40 | 27 | 35 | 36 | 42 | 7 | 10 | 12 |
| 13 Rheumatic fever | 1 | 2 | — | — | — | — | 1 | 1 | 1 | 2 | — | 2 | — | — | — | — | 13 |
| 14 Diabetes | 2 | 4 | — | 1 | 1 | 3 | 3 | 2 | 2 | 4 | 2 | 3 | — | 1 | 2 | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 20 | 25 | 4 | 1 | 12 | 18 | 10 | 29 | 15 | 17 | 12 | 25 | 8 | 16 | 4 | 10 | 15 |
| 16 Heart disease | 31 | 30 | 14 | 17 | 24 | 31 | 42 | 56 | 34 | 50 | 29 | 37 | 24 | 36 | 12 | 8 | 16 |
| 17 Arterio-sclerosis | 6 | 5 | 6 | 4 | 6 | 9 | 10 | 26 | 7 | 6 | 7 | 4 | 8 | 13 | 6 | 2 | 17 |
| 18 Bronchitis | 29 | 28 | 11 | 6 | 18 | 31 | 18 | 38 | 15 | 13 | 15 | 18 | 8 | 11 | 3 | 2 | 18 |
| 19 Pneumonia (all forms) | 26 | 15 | 13 | 6 | 14 | 20 | 18 | 24 | 22 | 23 | 17 | 24 | 10 | 9 | 6 | 3 | 19 |
| 20 Other respiratory diseases | 4 | 4 | 1 | — | 1 | 3 | 7 | 4 | 4 | 2 | 3 | 2 | 2 | 2 | — | 2 | 20 |
| 21 Ulcer of stomach or duodenum | 2 | 3 | 2 | — | 5 | 2 | 5 | 2 | 4 | 1 | 3 | — | 2 | — | 1 | 4 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 4 | 9 | 2 | 2 | 2 | — | 1 | 2 | 12 | 4 | 2 | 8 | — | 1 | — | — | 22 |
| 23 Appendicitis and typhlitis | 1 | — | — | — | 4 | 1 | 3 | 3 | 3 | 2 | — | 2 | — | — | — | 1 | 23 |
| 24 Cirrhosis of liver | 1 | 1 | 1 | — | — | 1 | — | — | — | — | 3 | 1 | 3 | 2 | — | 1 | 24 |
| 25 Acute and chronic nephritis | 11 | 3 | 4 | 3 | 9 | 5 | 8 | 8 | 6 | 6 | 4 | 5 | 7 | 11 | 6 | 1 | 25 |
| 26 Puerperal sepsis | — | 3 | — | 2 | — | 2 | — | 1 | — | 1 | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 5 | — | 1 | — | 1 | — | 3 | — | 1 | — | 3 | — | 2 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 23 | 15 | 4 | 8 | 13 | 5 | 15 | 10 | 31 | 14 | 23 | 10 | 7 | 8 | 5 | 1 | 28 |
| 29 Suicide | 8 | 3 | — | — | 3 | 2 | 8 | 3 | 5 | 2 | 2 | 3 | 4 | 1 | 1 | 2 | 29 |
| 30 Other deaths from violence | 12 | 4 | 4 | 4 | 14 | 3 | 7 | 11 | 14 | 7 | 17 | 8 | 8 | 7 | 2 | 1 | 30 |
| 31 Other defined diseases | 57 | 66 | 19 | 16 | 34 | 51 | 60 | 69 | 65 | 60 | 83 | 41 | 37 | 47 | 15 | 12 | 31 |
| 32 Causes ill-defined or unknown | 1 | 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 32 |

## MIDDLESEX—*cont.*

| Causes of Death. | Hampton U.D. | | Hanwell U.D. | | Harrow-on-the-Hill U.D. | | Hendon U.D. | | Heston & Isleworth U.D. | | Hornsey M.B. | | Southall Norwood U.D. | | Southgate U.D. | | Teddington U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 65 | 52 | 86 | 106 | 85 | 114 | 233 | 216 | 240 | 216 | 429 | 499 | 127 | 119 | 165 | 178 | 101 | 119 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | 1 | — | — | 3 | 1 | — | — | 2 | 2 | — | — | — | — | — | 2 | 3 |
| 4 Scarlet fever | 1 | — | — | — | — | — | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | — | — | 1 | — | — | 2 | 5 | 2 | 1 | 1 | — | — | 4 | — | — | — | — | 5 |
| 6 Diphtheria | 1 | — | 10 | 5 | 1 | 1 | 1 | 4 | 4 | 6 | 3 | 3 | — | — | 1 | — | 1 | — | 6 |
| 7 Influenza | — | — | 2 | 2 | 1 | 3 | 3 | 6 | 3 | 3 | 8 | 6 | — | — | 3 | 4 | — | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | 1 | — | — | 1 | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 3 | 4 | 5 | 6 | 14 | 12 | 17 | 16 | 20 | 15 | 18 | 29 | 10 | 13 | 10 | 4 | 6 | 8 | 10 |
| 11 Other tuberculous diseases | — | — | 2 | 2 | 2 | — | 1 | 1 | 5 | 1 | 4 | 7 | 6 | 2 | 5 | 2 | — | 2 | 11 |
| 12 Cancer, malignant disease | 11 | 9 | 9 | 15 | 13 | 22 | 26 | 35 | 24 | 24 | 57 | 79 | 21 | 14 | 18 | 25 | 9 | 15 | 12 |
| 13 Rheumatic fever | — | — | 1 | 1 | 1 | — | — | 1 | — | — | 2 | — | — | — | 1 | 1 | — | — | 13 |
| 14 Diabetes | — | — | — | 5 | 1 | — | 4 | 3 | 2 | 2 | 5 | 5 | 1 | 4 | 2 | 5 | 2 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 4 | 5 | 5 | 10 | 4 | 8 | 8 | 17 | 16 | 15 | 26 | 34 | 11 | 15 | 10 | 9 | 7 | 5 | 15 |
| 16 Heart disease | 11 | 7 | 4 | 19 | 10 | 13 | 49 | 22 | 34 | 47 | 51 | 75 | 9 | 13 | 21 | 31 | 16 | 10 | 16 |
| 17 Arterio-sclerosis | — | — | 2 | — | 5 | 7 | 6 | 4 | 3 | 6 | 25 | 19 | 5 | 3 | 10 | 9 | 2 | 5 | 17 |
| 18 Bronchitis | 2 | 8 | 7 | 7 | 3 | 3 | 12 | 5 | 24 | 11 | 22 | 33 | 5 | 14 | 4 | 11 | 7 | 6 | 18 |
| 19 Pneumonia (all forms) | 5 | 2 | 9 | 6 | 1 | 1 | 13 | 14 | 18 | 9 | 38 | 30 | 14 | 12 | 11 | 9 | 7 | 5 | 19 |
| 20 Other respiratory diseases | 2 | 1 | 1 | — | — | 2 | 6 | 2 | 3 | 3 | 3 | 6 | 3 | — | 4 | 3 | 1 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | 1 | — | — | 1 | — | 2 | 5 | 1 | 7 | 1 | 2 | — | 3 | 2 | — | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 1 | 4 | — | — | — | 1 | — | 3 | 4 | 3 | 2 | 1 | — | 1 | 1 | — | 3 | 22 |
| 23 Appendicitis and typhlitis | — | 1 | — | — | — | — | 1 | 1 | 2 | — | 5 | 2 | — | — | 1 | 2 | — | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | 2 | 3 | 1 | 1 | 1 | — | 4 | 2 | — | — | 1 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 1 | 3 | — | 2 | 1 | 1 | 8 | 6 | 3 | 4 | 18 | 14 | 7 | 3 | 7 | 4 | 2 | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | 2 | — | 1 | — | 2 | — | 1 | — | — | — | 1 | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 4 | — | — | — | 3 | — | 5 | — | 5 | — | — | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | — | 3 | 3 | 2 | 4 | 18 | 6 | 13 | 10 | 24 | 14 | 5 | 5 | 9 | 3 | 9 | 7 | 28 |
| 29 Suicide | 2 | — | 1 | 1 | 2 | 2 | 4 | 2 | 1 | — | 5 | 7 | 1 | — | 3 | 6 | 3 | 2 | 29 |
| 30 Other deaths from violence | 1 | 4 | 1 | — | 2 | 2 | 12 | 6 | 10 | 7 | 12 | 10 | 4 | 4 | 5 | 3 | 10 | 3 | 30 |
| 31 Other defined diseases | 17 | 7 | 19 | 15 | 19 | 27 | 36 | 49 | 44 | 38 | 85 | 111 | 21 | 12 | 32 | 43 | 19 | 31 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | 1 | — | — | — | — | 1 | — | — | 1 | — | 1 | | — | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## MIDDLESEX—*cont.*

| Causes of Death. | Tottenham U.D. | | Twickenham U.D. | | Uxbridge U.D. | | Wealdstone U.D. | | Wembley U.D. | | Willesden U.D. | | Wood Green U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 711 | 699 | 167 | 189 | 57 | 76 | 62 | 63 | 66 | 61 | 785 | 818 | 253 | 238 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 2 |
| 3 Measles | 5 | 2 | — | — | — | — | — | — | — | — | 1 | — | 2 | 1 | 3 |
| 4 Scarlet fever | 1 | 2 | 1 | — | — | — | — | 1 | — | — | 2 | 1 | — | — | 4 |
| 5 Whooping cough | 7 | 5 | 1 | 2 | 2 | 2 | — | 1 | — | — | 10 | 7 | — | 1 | 5 |
| 6 Diphtheria | 3 | 5 | 2 | 3 | 1 | — | — | — | 1 | 2 | 11 | 10 | 3 | — | 6 |
| 7 Influenza | 12 | 14 | 1 | 4 | — | 2 | 2 | 3 | 3 | 3 | 4 | 17 | 3 | 8 | 7 |
| 8 Encephalitis lethargica | 1 | 3 | — | 1 | — | — | — | — | — | — | — | 2 | — | — | 8 |
| 9 Meningococcal meningitis | 2 | 2 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 50 | 69 | 13 | 14 | 4 | 7 | 4 | 3 | 4 | — | 66 | 45 | 12 | 17 | 10 |
| 11 Other tuberculous diseases | 13 | 12 | 5 | 6 | 2 | 1 | — | — | 1 | 1 | 18 | 15 | 4 | 5 | 11 |
| 12 Cancer, malignant disease | 72 | 105 | 19 | 26 | 7 | 13 | 8 | 13 | 11 | 16 | 96 | 101 | 42 | 34 | 12 |
| 13 Rheumatic fever | 1 | 7 | — | 1 | — | — | 1 | — | — | — | 2 | 4 | — | — | 13 |
| 14 Diabetes | 4 | 5 | 2 | 1 | — | 1 | — | — | — | — | 9 | 14 | 2 | 4 | 14 |
| 15 Cerebral hæmorrhage, &c. | 30 | 40 | 5 | 13 | 6 | 4 | 1 | 5 | 1 | — | 42 | 56 | 12 | 15 | 15 |
| 16 Heart disease | 109 | 109 | 24 | 30 | 9 | 14 | 12 | 8 | 6 | 12 | 117 | 122 | 40 | 48 | 16 |
| 17 Arterio-sclerosis | 3 | 14 | 5 | 6 | 1 | 2 | 6 | 3 | 6 | 2 | 17 | 22 | 8 | 8 | 17 |
| 18 Bronchitis | 42 | 40 | 16 | 12 | 1 | 6 | 3 | 5 | 2 | 2 | 57 | 70 | 19 | 16 | 18 |
| 19 Pneumonia (all forms) | 73 | 59 | 8 | 5 | 2 | 3 | 5 | 1 | 4 | 3 | 59 | 57 | 19 | 9 | 19 |
| 20 Other respiratory diseases | 10 | 8 | 7 | 1 | 2 | 1 | 1 | 2 | 3 | — | 12 | 10 | 5 | — | 20 |
| 21 Ulcer of stomach or duodenum | 8 | 1 | 3 | — | — | — | 1 | — | — | — | 14 | 4 | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 11 | 8 | 2 | 3 | — | — | — | — | 1 | — | 8 | 9 | 2 | 4 | 22 |
| 23 Appendicitis and typhlitis | 5 | 3 | 1 | 2 | — | — | 1 | — | 2 | 1 | 8 | 4 | 5 | 1 | 23 |
| 24 Cirrhosis of liver | 2 | 2 | 1 | — | 1 | — | 1 | 1 | — | — | 2 | 2 | 2 | 2 | 24 |
| 25 Acute and chronic nephritis | 13 | 11 | — | 5 | 2 | — | 1 | — | 2 | 2 | 24 | 24 | 7 | 4 | 25 |
| 26 Puerperal sepsis | — | 5 | — | 1 | — | 1 | — | — | — | — | — | 4 | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 4 | — | — | — | — | — | — | — | — | — | 7 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 67 | 28 | 15 | 9 | 2 | 5 | 3 | 2 | 3 | 1 | 37 | 31 | 13 | 8 | 28 |
| 29 Suicide | 12 | 6 | — | 1 | — | — | — | 1 | 1 | — | 10 | 4 | 1 | — | 29 |
| 30 Other deaths from violence | 30 | 9 | 5 | 5 | 1 | 2 | 4 | 1 | 4 | 1 | 43 | 16 | 12 | 5 | 30 |
| 31 Other defined diseases | 124 | 121 | 31 | 38 | 14 | 12 | 8 | 13 | 10 | 14 | 114 | 158 | 38 | 48 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | 32 |

## MIDDLESEX—*cont.* NORFOLK.

| Causes of Death. | Hendon R.D. | | Staines R.D. | | Uxbridge R.D. | | King's Lynn M.B. | | Aylsham R.D. | | Blofield R.D. | | Depwade R.D. | | Docking R.D. | | Downham R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 78 | 79 | 125 | 113 | 52 | 54 | 146 | 129 | 99 | 99 | 56 | 52 | 114 | 119 | 114 | 124 | 93 | 71 | |
| 1 Enteric fever | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 2 | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | 4 | 3 | — | — | — | 1 | — | — | — | 1 | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 4 |
| 5 Whooping cough | 1 | 1 | — | — | — | — | 6 | 5 | — | — | — | — | — | — | 1 | 3 | 1 | — | 5 |
| 6 Diphtheria | 1 | — | 3 | 2 | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | 6 |
| 7 Influenza | 5 | 2 | 2 | 1 | 1 | 1 | — | 1 | — | — | — | 1 | 1 | 3 | — | 1 | — | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 7 | 2 | 10 | 7 | 5 | 9 | 11 | 7 | 4 | 5 | 6 | 2 | 5 | 6 | 4 | 6 | 6 | 6 | 10 |
| 11 Other tuberculous diseases | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 3 | — | — | — | — | 4 | 2 | — | 1 | 11 |
| 12 Cancer, malignant disease | 14 | 15 | 16 | 21 | 3 | 7 | 11 | 20 | 11 | 16 | 6 | 7 | 8 | 16 | 17 | 20 | 11 | 8 | 12 |
| 13 Rheumatic fever | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | 13 |
| 14 Diabetes | 1 | — | 1 | 1 | 1 | 1 | 2 | — | 3 | 2 | — | 3 | — | 4 | 2 | 1 | 2 | 4 | 14 |
| 15 Cerebral hæmorrhage, &c. | 5 | 10 | 9 | 7 | 7 | 2 | 7 | 9 | 7 | 7 | 5 | 9 | 4 | 12 | 9 | 12 | 3 | 7 | 15 |
| 16 Heart disease | 3 | 16 | 15 | 14 | 4 | 9 | 15 | 13 | 17 | 15 | 10 | 13 | 21 | 35 | 12 | 18 | 17 | 11 | 16 |
| 17 Arterio-sclerosis | 3 | 3 | — | 2 | 3 | 1 | 10 | 11 | 5 | 2 | 3 | — | 5 | 4 | 7 | 8 | 6 | 3 | 17 |
| 18 Bronchitis | 2 | 1 | 7 | 5 | 3 | 4 | 10 | 11 | 4 | 3 | 3 | 1 | 11 | 5 | 9 | 5 | 5 | 9 | 18 |
| 19 Pneumonia (all forms) | 7 | 2 | 14 | 6 | 1 | 2 | 12 | 9 | 4 | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 3 | 19 |
| 20 Other respiratory diseases | — | — | — | 2 | — | — | — | — | 2 | — | 2 | — | 2 | 2 | — | 2 | 4 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | 1 | 1 | 1 | 2 | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 2 | 1 | 1 | — | — | 1 | — | 1 | — | — | 1 | — | 1 | — | — | — | 22 |
| 23 Appendicitis and typhlitis | — | 1 | 2 | 3 | 1 | — | — | — | 1 | — | — | — | 1 | — | 1 | — | 1 | — | 23 |
| 24 Cirrhosis of liver | 2 | — | — | 1 | — | — | 1 | 2 | 3 | — | 1 | — | 1 | — | 1 | — | 2 | 1 | 24 |
| 25 Acute and chronic nephritis | 1 | 2 | 3 | 2 | — | 1 | 9 | 3 | 1 | 5 | — | — | — | 1 | 1 | 3 | 4 | — | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | — | — | — | — | 1 | — | 1 | — | 1 | — | 1 | — | — | — | 2 | 27 |
| 28 Congenital debility and malformation, premature birth | 5 | 4 | 7 | 4 | 2 | 2 | 11 | 5 | 4 | 8 | 5 | 1 | 11 | 3 | 6 | 6 | 5 | 5 | 28 |
| 29 Suicide | — | 1 | 2 | — | 1 | — | — | — | 5 | — | — | — | 2 | — | 2 | — | 1 | — | 29 |
| 30 Other deaths from violence | 2 | — | 8 | 3 | 3 | 2 | 6 | 4 | 4 | 2 | 2 | 5 | 3 | 1 | 5 | 3 | 3 | — | 30 |
| 31 Other defined diseases | 16 | 16 | 23 | 28 | 15 | 10 | 24 | 21 | 19 | 25 | 9 | 6 | 35 | 21 | 25 | 22 | 16 | 7 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | 1 | — | — | 1 | — | 4 | 1 | — | — | — | — | 2 | 1 | 1 | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## NORFOLK—*cont.*

| Causes of Death. | East & West Flegg R.D. | | Erpingham R.D. | | Forehoe R.D. | | Freebridge Lynn R.D. | | Loddon & Claveringing R.D. | | Marshland R.D. | | Mitford & Launditch R.D. | | St. Faith's R.D. | | Smallburgh R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 54 | 47 | 78 | 92 | 74 | 72 | 77 | 71 | 71 | 78 | 64 | 86 | 109 | 105 | 61 | 52 | 95 | 98 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 2 | 1 | — | — | — | 1 | 1 | — | — | 1 | 3 | 2 | — | — | 1 | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 4 |
| 5 Whooping cough | — | — | — | — | 1 | — | — | 1 | — | 1 | 2 | 1 | — | 1 | 1 | 1 | — | 1 | 5 |
| 6 Diphtheria | — | — | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 6 |
| 7 Influenza | — | 1 | 2 | 1 | — | 4 | — | 1 | 1 | — | 3 | 2 | 2 | 2 | 3 | — | 2 | 4 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 3 | 4 | 5 | 9 | 2 | 2 | 5 | 4 | 3 | 5 | 2 | 4 | 8 | 5 | 3 | — | 3 | 3 | 10 |
| 11 Other tuberculous diseases | — | 3 | 1 | 2 | 1 | 1 | — | 1 | 4 | 1 | 2 | 2 | — | 2 | — | — | 4 | 1 | 11 |
| 12 Cancer, malignant disease | 6 | 4 | 9 | 12 | 8 | 8 | 12 | 13 | 5 | 13 | 7 | 16 | 12 | 18 | 4 | 5 | 11 | 17 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | 13 |
| 14 Diabetes | — | — | — | 1 | 1 | 1 | — | — | 1 | 1 | — | 1 | 3 | 1 | — | — | — | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 6 | 4 | 2 | 7 | 5 | 2 | 5 | 5 | 4 | 11 | 3 | 4 | 8 | 5 | 2 | 8 | 12 | 6 | 15 |
| 16 Heart disease | 8 | 5 | 6 | 15 | 18 | 25 | 9 | 10 | 8 | 11 | 6 | 5 | 16 | 21 | 5 | 11 | 7 | 10 | 16 |
| 17 Arterio-sclerosis | — | 1 | 7 | 5 | 2 | 6 | 3 | 5 | 2 | 2 | 2 | — | 4 | 2 | 4 | 3 | 2 | — | 17 |
| 18 Bronchitis | 2 | 4 | 5 | — | 1 | 4 | 1 | 6 | 8 | 2 | 6 | 4 | 5 | 5 | 3 | 3 | 7 | 8 | 18 |
| 19 Pneumonia (all forms) | 1 | 1 | 3 | 1 | 4 | 1 | 1 | 3 | 3 | 5 | — | 4 | 5 | 2 | 4 | 1 | 2 | 3 | 19 |
| 20 Other respiratory diseases | 1 | 1 | — | 2 | — | 1 | 2 | 2 | — | — | 1 | 1 | 1 | 3 | — | — | 2 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | 1 | 1 | — | — | 1 | 1 | — | 1 | — | — | — | 1 | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | 1 | 1 | 22 |
| 23 Appendicitis and typhlitis | 2 | — | 1 | 2 | 1 | — | — | — | 1 | 1 | — | — | 1 | — | — | — | 1 | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 1 | — | 1 | 1 | 3 | 1 | 4 | 1 | 2 | 1 | — | 2 | 4 | 2 | 4 | 2 | 3 | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 2 | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 8 | 1 | 4 | 2 | 3 | 3 | 3 | 5 | 3 | 5 | 5 | 4 | 5 | 6 | 5 | 2 | 2 | 6 | 28 |
| 29 Suicide | — | — | 3 | — | 4 | — | 2 | — | 1 | — | 1 | 1 | 2 | — | 3 | — | 3 | 2 | 29 |
| 30 Other deaths from violence | — | 1 | 2 | 2 | 5 | — | 3 | 1 | 2 | — | 1 | — | 7 | 1 | 2 | 1 | 5 | 1 | 30 |
| 31 Other defined diseases | 13 | 14 | 24 | 25 | 12 | 11 | 25 | 10 | 22 | 17 | 19 | 30 | 24 | 24 | 15 | 15 | 27 | 31 | 31 |
| 32 Causes ill-defined or unknown | — | — | 2 | 2 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | 1 | 32 |

## NORFOLK—*cont.* NORTHAMPTONSHIRE.

| Causes of Death. | Walsingham R.D. | | Wayland R.D. | | | | | | Kettering U.D. | | Rushden U.D. | | Wellingborough U.D. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | | | | | M. | F. | M. | F. | M. | F. | | | | | |
| **All Causes** | 88 | 72 | 95 | 70 | | | | | 183 | 171 | 65 | 66 | 111 | 107 | | | | | |
| 1 Enteric fever | — | — | — | — | | | | | — | 1 | — | — | — | — | | | | | 1 |
| 2 Small-pox | — | — | — | — | | | | | — | — | — | — | — | — | | | | | 2 |
| 3 Measles | — | — | — | — | | | | | — | — | — | — | — | 3 | | | | | 3 |
| 4 Scarlet fever | — | — | — | — | | | | | 1 | 1 | — | — | — | — | | | | | 4 |
| 5 Whooping cough | — | 1 | 1 | — | | | | | — | 1 | — | — | — | — | | | | | 5 |
| 6 Diphtheria | — | — | — | — | | | | | — | — | — | — | — | — | | | | | 6 |
| 7 Influenza | — | 5 | 2 | — | | | | | 5 | — | — | — | 4 | 1 | | | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | | | | | — | 1 | — | — | — | — | | | | | 8 |
| 9 Meningococcal meningitis | 1 | — | — | — | | | | | — | — | — | — | — | 1 | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 3 | 4 | 6 | 5 | | | | | 18 | 16 | 4 | 8 | 11 | 4 | | | | | 10 |
| 11 Other tuberculous diseases | — | — | 2 | — | | | | | 3 | 1 | — | 5 | 2 | 2 | | | | | 11 |
| 12 Cancer, malignant disease | 13 | 13 | 10 | 8 | | | | | 16 | 16 | 5 | 4 | 15 | 16 | | | | | 12 |
| 13 Rheumatic fever | — | — | — | — | | | | | — | 1 | — | — | — | — | | | | | 13 |
| 14 Diabetes | — | — | 1 | — | | | | | 2 | 4 | — | 4 | — | 3 | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 4 | 12 | 7 | 5 | | | | | 11 | 18 | 7 | 3 | — | 7 | | | | | 15 |
| 16 Heart disease | 15 | 9 | 15 | 12 | | | | | 28 | 27 | 9 | 11 | 15 | 17 | | | | | 16 |
| 17 Arterio-sclerosis | 6 | 4 | 8 | 8 | | | | | 2 | 4 | 2 | 2 | 2 | 4 | | | | | 17 |
| 18 Bronchitis | 6 | 1 | 2 | 3 | | | | | 9 | 14 | 3 | 3 | 9 | 6 | | | | | 18 |
| 19 Pneumonia (all forms) | 3 | 3 | 5 | 2 | | | | | 11 | 11 | 6 | 2 | 1 | 7 | | | | | 19 |
| 20 Other respiratory diseases | 4 | — | 1 | 1 | | | | | 3 | 2 | — | — | 2 | — | | | | | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | — | | | | | 1 | — | 1 | 1 | — | — | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | 1 | — | | | | | 2 | 3 | 1 | 1 | 2 | — | | | | | 22 |
| 23 Appendicitis and typhlitis | — | — | — | — | | | | | 3 | 1 | 2 | — | 2 | 1 | | | | | 23 |
| 24 Cirrhosis of liver | — | — | 1 | — | | | | | 1 | — | — | — | 2 | — | | | | | 24 |
| 25 Acute and chronic nephritis | 1 | — | 4 | 2 | | | | | 3 | 2 | 3 | — | 3 | 5 | | | | | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | | | | | — | 3 | — | 1 | — | — | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | | | | | — | 2 | — | 1 | — | 1 | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 4 | 1 | 5 | 5 | | | | | 16 | 6 | 4 | 2 | 7 | 3 | | | | | 28 |
| 29 Suicide | 2 | — | 1 | — | | | | | 6 | 2 | — | — | 1 | 1 | | | | | 29 |
| 30 Other deaths from violence | 2 | 2 | 4 | — | | | | | 6 | 7 | 2 | 2 | 4 | 2 | | | | | 30 |
| 31 Other defined diseases | 22 | 17 | 19 | 17 | | | | | 32 | 24 | 15 | 16 | 26 | 23 | | | | | 31 |
| 32 Causes ill-defined or unknown | 1 | — | — | 1 | | | | | 4 | 3 | 1 | — | 3 | — | | | | | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

**NORTHAMPTONSHIRE**—*cont.* **NORTHUMBERLAND.**

| Causes of Death. | Brixworth R.D. | | Daventry R.D. | | Thrapston (part of) R.D.* | | Wellingborough R.D. | | | | | | Ashington U.D. | | Bedlingtonshire U.D. | | Berwick upon Tweed M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | | | | | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 65 | 56 | 82 | 93 | 56 | 61 | 87 | 57 | | | | | 202 | 137 | 177 | 136 | 62 | 82 | |
| 1 Enteric fever | 1 | — | — | — | 1 | — | — | — | | | | | 2 | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | | | | | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | 1 | — | — | 1 | 2 | — | | | | | 9 | 5 | 9 | 5 | 1 | — | 3 |
| 4 Scarlet fever | — | — | 1 | — | — | — | — | — | | | | | 1 | 2 | — | 2 | — | — | 4 |
| 5 Whooping cough | — | — | — | 1 | — | 1 | — | — | | | | | 11 | 8 | 1 | 2 | — | 1 | 5 |
| 6 Diphtheria | — | — | 3 | 2 | — | — | 1 | — | | | | | — | — | 1 | — | — | — | 6 |
| 7 Influenza | 2 | 2 | 1 | 2 | — | — | — | — | | | | | — | — | 1 | — | — | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | | | | | — | — | — | 1 | 1 | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | | | | | — | — | — | — | 1 | — | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 4 | 6 | 1 | 2 | 4 | 1 | 4 | | | | | 16 | 10 | 12 | 17 | 6 | 1 | 10 |
| 11 Other tuberculous diseases | 2 | — | 1 | 1 | 1 | 2 | 3 | — | | | | | 6 | 5 | 3 | 8 | — | 1 | 11 |
| 12 Cancer, malignant disease | 9 | 5 | 5 | 12 | 8 | 7 | 7 | 4 | | | | | 10 | 10 | 12 | 12 | 5 | 12 | 12 |
| 13 Rheumatic fever | — | — | — | 1 | — | — | — | 1 | | | | | — | 1 | 1 | 1 | — | — | 13 |
| 14 Diabetes | 1 | — | — | 1 | 1 | — | — | — | | | | | 1 | — | 1 | 1 | — | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 6 | 5 | 3 | 5 | 6 | 9 | 5 | 4 | | | | | 8 | 8 | 11 | 8 | 5 | 14 | 15 |
| 16 Heart disease | 10 | 7 | 10 | 18 | 11 | 8 | 10 | 15 | | | | | 15 | 13 | 12 | 17 | 7 | 12 | 16 |
| 17 Arterio-sclerosis | 4 | — | 3 | — | 2 | 1 | 4 | 1 | | | | | 2 | 1 | 11 | 2 | — | — | 17 |
| 18 Bronchitis | 2 | 7 | 5 | 3 | 4 | 4 | 6 | 7 | | | | | 15 | 8 | 4 | 4 | 6 | 2 | 18 |
| 19 Pneumonia (all forms) | 2 | 2 | 6 | 4 | 2 | 1 | 5 | 1 | | | | | 22 | 13 | 15 | 13 | 3 | 1 | 19 |
| 20 Other respiratory diseases | 1 | — | — | 2 | 1 | 1 | — | 1 | | | | | 1 | 1 | 5 | 4 | — | 1 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | 1 | — | 1 | — | | | | | 1 | — | 1 | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | 2 | — | 2 | 1 | 1 | | | | | 4 | 11 | 4 | 1 | — | — | 22 |
| 23 Appendicitis and typhlitis | — | — | — | — | — | — | 2 | — | | | | | 1 | 1 | 1 | 1 | — | 3 | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | — | | | | | — | — | 1 | 1 | — | — | 24 |
| 25 Acute and chronic nephritis | 4 | 5 | 1 | 3 | 2 | 2 | — | — | | | | | 5 | 3 | 6 | 4 | 4 | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | — | | | | | — | 3 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | 2 | — | 1 | | | | | — | 3 | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 4 | 2 | — | 1 | — | 5 | 4 | | | | | 27 | 13 | 21 | 7 | 3 | 4 | 28 |
| 29 Suicide | — | 1 | 3 | 1 | — | — | 3 | — | | | | | 1 | 2 | 1 | — | 1 | — | 29 |
| 30 Other deaths from violence | 3 | 1 | 3 | 3 | — | — | 5 | 1 | | | | | 10 | 2 | 12 | 5 | 4 | 3 | 30 |
| 31 Other defined diseases | 10 | 13 | 27 | 30 | 13 | 16 | 24 | 12 | | | | | 34 | 12 | 28 | 18 | 13 | 24 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | 2 | — | | | | | — | 2 | 3 | 1 | 1 | — | 32 |

**NORTHUMBERLAND**—*cont.*

| Causes of Death. | Blyth M.B. | | Earsdon U.D. | | Gosforth U.D. | | Longbenton U.D. | | Newburn U.D. | | Wallsend M.B. | | Whitley & Monkseaton U.D. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | | |
| **All Causes** | 214 | 206 | 64 | 62 | 91 | 69 | 98 | 70 | 125 | 93 | 256 | 254 | 101 | 105 | | | | | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | 2 |
| 3 Measles | 8 | 13 | 3 | 4 | 2 | — | 10 | 5 | — | 1 | 21 | 18 | 1 | 1 | | | | | 3 |
| 4 Scarlet fever | — | 1 | — | — | 1 | — | 1 | — | — | 1 | 1 | — | — | — | | | | | 4 |
| 5 Whooping cough | 5 | 2 | 2 | 1 | — | — | 1 | 1 | 4 | 1 | 10 | 4 | 1 | 2 | | | | | 5 |
| 6 Diphtheria | 1 | 1 | — | — | — | 1 | — | — | 1 | 1 | 1 | 2 | — | — | | | | | 6 |
| 7 Influenza | 3 | 3 | 1 | 1 | 1 | 1 | — | — | — | — | 4 | 5 | — | — | | | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 14 | 21 | 3 | 3 | 7 | 8 | 5 | 7 | 12 | 9 | 30 | 25 | 9 | 6 | | | | | 10 |
| 11 Other tuberculous diseases | 4 | 6 | 2 | 3 | 1 | 1 | 4 | 2 | 2 | 3 | 7 | 10 | 4 | 2 | | | | | 11 |
| 12 Cancer, malignant disease | 9 | 18 | 3 | 4 | 17 | 6 | 8 | 9 | 11 | 6 | 23 | 22 | 13 | 18 | | | | | 12 |
| 13 Rheumatic fever | 2 | 3 | — | — | — | 1 | — | — | — | — | — | 1 | 1 | — | | | | | 13 |
| 14 Diabetes | 1 | 2 | — | — | — | — | 1 | 2 | — | 2 | 4 | 3 | 1 | 1 | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 8 | 7 | 5 | 11 | — | 3 | 3 | 3 | 11 | 12 | 10 | 15 | 5 | 1 | | | | | 15 |
| 16 Heart disease | 16 | 16 | 7 | 4 | 11 | 10 | 15 | 8 | 11 | 9 | 19 | 25 | 13 | 18 | | | | | 16 |
| 17 Arterio-sclerosis | 5 | 3 | 1 | — | 7 | 4 | 4 | 5 | 3 | 2 | 5 | 6 | 5 | 5 | | | | | 17 |
| 18 Bronchitis | 13 | 9 | 2 | 4 | 3 | 3 | 4 | 4 | 7 | 7 | 25 | 19 | 1 | 2 | | | | | 18 |
| 19 Pneumonia (all forms) | 24 | 21 | 4 | 7 | 6 | 3 | 10 | 2 | 14 | 4 | 11 | 17 | 9 | 7 | | | | | 19 |
| 20 Other respiratory diseases | 4 | 3 | 3 | 3 | 2 | 1 | 1 | — | 1 | — | 2 | — | 2 | — | | | | | 20 |
| 21 Ulcer of stomach or duodenum | 2 | — | 1 | 1 | 1 | — | — | — | 1 | 1 | 2 | — | — | 1 | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 3 | 5 | 3 | — | — | — | 2 | — | — | 1 | 5 | 1 | — | 1 | | | | | 22 |
| 23 Appendicitis and typhlitis | 1 | 1 | — | — | 1 | — | — | 1 | 2 | — | — | 2 | — | 1 | | | | | 23 |
| 24 Cirrhosis of liver | — | 1 | — | — | — | 1 | — | 1 | — | — | — | — | 1 | 2 | | | | | 24 |
| 25 Acute and chronic nephritis | 9 | 6 | — | 1 | 1 | 5 | 1 | — | 4 | 3 | 9 | 8 | 5 | 5 | | | | | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | 1 | — | — | — | 3 | — | — | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 1 | — | 2 | — | 1 | — | 1 | — | 4 | — | — | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 18 | 22 | 3 | 7 | 3 | 1 | 5 | 1 | 10 | 2 | 15 | 26 | 5 | 5 | | | | | 28 |
| 29 Suicide | 1 | 1 | 1 | 1 | 1 | — | — | — | 1 | 1 | — | 3 | 1 | 1 | | | | | 29 |
| 30 Other deaths from violence | 20 | 4 | 6 | — | 5 | 1 | 7 | — | 6 | 2 | 6 | 1 | 3 | 2 | | | | | 30 |
| 31 Other defined diseases | 43 | 34 | 13 | 6 | 18 | 17 | 16 | 17 | 22 | 24 | 44 | 33 | 17 | 22 | | | | | 31 |
| 32 Causes ill-defined or unknown | — | 2 | 1 | — | 3 | — | — | — | 2 | — | 1 | 1 | 4 | 2 | | | | | 32 |

* The remainder of Thrapston R.D. is in Huntingdonshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

**NORTHUMBERLAND**—*cont.* **NOTTINGHAMSHIRE.**

| Causes of Death. | Alnwick R.D. | | Castle Ward R.D. | | Hexham R.D. | | Morpeth R.D. | | Arnold U.D. | | Beeston U.D. | | Carlton U.D. | | East Retford M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 70 | 77 | 54 | 51 | 133 | 124 | 94 | 95 | 82 | 64 | 53 | 60 | 75 | 102 | 83 | 88 | |
| 1 Enteric fever | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | 1 | 1 | 2 | — | 1 | 2 | 1 | — | — | — | — | 1 | — | 3 |
| 4 Scarlet fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 4 |
| 5 Whooping cough | — | — | 1 | 1 | — | 1 | 1 | — | 1 | — | — | — | — | 2 | 1 | 1 | 5 |
| 6 Diphtheria | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | 2 | — | — | 6 |
| 7 Influenza | 1 | 1 | 1 | 2 | 3 | 1 | — | — | — | — | 1 | — | 3 | — | 2 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 3 | 7 | 5 | 3 | 11 | 8 | 5 | 6 | 3 | 5 | 3 | 4 | 4 | 10 | 5 | 7 | 10 |
| 11 Other tuberculous diseases | 1 | 1 | — | 1 | 2 | — | 2 | 3 | 6 | 1 | 1 | 2 | 2 | 1 | — | 1 | 11 |
| 12 Cancer, malignant disease | 7 | 9 | 9 | 4 | 17 | 17 | 7 | 12 | 3 | 6 | 8 | 9 | 8 | 10 | 3 | 12 | 12 |
| 13 Rheumatic fever | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | 1 | 13 |
| 14 Diabetes | 1 | 2 | 1 | — | 1 | 2 | 2 | 1 | — | — | — | 1 | — | — | 2 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 8 | 6 | 2 | 3 | 8 | 13 | 3 | 5 | 8 | 9 | 1 | 4 | 4 | 10 | 5 | 8 | 15 |
| 16 Heart disease | 8 | 11 | 11 | 3 | 17 | 31 | 6 | 10 | 5 | 7 | 1 | 7 | 9 | 10 | 8 | 3 | 16 |
| 17 Arterio-sclerosis | 3 | 1 | 2 | 1 | 8 | 8 | 2 | 3 | 5 | — | 1 | 2 | 1 | 1 | 2 | 2 | 17 |
| 18 Bronchitis | 4 | 3 | — | — | 2 | 4 | 2 | 1 | 10 | 10 | 5 | 9 | 1 | 10 | 4 | 5 | 18 |
| 19 Pneumonia (all forms) | 6 | 4 | 3 | 4 | 12 | 5 | 12 | 4 | 12 | 3 | 3 | 2 | 9 | 11 | 8 | 10 | 19 |
| 20 Other respiratory diseases | 1 | 1 | — | 1 | 4 | 1 | 1 | 1 | 3 | — | 2 | — | — | — | — | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | 1 | 1 | — | 1 | — | 1 | 1 | 2 | — | 2 | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | 1 | 1 | 1 | 1 | 1 | 1 | 2 | — | 1 | — | 2 | — | 22 |
| 23 Appendicitis and typhlitis | 1 | — | 1 | 1 | 1 | 1 | 1 | 2 | — | — | — | 1 | — | — | 1 | — | 23 |
| 24 Cirrhosis of liver | 1 | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | 1 | 1 | 2 | 24 |
| 25 Acute and chronic nephritis | — | 2 | — | 4 | 3 | 8 | 6 | 5 | — | 2 | 4 | — | 2 | 3 | 2 | — | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 1 | — | 1 | — | 2 | — | — | — | — | — | 2 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 6 | 3 | 8 | 4 | 11 | 5 | 6 | 7 | 4 | 6 | 2 | 2 | 8 | 3 | 4 | 8 | 28 |
| 29 Suicide | — | — | 1 | 1 | — | — | — | — | 1 | — | 2 | — | — | 2 | 2 | 1 | 29 |
| 30 Other deaths from violence | 2 | — | 1 | 1 | 4 | — | 9 | 1 | 3 | — | 6 | — | 4 | 2 | 3 | 1 | 30 |
| 31 Other defined diseases | 13 | 22 | 7 | 10 | 24 | 13 | 26 | 27 | 13 | 12 | 8 | 16 | 12 | 18 | 26 | 25 | 31 |
| 32 Causes ill-defined or unknown | 1 | 3 | — | 3 | — | 1 | — | 1 | 1 | — | — | — | 5 | 2 | — | — | 32 |

**NOTTINGHAMSHIRE**—*cont.*

| Causes of Death. | Hucknall U.D. | | Kirkby in Ashfield U.D. | | Mansfield M.B. | | Mansfield Woodhouse U.D. | | Newark M.B. | | Sutton in Ashfield U.D. | | West Bridgford U.D. | | Worksop U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 95 | 107 | 90 | 97 | 255 | 237 | 66 | 78 | 128 | 94 | 155 | 122 | 59 | 70 | 148 | 123 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 2 | 2 | 3 | 2 | 14 | 9 | 1 | 1 | 1 | — | 10 | 2 | — | — | — | 1 | 3 |
| 4 Scarlet fever | — | — | 1 | — | — | 1 | — | 2 | — | — | 1 | — | — | 1 | 1 | — | 4 |
| 5 Whooping cough | 3 | 1 | — | 1 | 4 | 5 | — | 1 | — | — | — | 1 | — | — | 2 | 2 | 5 |
| 6 Diphtheria | — | 1 | 1 | — | — | 3 | — | — | 2 | 2 | 2 | 1 | — | — | 1 | — | 6 |
| 7 Influenza | 1 | — | — | — | 2 | 7 | 1 | — | 7 | 3 | 1 | 1 | — | 1 | 3 | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 3 | 8 | 6 | 6 | 22 | 17 | 4 | 8 | 14 | 2 | 5 | 10 | 5 | 5 | 11 | 6 | 10 |
| 11 Other tuberculous diseases | 4 | 3 | 1 | 1 | 8 | 5 | — | 2 | 4 | 2 | 5 | 9 | — | — | 3 | 4 | 11 |
| 12 Cancer, malignant disease | 2 | 16 | 10 | 10 | 22 | 20 | 3 | 4 | 13 | 11 | 7 | 16 | 7 | 16 | 16 | 18 | 12 |
| 13 Rheumatic fever | — | — | 1 | 1 | 1 | 1 | — | — | 1 | 1 | 1 | — | — | — | — | — | 13 |
| 14 Diabetes | 1 | — | 1 | — | — | 6 | 1 | — | — | 3 | — | 1 | — | — | 1 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 2 | 4 | 5 | 4 | 12 | 16 | 4 | 2 | 6 | 6 | 14 | 13 | 3 | 9 | 12 | 6 | 15 |
| 16 Heart disease | 11 | 15 | 5 | 13 | 22 | 22 | 3 | 5 | 10 | 14 | 8 | 7 | 10 | 7 | 15 | 15 | 16 |
| 17 Arterio-sclerosis | 4 | 2 | 3 | 1 | — | 3 | 1 | — | 2 | 1 | 2 | — | 3 | 1 | 6 | 2 | 17 |
| 18 Bronchitis | 4 | 9 | 10 | 7 | 16 | 24 | 7 | 11 | 6 | 6 | 14 | 7 | 3 | 5 | 15 | 14 | 18 |
| 19 Pneumonia (all forms) | 9 | 4 | 10 | 11 | 33 | 17 | 8 | 15 | 16 | 10 | 17 | 11 | 3 | 1 | 6 | 13 | 19 |
| 20 Other respiratory diseases | 2 | — | 1 | — | 1 | — | — | 1 | 4 | 1 | 3 | — | 1 | 4 | — | — | 20 |
| 21 Ulcer of stomach or duodenum | 2 | 2 | — | 1 | 3 | — | — | — | 1 | 2 | — | — | — | 1 | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 2 | 1 | 1 | 1 | — | — | — | 2 | 1 | 4 | 2 | — | — | 4 | 3 | 22 |
| 23 Appendicitis and typhlitis | 1 | 1 | — | — | 1 | 1 | — | 2 | — | — | — | — | 1 | 1 | — | 2 | 23 |
| 24 Cirrhosis of liver | — | — | — | — | 1 | 2 | — | — | 1 | — | — | — | 1 | — | 3 | — | 24 |
| 25 Acute and chronic nephritis | 1 | 1 | — | 1 | 1 | 6 | — | 1 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 1 | 25 |
| 26 Puerperal sepsis | — | 1 | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | — | 2 | — | 1 | — | — | — | 1 | — | 1 | — | 2 | 27 |
| 28 Congenital debility and malformation, premature birth | 6 | 9 | 11 | 8 | 21 | 21 | 7 | 5 | 11 | 5 | 9 | 9 | 1 | 2 | 7 | 5 | 28 |
| 29 Suicide | 2 | — | 1 | — | 3 | 1 | 1 | — | 1 | 1 | 3 | — | 2 | 1 | 2 | — | 29 |
| 30 Other deaths from violence | 11 | 2 | 7 | 2 | 13 | 4 | 3 | — | 4 | 3 | 9 | 1 | 5 | — | 7 | 3 | 30 |
| 31 Other defined diseases | 22 | 22 | 11 | 21 | 52 | 39 | 20 | 16 | 19 | 18 | 36 | 24 | 11 | 11 | 31 | 23 | 31 |
| 32 Causes ill-defined or unknown | — | — | 1 | 3 | 2 | 2 | 1 | 1 | — | — | 1 | 1 | 1 | 1 | 1 | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## NOTTINGHAMSHIRE—*cont.* / OXFORDSHIRE.

| Causes of Death. | Basford R.D. | | Bingham R.D. | | East Retford R.D. | | Southwell R.D. | | Staple-ford R.D. | | | | | | Banbury M.B. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | | M. | F. | | | |
| **All Causes** | 257 | 222 | 91 | 78 | 78 | 85 | 110 | 135 | 63 | 63 | | | | | 74 | 110 | | | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | | | | | — | — | | | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | | | | | — | — | | | 2 |
| 3 Measles | 8 | 9 | — | — | — | — | — | — | — | — | | | | | 1 | 1 | | | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | | | | | — | — | | | 4 |
| 5 Whooping cough | 4 | 3 | 2 | 1 | — | 1 | — | 1 | 2 | — | | | | | — | 1 | | | 5 |
| 6 Diphtheria | — | — | — | 1 | 1 | — | 1 | 2 | — | — | | | | | — | — | | | 6 |
| 7 Influenza | 4 | 3 | 2 | 5 | 1 | 2 | 5 | 5 | 1 | — | | | | | — | — | | | 7 |
| 8 Encephalitis lethargica | 1 | — | — | — | 1 | — | — | — | — | — | | | | | — | — | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | | | | | — | — | | | 9 |
| 10 Tuberculosis of respiratory sys. | 10 | 16 | 7 | 3 | 1 | 5 | 7 | 7 | — | 4 | | | | | 6 | 11 | | | 10 |
| 11 Other tuberculous diseases | 8 | 2 | 1 | 2 | 1 | 3 | 1 | 2 | 2 | 4 | | | | | — | 2 | | | 11 |
| 12 Cancer, malignant disease | 23 | 21 | 8 | 8 | 6 | 10 | 16 | 16 | 6 | 7 | | | | | 5 | 10 | | | 12 |
| 13 Rheumatic fever | 4 | — | — | — | — | — | — | 1 | — | — | | | | | — | 1 | | | 13 |
| 14 Diabetes | 4 | 2 | 2 | 1 | — | — | 3 | — | — | 1 | | | | | — | 1 | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 17 | 16 | 6 | 9 | 5 | 13 | 5 | 11 | 2 | 7 | | | | | 6 | 13 | | | 15 |
| 16 Heart disease | 25 | 19 | 13 | 13 | 6 | 11 | 14 | 19 | 8 | 7 | | | | | 8 | 18 | | | 16 |
| 17 Arterio-sclerosis | 11 | 6 | 1 | 2 | 4 | 2 | 7 | 7 | 3 | 1 | | | | | — | 1 | | | 17 |
| 18 Bronchitis | 14 | 12 | 2 | 3 | 8 | 4 | 5 | 9 | 4 | 5 | | | | | 9 | 12 | | | 18 |
| 19 Pneumonia (all forms) | 24 | 15 | 7 | 2 | 3 | 3 | 3 | 6 | 7 | 2 | | | | | 8 | 5 | | | 19 |
| 20 Other respiratory diseases | 6 | 1 | — | — | — | — | — | 1 | — | — | | | | | 1 | 6 | | | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 2 | 1 | 1 | 1 | — | 1 | 2 | — | — | | | | | 1 | — | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 4 | 2 | 1 | — | 1 | — | 1 | — | 2 | — | | | | | 1 | — | | | 22 |
| 23 Appendicitis and typhlitis | 2 | 1 | — | — | — | — | — | — | 1 | 1 | | | | | 1 | — | | | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | 2 | 1 | — | | | | | — | — | | | 24 |
| 25 Acute and chronic nephritis | 8 | 4 | 6 | 1 | 3 | 4 | 4 | 2 | 1 | 2 | | | | | — | 1 | | | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | — | — | 1 | | | | | — | — | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 4 | — | — | — | 2 | — | — | — | 2 | | | | | — | — | | | 27 |
| 28 Congenital debility and malformation, premature birth | 14 | 12 | 8 | 2 | — | 2 | 3 | 1 | 3 | 6 | | | | | 2 | 2 | | | 28 |
| 29 Suicide | 1 | 1 | 1 | — | 4 | — | 1 | — | 1 | — | | | | | 1 | 1 | | | 29 |
| 30 Other deaths from violence | 17 | 7 | — | — | 3 | 2 | 5 | 2 | 2 | 2 | | | | | 4 | 2 | | | 30 |
| 31 Other defined diseases | 46 | 62 | 22 | 22 | 29 | 21 | 27 | 38 | 16 | 11 | | | | | 19 | 21 | | | 31 |
| 32 Causes ill-defined or unknown | 1 | 1 | 1 | 2 | — | — | 1 | 1 | 1 | — | | | | | 1 | 1 | | | 32 |

## OXFORDSHIRE—*cont.* / PETERBOROUGH, SOKE OF.

| Causes of Death. | Banbury R.D. | | Chipping Norton R.D. | | Head-ington R.D. | | Henley R.D. | | Witney R.D. | | Wood-stock R.D. | | | | | | Peter-borough M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | | M. | F. | |
| **All Causes** | 77 | 80 | 64 | 66 | 74 | 59 | 59 | 57 | 103 | 114 | 64 | 63 | | | | | 211 | 171 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | | | | | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | | | | | — | — | 2 |
| 3 Measles | 1 | 1 | — | — | — | — | — | — | — | — | — | — | | | | | 1 | — | 3 |
| 4 Scarlet fever | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | | | | | — | — | 4 |
| 5 Whooping cough | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | | | | | 2 | — | 5 |
| 6 Diphtheria | 1 | — | — | — | 1 | — | — | — | 2 | 2 | — | 1 | | | | | — | — | 6 |
| 7 Influenza | — | 1 | 2 | — | 1 | 2 | — | 1 | 7 | 7 | — | 2 | | | | | 1 | 1 | 7 |
| 8 Encephalitis lethargica | 1 | — | — | — | — | — | — | 1 | — | — | — | — | | | | | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | | | | | — | 1 | 9 |
| 10 Tuberculosis of respiratory sys. | 4 | 1 | 2 | 5 | 6 | 9 | 1 | 1 | 9 | 2 | 1 | 4 | | | | | 16 | 6 | 10 |
| 11 Other tuberculous diseases | 2 | — | 1 | 1 | — | 1 | — | — | — | 3 | — | — | | | | | 2 | 2 | 11 |
| 12 Cancer, malignant disease | 11 | 11 | 7 | 9 | 9 | 3 | 10 | 9 | 9 | 18 | 9 | 11 | | | | | 31 | 27 | 12 |
| 13 Rheumatic fever | — | 2 | — | — | — | 1 | 1 | — | — | — | — | — | | | | | — | — | 13 |
| 14 Diabetes | — | 2 | — | 1 | — | 2 | 1 | 1 | 1 | 5 | 1 | — | | | | | 4 | 4 | 14 |
| 15 Cerebral hæmorrhage, &c. | 7 | 12 | 2 | 4 | 2 | 7 | 2 | 4 | 6 | 13 | 9 | 7 | | | | | 16 | 15 | 15 |
| 16 Heart disease | 9 | 8 | 9 | 14 | 11 | 4 | 8 | 12 | 9 | 18 | 9 | 11 | | | | | 22 | 30 | 16 |
| 17 Arterio-sclerosis | 1 | 2 | 3 | 8 | 3 | — | 5 | 1 | 4 | 1 | 4 | 3 | | | | | 5 | 5 | 17 |
| 18 Bronchitis | 5 | 4 | 2 | 4 | 5 | 8 | 4 | 4 | 7 | 7 | 6 | 2 | | | | | 19 | 7 | 18 |
| 19 Pneumonia (all forms) | 4 | 3 | 3 | — | 4 | 4 | 9 | 2 | 1 | 5 | 4 | 3 | | | | | 17 | 7 | 19 |
| 20 Other respiratory diseases | 2 | 1 | 1 | — | 1 | — | — | — | 3 | 3 | 2 | — | | | | | 4 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 2 | 2 | — | — | — | 1 | 1 | 1 | — | — | | | | | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | 1 | 1 | — | 1 | 1 | — | 1 | — | — | — | — | | | | | — | 1 | 22 |
| 23 Appendicitis and typhlitis | — | — | — | — | 1 | — | — | 2 | — | 1 | — | — | | | | | 1 | 2 | 23 |
| 24 Cirrhosis of liver | — | — | 2 | — | — | — | — | — | — | — | — | — | | | | | 1 | — | 24 |
| 25 Acute and chronic nephritis | 1 | 2 | 1 | 1 | 3 | — | 1 | 2 | 5 | 2 | — | — | | | | | 6 | 7 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | — | — | 1 | — | 1 | | | | | — | 3 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | — | — | 1 | — | — | — | — | | | | | — | 2 | 27 |
| 28 Congenital debility and malformation, premature birth | 5 | 3 | 5 | 6 | 5 | 1 | 1 | 3 | 6 | 4 | 3 | 2 | | | | | 9 | 4 | 28 |
| 29 Suicide | 1 | — | — | — | — | 2 | — | — | — | — | 1 | 1 | | | | | 1 | — | 29 |
| 30 Other deaths from violence | 3 | 1 | — | — | 5 | 2 | 6 | — | 2 | — | 2 | 1 | | | | | 6 | 6 | 30 |
| 31 Other defined diseases | 17 | 25 | 20 | 11 | 15 | 11 | 9 | 9 | 28 | 18 | 12 | 13 | | | | | 44 | 37 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | 1 | — | — | — | 1 | 2 | 2 | 1 | — | 1 | | | | | 3 | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## SHROPSHIRE.

| Causes of Death. | Oakengates U.D. | | Shrewsbury M.B. | | Wenlock M.B. | | | | Atcham R.D. | | Oswestry R.D. | | Wellington R.D. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | | | M. | F. | M. | F. | M. | F. | | | | | |
| **All Causes** | 73 | 69 | 203 | 199 | 75 | 73 | | | 136 | 126 | 118 | 106 | 66 | 60 | | | | | |
| 1 Enteric fever | — | — | — | — | — | — | | | — | — | — | — | — | — | | | | | 1 |
| 2 Small-pox | — | — | — | — | — | — | | | — | — | — | — | — | — | | | | | 2 |
| 3 Measles | — | — | 4 | 4 | — | — | | | 1 | — | 1 | — | — | — | | | | | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | | | 1 | — | 1 | — | — | — | | | | | 4 |
| 5 Whooping cough | — | 1 | 2 | 2 | 3 | — | | | — | 1 | — | 1 | — | — | | | | | 5 |
| 6 Diphtheria | — | — | — | — | — | — | | | — | 2 | — | 1 | — | — | | | | | 6 |
| 7 Influenza | 3 | 3 | 16 | 14 | 1 | 2 | | | 5 | 5 | 5 | 1 | 2 | 1 | | | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | | | — | — | — | — | 1 | — | | | | | 8 |
| 9 Meningococcal meningitis | 1 | — | — | — | — | — | | | 1 | — | — | — | — | — | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 4 | 3 | 16 | 8 | 3 | 6 | | | 10 | 7 | 7 | 5 | 3 | 7 | | | | | 10 |
| 11 Other tuberculous diseases | 1 | — | 3 | 5 | 1 | 3 | | | 4 | 2 | 1 | — | 2 | 1 | | | | | 11 |
| 12 Cancer, malignant disease | 8 | 13 | 17 | 25 | 9 | 5 | | | 21 | 16 | 13 | 11 | 9 | 13 | | | | | 12 |
| 13 Rheumatic fever | — | — | 1 | 2 | — | — | | | 1 | 1 | — | — | — | — | | | | | 13 |
| 14 Diabetes | 1 | 2 | 1 | 1 | 1 | 1 | | | 1 | — | 1 | 3 | — | — | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 2 | 2 | 11 | 14 | 2 | 4 | | | 8 | 10 | 4 | 8 | 6 | 1 | | | | | 15 |
| 16 Heart disease | 6 | 7 | 31 | 28 | 16 | 17 | | | 16 | 20 | 20 | 24 | 7 | 9 | | | | | 16 |
| 17 Arterio-sclerosis | 3 | 1 | 9 | 5 | 2 | 2 | | | 7 | 2 | 11 | 5 | 4 | 3 | | | | | 17 |
| 18 Bronchitis | 6 | 6 | 8 | 10 | 4 | 4 | | | 5 | 8 | 4 | 4 | 5 | 1 | | | | | 18 |
| 19 Pneumonia (all forms) | 4 | 4 | 20 | 22 | 4 | 2 | | | 4 | 3 | 8 | 8 | 3 | 3 | | | | | 19 |
| 20 Other respiratory diseases | 2 | 1 | 2 | 1 | — | — | | | — | 2 | 1 | — | — | — | | | | | 20 |
| 21 Ulcer of stomach or duodenum | 2 | 1 | 1 | 2 | — | 1 | | | 1 | — | 2 | — | — | — | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 3 | 3 | 1 | — | | | — | — | — | 2 | 1 | 1 | | | | | 22 |
| 23 Appendicitis and typhlitis | — | — | 6 | 3 | — | — | | | 2 | 2 | — | 1 | — | — | | | | | 23 |
| 24 Cirrhosis of liver | — | — | 1 | 1 | — | — | | | — | — | — | — | — | — | | | | | 24 |
| 25 Acute and chronic nephritis | 1 | 1 | 4 | 2 | 3 | 4 | | | 4 | — | 7 | 6 | 1 | — | | | | | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | | | — | 1 | — | 2 | — | 1 | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 2 | — | — | | | — | 3 | — | — | — | 1 | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 9 | 4 | 8 | 7 | 6 | — | | | 11 | 4 | 9 | 5 | 7 | 6 | | | | | 28 |
| 29 Suicide | 1 | — | 4 | — | — | — | | | 1 | — | 1 | 2 | 2 | — | | | | | 29 |
| 30 Other deaths from violence | 4 | 1 | 4 | 5 | 2 | 1 | | | 3 | 5 | 7 | — | 2 | — | | | | | 30 |
| 31 Other defined diseases | 14 | 17 | 30 | 33 | 17 | 20 | | | 29 | 32 | 14 | 15 | 9 | 12 | | | | | 31 |
| 32 Causes ill-defined or unknown | 1 | 2 | 1 | — | — | 1 | | | — | — | 1 | 2 | 2 | — | | | | | 32 |

## SOMERSETSHIRE.

| Causes of Death. | Bridgwater M.B. | | Frome U.D. | | Taunton M.B. | | Weston-super-Mare U.D. | | Yeovil M.B. | | | | Axbridge R.D. | | Bath R.D. | | Bridgwater R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 83 | 90 | 54 | 62 | 111 | 147 | 142 | 172 | 68 | 56 | | | 137 | 161 | 70 | 76 | 111 | 136 | |
| 1 Enteric fever | — | — | — | — | — | 1 | — | — | — | — | | | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | | | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | 4 | 2 | — | — | — | — | | | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | | | — | — | — | 1 | — | — | 4 |
| 5 Whooping cough | — | — | 2 | 1 | 4 | 2 | — | — | — | 3 | | | — | 3 | 1 | — | — | — | 5 |
| 6 Diphtheria | — | 2 | — | — | — | — | — | — | — | — | | | — | — | 1 | — | — | 1 | 6 |
| 7 Influenza | 2 | 1 | — | 2 | 2 | — | 2 | 2 | 2 | — | | | 2 | 1 | — | 2 | 2 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | | | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | 1 | — | — | — | — | — | — | — | 1 | | | — | — | — | — | 1 | — | 9 |
| 10 Tuberculosis of respiratory sys. | 3 | 8 | 5 | 4 | 6 | 14 | 7 | 7 | 4 | 6 | | | 11 | 8 | 7 | — | 6 | 9 | 10 |
| 11 Other tuberculous diseases | — | — | — | 1 | 3 | 3 | 3 | 5 | — | 1 | | | 3 | 3 | — | 1 | 1 | 6 | 11 |
| 12 Cancer, malignant disease | 11 | 15 | 8 | 12 | 13 | 16 | 13 | 23 | 4 | 6 | | | 21 | 22 | 9 | 10 | 12 | 11 | 12 |
| 13 Rheumatic fever | 1 | 1 | — | — | — | — | — | — | — | — | | | — | — | — | — | — | 1 | 13 |
| 14 Diabetes | 1 | — | — | 2 | — | — | — | 1 | — | — | | | — | 3 | 2 | 3 | — | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 4 | 4 | 2 | 3 | 6 | 9 | 8 | 21 | 4 | 4 | | | 8 | 17 | 3 | 7 | 10 | 12 | 15 |
| 16 Heart disease | 10 | 10 | 6 | 13 | 13 | 22 | 23 | 30 | 12 | 8 | | | 25 | 29 | 11 | 12 | 18 | 22 | 16 |
| 17 Arterio-sclerosis | 6 | 2 | 10 | 4 | 3 | 1 | 3 | 5 | 2 | 4 | | | 7 | 5 | 1 | — | 2 | 5 | 17 |
| 18 Bronchitis | 5 | 8 | 3 | 3 | 9 | 20 | 10 | 10 | 2 | 4 | | | 3 | 7 | 6 | 10 | 8 | 6 | 18 |
| 19 Pneumonia (all forms) | 5 | 5 | 5 | — | 4 | 3 | 3 | 9 | 8 | — | | | 4 | 4 | — | 2 | 7 | 4 | 19 |
| 20 Other respiratory diseases | 1 | 1 | — | — | — | 1 | 1 | 1 | 2 | — | | | 7 | 1 | — | — | 2 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | 2 | — | — | — | 1 | — | 6 | 2 | 2 | 1 | | | 1 | — | — | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | — | 1 | 5 | 3 | 1 | — | 1 | — | | | — | — | — | — | 3 | 3 | 22 |
| 23 Appendicitis and typhlitis | 1 | — | — | — | — | 2 | 2 | 2 | 2 | — | | | — | 1 | — | 1 | — | 1 | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | 1 | 1 | — | — | | | 2 | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 2 | — | 3 | 1 | 6 | 5 | 7 | 8 | 1 | 2 | | | 4 | 5 | 6 | 6 | 1 | 2 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | — | — | — | | | — | 1 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | — | — | 2 | — | — | | | — | 3 | — | 1 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 6 | 4 | 2 | 1 | 6 | 6 | 2 | 3 | 2 | 1 | | | 3 | 6 | 5 | 2 | 9 | 4 | 28 |
| 29 Suicide | — | 1 | 1 | — | 1 | 2 | 1 | 2 | 1 | 1 | | | 2 | — | 2 | 1 | — | 1 | 29 |
| 30 Other deaths from violence | 5 | 3 | 1 | 1 | 5 | 3 | 6 | 3 | 2 | — | | | 10 | 3 | 1 | 2 | 3 | 5 | 30 |
| 31 Other defined diseases | 17 | 24 | 6 | 12 | 20 | 31 | 42 | 35 | 17 | 14 | | | 24 | 39 | 15 | 15 | 26 | 41 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | 1 | — | — | — | | | — | — | — | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## SOMERSETSHIRE—*cont.*

| Causes of Death. | Chard R.D. | | Clutton R.D. | | Frome R.D. | | Keynsham R.D. | | Langport R.D. | | Long Ashton R.D. | | Taunton R.D. | | Wells R.D. | | Williton R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 69 | 78 | 69 | 81 | 67 | 65 | 47 | 43 | 95 | 85 | 103 | 89 | 89 | 89 | 62 | 56 | 73 | 65 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — | — | — | 1 | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | 2 | — | 1 | — | — | — | — | — | 2 | — | 4 |
| 5 Whooping cough | — | 1 | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — | 5 |
| 6 Diphtheria | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — | — | — | — | — | — | 6 |
| 7 Influenza | 2 | 1 | — | 2 | 1 | — | 2 | 1 | 1 | 1 | 2 | 1 | 5 | 2 | 1 | 1 | — | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 5 | 3 | 6 | 2 | 3 | 5 | 5 | 7 | 3 | 3 | 4 | 6 | 7 | 3 | 7 | 2 | 3 | 10 |
| 11 Other tuberculous diseases | 2 | 1 | 1 | 2 | 1 | — | 1 | — | 1 | 2 | 2 | 4 | 2 | 2 | — | 1 | 1 | 1 | 11 |
| 12 Cancer, malignant disease | 5 | 13 | 8 | 13 | 6 | 3 | 8 | 9 | 10 | 12 | 9 | 12 | 18 | 11 | 9 | 2 | 9 | 7 | 12 |
| 13 Rheumatic fever | 1 | 1 | — | 1 | — | — | — | — | — | — | 1 | 1 | — | 1 | — | — | — | — | 13 |
| 14 Diabetes | — | 1 | — | — | — | 1 | 1 | 1 | 2 | 1 | 4 | — | — | — | — | — | — | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 5 | 8 | 5 | 7 | 2 | 1 | 4 | 4 | 12 | 11 | 10 | 3 | 6 | 7 | 5 | 3 | 4 | 3 | 15 |
| 16 Heart disease | 11 | 13 | 4 | 10 | 13 | 19 | 2 | 10 | 12 | 13 | 16 | 12 | 7 | 7 | 12 | 18 | 15 | 10 | 16 |
| 17 Arterio-sclerosis | 3 | 2 | 2 | 5 | 3 | 2 | — | — | 1 | 1 | 2 | 4 | 1 | 2 | 3 | 3 | 3 | 1 | 17 |
| 18 Bronchitis | 4 | 4 | 9 | 8 | 3 | 2 | 1 | 1 | 4 | 3 | 2 | 3 | 10 | 6 | 4 | 4 | 2 | 4 | 18 |
| 19 Pneumonia (all forms) | 5 | 1 | 3 | 2 | 2 | 1 | 3 | 1 | 2 | 2 | 13 | 7 | 5 | 4 | 3 | 3 | 2 | 3 | 19 |
| 20 Other respiratory diseases | 1 | — | 6 | 2 | 5 | — | — | — | — | 2 | 1 | 3 | 1 | — | — | — | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | 1 | — | 3 | — | — | — | 3 | — | 2 | 1 | — | — | — | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | 22 |
| 23 Appendicitis and typhlitis | 1 | — | 1 | — | 1 | 1 | — | — | 2 | — | 1 | — | 1 | 1 | — | — | 1 | 1 | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | 1 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 1 | 2 | 2 | 3 | 3 | 1 | 2 | — | 6 | 8 | 1 | 4 | 2 | 1 | — | 1 | 2 | 3 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 5 | 6 | 3 | 3 | 3 | 1 | 1 | 3 | 2 | 3 | 1 | 1 | 3 | 9 | 2 | 2 | 3 | 28 |
| 29 Suicide | — | — | 1 | — | 1 | — | — | 1 | 1 | 1 | 2 | 1 | 1 | — | 5 | — | — | 1 | 29 |
| 30 Other deaths from violence | 2 | — | 5 | 2 | 3 | 4 | 7 | — | — | 1 | 4 | — | 5 | 2 | — | 1 | 6 | 2 | 30 |
| 31 Other defined diseases | 16 | 20 | 12 | 14 | 15 | 21 | 7 | 7 | 25 | 20 | 20 | 24 | 17 | 28 | 6 | 10 | 19 | 20 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | 1 | 1 | 32 |

## SOMERSETSHIRE—*cont.* SOUTHAMPTON.

| Causes of Death. | Wincanton R.D. | | Yeovil R.D. | | Aldershot M.B. | | Basingstoke M.B. | | Eastleigh & Bishopstoke U.D. | | Fareham U.D. | | Farnborough U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 89 | 98 | 80 | 86 | 124 | 114 | 72 | 76 | 86 | 63 | 49 | 40 | 37 | 44 | |
| 1 Enteric fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | 4 |
| 5 Whooping cough | 1 | 2 | — | — | 5 | 4 | — | 1 | — | — | 1 | — | — | — | 5 |
| 6 Diphtheria | — | — | — | — | — | 1 | 1 | 2 | 1 | — | 1 | — | — | — | 6 |
| 7 Influenza | 1 | 2 | — | 1 | — | 1 | 2 | 1 | — | 1 | — | — | — | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 5 | 3 | 4 | 3 | 11 | 8 | 8 | 7 | 7 | 6 | 4 | 6 | 5 | 3 | 10 |
| 11 Other tuberculous diseases | 1 | 1 | 1 | — | 1 | 1 | 4 | — | 2 | 1 | 4 | — | 4 | 1 | 11 |
| 12 Cancer, malignant disease | 13 | 17 | 8 | 12 | 19 | 13 | 7 | 12 | 6 | 9 | 4 | 5 | 5 | 3 | 12 |
| 13 Rheumatic fever | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | 13 |
| 14 Diabetes | 1 | 3 | — | — | 1 | 2 | 1 | — | 1 | 1 | — | — | 1 | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 9 | 16 | 10 | 13 | 9 | 7 | 1 | 4 | 10 | 4 | 2 | 5 | 1 | 5 | 15 |
| 16 Heart disease | 11 | 12 | 20 | 13 | 13 | 18 | 9 | 13 | 10 | 13 | 4 | 3 | 8 | 9 | 16 |
| 17 Arterio-sclerosis | 3 | 5 | 5 | 2 | 3 | 5 | 4 | 1 | 1 | 3 | 5 | — | 1 | 1 | 17 |
| 18 Bronchitis | 3 | 5 | 3 | 8 | 5 | 6 | 5 | 8 | 6 | 2 | 4 | 2 | 1 | 4 | 18 |
| 19 Pneumonia (all forms) | 3 | 1 | 2 | 3 | 13 | 5 | 4 | 1 | 6 | 2 | 2 | — | — | 1 | 19 |
| 20 Other respiratory diseases | 3 | 1 | 1 | 1 | — | — | 1 | — | 2 | — | — | 2 | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 1 | 1 | 1 | 1 | — | 1 | — | 1 | — | — | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | 1 | — | — | 1 | 2 | — | — | 1 | 2 | — | — | — | 2 | 22 |
| 23 Appendicitis and typhlitis | — | — | — | 1 | 5 | — | — | 2 | — | — | — | — | — | 1 | 23 |
| 24 Cirrhosis of liver | — | 1 | 1 | — | 1 | 1 | — | — | 1 | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 4 | 1 | — | 3 | 2 | 2 | — | 1 | 6 | 4 | — | 2 | — | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 1 | — | 1 | — | 1 | — | — | — | — | — | 2 | 27 |
| 28 Congenital debility and malformation, premature birth | 3 | 3 | 2 | 1 | 11 | 12 | 4 | 2 | 6 | 3 | 5 | 2 | 5 | 2 | 28 |
| 29 Suicide | — | — | — | — | 3 | — | 2 | 1 | 1 | — | — | — | 1 | — | 29 |
| 30 Other deaths from violence | 2 | 1 | 2 | 1 | 4 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | — | — | 30 |
| 31 Other defined diseases | 23 | 21 | 20 | 22 | 15 | 24 | 16 | 17 | 15 | 10 | 9 | 10 | 4 | 6 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

**SOUTHAMPTON**—*cont.*

| Causes of Death. | Gosport M.B. | | Winchester M.B. | | | | Alton R.D. | | Andover R.D. | | Basingstoke R.D. | | Droxford R.D. | | Fareham R.D. | | Hartley Wintney R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | | | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 188 | 149 | 126 | 148 | | | 86 | 61 | 59 | 57 | 75 | 44 | 79 | 63 | 76 | 68 | 88 | 104 | |
| 1 Enteric fever | — | — | — | — | | | — | — | — | — | 1 | — | 1 | — | — | — | — | — | |
| 2 Small-pox | — | — | — | — | | | — | — | — | — | — | — | — | — | — | — | — | — | |
| 3 Measles | — | — | — | — | | | — | — | — | — | — | — | 2 | — | 1 | — | — | — | |
| 4 Scarlet fever | 1 | — | — | — | | | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| 5 Whooping cough | — | 1 | 3 | 3 | | | — | 1 | 2 | — | 1 | — | — | — | 1 | 1 | — | — | |
| 6 Diphtheria | 2 | 3 | 1 | 2 | | | — | 2 | — | — | 1 | — | — | — | — | 1 | — | 2 | |
| 7 Influenza | 1 | — | 2 | — | | | — | — | — | 1 | — | 1 | 3 | — | 1 | — | 1 | 1 | |
| 8 Encephalitis lethargica | — | 1 | — | — | | | — | — | 1 | — | — | — | — | — | — | — | — | 1 | |
| 9 Meningococcal meningitis | — | — | — | — | | | — | — | — | — | — | — | — | — | — | — | — | — | |
| 10 Tuberculosis of respiratory sys. | 11 | 8 | 11 | 6 | | | 5 | 3 | 2 | 3 | 8 | 4 | 7 | 3 | 5 | 5 | 5 | 3 | |
| 11 Other tuberculous diseases | 7 | 3 | — | 4 | | | 3 | 3 | 1 | 1 | — | — | 1 | 2 | — | 1 | 1 | 2 | |
| 12 Cancer, malignant disease | 28 | 20 | 12 | 27 | | | 11 | 4 | 10 | 11 | 11 | 4 | 6 | 9 | 6 | 12 | 15 | 15 | |
| 13 Rheumatic fever | 1 | — | — | — | | | — | — | — | 1 | — | — | — | 1 | — | 1 | — | — | |
| 14 Diabetes | 2 | 5 | 1 | 2 | | | 1 | — | 1 | 2 | — | — | 2 | — | 1 | 1 | 1 | 1 | |
| 15 Cerebral hæmorrhage, &c. | 16 | 10 | 7 | 6 | | | 4 | — | — | 4 | 5 | 3 | 5 | 7 | 7 | 5 | 5 | 9 | |
| 16 Heart disease | 31 | 16 | 16 | 24 | | | 11 | 14 | 10 | 13 | 7 | 11 | 12 | 15 | 12 | 14 | 17 | 30 | |
| 17 Arterio-sclerosis | 1 | — | 2 | 2 | | | 5 | 2 | 3 | 1 | 3 | 1 | 5 | 4 | 2 | — | 9 | 12 | |
| 18 Bronchitis | 10 | 8 | 4 | 9 | | | 4 | 2 | 3 | 1 | 7 | 1 | 3 | 4 | 5 | 3 | 3 | 1 | |
| 19 Pneumonia (all forms) | 9 | 8 | 12 | 7 | | | 3 | 4 | 6 | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 5 | 4 | |
| 20 Other respiratory diseases | 1 | 1 | 2 | 3 | | | 1 | 2 | 2 | 2 | — | — | — | — | — | — | 1 | — | |
| 21 Ulcer of stomach or duodenum | — | 1 | — | 1 | | | — | — | — | — | 1 | — | 1 | — | — | — | 1 | — | |
| 22 Diarrhœa, &c. (under 2 years) | 3 | — | 1 | 2 | | | — | — | — | — | 1 | — | — | — | — | — | 1 | 2 | |
| 23 Appendicitis and typhlitis | 2 | — | 1 | 2 | | | 1 | — | — | — | 2 | — | — | — | — | — | — | 1 | |
| 24 Cirrhosis of liver | — | — | 1 | — | | | — | — | — | — | — | — | 1 | — | — | — | 1 | 1 | |
| 25 Acute and chronic nephritis | 4 | 7 | 6 | 2 | | | — | 2 | 3 | 3 | 1 | 1 | 3 | 2 | 3 | — | — | 1 | |
| 26 Puerperal sepsis | — | — | — | — | | | — | — | — | — | — | — | — | 1 | — | — | — | — | |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | | | — | — | — | 2 | — | — | — | — | — | 1 | — | — | |
| 28 Congenital debility and malformation, premature birth | 12 | 7 | 10 | 6 | | | 6 | 3 | 2 | 2 | 8 | — | 2 | 5 | 9 | 2 | 7 | 3 | |
| 29 Suicide | 2 | 1 | 1 | — | | | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| 30 Other deaths from violence | 6 | 7 | 2 | 4 | | | 4 | 2 | — | — | 2 | — | 1 | 2 | 4 | 3 | 3 | — | |
| 31 Other defined diseases | 38 | 39 | 31 | 36 | | | 25 | 17 | 13 | 6 | 14 | 16 | 19 | 7 | 16 | 16 | 11 | 15 | |
| 32 Causes ill-defined or unknown | — | 1 | — | — | | | 1 | — | — | 1 | — | — | 1 | — | — | — | 1 | — | |

**SOUTHAMPTON**—*cont.* **STAFFORDSHIRE**

| Causes of Death. | Lymington R.D. | | New Forest R.D. | | Petersfield R.D. | | South Stoneham R.D. | | Winchester R.D. | | | | | | Audley U.D. | | Bilston U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | | M. | F. | M. | F. | |
| **All Causes** | 64 | 59 | 96 | 98 | 75 | 52 | 54 | 60 | 62 | 44 | | | | | 76 | 68 | 217 | 186 | |
| 1 Enteric fever | — | — | 1 | — | — | — | — | — | — | — | | | | | — | — | — | — | |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | | | | | — | — | — | — | |
| 3 Measles | — | — | — | — | 1 | — | — | 1 | 1 | — | | | | | — | — | 9 | 4 | |
| 4 Scarlet fever | — | — | — | — | — | — | 1 | — | — | — | | | | | 2 | — | — | 1 | |
| 5 Whooping cough | 1 | — | — | 2 | — | — | — | 1 | 3 | — | | | | | — | — | 1 | — | |
| 6 Diphtheria | — | — | — | — | — | 1 | — | — | — | — | | | | | 1 | 1 | — | — | |
| 7 Influenza | — | 2 | — | 1 | 1 | — | — | — | — | — | | | | | 3 | 2 | 4 | 2 | |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | | | | | — | 2 | — | — | |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | | | | | — | — | — | — | |
| 10 Tuberculosis of respiratory sys. | 5 | 2 | 8 | 7 | 14 | 2 | 4 | 5 | 3 | 1 | | | | | 3 | 3 | 12 | 12 | 1 |
| 11 Other tuberculous diseases | — | 2 | 1 | — | — | — | — | 3 | 1 | 1 | | | | | 2 | — | 5 | 3 | 1 |
| 12 Cancer, malignant disease | 7 | 12 | 11 | 15 | 9 | 7 | 9 | 8 | 13 | 11 | | | | | 4 | 6 | 18 | 16 | 1 |
| 13 Rheumatic fever | — | — | — | — | — | — | — | — | 1 | — | | | | | — | — | — | 1 | 1 |
| 14 Diabetes | — | — | — | 2 | 1 | 1 | — | 1 | — | — | | | | | — | 1 | 2 | 2 | 1 |
| 15 Cerebral hæmorrhage, &c. | 4 | 4 | 4 | 4 | 5 | 7 | 2 | 8 | 2 | 4 | | | | | 3 | 6 | 4 | 10 | 1 |
| 16 Heart disease | 12 | 10 | 14 | 14 | 10 | 8 | 2 | 8 | 6 | 7 | | | | | 6 | 5 | 12 | 20 | 1 |
| 17 Arterio-sclerosis | 1 | 3 | 4 | 1 | 5 | 2 | 4 | 4 | 1 | 1 | | | | | 3 | 1 | 3 | 2 | 1 |
| 18 Bronchitis | 1 | 1 | 2 | 9 | 5 | 4 | 2 | 1 | 3 | 2 | | | | | 8 | 7 | 26 | 18 | 1 |
| 19 Pneumonia (all forms) | 1 | 3 | 4 | 5 | 2 | 3 | 4 | 3 | — | — | | | | | 6 | 4 | 35 | 27 | 1 |
| 20 Other respiratory diseases | 3 | — | — | — | — | — | 2 | — | 3 | — | | | | | 2 | 3 | 1 | 4 | 2 |
| 21 Ulcer of stomach or duodenum | 2 | 1 | 1 | — | — | 1 | — | — | — | — | | | | | — | 1 | 2 | 1 | 2 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | 1 | 2 | — | 1 | 1 | — | — | | | | | — | — | 12 | 7 | 2 |
| 23 Appendicitis and typhlitis | — | — | 2 | — | — | — | — | — | 1 | 1 | | | | | — | — | — | 1 | 2 |
| 24 Cirrhosis of liver | — | 1 | — | — | — | — | — | 1 | — | — | | | | | — | — | 1 | — | 2 |
| 25 Acute and chronic nephritis | 1 | 1 | 7 | 4 | 2 | 5 | 4 | 3 | 5 | — | | | | | 1 | 4 | 1 | 2 | 2 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | 1 | | | | | — | — | — | — | 2 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | — | — | — | — | — | — | 1 | | | | | — | 2 | — | 1 | 2 |
| 28 Congenital debility and malformation, premature birth | 5 | 4 | 5 | 4 | 2 | 4 | 3 | 3 | 3 | 4 | | | | | 1 | 4 | 17 | 11 | 2 |
| 29 Suicide | 1 | 1 | 1 | — | 2 | — | — | 2 | — | — | | | | | — | — | 1 | — | 2 |
| 30 Other deaths from violence | 2 | 1 | 7 | 2 | 2 | 2 | 1 | 1 | 4 | — | | | | | 11 | — | 9 | 5 | 3 |
| 31 Other defined diseases | 18 | 10 | 24 | 27 | 12 | 5 | 15 | 5 | 11 | 9 | | | | | 18 | 16 | 41 | 36 | 3 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | 1 | 1 | 1 | | | | | 2 | — | 1 | — | 3 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## STAFFORDSHIRE—*cont.*

| Causes of Death. | Brierley Hill U.D. | | Brownhills U.D. | | Cannock U.D. | | Coseley U.D. | | Darlaston U.D. | | Heathtown or Wednesfield Heath U.D. | | Leek U.D. | | Newcastle under Lyme M.B. | | Rowley Regis U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 88 | 93 | 118 | 101 | 204 | 163 | 140 | 116 | 103 | 92 | 91 | 62 | 114 | 122 | 152 | 144 | 240 | 205 | |
| 1 Enteric fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 3 | 1 | 5 | 1 | 3 | — | — | — | 2 | 4 | 2 | 4 | 2 | 2 | 3 | 2 | 6 | 14 | 3 |
| 4 Scarlet fever | 1 | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | 1 | 2 | 3 | — | — | — | — | 2 | 2 | — | — | — | — | 4 | — | 3 | 4 | 5 |
| 6 Diphtheria | — | — | 1 | 1 | — | — | — | — | — | — | 4 | 3 | — | — | 2 | 3 | — | 1 | 6 |
| 7 Influenza | 4 | 2 | 2 | 2 | 4 | 3 | 3 | — | 1 | — | 1 | — | — | — | 1 | 3 | 11 | 13 | 7 |
| 8 Encephalitis lethargica | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 9 |
| 0 Tuberculosis of respiratory sys. | 5 | 9 | 2 | 5 | 9 | 10 | 9 | 3 | 10 | 11 | 5 | 5 | 7 | 13 | 12 | 10 | 15 | 10 | 10 |
| 1 Other tuberculous diseases | 1 | 1 | 2 | 2 | 3 | 3 | 2 | 4 | 5 | 1 | 2 | 1 | 6 | — | 8 | 6 | 3 | 3 | 11 |
| 2 Cancer, malignant disease | 5 | 12 | 11 | 10 | 14 | 16 | 11 | 11 | 12 | 6 | 3 | 3 | 9 | 14 | 15 | 15 | 22 | 16 | 12 |
| 3 Rheumatic fever | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | 2 | — | 13 |
| 4 Diabetes | 3 | 1 | — | 1 | 2 | 1 | — | 2 | — | — | 2 | — | 1 | 1 | — | — | 1 | 1 | 14 |
| 5 Cerebral hæmorrhage, &c. | 3 | 7 | 5 | 9 | 8 | 6 | 15 | 11 | — | 8 | 3 | 3 | 8 | 14 | 8 | 10 | 17 | 12 | 15 |
| 6 Heart disease | 2 | 6 | 12 | 8 | 19 | 21 | 23 | 18 | 8 | 9 | 7 | 9 | 11 | 20 | 10 | 15 | 10 | 21 | 16 |
| 7 Arterio-sclerosis | 2 | — | 5 | — | 7 | 3 | 2 | 2 | — | 1 | 2 | — | 2 | 3 | 3 | 7 | 3 | 1 | 17 |
| 8 Bronchitis | 3 | 5 | 11 | 6 | 11 | 12 | 10 | 8 | 9 | 3 | 12 | 8 | 8 | 9 | 17 | 10 | 27 | 34 | 18 |
| 9 Pneumonia (all forms) | 8 | 5 | 12 | 14 | 31 | 14 | 15 | 18 | 13 | 8 | 10 | 2 | 12 | 9 | 14 | 15 | 26 | 19 | 19 |
| 0 Other respiratory diseases | 2 | 1 | 3 | — | 4 | 4 | 4 | — | 2 | 1 | 1 | 1 | 3 | 1 | — | 1 | 1 | 1 | 20 |
| 1 Ulcer of stomach or duodenum | — | 1 | — | 1 | 3 | 1 | 3 | — | 4 | — | 1 | — | 4 | — | — | 1 | 5 | 1 | 21 |
| 2 Diarrhœa, &c. (under 2 years) | 2 | 2 | — | — | 6 | 4 | 1 | 5 | 2 | 4 | 2 | 2 | 3 | 1 | 3 | 6 | 6 | 3 | 22 |
| 3 Appendicitis and typhlitis | 1 | — | 1 | — | 4 | 1 | 1 | — | — | — | — | — | 1 | — | 2 | 2 | 1 | 1 | 23 |
| 4 Cirrhosis of liver | — | 1 | — | — | — | 1 | 1 | — | — | 1 | — | — | 1 | — | 1 | — | 2 | — | 24 |
| 5 Acute and chronic nephritis | 2 | 3 | 4 | 2 | 1 | 7 | 1 | 4 | — | — | 2 | 1 | 1 | 3 | 5 | 3 | 6 | 4 | 25 |
| 6 Puerperal sepsis | — | — | — | — | — | 3 | — | 1 | — | — | — | 1 | — | — | — | — | — | 2 | 26 |
| 7 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | 4 | — | 1 | — | 2 | — | — | — | 1 | — | 2 | — | 2 | 27 |
| 8 Congenital debility and malformation, premature birth | 6 | 6 | 16 | 8 | 20 | 19 | 7 | 8 | 9 | 8 | 9 | 4 | 7 | 4 | 10 | 10 | 12 | 14 | 28 |
| 9 Suicide | 1 | — | 5 | — | 2 | 1 | 2 | — | — | 1 | 2 | — | 3 | 1 | — | — | 3 | — | 29 |
| 0 Other deaths from violence | 3 | 5 | 8 | 4 | 19 | 1 | 3 | 1 | 4 | 2 | 3 | — | 4 | 4 | 7 | 3 | 12 | 1 | 30 |
| 1 Other defined diseases | 29 | 22 | 11 | 22 | 31 | 28 | 25 | 19 | 20 | 20 | 18 | 14 | 21 | 22 | 25 | 18 | 44 | 27 | 31 |
| 2 Causes ill-defined or unknown | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | 2 | 2 | 2 | — | 32 |

## STAFFORDSHIRE—*cont.*

| Causes of Death. | Sedgley U.D. | | Stafford M.B. | | Tipton U.D. | | Wednesbury M.B. | | Willenhall U.D. | | Wolstanton United U.D. | | | | | | Cannock R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | | M. | F. | |
| **All Causes** | 112 | 110 | 136 | 123 | 232 | 226 | 210 | 156 | 169 | 117 | 171 | 166 | | | | | 114 | 124 | |
| 1 Enteric fever | — | — | — | 2 | 2 | 1 | — | — | — | — | — | — | | | | | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | | | | | — | — | 2 |
| 3 Measles | 12 | 6 | 3 | 1 | 13 | 16 | 6 | 15 | 22 | 21 | 5 | 3 | | | | | 1 | — | 3 |
| 4 Scarlet fever | — | — | — | — | 1 | — | — | 1 | — | — | 2 | 2 | | | | | — | 1 | 4 |
| 5 Whooping cough | — | — | — | — | — | — | 6 | 3 | 2 | — | 1 | — | | | | | 2 | 1 | 5 |
| 6 Diphtheria | — | — | — | — | 2 | — | 1 | — | — | — | 1 | 4 | | | | | — | — | 6 |
| 7 Influenza | 5 | 2 | 1 | 1 | 6 | 5 | 2 | 1 | 4 | — | 3 | 5 | | | | | — | 5 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | 1 | — | — | — | | | | | — | — | 8 |
| 9 Meningococcal meningitis | — | — | 1 | — | — | — | — | — | — | — | — | — | | | | | — | — | 9 |
| 0 Tuberculosis of respiratory sys. | 6 | 8 | 10 | 16 | 13 | 7 | 14 | 8 | 16 | 9 | 12 | 18 | | | | | 9 | 5 | 10 |
| 1 Other tuberculous diseases | 2 | 2 | 2 | — | 3 | 3 | 14 | 7 | 7 | 2 | 6 | 5 | | | | | 2 | 2 | 11 |
| 2 Cancer, malignant disease | 7 | 11 | 16 | 16 | 13 | 14 | 21 | 14 | 13 | 6 | 16 | 12 | | | | | 10 | 16 | 12 |
| 3 Rheumatic fever | — | 1 | — | — | 1 | — | 2 | 1 | — | — | — | — | | | | | 1 | — | 13 |
| 4 Diabetes | 1 | 5 | 1 | 1 | 4 | — | 3 | — | 1 | — | — | 2 | | | | | 1 | 2 | 14 |
| 5 Cerebral hæmorrhage, &c. | 5 | 8 | 12 | 9 | 6 | 14 | 7 | 10 | 13 | 5 | 8 | 13 | | | | | 8 | 10 | 15 |
| 6 Heart disease | 12 | 7 | 21 | 19 | 12 | 16 | 18 | 16 | 9 | 9 | 15 | 25 | | | | | 10 | 21 | 16 |
| 7 Arterio-sclerosis | — | — | 2 | 2 | 4 | — | 5 | 3 | 2 | — | 7 | 4 | | | | | 1 | 1 | 17 |
| 8 Bronchitis | 6 | 5 | 11 | 14 | 16 | 16 | 21 | 12 | 6 | 16 | 21 | 20 | | | | | 10 | 5 | 18 |
| 9 Pneumonia (all forms) | 12 | 8 | 6 | 5 | 31 | 34 | 21 | 10 | 18 | 12 | 18 | 12 | | | | | 8 | 4 | 19 |
| 0 Other respiratory diseases | 1 | 2 | 1 | 2 | 7 | 2 | 2 | 4 | 2 | — | 2 | — | | | | | 1 | 2 | 20 |
| 1 Ulcer of stomach or duodenum | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | — | — | 1 | | | | | 1 | — | 21 |
| 2 Diarrhœa, &c. (under 2 years) | 3 | 2 | 1 | 1 | 6 | 10 | 2 | 4 | 2 | 2 | 3 | — | | | | | 4 | 1 | 22 |
| 3 Appendicitis and typhlitis | — | 1 | 2 | 1 | 4 | 2 | 1 | 1 | 2 | 1 | — | — | | | | | 1 | 1 | 23 |
| 4 Cirrhosis of liver | 1 | — | — | — | 1 | 1 | 1 | — | — | — | 1 | — | | | | | — | 1 | 24 |
| 5 Acute and chronic nephritis | 4 | 2 | 4 | 2 | 3 | 1 | 4 | — | 1 | 2 | 1 | 4 | | | | | — | 3 | 25 |
| 6 Puerperal sepsis | — | — | — | 1 | — | — | — | 1 | — | 2 | — | — | | | | | — | — | 26 |
| 7 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 1 | — | 1 | — | — | — | 2 | — | — | | | | | — | 2 | 27 |
| 8 Congenital debility and malformation, premature birth | 8 | 5 | 12 | 5 | 18 | 15 | 16 | 10 | 6 | 3 | 5 | 5 | | | | | 8 | 11 | 28 |
| 9 Suicide | 2 | 1 | 1 | — | 3 | 1 | 3 | — | 3 | 1 | 5 | — | | | | | 2 | — | 29 |
| 0 Other deaths from violence | 8 | 2 | 6 | 2 | 9 | 6 | 7 | 6 | 5 | 3 | 13 | 3 | | | | | 9 | 5 | 30 |
| 1 Other defined diseases | 16 | 29 | 22 | 21 | 50 | 57 | 32 | 28 | 32 | 21 | 25 | 27 | | | | | 25 | 25 | 31 |
| 2 Causes ill-defined or unknown | — | — | — | — | 1 | 2 | — | — | — | — | 1 | 1 | | | | | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## STAFFORDSHIRE—*cont.*

| Causes of Death. | Cheadle R.D. | | Kingswinford R.D. | | Leek R.D. | | Lichfield R.D. | | Seisdon R.D. | | Stafford R.D. | | Stone R.D. | | Tamworth (part of) R.D.* | | Walsall R.D. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| **All Causes** | 146 | 146 | 134 | 141 | 72 | 72 | 159 | 149 | 86 | 98 | 43 | 35 | 85 | 74 | 30 | 25 | 69 | 56 |
| 1 Enteric fever | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | 1 | 1 | 18 | 11 | 1 | 1 | — | — | 2 | 1 | 1 | — | — | — | 2 | 1 | 5 | 1 |
| 4 Scarlet fever | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | — | — | 1 | 1 | 2 | 2 | 2 | 1 | — | — | 1 | — | — | 1 | 1 | 1 | 2 | 1 |
| 6 Diphtheria | 2 | 3 | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — |
| 7 Influenza | 5 | 4 | 4 | 2 | — | 1 | 6 | 6 | 2 | 2 | 1 | — | 1 | 1 | 1 | — | 1 | — |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory sys. | 6 | 8 | 6 | 8 | 1 | 2 | 11 | 12 | 11 | 4 | 3 | 3 | 3 | 1 | 1 | 2 | 6 | 3 |
| 11 Other tuberculous diseases | 1 | 5 | 1 | 5 | 3 | 1 | 2 | 2 | — | 1 | 1 | 1 | 4 | 2 | — | — | 3 | 4 |
| 12 Cancer, malignant disease | 7 | 14 | 10 | 6 | 8 | 6 | 15 | 21 | 12 | 9 | 7 | 4 | 5 | 9 | 1 | 2 | 1 | 3 |
| 13 Rheumatic fever | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| 14 Diabetes | — | — | 4 | 2 | — | 1 | 3 | 2 | 1 | — | — | — | 1 | 1 | — | 1 | — | — |
| 15 Cerebral hæmorrhage, &c. | 5 | 8 | 6 | 11 | 5 | 10 | 9 | 17 | 6 | 11 | — | 2 | 4 | 2 | — | 2 | 4 | 5 |
| 16 Heart disease | 21 | 21 | 10 | 21 | 12 | 10 | 28 | 30 | 10 | 18 | 8 | 6 | 16 | 15 | 6 | 2 | 5 | 7 |
| 17 Arterio-sclerosis | 5 | 16 | 3 | 1 | 9 | 3 | 5 | 3 | 2 | 1 | 1 | 1 | 5 | 2 | 2 | 2 | 3 | 3 |
| 18 Bronchitis | 14 | 10 | 8 | 13 | 1 | 8 | 8 | 8 | 1 | 5 | 4 | 1 | 2 | 4 | 4 | 4 | 6 | 5 |
| 19 Pneumonia (all forms) | 17 | 9 | 9 | 8 | 7 | 6 | 15 | 7 | 4 | 3 | 1 | 2 | 8 | — | 2 | 3 | 6 | 3 |
| 20 Other respiratory diseases | 2 | 1 | 3 | 1 | 1 | — | 3 | — | — | — | 1 | — | — | 3 | — | — | — | — |
| 21 Ulcer of stomach or duodenum | 2 | — | 3 | — | — | — | — | — | — | 1 | 1 | — | 1 | — | 1 | — | — | — |
| 22 Diarrhœa, &c. (under 2 years) | 5 | 1 | — | 1 | — | — | 2 | 1 | 1 | 1 | — | — | — | 1 | — | — | 1 | — |
| 23 Appendicitis and typhlitis | 3 | — | 2 | — | — | — | — | — | 1 | 2 | — | 1 | 2 | — | — | — | — | — |
| 24 Cirrhosis of liver | — | — | 2 | — | — | — | 2 | 2 | — | 2 | — | — | — | — | — | — | — | — |
| 25 Acute and chronic nephritis | 1 | 3 | 7 | 3 | 1 | 2 | 1 | 4 | 1 | 1 | 2 | 1 | — | 1 | 1 | — | 1 | — |
| 26 Puerperal sepsis | — | 2 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 1 | — | — | — | 1 | — | 3 | — | — | — | — | — | — | — | — |
| 28 Congenital debility and malformation, premature birth | 9 | 11 | 7 | 5 | 4 | 4 | 11 | 7 | 7 | 3 | 1 | 1 | 9 | 2 | — | — | 4 | 1 |
| 29 Suicide | 2 | — | 1 | 1 | — | — | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | — | — | 2 | — |
| 30 Other deaths from violence | 5 | 2 | 6 | — | 4 | 2 | 9 | 1 | 6 | 1 | 2 | 1 | 3 | 2 | 2 | 1 | 3 | 1 |
| 31 Other defined diseases | 32 | 24 | 22 | 34 | 12 | 13 | 23 | 23 | 16 | 26 | 7 | 9 | 19 | 26 | 5 | 3 | 15 | 17 |
| 32 Causes ill-defined or unknown | 1 | — | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — |

## SUFFOLK, EAST.

| Causes of Death. | Felixstowe U.D. | | Lowestoft M.B. | | Blything R.D. | | Bosmere & Claydon R.D. | | Hartismere R.D. | | Mutford & Lothingland R.D. | | Plomesgate R.D. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| **All Causes** | 38 | 53 | 190 | 213 | 104 | 97 | 81 | 81 | 63 | 56 | 55 | 56 | 79 | 86 |
| 1 Enteric fever | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | — | — | — | 2 | — | — | 1 | 1 | — | — | 1 | — | — | — |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Whooping cough | — | — | 1 | — | — | — | — | — | — | — | — | — | 1 | 2 |
| 6 Diphtheria | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 7 Influenza | — | 1 | — | — | 2 | 1 | 1 | — | 1 | 2 | — | — | 2 | 1 |
| 8 Encephalitis lethargica | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| 9 Meningococcal meningitis | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory sys. | 1 | 2 | 22 | 27 | 9 | 6 | 8 | 3 | 3 | 2 | 4 | 3 | 3 | 4 |
| 11 Other tuberculous diseases | — | 1 | 7 | 2 | 1 | 5 | 1 | 2 | — | 2 | — | 3 | 2 | 1 |
| 12 Cancer, malignant disease | 3 | 12 | 15 | 35 | 12 | 18 | 13 | 13 | 2 | 7 | 8 | 5 | 8 | 13 |
| 13 Rheumatic fever | — | — | — | 1 | — | — | — | — | — | 1 | — | 1 | — | — |
| 14 Diabetes | — | — | 1 | 3 | 1 | — | — | 2 | 2 | — | 1 | 1 | — | 1 |
| 15 Cerebral hæmorrhage, &c. | 5 | 3 | 11 | 16 | 10 | 4 | 1 | 6 | 8 | 4 | 7 | 5 | 7 | 11 |
| 16 Heart disease | 4 | 15 | 26 | 27 | 18 | 9 | 16 | 13 | 10 | 6 | 7 | 14 | 9 | 16 |
| 17 Arterio-sclerosis | — | — | 3 | 6 | 5 | 1 | 2 | — | 1 | 3 | 2 | 1 | 4 | 1 |
| 18 Bronchitis | 2 | 1 | 16 | 12 | 8 | 10 | 6 | 4 | 5 | 3 | 2 | 3 | 1 | — |
| 19 Pneumonia (all forms) | 4 | 1 | 8 | 6 | 5 | 4 | 4 | 3 | 7 | 4 | 1 | 1 | 4 | 2 |
| 20 Other respiratory diseases | — | — | 2 | 4 | — | — | — | — | — | — | 1 | 1 | — | — |
| 21 Ulcer of stomach or duodenum | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 2 | — |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 3 | 1 | 2 | — | — | 1 | — | — | — | 1 | 2 | — |
| 23 Appendicitis and typhlitis | 1 | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — |
| 24 Cirrhosis of liver | 1 | — | 1 | 1 | 1 | — | — | — | 1 | — | — | — | — | — |
| 25 Acute and chronic nephritis | 5 | 3 | 1 | 1 | 4 | 2 | 3 | 3 | 2 | 2 | 2 | — | 4 | — |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | — | — | — | — | 2 | — | 3 | — | 1 |
| 28 Congenital debility and malformation, premature birth | 2 | 3 | 16 | 13 | 5 | 3 | 2 | 5 | 4 | 2 | 4 | 1 | 3 | 6 |
| 29 Suicide | 1 | — | — | 2 | 1 | — | 2 | — | 2 | — | — | — | 2 | 1 |
| 30 Other deaths from violence | — | — | 10 | 7 | 2 | 3 | 4 | 1 | 2 | 1 | 3 | — | 3 | 3 |
| 31 Other defined diseases | 6 | 10 | 39 | 39 | 17 | 30 | 16 | 24 | 13 | 15 | 12 | 13 | 22 | 23 |
| 32 Causes ill-defined or unknown | — | 1 | 4 | 2 | — | 1 | — | — | — | — | — | — | — | — |

* The remainder of Tamworth R.D. is in Warwickshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## SUFFOLK, EAST—*cont.* / SUFFOLK, WEST.

| Causes of Death. | Samford R.D. | | Woodbridge R.D. | | Bury St. Edmunds M.B. | | Cosford R.D. | | Melford R.D. | | Thingoe R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 57 | 71 | 81 | 82 | 81 | 100 | 53 | 57 | 81 | 84 | 78 | 77 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | 1 | — | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | — | — | — | — | 1 | — | — | — | — | — | 1 | 5 |
| 6 Diphtheria | 1 | — | 1 | — | — | 1 | — | — | 3 | — | — | 1 | 6 |
| 7 Influenza | — | 3 | — | — | 3 | 2 | 1 | 2 | 2 | — | — | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 2 | 4 | 10 | 2 | 9 | 8 | 4 | 3 | 6 | 7 | 8 | 4 | 10 |
| 11 Other tuberculous diseases | 1 | — | — | 1 | 2 | 4 | — | 2 | — | 3 | 2 | 1 | 11 |
| 12 Cancer, malignant disease | 5 | 12 | 12 | 11 | 13 | 11 | 5 | 10 | 9 | 12 | 8 | 19 | 12 |
| 13 Rheumatic fever | — | — | 1 | — | 1 | — | — | — | — | — | — | — | 13 |
| 14 Diabetes | — | — | — | 1 | 1 | 1 | — | 1 | — | 1 | — | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | — | 2 | 6 | 11 | 5 | 6 | 6 | 3 | 6 | 10 | 11 | 11 | 15 |
| 16 Heart disease | 14 | 18 | 14 | 17 | 13 | 11 | 7 | 10 | 19 | 13 | 8 | 6 | 16 |
| 17 Arterio-sclerosis | 6 | 2 | 1 | 3 | 8 | 10 | 5 | 5 | 5 | 2 | 3 | 4 | 17 |
| 18 Bronchitis | 5 | 3 | 5 | 5 | 4 | 13 | 3 | 5 | 4 | 6 | 4 | 6 | 18 |
| 19 Pneumonia (all forms) | 4 | 3 | 2 | 2 | 2 | 2 | 2 | — | 4 | 3 | 2 | 3 | 19 |
| 20 Other respiratory diseases | — | 1 | 2 | — | — | 5 | — | 1 | — | — | 1 | — | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | 1 | — | — | 3 | — | 1 | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | 1 | — | — | — | — | — | — | 2 | 2 | 22 |
| 23 Appendicitis and typhlitis | — | 1 | — | 1 | 1 | — | — | — | — | 1 | — | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | — | 1 | 2 | 5 | 2 | 6 | 3 | 1 | 2 | 1 | — | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | — | — | — | — | — | — | — | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 4 | 3 | 4 | 4 | 4 | 5 | 5 | 1 | 3 | 3 | 2 | 4 | 28 |
| 29 Suicide | 1 | 1 | 2 | 1 | — | — | 1 | 2 | 2 | — | 1 | 1 | 29 |
| 30 Other deaths from violence | 2 | 3 | 2 | — | 1 | 1 | — | — | 2 | — | 4 | 2 | 30 |
| 31 Other defined diseases | 11 | 13 | 16 | 16 | 10 | 12 | 8 | 9 | 12 | 20 | 20 | 7 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | 1 | — | 1 | 1 | — | 2 | 1 | 2 | 2 | — | 32 |

## SURREY.

| Causes of Death. | Barnes U.D. | | Beddington & Wallington U.D. | | Carshalton U.D. | | Caterham U.D. | | Chertsey U.D. | | Coulsdon & Purley U.D. | | Egham U.D. | | Epsom U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 173 | 169 | 75 | 97 | 65 | 60 | 42 | 43 | 64 | 62 | 78 | 86 | 75 | 81 | 79 | 73 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | 3 |
| 4 Scarlet fever | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 3 | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | 5 |
| 6 Diphtheria | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 6 |
| 7 Influenza | 3 | 3 | — | 1 | — | 1 | 2 | 2 | — | 1 | — | 1 | — | 1 | 2 | — | 7 |
| 8 Encephalitis lethargica | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 14 | 7 | 6 | 6 | 8 | 4 | 2 | 3 | 3 | 2 | 8 | 3 | 7 | 6 | 7 | 3 | 10 |
| 11 Other tuberculous diseases | 2 | 1 | 1 | — | 1 | 2 | 1 | — | — | 2 | — | 2 | 1 | 2 | 1 | 2 | 11 |
| 12 Cancer, malignant disease | 22 | 24 | 14 | 21 | 10 | 14 | 2 | 6 | 8 | 7 | 10 | 16 | 6 | 11 | 12 | 12 | 12 |
| 13 Rheumatic fever | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 13 |
| 14 Diabetes | 2 | 3 | 1 | — | — | 1 | — | — | 1 | — | — | — | 1 | 2 | — | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 8 | 8 | 6 | 13 | 1 | 3 | 2 | 1 | 5 | 3 | 2 | 7 | 6 | 2 | 1 | 5 | 15 |
| 16 Heart disease | 18 | 18 | 9 | 15 | 8 | 9 | 7 | 2 | 17 | 18 | 12 | 10 | 12 | 15 | 6 | 6 | 16 |
| 17 Arterio-sclerosis | 6 | 6 | 4 | 6 | 3 | — | 4 | 9 | 2 | 1 | 2 | 6 | 1 | — | 6 | 8 | 17 |
| 18 Bronchitis | 13 | 14 | 1 | 4 | 1 | 9 | 1 | 2 | 3 | 7 | 3 | 3 | 4 | 5 | 9 | 6 | 18 |
| 19 Pneumonia (all forms) | 10 | 6 | 6 | 3 | 4 | 2 | 3 | — | 3 | 1 | 7 | 15 | 4 | 4 | 9 | 6 | 19 |
| 20 Other respiratory diseases | 5 | 3 | — | 2 | 1 | — | — | 3 | 2 | 1 | 1 | — | 2 | 2 | 1 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | 3 | 1 | — | 1 | 2 | — | 1 | — | — | — | 2 | — | — | 1 | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 3 | 1 | — | 3 | — | — | 1 | — | — | — | — | — | — | — | 1 | — | 22 |
| 23 Appendicitis and typhlitis | 2 | 3 | 1 | 1 | 1 | — | 1 | 1 | — | — | 1 | 1 | 1 | — | 1 | 3 | 23 |
| 24 Cirrhosis of liver | 2 | — | 1 | — | 1 | — | — | — | — | — | 1 | — | 3 | — | 2 | 1 | 24 |
| 25 Acute and chronic nephritis | 5 | 7 | 3 | 1 | 1 | 3 | — | — | 2 | 1 | 2 | 2 | 4 | 5 | 2 | 1 | 25 |
| 26 Puerperal sepsis | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — | 2 | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 1 | — | 1 | — | — | — | 1 | — | 3 | — | 1 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 8 | 2 | 4 | 2 | 4 | 1 | 5 | 2 | 2 | 2 | 4 | 1 | 5 | 1 | 2 | 4 | 28 |
| 29 Suicide | 6 | 2 | 2 | 1 | 2 | — | — | 1 | — | — | 2 | — | — | 1 | — | — | 29 |
| 30 Other deaths from violence | 2 | 2 | 4 | — | 2 | — | 1 | — | 1 | 3 | 2 | 1 | 2 | 1 | 2 | — | 30 |
| 31 Other defined diseases | 33 | 52 | 12 | 15 | 14 | 10 | 8 | 11 | 13 | 10 | 17 | 15 | 14 | 19 | 15 | 13 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## SURREY—*cont.*

| Causes of Death. | Esher and The Dittons U.D. | | Farnham U.D. | | Frimley U.D. | | Guildford M.B. | | Kingston-on-Thames M.B. | | Merton & Morden U.D. | | Mitcham U.D. | | Reigate M.B. | | Richmond M.B. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| **All Causes** | 60 | 58 | 71 | 60 | 43 | 69 | 120 | 136 | 219 | 197 | 72 | 81 | 178 | 165 | 134 | 155 | 191 | 211 |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | — | — | — | — | — | — | 1 | — | 2 | — | — | — | 1 | — | 2 | 1 | 1 | — |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | 1 | — |
| 5 Whooping cough | — | 1 | — | — | — | 1 | — | — | — | 2 | 1 | — | 2 | 3 | 1 | — | — | — |
| 6 Diphtheria | — | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 2 | 3 |
| 7 Influenza | 2 | — | 2 | 1 | — | — | 4 | 7 | 3 | 2 | 1 | 1 | 2 | — | 1 | 3 | 2 | 4 |
| 8 Encephalitis lethargica | — | — | — | — | — | 1 | 1 | 1 | — | 1 | 1 | 1 | — | — | — | 1 | — | 1 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| 10 Tuberculosis of respiratory sys. | 3 | 2 | 6 | 4 | 2 | 5 | 7 | 4 | 13 | 7 | 5 | 5 | 18 | 14 | 9 | 5 | 20 | 16 |
| 11 Other tuberculous diseases | 1 | — | — | — | — | 1 | 3 | — | 2 | 1 | 2 | 2 | 2 | 3 | — | 1 | 2 | 2 |
| 12 Cancer, malignant disease | 7 | 16 | 13 | 7 | 7 | 8 | 19 | 19 | 27 | 27 | 9 | 10 | 11 | 22 | 19 | 28 | 22 | 42 |
| 13 Rheumatic fever | — | — | 1 | — | 1 | — | 1 | — | — | 1 | — | 1 | 2 | 1 | — | — | — | — |
| 14 Diabetes | — | — | — | 2 | — | — | 1 | 1 | — | 1 | — | 1 | 2 | 1 | 2 | 1 | 3 | 4 |
| 15 Cerebral hæmorrhage, &c. | 2 | 6 | 4 | 5 | 5 | 13 | 6 | 10 | 14 | 17 | 5 | 4 | 12 | 9 | 10 | 21 | 10 | 21 |
| 16 Heart disease | 8 | 5 | 11 | 10 | 7 | 11 | 14 | 22 | 28 | 30 | 13 | 10 | 18 | 27 | 24 | 19 | 21 | 22 |
| 17 Arterio-sclerosis | 2 | 4 | 6 | 8 | 1 | 2 | 7 | 7 | 11 | 5 | 4 | 5 | 9 | 12 | 4 | 6 | 5 | 2 |
| 18 Bronchitis | 2 | 5 | 4 | 2 | — | 3 | 10 | 7 | 13 | 7 | 5 | 4 | 11 | 15 | 14 | 9 | 12 | 15 |
| 19 Pneumonia (all forms) | 10 | 1 | 3 | 7 | 1 | 2 | 8 | 6 | 18 | 9 | 3 | 8 | 11 | 9 | 7 | 6 | 11 | 9 |
| 20 Other respiratory diseases | 1 | 2 | 1 | — | — | 2 | 1 | 5 | — | 3 | 1 | — | — | 1 | 3 | 3 | — | 1 |
| 21 Ulcer of stomach or duodenum | 1 | — | 1 | — | 1 | — | 1 | — | 3 | 5 | — | — | 3 | — | 2 | — | 2 | 1 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | — | 1 | — | 1 | — | 3 | 3 | 2 | — | 7 | 1 | — | 1 | 1 | — |
| 23 Appendicitis and typhlitis | — | 1 | — | 1 | 1 | — | — | — | 2 | 3 | 1 | 3 | 2 | — | 1 | 3 | 6 | 3 |
| 24 Cirrhosis of liver | — | 1 | — | — | — | — | — | 1 | 3 | 1 | 1 | — | — | 2 | 1 | — | 3 | 1 |
| 25 Acute and chronic nephritis | — | 3 | 2 | 1 | 2 | 1 | 2 | 1 | 6 | 7 | — | 2 | 5 | 4 | 5 | 3 | 2 | 5 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 1 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 2 | — | 1 | — | 1 | — | 1 | — | 1 | — | — | — | — | — | 1 |
| 28 Congenital debility and malformation, premature birth | — | — | 2 | 4 | 1 | — | 8 | 3 | 10 | 14 | 2 | 1 | 13 | 4 | 2 | 7 | 10 | 7 |
| 29 Suicide | 1 | — | — | — | 1 | 1 | — | 1 | 4 | 2 | — | — | 3 | 3 | 1 | — | 5 | 3 |
| 30 Other deaths from violence | 3 | 3 | 4 | — | 2 | — | 5 | 5 | 7 | — | 2 | 1 | 10 | 4 | 4 | 1 | 10 | 8 |
| 31 Other defined diseases | 17 | 8 | 10 | 6 | 10 | 17 | 20 | 33 | 48 | 48 | 14 | 19 | 28 | 29 | 22 | 36 | 38 | 39 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | 1 | — | — | — | — | 2 | 1 | — | — | 1 | — |

## SURREY—*cont.*

| Causes of Death. | Surbiton U.D. | | Sutton U.D. | | The Maldens & Coombe U.D. | | Walton upon Thames U.D. | | Wimbledon M.B. | | Woking U.D. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| **All Causes** | 101 | 116 | 100 | 121 | 70 | 75 | 66 | 52 | 260 | 287 | 91 | 101 |
| 1 Enteric fever | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | — | 1 | — | — | — | — | 1 | 2 | 1 | 3 | — | — |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | 2 | 1 | 1 | 1 |
| 5 Whooping cough | — | — | — | 1 | 3 | 1 | 2 | 1 | 2 | 2 | — | 1 |
| 6 Diphtheria | 1 | — | — | — | — | — | 2 | — | 4 | 1 | — | — |
| 7 Influenza | 2 | — | — | — | — | — | — | 1 | 1 | 6 | — | 2 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | 1 | — | 1 | — |
| 9 Meningococcal meningitis | — | — | — | — | 1 | — | 1 | — | — | 1 | — | — |
| 10 Tuberculosis of respiratory sys. | 10 | 4 | 3 | 5 | 4 | 3 | 5 | 3 | 24 | 11 | 8 | 4 |
| 11 Other tuberculous diseases | 2 | 4 | 2 | 2 | 3 | 2 | — | 2 | — | 2 | 2 | 2 |
| 12 Cancer, malignant disease | 14 | 18 | 18 | 18 | 3 | 9 | 9 | 7 | 25 | 43 | 14 | 16 |
| 13 Rheumatic fever | — | — | — | 1 | — | — | 3 | — | 3 | 1 | — | 1 |
| 14 Diabetes | 2 | 2 | 1 | 2 | 3 | 1 | — | 1 | 2 | 3 | 3 | 1 |
| 15 Cerebral hæmorrhage, &c. | 4 | 6 | 6 | 8 | 3 | 2 | 1 | 7 | 14 | 28 | 5 | 8 |
| 16 Heart disease | 14 | 12 | 13 | 15 | 17 | 8 | 9 | 5 | 33 | 46 | 9 | 21 |
| 17 Arterio-sclerosis | 11 | 11 | 7 | 4 | 3 | 9 | 3 | 2 | 11 | 10 | 2 | 2 |
| 18 Bronchitis | 3 | 6 | 3 | 5 | 4 | 5 | 5 | — | 18 | 15 | 3 | 5 |
| 19 Pneumonia (all forms) | 12 | 9 | 9 | 2 | 7 | 4 | 3 | 3 | 23 | 18 | 9 | 4 |
| 20 Other respiratory diseases | 1 | — | 6 | 2 | — | 2 | 1 | 1 | 6 | 4 | 4 | 2 |
| 21 Ulcer of stomach or duodenum | 1 | 1 | 1 | 3 | — | — | — | — | 3 | 1 | — | 1 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | 2 | — | — | — | — | — | 4 | 1 | 1 | 1 |
| 23 Appendicitis and typhlitis | — | 4 | — | 1 | — | 1 | — | 1 | 3 | 2 | — | 1 |
| 24 Cirrhosis of liver | 1 | — | 2 | 1 | — | 1 | 1 | — | 2 | 1 | 1 | — |
| 25 Acute and chronic nephritis | 1 | 5 | 3 | 6 | 1 | 5 | 1 | 1 | 9 | 8 | 1 | 3 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | — | — | 1 | — | — |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | 1 | — | 2 | — | — | — | — |
| 28 Congenital debility and malformation, premature birth | 2 | 2 | 4 | 5 | 3 | 1 | 2 | 2 | 12 | 8 | 6 | 1 |
| 29 Suicide | — | — | 1 | 3 | 1 | — | — | — | 1 | 3 | 3 | — |
| 30 Other deaths from violence | 5 | 3 | 3 | 4 | 1 | 2 | 5 | — | 6 | 3 | 4 | 3 |
| 31 Other defined diseases | 14 | 27 | 16 | 33 | 13 | 17 | 11 | 11 | 50 | 64 | 14 | 21 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | 1 | — | — | — | — | — |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## SURREY—*cont.*

| Causes of Death. | Chertsey R.D. | | Dorking R.D. | | Epsom R.D. | | Farnham R.D. | | Godstone R.D. | | Guildford R.D. | | Hambledon R.D. | | Reigate R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 46 | 62 | 69 | 59 | 147 | 127 | 109 | 105 | 135 | 127 | 90 | 107 | 134 | 122 | 133 | 110 | |
| 1 Enteric fever | — | — | — | 1 | — | 1 | — | — | — | — | 1 | 1 | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | 1 | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | 4 |
| 5 Whooping cough | 1 | 1 | — | — | — | 1 | — | — | — | — | — | — | 1 | 1 | — | 1 | 5 |
| 6 Diphtheria | 1 | — | — | — | — | — | 1 | 1 | — | 1 | — | 2 | — | — | — | — | 6 |
| 7 Influenza | — | 2 | 3 | — | — | 1 | 3 | 2 | 2 | 3 | 2 | 3 | 2 | 7 | 11 | 4 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 2 | 1 | 3 | — | 12 | 6 | 6 | 4 | 7 | 8 | 2 | 5 | 7 | 8 | 9 | 7 | 10 |
| 11 Other tuberculous diseases | 1 | 2 | — | 1 | 1 | 4 | 2 | 1 | 4 | 4 | 1 | 1 | 1 | 1 | 2 | 2 | 11 |
| 12 Cancer, malignant disease | 6 | 9 | 14 | 9 | 27 | 17 | 14 | 10 | 23 | 15 | 13 | 14 | 8 | 18 | 19 | 16 | 12 |
| 13 Rheumatic fever | — | — | — | 1 | — | — | — | — | — | 1 | — | — | 1 | — | 1 | 1 | 13 |
| 14 Diabetes | — | 1 | 2 | 1 | — | 2 | 1 | — | 2 | 5 | — | 1 | 1 | 2 | 1 | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 3 | 8 | 2 | 8 | 4 | 6 | 7 | 10 | 5 | 15 | 3 | 10 | 11 | 13 | 5 | 11 | 15 |
| 16 Heart disease | 4 | 10 | 8 | 9 | 18 | 21 | 18 | 24 | 20 | 22 | 7 | 9 | 20 | 15 | 18 | 20 | 16 |
| 17 Arterio-sclerosis | — | 2 | 7 | 6 | 18 | 8 | 11 | 12 | 10 | 7 | 4 | 4 | 6 | 4 | 1 | 3 | 17 |
| 18 Bronchitis | — | 4 | 3 | 5 | 7 | 4 | 4 | 4 | 8 | 8 | 7 | 7 | 7 | 6 | 6 | 3 | 18 |
| 19 Pneumonia (all forms) | 4 | 1 | 7 | 3 | 10 | 7 | 3 | 3 | 10 | 6 | 6 | 6 | 6 | 10 | 7 | 5 | 19 |
| 20 Other respiratory diseases | — | 1 | — | — | 5 | — | 5 | 3 | — | 1 | 1 | 1 | 2 | — | 2 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | 1 | — | 1 | — | — | — | 1 | 1 | 1 | 1 | 1 | 1 | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | — | 1 | — | 1 | 1 | — | 2 | — | 1 | — | 1 | — | 22 |
| 23 Appendicitis and typhlitis | — | 2 | — | 1 | 1 | 1 | 1 | — | 1 | — | 1 | 1 | 2 | — | 2 | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | — | — | 1 | — | 2 | — | — | — | 1 | 24 |
| 25 Acute and chronic nephritis | 3 | 4 | 1 | 8 | 3 | 4 | 3 | 3 | 2 | 1 | 4 | 2 | 6 | 3 | 6 | 3 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 3 | 1 | 1 | 4 | 4 | 9 | 5 | 8 | 4 | 3 | 3 | 11 | 3 | 4 | 2 | 28 |
| 29 Suicide | — | — | 1 | — | 4 | 1 | — | 1 | 3 | — | 1 | 1 | 4 | — | 1 | — | 29 |
| 30 Other deaths from violence | 3 | 1 | 4 | 1 | 6 | 3 | 2 | 3 | 2 | 1 | 4 | 3 | 6 | 1 | 4 | 3 | 30 |
| 31 Other defined diseases | 16 | 9 | 12 | 4 | 26 | 32 | 19 | 16 | 25 | 23 | 27 | 29 | 29 | 27 | 32 | 25 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 32 |

## SUSSEX, EAST.

| Causes of Death. | Bexhill M.B. | | Hove M.B. | | Lewes M.B. | | Chailey R.D. | | Cuckfield R.D. | | East Grinstead R.D. | | Hailsham R.D. | | Ticehurst R.D. | | Uckfield R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 89 | 119 | 266 | 353 | 59 | 71 | 70 | 55 | 96 | 91 | 72 | 70 | 97 | 97 | 73 | 62 | 123 | 150 | |
| 1 Enteric fever | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | — | — | 2 | 2 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | 2 | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | 4 |
| 5 Whooping cough | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 5 |
| 6 Diphtheria | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | 1 | — | — | 1 | 6 |
| 7 Influenza | — | 3 | 2 | 10 | — | — | 1 | — | 6 | 1 | 3 | — | 1 | 1 | 2 | — | 1 | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 4 | 3 | 21 | 22 | 7 | 8 | 4 | 8 | 7 | 3 | 3 | 3 | 5 | 4 | 4 | 2 | 13 | 10 | 10 |
| 11 Other tuberculous diseases | 2 | 1 | 4 | 4 | 3 | 1 | — | 1 | 4 | 1 | — | — | 1 | — | 1 | — | 1 | 1 | 11 |
| 12 Cancer, malignant disease | 12 | 15 | 31 | 78 | 8 | 11 | 9 | 7 | 14 | 13 | 5 | 4 | 11 | 16 | 6 | 8 | 17 | 20 | 12 |
| 13 Rheumatic fever | 1 | — | 1 | 2 | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 1 | 13 |
| 14 Diabetes | 1 | 1 | 1 | 7 | — | — | 1 | 1 | — | — | — | — | 2 | 2 | — | — | 2 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 4 | 8 | 21 | 33 | 2 | 4 | 2 | 5 | 6 | 10 | 1 | 9 | 7 | 9 | 5 | 5 | 6 | 17 | 15 |
| 16 Heart disease | 14 | 25 | 52 | 52 | 8 | 13 | 13 | 7 | 18 | 11 | 14 | 11 | 18 | 23 | 15 | 15 | 28 | 25 | 16 |
| 17 Arterio-sclerosis | 6 | 13 | 9 | 14 | 1 | — | 3 | 1 | 2 | 8 | 3 | — | 1 | 2 | 3 | 3 | 2 | 2 | 17 |
| 18 Bronchitis | 4 | 3 | 6 | 14 | 1 | 4 | 5 | 3 | 4 | 3 | 2 | 2 | 5 | 5 | 3 | 1 | 3 | 6 | 18 |
| 19 Pneumonia (all forms) | 7 | 5 | 25 | 13 | 6 | 2 | 2 | 1 | 6 | 1 | 3 | 5 | 8 | 6 | 2 | 4 | 11 | 6 | 19 |
| 20 Other respiratory diseases | 3 | 1 | 8 | 4 | — | — | — | 1 | — | 1 | 2 | 1 | 2 | — | — | 2 | — | 2 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | 2 | 1 | — | — | — | — | — | — | 1 | — | — | — | 1 | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | — | 1 | — | — | 1 | 1 | — | 1 | — | — | 1 | 1 | — | — | 22 |
| 23 Appendicitis and typhlitis | 1 | 3 | 2 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | 1 | 23 |
| 24 Cirrhosis of liver | 1 | 1 | 2 | 3 | — | — | 1 | — | — | — | 1 | — | 2 | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 4 | 1 | 13 | 7 | 2 | 2 | 3 | 1 | 3 | 3 | 3 | 1 | 2 | 2 | 1 | 2 | 2 | 5 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 2 | — | 1 | — | — | — | 1 | — | — | — | 1 | — | 1 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 1 | 2 | 5 | 3 | 1 | 2 | 6 | 4 | 1 | 3 | 5 | 7 | 4 | 1 | 4 | — | 8 | 3 | 28 |
| 29 Suicide | 1 | 1 | 1 | 2 | 1 | — | 2 | 1 | 1 | — | — | — | — | — | 1 | 1 | 3 | 1 | 29 |
| 30 Other deaths from violence | 4 | 6 | 8 | 11 | 3 | — | 3 | 4 | 2 | 2 | 6 | — | 2 | — | 3 | — | 4 | 5 | 30 |
| 31 Other defined diseases | 17 | 26 | 47 | 67 | 15 | 22 | 14 | 10 | 19 | 28 | 17 | 24 | 24 | 24 | 19 | 15 | 21 | 38 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | — | 1 | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## SUSSEX, WEST.

| Causes of Death. | Bognor U.D. | | Chichester M.B. | | Horsham U.D. | | Littlehampton U.D. | | Worthing M.B. | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | | | | | | |
| **All Causes** | 44 | 57 | 64 | 78 | 58 | 59 | 44 | 62 | 191 | 237 | | | | | | | | | |
| 1 Enteric fever | — | — | — | 1 | — | — | — | — | — | — | | | | | | | | | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | | | | | | | | | 2 |
| 3 Measles | — | — | — | — | — | — | 2 | 2 | — | — | | | | | | | | | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | | | | | | | | | 4 |
| 5 Whooping cough | — | — | — | 1 | — | — | — | — | 1 | 1 | | | | | | | | | 5 |
| 6 Diphtheria | 1 | — | 1 | — | 1 | — | — | — | 1 | — | | | | | | | | | 6 |
| 7 Influenza | 1 | 1 | — | — | 1 | — | — | 3 | 1 | 4 | | | | | | | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | | | | | | | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | | | | | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 7 | 3 | 6 | 2 | 3 | 2 | 1 | — | 9 | 12 | | | | | | | | | 10 |
| 11 Other tuberculous diseases | 1 | — | — | 1 | — | 1 | — | 2 | 1 | 4 | | | | | | | | | 11 |
| 12 Cancer, malignant disease | 3 | 10 | 7 | 15 | 6 | 9 | 7 | 8 | 18 | 37 | | | | | | | | | 12 |
| 13 Rheumatic fever | — | — | — | — | — | — | — | — | — | — | | | | | | | | | 13 |
| 14 Diabetes | 1 | 3 | — | 2 | 1 | — | — | — | 1 | 6 | | | | | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 2 | 9 | 3 | 2 | 6 | 7 | 3 | 8 | 7 | 24 | | | | | | | | | 15 |
| 16 Heart disease | 4 | 7 | 7 | 12 | 9 | 19 | 5 | 12 | 32 | 31 | | | | | | | | | 16 |
| 17 Arterio-sclerosis | 2 | 1 | 7 | 2 | 2 | 1 | 1 | 5 | 14 | 6 | | | | | | | | | 17 |
| 18 Bronchitis | 6 | 6 | 3 | 7 | 4 | 3 | 5 | 8 | 5 | 10 | | | | | | | | | 18 |
| 19 Pneumonia (all forms) | — | 1 | 2 | 2 | 5 | 1 | 3 | 1 | 8 | 13 | | | | | | | | | 19 |
| 20 Other respiratory diseases | 1 | — | 2 | 1 | 1 | 1 | 1 | — | 4 | 4 | | | | | | | | | 20 |
| 21 Ulcer of stomach or duodenum | — | 1 | 1 | — | — | — | — | — | 1 | 3 | | | | | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | 1 | — | — | — | 1 | — | | | | | | | | | 22 |
| 23 Appendicitis and typhlitis | — | 1 | — | — | — | 1 | 1 | 1 | 3 | 3 | | | | | | | | | 23 |
| 24 Cirrhosis of liver | 1 | — | 1 | — | — | — | — | — | 2 | 1 | | | | | | | | | 24 |
| 25 Acute and chronic nephritis | 2 | 2 | 4 | 5 | 2 | 1 | — | 1 | 9 | 6 | | | | | | | | | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | — | — | 1 | | | | | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | 1 | — | — | — | 1 | | | | | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 4 | — | 1 | 4 | — | 2 | 1 | 1 | 8 | 5 | | | | | | | | | 28 |
| 29 Suicide | — | — | — | — | 2 | — | 1 | — | 2 | 1 | | | | | | | | | 29 |
| 30 Other deaths from violence | 1 | — | 5 | — | 2 | — | 1 | 1 | 7 | 4 | | | | | | | | | 30 |
| 31 Other defined diseases | 7 | 12 | 14 | 19 | 11 | 10 | 12 | 9 | 56 | 59 | | | | | | | | | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | 1 | — | — | — | — | 1 | | | | | | | | | 32 |

## SUSSEX, WEST—*cont.* WARWICKSHIRE.

| Causes of Death. | Horsham R.D. | | Midhurst R.D. | | Steyning West R.D. | | Westhampnett R.D. | | | | Nuneaton M.B. | | Royal Leamington Spa M.B. | | Rugby U.D. | | Sutton Coldfield M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | | | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 92 | 110 | 63 | 70 | 65 | 47 | 89 | 68 | | | 217 | 199 | 163 | 227 | 110 | 121 | 112 | 107 | |
| 1 Enteric fever | 1 | — | — | — | — | — | 1 | 1 | | | — | — | — | 1 | — | — | — | — | |
| 2 Small-pox | — | — | — | — | — | — | — | — | | | — | — | — | — | — | — | — | — | |
| 3 Measles | — | — | — | — | — | — | — | — | | | — | 1 | 2 | 3 | 1 | 2 | — | 1 | |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | | | — | — | — | — | — | — | — | — | |
| 5 Whooping cough | 1 | — | — | — | — | — | — | — | | | 10 | 5 | — | — | — | — | — | — | |
| 6 Diphtheria | — | — | — | — | 1 | — | — | — | | | 3 | — | — | — | 1 | — | — | — | |
| 7 Influenza | 3 | 1 | — | — | 1 | — | 3 | 2 | | | 5 | 2 | 3 | 6 | 3 | 1 | 5 | 1 | |
| 8 Encephalitis lethargica | — | — | — | 1 | — | — | 1 | — | | | 2 | — | — | — | — | 1 | — | — | |
| 9 Meningococcal meningitis | 1 | — | — | 1 | — | — | — | — | | | — | — | — | — | 1 | — | — | — | |
| 10 Tuberculosis of respiratory sys. | 4 | 5 | 4 | 3 | 4 | 2 | 7 | 5 | | | 13 | 21 | 13 | 8 | 5 | 10 | 6 | 3 | 1 |
| 11 Other tuberculous diseases | 3 | 3 | 1 | 5 | 1 | 1 | — | 2 | | | 4 | 4 | 3 | 3 | 2 | 2 | 1 | 3 | 1 |
| 12 Cancer, malignant disease | 11 | 23 | 8 | 13 | 8 | 10 | 14 | 9 | | | 15 | 19 | 12 | 35 | 17 | 19 | 9 | 16 | 1 |
| 13 Rheumatic fever | — | 1 | — | — | — | — | — | 1 | | | — | 1 | — | — | — | — | 2 | — | 1 |
| 14 Diabetes | 1 | 1 | — | 2 | — | 2 | 1 | 1 | | | 3 | 2 | 2 | 3 | 2 | — | — | — | 1 |
| 15 Cerebral hæmorrhage, &c. | 9 | 17 | 1 | 7 | 6 | 5 | 5 | 4 | | | 14 | 13 | 10 | 20 | 3 | 13 | 12 | 11 | 1 |
| 16 Heart disease | 15 | 24 | 9 | 11 | 9 | 3 | 9 | 8 | | | 20 | 23 | 18 | 46 | 15 | 21 | 13 | 16 | 1 |
| 17 Arterio-sclerosis | 3 | 3 | 3 | 1 | 3 | 2 | 1 | — | | | 4 | 3 | 15 | 5 | 7 | 5 | 4 | 3 | 1 |
| 18 Bronchitis | 3 | 3 | 2 | 2 | 5 | 7 | 7 | 2 | | | 18 | 17 | 12 | 16 | 6 | 3 | 3 | 2 | 1 |
| 19 Pneumonia (all forms) | 2 | 3 | 2 | 1 | 4 | 1 | 5 | 2 | | | 20 | 15 | 5 | 14 | 5 | 3 | 8 | 1 | 1 |
| 20 Other respiratory diseases | 4 | 1 | — | — | 1 | — | 3 | 1 | | | 5 | — | 4 | 2 | — | 4 | 4 | 2 | 2 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | 1 | — | — | — | — | | | 1 | — | 3 | 1 | 1 | — | 2 | — | 2 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 2 | — | 1 | — | — | 1 | | | 4 | 8 | 2 | 3 | — | 2 | 1 | — | 2 |
| 23 Appendicitis and typhlitis | — | — | — | 1 | 1 | — | 1 | 3 | | | 1 | 3 | 2 | 4 | 1 | — | — | — | 2 |
| 24 Cirrhosis of liver | 1 | — | — | — | 2 | — | — | — | | | 2 | — | 1 | 1 | — | — | — | 1 | 2 |
| 25 Acute and chronic nephritis | 2 | 1 | 3 | 3 | 2 | 1 | 1 | — | | | 2 | 4 | 4 | 11 | 3 | 3 | 3 | 3 | 2 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | 1 | | | — | 1 | — | 1 | — | — | — | 1 | 2 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | — | — | — | — | | | — | 2 | — | 1 | — | — | — | 3 | 2 |
| 28 Congenital debility and malformation, premature birth | 2 | 2 | 1 | — | 2 | 2 | 3 | 5 | | | 23 | 13 | 7 | 5 | 8 | 5 | 9 | 9 | 2 |
| 29 Suicide | 4 | 1 | 2 | 1 | — | — | 2 | — | | | 2 | 1 | 3 | — | 1 | — | 3 | 1 | 2 |
| 30 Other deaths from violence | 7 | 3 | 1 | 2 | 1 | 1 | 8 | 1 | | | 7 | 4 | 6 | 4 | 7 | 1 | 4 | — | 3 |
| 31 Other defined diseases | 14 | 16 | 24 | 15 | 13 | 10 | 17 | 19 | | | 39 | 36 | 36 | 34 | 21 | 26 | 23 | 30 | 3 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | — | | | — | 1 | — | — | — | — | — | — | 3 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## WARWICKSHIRE—*cont.*

| Causes of Death. | Warwick M.B. | | Alcester R.D. | | Atherstone R.D. | | Foleshill R.D. | | Meriden R.D. | | Rugby R.D. | | Solihull R.D. | | Southam R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 76 | 41 | 69 | 62 | 136 | 117 | 161 | 140 | 112 | 91 | 99 | 103 | 80 | 98 | 55 | 54 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 3 | — | — | — | 6 | 7 | 6 | 1 | 9 | 1 | 2 | 1 | — | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | 2 | 1 | — | 1 | 1 | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | — | — | — | 4 | 6 | — | — | 3 | 1 | — | — | — | 1 | — | — | 5 |
| 6 Diphtheria | — | — | — | — | 5 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | 6 |
| 7 Influenza | 4 | 1 | — | — | 2 | 1 | 4 | — | 2 | 1 | 2 | 3 | 7 | 4 | — | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 4 | 2 | 6 | 6 | 11 | 5 | 13 | 11 | — | 5 | 12 | 6 | 1 | 5 | 2 | 2 | 10 |
| 11 Other tuberculous diseases | — | — | — | — | 3 | 1 | 4 | 5 | 4 | — | 3 | 3 | 1 | — | 2 | — | 11 |
| 12 Cancer, malignant disease | 12 | 8 | 5 | 5 | 6 | 12 | 16 | 15 | 14 | 9 | 9 | 13 | 9 | 15 | 7 | 5 | 12 |
| 13 Rheumatic fever | — | — | — | — | 1 | — | 3 | 1 | 1 | — | — | — | — | — | — | — | 13 |
| 14 Diabetes | — | — | — | 2 | 2 | 2 | — | 4 | 1 | 1 | — | 1 | 1 | 2 | — | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 6 | 3 | 6 | 7 | 4 | 9 | 7 | 8 | 6 | 15 | 4 | 6 | 7 | 11 | 4 | 9 | 15 |
| 16 Heart disease | 8 | 6 | 9 | 12 | 16 | 16 | 19 | 13 | 8 | 6 | 9 | 9 | 9 | 15 | 6 | 10 | 16 |
| 17 Arterio-sclerosis | 2 | 3 | 2 | 2 | 4 | 1 | 6 | 2 | 1 | 1 | 5 | 1 | 4 | 1 | 2 | 1 | 17 |
| 18 Bronchitis | 3 | 3 | 4 | 3 | 5 | 7 | 11 | 8 | 5 | 8 | 4 | 12 | 7 | 5 | 2 | 2 | 18 |
| 19 Pneumonia (all forms) | 7 | 2 | 6 | 2 | 14 | 6 | 10 | 9 | 8 | 6 | 11 | 1 | 4 | 2 | 4 | 1 | 19 |
| 20 Other respiratory diseases | 2 | — | — | — | 1 | 2 | 2 | — | 1 | — | 1 | — | 1 | 1 | 4 | 2 | 20 |
| 21 Ulcer of stomach or duodenum | 2 | — | — | — | — | — | 2 | — | 1 | — | 2 | — | 2 | 3 | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | — | 4 | 3 | 3 | 1 | — | 3 | — | — | 1 | 1 | — | — | 22 |
| 23 Appendicitis and typhlitis | 2 | — | — | 1 | 2 | — | — | — | 2 | — | 4 | 6 | — | — | — | 1 | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | 2 | — | 2 | — | 1 | 2 | — | 2 | — | — | — | 1 | 24 |
| 25 Acute and chronic nephritis | — | 2 | 2 | 1 | 2 | 2 | 5 | 3 | 4 | 3 | 1 | 1 | 4 | 1 | 2 | 4 | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | 2 | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | — | — | 5 | — | 13 | 7 | 7 | 22 | 6 | 3 | 3 | 7 | — | 2 | 4 | 2 | 28 |
| 29 Suicide | — | — | 3 | 2 | 2 | 3 | 2 | — | 3 | — | 2 | — | 1 | — | — | — | 29 |
| 30 Other deaths from violence | 3 | — | 2 | 2 | 4 | 3 | 6 | 2 | 3 | 1 | 4 | 1 | 2 | 4 | 2 | — | 30 |
| 31 Other defined diseases | 17 | 10 | 19 | 17 | 21 | 22 | 31 | 32 | 27 | 24 | 21 | 28 | 19 | 22 | 14 | 13 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 32 |

## WARWICKSHIRE—*cont.* WESTMORLAND.

| Causes of Death. | Stratford on Avon R.D. | | Tamworth (part of) R.D.* | | Warwick R.D. | | Kendal M.B. | | East Westmorland R.D. | | South Westmorland R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 69 | 60 | 94 | 92 | 75 | 60 | 94 | 91 | 84 | 61 | 122 | 113 | |
| 1 Enteric fever | — | — | — | 1 | 2 | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 1 | — | 2 | 1 | 1 | — | — | 2 | 1 | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | 1 | — | — | 1 | — | — | — | — | — | 4 |
| 5 Whooping cough | 2 | — | 2 | — | — | — | 1 | — | 1 | — | 1 | 1 | 5 |
| 6 Diphtheria | — | — | 3 | 7 | — | — | — | — | — | — | 1 | 1 | 6 |
| 7 Influenza | 2 | — | 1 | — | 5 | 1 | — | — | 4 | — | — | 1 | 7 |
| 8 Encephalitis lethargica | 1 | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | 1 | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 6 | 3 | 3 | 5 | 8 | 3 | 1 | 5 | 2 | 2 | 5 | 5 | 10 |
| 11 Other tuberculous diseases | 1 | — | 2 | 2 | — | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 11 |
| 12 Cancer, malignant disease | 12 | 13 | 8 | 10 | 9 | 1 | 11 | 12 | 6 | 12 | 15 | 16 | 12 |
| 13 Rheumatic fever | 1 | — | — | — | — | — | — | — | — | 1 | — | — | 13 |
| 14 Diabetes | 1 | 1 | 1 | — | 1 | 1 | 1 | 3 | — | 1 | 2 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 5 | 6 | 3 | 8 | 1 | 7 | 10 | 13 | 6 | 8 | 7 | 8 | 15 |
| 16 Heart disease | 7 | 8 | 14 | 14 | 10 | 10 | 14 | 17 | 17 | 12 | 19 | 20 | 16 |
| 17 Arterio-sclerosis | 1 | 1 | 2 | 1 | 5 | 1 | 3 | — | 2 | 1 | 5 | 7 | 17 |
| 18 Bronchitis | 2 | 2 | 10 | 6 | 4 | 3 | 7 | 4 | 7 | 4 | 2 | 5 | 18 |
| 19 Pneumonia (all forms) | 3 | 3 | 6 | 9 | 5 | 2 | 5 | 3 | 7 | — | 4 | 8 | 19 |
| 20 Other respiratory diseases | — | — | 1 | — | — | 1 | 1 | 1 | 2 | 1 | 3 | — | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | — | — | 2 | 1 | — | — | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | — | 1 | — | — | — | — | — | — | 2 | — | 22 |
| 23 Appendicitis and typhlitis | 2 | — | 1 | — | — | — | 1 | 2 | 1 | — | 4 | 1 | 23 |
| 24 Cirrhosis of liver | — | — | 1 | — | — | — | — | — | — | — | — | 1 | 24 |
| 25 Acute and chronic nephritis | — | — | 2 | 3 | 1 | 3 | 3 | 3 | 1 | — | 3 | 3 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | — | — | — | — | — | — | 3 | 27 |
| 28 Congenital debility and malformation, premature birth | 1 | 3 | 10 | 4 | 5 | 5 | 9 | 2 | 4 | 4 | 7 | 3 | 28 |
| 29 Suicide | 1 | — | 2 | 1 | 1 | — | — | 1 | 2 | — | 2 | 3 | 29 |
| 30 Other deaths from violence | 5 | 2 | 6 | 1 | 3 | — | 3 | 2 | 4 | — | 6 | 1 | 30 |
| 31 Other defined diseases | 15 | 18 | 12 | 15 | 14 | 19 | 20 | 17 | 14 | 13 | 30 | 24 | 31 |
| 32 Causes ill-defined or unknown | — | — | 2 | — | — | — | — | 1 | 2 | — | 2 | 1 | 32 |

* The remainder of Tamworth R.D. is in Staffordshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## WIGHT, ISLE OF.

| Causes of Death. | Cowes. U.D. | | Newport M.B. | | Ryde M.B. | | I. of Wight R.D. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | | | | | | | | | | | |
| **All Causes** | 69 | 57 | 63 | 66 | 56 | 90 | 157 | 145 | | | | | | | | | | | |
| 1 Enteric fever | — | — | — | — | 1 | — | — | — | | | | | | | | | | | |
| 2 Small-pox | — | — | — | — | — | — | — | — | | | | | | | | | | | |
| 3 Measles | — | — | — | — | — | — | 1 | — | | | | | | | | | | | |
| 4 Scarlet fever | — | — | — | — | — | — | — | 2 | | | | | | | | | | | |
| 5 Whooping cough | — | — | 1 | — | — | — | 2 | 2 | | | | | | | | | | | |
| 6 Diphtheria | — | — | — | — | — | — | — | — | | | | | | | | | | | |
| 7 Influenza | — | — | 1 | — | — | — | 1 | 4 | | | | | | | | | | | |
| 8 Encephalitis lethargica | — | — | — | — | — | 1 | — | 1 | | | | | | | | | | | |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | | | | | | | | | | | |
| 10 Tuberculosis of respiratory sys. | 9 | 5 | 8 | 4 | 5 | 4 | 11 | 5 | | | | | | | | | | | |
| 11 Other tuberculous diseases | 1 | — | — | — | 2 | 3 | 2 | 3 | | | | | | | | | | | |
| 12 Cancer, malignant disease | 12 | 10 | 8 | 13 | 6 | 11 | 22 | 28 | | | | | | | | | | | |
| 13 Rheumatic fever | — | — | — | — | — | 1 | — | — | | | | | | | | | | | |
| 14 Diabetes | — | 2 | — | 2 | — | 2 | 2 | 1 | | | | | | | | | | | |
| 15 Cerebral hæmorrhage, &c. | 3 | 7 | 4 | 6 | 5 | 8 | 11 | 13 | | | | | | | | | | | |
| 16 Heart disease | 11 | 9 | 9 | 7 | 6 | 15 | 25 | 20 | | | | | | | | | | | |
| 17 Arterio-sclerosis | 2 | 3 | 3 | 1 | 2 | 6 | 5 | 3 | | | | | | | | | | | |
| 18 Bronchitis | 3 | 3 | 3 | 7 | 4 | 4 | 11 | 10 | | | | | | | | | | | |
| 19 Pneumonia (all forms) | 2 | — | 1 | 2 | 4 | 4 | 5 | 4 | | | | | | | | | | | |
| 20 Other respiratory diseases | 1 | — | 2 | 1 | 3 | 5 | 2 | 3 | | | | | | | | | | | |
| 21 Ulcer of stomach or duodenum | 1 | — | 1 | — | — | 1 | 2 | 1 | | | | | | | | | | | |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | 1 | 1 | 1 | — | 2 | 1 | | | | | | | | | | | |
| 23 Appendicitis and typhlitis | — | 1 | — | — | — | 1 | 3 | 3 | | | | | | | | | | | |
| 24 Cirrhosis of liver | 1 | 1 | — | — | — | — | — | — | | | | | | | | | | | |
| 25 Acute and chronic nephritis | 4 | 2 | 2 | 3 | — | 2 | 2 | 3 | | | | | | | | | | | |
| 26 Puerperal sepsis | — | 1 | — | — | — | 1 | — | — | | | | | | | | | | | |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 1 | — | — | — | — | | | | | | | | | | | |
| 28 Congenital debility and malformation, premature birth | 1 | — | 2 | 2 | 3 | 2 | 4 | 2 | | | | | | | | | | | |
| 29 Suicide | 2 | 1 | 2 | — | 1 | — | 2 | — | | | | | | | | | | | |
| 30 Other deaths from violence | 2 | — | 1 | — | 2 | 1 | 6 | 2 | | | | | | | | | | | |
| 31 Other defined diseases | 13 | 12 | 14 | 15 | 11 | 18 | 36 | 34 | | | | | | | | | | | |
| 32 Causes ill-defined or unknown | — | — | — | 1 | — | — | — | — | | | | | | | | | | | |

## WILTSHIRE.

| Causes of Death. | Salisbury M.B. | | Swindon M.B. | | Trowbridge U.D. | | |
|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 129 | 111 | 248 | 271 | 56 | 60 | |
| 1 Enteric fever | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | 2 |
| 3 Measles | 2 | — | 1 | — | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | — | — | 1 | 1 | — | 5 |
| 6 Diphtheria | 2 | 2 | 1 | — | — | — | 6 |
| 7 Influenza | 1 | 1 | 2 | 3 | 1 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 9 | 6 | 22 | 26 | 6 | 2 | 10 |
| 11 Other tuberculous diseases | 3 | 2 | 10 | 9 | 2 | 1 | 11 |
| 12 Cancer, malignant disease | 22 | 23 | 29 | 39 | 9 | 13 | 12 |
| 13 Rheumatic fever | — | 1 | — | 1 | — | — | 13 |
| 14 Diabetes | — | 2 | 4 | 1 | 3 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 9 | 4 | 18 | 20 | — | 6 | 15 |
| 16 Heart disease | 20 | 11 | 41 | 47 | 8 | 13 | 16 |
| 17 Arterio-sclerosis | 6 | 7 | 6 | 2 | 3 | 1 | 17 |
| 18 Bronchitis | 9 | 8 | 8 | 22 | 3 | 11 | 18 |
| 19 Pneumonia (all forms) | 2 | 3 | 16 | 12 | 3 | — | 19 |
| 20 Other respiratory diseases | 2 | — | 2 | 5 | — | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | 1 | — | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 1 | 3 | — | — | 22 |
| 23 Appendicitis and typhlitis | — | 1 | 7 | 4 | — | — | 23 |
| 24 Cirrhosis of liver | 2 | — | — | 2 | — | — | 24 |
| 25 Acute and chronic nephritis | 2 | 6 | 8 | 13 | 3 | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 6 | 4 | 17 | 12 | 3 | 1 | 28 |
| 29 Suicide | 1 | 3 | 2 | 2 | — | — | 29 |
| 30 Other deaths from violence | 4 | 1 | 8 | 4 | — | — | 30 |
| 31 Other defined diseases | 24 | 20 | 43 | 43 | 10 | 11 | 31 |
| 32 Causes ill-defined or unknown | 1 | 4 | 1 | — | — | — | 32 |

## WILTSHIRE—*cont.*

| Causes of Death. | Amesbury R.D. | | Chippenham R.D. | | Cricklade & Wootton Bassett R.D. | | Devizes R.D. | | Highworth R.D. | | Pewsey R.D. | | Salisbury R.D. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | | |
| **All Causes** | 52 | 45 | 89 | 97 | 68 | 78 | 67 | 61 | 104 | 82 | 81 | 53 | 62 | 48 | | | | | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | 1 |
| 3 Measles | — | — | — | — | 1 | 1 | — | — | — | — | — | 1 | — | — | | | | | 2 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | 3 |
| 5 Whooping cough | 3 | 1 | 1 | 2 | 1 | 1 | — | — | 1 | 2 | — | — | — | — | | | | | 4 |
| 6 Diphtheria | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | 1 | | | | | 5 |
| 7 Influenza | 2 | 1 | — | 4 | 2 | 3 | 3 | 5 | 3 | — | 1 | — | 2 | — | | | | | 6 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | 7 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | | | | | 8 |
| 10 Tuberculosis of respiratory sys. | 1 | 2 | 5 | 3 | 5 | — | — | 1 | 3 | 3 | 5 | 5 | 5 | 1 | | | | | 9 |
| 11 Other tuberculous diseases | 1 | 1 | — | 1 | 1 | 2 | — | 3 | 2 | 4 | 3 | — | 1 | — | | | | | 10 |
| 12 Cancer, malignant disease | 9 | 5 | 15 | 13 | 6 | 11 | 6 | 7 | 12 | 9 | 5 | 5 | 8 | 5 | | | | | 11 |
| 13 Rheumatic fever | — | — | — | 1 | 1 | — | 1 | — | — | — | — | — | — | — | | | | | 12 |
| 14 Diabetes | — | 1 | 1 | 1 | 3 | 1 | — | 1 | — | 1 | — | 1 | — | 3 | | | | | 13 |
| 15 Cerebral hæmorrhage, &c. | 2 | 3 | 10 | 16 | 6 | 12 | 6 | 5 | — | 9 | 10 | 1 | 3 | 3 | | | | | 14 |
| 16 Heart disease | 5 | 5 | 10 | 19 | 8 | 8 | 10 | 16 | 14 | 14 | 10 | 11 | 10 | 5 | | | | | 15 |
| 17 Arterio-sclerosis | 3 | 6 | 5 | 3 | 4 | 5 | 6 | 2 | 2 | — | 10 | 3 | 4 | 1 | | | | | 16 |
| 18 Bronchitis | 1 | — | 7 | 2 | 3 | 7 | 2 | 2 | 6 | 7 | 2 | 2 | 4 | 1 | | | | | 17 |
| 19 Pneumonia (all forms) | 3 | 2 | 3 | 2 | 3 | 1 | 4 | — | 7 | 3 | 2 | 2 | 1 | 1 | | | | | 18 |
| 20 Other respiratory diseases | 1 | — | 2 | 1 | 2 | 1 | — | — | 3 | 1 | 3 | — | — | — | | | | | 19 |
| 21 Ulcer of stomach or duodenum | 1 | — | 2 | — | — | — | 2 | — | 2 | 2 | 2 | — | — | — | | | | | 20 |
| 22 Diarrhœa, &c. (under 2 years) | — | 1 | — | — | 1 | 1 | — | — | 2 | — | — | 1 | 1 | — | | | | | 21 |
| 23 Appendicitis and typhlitis | 1 | — | 1 | — | 1 | — | — | 1 | — | — | 1 | — | — | — | | | | | 22 |
| 24 Cirrhosis of liver | — | — | — | — | — | — | — | — | — | — | — | — | 2 | — | | | | | 23 |
| 25 Acute and chronic nephritis | 1 | 2 | 1 | 1 | 3 | 3 | 1 | 1 | 2 | — | 2 | 2 | 1 | 5 | | | | | 24 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | | | | | 25 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | | | | | 26 |
| 28 Congenital debility and malformation, premature birth | 5 | 3 | 3 | 2 | 3 | 4 | 5 | 1 | 7 | 1 | 6 | 5 | 6 | — | | | | | 27 |
| 29 Suicide | — | — | — | — | 1 | 1 | — | — | 1 | — | 1 | — | — | 1 | | | | | 28 |
| 30 Other deaths from violence | 3 | — | 2 | 2 | 2 | 3 | 2 | — | 4 | 2 | 3 | 2 | — | 2 | | | | | 29 |
| 31 Other defined diseases | 9 | 9 | 20 | 23 | 10 | 13 | 19 | 16 | 32 | 23 | 15 | 11 | 12 | 19 | | | | | 30 |
| 32 Causes ill-defined or unknown | 1 | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | | | | | 31 |
| | | | | | | | | | | | | | | | | | | | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## WORCESTERSHIRE.

| Causes of Death. | Kidderminster M.B. | | Lye & Wollescote U.D. | | Malvern U.D. | | Oldbury U.D. | | Redditch U.D. | | Stourbridge M.B. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 147 | 169 | 75 | 55 | 75 | 98 | 231 | 203 | 96 | 85 | 109 | 110 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 7 | 5 | 2 | 1 | 1 | — | 10 | 3 | 1 | 2 | — | 1 | 3 |
| 4 Scarlet fever | — | — | 1 | — | — | — | — | 1 | 2 | 2 | — | — | 4 |
| 5 Whooping cough | — | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | — | — | 1 | 5 |
| 6 Diphtheria | — | — | — | — | — | — | 1 | 3 | — | — | — | — | 6 |
| 7 Influenza | 2 | 3 | 2 | 3 | 1 | — | 12 | 7 | 2 | 1 | 1 | 4 | 7 |
| 8 Encephalitis lethargica | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 12 | 8 | 6 | 5 | 5 | 5 | 15 | 10 | 4 | 10 | 7 | 10 | 10 |
| 11 Other tuberculous diseases | 1 | 3 | — | 3 | 1 | 1 | 7 | 1 | 1 | 1 | 2 | 2 | 11 |
| 12 Cancer, malignant disease | 15 | 22 | 8 | 2 | 10 | 12 | 19 | 17 | 7 | 12 | 6 | 14 | 12 |
| 13 Rheumatic fever | — | — | — | — | — | — | — | — | 3 | 1 | — | — | 13 |
| 14 Diabetes | 3 | 5 | — | — | 1 | 3 | 4 | 2 | — | — | 1 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 10 | 20 | 8 | 4 | 7 | 15 | 11 | 19 | 4 | 5 | 12 | 9 | 15 |
| 16 Heart disease | 19 | 36 | 5 | 9 | 13 | 20 | 15 | 29 | 10 | 18 | 13 | 16 | 16 |
| 17 Arterio-sclerosis | 8 | 3 | — | 1 | 3 | 2 | 4 | 5 | 3 | 2 | 3 | 1 | 17 |
| 18 Bronchitis | 12 | 7 | 8 | 2 | 4 | 5 | 24 | 13 | 11 | 3 | 10 | 12 | 18 |
| 19 Pneumonia (all forms) | 9 | 11 | 8 | 5 | 4 | 9 | 22 | 16 | 4 | 1 | 6 | 3 | 19 |
| 20 Other respiratory diseases | 1 | 1 | — | — | 1 | 1 | 6 | 3 | 2 | 1 | — | — | 20 |
| 21 Ulcer of stomach or duodenum | 2 | 1 | — | — | — | 1 | 1 | 1 | 2 | — | 1 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 2 | — | — | — | — | 6 | 4 | 3 | 1 | 1 | 1 | 22 |
| 23 Appendicitis and typhlitis | 2 | — | 2 | — | 1 | 1 | 2 | 4 | 1 | — | 1 | — | 23 |
| 24 Cirrhosis of liver | — | 1 | 1 | — | 1 | — | — | — | — | 1 | 1 | — | 24 |
| 25 Acute and chronic nephritis | 5 | 6 | 1 | — | 1 | 2 | 8 | 5 | 4 | 2 | 4 | — | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | 2 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | — | — | — | — | 2 | — | 1 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 6 | 6 | 5 | 5 | 1 | 2 | 20 | 11 | 10 | 2 | 6 | 7 | 28 |
| 29 Suicide | 2 | 1 | — | 1 | 1 | — | 4 | — | 1 | — | 2 | 1 | 29 |
| 30 Other deaths from violence | 3 | 4 | 3 | — | 5 | 1 | 4 | 6 | 2 | 2 | 3 | 2 | 30 |
| 31 Other defined diseases | 27 | 22 | 14 | 11 | 13 | 17 | 33 | 36 | 17 | 17 | 29 | 23 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | 1 | — | — | — | — | 32 |

## WORCESTERSHIRE—*cont.*

| Causes of Death. | Bromsgrove R.D. | | Droitwich R.D. | | Halesowen R.D. | | Martley R.D. | | Pershore R.D. | | Upton on Severn R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 83 | 94 | 54 | 60 | 183 | 147 | 92 | 74 | 69 | 70 | 62 | 90 | |
| 1 Enteric fever | — | 1 | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 1 | — | — | — | 2 | 2 | — | — | — | — | — | — | 3 |
| 4 Scarlet fever | 1 | 1 | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | — | 1 | — | — | 3 | 5 | 1 | — | — | — | 1 | — | 5 |
| 6 Diphtheria | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | 6 |
| 7 Influenza | 2 | 4 | 3 | 1 | 3 | 5 | 2 | 1 | 1 | 1 | 2 | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 2 | — | — | 1 | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 2 | 3 | 5 | 4 | 12 | 9 | 3 | 4 | 1 | 6 | 5 | 6 | 10 |
| 11 Other tuberculous diseases | — | — | — | 2 | 2 | — | 1 | — | — | 3 | 1 | 5 | 11 |
| 12 Cancer, malignant disease | 10 | 9 | 8 | 9 | 17 | 16 | 10 | 10 | 7 | 11 | 10 | 8 | 12 |
| 13 Rheumatic fever | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | 13 |
| 14 Diabetes | — | 2 | — | — | 1 | 1 | 1 | 1 | — | 2 | — | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 11 | 10 | 5 | 4 | 10 | 15 | 7 | 9 | 9 | 6 | 8 | 13 | 15 |
| 16 Heart disease | 15 | 16 | 7 | 9 | 20 | 11 | 9 | 12 | 10 | 10 | 12 | 15 | 16 |
| 17 Arterio-sclerosis | 5 | 4 | — | — | 1 | 1 | 3 | 3 | — | 1 | 2 | — | 17 |
| 18 Bronchitis | 2 | 9 | 3 | 5 | 26 | 20 | 7 | 3 | 5 | 5 | 2 | 3 | 18 |
| 19 Pneumonia (all forms) | 3 | 3 | 2 | 1 | 16 | 9 | 7 | 4 | 4 | 1 | 3 | 3 | 19 |
| 20 Other respiratory diseases | 2 | 2 | 2 | 1 | — | 2 | 1 | 2 | 3 | 2 | — | 1 | 20 |
| 21 Ulcer of stomach or duodenum | — | 1 | — | 1 | 1 | 2 | — | — | — | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | 2 | — | 7 | 6 | — | — | — | 1 | — | — | 22 |
| 23 Appendicitis and typhlitis | — | 1 | 1 | — | 2 | 2 | 1 | — | 1 | — | 1 | — | 23 |
| 24 Cirrhosis of liver | — | 1 | — | 1 | — | — | 1 | — | 1 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 5 | 1 | 1 | 1 | 5 | 5 | 2 | 1 | 5 | — | 2 | 3 | 25 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | — | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | — | — | 1 | — | 1 | — | — | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 4 | 1 | 4 | 11 | 9 | 6 | 6 | 1 | 4 | — | 6 | 28 |
| 29 Suicide | 3 | — | 1 | — | 2 | 2 | 1 | — | — | — | 1 | — | 29 |
| 30 Other deaths from violence | 4 | 1 | 1 | 2 | 5 | 4 | 4 | 3 | 4 | — | 3 | 2 | 30 |
| 31 Other defined diseases | 12 | 18 | 12 | 13 | 35 | 19 | 23 | 14 | 17 | 15 | 8 | 22 | 31 |
| 32 Causes ill-defined or unknown | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## YORKSHIRE, EAST RIDING.

| Causes of Death. | Beverley M.B. | | Bridlington M.B. | | | | Beverley R.D. | | Driffield R.D. | | Howden R.D. | | Pocklington R.D. | | Sculcoates R.D. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | | | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| **All Causes** | 94 | 75 | 91 | 106 | | | 56 | 57 | 77 | 63 | 67 | 63 | 78 | 57 | 57 | 50 | | | |
| 1 Enteric fever | — | — | — | — | | | — | — | — | — | — | — | — | — | 1 | — | | | 1 |
| 2 Small-pox | — | — | — | — | | | — | — | — | — | — | — | — | — | — | — | | | 2 |
| 3 Measles | 1 | — | 1 | — | | | — | — | — | — | 1 | — | — | — | — | 1 | | | 3 |
| 4 Scarlet fever | — | — | — | — | | | — | — | — | — | 1 | — | — | — | — | — | | | 4 |
| 5 Whooping cough | — | — | — | — | | | — | — | — | 1 | — | — | 1 | — | — | — | | | 5 |
| 6 Diphtheria | — | — | — | — | | | — | — | — | — | 1 | — | — | — | — | — | | | 6 |
| 7 Influenza | — | — | 2 | 1 | | | 1 | — | 2 | 2 | 1 | 2 | 2 | 2 | — | 1 | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | | | — | — | — | — | — | — | — | — | — | — | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | | | — | — | — | — | — | — | — | — | — | — | | | 9 |
| 10 Tuberculosis of respiratory sys. | 7 | 6 | 6 | 2 | | | 2 | 2 | 4 | 3 | 4 | 8 | 4 | 5 | 2 | 1 | | | 10 |
| 11 Other tuberculous diseases | 2 | 1 | 2 | 4 | | | 1 | 1 | 1 | — | 1 | 1 | 1 | — | 2 | 2 | | | 11 |
| 12 Cancer, malignant disease | 11 | 10 | 9 | 19 | | | 7 | 16 | 10 | 6 | 7 | 9 | 8 | 6 | 6 | 8 | | | 12 |
| 13 Rheumatic fever | — | — | — | — | | | — | — | — | 1 | — | — | — | — | 1 | — | | | 13 |
| 14 Diabetes | 2 | — | 2 | 3 | | | — | — | 1 | 2 | 1 | — | 2 | 2 | 2 | 1 | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 13 | 9 | 6 | 7 | | | 4 | 5 | — | 3 | 3 | 3 | 2 | 6 | — | 4 | | | 15 |
| 16 Heart disease | 6 | 9 | 7 | 17 | | | 5 | 13 | 10 | 11 | 12 | 8 | 7 | 8 | 10 | 8 | | | 16 |
| 17 Arterio-sclerosis | 2 | 2 | 4 | 5 | | | 3 | 2 | 5 | — | 5 | 4 | 1 | — | 2 | 3 | | | 17 |
| 18 Bronchitis | 7 | 6 | 8 | 7 | | | 2 | 2 | 5 | 4 | 5 | 6 | 12 | 7 | 3 | 2 | | | 18 |
| 19 Pneumonia (all forms) | 2 | 3 | 4 | 3 | | | 5 | 1 | 3 | 7 | 1 | 4 | 6 | 3 | 5 | — | | | 19 |
| 20 Other respiratory diseases | 1 | 2 | — | 1 | | | 4 | 1 | 1 | — | 2 | 1 | — | — | 2 | 1 | | | 20 |
| 21 Ulcer of stomach or duodenum | 2 | — | 1 | — | | | — | — | 2 | — | — | — | — | — | — | — | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | — | — | | | — | — | 4 | — | 1 | — | 1 | 1 | 1 | — | | | 22 |
| 23 Appendicitis and typhlitis | 1 | 2 | — | — | | | — | — | — | 1 | — | — | — | — | — | 2 | | | 23 |
| 24 Cirrhosis of liver | 1 | — | 1 | — | | | — | — | — | — | — | — | — | 1 | — | 1 | | | 24 |
| 25 Acute and chronic nephritis | 3 | 1 | 2 | 7 | | | 1 | — | 2 | 1 | 1 | 1 | 4 | 1 | — | — | | | 25 |
| 26 Puerperal sepsis | — | — | — | — | | | — | — | — | 1 | — | — | — | — | — | — | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | | | — | 1 | — | 2 | — | 3 | — | — | — | 1 | | | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 2 | 6 | 1 | | | 7 | 4 | 2 | 1 | 1 | — | 3 | 2 | 3 | 2 | | | 28 |
| 29 Suicide | 3 | 3 | — | — | | | 1 | — | — | — | — | — | — | — | — | — | | | 29 |
| 30 Other deaths from violence | 2 | 1 | 4 | 1 | | | 2 | 1 | 3 | 1 | 3 | 1 | 3 | — | 7 | 2 | | | 30 |
| 31 Other defined diseases | 25 | 18 | 26 | 28 | | | 11 | 8 | 22 | 16 | 16 | 11 | 21 | 13 | 9 | 10 | | | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | | | — | — | — | — | — | 1 | — | — | 1 | — | | | 32 |

## YORKSHIRE, NORTH RIDING.

| Causes of Death. | Eston U.D. | | Redcar M.B. | | Scarborough M.B. | | Skelton & Brotton U.D. | | Thornaby on Tees M.B. | | Whitby U.D. | | | | Stokesley R.D. | | Thirsk R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | M. | F. | M. | F. | |
| **All Causes** | 259 | 203 | 83 | 92 | 246 | 277 | 106 | 75 | 132 | 105 | 67 | 77 | | | 61 | 77 | 91 | 93 | |
| 1 Enteric fever | — | 1 | — | — | — | — | — | — | — | 1 | — | — | | | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | | | — | — | — | — | 2 |
| 3 Measles | 26 | 22 | 3 | 5 | 3 | — | — | — | 12 | 13 | 1 | 1 | | | — | — | — | — | 3 |
| 4 Scarlet fever | 2 | 3 | — | — | — | — | — | — | — | 1 | — | — | | | — | — | — | — | 4 |
| 5 Whooping cough | — | 3 | — | 1 | 1 | 1 | — | — | 1 | 1 | — | 5 | | | — | — | — | 1 | 5 |
| 6 Diphtheria | — | — | 2 | 1 | — | 2 | — | — | 1 | 1 | — | — | | | — | — | — | — | 6 |
| 7 Influenza | 4 | — | 1 | 2 | 8 | 4 | 7 | — | 1 | — | 1 | 1 | | | 4 | — | — | 1 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | | | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | | | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 13 | 18 | 2 | 4 | 14 | 14 | 3 | 5 | 11 | 9 | 7 | 4 | | | 3 | 6 | 6 | 4 | 10 |
| 11 Other tuberculous diseases | 10 | 11 | — | 1 | 4 | 8 | 3 | 1 | 2 | 2 | — | 5 | | | 1 | — | 2 | 3 | 11 |
| 12 Cancer, malignant disease | 16 | 15 | 6 | 11 | 31 | 45 | 8 | 9 | 8 | 9 | 16 | 11 | | | 4 | 2 | 8 | 16 | 12 |
| 13 Rheumatic fever | — | 2 | — | — | — | — | — | — | — | — | — | 1 | | | — | — | 1 | 1 | 13 |
| 14 Diabetes | 1 | 2 | 1 | 3 | 6 | 2 | — | 4 | — | 1 | 1 | 2 | | | — | — | 2 | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 17 | 15 | 4 | 7 | 22 | 20 | 7 | 1 | 7 | 4 | 5 | 9 | | | 3 | 8 | 3 | 7 | 15 |
| 16 Heart disease | 27 | 21 | 9 | 12 | 35 | 44 | 17 | 9 | 13 | 6 | 4 | 11 | | | 8 | 13 | 10 | 10 | 16 |
| 17 Arterio-sclerosis | 3 | — | 6 | — | 21 | 17 | 3 | — | 3 | — | 2 | 3 | | | 3 | — | 6 | 4 | 17 |
| 18 Bronchitis | 13 | 6 | 2 | 2 | 17 | 20 | 12 | 10 | 11 | 5 | 3 | 2 | | | 2 | 2 | 8 | 3 | 18 |
| 19 Pneumonia (all forms) | 27 | 13 | 13 | 7 | 15 | 14 | 1 | 4 | 13 | 16 | 2 | 3 | | | 7 | 7 | 6 | 3 | 19 |
| 20 Other respiratory diseases | 4 | 4 | 2 | 1 | 5 | 6 | 4 | 1 | 2 | 1 | — | 1 | | | 1 | 2 | — | 1 | 20 |
| 21 Ulcer of stomach or duodenum | — | 1 | 2 | — | — | 1 | 1 | — | — | 1 | — | — | | | 1 | 2 | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 3 | 5 | — | — | 1 | 1 | 3 | 1 | 6 | 3 | — | — | | | — | — | — | — | 22 |
| 23 Appendicitis and typhlitis | 2 | 1 | 1 | — | — | 3 | — | 1 | — | 1 | 1 | — | | | — | 1 | 1 | 1 | 23 |
| 24 Cirrhosis of liver | 3 | — | — | — | 2 | 5 | 1 | — | — | — | 2 | — | | | 1 | — | — | — | 24 |
| 25 Acute and chronic nephritis | 5 | 5 | 4 | 1 | 2 | 8 | 4 | 6 | 4 | 3 | 7 | 2 | | | 1 | 1 | 3 | 1 | 25 |
| 26 Puerperal sepsis | — | — | — | — | — | 1 | — | — | — | — | — | — | | | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 3 | — | 1 | — | 1 | — | 1 | — | — | | | — | 1 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 19 | 13 | 6 | 7 | 7 | 11 | 11 | 4 | 8 | 9 | 3 | 1 | | | 1 | 5 | 6 | 6 | 28 |
| 29 Suicide | 4 | 1 | 3 | 1 | 1 | 1 | — | — | 1 | — | 1 | — | | | 1 | 1 | — | — | 29 |
| 30 Other deaths from violence | 12 | 5 | 5 | 2 | 7 | 6 | 4 | 1 | 3 | — | — | 1 | | | 1 | — | — | 1 | 30 |
| 31 Other defined diseases | 43 | 31 | 11 | 21 | 44 | 42 | 17 | 17 | 25 | 17 | 10 | 14 | | | 18 | 26 | 28 | 27 | 31 |
| 32 Causes ill-defined or unknown | 5 | 4 | — | — | — | — | — | — | — | — | 1 | — | | | 1 | — | — | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## YORKSHIRE, WEST RIDING.

| Causes of Death. | Adwick-le-Street U.D. | | Barn-oldswick U.D. | | Batley M.B. | | Bentley with Arksey U.D. | | Bingley U.D. | | Bolton upon Dearne U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 65 | 73 | 63 | 53 | 265 | 231 | 77 | 66 | 111 | 136 | 60 | 67 | |
| 1 Enteric fever | — | — | — | — | 1 | — | — | — | — | 1 | 1 | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 3 | 4 | — | — | 7 | 1 | — | — | 1 | 1 | — | — | 3 |
| 4 Scarlet fever | — | — | — | — | 1 | 1 | — | — | 1 | 1 | — | 1 | 4 |
| 5 Whooping cough | 1 | 9 | — | — | 3 | 1 | 1 | 3 | — | — | 1 | 1 | 5 |
| 6 Diphtheria | 1 | 1 | — | — | — | 1 | 1 | 1 | 1 | — | — | 1 | 6 |
| 7 Influenza | 2 | 3 | 1 | — | 7 | 7 | 1 | 1 | 4 | 3 | 1 | — | 7 |
| 8 Encephalitis lethargica | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | 1 | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 2 | 5 | 4 | 3 | 10 | 8 | 6 | 6 | 9 | 12 | 4 | 2 | 10 |
| 11 Other tuberculous diseases | 2 | 2 | 2 | 3 | 5 | 1 | 2 | 3 | 7 | 4 | 2 | 1 | 11 |
| 12 Cancer, malignant disease | 5 | 1 | 7 | 7 | 15 | 23 | 3 | 9 | 9 | 16 | 1 | 5 | 12 |
| 13 Rheumatic fever | — | — | — | — | 2 | 1 | 1 | — | — | 1 | — | — | 13 |
| 14 Diabetes | — | — | 2 | — | 1 | 5 | — | — | 3 | 4 | — | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 1 | — | 4 | 4 | 18 | 24 | 2 | 3 | 9 | 12 | 2 | 1 | 15 |
| 16 Heart disease | 3 | 4 | 12 | 10 | 30 | 42 | 7 | 8 | 16 | 19 | 2 | 5 | 16 |
| 17 Arterio-sclerosis | — | — | 1 | 2 | 16 | 9 | 4 | — | 2 | 4 | 3 | 1 | 17 |
| 18 Bronchitis | 4 | 5 | 4 | 3 | 38 | 22 | 6 | 4 | 3 | 11 | 2 | 3 | 18 |
| 19 Pneumonia (all forms) | 8 | 11 | 6 | 1 | 25 | 17 | 11 | 8 | 3 | 5 | 11 | 8 | 19 |
| 20 Other respiratory diseases | 1 | 1 | 1 | 1 | 6 | 2 | 2 | — | 1 | 2 | — | 1 | 20 |
| 21 Ulcer of stomach or duodenum | — | 1 | — | 1 | 3 | — | 1 | — | 4 | — | — | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 4 | — | — | 1 | — | 1 | 3 | 1 | — | 1 | 4 | 22 |
| 23 Appendicitis and typhlitis | 2 | 1 | 1 | — | — | 1 | 1 | — | 2 | — | — | — | 23 |
| 24 Cirrhosis of liver | — | — | — | — | 1 | — | — | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 2 | 2 | 1 | 1 | 8 | 7 | — | — | 2 | 9 | 3 | 1 | 25 |
| 26 Puerperal sepsis | — | 1 | — | 1 | — | — | — | — | — | 2 | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 2 | — | — | — | — | — | 2 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 4 | 6 | 1 | 5 | 13 | 12 | 7 | 2 | 6 | 7 | 11 | 12 | 28 |
| 29 Suicide | 3 | — | — | — | 2 | — | — | — | 1 | — | 2 | — | 29 |
| 30 Other deaths from violence | 5 | 3 | 1 | — | 8 | 3 | 13 | 2 | 6 | — | 5 | 4 | 30 |
| 31 Other defined diseases | 12 | 8 | 14 | 8 | 44 | 42 | 6 | 13 | 17 | 19 | 7 | 11 | 31 |
| 32 Causes ill-defined or unknown | 1 | — | 1 | 1 | — | — | 1 | — | 2 | — | 1 | 1 | 32 |

## YORKSHIRE, WEST RIDING—*cont.*

| Causes of Death. | Brig-house M.B. | | Castle-ford U.D. | | Conis-brough U.D. | | Darton U.D. | | Doncas-ter M.B. | | Elland U.D. | | Feather-stone U.D. | | Golcar U.D. | | Goole U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 129 | 143 | 189 | 153 | 123 | 105 | 83 | 59 | 363 | 314 | 65 | 74 | 109 | 90 | 66 | 68 | 136 | 120 | |
| 1 Enteric fever | — | — | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | 1 | 1 | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 1 | — | 8 | 10 | 8 | 4 | 2 | 2 | 2 | 5 | 1 | 1 | 1 | 3 | — | — | 1 | 2 | 3 |
| 4 Scarlet fever | — | — | 3 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 |
| 5 Whooping cough | 1 | 2 | — | 2 | 1 | 2 | — | 1 | 4 | 6 | — | — | — | — | 1 | — | 3 | 1 | 5 |
| 6 Diphtheria | — | — | — | 1 | — | 2 | — | — | — | 5 | — | — | — | 1 | — | — | 1 | 3 | 6 |
| 7 Influenza | 4 | 5 | 2 | 1 | 7 | 7 | 4 | 5 | 19 | 18 | 1 | 1 | 3 | 3 | 2 | — | 1 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 9 |
| 10 Tuberculosis of respiratory sys. | 12 | 9 | 15 | 11 | 10 | 10 | 8 | 2 | 23 | 12 | 3 | 8 | 5 | 3 | 4 | 4 | 9 | 9 | 10 |
| 11 Other tuberculous diseases | 5 | 1 | 1 | 4 | — | — | 1 | 2 | 6 | 6 | 1 | 2 | 7 | 3 | — | 1 | 1 | 4 | 11 |
| 12 Cancer, malignant disease | 7 | 14 | 13 | 16 | 2 | 11 | 3 | 6 | 36 | 27 | 6 | 12 | 10 | 8 | 5 | 7 | 10 | 10 | 12 |
| 13 Rheumatic fever | — | 1 | — | — | 1 | — | 2 | — | 1 | 2 | — | — | 2 | 1 | — | — | — | 1 | 13 |
| 14 Diabetes | 1 | — | — | 1 | — | — | 2 | 2 | 5 | 3 | — | 2 | 2 | 3 | 2 | — | 1 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | 14 | 17 | 13 | 9 | 4 | 6 | 4 | 6 | 34 | 22 | 3 | 3 | 7 | 8 | 3 | — | 6 | 9 | 15 |
| 16 Heart disease | 21 | 23 | 20 | 13 | 9 | 1 | 9 | 7 | 33 | 38 | 5 | 7 | 6 | 9 | 8 | 14 | 16 | 11 | 16 |
| 17 Arterio-sclerosis | 7 | 11 | 2 | 1 | — | — | 1 | — | 7 | 5 | 1 | — | — | 1 | 2 | 1 | 3 | — | 17 |
| 18 Bronchitis | 14 | 15 | 21 | 16 | 15 | 13 | 7 | 4 | 29 | 24 | 12 | 3 | 15 | 12 | 3 | 4 | 4 | 7 | 18 |
| 19 Pneumonia (all forms) | 7 | 8 | 29 | 13 | 18 | 12 | 10 | 5 | 42 | 19 | 3 | 6 | 11 | 8 | 5 | 1 | 14 | 8 | 19 |
| 20 Other respiratory diseases | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 5 | 4 | — | 4 | 2 | — | 1 | 3 | 1 | 2 | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | 1 | — | — | — | 1 | 2 | 1 | — | — | — | 1 | — | 3 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 2 | 3 | 2 | 8 | 12 | — | — | 3 | 8 | — | 1 | 2 | 1 | 1 | — | 2 | — | 22 |
| 23 Appendicitis and typhlitis | 1 | 1 | 1 | 1 | 3 | 1 | 2 | — | — | 1 | 1 | — | 1 | — | — | — | — | 1 | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | 1 | 1 | 24 |
| 25 Acute and chronic nephritis | 3 | 1 | 4 | 4 | — | — | 3 | — | 9 | 6 | — | 4 | 3 | 2 | 2 | 5 | 2 | 5 | 25 |
| 26 Puerperal sepsis | — | 1 | — | 1 | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | — | — | — | — | 1 | — | 3 | — | — | — | 1 | — | 1 | — | 2 | 27 |
| 28 Congenital debility and malformation, premature birth | 2 | 6 | 13 | 9 | 4 | 8 | 9 | 3 | 22 | 15 | 7 | 4 | 8 | 6 | 4 | 3 | 10 | 9 | 28 |
| 29 Suicide | 1 | 1 | — | 4 | 1 | 1 | 1 | — | 2 | 4 | 2 | 2 | 1 | — | — | — | 1 | — | 29 |
| 30 Other deaths from violence | 5 | 1 | 16 | 2 | 11 | 1 | 4 | 2 | 20 | 11 | 3 | 1 | 8 | 1 | 3 | 5 | 10 | 1 | 30 |
| 31 Other defined diseases | 19 | 21 | 23 | 26 | 16 | 13 | 10 | 10 | 58 | 62 | 15 | 12 | 14 | 15 | 19 | 18 | 35 | 30 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | 2 | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## YORKSHIRE, WEST RIDING—*cont.*

| Causes of Death. | Harrogate M.B. | | Hemsworth U.D. | | Holmfirth U.D. | | Hoyland Nether U.D. | | Keighley M.B. | | Mexborough U.D. | | Mirfield U.D. | | Morley M.B. | | Normanton U.D. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| **All Causes** | 180 | 184 | 89 | 67 | 73 | 55 | 87 | 88 | 303 | 276 | 108 | 101 | 80 | 86 | 155 | 162 | 96 | 101 |
| 1 Enteric fever | — | — | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | 1 | — | — |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | — | — | — | 1 | — | — | 5 | 6 | 4 | 3 | — | — | 2 | — | 3 | 6 | 7 | 1 |
| 4 Scarlet fever | — | 1 | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| 5 Whooping cough | — | — | 2 | 3 | — | — | — | 2 | 1 | 2 | 2 | — | — | — | 1 | — | 2 | 2 |
| 6 Diphtheria | — | 1 | — | — | 1 | — | — | — | 1 | — | 1 | 2 | — | — | 3 | 2 | 1 | 1 |
| 7 Influenza | 5 | 3 | — | — | 1 | 1 | 7 | 6 | 6 | 4 | 3 | 1 | 4 | 2 | 1 | 6 | — | 1 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory sys. | 10 | 13 | 3 | 4 | 8 | 1 | 4 | 9 | 24 | 26 | 6 | 11 | 3 | 3 | 8 | 8 | 7 | 10 |
| 11 Other tuberculous diseases | 3 | 2 | 5 | 3 | 1 | — | 4 | 4 | 9 | 4 | 3 | 2 | 2 | — | 1 | 3 | 4 | 2 |
| 12 Cancer, malignant disease | 24 | 23 | 7 | 6 | 9 | 11 | 5 | 1 | 19 | 30 | 11 | 14 | 4 | 10 | 14 | 19 | 6 | 6 |
| 13 Rheumatic fever | — | 1 | 1 | — | — | — | — | 1 | — | 2 | — | 1 | — | — | — | 1 | — | — |
| 14 Diabetes | 2 | 1 | 1 | — | 3 | — | — | 4 | 6 | 3 | 1 | 2 | — | — | 3 | 2 | 2 | — |
| 15 Cerebral hæmorrhage, &c. | 8 | 17 | 4 | 6 | 4 | 1 | 5 | 6 | 23 | 23 | 2 | 2 | 8 | 12 | 12 | 10 | 3 | 8 |
| 16 Heart disease | 29 | 41 | 3 | 3 | 17 | 10 | 11 | 11 | 29 | 37 | 7 | 9 | 12 | 17 | 19 | 28 | 8 | 9 |
| 17 Arterio-sclerosis | 11 | 6 | 7 | 1 | 1 | 5 | 4 | — | 8 | 5 | 2 | — | 1 | — | 20 | 11 | 3 | 2 |
| 18 Bronchitis | 9 | 10 | 6 | 5 | 3 | 1 | 6 | 10 | 24 | 31 | 15 | 13 | 8 | 4 | 8 | 10 | 4 | 7 |
| 19 Pneumonia (all forms) | 15 | 11 | 15 | 8 | 7 | 3 | 10 | 5 | 29 | 13 | 15 | 18 | 5 | 6 | 18 | 6 | 15 | 13 |
| 20 Other respiratory diseases | 2 | 3 | — | — | — | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 3 | 1 |
| 21 Ulcer of stomach or duodenum | 4 | — | — | 1 | — | — | — | — | 3 | 1 | 1 | — | 2 | — | 1 | — | 1 | — |
| 22 Diarrhœa, &c. (under 2 years) | — | 1 | 4 | 2 | — | — | — | — | 5 | 1 | 3 | 2 | — | — | 1 | 3 | 3 | 4 |
| 23 Appendicitis and typhlitis | 1 | 1 | 2 | 1 | — | 3 | — | — | 4 | 1 | 2 | 1 | — | 1 | 1 | 1 | — | 1 |
| 24 Cirrhosis of liver | 4 | 1 | 1 | 1 | — | 1 | — | — | 1 | — | — | — | — | — | 2 | — | — | 1 |
| 25 Acute and chronic nephritis | 7 | 8 | 2 | 2 | 4 | 2 | — | 1 | 15 | 14 | 1 | 2 | 2 | 7 | 3 | 7 | 1 | 4 |
| 26 Puerperal sepsis | — | — | — | 2 | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | 1 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | 2 | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | 2 |
| 28 Congenital debility and malformation, premature birth | 9 | 5 | 6 | 5 | 1 | 1 | 4 | 4 | 17 | 13 | 10 | 3 | 9 | 4 | 9 | 10 | 12 | 8 |
| 29 Suicide | 1 | 1 | — | 2 | 1 | 1 | 1 | — | 2 | 1 | 1 | 2 | 1 | 2 | — | — | — | 1 |
| 30 Other deaths from violence | 8 | 5 | 6 | 3 | 1 | — | 4 | — | 11 | 3 | 6 | 3 | 3 | 2 | 11 | 1 | 4 | 3 |
| 31 Other defined diseases | 27 | 29 | 12 | 6 | 11 | 12 | 16 | 15 | 60 | 56 | 12 | 9 | 12 | 15 | 15 | 24 | 9 | 12 |
| 32 Causes ill-defined or unknown | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |

## YORKSHIRE, WEST RIDING—*cont.*

| Causes of Death. | Ossett M.B. | | Pontefract M.B. | | Pudsey M.B. | | Rawmarsh U.D. | | Rothwell U.D. | | Saddleworth U.D. | | Shipley U.D. | | Skipton U.D. | | Sowerby Bridge U.D. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| **All Causes** | 95 | 119 | 118 | 106 | 84 | 83 | 117 | 85 | 89 | 76 | 88 | 96 | 179 | 210 | 74 | 82 | 70 | 93 |
| 1 Enteric fever | — | 1 | — | — | — | 2 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Measles | 2 | 4 | 1 | — | 1 | — | — | — | 1 | — | — | 1 | 1 | — | 1 | 1 | — | — |
| 4 Scarlet fever | 1 | 1 | — | — | — | — | 1 | — | — | — | — | 1 | — | — | 1 | — | — | — |
| 5 Whooping cough | — | 4 | — | 1 | — | — | 3 | 8 | — | — | — | 1 | — | 1 | — | 1 | — | — |
| 6 Diphtheria | — | — | — | — | 1 | — | 1 | — | 1 | 1 | — | — | 1 | — | — | 1 | — | — |
| 7 Influenza | 1 | 2 | 3 | 2 | 1 | — | — | 2 | 3 | 1 | 2 | 2 | 3 | 4 | — | 2 | 2 | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — |
| 9 Meningococcal meningitis | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Tuberculosis of respiratory sys. | 4 | 8 | 4 | 10 | 5 | 5 | 8 | 3 | 2 | 11 | 6 | 4 | 15 | 13 | 3 | 2 | 9 | 4 |
| 11 Other tuberculous diseases | 5 | 2 | 3 | 5 | 3 | 3 | 4 | 2 | 5 | 2 | — | 2 | 5 | 5 | 2 | 2 | 2 | 1 |
| 12 Cancer, malignant disease | 12 | 12 | 6 | 9 | 6 | 11 | 7 | 4 | 3 | 7 | 9 | 12 | 10 | 28 | 7 | 8 | 6 | 11 |
| 13 Rheumatic fever | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | 1 | 2 | — | 1 | — | — |
| 14 Diabetes | 1 | 3 | 1 | 1 | 2 | — | — | — | 2 | — | 2 | — | — | 2 | 1 | 1 | 1 | 1 |
| 15 Cerebral hæmorrhage, &c. | 7 | 10 | 3 | 2 | 7 | 10 | 10 | 2 | 7 | 8 | 3 | 6 | 11 | 17 | 4 | 14 | 3 | 5 |
| 16 Heart disease | 19 | 13 | 11 | 6 | 11 | 10 | 9 | 7 | 6 | 8 | 11 | 17 | 16 | 35 | 7 | 9 | 4 | 24 |
| 17 Arterio-sclerosis | 2 | 1 | 7 | 7 | 1 | 3 | 1 | — | 2 | 1 | 4 | 12 | 9 | 6 | 7 | 1 | 3 | 3 |
| 18 Bronchitis | 4 | 11 | 20 | 12 | 9 | 3 | 4 | 8 | 11 | 10 | 6 | 4 | 17 | 19 | 9 | 7 | 6 | 7 |
| 19 Pneumonia (all forms) | 5 | 5 | 12 | 8 | 3 | 3 | 13 | 7 | 14 | 6 | 12 | 7 | 19 | 11 | 9 | 8 | 8 | 7 |
| 20 Other respiratory diseases | 1 | — | 1 | 1 | 1 | 1 | 1 | 3 | — | 1 | — | — | 2 | 4 | 1 | — | 1 | — |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | 1 | — | — | — | — | — | 1 | — | 3 | 2 | — | — | — | — |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 2 | 2 | 3 | 1 | 1 | 2 | 1 | — | 1 | — | — | 6 | 2 | 1 | 1 | 3 | — |
| 23 Appendicitis and typhlitis | — | — | 2 | — | 2 | — | 1 | — | — | — | 1 | 1 | 6 | 3 | 2 | — | 1 | — |
| 24 Cirrhosis of liver | — | — | 1 | — | 1 | 1 | — | — | — | 1 | — | — | 2 | 3 | 3 | 1 | — | — |
| 25 Acute and chronic nephritis | 2 | 7 | 4 | 5 | 2 | 2 | 1 | 4 | 4 | 2 | 7 | 5 | 12 | 5 | 2 | 1 | 2 | 1 |
| 26 Puerperal sepsis | — | — | — | 1 | — | — | — | 1 | — | — | — | 1 | — | 1 | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 3 | — | 2 | — | — | — | 1 | — | 1 | — | 2 | — | 1 | — | — |
| 28 Congenital debility and malformation, premature birth | 8 | 5 | 16 | 9 | 4 | 4 | 14 | 6 | 6 | 2 | 4 | 1 | 7 | 10 | 4 | 1 | 1 | 4 |
| 29 Suicide | — | 1 | 1 | — | 1 | — | 1 | — | — | 1 | 1 | — | 2 | 2 | 1 | — | 1 | 2 |
| 30 Other deaths from violence | 3 | 2 | 5 | 2 | 2 | 1 | 5 | 2 | 3 | — | 3 | 1 | 6 | 2 | 1 | 1 | 3 | 1 |
| 31 Other defined diseases | 15 | 21 | 15 | 19 | 18 | 21 | 30 | 25 | 18 | 12 | 14 | 16 | 24 | 30 | 6 | 17 | 14 | 15 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 | 2 | — | — | — |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## YORKSHIRE, WEST RIDING—*cont.*

| Causes of Death. | Spenborough U.D. | | Stanley U.D. | | Swinton U.D. | | Todmorden M.B. | | Wath-upon-Dearne U.D. | | Wombwell U.D. | | Worsborough U.D. | | Doncaster R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 209 | 214 | 109 | 94 | 95 | 78 | 143 | 161 | 65 | 76 | 132 | 101 | 76 | 70 | 172 | 139 | |
| Enteric fever | — | 1 | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | 1 |
| Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Measles | 2 | 3 | 2 | 4 | 1 | — | — | — | — | — | 8 | 3 | 1 | 1 | 1 | — | 3 |
| Scarlet fever | — | — | — | 3 | — | — | 1 | — | — | — | — | — | — | — | — | 1 | 4 |
| Whooping cough | 1 | — | — | — | — | 5 | 2 | 1 | — | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 5 |
| Diphtheria | — | — | 1 | 3 | 1 | — | — | — | — | — | — | — | — | — | 1 | 1 | 6 |
| Influenza | 2 | 6 | 3 | 1 | 6 | 2 | 3 | 3 | 1 | 3 | — | 3 | 2 | 2 | 12 | 7 | 7 |
| Encephalitis lethargica | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 8 |
| Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| Tuberculosis of respiratory sys. | 13 | 9 | 4 | 6 | 8 | 3 | 6 | 6 | 1 | 3 | 4 | 7 | 5 | 3 | 7 | 12 | 10 |
| Other tuberculous diseases | 6 | 5 | 3 | 1 | 4 | 1 | 3 | 4 | 3 | 2 | 5 | 1 | 3 | — | — | 8 | 11 |
| Cancer, malignant disease | 20 | 24 | 8 | 4 | 2 | 4 | 13 | 17 | 3 | 9 | 11 | 7 | 4 | 14 | 13 | 16 | 12 |
| Rheumatic fever | — | 2 | 1 | — | — | — | — | — | 1 | 1 | 1 | 1 | — | — | 1 | — | 13 |
| Diabetes | 3 | 2 | — | 2 | — | 1 | 2 | 3 | 1 | — | 3 | 1 | — | 1 | 1 | — | 14 |
| Cerebral hæmorrhage, &c. | 14 | 21 | 9 | 13 | 4 | 4 | 14 | 15 | 5 | 2 | 9 | 4 | 7 | 1 | 9 | 5 | 15 |
| Heart disease | 28 | 24 | 18 | 12 | 9 | 8 | 15 | 29 | 10 | 6 | 8 | 7 | 5 | 10 | 8 | 8 | 16 |
| Arterio-sclerosis | 7 | 4 | 1 | — | 5 | 2 | 12 | 6 | 1 | — | 2 | — | 2 | 2 | 7 | 2 | 17 |
| Bronchitis | 24 | 22 | 7 | 4 | 11 | 5 | 12 | 15 | 4 | 3 | 15 | 11 | 4 | 6 | 11 | 9 | 18 |
| Pneumonia (all forms) | 12 | 15 | 16 | 6 | 6 | 9 | 8 | 5 | 7 | 10 | 9 | 10 | 6 | 4 | 20 | 15 | 19 |
| Other respiratory diseases | 8 | 5 | 1 | — | — | 1 | 2 | 4 | 1 | — | 2 | 1 | 2 | 1 | 3 | — | 20 |
| Ulcer of stomach or duodenum | 2 | 1 | — | — | 4 | 1 | 4 | — | — | 1 | 1 | — | — | — | 1 | — | 21 |
| Diarrhœa, &c. (under 2 years) | 1 | — | 2 | 3 | 5 | 2 | 1 | 1 | — | 1 | 2 | 3 | 4 | 3 | 2 | 2 | 22 |
| Appendicitis and typhlitis | 2 | 2 | 1 | 1 | — | — | — | 1 | — | — | — | 1 | — | 1 | 2 | — | 23 |
| Cirrhosis of liver | 2 | — | — | — | — | — | — | 1 | 1 | — | 2 | 2 | 2 | 1 | — | 1 | 24 |
| Acute and chronic nephritis | 7 | 7 | 2 | 2 | 3 | — | 11 | 14 | — | 2 | 4 | 1 | 2 | 1 | 2 | 7 | 25 |
| Puerperal sepsis | — | 2 | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | 1 | 26 |
| Other accidents and diseases of pregnancy and parturition | — | 3 | — | 1 | — | — | — | 1 | — | 1 | — | 2 | — | 2 | — | 3 | 27 |
| Congenital debility and malformation, premature birth | 13 | 8 | 6 | 6 | 5 | 6 | 4 | 4 | 7 | 9 | 11 | 12 | 7 | 6 | 18 | 12 | 28 |
| Suicide | 1 | 2 | 2 | — | 2 | — | 4 | 2 | — | — | — | — | — | — | 2 | — | 29 |
| Other deaths from violence | 7 | 6 | 5 | — | 9 | 3 | 3 | 3 | 7 | 2 | 6 | 2 | 3 | 1 | 16 | 2 | 30 |
| Other defined diseases | 33 | 40 | 16 | 21 | 10 | 19 | 23 | 24 | 12 | 20 | 26 | 19 | 16 | 9 | 33 | 25 | 31 |
| Causes ill-defined or unknown | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | 32 |

## YORKSHIRE, WEST RIDING—*cont.*

| Causes of Death. | Great Ouseburn R.D. | | Hemsworth R.D. | | Kiveton Park R.D. | | Pontefract R.D. | | Rotherham R.D. | | Settle R.D. | | Skipton R.D. | | Tadcaster R.D. | | Thorne R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 72 | 53 | 238 | 193 | 74 | 67 | 130 | 98 | 217 | 197 | 103 | 99 | 126 | 134 | 163 | 143 | 89 | 69 | |
| Enteric fever | — | — | — | 1 | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — | 1 |
| Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| Measles | 1 | — | 7 | 4 | — | — | 3 | 2 | 1 | 4 | — | — | — | — | 1 | 2 | — | — | 3 |
| Scarlet fever | — | — | — | — | — | — | 1 | 1 | 1 | 1 | — | — | — | 1 | — | — | — | — | 4 |
| Whooping cough | — | — | 3 | 4 | — | — | 1 | — | 7 | 8 | 1 | — | 1 | — | — | — | — | 4 | 5 |
| Diphtheria | — | — | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | 1 | — | 6 |
| Influenza | — | — | 11 | 11 | 2 | — | 1 | 1 | 7 | 5 | 5 | 3 | 1 | 5 | 5 | 1 | 4 | 3 | 7 |
| Encephalitis lethargica | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| Meningococcal meningitis | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 9 |
| Tuberculosis of respiratory sys. | 3 | 2 | 20 | 7 | 3 | 3 | 4 | 6 | 11 | 13 | 2 | 3 | 2 | 7 | 11 | 9 | 6 | 6 | 10 |
| Other tuberculous diseases | 2 | — | 11 | 8 | 2 | 1 | 3 | 3 | 7 | 4 | 2 | — | 1 | 4 | 4 | 8 | 3 | 4 | 11 |
| Cancer, malignant disease | 13 | 4 | 18 | 12 | 6 | 5 | 9 | 8 | 13 | 22 | 10 | 5 | 10 | 19 | 14 | 10 | 9 | 1 | 12 |
| Rheumatic fever | — | 1 | 1 | — | 1 | — | 1 | — | 1 | — | — | 2 | — | — | 1 | 2 | 2 | 1 | 13 |
| Diabetes | 2 | 3 | 2 | 1 | — | 1 | 2 | 2 | 1 | 2 | 1 | — | — | 2 | 1 | 3 | — | 1 | 14 |
| Cerebral hæmorrhage, &c. | 7 | 6 | 6 | 9 | 6 | 7 | 8 | 11 | 7 | 13 | 5 | 12 | 8 | 11 | 7 | 7 | 7 | 7 | 15 |
| Heart disease | 8 | 13 | 6 | 15 | 10 | 9 | 9 | 11 | 22 | 11 | 13 | 25 | 21 | 18 | 14 | 14 | 8 | 11 | 16 |
| Arterio-sclerosis | 3 | 3 | 3 | 3 | — | — | 2 | 1 | 7 | 1 | 8 | 7 | 3 | 4 | 4 | 1 | — | — | 17 |
| Bronchitis | 1 | 3 | 26 | 12 | 4 | 1 | 10 | 12 | 15 | 19 | 7 | 1 | 9 | 9 | 10 | 10 | 3 | 7 | 18 |
| Pneumonia (all forms) | 5 | 1 | 20 | 21 | 8 | 10 | 22 | 12 | 23 | 20 | 2 | 2 | 14 | 5 | 12 | 11 | 7 | 6 | 19 |
| Other respiratory diseases | 1 | — | 5 | 2 | — | 1 | 2 | — | 4 | — | 3 | 1 | 2 | — | 2 | 1 | — | — | 20 |
| Ulcer of stomach or duodenum | — | — | 1 | — | 1 | 1 | — | — | — | 4 | 1 | 1 | 1 | — | — | — | 1 | — | 21 |
| Diarrhœa, &c. (under 2 years) | 3 | 1 | 9 | 8 | 2 | 2 | 1 | 3 | 8 | 3 | 3 | 1 | 3 | — | 6 | 3 | 2 | — | 22 |
| Appendicitis and typhlitis | — | — | 1 | 1 | — | — | — | — | 1 | 1 | 2 | — | 3 | 1 | 1 | — | — | — | 23 |
| Cirrhosis of liver | 1 | — | 1 | — | — | — | — | — | 2 | — | — | — | 1 | 1 | — | — | 1 | — | 24 |
| Acute and chronic nephritis | — | 3 | 9 | 4 | 1 | 2 | 3 | 3 | 3 | 4 | 4 | 1 | 6 | 7 | 3 | 5 | — | 2 | 25 |
| Puerperal sepsis | — | — | — | 4 | — | 2 | — | 2 | — | 4 | — | — | — | 1 | — | 3 | — | — | 26 |
| Other accidents and diseases of pregnancy and parturition | — | 1 | — | 3 | — | 2 | — | — | — | 1 | — | — | — | 1 | — | 2 | — | — | 27 |
| Congenital debility and malformation, premature birth | 5 | 3 | 19 | 23 | 3 | 7 | 10 | 7 | 23 | 19 | 10 | 5 | 6 | 5 | 17 | 11 | 7 | 2 | 28 |
| Suicide | 1 | — | 5 | — | — | — | 2 | — | 1 | — | — | 1 | 2 | — | 1 | — | — | — | 29 |
| Other deaths from violence | 3 | — | 18 | 8 | 3 | 1 | 9 | 3 | 10 | 4 | 3 | 2 | 6 | 1 | 14 | 4 | 11 | — | 30 |
| Other defined diseases | 13 | 9 | 34 | 31 | 22 | 12 | 27 | 10 | 35 | 33 | 21 | 26 | 25 | 31 | 33 | 36 | 17 | 14 | 31 |
| Causes ill-defined or unknown | — | — | 1 | — | — | — | — | — | 1 | — | — | — | 1 | 1 | 2 | — | — | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## YORKSHIRE, WEST RIDING—*cont.* / ANGLESEY.

| Causes of Death. | Wakefield R.D. | | Wetherby R.D. | | Wharfedale North R.D. | | Wharfedale South R.D. | | Wortley R.D. | | | | | Holyhead U.D. | | Valley R.D. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | M. | F. | M. | F. |
| **All Causes** | 117 | 101 | 56 | 90 | 28 | 19 | 25 | 30 | 171 | 143 | | | | 91 | 81 | 80 | 89 |
| 1 Enteric fever | 1 | — | — | — | — | — | 1 | — | 1 | — | | | | — | — | — | — |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | | | | — | — | — | — |
| 3 Measles | 5 | 6 | — | — | — | — | — | — | — | — | | | | 1 | — | — | — |
| 4 Scarlet fever | 1 | 1 | — | — | — | — | — | 1 | — | — | | | | — | — | — | — |
| 5 Whooping cough | — | — | — | — | — | — | — | — | 2 | 2 | | | | — | — | 3 | — |
| 6 Diphtheria | 1 | 2 | — | — | — | — | — | — | — | — | | | | 2 | 2 | 1 | 1 |
| 7 Influenza | 4 | 2 | 1 | 3 | — | 1 | 1 | 1 | 9 | 8 | | | | — | 1 | — | 2 |
| 8 Encephalitis lethargica | — | — | — | 1 | — | — | — | — | — | 1 | | | | — | 1 | 1 | — |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | | | | — | — | — | — |
| 10 Tuberculosis of respiratory sys. | 5 | 7 | 3 | 7 | 2 | 2 | 1 | 1 | 12 | 8 | | | | 7 | 8 | 5 | 16 |
| 11 Other tuberculous diseases | 3 | 2 | 1 | 1 | — | 2 | — | 1 | 3 | 4 | | | | 3 | 1 | 3 | — |
| 12 Cancer, malignant disease | 10 | 9 | 9 | 14 | 2 | 2 | 3 | 5 | 16 | 17 | | | | 8 | 14 | 10 | 9 |
| 13 Rheumatic fever | 1 | — | — | — | — | — | — | — | — | 1 | | | | — | — | — | — |
| 14 Diabetes | 1 | 3 | — | 1 | 1 | 1 | — | — | 1 | 3 | | | | — | 1 | — | — |
| 15 Cerebral hæmorrhage, &c. | 10 | 6 | 3 | 4 | 2 | 1 | 2 | 2 | 10 | 8 | | | | 10 | 6 | 3 | 8 |
| 16 Heart disease | 12 | 11 | 5 | 17 | 4 | 3 | 3 | 3 | 26 | 29 | | | | 14 | 6 | 14 | 16 |
| 17 Arterio-sclerosis | 4 | 2 | 8 | 7 | 2 | — | 4 | 3 | 6 | 3 | | | | 4 | 2 | 4 | — |
| 18 Bronchitis | 7 | 5 | 3 | 5 | 3 | 1 | — | 1 | 13 | 12 | | | | 3 | 5 | 5 | 2 |
| 19 Pneumonia (all forms) | 17 | 8 | 1 | 4 | 2 | 2 | 2 | 3 | 21 | 8 | | | | 10 | 4 | 4 | 2 |
| 20 Other respiratory diseases | 2 | 1 | 1 | 1 | — | — | 1 | 2 | 2 | 2 | | | | 1 | — | 1 | — |
| 21 Ulcer of stomach or duodenum | 2 | — | — | — | 1 | — | — | 1 | 2 | — | | | | 1 | — | — | — |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 2 | 1 | — | — | — | — | — | 2 | 1 | | | | — | 2 | — | — |
| 23 Appendicitis and typhlitis | 1 | 1 | — | — | — | — | — | — | — | — | | | | 1 | — | 1 | — |
| 24 Cirrhosis of liver | 2 | — | 1 | — | — | 1 | — | — | — | — | | | | 1 | — | — | — |
| 25 Acute and chronic nephritis | 1 | 2 | 1 | 3 | — | — | 1 | — | 4 | 1 | | | | 4 | 3 | — | 4 |
| 26 Puerperal sepsis | — | — | — | — | — | — | — | — | — | 2 | | | | — | — | — | — |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 2 | — | — | — | — | — | 2 | | | | — | 2 | — | 1 |
| 28 Congenital debility and malformation, premature birth | 5 | 10 | 3 | 2 | 2 | — | 1 | | 6 | 5 | | | | 6 | 7 | 4 | 7 |
| 29 Suicide | — | — | 1 | — | — | — | — | — | 2 | — | | | | — | — | — | — |
| 30 Other deaths from violence | 1 | 3 | 3 | — | 1 | — | 1 | 1 | 7 | 6 | | | | 3 | 1 | 3 | — |
| 31 Other defined diseases | 20 | 16 | 11 | 17 | 6 | 3 | 4 | 3 | 26 | 20 | | | | 12 | 14 | 13 | 19 |
| 32 Causes ill-defined or unknown | — | — | — | 1 | — | — | — | — | — | — | | | | — | 1 | 5 | 2 |

## BRECKNOCKSHIRE. / CARDIGANSHIRE.

| Causes of Death. | | | Ystradgynlais R.D. | | | | Aberystwyth M.B. | | | | Aberystwyth North R.D. | | Aberystwyth South R.D. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | M. | F. | | | M. | F. | | | M. | F. | M. | F. | | | |
| **All Causes** | | | 67 | 50 | | | 50 | 50 | | | 49 | 54 | 54 | 42 | | | |
| 1 Enteric fever | | | — | — | | | — | — | | | — | — | — | — | | | 1 |
| 2 Small-pox | | | — | — | | | — | — | | | — | — | — | — | | | 2 |
| 3 Measles | | | — | — | | | — | — | | | — | — | — | — | | | 3 |
| 4 Scarlet fever | | | — | — | | | — | — | | | — | — | — | — | | | 4 |
| 5 Whooping cough | | | — | 2 | | | — | — | | | 2 | — | — | — | | | 5 |
| 6 Diphtheria | | | 3 | 1 | | | — | — | | | — | — | — | 1 | | | 6 |
| 7 Influenza | | | — | — | | | 1 | 2 | | | — | — | — | 1 | | | 7 |
| 8 Encephalitis lethargica | | | — | — | | | — | — | | | — | — | — | — | | | 8 |
| 9 Meningococcal meningitis | | | — | — | | | — | — | | | — | — | — | — | | | 9 |
| 10 Tuberculosis of respiratory sys. | | | 2 | 4 | | | 6 | 7 | | | 9 | 6 | 6 | 2 | | | 10 |
| 11 Other tuberculous diseases | | | 1 | 3 | | | — | 1 | | | 1 | — | — | — | | | 11 |
| 12 Cancer, malignant disease | | | 2 | 3 | | | 7 | 6 | | | 4 | 4 | 4 | 6 | | | 12 |
| 13 Rheumatic fever | | | 1 | — | | | — | — | | | — | — | — | — | | | 13 |
| 14 Diabetes | | | — | 1 | | | — | — | | | 1 | — | — | — | | | 14 |
| 15 Cerebral hæmorrhage, &c. | | | 5 | 2 | | | 6 | 2 | | | 3 | 4 | 5 | 4 | | | 15 |
| 16 Heart disease | | | 7 | 1 | | | 4 | 10 | | | 11 | 17 | 10 | 8 | | | 16 |
| 17 Arterio-sclerosis | | | — | — | | | 1 | 4 | | | 1 | 1 | — | 3 | | | 17 |
| 18 Bronchitis | | | 11 | 3 | | | 4 | 4 | | | 2 | 7 | 5 | 2 | | | 18 |
| 19 Pneumonia (all forms) | | | 3 | 1 | | | 2 | 2 | | | 1 | 1 | 2 | 1 | | | 19 |
| 20 Other respiratory diseases | | | 2 | 1 | | | 1 | 1 | | | — | 1 | 4 | 1 | | | 20 |
| 21 Ulcer of stomach or duodenum | | | 1 | 1 | | | 1 | — | | | 1 | — | — | — | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | | | 2 | 1 | | | 1 | — | | | — | — | — | — | | | 22 |
| 23 Appendicitis and typhlitis | | | 2 | 1 | | | — | — | | | — | — | — | 2 | | | 23 |
| 24 Cirrhosis of liver | | | — | — | | | 1 | — | | | — | — | — | — | | | 24 |
| 25 Acute and chronic nephritis | | | 3 | 2 | | | 3 | 1 | | | 2 | 1 | 1 | 1 | | | 25 |
| 26 Puerperal sepsis | | | — | — | | | — | — | | | — | — | — | — | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | | | — | 3 | | | — | 3 | | | — | — | — | — | | | 27 |
| 28 Congenital debility and malformation, premature birth | | | 10 | 5 | | | 2 | — | | | — | — | 3 | 1 | | | 28 |
| 29 Suicide | | | — | — | | | 3 | — | | | 1 | — | — | — | | | 29 |
| 30 Other deaths from violence | | | 1 | 3 | | | 1 | — | | | 2 | — | — | — | | | 30 |
| 31 Other defined diseases | | | 11 | 12 | | | 6 | 7 | | | 6 | 12 | 13 | 8 | | | 31 |
| 32 Causes ill-defined or unknown | | | — | — | | | — | — | | | 2 | — | 1 | 1 | | | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## CARMARTHENSHIRE.

| Causes of Death. | Carmarthen M.B. | | Llanelly M.B. | | | | | | Carmarthen R.D. | | Llandilo Fawr R.D. | | Llanelly R.D. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | | | | | M. | F. | M. | F. | M. | F. | | | | | |
| **All Causes** | 59 | 70 | 217 | 193 | | | | | 159 | 149 | 134 | 120 | 220 | 187 | | | | | |
| 1 Enteric fever | — | — | — | — | | | | | — | — | — | 1 | — | 2 | | | | | 1 |
| 2 Small-pox | — | — | — | — | | | | | — | — | — | — | — | — | | | | | 2 |
| 3 Measles | — | — | 2 | 3 | | | | | 1 | 1 | 2 | — | 4 | — | | | | | 3 |
| 4 Scarlet fever | — | — | 1 | — | | | | | 1 | — | — | — | 2 | — | | | | | 4 |
| 5 Whooping cough | — | — | — | 1 | | | | | — | — | 3 | 1 | 1 | 1 | | | | | 5 |
| 6 Diphtheria | — | 1 | 2 | 1 | | | | | — | — | — | 1 | 5 | 5 | | | | | 6 |
| 7 Influenza | — | — | 2 | 3 | | | | | 2 | — | 1 | 1 | 1 | 2 | | | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | | | | | 2 | — | 1 | — | — | — | | | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | | | | | — | — | — | — | — | — | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 2 | 6 | 25 | 24 | | | | | 15 | 19 | 11 | 12 | 17 | 14 | | | | | 10 |
| 11 Other tuberculous diseases | 1 | 2 | 4 | 8 | | | | | 3 | 1 | 3 | 2 | 10 | 6 | | | | | 11 |
| 12 Cancer, malignant disease | 6 | 8 | 14 | 17 | | | | | 12 | 15 | 8 | 14 | 11 | 15 | | | | | 12 |
| 13 Rheumatic fever | — | — | 1 | — | | | | | — | 1 | 1 | 2 | 2 | 2 | | | | | 13 |
| 14 Diabetes | — | 2 | — | 6 | | | | | — | 1 | 1 | — | 1 | 1 | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 2 | 3 | 19 | 3 | | | | | 8 | 9 | 8 | 11 | 15 | 11 | | | | | 15 |
| 16 Heart disease | 16 | 19 | 32 | 30 | | | | | 23 | 27 | 13 | 21 | 21 | 36 | | | | | 16 |
| 17 Arterio-sclerosis | 2 | 1 | 7 | 3 | | | | | 6 | 2 | 2 | 4 | 4 | 6 | | | | | 17 |
| 18 Bronchitis | 3 | 6 | 7 | 7 | | | | | 6 | 11 | 8 | 6 | 16 | 7 | | | | | 18 |
| 19 Pneumonia (all forms) | 6 | 4 | 15 | 17 | | | | | 8 | 2 | 7 | 4 | 13 | 8 | | | | | 19 |
| 20 Other respiratory diseases | — | 1 | 3 | 1 | | | | | 1 | 3 | 3 | 1 | 6 | — | | | | | 20 |
| 21 Ulcer of stomach or duodenum | — | 1 | 2 | — | | | | | 4 | — | — | — | — | 1 | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 1 | 3 | 3 | | | | | — | 1 | 3 | 1 | 4 | 2 | | | | | 22 |
| 23 Appendicitis and typhlitis | — | — | 1 | 1 | | | | | 2 | 2 | 1 | — | 1 | 2 | | | | | 23 |
| 24 Cirrhosis of liver | 1 | — | 1 | — | | | | | — | — | — | — | — | — | | | | | 24 |
| 25 Acute and chronic nephritis | 6 | 5 | 5 | 5 | | | | | 9 | 12 | 6 | 3 | 7 | 5 | | | | | 25 |
| 26 Puerperal sepsis | — | — | — | — | | | | | — | — | — | 1 | — | 1 | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 1 | | | | | — | 2 | — | 2 | — | 4 | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 4 | 1 | 13 | 16 | | | | | 9 | 5 | 12 | 8 | 11 | 14 | | | | | 28 |
| 29 Suicide | — | 1 | 2 | — | | | | | 2 | 2 | 2 | 1 | 1 | — | | | | | 29 |
| 30 Other deaths from violence | 3 | 1 | 16 | 3 | | | | | 16 | 1 | 8 | 2 | 30 | 1 | | | | | 30 |
| 31 Other defined diseases | 6 | 6 | 39 | 39 | | | | | 27 | 30 | 27 | 21 | 36 | 37 | | | | | 31 |
| 32 Causes ill-defined or unknown | — | — | 1 | 1 | | | | | 2 | 2 | 3 | — | 1 | 4 | | | | | 32 |

## CARNARVONSHIRE. DENBIGHSHIRE.

| Causes of Death. | Bangor M.B. | | Llandudno U.D. | | | | Gwyrfai R.D. | | Lleyn R.D. | | Colwyn Bay & Colwyn U.D. | | Wrexham M.B. | | | | Wrexham R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | | | M. | F. | M. | F. | M. | F. | M. | F. | | | M. | F. | |
| **All Causes** | 67 | 71 | 65 | 69 | | | 224 | 192 | 116 | 135 | 105 | 124 | 141 | 111 | | | 408 | 342 | |
| 1 Enteric fever | — | — | — | — | | | — | — | — | — | — | — | — | — | | | 1 | 2 | 1 |
| 2 Small-pox | — | — | — | — | | | — | — | — | — | — | — | — | — | | | — | — | 2 |
| 3 Measles | — | — | — | — | | | — | 1 | — | — | — | 2 | 1 | — | | | | 1 | 3 |
| 4 Scarlet fever | — | — | — | — | | | — | — | — | — | — | — | — | — | | | — | — | 4 |
| 5 Whooping cough | — | — | — | — | | | 1 | 1 | — | — | 1 | — | — | — | | | 8 | 2 | 5 |
| 6 Diphtheria | — | — | — | — | | | — | — | — | — | 1 | — | — | — | | | — | — | 6 |
| 7 Influenza | 1 | 2 | — | 2 | | | 3 | 2 | 1 | 1 | 1 | — | 3 | 4 | | | 6 | 5 | 7 |
| 8 Encephalitis lethargica | — | — | — | 1 | | | — | — | 2 | — | — | — | — | 1 | | | 2 | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | | | — | — | — | — | — | — | — | — | | | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 9 | 9 | 9 | 4 | | | 31 | 18 | 8 | 8 | 1 | 6 | 11 | 11 | | | 17 | 29 | 10 |
| 11 Other tuberculous diseases | — | — | 1 | 1 | | | 3 | 4 | 1 | 4 | 2 | 1 | 4 | 1 | | | 9 | 6 | 11 |
| 12 Cancer, malignant disease | 8 | 11 | 6 | 7 | | | 27 | 25 | 10 | 20 | 15 | 21 | 16 | 12 | | | 32 | 41 | 12 |
| 13 Rheumatic fever | — | — | — | — | | | 3 | 1 | — | 2 | 1 | — | — | — | | | 1 | 1 | 13 |
| 14 Diabetes | — | 1 | — | 1 | | | 1 | — | — | 3 | 1 | 1 | 1 | 2 | | | 2 | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 5 | 5 | 4 | 5 | | | 17 | 13 | 14 | 11 | 4 | 12 | 10 | 3 | | | 42 | 30 | 15 |
| 16 Heart disease | 6 | 8 | 12 | 14 | | | 34 | 31 | 15 | 19 | 16 | 22 | 15 | 15 | | | 55 | 56 | 16 |
| 17 Arterio-sclerosis | 5 | 2 | 4 | 2 | | | 14 | 8 | 1 | 2 | 7 | 6 | 4 | 1 | | | 5 | 3 | 17 |
| 18 Bronchitis | 5 | 7 | 1 | 2 | | | 11 | 12 | 6 | 8 | 6 | 10 | 5 | 8 | | | 28 | 32 | 18 |
| 19 Pneumonia (all forms) | — | 2 | 3 | 4 | | | 4 | 10 | 8 | 5 | 10 | 7 | 11 | 5 | | | 40 | 29 | 19 |
| 20 Other respiratory diseases | — | — | 1 | 4 | | | 1 | 1 | 2 | 1 | — | 3 | 1 | 5 | | | 6 | 4 | 20 |
| 21 Ulcer of stomach or duodenum | — | — | — | 1 | | | 1 | 2 | 1 | 1 | — | — | 1 | — | | | 3 | 3 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | — | 1 | — | | | 1 | — | 2 | — | — | 1 | 1 | 3 | | | 7 | 5 | 22 |
| 23 Appendicitis and typhlitis | 1 | — | — | 1 | | | — | 2 | 1 | — | 2 | 2 | — | 2 | | | 3 | 2 | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | | | — | — | — | — | 1 | — | 3 | 2 | | | 5 | — | 24 |
| 25 Acute and chronic nephritis | 3 | 1 | 3 | 3 | | | 15 | 11 | 7 | 10 | 8 | 2 | 8 | 5 | | | 14 | 8 | 25 |
| 26 Puerperal sepsis | — | — | — | — | | | — | — | — | 1 | — | — | — | — | | | — | 5 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | — | — | — | | | — | — | — | 3 | — | — | — | 1 | | | — | 5 | 27 |
| 28 Congenital debility and malformation, premature birth | 5 | 2 | 1 | 3 | | | 5 | 2 | 6 | 3 | 4 | 3 | 8 | 2 | | | 30 | 15 | 28 |
| 29 Suicide | — | 1 | 1 | 1 | | | 1 | 1 | — | — | 1 | 1 | 1 | — | | | 1 | 1 | 29 |
| 30 Other deaths from violence | 2 | — | 4 | — | | | 12 | 1 | 1 | 1 | 4 | 1 | 8 | — | | | 25 | 1 | 30 |
| 31 Other defined diseases | 14 | 18 | 13 | 13 | | | 35 | 45 | 30 | 32 | 19 | 23 | 26 | 27 | | | 61 | 55 | 31 |
| 32 Causes ill-defined or unknown | — | 2 | 1 | — | | | 4 | 1 | — | — | — | — | 3 | 1 | | | 1 | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## FLINTSHIRE.

| Causes of Death. | Rhyl U.D. | | | | Hawarden R.D. | | Holywell (Holywell Div.) R.D. | | Holywell (Mold Div.) R.D. | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | | | M. | F. | M. | F. | M. | F. | | | | | | | | | |
| **All Causes** | 52 | 78 | | | 162 | 128 | 134 | 132 | 59 | 65 | | | | | | | | | |
| 1 Enteric fever | — | — | | | — | 1 | — | 1 | — | — | | | | | | | | | 1 |
| 2 Small-pox | — | — | | | — | — | — | — | — | — | | | | | | | | | 2 |
| 3 Measles | — | — | | | 2 | — | — | 1 | — | — | | | | | | | | | 3 |
| 4 Scarlet fever | — | — | | | — | — | 1 | — | — | — | | | | | | | | | 4 |
| 5 Whooping cough | — | — | | | 2 | 2 | 1 | 1 | — | — | | | | | | | | | 5 |
| 6 Diphtheria | — | 1 | | | — | 2 | — | 1 | — | — | | | | | | | | | 6 |
| 7 Influenza | 4 | 2 | | | 4 | — | 3 | 8 | — | 1 | | | | | | | | | 7 |
| 8 Encephalitis lethargica | 1 | — | | | — | — | — | — | — | — | | | | | | | | | 8 |
| 9 Meningococcal meningitis | — | — | | | 1 | — | — | — | — | — | | | | | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 4 | 3 | | | 10 | 5 | 15 | 10 | 6 | 2 | | | | | | | | | 10 |
| 11 Other tuberculous diseases | 1 | 2 | | | 4 | 1 | 2 | 3 | 1 | 1 | | | | | | | | | 11 |
| 12 Cancer, malignant disease | 9 | 17 | | | 16 | 15 | 9 | 17 | 8 | 5 | | | | | | | | | 12 |
| 13 Rheumatic fever | — | — | | | 1 | 1 | 1 | — | — | — | | | | | | | | | 13 |
| 14 Diabetes | 1 | 1 | | | 2 | 1 | — | 1 | 1 | 1 | | | | | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 4 | 15 | | | 8 | 10 | 12 | 15 | 2 | 11 | | | | | | | | | 15 |
| 16 Heart disease | 8 | 5 | | | 12 | 27 | 8 | 9 | 4 | 8 | | | | | | | | | 16 |
| 17 Arterio-sclerosis | — | 4 | | | 4 | 1 | 5 | 1 | 2 | 3 | | | | | | | | | 17 |
| 18 Bronchitis | 4 | 3 | | | 9 | 10 | 11 | 3 | 7 | 2 | | | | | | | | | 18 |
| 19 Pneumonia (all forms) | 3 | — | | | 13 | 12 | 14 | 10 | 2 | — | | | | | | | | | 19 |
| 20 Other respiratory diseases | — | — | | | — | — | 2 | 2 | 1 | 1 | | | | | | | | | 20 |
| 21 Ulcer of stomach or duodenum | — | — | | | 2 | 2 | 2 | — | — | — | | | | | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | — | — | | | 4 | 1 | — | 1 | — | 1 | | | | | | | | | 22 |
| 23 Appendicitis and typhlitis | — | 1 | | | — | 1 | 2 | — | — | — | | | | | | | | | 23 |
| 24 Cirrhosis of liver | — | — | | | 1 | — | — | — | — | — | | | | | | | | | 24 |
| 25 Acute and chronic nephritis | — | 5 | | | 3 | 7 | 1 | 5 | 2 | 1 | | | | | | | | | 25 |
| 26 Puerperal sepsis | — | — | | | — | — | — | — | — | 1 | | | | | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | | | — | 1 | — | — | — | 1 | | | | | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | — | 1 | | | 14 | 1 | 9 | 4 | 5 | 4 | | | | | | | | | 28 |
| 29 Suicide | 1 | — | | | 1 | 1 | 1 | — | 1 | — | | | | | | | | | 29 |
| 30 Other deaths from violence | — | 1 | | | 16 | 2 | 5 | 2 | 4 | 1 | | | | | | | | | 30 |
| 31 Other defined diseases | 12 | 14 | | | 31 | 22 | 25 | 31 | 11 | 20 | | | | | | | | | 31 |
| 32 Causes ill-defined or unknown | — | 2 | | | 2 | 2 | 5 | 6 | 2 | 1 | | | | | | | | | 32 |

## GLAMORGANSHIRE.

| Causes of Death. | | | | | Aberdare U.D. | | Barry U.D. | | Caerphilly U.D. | | Gelligaer U.D. | | Glyncorwg U.D. | | Maesteg U.D. | | Mountain Ash U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | | | | | 324 | 307 | 237 | 188 | 244 | 183 | 236 | 229 | 61 | 57 | 157 | 146 | 254 | 207 | |
| 1 Enteric fever | | | | | 1 | — | 3 | 1 | — | — | — | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | | | | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | | | | | 11 | 7 | 2 | 3 | 2 | 5 | 13 | 14 | 3 | 1 | 1 | 2 | 20 | 17 | 3 |
| 4 Scarlet fever | | | | | 1 | 4 | — | — | 1 | — | — | — | — | — | 1 | — | 4 | 2 | 4 |
| 5 Whooping cough | | | | | 3 | 6 | — | 1 | 5 | 5 | 2 | 2 | 2 | 2 | — | — | 4 | 1 | 5 |
| 6 Diphtheria | | | | | 1 | 1 | 3 | 9 | 2 | 2 | 4 | 7 | — | 1 | — | 1 | 1 | 3 | 6 |
| 7 Influenza | | | | | 3 | 5 | 3 | 3 | 6 | 2 | 3 | 5 | — | — | 5 | — | 6 | 3 | 7 |
| 8 Encephalitis lethargica | | | | | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | | | | | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | | | | | 21 | 18 | 17 | 19 | 13 | 14 | 21 | 18 | 6 | 4 | 9 | 18 | 8 | 21 | 10 |
| 11 Other tuberculous diseases | | | | | 4 | 6 | 4 | 4 | 8 | 6 | 5 | 7 | 2 | 2 | 3 | 4 | 3 | 5 | 11 |
| 12 Cancer, malignant disease | | | | | 10 | 22 | 22 | 20 | 12 | 14 | 9 | 15 | 3 | 2 | 10 | 10 | 22 | 15 | 12 |
| 13 Rheumatic fever | | | | | 6 | 6 | 3 | 2 | — | — | 1 | 2 | — | 1 | 1 | — | 1 | 2 | 13 |
| 14 Diabetes | | | | | 2 | 3 | 3 | 1 | — | 2 | 1 | 1 | — | 1 | — | 1 | 3 | 3 | 14 |
| 15 Cerebral hæmorrhage, &c. | | | | | 19 | 40 | 14 | 11 | 9 | 11 | 13 | 8 | 2 | 2 | 9 | 9 | 9 | 3 | 15 |
| 16 Heart disease | | | | | 39 | 32 | 23 | 21 | 19 | 18 | 16 | 19 | 5 | 6 | 16 | 14 | 26 | 25 | 16 |
| 17 Arterio-sclerosis | | | | | 7 | 3 | 5 | 4 | 2 | 1 | 4 | — | — | — | 4 | 1 | 3 | 2 | 17 |
| 18 Bronchitis | | | | | 24 | 20 | 14 | 10 | 19 | 6 | 15 | 14 | 1 | 1 | 10 | 12 | 9 | 9 | 18 |
| 19 Pneumonia (all forms) | | | | | 33 | 24 | 23 | 22 | 28 | 17 | 21 | 20 | 8 | 7 | 20 | 15 | 29 | 22 | 19 |
| 20 Other respiratory diseases | | | | | 9 | 3 | 1 | 2 | 6 | 4 | 1 | 2 | — | 1 | 3 | 3 | 2 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | | | | | — | 3 | 1 | — | — | — | 3 | 1 | — | 1 | 1 | 3 | 3 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | | | | | 5 | 2 | 4 | 1 | 6 | 4 | 3 | 7 | 2 | 2 | 4 | 2 | 2 | 4 | 22 |
| 23 Appendicitis and typhlitis | | | | | 1 | 1 | 1 | — | 1 | — | 1 | — | 1 | — | 3 | 1 | 3 | 2 | 23 |
| 24 Cirrhosis of liver | | | | | 1 | 1 | 2 | — | 1 | 1 | 1 | — | — | — | — | 1 | 1 | — | 24 |
| 25 Acute and chronic nephritis | | | | | 6 | 8 | 12 | 3 | 5 | 3 | 7 | 10 | — | 1 | 3 | 9 | 9 | 6 | 25 |
| 26 Puerperal sepsis | | | | | — | 1 | — | 1 | — | 1 | — | 2 | — | 1 | — | — | — | 1 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | | | | | — | 3 | — | 3 | — | 3 | — | 4 | — | 2 | — | 4 | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | | | | | 26 | 14 | 21 | 12 | 26 | 9 | 18 | 23 | 4 | 3 | 17 | 15 | 15 | 12 | 28 |
| 29 Suicide | | | | | 6 | — | — | 1 | 1 | 3 | — | 1 | — | — | 1 | — | 2 | — | 29 |
| 30 Other deaths from violence | | | | | 34 | 5 | 9 | 1 | 22 | 6 | 29 | 1 | 13 | 2 | 15 | 3 | 22 | 5 | 30 |
| 31 Other defined diseases | | | | | 51 | 69 | 46 | 33 | 50 | 44 | 45 | 42 | 9 | 14 | 21 | 18 | 47 | 39 | 31 |
| 32 Causes ill-defined or unknown | | | | | — | — | 1 | — | — | 2 | — | 2 | — | — | — | — | — | 1 | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## GLAMORGANSHIRE—*cont.*

| Causes of Death. | Neath M.B. | | Ogmore & Gawr U.D. | | Penarth U.D. | | Pontypridd U.D. | | Port Talbot M.B. | | Rhondda U.D. | | Cardiff R.D. | | Llantrisant & Llanwitfardre R.D. | | Neath R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 203 | 194 | 149 | 127 | 101 | 79 | 346 | 237 | 223 | 203 | 1029 | 854 | 118 | 111 | 151 | 122 | 228 | 193 | |
| 1 Enteric fever | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 3 | 3 | 2 | 1 | 2 | 1 | 18 | 11 | — | — | 41 | 39 | 1 | 2 | 6 | 5 | 7 | 5 | 3 |
| 4 Scarlet fever | — | — | 1 | 1 | 2 | — | 1 | 1 | — | — | 8 | 6 | — | — | 2 | 1 | — | — | 4 |
| 5 Whooping cough | 3 | 2 | 1 | 2 | 1 | — | 7 | 12 | 1 | — | 14 | 20 | 1 | — | 4 | 2 | 3 | 2 | 5 |
| 6 Diphtheria | 9 | 14 | 1 | 1 | — | — | 2 | — | 1 | 3 | 2 | 8 | 3 | 2 | 2 | — | 1 | 1 | 6 |
| 7 Influenza | 1 | 2 | 3 | 1 | 1 | 1 | 17 | 4 | 2 | 2 | 14 | 15 | — | 1 | — | — | 7 | 3 | 7 |
| 8 Encephalitis lethargica | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 19 | 21 | 9 | 15 | 5 | 5 | 12 | 19 | 20 | 18 | 68 | 64 | 13 | 4 | 9 | 13 | 20 | 18 | 10 |
| 11 Other tuberculous diseases | 3 | 3 | 3 | 2 | 2 | 2 | 9 | 3 | 4 | 3 | 28 | 17 | — | 4 | 3 | 3 | 4 | 2 | 11 |
| 12 Cancer, malignant disease | 13 | 19 | 7 | 15 | 8 | 15 | 26 | 19 | 15 | 27 | 64 | 67 | 11 | 15 | 8 | 9 | 10 | 19 | 12 |
| 13 Rheumatic fever | 1 | 2 | 1 | 2 | 1 | 1 | — | 1 | — | 1 | 7 | 11 | — | 1 | — | — | 3 | 2 | 13 |
| 14 Diabetes | 2 | — | — | 3 | — | — | 2 | — | 1 | 3 | 6 | 5 | — | 1 | — | 2 | 2 | 1 | 14 |
| 15 Cerebral hæmorrhage, &c. | 18 | 10 | 9 | 8 | 4 | 9 | 12 | 12 | 6 | 13 | 60 | 51 | 3 | 6 | 7 | 8 | 12 | 16 | 15 |
| 16 Heart disease | 22 | 26 | 14 | 19 | 10 | 9 | 33 | 20 | 24 | 31 | 111 | 108 | 13 | 9 | 14 | 10 | 14 | 21 | 16 |
| 17 Arterio-sclerosis | 4 | 3 | 4 | 1 | 5 | 3 | 3 | 3 | 7 | 9 | 14 | 8 | 8 | 1 | 3 | — | 3 | — | 17 |
| 18 Bronchitis | 10 | 16 | 14 | 6 | 6 | 4 | 34 | 16 | 21 | 10 | 98 | 77 | 6 | 8 | 14 | 9 | 24 | 16 | 18 |
| 19 Pneumonia (all forms) | 12 | 13 | 16 | 4 | 7 | 3 | 21 | 13 | 18 | 11 | 90 | 45 | 9 | 6 | 7 | 4 | 19 | 13 | 19 |
| 20 Other respiratory diseases | 4 | 4 | 7 | 3 | 5 | 1 | 4 | 4 | 7 | 1 | 14 | 5 | 1 | 1 | 4 | 3 | 9 | 3 | 20 |
| 21 Ulcer of stomach or duodenum | — | 2 | 1 | — | — | 1 | 2 | 2 | 2 | 2 | 7 | 6 | — | 2 | 4 | 1 | 1 | 1 | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 5 | 6 | 2 | 1 | 1 | 2 | 9 | 5 | 4 | 2 | 16 | 11 | 1 | 4 | 5 | 2 | 2 | 3 | 22 |
| 23 Appendicitis and typhlitis | 1 | — | 1 | — | — | — | 4 | — | — | — | 9 | 6 | — | — | — | 2 | 1 | 4 | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | 2 | 1 | — | 1 | 1 | — | 3 | 2 | 1 | — | — | — | 2 | — | 24 |
| 25 Acute and chronic nephritis | 9 | 3 | — | 1 | 3 | 3 | 5 | 7 | 7 | 8 | 27 | 27 | 3 | 3 | 3 | 4 | 5 | 2 | 25 |
| 26 Puerperal sepsis | — | 3 | — | — | — | — | — | 4 | — | 1 | — | 15 | — | 1 | — | 2 | — | 2 | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 4 | — | 3 | — | — | — | 8 | — | 4 | — | 20 | — | 1 | — | 3 | — | 5 | 27 |
| 28 Congenital debility and malformation, premature birth | 7 | 4 | 8 | 15 | 2 | 1 | 21 | 12 | 18 | 8 | 76 | 66 | 6 | 5 | 13 | 6 | 15 | 13 | 28 |
| 29 Suicide | 1 | — | 1 | 2 | — | — | 2 | 1 | 3 | — | 6 | 2 | — | — | — | 1 | 2 | — | 29 |
| 30 Other deaths from violence | 17 | 4 | 12 | 5 | 6 | 1 | 24 | 1 | 25 | 4 | 84 | 7 | 4 | 4 | 14 | 1 | 23 | 7 | 30 |
| 31 Other defined diseases | 35 | 30 | 30 | 16 | 28 | 16 | 76 | 58 | 36 | 42 | 159 | 144 | 34 | 30 | 29 | 31 | 38 | 34 | 31 |
| 32 Causes ill-defined or unknown | — | — | 1 | — | — | — | 2 | — | — | — | 2 | 2 | — | — | — | — | 1 | — | 32 |

## GLAMORGANSHIRE—*cont.* MONMOUTHSHIRE.

| Causes of Death. | Penybont R.D. | | Pontardawe R.D. | | Swansea R.D. | | Abercarn U.D. | | Abersychan U.D. | | Abertillery U.D. | | Bedwellty U.D. | | Blaenavon U.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | |
| **All Causes** | 153 | 106 | 197 | 168 | 140 | 125 | 124 | 92 | 143 | 117 | 178 | 156 | 189 | 172 | 82 | 87 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 |
| 3 Measles | 4 | 1 | 2 | 1 | 4 | 3 | 9 | 7 | 1 | 1 | 15 | 10 | 11 | 15 | 1 | 1 | 3 |
| 4 Scarlet fever | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | 4 |
| 5 Whooping cough | — | — | 2 | 2 | 2 | 3 | — | — | 7 | 5 | 4 | 5 | 1 | 4 | 2 | 4 | 5 |
| 6 Diphtheria | 1 | 1 | 3 | 2 | 1 | — | — | 1 | 1 | 2 | 1 | 3 | 2 | 4 | — | 1 | 6 |
| 7 Influenza | 3 | 2 | 5 | 4 | 4 | 3 | 1 | — | 2 | — | 6 | 5 | 15 | 2 | 1 | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 10 | 5 | 10 | 15 | 16 | 15 | 5 | 3 | 5 | 6 | 10 | 11 | 10 | 9 | 2 | 2 | 10 |
| 11 Other tuberculous diseases | 7 | 4 | 3 | 1 | 7 | 2 | — | 4 | 1 | 2 | 3 | 3 | 2 | 6 | 3 | 1 | 11 |
| 12 Cancer, malignant disease | 5 | 13 | 18 | 16 | 11 | 11 | 6 | 6 | 7 | 16 | 16 | 12 | 13 | 13 | 6 | 5 | 12 |
| 13 Rheumatic fever | 1 | 1 | 1 | 2 | 2 | — | — | 1 | 1 | 1 | 3 | 3 | 1 | 7 | — | 1 | 13 |
| 14 Diabetes | — | 2 | 2 | 3 | 2 | 1 | 1 | 1 | 3 | 1 | 1 | 3 | 1 | 1 | — | — | 14 |
| 15 Cerebral hæmorrhage, &c. | 10 | 7 | 13 | 23 | 6 | 5 | 11 | 9 | 7 | 19 | 4 | 7 | 6 | 6 | 7 | 8 | 15 |
| 16 Heart disease | 16 | 16 | 9 | 17 | 15 | 18 | 11 | 8 | 18 | 11 | 16 | 12 | 10 | 12 | 7 | 6 | 16 |
| 17 Arterio-sclerosis | — | — | 2 | 3 | 6 | 7 | 2 | 1 | 2 | 1 | 4 | 4 | 2 | 1 | — | — | 17 |
| 18 Bronchitis | 17 | 5 | 10 | 7 | 8 | 9 | 6 | 8 | 11 | 9 | 5 | 6 | 13 | 9 | 13 | 13 | 18 |
| 19 Pneumonia (all forms) | 13 | 6 | 13 | 10 | 15 | 6 | 8 | 10 | 12 | 3 | 22 | 15 | 23 | 18 | — | 1 | 19 |
| 20 Other respiratory diseases | 1 | 1 | 6 | 1 | 2 | 3 | 1 | — | 1 | 4 | 3 | — | 3 | 1 | 1 | 1 | 20 |
| 21 Ulcer of stomach or duodenum | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | — | — | 1 | 2 | — | 2 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 2 | 2 | 3 | 2 | 3 | 2 | 4 | — | — | 3 | 3 | 3 | 3 | 5 | — | — | 22 |
| 23 Appendicitis and typhlitis | — | 2 | — | 2 | 2 | — | 2 | — | — | — | — | 1 | — | — | — | — | 23 |
| 24 Cirrhosis of liver | — | — | 2 | — | 1 | — | — | — | — | 1 | 2 | — | — | — | — | — | 24 |
| 25 Acute and chronic nephritis | 5 | 5 | 2 | 3 | 6 | 2 | 3 | — | 2 | 1 | 4 | 6 | 2 | 1 | 2 | 9 | 25 |
| 26 Puerperal sepsis | — | 2 | — | 1 | — | — | — | 2 | — | — | — | 1 | — | 1 | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 2 | — | 2 | — | 4 | — | 2 | — | 3 | — | 5 | — | 3 | — | — | 27 |
| 28 Congenital debility and malformation, premature birth | 9 | 7 | 19 | 11 | 7 | 10 | 9 | 7 | 16 | 8 | 15 | 12 | 18 | 19 | 6 | 9 | 28 |
| 29 Suicide | — | — | 2 | 1 | — | — | — | 1 | — | — | 2 | — | 1 | — | — | — | 29 |
| 30 Other deaths from violence | 18 | 1 | 15 | — | 8 | — | 16 | 4 | 10 | 1 | 15 | 1 | 19 | 6 | 10 | 1 | 30 |
| 31 Other defined diseases | 29 | 20 | 51 | 38 | 11 | 20 | 26 | 16 | 33 | 18 | 22 | 27 | 28 | 28 | 18 | 24 | 31 |
| 32 Causes ill-defined or unknown | — | — | 3 | — | — | — | — | — | 2 | — | — | — | 2 | 1 | 1 | — | 32 |

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1923—*cont.*

## MONMOUTHSHIRE—*cont.*

| Causes of Death. | Ebbw Vale U.D. | | Mynyddislwyn U.D. | | Nantyglo & Blaina U.D. | | Panteg U.D. | | Rhymney U.D. | | Risca U.D. | | Tredegar U.D. | | | | St. Mellons R.D. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | M. | F. | |
| **All Causes** | 209 | 165 | 76 | 65 | 96 | 67 | 64 | 61 | 66 | 78 | 75 | 52 | 152 | 130 | | | 62 | 49 | |
| 1 Enteric fever | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | | | — | — | 1 |
| 2 Small-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | — | — | 2 |
| 3 Measles | 13 | 9 | 4 | 5 | 3 | 4 | 1 | — | 7 | 4 | 1 | 1 | 6 | 4 | | | 1 | 1 | 3 |
| 4 Scarlet fever | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | | | — | — | 4 |
| 5 Whooping cough | 2 | 2 | — | — | 2 | — | — | 1 | 5 | 9 | 1 | 1 | 2 | 4 | | | — | 1 | 5 |
| 6 Diphtheria | — | 1 | — | 1 | — | — | — | — | 3 | 3 | — | 1 | — | 2 | | | — | — | 6 |
| 7 Influenza | 3 | 3 | 2 | — | 1 | — | 1 | 3 | — | — | 1 | — | 6 | 3 | | | — | — | 7 |
| 8 Encephalitis lethargica | — | — | — | — | — | — | 1 | — | — | — | 1 | — | 1 | — | | | — | — | 8 |
| 9 Meningococcal meningitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | — | — | 9 |
| 10 Tuberculosis of respiratory sys. | 18 | 15 | 3 | 7 | 6 | 5 | 3 | 5 | 2 | 7 | 3 | 2 | 5 | 12 | | | 5 | 4 | 10 |
| 11 Other tuberculous diseases | 5 | 4 | 3 | 1 | 1 | 1 | — | 1 | — | 3 | 3 | — | 2 | 4 | | | 1 | 1 | 11 |
| 12 Cancer, malignant disease | 7 | 17 | 1 | 6 | 6 | 7 | 8 | | 4 | 9 | 9 | 6 | 12 | 5 | | | 10 | 7 | 12 |
| 13 Rheumatic fever | 1 | 3 | 1 | 1 | 1 | — | 1 | — | 1 | 1 | 1 | — | 1 | — | | | 1 | — | 13 |
| 14 Diabetes | — | 1 | — | — | 2 | 1 | — | 1 | — | — | — | — | 1 | — | | | 1 | 2 | 14 |
| 15 Cerebral hæmorrhage, &c. | 10 | 12 | 3 | 5 | 7 | 4 | 4 | 4 | 1 | 7 | 2 | 4 | 12 | 6 | | | 5 | 1 | 15 |
| 16 Heart disease | 16 | 11 | 4 | 3 | 10 | 3 | 7 | 10 | 1 | 4 | 14 | 11 | 14 | 14 | | | 9 | 8 | 16 |
| 17 Arterio-sclerosis | 3 | 1 | — | 1 | — | 4 | 1 | — | 5 | 3 | 4 | — | — | — | | | 3 | 2 | 17 |
| 18 Bronchitis | 13 | 12 | 4 | 3 | 5 | 7 | 4 | 3 | 5 | 7 | 1 | 2 | 9 | 4 | | | 4 | 2 | 18 |
| 19 Pneumonia (all forms) | 13 | 11 | 12 | 9 | 15 | 6 | 8 | 4 | 6 | 5 | 5 | 2 | 11 | 13 | | | 2 | 1 | 19 |
| 20 Other respiratory diseases | 5 | 3 | 1 | — | — | — | 1 | 1 | — | — | — | 3 | 3 | — | | | — | — | 20 |
| 21 Ulcer of stomach or duodenum | 1 | 1 | — | 1 | — | 2 | — | — | — | — | 1 | — | — | — | | | 1 | — | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | — | 1 | 1 | 1 | 1 | — | — | 1 | 1 | 1 | — | 3 | 3 | | | — | — | 22 |
| 23 Appendicitis and typhlitis | 1 | 1 | 2 | — | 1 | — | 2 | 1 | — | — | — | — | — | 1 | | | — | — | 23 |
| 24 Cirrhosis of liver | 2 | 1 | 1 | — | — | — | — | 1 | 1 | — | — | — | — | — | | | — | — | 24 |
| 25 Acute and chronic nephritis | 3 | 4 | 1 | 3 | 2 | 1 | 1 | — | 2 | 5 | 2 | 2 | 5 | 2 | | | 2 | 3 | 25 |
| 26 Puerperal sepsis | — | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — | | | — | — | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 3 | — | 2 | — | 3 | — | 1 | — | — | — | 1 | — | 2 | | | — | 1 | 27 |
| 28 Congenital debility and malformation, premature birth | 27 | 10 | 9 | 3 | 9 | 7 | 1 | 7 | 6 | 3 | 3 | 8 | 11 | 7 | | | 2 | 6 | 28 |
| 29 Suicide | 3 | 1 | 2 | — | — | — | 1 | — | — | 1 | — | — | 1 | — | | | 1 | 1 | 29 |
| 30 Other deaths from violence | 18 | 2 | 6 | — | 5 | 1 | 5 | 1 | 5 | — | 11 | — | 15 | 7 | | | 4 | — | 30 |
| 31 Other defined diseases | 44 | 33 | 16 | 13 | 19 | 10 | 14 | 13 | 10 | 6 | 11 | 6 | 30 | 37 | | | 10 | 8 | 31 |
| 32 Causes ill-defined or unknown | — | — | — | — | — | — | — | 1 | 1 | — | — | — | 1 | — | | | — | — | 32 |

## MONTGOMERYSHIRE. PEMBROKESHIRE.

| Causes of Death. | Llanfyllin R.D. | | Newtown & Llanidloes R.D. | | | | | | Pembroke M.B. | | | | Haverfordwest R.D. | | Narberth R.D. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | M. | F. | M. | F. | | | | | M. | F. | | | M. | F. | M. | F. | | | | | |
| **All Causes** | 108 | 75 | 79 | 70 | | | | | 105 | 92 | | | 119 | 116 | 79 | 76 | | | | | |
| 1 Enteric fever | — | — | — | — | | | | | — | 1 | | | — | — | — | — | | | | | 1 |
| 2 Small-pox | — | — | — | — | | | | | — | — | | | — | — | — | — | | | | | 2 |
| 3 Measles | — | 1 | — | — | | | | | — | — | | | — | — | — | — | | | | | 3 |
| 4 Scarlet fever | — | — | — | — | | | | | — | — | | | — | — | — | — | | | | | 4 |
| 5 Whooping cough | 2 | — | 1 | — | | | | | — | — | | | 3 | 5 | — | — | | | | | 5 |
| 6 Diphtheria | — | 2 | — | 2 | | | | | 2 | 1 | | | 1 | — | — | 1 | | | | | 6 |
| 7 Influenza | 1 | 1 | 1 | — | | | | | — | 2 | | | 2 | 1 | 1 | 3 | | | | | 7 |
| 8 Encephalitis lethargica | — | — | — | — | | | | | 2 | — | | | — | — | — | 1 | | | | | 8 |
| 9 Meningococcal meningitis | — | — | — | — | | | | | — | — | | | — | — | — | — | | | | | 9 |
| 10 Tuberculosis of respiratory sys. | 7 | 6 | 6 | 6 | | | | | 6 | 6 | | | 15 | 5 | 4 | 7 | | | | | 10 |
| 11 Other tuberculous diseases | 1 | — | — | 1 | | | | | 5 | 1 | | | 2 | 3 | — | 3 | | | | | 11 |
| 12 Cancer, malignant disease | 7 | 14 | 9 | 9 | | | | | 17 | 14 | | | 16 | 12 | 10 | 11 | | | | | 12 |
| 13 Rheumatic fever | 1 | — | 1 | — | | | | | — | — | | | — | — | — | — | | | | | 13 |
| 14 Diabetes | 1 | — | 2 | 1 | | | | | 1 | 1 | | | 2 | 3 | 2 | 1 | | | | | 14 |
| 15 Cerebral hæmorrhage, &c. | 11 | 3 | 3 | 4 | | | | | 2 | 6 | | | 7 | 8 | 5 | 2 | | | | | 15 |
| 16 Heart disease | 11 | 16 | 14 | 6 | | | | | 20 | 14 | | | 9 | 23 | 13 | 14 | | | | | 16 |
| 17 Arterio-sclerosis | 9 | 1 | 2 | 2 | | | | | 2 | 2 | | | 2 | 2 | 1 | — | | | | | 17 |
| 18 Bronchitis | 8 | 1 | 4 | 8 | | | | | 5 | 5 | | | 5 | 6 | 5 | 3 | | | | | 18 |
| 19 Pneumonia (all forms) | 3 | 4 | 7 | 2 | | | | | 4 | 3 | | | 8 | 4 | 3 | 3 | | | | | 19 |
| 20 Other respiratory diseases | 1 | — | — | 1 | | | | | — | 3 | | | 5 | 2 | 5 | 1 | | | | | 20 |
| 21 Ulcer of stomach or duodenum | 1 | — | — | — | | | | | — | 1 | | | — | — | — | 2 | | | | | 21 |
| 22 Diarrhœa, &c. (under 2 years) | 1 | 1 | — | — | | | | | — | 1 | | | 4 | — | — | — | | | | | 22 |
| 23 Appendicitis and typhlitis | 2 | — | — | — | | | | | 2 | — | | | — | 2 | 1 | — | | | | | 23 |
| 24 Cirrhosis of liver | 1 | — | — | — | | | | | — | — | | | 1 | — | — | — | | | | | 24 |
| 25 Acute and chronic nephritis | 4 | 4 | 4 | 5 | | | | | 5 | 2 | | | 2 | 2 | 1 | 3 | | | | | 25 |
| 26 Puerperal sepsis | — | 1 | — | — | | | | | — | 1 | | | — | — | — | 1 | | | | | 26 |
| 27 Other accidents and diseases of pregnancy and parturition | — | 1 | — | 2 | | | | | — | 1 | | | — | 2 | — | 1 | | | | | 27 |
| 28 Congenital debility and malformation, premature birth | 4 | 2 | 6 | — | | | | | 8 | 5 | | | 3 | 6 | 5 | 3 | | | | | 28 |
| 29 Suicide | 3 | — | — | — | | | | | 1 | — | | | 1 | — | 2 | — | | | | | 29 |
| 30 Other deaths from violence | 6 | 1 | 2 | 2 | | | | | 1 | 2 | | | 4 | 2 | 2 | — | | | | | 30 |
| 31 Other defined diseases | 23 | 16 | 16 | 19 | | | | | 19 | 20 | | | 27 | 27 | 18 | 16 | | | | | 31 |
| 32 Causes ill-defined or unknown | — | — | 1 | — | | | | | 3 | — | | | — | 1 | 1 | — | | | | | 32 |

# TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923.

*(The deaths in these tables have been classified in accordance with the verdict of the Jury, and include deaths of non-civilians.)*

| International List No. | Cause or Character of Violence. | | All Ages. | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **Total** .. .. | **M.** | **12113** | **399** | **839** | **515** | **437** | **772** | **691** | **1284** | **1594** | **1983** | **1734** | **1190** | **675** |
| | | **F.** | **4994** | **279** | **549** | **253** | **107** | **170** | **196** | **325** | **391** | **600** | **550** | **632** | **942** |
| 165–174 | Suicide .. .. .. .. | M. | 2887 | — | — | — | 1 | 56 | 118 | 273 | 530 | 744 | 661 | 383 | 121 |
| | | F. | 1062 | — | — | — | 2 | 42 | 83 | 144 | 205 | 291 | 186 | 83 | 26 |
| 197–199 | Murder .. .. .. .. | M. | 83 | 37 | 15 | 4 | 4 | 1 | 4 | 5 | 3 | 6 | 3 | 1 | — |
| | | F. | 87 | 25 | 14 | 7 | 2 | 2 | 15 | 9 | 5 | 5 | 1 | 1 | 1 |
| | Manslaughter .. .. .. | M. | 41 | 1 | 1 | — | 1 | 2 | 1 | 10 | 11 | 6 | 6 | 2 | — |
| | | F. | 23 | 1 | — | — | — | 1 | 4 | 8 | 3 | 2 | 4 | — | — |
| | Justifiable Homicide .. .. | M. | 6 | — | — | — | — | — | — | 1 | 3 | 2 | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 190 | Battle .. .. .. .. | M. | 75 | — | — | — | — | — | 4 | 46 | 23 | 2 | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 202 pt | Execution .. .. .. | M. | 13 | — | — | — | — | — | 2 | 5 | 2 | 1 | 3 | — | — |
| | | F. | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| | Accident .. .. .. .. | M. | 9008 | 361 | 823 | 511 | 431 | 713 | 562 | 944 | 1022 | 1222 | 1061 | 804 | 554 |
| | | F. | 3821 | 253 | 535 | 246 | 103 | 125 | 94 | 163 | 178 | 302 | 359 | 548 | 915 |
| | "Open Verdicts"* .. .. | M. | 824 | 28 | 10 | 16 | 18 | 24 | 40 | 83 | 140 | 213 | 128 | 95 | 29 |
| | | F. | 289 | 31 | 7 | 2 | 1 | 17 | 20 | 45 | 32 | 55 | 44 | 27 | 8 |
| 165–174 | Suicide :— | | | | | | | | | | | | | | |
| 165 & 166 | By Solid or Liquid Poisons and Corrosive Substances | M. | 240 | — | — | — | 1 | 4 | 12 | 31 | 53 | 69 | 47 | 17 | 6 |
| | | F. | 177 | — | — | — | — | 8 | 22 | 34 | 39 | 40 | 25 | 8 | 1 |
| | Hydrochloric acid .. .. | M. | 44 | — | — | — | — | 2 | 1 | 6 | 9 | 7 | 9 | 7 | 3 |
| | | F. | 29 | — | — | — | — | 2 | 4 | 3 | 5 | 6 | 7 | 2 | — |
| | Potassium cyanide .. .. | M. | 34 | — | — | — | — | — | 2 | 4 | 6 | 16 | 5 | 1 | — |
| | | F. | 3 | — | — | — | — | — | — | 2 | — | 1 | — | — | — |
| | Prussic acid, hydrocyanic acid .. .. .. | M. | 22 | — | — | — | 1 | — | 1 | 1 | 8 | 6 | 3 | 1 | 1 |
| | | F. | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| | Oxalic acid .. .. .. | M. | 18 | — | — | — | — | — | 2 | 4 | 4 | 3 | 2 | 3 | — |
| | | F. | 25 | — | — | — | — | — | 2 | 3 | 11 | 6 | 2 | 1 | — |
| | Carbolic acid .. .. | M. | 23 | — | — | — | — | — | 2 | 2 | 6 | 11 | 2 | — | — |
| | | F. | 17 | — | — | — | — | 1 | 2 | 4 | 3 | 1 | 5 | 1 | — |
| | Opium, laudanum, morphia | M. | 7 | — | — | — | — | — | — | — | — | 3 | 4 | — | — |
| | | F. | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| | Ammonia .. .. .. | M. | 4 | — | — | — | — | — | — | — | 1 | 2 | 1 | — | — |
| | | F. | 5 | — | — | — | — | 1 | — | 1 | 2 | — | 1 | — | — |
| | Lysol .. .. .. | M. | 34 | — | — | — | — | 1 | 1 | 7 | 9 | 8 | 6 | 2 | — |
| | | F. | 52 | — | — | — | — | 2 | 8 | 13 | 10 | 11 | 5 | 2 | 1 |
| | Strychnine .. .. .. | M. | 6 | — | — | — | — | — | — | 1 | 2 | 1 | 2 | — | — |
| | | F. | 9 | — | — | — | — | — | 1 | 1 | 1 | 4 | 1 | 1 | — |
| | Corrosive (not stated) .. | M. | 9 | — | — | — | — | 1 | 1 | 1 | 2 | 2 | 1 | — | 1 |
| | | F. | 5 | — | — | — | — | 1 | 1 | — | — | 2 | 1 | — | — |
| | Other solid or liquid poisons (or kind not stated) † .. | M. | 39 | — | — | — | — | — | 2 | 5 | 6 | 10 | 12 | 3 | 1 |
| | | F. | 30 | — | — | — | — | 1 | 4 | 7 | 7 | 7 | 3 | 1 | — |

* These deaths are included under "Accident" in the detailed tables as follows:—International List No. 175, 1 M.; No. 177, 20 M., 13 F.; No. 178, 2 M.; No. 179, 6 M., 10 F.; No. 180, 18 M., 17 F.; No. 181, 12 M., 11 F.; No. 182, 626 M., 184 F.; No. 183, 11 M., 1 F.; No. 184, 3 M.; No. 185, 27 M., 12 F.; No. 186, 4 M.; No. 187, 1 M.; No. 188, 52 M., 5 F.; No. 193, 2 F; No. 196, 1 M.; No. 201, 19 M., 3 F.; No. 202, 11 M., 27 F.; No. 203, 10 M., 4 F.;

† Including acetic acid, 1 M., 1 F.; corrosive sublimate, 2 M., 4 F.; sulphuric acid, 1 M.; cyanide of soda, 1 M.; cyanide (not stated), 3 M.; phosphorus (form not stated), 1 M., 1 F.; arsenic in weed killer, 1 F.; arsenic (form not stated), 1 M., 1 F.; chlorodyne, 1 M.; chloroform, 1 M.; nepenthe, 1 M.; morphia and chlorodyne, 1 M.; veronal, 2 M., 1 F.; creosote, 1 F.; cresol, 2 F.; bichromate of potash, 1 M., 1 F.; chloral crystals, 1 M.; nicotianine, 1 M.; mercurial poison, 1 F.; oxalate of potash, 2 F.; phenate of soda, 1 F.; Jeyes' Fluid, 2 M., 1 F.; Eotas Disinfectant, 1 F.; Izal, 1 F.; footrot lotion, 1 F.; Easton's syrup tablets, 1 M.; washing ammonia, 1 M., corrosive fluid for washing, 1 M.; vermin killer, 1 M.; poisonous liniment, 1 M.; coal tar derivatives, 1 M.; formaline, 1 M.; quinine, 1 F.; camphorated oil, 1 F.; aniseed, 1 F.; rat poison, 1 F.; narcotic (not stated), 3 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923—*cont.*

| International List. No. | Cause or Character of Violence. | | All Ages. | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Suicide—*cont.* | | | | | | | | | | | | | | |
| 167 | By poisonous gas .. .. | M. | 449 | — | — | — | — | 9 | 19 | 45 | 101 | 123 | 99 | 46 | 7 |
| | | F. | 239 | — | — | — | — | 2 | 11 | 25 | 51 | 78 | 46 | 17 | 9 |
| | Coal gas .. .. .. | M. | 445 | — | — | — | — | 9 | 19 | 45 | 98 | 123 | 98 | 46 | 7 |
| | | F. | 239 | — | — | — | — | 2 | 11 | 25 | 51 | 78 | 46 | 17 | 9 |
| | Others* .. .. .. | M. | 4 | — | — | — | — | — | — | — | 3 | — | 1 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 168 | Hanging or strangulation .. | M. | 619 | — | — | — | — | 16 | 21 | 40 | 92 | 155 | 152 | 102 | 41 |
| | | F. | 130 | — | — | — | — | 1 | 3 | 10 | 18 | 46 | 33 | 14 | 5 |
| 169 | Drowning .. .. .. | M. | 537 | — | — | — | — | 8 | 18 | 40 | 93 | 128 | 139 | 90 | 21 |
| | | F. | 315 | — | — | — | 2 | 27 | 34 | 40 | 58 | 74 | 50 | 26 | 4 |
| 170 | Firearms .. .. .. | M. | 231 | — | — | — | — | 8 | 19 | 33 | 36 | 56 | 45 | 23 | 11 |
| | | F. | 16 | — | — | — | — | 1 | 1 | 7 | 3 | — | 2 | 2 | — |
| 171 | Cutting or piercing instruments | M. | 568 | — | — | — | — | — | 14 | 51 | 100 | 158 | 134 | 80 | 31 |
| | | F. | 101 | — | — | — | — | — | 4 | 14 | 20 | 32 | 18 | 8 | 5 |
| 172 | Jumping from high places .. | M. | 72 | — | — | — | — | 1 | 1 | 7 | 16 | 17 | 16 | 11 | 3 |
| | | F. | 54 | — | — | — | — | 1 | 4 | 9 | 9 | 13 | 9 | 7 | 2 |
| 173 | Crushing .. .. .. | M. | 163 | — | — | — | — | 10 | 14 | 23 | 38 | 37 | 26 | 14 | 1 |
| | | F. | 18 | — | — | — | — | 2 | 3 | 1 | 5 | 4 | 3 | — | — |
| | On railway .. .. .. | M. | 160 | — | — | — | — | 10 | 14 | 22 | 36 | 37 | 26 | 14 | 1 |
| | | F. | 18 | — | — | — | — | 2 | 3 | 1 | 5 | 4 | 3 | — | — |
| | Others† .. .. .. | M. | 3 | — | — | — | — | — | — | 1 | 2 | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 174 | Suicide by other means .. | M. | 8 | — | — | — | — | — | — | 3 | 1 | 1 | 3 | — | — |
| | | F. | 12 | — | — | — | — | — | 1 | 4 | 2 | 4 | — | 1 | — |
| | Setting fire to clothing .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | 4 | — | — | — | — | — | — | 1 | 1 | 2 | — | — | — |
| | Burns (not stated) .. .. | M. | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| | | F. | 4 | — | — | — | — | — | — | 1 | — | 2 | — | 1 | — |
| | Operation, abortion.. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | 3 | — | — | — | — | — | 1 | 1 | 1 | — | — | — | — |
| | Others (or not stated)‡ .. | M. | 7 | — | — | — | — | — | — | 2 | 1 | 1 | 3 | — | — |
| | | F. | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| | Accident :— | | | | | | | | | | | | | | |
| 175 | Food poisoning .. .. .. | M. | 21 | — | 1 | — | 3 | 2 | — | 3 | 2 | 5 | 4 | 1 | — |
| | | F. | 17 | — | 1 | 1 | 4 | 1 | — | 3 | 1 | 2 | 1 | 2 | 1 |
| | "Ptomaine poisoning" .. | M. | 11 | — | — | — | 1 | — | — | 3 | — | 3 | 3 | 1 | — |
| | | F. | 10 | — | — | — | 3 | — | — | 3 | 1 | — | 1 | 2 | — |
| | "Food poisoning" .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | 3 | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — |
| | Others§ .. .. .. | M. | 10 | — | 1 | — | 2 | 2 | — | — | 2 | 2 | 1 | — | — |
| | | F. | 4 | — | 1 | 1 | — | — | — | — | — | 1 | — | — | 1 |
| 176 | Poisoning by venomous animals | M. | 5 | 2 | 1 | — | — | — | — | — | 1 | — | — | 1 | — |
| | | F. | 12 | — | 3 | — | 2 | 1 | 1 | — | 1 | 1 | 2 | 1 | — |
| | "Insect" bite .. .. | M. | 3 | 1 | 1 | — | — | — | — | — | 1 | — | — | — | — |
| | | F. | 12 | — | 3 | — | 2 | 1 | 1 | — | 1 | 1 | 2 | 1 | — |
| | Others‖ .. .. .. | M. | 2 | 1 | — | — | — | — | — | — | — | — | — | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |

* Carbon monoxide, 2 M.; charcoal fumes, 1 M.; nitrous oxide gas, 1 M.
† Motor bus, 1 M.; motor water cart, 1 M.; lorry, 1 M.
‡ Including electrocution, 2 M.; swallowing table knife, 1 F.; suffocation, handkerchief in throat, 1 M.; use of explosive, 3 M.; shock from jumping into river, 1 M.
§ Fungus, 1 M.; fish poisoning, 2 F.; mushrooms, 1 F.; potted meat (bacillus dysentericæ—Gettings), 1 M., 1 F.; putrified shrimps, 1 M.; mussels, 3 M.; linseed tea, 2 M.; tinned salmon, 1 M.; tinned meat, 1 M.
‖ Wasp, 1 M.; gnat, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923—*cont.*

| International List. No. | Cause or Character of Violence. | | All Ages. | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Accident—*cont.* | | | | | | | | | | | | | | |
| 177 | Other acute accidental poisonings | M. | 67 | 1 | 13 | 2 | 2 | 1 | 3 | 5 | 13 | 12 | 9 | 5 | 1 |
| | | F. | 44 | — | 7 | 1 | — | 4 | 1 | 4 | 4 | 7 | 8 | 7 | 1 |
| | Carbolic acid .. .. .. | M. | 4 | — | — | — | — | — | — | 1 | 2 | — | — | 1 | — |
| | | F. | 6 | — | — | — | — | — | 1 | 2 | 1 | 1 | 1 | — | — |
| | Hydrochloric acid .. .. | M. | 3 | — | — | — | — | 1 | — | — | 1 | 1 | — | — | — |
| | | F. | 4 | — | — | — | — | — | — | — | 1 | 1 | 2 | — | — |
| | Morphia, opium .. .. | M. | 8 | — | 1 | — | — | — | — | 1 | 1 | 1 | 3 | 1 | — |
| | | F. | 3 | — | — | — | — | — | — | — | — | 1 | 2 | — | — |
| | Belladonna .. .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| | Others (or kind not stated)* .. | M. | 52 | 1 | 12 | 2 | 2 | — | 3 | 3 | 9 | 10 | 6 | 3 | 1 |
| | | F. | 30 | — | 7 | 1 | — | 4 | — | 2 | 2 | 4 | 3 | 6 | 1 |
| 178 | Conflagration .. .. .. | M. | 20 | 1 | 3 | — | 2 | — | 2 | 3 | 2 | 2 | 4 | — | 1 |
| | | F. | 12 | — | 1 | 2 | — | — | — | — | — | 4 | 2 | 2 | 1 |
| 179 | Burns, &c. (Conflagration excepted) .. .. .. | M. | 752 | 58 | 459 | 46 | 8 | 15 | 9 | 19 | 23 | 22 | 23 | 29 | 41 |
| | | F. | 856 | 34 | 317 | 91 | 36 | 44 | 13 | 35 | 37 | 37 | 48 | 59 | 105 |
| | 1. Burns .. .. .. | M. | 289 | 20 | 107 | 24 | 5 | 12 | 6 | 12 | 14 | 17 | 15 | 22 | 35 |
| | | F. | 576 | 19 | 98 | 71 | 33 | 42 | 12 | 34 | 35 | 34 | 43 | 58 | 97 |
| | By Flannelette clothes† .. | M. | 9 | 1 | 6 | 2 | — | — | — | — | — | — | — | — | — |
| | | F. | 22 | 2 | 8 | 6 | 1 | — | 1 | — | 1 | — | 2 | — | 1 |
| | „ Clothes (other or not described)‡ .. .. | M. | 72 | 6 | 40 | 7 | 1 | 2 | 1 | — | — | 1 | 3 | 5 | 6 |
| | | F. | 235 | 4 | 35 | 32 | 15 | 25 | — | 11 | 15 | 21 | 14 | 24 | 39 |
| | „ Molten Metal .. .. | M. | 9 | — | — | — | — | 1 | — | 4 | — | 2 | 1 | — | 1 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | „ Playing with Fire, &c. .. | M. | 6 | — | 5 | 1 | — | — | — | — | — | — | — | — | — |
| | | F. | 2 | — | 1 | 1 | — | — | — | — | — | — | — | — | — |
| | „ Falling into Fire .. | M. | 24 | 2 | 4 | — | — | — | — | — | 1 | 5 | — | 4 | 8 |
| | | F. | 25 | 3 | 2 | — | 1 | — | — | — | 2 | — | 2 | 2 | 13 |
| | „ Bedding .. .. | M. | 2 | — | — | — | — | — | — | 1 | — | — | — | — | 1 |
| | | F. | 2 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| | „ Lamp accident .. | M. | 2 | — | — | — | — | — | — | — | 1 | — | 1 | — | — |
| | | F. | 10 | 1 | 2 | — | 1 | — | — | — | 3 | 1 | 1 | 1 | — |
| | Otherwise (or not stated how):— | | | | | | | | | | | | | | |
| | Ships, docks, etc. .. | M. | 4 | — | — | — | — | 1 | — | 2 | 1 | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others‖ .. .. .. | M. | 161 | 11 | 52 | 14 | 4 | 8 | 5 | 5 | 11 | 9 | 10 | 13 | 19 |
| | | F. | 280 | 9 | 50 | 32 | 15 | 17 | 11 | 23 | 14 | 12 | 23 | 30 | 44 |
| | 2. Scalds .. .. .. | M. | 446 | 38 | 352 | 22 | 3 | 3 | 1 | 3 | 6 | 3 | 4 | 5 | 6 |
| | | F. | 280 | 15 | 219 | 20 | 3 | 2 | 1 | 1 | 2 | 3 | 5 | 1 | 8 |
| | By Steam .. .. .. | M. | 6 | — | — | 1 | — | — | — | 1 | 3 | 1 | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | „ Drinking Hot Liquids .. | M. | 5 | — | 5 | — | — | — | — | — | — | — | — | — | — |
| | | F. | 5 | — | 5 | — | — | — | — | — | — | — | — | — | — |
| | Otherwise (or not stated how) | M. | 435 | 38 | 347 | 21 | 3 | 3 | 1 | 2 | 3 | 2 | 4 | 5 | 6 |
| | | F. | 275 | 15 | 214 | 20 | 3 | 2 | 1 | 1 | 2 | 3 | 5 | 1 | 8 |

* Including oxalic acid, 2 M., 1 F.; acetic acid, 1 F.; medicine containing tincture of opium, 1 M.; prussic acid, 1 M.; cyanide of potassium, 1 F.; arsenic (form not stated), 1 M.; corrosive (not stated), 5 M., 1 F.; ammonia, 3 M., 4 F.; corrosive sublimate, 1 M., 1 F.; mercuric chloride tablets, 1 F.; chlorodyne, 2 F.; caustic soda, 3 M., 1 F.; caustic alkali, 1 M.; caustic potash, 1 F.; creosote, 2 F.; zinc (form not stated), 1 F.; sodium nitrate, 1 M.; chloroform, 1 M.; bichromate of potash, 1 M.; chloral hydrate, 2 M.; bromidia, 2 M.; phosphorus (form not stated), 1 F.; coal tar, 1 F.; German rectified spirit, 1 M.; veronal, 5 M.; strychnine, 2 M.; nicotine, 1 M.; atropine in eye drops, 1 M.; lysol, 2 M., 3 F.; Easton's syrup tablets, 1 M., 1 F.; camphorated oil, 1 M., 1 F.; hemlock root, 1 F.; camphor liniment, 1 M.; ammoniated camphor, 1 M.; liniment containing ammonia, 1 M.; liniment (not stated), 1 M.; cough mixture containing diamorphine hydrochlorate, 1 M.; sulphate of quinine tablets, 1 M.; permanganate of potash, 1 M.; disinfectant (not stated), 1 M.; oil of wintergreen, 1 F.; sleeping draught, 1 M.; wild berries, 1 M.; cyanide absorbed whilst unloading drums, 1 M.

† Including unguarded grate, 3 F.; playing with fire, &c., 1 M., 4 F.; gas stove or ring, 2 M., 1 F.; celluloid powder box, 1 M.; lighted taper, 1 F.; blackleading grate, 1 F.

‡ Including unguarded grate, 2 M., 5 F.; protected grate, 1 M., 1 F.; gas stove or ring, 4 F.; oil or methylated stoves, 1 M., 2 F.; naphtha lamp, 1 M.; candle, 4 M., 12 F.; playing with fire, &c., 5 M., 6 F.; lamp, 2 F.; petrol, 1 F.; matches, 5 F.; methylated spirit, 1 F.; paraffin, 2 F.; celluloid comb, 1 F.; throwing paraffin or petrol on fire, 2 M.; heating turpentine beeswax, &c., 2 M., 2 F.; field fire, 1 F.; lighting paper, 1 F.

‖ Including unguarded grate, 3 M., 3 F.; celluloid comb, 1 M.; blow lamp, 1 M.; throwing paraffin or petrol on fire, 2 M.; nitric acid, 1 M.; caustic soda, 2 M.; sulphuric acid, 2 M.; petrol vehicles, 3 M.; perambulator on fire, 1 F.; petrol, 1 M., 5 F.; mustard poultice, 1 M.; candle, 5 F.; gas fire, 2 F.; oil stove, 1 M., 4 F.; overheated hot water bottle, 1 F.; at Gas Works, 2 M.; falling into slacked lime, 1 M.; falling into burning refuse, 2 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923—*cont.*

| International List No. | Cause or Character of Violence. | | All Ages | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Accident—*cont.* | | | | | | | | | | | | | | |
| | 3. Explosions .. .. .. | M. | 17 | — | — | — | — | — | 2 | 4 | 3 | 2 | 4 | 2 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Petrol .. .. .. | M. | 2 | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other (or not stated)* .. | M. | 15 | — | — | — | — | — | 2 | 4 | 3 | 2 | 3 | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 180 | Accidental Mechanical Suffocation | M. | 321 | 255 | 10 | 5 | 2 | 3 | 2 | 3 | 11 | 7 | 14 | 5 | 4 |
| | | F. | 225 | 180 | 11 | 5 | — | 1 | — | 2 | 4 | 2 | 4 | 9 | 7 |
| | In bed .. .. .. .. | M. | 212 | 209 | 1 | — | — | 1 | — | — | 1 | — | — | — | — |
| | | F. | 157 | 150 | — | — | — | — | — | — | — | 1 | — | 3 | 3 |
| | ,, Cot, Cradle, etc. .. .. | M. | 15 | 14 | 1 | — | — | — | — | — | — | — | — | — | — |
| | | F. | 6 | 6 | — | — | — | — | — | — | — | — | — | — | — |
| | Falling on face .. .. | M. | 3 | — | — | — | — | — | — | 1 | — | — | 1 | — | 1 |
| | | F. | 5 | — | — | — | — | — | — | — | — | 1 | 2 | 1 | 1 |
| | Heavy substance on .. .. | M. | 11 | — | — | 2 | — | — | — | 2 | 5 | 1 | 1 | — | — |
| | | F. | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| | Food, etc. .. .. .. | M. | 57 | 16 | 6 | 3 | 2 | 2 | 1 | — | 4 | 5 | 11 | 4 | 3 |
| | | F. | 30 | 4 | 10 | 5 | — | 1 | — | 2 | 2 | — | 1 | 4 | 1 |
| | Others (or not stated) :— | | | | | | | | | | | | | | |
| | In Ships, Docks, etc. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| | Others† .. .. .. | M. | 23 | 16 | 2 | — | — | — | 1 | — | 1 | 1 | 1 | 1 | — |
| | | F. | 25 | 20 | 1 | — | — | — | — | — | 1 | — | — | 1 | 2 |
| 181 | Accidental absorption of irrespirable or poisonous gas | M. | 92 | 3 | 2 | 1 | 5 | 3 | 7 | 11 | 14 | 18 | 10 | 11 | 7 |
| | | F. | 60 | — | — | 1 | — | 6 | 1 | 6 | 6 | 11 | 8 | 7 | 14 |
| | Coal gas .. .. .. | M. | 50 | 2 | 1 | 1 | 5 | 2 | 3 | 4 | 6 | 10 | 3 | 7 | 6 |
| | | F. | 58 | — | — | 1 | — | 6 | 1 | 6 | 6 | 11 | 8 | 6 | 13 |
| | Carbon monoxide .. .. | M. | 18 | — | — | — | — | 1 | 2 | 1 | 2 | 5 | 5 | 2 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Carbon dioxide .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others (or not stated) :— | | | | | | | | | | | | | | |
| | Ships, docks, etc. .. .. | M. | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others‡ .. .. | M. | 22 | 1 | 1 | — | — | — | 2 | 4 | 6 | 3 | 2 | 2 | 1 |
| | | F. | 2 | — | — | — | — | — | — | — | — | — | — | 1 | 1 |
| 182 | Accidental Drowning .. .. | M. | 1385 | 9 | 104 | 117 | 92 | 149 | 97 | 136 | 174 | 219 | 142 | 111 | 35 |
| | | F. | 310 | 9 | 48 | 12 | 6 | 23 | 23 | 37 | 26 | 54 | 41 | 21 | 10 |
| | Bathing .. .. .. | M. | 178 | — | — | 15 | 31 | 68 | 27 | 19 | 7 | 4 | 4 | 3 | — |
| | | F. | 14 | — | — | — | 1 | 5 | 6 | 1 | — | 1 | — | — | — |
| | Shipwreck .. .. .. | M. | 23 | — | — | — | — | 1 | 2 | 8 | 9 | 3 | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Boat upset, fall overboard .. | M. | 93 | — | — | 3 | 2 | 16 | 11 | 18 | 27 | 11 | 1 | 3 | 1 |
| | | F. | 5 | — | — | — | — | 2 | — | 1 | — | 1 | 1 | — | — |
| | Collision .. .. .. | M. | 19 | — | — | — | — | 4 | 5 | 3 | 1 | 1 | 3 | 2 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Whilst attempting rescue .. | M. | 3 | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |

* Including slag in steel works, 2 M.; test flask, 1 M.; nitrating vessel, 2 M.; in annealing bath, 1 M.; moulding box at engineers, 1 M.; hot flue cinders at ironworks, 1 M.; blow lamp, 1 M.; at linoleum factory, 2 M.; boiler tube, 1 M.: fire box of traction engine, 1 M.; at breaking down factory, 1 M.; at Pembrey factory, 1 M.

† Including suffocated whilst intoxicated, 2 M.

‡ Including fumes from geyser, 3 M.; burning rug, 1 M., 1 F.; fire in bedroom, 1 F; burning blanket, 1 M.; ammonia, 1 M.; brick kiln, 3 M.; sulphuretted hydrogen in sump hole, 3 M.; arseniuretted hydrogen at white metal foundry, 1 M.: carbonic gas at bottom of well, 1 M.; rubbish tip, 3 M.; creosote tank, 1 M.; fumes from hot water plant, 1 M.; methyl alcohol from motor spirit tanks, 1 M.; fumes from benzol and petrol boiler tank, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923—*cont.*

| International List No. | Cause or Character of Violence. | | All Ages. | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 182 1—*cont.* | Accidental drowning—*cont.* | | | | | | | | | | | | | | |
| | Otherwise (or not stated how)* | M. | 443 | 1 | 97 | 85 | 48 | 44 | 22 | 29 | 23 | 28 | 24 | 30 | 12 |
| | | F. | 107 | 1 | 43 | 12 | 4 | 5 | 3 | 8 | 6 | 6 | 9 | 3 | 7 |
| | "Found" (open verdict) .. | M. | 626 | 8 | 7 | 14 | 10 | 15 | 30 | 59 | 106 | 172 | 110 | 73 | 22 |
| | | F. | 184 | 8 | 5 | — | 1 | 11 | 14 | 27 | 20 | 46 | 31 | 18 | 3 |
| 183 | Accidental injury by firearms .. | M. | 76 | — | 2 | 3 | 6 | 13 | 9 | 11 | 11 | 12 | 8 | 1 | — |
| | | F. | 6 | — | 1 | — | — | — | 2 | 1 | — | 2 | — | — | — |
| 184 | Accidental injury by cutting or piercing instruments | M. | 13 | 1 | — | 1 | 2 | — | 2 | 2 | 1 | 2 | — | 2 | — |
| | | F. | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 185 | Accidental injury by fall .. | M. | 1361 | 12 | 46 | 13 | 39 | 52 | 41 | 91 | 121 | 176 | 230 | 248 | 292 |
| | | F. | 1302 | 5 | 31 | 9 | 10 | 6 | 11 | 20 | 24 | 77 | 134 | 308 | 667 |
| | In Ships, Docks, etc. .. .. | M. | 95 | — | — | — | 1 | 8 | 10 | 15 | 12 | 21 | 21 | 5 | 2 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Down hold .. .. | M. | 44 | — | — | — | — | 5 | 8 | 6 | 6 | 8 | 10 | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Into dock .. .. | M. | 4 | — | — | — | — | — | — | 1 | — | 1 | 1 | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Not stated how .. | M. | 47 | — | — | — | 1 | 3 | 2 | 8 | 6 | 12 | 10 | 3 | 2 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | In building operations .. | M. | 165 | — | — | — | 2 | 7 | 11 | 25 | 26 | 34 | 37 | 22 | 1 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Downstairs .. .. .. | M. | 244 | — | 7 | 1 | 1 | 1 | 1 | 6 | 20 | 36 | 51 | 60 | 60 |
| | | F. | 352 | 1 | 3 | — | 1 | 2 | — | 8 | 7 | 38 | 54 | 111 | 127 |
| | From window.. .. .. | M. | 72 | 3 | 9 | 1 | 3 | 1 | 3 | 6 | 11 | 9 | 9 | 7 | 10 |
| | | F. | 40 | — | 4 | 1 | — | — | 3 | 2 | 4 | 8 | 5 | 5 | 8 |
| | In house, room, etc. .. .. | M. | 68 | 1 | 4 | 2 | 1 | 1 | — | — | — | 2 | 6 | 16 | 35 |
| | | F. | 230 | — | 7 | 1 | — | — | — | 2 | 5 | 2 | 17 | 42 | 154 |
| | Out of bed .. .. .. | M. | 17 | 1 | 2 | 1 | — | — | — | — | — | — | 1 | 3 | 9 |
| | | F. | 36 | 2 | 3 | — | — | — | — | — | — | 2 | 3 | 8 | 18 |
| | In street.. .. .. .. | M. | 79 | 1 | 2 | 2 | 1 | 1 | — | 5 | 3 | 9 | 13 | 16 | 26 |
| | | F. | 74 | — | 5 | — | 2 | 1 | — | 3 | 3 | 3 | 7 | 18 | 32 |
| | Diving .. .. .. .. | M. | 9 | — | — | — | 2 | 4 | 2 | — | — | — | 1 | — | — |
| | | F. | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| | Down area .. .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| | Down lift well .. .. .. | M. | 8 | — | — | — | — | 3 | — | 1 | 1 | 2 | 1 | — | — |
| | | F. | 4 | — | — | — | — | 1 | 1 | — | — | — | 1 | 1 | — |
| | From horse .. .. .. | M. | 33 | — | — | 1 | 3 | 2 | 1 | 7 | 6 | 1 | 8 | 4 | — |
| | | F. | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| | From cliff .. .. | M. | 11 | — | 1 | — | — | 1 | 1 | 1 | 2 | 2 | 2 | — | 1 |
| | | F. | 2 | — | — | — | 1 | — | — | — | — | 1 | — | — | — |
| | From ladder .. .. .. | M. | 52 | — | — | — | 1 | — | — | 3 | 4 | 11 | 16 | 14 | 3 |
| | | F. | 5 | — | — | — | — | — | — | — | 1 | — | 2 | 1 | 1 |
| | Otherwise (or not stated how)† | M. | 508 | 6 | 21 | 5 | 24 | 23 | 12 | 22 | 36 | 49 | 64 | 101 | 145 |
| | | F. | 556 | 2 | 9 | 7 | 6 | 1 | 6 | 5 | 3 | 23 | 45 | 122 | 327 |
| 186 | Accidental injury in mines and quarries. | M. | 1106 | — | — | — | 28 | 154 | 117 | 229 | 188 | 211 | 137 | 41 | 1 |
| | | F. | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| | 1. Coal mines .. .. | M. | 1040 | — | — | — | 28 | 152 | 112 | 217 | 178 | 198 | 122 | 32 | 1 |
| | | F. | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| | Fall of coal, stone, &c. | M. | 550 | — | — | — | 9 | 48 | 53 | 131 | 111 | 125 | 63 | 9 | 1 |
| | Crushing .. .. | M. | 10 | — | — | — | — | — | 5 | 2 | — | 1 | — | 2 | — |
| | Fall down shaft .. | M. | 18 | — | — | — | — | 1 | 3 | 3 | 4 | 5 | 1 | 1 | — |
| | Fall (not otherwise described). | M. | 28 | — | — | — | 1 | 3 | 5 | 5 | 3 | 3 | 5 | 3 | — |
| | Machinery .. .. | M. | 62 | — | — | — | 2 | 11 | 5 | 13 | 11 | 11 | 6 | 3 | — |
| | | F. | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |

*Including skating, sliding, 9 M.

† Including 48 M., 156 F., aged 60 years and upwards, from fracture of leg; from hayrick, 19 M.; from tree, 23 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923—*cont.*

| International List No. | Cause or Character of Violence. | | All Ages. | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 186 —*cont.* | Accidental injury in mines and quarries—*cont.* | | | | | | | | | | | | | | |
| | 1. Coal mines—*cont.* | | | | | | | | | | | | | | |
| | Trams .. .. .. | M. | 134 | — | — | — | 4 | 23 | 17 | 21 | 23 | 23 | 20 | 3 | — |
| | Tubs .. .. .. | M. | 136 | — | — | — | 10 | 53 | 17 | 14 | 14 | 10 | 14 | 4 | — |
| | Electric shock .. .. | M. | 6 | — | — | — | — | 1 | — | 3 | 1 | 1 | — | — | — |
| | Explosion of gas .. | M. | 7 | — | — | — | — | 2 | — | 2 | 1 | 1 | 1 | — | — |
| | „ Others (or not stated).* | M. | 17 | — | — | — | 1 | 1 | 1 | 6 | 2 | 5 | — | 1 | — |
| | Shot firing .. .. | M. | 7 | — | — | — | — | — | — | 2 | 2 | 1 | 1 | 1 | — |
| | Blow (not otherwise defined). | M. | 16 | — | — | — | — | 2 | 2 | 4 | — | 5 | 2 | 1 | — |
| | Otherwise (or not stated how).† | M. | 49 | — | — | — | 1 | 7 | 4 | 11 | 6 | 7 | 9 | 4 | — |
| | 2. Other mines .. .. | M. | 20 | — | — | — | — | 1 | 2 | 5 | 3 | 3 | 5 | 1 | — |
| | Fall of stone, &c. .. | M. | 9 | — | — | — | — | — | — | 2 | 1 | 2 | 4 | — | — |
| | Others‡ .. .. .. | M. | 11 | — | — | — | — | 1 | 2 | 3 | 2 | 1 | 1 | 1 | — |
| | 3. Quarries .. .. .. | M. | 46 | — | — | — | — | 1 | 3 | 7 | 7 | 10 | 10 | 8 | — |
| | Fall of stone, &c. .. | M. | 22 | — | — | — | — | 1 | 2 | 2 | 6 | 1 | 6 | 4 | — |
| | Fall (not otherwise described). | M. | 11 | — | — | — | — | — | — | — | 1 | 5 | 2 | 3 | — |
| | Machinery .. .. | M. | 5 | — | — | — | — | — | — | 2 | — | 3 | — | — | — |
| | Otherwise § | M. | 8 | — | — | — | — | — | 1 | 3 | — | 1 | 2 | 1 | — |
| 187 | Accidental injury by machines.. | M. | 202 | — | 2 | 1 | 7 | 25 | 14 | 36 | 40 | 31 | 38 | 7 | 1 |
| | | F. | 11 | — | 2 | 1 | 2 | — | 1 | 2 | — | 1 | 1 | 1 | — |
| | In ships, docks, &c. .. | M. | 18 | — | — | — | — | 1 | 2 | 3 | 6 | 2 | 3 | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | In metal works .. | M. | 21 | — | — | — | 1 | 2 | 2 | 2 | 7 | — | 5 | 1 | 1 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | In textile factories .. | M. | 13 | — | — | — | — | 2 | 2 | 3 | 4 | 1 | 1 | — | — |
| | | F. | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| | In other factories .. | M. | 11 | — | — | — | 1 | 1 | 2 | 2 | — | 2 | 3 | — | — |
| | | F. | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| | Agricultural machinery | M. | 14 | — | 1 | 1 | — | 4 | 1 | 1 | 1 | 2 | 2 | 1 | — |
| | | F. | 4 | — | 1 | 1 | 1 | — | — | — | — | 1 | — | — | — |
| | Lift .. .. .. | M. | 24 | — | — | — | 2 | 2 | — | 5 | 3 | 5 | 7 | — | — |
| | | F. | 3 | — | — | — | — | — | — | 2 | — | — | — | 1 | — |
| | Crane .. .. .. | M. | 23 | — | — | — | — | 1 | 4 | 5 | 5 | 4 | 4 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Circular saw .. .. | M. | 3 | — | — | — | — | — | — | — | — | 1 | 2 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other machinery‖ .. | M. | 75 | — | 1 | — | 3 | 12 | 1 | 15 | 14 | 14 | 11 | 4 | — |
| | | F. | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| 188 | Accidental injury by other forms of crushing | M. | 3009 | 3 | 144 | 299 | 205 | 255 | 225 | 338 | 355 | 420 | 362 | 268 | 135 |
| | | F. | 742 | 4 | 88 | 116 | 37 | 33 | 31 | 33 | 53 | 81 | 94 | 102 | 70 |
| | 1. Railways .. .. | M. | 453 | — | 1 | 8 | 8 | 28 | 34 | 65 | 82 | 98 | 81 | 38 | 10 |
| | | F. | 42 | — | 5 | 2 | 2 | 5 | 1 | 2 | 6 | 5 | 8 | 5 | 1 |
| | Run over on line .. | M. | 316 | — | 1 | 7 | 7 | 14 | 19 | 44 | 60 | 69 | 59 | 27 | 9 |
| | | F. | 31 | — | 2 | 1 | 2 | 5 | 1 | 2 | 3 | 4 | 6 | 4 | 1 |
| | Collision .. .. | M. | 9 | — | — | — | — | — | 2 | 1 | 1 | 2 | 3 | — | — |
| | | F. | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| | Fall from carriage or engine | M. | 40 | — | — | 1 | — | 2 | 4 | 5 | 7 | 9 | 6 | 5 | 1 |
| | | F. | 9 | — | 3 | 1 | — | — | — | — | 2 | — | 2 | 1 | — |
| | Fall (not otherwise described) | M. | 12 | — | — | — | — | 1 | — | 2 | 2 | 2 | 3 | 2 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Crushing by carriage or engine | M. | 56 | — | — | — | 1 | 10 | 7 | 7 | 8 | 12 | 7 | 4 | — |
| | | F. | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |

* Including fire damp, 11 M.;

† Including suffocation, black damp, 1 M.; coal gas, 6 M.; fumes while cleaning benzol tank, 2 M.; by small coal, 1 M.; strain, 1 M.; pony, 4 M.; burns, 1 M.; inrush of water, 12 M.; whilst cutting timber, 1 M.; foreign substance in eye, 1 M.

‡ Including tubs, 4 M.; fall down shaft, 2 M.; explosion, 3 M.; fracture of skull (not stated) 1 M.

§ Including blasting, 5 M.; tubs, 1 M.

‖ Including electrical machinery, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923—*cont.*

| International List No. | Cause or Character of Violence. | | All Ages. | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 188 —*cont.* | Accidental injury by other forms of crushing—*cont.* | | | | | | | | | | | | | | |
| | 1. Railways—*cont.* | | | | | | | | | | | | | | |
| | Striking bridge .. | M. | 5 | — | — | — | — | 1 | 1 | 3 | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Blow (not otherwise described) | M. | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Otherwise (or not stated how)* | M. | 14 | — | — | — | — | — | 1 | 3 | 4 | 4 | 2 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 2. Other vehicles mechanically propelled. | M. | 1841 | 2 | 114 | 265 | 161 | 167 | 147 | 199 | 173 | 196 | 167 | 151 | 99 |
| | | F. | 610 | 3 | 67 | 110 | 32 | 24 | 27 | 28 | 39 | 65 | 75 | 80 | 60 |
| | Motor car .. .. | M. | 564 | 1 | 51 | 111 | 39 | 16 | 20 | 35 | 52 | 65 | 63 | 63 | 48 |
| | | F. | 270 | — | 28 | 53 | 13 | 10 | 7 | 9 | 20 | 32 | 30 | 40 | 28 |
| | Motor van, lorry, &c. .. | M. | 439 | — | 30 | 92 | 65 | 56 | 13 | 31 | 26 | 42 | 34 | 33 | 17 |
| | | F. | 124 | 1 | 21 | 36 | 11 | 2 | 3 | 4 | 2 | 5 | 13 | 15 | 11 |
| | Electric tramcar .. | M. | 54 | — | 3 | 1 | 1 | 2 | 2 | 3 | 7 | 8 | 5 | 11 | 11 |
| | | F. | 26 | — | 6 | — | — | — | — | — | 2 | 1 | 7 | 7 | 3 |
| | Motor cab .. .. | M. | 32 | — | 1 | 3 | 2 | 3 | — | 1 | 1 | 6 | 7 | 5 | 3 |
| | | F. | 18 | — | — | 2 | — | 1 | 1 | 2 | — | 4 | 2 | 3 | 3 |
| | Motor omnibus .. | M. | 166 | — | 12 | 25 | 12 | 21 | 6 | 13 | 16 | 20 | 20 | 15 | 6 |
| | | F. | 53 | — | 5 | 4 | 5 | 2 | 8 | 4 | 3 | 7 | 7 | 3 | 5 |
| | Motor char-a-banc, coach, &c. | M. | 28 | — | 1 | 5 | 7 | 1 | 1 | 3 | 2 | 4 | 3 | 1 | — |
| | | F. | 16 | — | — | 4 | — | 1 | — | — | — | 5 | 3 | 1 | 2 |
| | Motor cycle .. .. | M. | 243 | — | 5 | 2 | 3 | 24 | 43 | 56 | 34 | 28 | 19 | 16 | 13 |
| | | F. | 53 | 1 | 3 | 2 | 1 | 3 | 2 | 7 | 6 | 7 | 9 | 6 | 6 |
| | Steam waggon, &c. .. | M. | 97 | — | 8 | 19 | 24 | 20 | 6 | 6 | 3 | 7 | 3 | 1 | — |
| | | F. | 20 | 1 | 2 | 6 | — | 2 | 2 | 1 | 1 | — | 1 | 2 | 2 |
| | Steam roller .. .. | M. | 7 | — | — | — | 1 | 1 | 1 | 1 | — | 1 | 1 | 1 | — |
| | | F. | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| | Aeroplane, airship .. | M. | 36 | — | — | — | — | 3 | 18 | 12 | 3 | — | — | — | — |
| | | F. | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| | Motor vehicles (others or undefined)† | M. | 31 | — | 2 | 4 | 1 | 3 | 5 | 3 | 6 | 2 | 3 | 2 | — |
| | | F. | 10 | — | 2 | 3 | 1 | — | 1 | — | — | — | — | 3 | — |
| | Collisions‡ :— .. .. | M. | 144 | 1 | 1 | 3 | 6 | 17 | 32 | 35 | 23 | 13 | 9 | 3 | 1 |
| | | F. | 18 | — | — | — | 1 | 2 | 2 | 1 | 5 | 4 | 3 | — | — |
| | Motor car and motor cycle | M. | 45 | — | 1 | — | — | 5 | 10 | 13 | 10 | 4 | 1 | — | 1 |
| | | F. | 6 | — | — | — | — | — | 1 | 1 | 1 | 2 | 1 | — | — |
| | Motor car and cycle (not stated) | M. | 24 | — | — | 2 | 3 | 3 | 2 | 5 | 5 | 2 | 1 | 1 | — |
| | | F. | 2 | — | — | — | — | — | — | — | 1 | — | 1 | — | — |
| | Motor van, &c., and motor cycle | M. | 17 | — | — | — | — | 2 | 5 | 8 | — | 1 | 1 | — | — |
| | | F. | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| | Motor van, &c., and cycle (not stated) | M. | 7 | — | — | — | 2 | 2 | 2 | — | — | 1 | — | — | — |
| | | F. | 2 | — | — | — | 1 | — | — | — | — | 1 | — | — | — |
| | Motor cycle and cycle (not stated) | M. | 5 | — | — | — | — | 2 | — | — | 1 | 1 | 1 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Motor 'bus and motor cycle | M. | 9 | 1 | — | — | — | — | 3 | 4 | 1 | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others‖ .. .. | M. | 37 | — | — | 1 | 1 | 3 | 10 | 5 | 6 | 4 | 5 | 2 | — |
| | | F. | 7 | — | — | — | — | 1 | 1 | — | 3 | 1 | 1 | — | — |

* Including carriage off rails, 2 M.; machinery, 2 M.; heavy substance on (not otherwise defined), 2 M.

† Including motor ambulance 3 M., 1 F.; electric truck, 1 M.; traction engine, 9 M., 3 F.; hearse, 1 M.; water cart, 1 M.; oil tank, 1 M.

‡ In these cases the verdict of the jury did not state which vehicle caused death.

‖ Including motor car and railway train, 1 M.; motor car and motor van, lorry, 1 M., 2 F.; motor car and wagonette, char-a-banc 1 M., 1 F.; motor car and horse and cart, 1 M.; motor car and tramcar (not stated), 1 M.; motor lorry and steam waggon, 1 M.; electric tram and motor 'bus, 2 M.; electric tram and motor cycle, 1 M.; electric tram and bicycle (not stated), 2 M.; motor cab and motor cycle, 2 M.; motor cab and horse brougham, 1 M.; motor cab and horse and cart, 1 M.; motor cab and bicycle (not stated), 1 M.; motor cab and handcart, 1 M.; motor 'bus and tram (not stated), 1 M.; motor 'bus and push bike, 1 M; motor 'bus and cycle (not stated), 1 M., 1 F.; motor char-a-banc and motor cycle, 5 M., 1 F.; motor cycle and steam waggon, 1 M.; motor cycle and motor, (not stated), 1 M.; motor cycle and trap, 1 M.; motor cycle and cart, 2 M.; motor cycle and tramcar (not stated), 1 M.; motor cycle and dray (not stated), 1 M.; motor cycle and waggon (not stated), 2 M.; motor cycle and 'bus (not stated), 1 M.; steam waggon and horse van, 1 M.; steam waggon and omnibus, (not stated), 1 M.; steam waggon and bicycle (not stated), 1 F.; motors (not stated), 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923—*cont.*

| International List No. | Cause or Character of Violence. | | All Ages. | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 188 —*cont.* | Accidental injury by other forms of crushing—(*cont.*) | | | | | | | | | | | | | | |
| | 3. Horse drawn vehicles and horses. | M. | 243 | — | 13 | 14 | 9 | 15 | 9 | 17 | 29 | 36 | 43 | 45 | 13 |
| | | F. | 35 | — | 11 | 2 | — | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 3 |
| | Dogcart, trap .. .. | M. | 25 | — | 2 | — | — | — | — | 3 | 2 | 3 | 5 | 9 | 1 |
| | | F. | 8 | — | — | — | — | — | — | — | — | 1 | 3 | 4 | — |
| | Cart .. .. .. | M. | 119 | — | 4 | 5 | 8 | 11 | 1 | 7 | 16 | 20 | 20 | 19 | 8 |
| | | F. | 5 | — | 2 | — | — | — | — | — | 1 | 1 | 1 | — | — |
| | Van, waggon .. .. | M. | 71 | — | 5 | 8 | 1 | 2 | 4 | 5 | 7 | 10 | 13 | 13 | 3 |
| | | F. | 11 | — | 6 | — | — | 1 | 1 | — | — | 1 | — | — | 2 |
| | Dray .. .. .. | M. | 5 | — | — | — | — | — | — | — | 1 | 2 | 2 | — | — |
| | | F. | 4 | — | 1 | 2 | — | — | — | — | 1 | — | — | — | — |
| | Collisions* .. .. | M. | 4 | — | — | — | — | 2 | — | 1 | — | — | 1 | — | — |
| | | F. | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| | Others (or kind not stated)† | M. | 14 | — | 1 | 1 | — | — | 3 | — | 2 | 1 | 1 | 4 | 1 |
| | | F. | 4 | — | — | — | — | — | — | 1 | — | 1 | — | 1 | 1 |
| | Horses .. .. .. | M. | 5 | — | 1 | — | — | — | 1 | 1 | 1 | — | 1 | — | — |
| | | F. | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — |
| | 4. Other and undefined vehicles. | M. | 242 | 1 | 7 | 8 | 13 | 34 | 22 | 22 | 28 | 36 | 35 | 25 | 11 |
| | | F. | 46 | 1 | 4 | 2 | 3 | 2 | 2 | 2 | 3 | 6 | 6 | 9 | 6 |
| | Tramcar .. | M. | 2 | — | — | — | — | — | 1 | — | — | — | — | — | 1 |
| | | F. | 2 | — | 1 | — | — | — | — | — | — | — | — | 1 | — |
| | Van, waggon .. .. | M. | 43 | — | 3 | 6 | 1 | 2 | 5 | 2 | 5 | 10 | 6 | 2 | 1 |
| | | F. | 3 | — | 2 | — | — | — | — | — | — | — | — | — | 1 |
| | Dray .. .. .. | M. | 3 | — | — | — | — | — | — | — | — | 1 | 2 | — | — |
| | | F. | 3 | — | — | 1 | 1 | — | — | — | 1 | — | — | — | — |
| | Bicycle, tricycle .. | M. | 173 | — | 1 | 1 | 11 | 32 | 14 | 20 | 20 | 20 | 24 | 22 | 8 |
| | | F. | 36 | — | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 6 | 6 | 8 | 4 |
| | Char-a-banc .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Collisions .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others (or kind not stated)‡ .. .. | M. | 21 | 1 | 3 | 1 | 1 | — | 2 | — | 3 | 5 | 3 | 1 | 1 |
| | | F. | 2 | 1 | — | — | — | — | — | — | — | — | — | — | 1 |
| | 5. Other crushing .. .. | M. | 230 | — | 9 | 4 | 14 | 11 | 13 | 35 | 43 | 54 | 36 | 9 | 2 |
| | | F. | 9 | — | 1 | — | — | 1 | — | — | 2 | 1 | 1 | 3 | — |
| | Fall of heavy substance— | | | | | | | | | | | | | | |
| | In ships, docks, &c. | M. | 27 | — | — | — | 1 | 1 | 3 | 3 | 6 | 9 | 3 | 1 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | In building operations | M. | 25 | — | — | — | — | — | 4 | 3 | 4 | 8 | 4 | 2 | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | In excavations .. | M. | 23 | — | — | — | — | 1 | — | 2 | 7 | 7 | 6 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Trees .. .. .. | M. | 17 | — | — | 1 | 2 | — | 1 | 2 | — | 4 | 5 | 2 | — |
| | | F. | 2 | — | 1 | — | — | — | — | — | 1 | — | — | — | — |
| | Others (or not stated how) .. .. | M. | 119 | — | 9 | 3 | 10 | 7 | 3 | 24 | 22 | 23 | 13 | 3 | 2 |
| | | F. | 6 | — | — | — | — | 1 | — | — | 1 | 1 | — | 3 | — |
| | Other crushings (or not stated how):— | | | | | | | | | | | | | | |
| | In ships and boats .. | M. | 13 | — | — | — | — | 2 | 1 | 1 | 3 | 1 | 5 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others .. .. | M. | 6 | — | — | — | 1 | — | 1 | — | 1 | 2 | — | 1 | — |
| | | F. | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |

* Including trap and cycle (not stated), 1 M., 1 F.; van and cycle (not stated), 1 M.; cart and cycle (not stated), 2 M.

† Including carriage, 1 M, 1 F.; cab, 2 M.; trolley, 1 M.; horse roller, 2 M.; gun carriage, 4 M.; dust van, 2 M., 1 F.; char-a-banc, 1 M.; brake, 1 M.

‡ Including perambulator, 2 M., 1 F.; trolley, 1 M.; handcart, 2 M.; barrow, 2 M., 1 F.; hand barrow, 1 M.; cab, 1 M.; truck, 3 M.; furniture van, 1 M.; sledge, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923—*cont.*

| International List No. | Cause or Character of Violence. | | All Ages. | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 189 | Injury by animals (poisoning excepted) | M. | 57 | — | 6 | 5 | 1 | 6 | 2 | 8 | 8 | 10 | 5 | 4 | 2 |
| | | F. | 6 | — | 2 | — | — | — | — | 1 | 1 | — | — | 1 | 1 |
| | Horse .. .. .. .. | M. | 48 | — | 6 | 4 | 1 | 5 | 2 | 4 | 8 | 9 | 5 | 4 | — |
| | | F. | 3 | — | 2 | — | — | — | — | — | — | — | — | 1 | — |
| | Bull or cow, etc. .. .. | M. | 9 | — | — | 1 | — | 1 | — | 4 | — | 1 | — | — | 2 |
| | | F. | 3 | — | — | — | — | — | — | 1 | 1 | — | — | — | 1 |
| 190 | Wounds of war .. .. .. | M. | 75 | — | — | — | — | — | 4 | 46 | 23 | 2 | — | — | — |
| 192 | Hunger or thirst .. .. | M. | 9 | — | — | — | — | — | — | — | — | — | 1 | 7 | 1 |
| | | F. | 3 | — | — | — | — | — | — | — | — | 1 | — | 2 | — |
| 193 | Excessive cold .. .. .. | M. | 23 | — | — | — | — | — | — | 2 | 3 | 5 | 5 | 4 | 4 |
| | | F. | 11 | 1 | — | — | — | — | — | — | — | — | 2 | 3 | 5 |
| 194 | Excessive heat .. .. .. | M. | 217 | 8 | 5 | 3 | 5 | 5 | 7 | 8 | 22 | 39 | 48 | 44 | 23 |
| | | F. | 107 | 8 | 12 | 5 | 2 | 1 | 2 | 3 | 6 | 9 | 12 | 19 | 28 |
| 195 | Lightning.. .. .. .. | M. | 8 | — | — | — | 1 | 2 | — | — | 1 | 1 | 1 | 1 | 1 |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 196 | Electricity (lightning excepted) | M. | 25 | — | 3 | 1 | 2 | 4 | 4 | 5 | 2 | 3 | 1 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 197 | Homicide by firearms .. .. | M. | 12 | — | — | — | — | — | 3 | 3 | 2 | 3 | 1 | — | — |
| | | F. | 13 | — | — | 1 | — | — | 4 | 5 | 1 | — | 1 | 1 | — |
| | Murder .. .. .. | M. | 10 | — | — | — | — | — | 3 | 2 | 2 | 2 | 1 | — | — |
| | | F. | 13 | — | — | 1 | — | — | 4 | 5 | 1 | — | 1 | 1 | — |
| | Manslaughter .. .. .. | M. | 2 | — | — | — | — | — | — | 1 | — | 1 | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Justifiable homicide .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 198 | Homicide by cutting or piercing instruments | M. | 15 | 3 | 3 | 1 | 3 | — | — | 2 | — | 1 | 1 | 1 | — |
| | | F. | 25 | 2 | 5 | 3 | 1 | 2 | 7 | 2 | 2 | 1 | — | — | — |
| | Murder .. .. .. | M. | 15 | 3 | 3 | 1 | 3 | — | — | 2 | — | 1 | 1 | 1 | — |
| | | F. | 25 | 2 | 5 | 3 | 1 | 2 | 7 | 2 | 2 | 1 | — | — | — |
| | Manslaughter .. .. .. | M. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 199 | Homicide by other means .. | M. | 103 | 35 | 13 | 3 | 2 | 3 | 2 | 11 | 15 | 10 | 7 | 2 | — |
| | | F. | 72 | 24 | 9 | 3 | 1 | 1 | 8 | 10 | 5 | 6 | 4 | — | 1 |
| | Murder .. .. .. | M. | 58 | 34 | 12 | 3 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | — | — |
| | | F. | 49 | 23 | 9 | 3 | 1 | — | 4 | 2 | 2 | 4 | — | — | 1 |
| | By drowning .. .. | M. | 15 | 6 | 6 | 3 | — | — | — | — | — | — | — | — | — |
| | | F. | 11 | 5 | 5 | 1 | — | — | — | — | — | — | — | — | — |
| | By strangulation .. .. | M. | 13 | 12 | 1 | — | — | — | — | — | — | — | — | — | — |
| | | F. | 11 | 6 | — | 2 | — | — | — | — | 1 | 2 | — | — | — |
| | Attempt to procure abortion :— | | | | | | | | | | | | | | |
| | By operation .. .. | F. | 5 | — | — | — | — | — | 4 | 1 | — | — | — | — | — |
| | By drug .. .. .. | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others (or not stated how)* | M. | 30 | 16 | 5 | — | 1 | 1 | 1 | 1 | 1 | 3 | 1 | — | — |
| | | F. | 22 | 12 | 4 | — | 1 | — | — | 1 | 1 | 2 | — | — | 1 |
| | Manslaughter .. .. .. | M. | 39 | 1 | 1 | — | 1 | 2 | 1 | 9 | 11 | 5 | 6 | 2 | — |
| | | F. | 23 | 1 | — | — | — | 1 | 4 | 8 | 3 | 2 | 4 | — | — |
| | By motor car .. .. | M. | 7 | — | — | — | — | — | — | 2 | 1 | 1 | 2 | 1 | — |
| | | F. | 7 | — | — | — | — | — | 2 | 2 | 1 | 2 | — | — | — |
| | ,, blow .. .. .. | M. | 15 | — | — | — | — | 1 | — | 6 | 6 | 2 | — | — | — |
| | | F. | 3 | — | — | — | — | — | — | 1 | — | — | 2 | — | — |
| | ,, attempt to procure abortion | F. | 5 | — | — | — | — | — | — | 4 | 1 | — | — | — | — |

* Including thrown out of window, 1 M., 1F.; thrown over wall, 1 M.; injury to head (not stated how), 2 M.; suffocation, 9 M., 4 F.; coal gas, 4 M., 4 F.; fracture (not stated), 2 M., 2 F.; blow, 3 M.; arsenic, 1 F.; burns, 1 F.; carbon monoxide, 1 M.; gas (not stated), 1 M.; asphyxia, 2 F.; blow with iron last, 1 M.; blow with iron bar, 1 F.; neglect, 1 M.; exposure, 1 M.; motor car, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1923—*cont.*

| International List No. | Cause or Character of Violence. | | All Ages. | Under 1 year. | 1— | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 199 —*cont.* | Homicide by other means—*cont.* | | | | | | | | | | | | | | |
| | Manslaughter—*cont.* | | | | | | | | | | | | | | |
| | Others (or not stated how)* | M. | 17 | 1 | 1 | — | 1 | 1 | 1 | 1 | 4 | 2 | 4 | 1 | — |
| | | F. | 8 | 1 | — | — | — | 1 | 2 | 1 | 1 | — | 2 | — | — |
| | Justifiable homicide .. .. | M. | 6 | — | — | — | — | — | — | 1 | 3 | 2 | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 201 | Fracture (cause not specified) .. | M. | 26 | — | — | — | — | 2 | 2 | 4 | 3 | 5 | 3 | 5 | 2 |
| | | F. | 5 | 1 | — | — | — | — | — | — | 1 | 2 | — | — | 1 |
| | In ships, docks, &c. ... .. | M. | 2 | — | — | — | — | — | — | — | 1 | 1 | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others .. .. .. .. | M. | 24 | — | — | — | — | 2 | 2 | 4 | 2 | 4 | 3 | 5 | 2 |
| | | F. | 5 | 1 | — | — | — | — | — | — | 1 | 2 | — | — | 1 |
| 202 | Other external violence .. .. | M. | 216 | 8 | 22 | 13 | 20 | 22 | 21 | 33 | 27 | 22 | 18 | 7 | 3 |
| | | F. | 87 | 11 | 10 | 2 | 3 | 4 | 8 | 17 | 13 | 11 | 1 | 3 | 4 |
| | Swallowing foreign body .. | M. | 34 | 3 | 7 | 1 | 1 | 1 | 3 | — | 7 | 6 | 3 | 2 | — |
| | | F. | 25 | 5 | 7 | — | — | — | 1 | — | 2 | 8 | — | 1 | 1 |
| | Blow :— | | | | | | | | | | | | | | |
| | In ships, docks, &c. .. | M. | 3 | — | — | — | — | — | — | 3 | — | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others .. .. .. | M. | 37 | 1 | 3 | 8 | 3 | 3 | 4 | 2 | 6 | 1 | 4 | 2 | — |
| | | F. | 8 | 1 | 1 | 1 | 1 | — | 1 | — | 1 | — | 1 | 1 | — |
| | Football, cricket, &c. .. | M. | 36 | — | — | — | 6 | 9 | 7 | 12 | 1 | — | 1 | — | — |
| | | F. | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | Strangulation .. .. | M. | 23 | 3 | 5 | — | 5 | 4 | — | — | 1 | 2 | 2 | — | 1 |
| | | F. | 7 | 4 | 1 | — | — | 1 | — | — | — | — | — | — | 1 |
| | Explosions :— | | | | | | | | | | | | | | |
| | In ships, docks, &c. .. | M. | 3 | — | — | — | — | — | — | 1 | 2 | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Shell .. .. .. | M. | 6 | — | — | — | — | — | — | 4 | 2 | — | — | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others† .. .. .. | M. | 16 | — | — | — | 1 | 2 | 3 | 3 | 3 | 3 | — | 1 | — |
| | | F. | 4 | — | — | 1 | — | 1 | 1 | — | — | — | — | 1 | — |
| | Abortion :— | | | | | | | | | | | | | | |
| | By operation .. .. | F. | 22 | — | — | — | — | — | 4 | 13 | 5 | — | — | — | — |
| | ,, lead .. .. .. | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Not stated .. .. | F. | 3 | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — |
| | Execution .. .. .. | M. | 13 | — | — | — | — | — | 2 | 5 | 2 | 1 | 3 | — | — |
| | | F. | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| | Other accidents (otherwise or not stated how) :— | | | | | | | | | | | | | | |
| | In ships, docks, &c. .. | M. | 4 | — | — | — | — | — | — | — | 2 | 1 | 1 | — | — |
| | | F. | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Others‡ .. .. .. | M. | 41 | 1 | 7 | 4 | 4 | 3 | 2 | 3 | 1 | 8 | 4 | 2 | 2 |
| | | F. | 16 | 1 | 1 | — | 1 | 1 | 1 | 2 | 4 | 3 | — | — | 2 |
| 203 | Violent deaths of unknown causation | M. | 10 | — | — | 1 | 1 | — | — | 2 | 2 | 1 | 1 | 2 | — |
| | | F. | 4 | — | 1 | — | — | — | — | — | 1 | — | 1 | 1 | — |

* Including neglect, 1 M.; motor cab, 2 M.; motor cycle, 1 M.; motor van, 2 M., 4 F.; van, 1 M.; horse cart, 1 M.; horse van, 1 M.; fight, 4 M. 1 F.; exposure, 1 M. 1 F.; strangulation, 2 F.; dislocation of spine, 1 M.

† Including filling cartridges, 2 M., acetylene lamp, 1 M.; acetylene gas, 1 M.; petrol tank, 1 M.; oxygen compress at oil works, 1 M.; gas at gas works, 1 M; gas works, 2 M.; gelignite, breaking up metal, 1 M.; gunpowder works, 2 M.; blasting powder, 2 M.; calcium carbide, 1 M.; gas in sulphuric acid tank, 1 M.; hand grenade, 1 F.; bottle in factory, 1 F.; hot water bottle, 2 F.

‡ Including exposure, 7 M., 2 F.; wounds:—spiked railings, 6 M.; broken glass at window, 1 F.; perforation stud, 1 F.; perforation knitting needle, 1 F.; perforation of non-pregnant uterus, 2 F.; other wounds, 12 M.; fighting, 1 M.; boxing, 2 M.; wrestling, 1 M.; tobogganing, 2 M.; fracture humerus (turning over in bed), 1 F.; head falling back in chair (injury to spinal cord), 1 F.; foreign body in bladder, 1 F.

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1913—1923. ENGLAND AND WALES AND CERTAIN AGGREGATES.

| Disease. | Year. | England and Wales (including Ports). | England. | Wales (including Monmouth). | London. | Aggregate of Administrative Counties of— | | Aggregate of County Boroughs of— | | Aggregate of Non-County Boroughs and Urban Districts of— | | Aggregate of Rural Districts of— | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | England (excluding London). | Wales (including Monmouth). | England. | Wales (including Monmouth). | England (excluding London). | Wales (including Monmouth). | England. | Wales (including Monmouth.) |
| Smallpox .. .. | 1913 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | — | 0·00 | 0·02 | 0·00 | — | 0·00 | — |
| | 1914 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | — | 0·00 | 0·01 | 0·00 | — | 0·00 | — |
| | 1915 | 0·00 | 0·00 | — | 0·00 | 0·00 | — | 0·00 | — | 0·00 | — | — | — |
| | 1916 | 0·00 | 0·00 | 0·03 | 0·00 | 0·00 | 0·01 | 0·00 | 0·12 | 0·00 | 0·01 | 0·00 | 0·00 |
| | 1917 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| | 1918 | 0·00 | 0·00 | 0·00 | 0·01 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| | 1919 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·00 | 0·01 | 0·04 | 0·01 | 0·00 | 0·00 | — |
| | 1920 | 0·01 | 0·01 | 0·00 | 0·00 | 0·01 | 0·00 | 0·01 | — | 0·01 | 0·00 | 0·02 | 0·00 |
| | 1921 | 0·01 | 0·01 | — | 0·00 | 0·01 | — | 0·01 | — | 0·01 | — | 0·00 | — |
| | 1922 | 0·03 | 0·03 | 0·00 | 0·01 | 0·03 | 0·00 | 0·03 | 0·00 | 0·04 | 0·00 | 0·02 | 0·00 |
| | 1923 | 0·06 | 0·07 | 0·01 | 0·00 | 0·08 | 0·01 | 0·07 | 0·01 | 0·08 | 0·01 | 0·08 | 0·00 |
| Scarlet Fever .. | 1913 | 3·58 | 3·51 | 4·52 | 3·89 | 2·96 | 4·40 | 4·26 | 5·05 | 3·18 | 5·23 | 2·61 | 3·20 |
| | 1914 | 4·47 | 4·38 | 5·40 | 5·54 | 3·87 | 5·28 | 4·74 | 5·90 | 4·12 | 6·07 | 3·45 | 4·13 |
| | 1915 | 3·59 | 3·53 | 4·39 | 3·94 | 3·32 | 4·66 | 3·71 | 3·17 | 3·43 | 5·36 | 3·14 | 3·66 |
| | 1916 | 2·19 | 2·14 | 2·89 | 2·07 | 2·12 | 3·02 | 2·21 | 2·31 | 2·21 | 3·51 | 1·96 | 2·32 |
| | 1917 | 1·45 | 1·44 | 1·57 | 1·52 | 1·32 | 1·64 | 1·58 | 1·30 | 1·36 | 1·78 | 1·26 | 1·42 |
| | 1918 | 1·44 | 1·44 | 1·44 | 1·72 | 1·18 | 1·35 | 1·72 | 1·84 | 1·21 | 1·27 | 1·14 | 1·48 |
| | 1919 | 2·29 | 2·23 | 3·11 | 2·97 | 1·91 | 2·45 | 2·43 | 5·66 | 2·04 | 2·58 | 1·68 | 2·25 |
| | 1920 | 3·19 | 3·10 | 4·35 | 5·01 | 2·45 | 4·15 | 3·38 | 5·11 | 2·64 | 4·70 | 2·11 | 3·27 |
| | 1921 | 3·64 | 3·61 | 3·84 | 7·25 | 2·80 | 3·80 | 3·49 | 3·96 | 3·25 | 4·78 | 2·03 | 2·31 |
| | 1922 | 2·85 | 2·85 | 2·75 | 3·80 | 2·40 | 2·92 | 3·18 | 2·10 | 2·68 | 3·55 | 1·92 | 1·94 |
| | 1923 | 2·24 | 2·26 | 1·93 | 2·21 | 2·00 | 1·96 | 2·67 | 1·81 | 2·12 | 2·27 | 1·80 | 1·46 |
| Diphtheria .. .. | 1913 | 1·39 | 1·39 | 1·40 | 1·70 | 1·26 | 1·30 | 1·48 | 1·86 | 1·41 | 1·39 | 1·03 | 1·16 |
| | 1914 | 1·61 | 1·60 | 1·53 | 2·02 | 1·53 | 1·42 | 1·54 | 2·02 | 1·66 | 1·54 | 1·32 | 1·24 |
| | 1915 | 1·52 | 1·52 | 1·43 | 2·11 | 1·40 | 1·38 | 1·49 | 1·64 | 1·49 | 1·43 | 1·25 | 1·30 |
| | 1916 | 1·50 | 1·51 | 1·35 | 2·06 | 1·41 | 1·32 | 1·45 | 1·46 | 1·53 | 1·34 | 1·20 | 1·30 |
| | 1917 | 1·28 | 1·31 | 0·89 | 2·06 | 1·20 | 0·85 | 1·21 | 1·09 | 1·31 | 0·81 | 1·02 | 0·91 |
| | 1918 | 1·31 | 1·33 | 0·97 | 2·07 | 1·18 | 0·94 | 1·29 | 1·08 | 1·29 | 0·90 | 1·00 | 0·99 |
| | 1919 | 1·50 | 1·52 | 1·21 | 2·18 | 1·38 | 1·10 | 1·47 | 1·63 | 1·48 | 1·12 | 1·22 | 1·07 |
| | 1920 | 1·86 | 1·85 | 1·94 | 3·05 | 1·63 | 1·83 | 1·72 | 2·37 | 1·78 | 1·68 | 1·38 | 2·06 |
| | 1921 | 1·76 | 1·75 | 1·89 | 3·62 | 1·46 | 1·90 | 1·50 | 1·87 | 1·63 | 1·82 | 1·16 | 2·02 |
| | 1922 | 1·37 | 1·38 | 1·25 | 3·37 | 1·05 | 1·22 | 1·14 | 1·38 | 1·20 | 1·22 | 0·78 | 1·22 |
| | 1923 | 1·05 | 1·04 | 1·13 | 2·27 | 0·74 | 1·10 | 1·04 | 1·26 | 0·81 | 1·24 | 0·61 | 0·88 |

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1913—1923. ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

| Disease. | Year. | England and Wales (including Ports). | England. | Wales (including Monmouth). | London. | Aggregate of Administrative Counties of— | | Aggregate of County Boroughs of— | | Aggregate of Non-County Boroughs, and Urban Districts of— | | Aggregate of Rural Districts of— | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | England (excluding London). | Wales (including Monmouth). | England. | Wales (including Monmouth). | England (excluding London). | Wales (including Monmouth). | England. | Wales (including Monmouth). |
| Enteric Fever .. | 1913 | 0·23 | 0·22 | 0·23 | 0·17 | 0·22 | 0·24 | 0·25 | 0·18 | 0·24 | 0·28 | 0·18 | 0·17 |
| | 1914 | 0·24 | 0·23 | 0·17 | 0·17 | 0·23 | 0·17 | 0·24 | 0·13 | 0·25 | 0·20 | 0·20 | 0·13 |
| | 1915 | 0·18 | 0·18 | 0·15 | 0·14 | 0·17 | 0·16 | 0·20 | 0·10 | 0·19 | 0·19 | 0·14 | 0·11 |
| | 1916 | 0·16 | 0·16 | 0·18 | 0·11 | 0·17 | 0·19 | 0·16 | 0·14 | 0·17 | 0·21 | 0·17 | 0·14 |
| | 1917 | 0·14 | 0·13 | 0·15 | 0·11 | 0·15 | 0·17 | 0·11 | 0·08 | 0·15 | 0·17 | 0·17 | 0·17 |
| | 1918 | 0·13 | 0·13 | 0·12 | 0·09 | 0·15 | 0·13 | 0·10 | 0·07 | 0·17 | 0·14 | 0·13 | 0·13 |
| | 1919 | 0·10 | 0·09 | 0·11 | 0·08 | 0·10 | 0·13 | 0·08 | 0·06 | 0·11 | 0·13 | 0·09 | 0·12 |
| | 1920 | 0·08 | 0·08 | 0·06 | 0·09 | 0·09 | 0·07 | 0·07 | 0·03 | 0·09 | 0·08 | 0·09 | 0·05 |
| | 1921 | 0·10 | 0·10 | 0·10 | 0·07 | 0·12 | 0·11 | 0·08 | 0·07 | 0·14 | 0·12 | 0·09 | 0·09 |
| | 1922 | 0·06 | 0·06 | 0·05 | 0·06 | 0·07 | 0·05 | 0·05 | 0·03 | 0·08 | 0·05 | 0·06 | 0·05 |
| | 1923 | 0·08 | 0·08 | 0·07 | 0·07 | 0·10 | 0·08 | 0·07 | 0·02 | 0·09 | 0·08 | 0·10 | 0·08 |
| Puerperal Fever .. | 1913 | 0·05 | 0·05 | 0·05 | 0·08 | 0·04 | 0·05 | 0·07 | 0·05 | 0·04 | 0·05 | 0·03 | 0·04 |
| | 1914 | 0·06 | 0·06 | 0·07 | 0·09 | 0·05 | 0·07 | 0·08 | 0·07 | 0·05 | 0·08 | 0·04 | 0·06 |
| | 1915 | 0·06 | 0·06 | 0·07 | 0·06 | 0·04 | 0·07 | 0·08 | 0·07 | 0·05 | 0·08 | 0·04 | 0·06 |
| | 1916 | 0·06 | 0·06 | 0·07 | 0·07 | 0·04 | 0·05 | 0·08 | 0·15 | 0·05 | 0·06 | 0·04 | 0·05 |
| | 1917 | 0·04 | 0·04 | 0·04 | 0·05 | 0·03 | 0·04 | 0·05 | 0·05 | 0·03 | 0·03 | 0·03 | 0·04 |
| | 1918 | 0·04 | 0·04 | 0·03 | 0·03 | 0·03 | 0·03 | 0·05 | 0·04 | 0·03 | 0·03 | 0·02 | 0·03 |
| | 1919 | 0·06 | 0·06 | 0·05 | 0·07 | 0·04 | 0·04 | 0·07 | 0·07 | 0·04 | 0·04 | 0·04 | 0·04 |
| | 1920 | 0·08 | 0·08 | 0·05 | 0·10 | 0·06 | 0·05 | 0·10 | 0·07 | 0·06 | 0·05 | 0·05 | 0·04 |
| | 1921 | 0·06 | 0·06 | 0·04 | 0·08 | 0·04 | 0·05 | 0·08 | 0·04 | 0·05 | 0·05 | 0·03 | 0·04 |
| | 1922 | 0·06 | 0·06 | 0·05 | 0·07 | 0·04 | 0·04 | 0·08 | 0·08 | 0·04 | 0·04 | 0·03 | 0·04 |
| | 1923 | 0·06 | 0·06 | 0·06 | 0·08 | 0·04 | 0·04 | 0·08 | 0·10 | 0·04 | 0·05 | 0·04 | 0·04 |
| Erysipelas .. .. | 1913 | 0·63 | 0·64 | 0·46 | 0·92 | 0·52 | 0·46 | 0·74 | 0·50 | 0·58 | 0·52 | 0·43 | 0·37 |
| | 1914 | 0·73 | 0·74 | 0·58 | 1·10 | 0·59 | 0·57 | 0·84 | 0·64 | 0·66 | 0·67 | 0·47 | 0·43 |
| | 1915 | 0·66 | 0·67 | 0·53 | 0·89 | 0·56 | 0·52 | 0·76 | 0·60 | 0·62 | 0·58 | 0·46 | 0·43 |
| | 1916 | 0·54 | 0·54 | 0·42 | 0·67 | 0·48 | 0·40 | 0·59 | 0·48 | 0·52 | 0·46 | 0·42 | 0·32 |
| | 1917 | 0·40 | 0·41 | 0·25 | 0·58 | 0·35 | 0·24 | 0·43 | 0·29 | 0·37 | 0·27 | 0·31 | 0·20 |
| | 1918 | 0·37 | 0·38 | 0·23 | 0·31 | 0·32 | 0·21 | 0·43 | 0·33 | 0·35 | 0·24 | 0·28 | 0·16 |
| | 1919 | 0·44 | 0·45 | 0·29 | 0·65 | 0·37 | 0·27 | 0·49 | 0·40 | 0·42 | 0·31 | 0·29 | 0·20 |
| | 1920 | 0·43 | 0·44 | 0·32 | 0·57 | 0·38 | 0·31 | 0·48 | 0·37 | 0·41 | 0·36 | 0·32 | 0·21 |
| | 1921 | 0·35 | 0·36 | 0·23 | 0·47 | 0·30 | 0·22 | 0·41 | 0·26 | 0·34 | 0·25 | 0·23 | 0·18 |
| | 1922 | 0·35 | 0·36 | 0·22 | 0·43 | 0·29 | 0·21 | 0·43 | 0·26 | 0·32 | 0·23 | 0·24 | 0·17 |
| | 1923 | 0·32 | 0·33 | 0·24 | 0·40 | 0·27 | 0·20 | 0·39 | 0·36 | 0·31 | 0·24 | 0·21 | 0·14 |

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1913—1923. ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

| Disease. | Year. | England and Wales (including Ports). | England. | Wales (including Monmouth). | London. | Aggregate of Administrative Counties of— | | Aggregate of County Boroughs of— | | Aggregate of Non-County Boroughs and Urban Districts of— | | Aggregate of Rural Districts of— | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | England (excluding London). | Wales (including Monmouth). | England. | Wales (including Monmouth). | England (excluding London). | Wales (including Monmouth). | England. | Wales (including Monmouth). |
| Cerebro-Spinal Fever | 1913 | 0·01 | 0·01 | 0·00 | 0·02 | 0·01 | 0·00 | 0·01 | 0·01 | 0·01 | 0·00 | 0·01 | 0·00 |
| | 1914 | 0·01 | 0·01 | 0·00 | 0·02 | 0·01 | 0·00 | 0·01 | 0·01 | 0·00 | 0·01 | 0·01 | — |
| | 1915 | 0·07 | 0·08 | 0·04 | 0·14 | 0·07 | 0·03 | 0·06 | 0·07 | 0·07 | 0·03 | 0·07 | 0·02 |
| | 1916 | 0·04 | 0·04 | 0·01 | 0·10 | 0·03 | 0·01 | 0·03 | 0·02 | 0·03 | 0·01 | 0·02 | 0·01 |
| | 1917 | 0·04 | 0·05 | 0·01 | 0·09 | 0·04 | 0·01 | 0·04 | 0·02 | 0·04 | 0·01 | 0·03 | 0·01 |
| | 1918 | 0·02 | 0·02 | 0·01 | 0·05 | 0·02 | 0·01 | 0·02 | 0·01 | 0·02 | 0·01 | 0·02 | 0·01 |
| | 1919 | 0·02 | 0·02 | 0·01 | 0·04 | 0·02 | 0·01 | 0·02 | 0·01 | 0·02 | 0·02 | 0·02 | 0·01 |
| | 1920 | 0·02 | 0·02 | 0·01 | 0·03 | 0·01 | 0·01 | 0·02 | 0·01 | 0·01 | 0·01 | 0·01 | 0·00 |
| | 1921 | 0·01 | 0·01 | 0·01 | 0·02 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 |
| | 1922 | 0·01 | 0·01 | 0·00 | 0·02 | 0·01 | 0·00 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·00 |
| | 1923 | 0·01 | 0·01 | 0·00 | 0·01 | 0·01 | 0·00 | 0·01 | 0·01 | 0·01 | 0·00 | 0·01 | 0·00 |
| Poliomyelitis .. | 1913 | 0·02 | 0·02 | 0·01 | 0·03 | 0·02 | 0·01 | 0·02 | 0·01 | 0·02 | 0·01 | 0·01 | 0·01 |
| | 1914 | 0·01 | 0·01 | 0·00 | 0·02 | 0·01 | 0·00 | 0·02 | 0·01 | 0·01 | 0·00 | 0·01 | — |
| | 1915 | 0·01 | 0·02 | 0·01 | 0·02 | 0·02 | 0·01 | 0·01 | 0·01 | 0·02 | 0·00 | 0·01 | 0·01 |
| | 1916 | 0·02 | 0·02 | 0·01 | 0·04 | 0·02 | 0·00 | 0·01 | 0·02 | 0·02 | 0·01 | 0·01 | 0·00 |
| | 1917 | 0·01 | 0·01 | 0·00 | 0·01 | 0·01 | 0·00 | 0·01 | 0·01 | 0·01 | 0·00 | 0·01 | 0·00 |
| | 1918 | 0·01 | 0·01 | 0·00 | 0·01 | 0·01 | 0·00 | 0·01 | 0·00 | 0·01 | 0·00 | 0·01 | 0·00 |
| | 1919 | 0·02 | 0·02 | 0·01 | 0·02 | 0·02 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·02 | 0·01 |
| | 1920 | 0·01 | 0·01 | 0·00 | 0·01 | 0·01 | 0·00 | 0·01 | 0·01 | 0·01 | 0·00 | 0·01 | 0·00 |
| | 1921 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·02 | 0·01 | 0·01 |
| | 1922 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·01 | 0·00 | 0·01 | 0·01 | 0·01 | 0·00 |
| | 1923 | 0·02 | 0·01 | 0·03 | 0·02 | 0·01 | 0·01 | 0·01 | 0·13 | 0·01 | 0·01 | 0·01 | — |

TABLE 24.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES. ENGLAND AND WALES, 1923.

| (1923) Week ended | Scarlet Fever. | Diphtheria. | Enteric Fever. | Cerebro-Spinal Fever. | Poliomyelitis. | Encephalitis Lethargica. |
|---|---|---|---|---|---|---|
| Jan. 6 | 138 | 137 | 69 | 67 | 27 | 60 |
| ,, 13 | 131 | 134 | 50 | 100 | 45 | 45 |
| ,, 20 | 135 | 130 | 66 | 67 | 36 | 95 |
| ,, 27 | 131 | 143 | 47 | 67 | 27 | 125 |
| Feb. 3 | 133 | 145 | 85 | 117 | 9 | 150 |
| ,, 10 | 127 | 139 | 87 | 83 | 64 | 175 |
| ,, 17 | 122 | 129 | 65 | 67 | 36 | 190 |
| ,, 24 | 114 | 133 | 76 | 167 | 73 | 230 |
| March 3 | 119 | 127 | 71 | 50 | 64 | 200 |
| ,, 10 | 117 | 126 | 106 | 83 | 36 | 270 |
| ,, 17 | 107 | 110 | 76 | 117 | 136 | 220 |
| ,, 24 | 111 | 105 | 73 | 133 | 73 | 230 |
| ,, 31 | 100 | 108 | 63 | 117 | 73 | 250 |
| April 7 | 96 | 105 | 65 | 117 | 36 | 160 |
| ,, 14 | 91 | 98 | 84 | 50 | 55 | 150 |
| ,, 21 | 103 | 108 | 84 | 100 | 45 | 155 |
| ,, 28 | 100 | 98 | 68 | 67 | 45 | 155 |
| May 5 | 108 | 98 | 94 | 50 | 100 | 120 |
| ,, 12 | 92 | 101 | 71 | 133 | 45 | 105 |
| ,, 19 | 91 | 93 | 55 | 83 | 36 | 70 |
| ,, 26 | 85 | 86 | 73 | 100 | 55 | 75 |
| June 2 | 86 | 85 | 81 | 100 | 18 | 90 |
| ,, 9 | 91 | 85 | 73 | 250 | 64 | 110 |
| ,, 16 | 90 | 87 | 58 | 167 | 36 | 90 |
| ,, 23 | 91 | 82 | 63 | 83 | 36 | 70 |
| ,, 30 | 91 | 80 | 102 | 50 | 36 | 45 |
| July 7 | 90 | 88 | 135 | 50 | 100 | 80 |
| ,, 14 | 77 | 82 | 100 | 33 | 64 | 55 |
| ,, 21 | 70 | 82 | 82 | 100 | 109 | 65 |
| ,, 28 | 73 | 77 | 87 | 100 | 82 | 40 |
| Aug. 4 | 68 | 73 | 161 | 133 | 64 | 40 |
| ,, 11 | 62 | 75 | 171 | 100 | 255 | 35 |
| ,, 18 | 60 | 70 | 147 | 67 | 127 | 65 |
| ,, 25 | 63 | 76 | 152 | 83 | 164 | 40 |
| Sept. 1 | 67 | 80 | 111 | 117 | 173 | 40 |
| ,, 8 | 81 | 75 | 150 | 50 | 291 | 35 |
| ,, 15 | 91 | 91 | 197 | 167 | 282 | 90 |
| ,, 22 | 89 | 98 | 127 | 83 | 364 | 70 |
| ,, 29 | 106 | 92 | 190 | 117 | 282 | 65 |
| Oct. 6 | 101 | 92 | 156 | 133 | 227 | 30 |
| ,, 13 | 115 | 103 | 152 | 50 | 191 | 60 |
| ,, 20 | 110 | 102 | 139 | 100 | 236 | 50 |
| ,, 27 | 122 | 107 | 137 | 100 | 264 | 60 |
| Nov. 3 | 120 | 109 | 150 | 100 | 136 | 65 |
| ,, 10 | 105 | 95 | 98 | 100 | 91 | 60 |
| ,, 17 | 120 | 97 | 92 | 83 | 127 | 75 |
| ,, 24 | 109 | 102 | 111 | 83 | 73 | 45 |
| Dec. 1 | 111 | 86 | 73 | 100 | 100 | 75 |
| ,, 8 | 105 | 97 | 100 | 133 | 82 | 55 |
| ,, 15 | 107 | 99 | 84 | 50 | 73 | 80 |
| ,, 22 | 92 | 98 | 106 | 100 | 55 | 60 |
| ,, 29 | 86 | 84 | 68 | 100 | 18 | 55 |
| Average weekly number of cases notified ... | 100 | 100 | 100 | 100 | 100 | 100 |
| | 1,646 | 769 | 62 | 6 | 11 | 20 |

*Note.*—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week, any seasonal excess of 30 per cent. over the mean for the year being shown by black type.

## Table 25.—Notifications of Tuberculosis*, 1914–1923.

| — | Tuberculosis of Respiratory System. | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1914. | | 1915. | | 1916. | | 1917. | | 1918. | | 1919. | | 1920. | | 1921. | | 1922. | | 1923. | |
| | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. |
| England and Wales (including cases notified in Port Sanitary Districts) .. .. | 81,159 | 2·20 | 73,538 | 2·07 | 72,479 | 2·10 | 73,654 | 2·18 | 72,741 | 2·17 | 65,229 | 1·81 | 61,655 | 1·65 | 59,299 | 1·57 | 55,798 | 1·47 | 57,007 | 1·49 |
| England (excluding London) .. .. | 59,552 | 1·99 | 54,510 | 1·90 | 54,643 | 1·96 | 54,928 | 2·01 | 53,714 | 1·98 | 49,514 | 1·70 | 47,893 | 1·58 | 46,503 | 1·52 | 43,528 | 1·41 | 45,133 | 1·46 |
| London .. .. | 16,459 | 3·64 | 14,717 | 3·41 | 13,544 | 3·19 | 14,869 | 3·69 | 15,286 | 3·86 | 12,386 | 2·84 | 10,653 | 2·35 | 9,731 | 2·16 | 8,721 | 1·92 | 8,165 | 1·79 |
| Wales (including Monmouth) .. | 4,851 | 1·92 | 4,127 | 1·70 | 4,107 | 1·74 | 3,741 | 1·57 | 3,675 | 1·57 | 3,208 | 1·26 | 2,922 | 1·10 | 2,897 | 1·09 | 3,415 | 1·27 | 3,504 | 1·30 |

| — | Other Tuberculosis. | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1914. | | 1915. | | 1916. | | 1917. | | 1918. | | 1919. | | 1920. | | 1921. | | 1922. | | 1923. | |
| | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. | No. of cases notified. | Rate per 1000 of population. |
| England and Wales (including cases notified in Port Sanitary Districts) .. .. | 24,366 | 0·66 | 22,864 | 0·65 | 23,777 | 0·69 | 22,096 | 0·66 | 19,391 | 0·58 | 16,821 | 0·47 | 15,851 | 0·42 | 15,653 | 0·42 | 16,178 | 0·43 | 18,494 | 0·48 |
| England (excluding London) .. .. | 19,396 | 0·65 | 17,761 | 0·62 | 18,432 | 0·66 | 17,122 | 0·63 | 14,927 | 0·55 | 12,721 | 0·44 | 12,458 | 0·41 | 12,644 | 0·41 | 12,909 | 0·42 | 15,022 | 0·49 |
| London .. .. | 3,861 | 0·85 | 3,948 | 0·92 | 4,083 | 0·96 | 3,864 | 0·96 | 3,447 | 0·87 | 3,233 | 0·74 | 2,511 | 0·55 | 2,267 | 0·50 | 2,235 | 0·49 | 2,298 | 0·50 |
| Wales (including Monmouth) .. | 1,087 | 0·43 | 1,108 | 0·46 | 1,221 | 0·52 | 1,055 | 0·44 | 999 | 0·43 | 850 | 0·33 | 874 | 0·33 | 732 | 0·28 | 1,020 | 0·38 | 1,154 | 0·43 |

* Not corrected for duplicate notifications.

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES, IN ADMINISTRATIVE COUNTIES AND IN COUNTY BOROUGHS: 52 WEEKS ENDED 29TH DECEMBER, 1923.

Note.—Cases notified in Port Sanitary Districts are included only in the figures for England and Wales as a whole.

| | Scarlet Fever. | | Diphtheria. | | Enteric Fever. | | Puerperal Fever. | | Erysipelas. | | Smallpox Cases. | Typhus Fever Cases. | Continued Fever Cases. | Cerebro-Spinal Fever Cases. | Poliomyelitis Cases. | Encephalitis Lethargica Cases. | Ophthalmia Neonatorum Cases. | Tuberculosis of Respiratory System Cases.* | Other Tuberculosis Cases.* |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | | | | | | | | | |
| ENGLAND AND WALES .. .. | 85,603 | 2·24 | 40,009 | 1·05 | 3,211 | 0·08 | 2,191 | 0·06 | 12,335 | 0·32 | 2,485 | 1 | 25 | 301 | 587 | 1,025 | 6,592 | 57,007 | 18,494 |
| ENGLAND .. .. | 80,368 | 2·26 | 36,889 | 1·04 | 2,949 | 0·08 | 2,040 | 0·06 | 11,685 | 0·33 | 2,454 | — | 17 | 287 | 497 | 974 | 6,201 | 53,298 | 17,320 |
| ENGLAND AND WALES, Administrative Counties, excluding London | 41,643 | 2·00 | 16,112 | 0·77 | 1,990 | 0·10 | 808 | 0·04 | 5,477 | 0·26 | 1,604 | — | 12 | 125 | 241 | 460 | 1,978 | 25,393 | 8,857 |
| ENGLAND, Administrative Counties, excluding London | 37,452 | 2·00 | 13,760 | 0·74 | 1,813 | 0·10 | 712 | 0·04 | 5,047 | 0·27 | 1,587 | — | 8 | 115 | 226 | 423 | 1,731 | 22,847 | 7,992 |
| †ALL AREAS: | | | | | | | | | | | | | | | | | | | |
| England and Wales | 85,603 | 2·24 | 40,009 | 1·05 | 3,211 | 0·08 | 2,191 | 0·06 | 12,335 | 0·32 | 2,485 | 1 | 25 | 301 | 587 | 1,025 | 6,592 | 57,007 | 18,494 |
| North .. .. | 33,928 | 2·62 | 10,178 | 0·79 | 902 | 0·07 | 789 | 0·06 | 5,026 | 0·39 | 518 | — | 10 | 99 | 119 | 454 | 2,941 | 20,018 | 8,135 |
| Midlands .. .. | 26,372 | 2·17 | 11,666 | 0·96 | 1,142 | 0·09 | 707 | 0·06 | 3,509 | 0·29 | 1,915 | — | 2 | 79 | 155 | 264 | 1,927 | 16,757 | 4,588 |
| South‡ .. .. | 20,068 | 1·91 | 15,045 | 1·43 | 905 | 0·09 | 544 | 0·05 | 3,150 | 0·30 | 21 | — | 5 | 109 | 223 | 256 | 1,333 | 16,523 | 4,597 |
| Wales .. .. | 5,214 | 1·93 | 3,064 | 1·13 | 190 | 0·07 | 150 | 0·06 | 636 | 0·24 | 23 | — | 4 | 13 | 90 | 49 | 391 | 3,504 | 1,154 |
| Port Sanitary Districts. | 21 | ? | 56 | ? | 72 | ? | 1 | ? | 14 | ? | 8 | 1 | 4 | 1 | — | 2 | — | 205 | 20 |
| LONDON .. .. | 10,082 | 2·21 | 10,353 | 2·27 | 334 | 0·07 | 357 | 0·08 | 1,816 | 0·40 | 11 | — | 4 | 68 | 113 | 101 | 763 | 8,165 | 2,298 |
| COUNTY BOROUGHS: | | | | | | | | | | | | | | | | | | | |
| England and Wales | 33,857 | 2·63 | 13,488 | 1·05 | 815 | 0·06 | 1,025 | 0·08 | 5,028 | 0·39 | 862 | — | 5 | 107 | 233 | 462 | 3,851 | 23,244 | 7,319 |
| North .. .. | 18,379 | 2·67 | 5,738 | 0·83 | 401 | 0·06 | 555 | 0·08 | 2,833 | 0·41 | 123 | — | 5 | 71 | 72 | 299 | 2,244 | 12,729 | 4,544 |
| Midlands .. .. | 11,702 | 2·87 | 5,235 | 1·29 | 276 | 0·07 | 373 | 0·09 | 1,608 | 0·39 | 733 | — | — | 25 | 66 | 104 | 1,259 | 7,159 | 1,791 |
| South .. .. | 2,753 | 2·02 | 1,803 | 1·33 | 125 | 0·09 | 43 | 0·03 | 381 | 0·28 | — | — | — | 8 | 20 | 47 | 204 | 2,398 | 695 |
| Wales .. .. | 1,023 | 1·81 | 712 | 1·26 | 13 | 0·02 | 54 | 0·10 | 206 | 0·36 | 6 | — | — | 3 | 75 | 12 | 144 | 958 | 289 |

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OTHER URBAN DISTRICTS: | | | | | | | | | | | | | | | | | | | |
| England and Wales | 27,831 | 2·14 | 11,152 | 0·86 | 1,212 | 0·09 | 529 | 0·04 | 3,914 | 0·30 | 1,008 | — | 5 | 77 | 168 | 323 | 1,451 | 16,892 | 6,215 |
| North .. .. | 11,466 | 2·65 | 3,330 | 0·77 | 354 | 0·08 | 168 | 0·04 | 1,744 | 0·40 | 336 | — | 3 | 21 | 31 | 119 | 534 | 5,378 | 2,773 |
| Midlands .. .. | 9,031 | 1·89 | 4,334 | 0·91 | 432 | 0·09 | 215 | 0·05 | 1,264 | 0·27 | 647 | — | — | 33 | 60 | 110 | 471 | 6,223 | 1,756 |
| South .. .. | 4,332 | 1·67 | 1,856 | 0·72 | 315 | 0·12 | 79 | 0·03 | 590 | 0·23 | 9 | — | — | 17 | 62 | 70 | 245 | 3,598 | 1,048 |
| Wales .. .. | 3,002 | 2·27 | 1,632 | 1·24 | 111 | 0·08 | 67 | 0·05 | 316 | 0·24 | 16 | — | 2 | 6 | 15 | 24 | 201 | 1,693 | 638 |
| RURAL DISTRICTS: | | | | | | | | | | | | | | | | | | | |
| England and Wales | 13,812 | 1·77 | 4,960 | 0·63 | 778 | 0·10 | 279 | 0·04 | 1,563 | 0·20 | 596 | — | 7 | 48 | 73 | 137 | 527 | 8,501 | 2,642 |
| North .. .. | 4,083 | 2·37 | 1,110 | 0·64 | 147 | 0·09 | 66 | 0·04 | 449 | 0·26 | 59 | — | 2 | 7 | 16 | 36 | 163 | 1,911 | 818 |
| Midlands .. .. | 5,639 | 1·71 | 2,097 | 0·64 | 434 | 0·13 | 119 | 0·04 | 637 | 0·19 | 535 | — | 2 | 21 | 29 | 50 | 197 | 3,375 | 1,041 |
| South .. .. | 2,901 | 1·46 | 1,033 | 0·52 | 131 | 0·07 | 65 | 0·03 | 363 | 0·18 | 1 | — | 1 | 16 | 28 | 38 | 121 | 2,362 | 556 |
| Wales .. .. | 1,189 | 1·46 | 720 | 0·88 | 66 | 0·08 | 29 | 0·04 | 114 | 0·14 | 1 | — | 2 | 4 | — | 13 | 46 | 853 | 227 |
| ENGLAND, Administrative Counties, excluding London | | | | | | | | | | | | | | | | | | | |
| Bedfordshire .. | 209 | 0·99 | 133 | 0·63 | 27 | 0·13 | 5 | 0·02 | 31 | 0·15 | — | — | — | 1 | 4 | 3 | 15 | 276 | 76 |
| Berkshire.. .. | 421 | 2·10 | 206 | 1·03 | 9 | 0·04 | 2 | 0·01 | 27 | 0·13 | 3 | — | — | — | — | 2 | 14 | 209 | 47 |
| Buckinghamshire | 467 | 1·98 | 120 | 0·51 | 25 | 0·11 | 3 | 0·01 | 41 | 0·17 | 1 | — | — | 4 | 1 | 3 | 12 | 154 | 45 |
| Cambridgeshire .. | 141 | 1·09 | 104 | 0·80 | 7 | 0·05 | 3 | 0·02 | 25 | 0·19 | — | — | — | 1 | — | 3 | 3 | 244 | 90 |
| Cheshire .. .. | 1,668 | 2·62 | 535 | 0·84 | 42 | 0·07 | 27 | 0·04 | 165 | 0·26 | — | — | — | — | 12 | 33 | 80 | 517 | 324 |
| Cornwall .. .. | 297 | 0·94 | 96 | 0·30 | 61 | 0·19 | 5 | 0·02 | 50 | 0·16 | — | — | — | 4 | — | 9 | 17 | 293 | 72 |
| Cumberland .. | 445 | 2·03 | 214 | 0·97 | 2 | 0·01 | 9 | 0·04 | 42 | 0·19 | — | — | — | — | 2 | 10 | 9 | 261 | 71 |
| Derbyshire .. | 1,137 | 1·90 | 431 | 0·72 | 43 | 0·07 | 30 | 0·05 | 176 | 0·29 | 463 | — | — | 2 | 4 | 9 | 56§ | 679 | 244 |
| Devonshire .. | 621 | 1·47 | 224 | 0·53 | 46 | 0·11 | 10 | 0·02 | 88 | 0·21 | — | — | — | 2 | 2 | 9 | 18 | 794 | 200 |
| Dorsetshire .. | 220 | 1·00 | 66 | 0·30 | 11 | 0·05 | 11 | 0·05 | 50 | 0·23 | — | — | — | 4 | 7 | 14 | 16 | 312 | 65 |
| Durham .. .. | 3,138 | 3·22 | 757 | 0·78 | 68 | 0·07 | 24 | 0·02 | 353 | 0·36 | 31 | — | 4 | 4 | 2 | 9 | 185 | 1,075 | 824 |
| Ely, Isle of .. | 25 | 0·33 | 14 | 0·19 | 29 | 0·39 | 4 | 0.05 | 14 | 0·19 | — | — | — | — | — | 2 | 3 | 77 | 29 |
| Essex .. .. | 1,365 | 1·47 | 875 | 0·94 | 66 | 0·07 | 45 | 0·05 | 232 | 0·25 | — | — | 2 | 5 | 14 | 17 | 59 | 1,246 | 329 |
| Gloucestershire .. | 789 | 2·38 | 175 | 0·53 | 89 | 0·27 | 3 | 0·01 | 53 | 0·16 | 287 | — | — | 2 | 2 | 3 | 16 | 294 | 105 |
| Herefordshire .. | 138 | 1·22 | 76 | 0·67 | 14 | 0·12 | 8 | 0·07 | 19 | 0·17 | 2 | — | — | — | 3 | 7 | 11 | 140 | 45 |
| Hertfordshire .. | 486 | 1·44 | 189 | 0·56 | 39 | 0·12 | 8 | 0·02 | 54 | 0·16 | 1 | — | — | 1 | 6 | 1 | 12 | 423 | 121 |
| Huntingdonshire.. | 41 | 0·74 | 16 | 0·29 | 1 | 0·02 | 1 | 0·02 | 8 | 0·14 | — | — | — | — | 2 | — | 4 | 63 | 24 |
| Kent .. .. | 1,668 | 1·55 | 838 | 0·78 | 119 | 0·11 | 41 | 0·04 | 246 | 0·23 | — | — | — | 5 | 25 | 13 | 94 | 1,643 | 542 |
| Lancashire .. | 4,328 | 2·44 | 1,210 | 0·68 | 143 | 0·08 | 78 | 0·04 | 713 | 0·40 | 77 | — | 1 | 10 | 23 | 61 | 205 | 2,107 | 1,270 |
| Leicestershire .. | 218 | 0·81 | 269 | 1·00 | 26 | 0·10 | 4 | 0·01 | 54 | 0·20 | 17 | — | — | 2 | 1 | 5 | 22 | 352 | 75 |

*Not corrected for duplicate notifications. †For the constitution of the several areas, North, Midlands, South, and Wales, *see* the footnote to Table 14. ‡Including London. §In Chesterfield Rural District there were 8 notifications of Ophthalmia Neonatorum, but 16 cases of this disease were received at the School Clinic. The additional 8 cases are not included in the above figures.

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

| | Scarlet Fever. | | Diphtheria. | | Enteric Fever. | | Puerperal Fever. | | Erysipelas. | | Smallpox Cases. | Typhus Fever Cases. | Continued Fever Cases. | Cerebro-Spinal Fever Cases. | Poliomyelitis Cases. | Encephalitis Lethargica Cases. | Ophthalmia Neonatorum Cases. | Tuberculosis of Respiratory System Cases.* | Other Tuberculosis Cases.* |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | | | | | | | | | |
| ENGLAND, Administrative Counties, excluding London—*cont.* | | | | | | | | | | | | | | | | | | | |
| Lincolnshire— | | | | | | | | | | | | | | | | | | | |
| Holland | 82 | 0·95 | 51 | 0·59 | 6 | 0·07 | 1 | 0·01 | 7 | 0·08 | — | — | — | — | — | 1 | 2 | 84 | 19 |
| Kesteven | 84 | 0·78 | 60 | 0·56 | 6 | 0·06 | 1 | 0·01 | 15 | 0·14 | 2 | — | — | 3 | — | 2 | 18 | 94 | 19 |
| Lindsey | 350 | 1·36 | 214 | 0·83 | 20 | 0·08 | 9 | 0·04 | 57 | 0·22 | 2 | — | — | 1 | 2 | 3 | 24 | 365 | 128 |
| Middlesex .. | 2,378 | 1·87 | 1,798 | 1·41 | 58 | 0·05 | 76 | 0·06 | 327 | 0·26 | 4 | — | — | 11 | 24 | 31 | 80 | 1,565 | 379 |
| Norfolk .. .. | 541 | 1·70 | 148 | 0·46 | 45 | 0·14 | 10 | 0·03 | 50 | 0·16 | — | — | — | 4 | 1 | 7 | 11 | 343 | 89 |
| Northamptonshire | 966 | 4·51 | 105 | 0·49 | 28 | 0·13 | 5 | 0·02 | 66 | 0·31 | — | — | — | 2 | 1 | 6 | 14 | 243 | 40 |
| Northumberland.. | 1,251 | 3·08 | 235 | 0·58 | 32 | 0·08 | 16 | 0·04 | 171 | 0·42 | 7 | — | — | 2 | 2 | 6 | 47 | 579 | 257 |
| Nottinghamshire.. | 618 | 1·59 | 289 | 0·74 | 33 | 0·09 | 16 | 0·04 | 123 | 0·32 | 392 | — | — | 2 | — | 7 | 62 | 492 | 89 |
| Oxfordshire .. | 377 | 2·83 | 78 | 0·59 | 24 | 0·18 | 7 | 0·05 | 38 | 0·29 | 1 | — | — | 1 | 1 | 4 | 11 | 126 | 39 |
| Peterborough, Soke of | 91 | 1·90 | 23 | 0·48 | 1 | 0·02 | 2 | 0·04 | 13 | 0·27 | 1 | — | — | 2 | 1 | 1 | 5 | 88 | 27 |
| Rutlandshire .. | 23 | 1·25 | 6 | 0·33 | — | — | — | — | — | — | — | — | — | — | — | — | — | 16 | 3 |
| Shropshire .. | 420 | 1·71 | 190 | 0·77 | 18 | 0·07 | 16 | 0·07 | 52 | 0·21 | — | — | — | 4 | 1 | 6 | 49 | 271 | 142 |
| Somersetshire .. | 941 | 2·40 | 163 | 0·42 | 22 | 0·06 | 17 | 0·04 | 110 | 0·28 | 1 | — | — | 8 | 10 | 8 | 34 | 647 | 140 |
| Southampton .. | 554 | 1·40 | 316 | 0·80 | 35 | 0·09 | 13 | 0·03 | 72 | 0·18 | — | — | 1 | 2 | 10 | 13 | 31 | 376 | 97 |
| Staffordshire .. | 1,880 | 2·65 | 468 | 0·66 | 89 | 0·13 | 37 | 0·05 | 223 | 0·31 | 7 | — | — | 3 | 6 | 13 | 90 | 861 | 238 |
| Suffolk—East .. | 242 | 1·16 | 143 | 0·69 | 42 | 0·20 | 10 | 0·05 | 33 | 0·16 | — | — | — | — | 1 | 3 | 15 | 255 | 97 |
| Suffolk—West .. | 59 | 0·54 | 44 | 0·40 | 5 | 0·05 | 4 | 0·04 | 17 | 0·15 | — | — | — | 1 | 4 | — | 4 | 109 | 36 |
| Surrey .. .. | 1,235 | 1·67 | 596 | 0·81 | 84 | 0·11 | 23 | 0·03 | 171 | 0·23 | 2 | — | — | 3 | 24 | 27 | 62 | 665 | 154 |
| Sussex—East .. | 393 | 1·55 | 100 | 0·39 | 25 | 0·10 | 6 | 0·02 | 52 | 0·20 | 1 | — | — | — | 2 | 5 | 10 | 353 | 65 |
| Sussex—West .. | 225 | 1·20 | 75 | 0·40 | 23 | 0·12 | 7 | 0·04 | 22 | 0·12 | — | — | — | 3 | 10 | 5 | 13 | 261 | 62 |
| Warwickshire .. | 849 | 2·41 | 299 | 0·85 | 105 | 0·30 | 17 | 0·05 | 98 | 0·28 | 1 | — | — | 2 | 7 | 17 | 40 | 429 | 123 |
| Westmorland .. | 132 | 2·12 | 22 | 0·35 | 1 | 0·02 | 1 | 0·02 | 10 | 0·16 | — | — | — | 1 | — | 3 | 1 | 76 | 22 |

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ENGLAND, Administrative Counties, excluding London—*cont.* | | | | | | | | | | | | | | | | | | | |
| Wight, Isle of .. | 120 | 1·40 | 16 | 0·19 | 7 | 0·08 | — | — | 13 | 0·15 | — | — | — | — | — | 1 | 2 | 100 | 17 |
| Wiltshire .. | 538 | 1·85 | 193 | 0·66 | 4 | 0·01 | 9 | 0·03 | 52 | 0·18 | 3 | — | — | 2 | — | 2 | 55 | 307 | 143 |
| Worcestershire .. | 694 | 2·27 | 113 | 0·37 | 20 | 0·07 | 9 | 0·03 | 75 | 0·25 | 1 | — | — | — | 3 | 6 | 30 | 309 | 146 |
| Yorkshire— | | | | | | | | | | | | | | | | | | | |
| East Riding | 202 | 1·22 | 113 | 0·68 | 7 | 0·04 | 4 | 0·02 | 28 | 0·17 | — | — | — | — | — | 2 | 7 | 149 | 39 |
| North Riding | 837 | 2·67 | 187 | 0·60 | 27 | 0·09 | 10 | 0·03 | 84 | 0·27 | 3 | — | — | 1 | — | 7 | 9 | 261 | 128 |
| West Riding | 3,548 | 2·35 | 1,167 | 0·77 | 179 | 0·12 | 65 | 0·04 | 627 | 0·42 | 277 | — | — | 10 | 6 | 24 | 154 | 2,264 | 656 |
| WALES, Administrative Counties, including Monmouthshire .. .. | 4,191 | 1·96 | 2,352 | 1·10 | 177 | 0·08 | 96 | 0·04 | 430 | 0·20 | 17 | — | 4 | 10 | 15 | 37 | 247 | 2,546 | 865 |
| Anglesey .. .. | 75 | 1·44 | 57 | 1·10 | 2 | 0·04 | — | — | 3 | 0·06 | 1 | — | — | — | 1 | 3 | 3 | 44 | 12 |
| Brecknockshire .. | 49 | 0·79 | 56 | 0·91 | 20 | 0·32 | 3 | 0·05 | 14 | 0·23 | — | — | — | 1 | — | — | 4 | 62 | 24 |
| Cardiganshire .. | 65 | 1·12 | 53 | 0·92 | 4 | 0·07 | 2 | 0·03 | 2 | 0·03 | — | — | — | — | — | — | 1 | 156 | 29 |
| Carmarthenshire .. | 342 | 1·90 | 237 | 1·32 | 22 | 0·12 | 10 | 0·06 | 50 | 0·28 | — | — | — | 1 | 1 | 4 | 9 | 295 | 95 |
| Carnarvonshire .. | 102 | 0·85 | 102 | 0·85 | 8 | 0·07 | 1 | 0·01 | 21 | 0·17 | — | — | 1 | — | 3 | 1 | 3 | 144 | 22 |
| Denbighshire .. | 182 | 1·17 | 67 | 0·43 | 15 | 0·10 | 6 | 0·04 | 26 | 0·17 | — | — | — | 2 | — | 10 | 22 | 156 | 32 |
| Flintshire .. | 132 | 1·28 | 81 | 0·78 | 30 | 0·29 | 1 | 0·01 | 16 | 0·15 | — | — | 2 | 2 | — | 5 | 3 | 77 | 17 |
| Glamorganshire .. | 2,320 | 2·80 | 1,125 | 1·36 | 30 | 0·04 | 46 | 0·06 | 190 | 0·23 | 8 | — | 1 | 2 | 6 | 5 | 145 | 897 | 324 |
| Merionethshire .. | 80 | 1·89 | 28 | 0·66 | — | — | — | — | 9 | 0·21 | — | — | — | 1 | — | — | 3 | 67 | 42 |
| Monmouthshire .. | 647 | 1·74 | 371 | 1·00 | 37 | 0·10 | 19 | 0.05 | 79 | 0·21 | 8 | — | — | — | 3 | 6 | 47 | 428 | 201 |
| Montgomeryshire | 136 | 2·65 | 47 | 0·92 | 1 | 0·02 | 1 | 0·02 | 12 | 0·23 | — | — | — | — | — | — | 1 | 60 | 16 |
| Pembrokeshire .. | 43 | 0·47 | 111 | 1·21 | 4 | 0·04 | 7 | 0·08 | 8 | 0·09 | — | — | — | 1 | 1 | 2 | 6 | 123 | 46 |
| Radnorshire .. | 18 | 0·81 | 17 | 0·77 | 4 | 0·18 | — | — | — | — | — | — | — | — | — | 1 | — | 37 | 5 |

* Not corrected for duplicate notifications.

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

| | Scarlet Fever. | | Diphtheria. | | Enteric Fever. | | Puerperal Fever. | | Erysipelas. | | Smallpox Cases. | Typhus Fever Cases. | Continued Fever Cases. | Cerebro-Spinal Fever Cases. | Poliomyelitis Cases. | Encephalitis Lethargica Cases. | Ophthalmia Neonatorum Cases. | Tuberculosis of Respiratory System Cases.* | Other Tuberculosis Cases.* |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | | | | | | | | | |
| ENGLAND, County Boroughs .. .. | 32,834 | 2·67 | 12,776 | 1·04 | 802 | 0·07 | 971 | 0·08 | 4,822 | 0·39 | 856 | — | 5 | 104 | 158 | 450 | 3,707 | 22,286 | 7,030 |
| Barnsley .. .. | 81 | 1·16 | 86 | 1·23 | 13 | 0·19 | 17 | 0·24 | 47 | 0·67 | — | — | — | — | 1 | 1 | 25 | 120 | 44 |
| Barrow in Furness | 211 | 2·83 | 13 | 0·17 | 2 | 0·03 | — | — | 14 | 0·19 | — | — | — | — | — | — | 5 | 99 | 29 |
| Bath, City of .. | 113 | 1·64 | 55 | 0·80 | 5 | 0·07 | — | — | 27 | 0·39 | — | — | — | — | 1 | 3 | 14 | 74 | 23 |
| Birkenhead .. | 398 | 2·63 | 131 | 0·87 | 6 | 0·04 | 6 | 0·04 | 35 | 0·23 | — | — | — | 3 | 3 | 14 | 50 | 174 | 79 |
| Birmingham, City of | 2,615 | 2·76 | 1,655 | 1·75 | 33 | 0·03 | 185 | 0·20 | 445 | 0·47 | 2 | — | — | 4 | 33 | 30 | 435 | 1,810 | 406 |
| Blackburn .. | 216 | 1·67 | 35 | 0·27 | 4 | 0·03 | 12 | 0·09 | 51 | 0·40 | — | — | — | — | 1 | 11 | 16 | 175 | 104 |
| Blackpool .. | 156 | 2·08 | 26 | 0·35 | 6 | 0·08 | 10 | 0·13 | 22 | 0·29 | — | — | — | — | — | — | 47 | 128 | 28 |
| Bolton .. .. | 642 | 3·52 | 84 | 0·46 | 4 | 0·02 | 3 | 0·02 | 57 | 0·31 | — | — | — | 1 | 1 | 3 | 32 | 129 | 54 |
| Bootle .. .. | 230 | 2·82 | 86 | 1·05 | 2 | 0·02 | 5 | 0·06 | 22 | 0·27 | — | — | — | 2 | 3 | 9 | 31 | 239 | 70 |
| Bournemouth .. | 122 | 1·48 | 56 | 0·68 | 5 | 0·06 | — | — | 16 | 0·19 | — | — | — | — | 1 | 8 | 12 | 147 | 27 |
| Bradford, City of | 666 | 2·29 | 265 | 0·91 | 26 | 0·09 | 30 | 0·10 | 201 | 0·69 | — | — | — | 3 | — | 12 | 31 | 322 | 127 |
| Brighton .. .. | 253 | 1·86 | 272 | 2·00 | 6 | 0·04 | — | — | 33 | 0·24 | — | — | — | 3 | 4 | 1 | 17 | 213 | 92 |
| Bristol, City of .. | 1,439 | 3·73 | 733 | 1·90 | 29 | 0·08 | 25 | 0·06 | 141 | 0·37 | — | — | — | 4 | 11 | 23 | 81 | 846 | 222 |
| Burnley .. .. | 595 | 5·68 | 105 | 1·00 | 14 | 0·13 | 2 | 0·02 | 68 | 0·65 | — | — | — | — | — | 6 | 13 | 186 | 89 |
| Burton upon Trent | 53 | 1·07 | 23 | 0·46 | 1 | 0·02 | — | — | 16 | 0·32 | — | — | — | — | — | 1 | 11 | 55 | 43 |
| Bury .. .. | 138 | 2·41 | 55 | 0·96 | 4 | 0·07 | 3 | 0·05 | 28 | 0·49 | — | — | — | — | — | 3 | 5 | 53 | 18 |
| Canterbury, City of | 20 | 0·85 | 3 | 0·13 | 1 | 0·04 | — | — | 9 | 0·38 | — | — | — | — | — | — | 3 | 11 | 2 |
| Carlisle, City of .. | 149 | 2·76 | 76 | 1·41 | — | — | 4 | 0·07 | 20 | 0·37 | — | — | — | — | — | 3 | 13 | 72 | 14 |
| Chester, City of .. | 72 | 1·74 | 35 | 0·85 | 2 | 0·05 | 1 | 0·02 | 10 | 0·24 | 1 | — | — | — | — | — | 1 | 50 | 24 |
| Coventry, City of | 414 | 3·16 | 77 | 0·59 | 10 | 0·08 | 12 | 0·09 | 31 | 0·24 | — | — | — | 1 | 2 | 7 | 20 | 232 | 65 |
| Croydon .. .. | 384 | 1·99 | 193 | 1·00 | 12 | 0·06 | 3 | 0·02 | 36 | 0·19 | — | — | — | 1 | 4 | 9 | 22 | 295 | 146 |
| Darlington .. | 104 | 1·54 | 47 | 0·70 | 2 | 0·03 | 3 | 0·04 | 26 | 0·39 | — | — | — | 1 | — | 2 | 6 | 138 | 77 |
| Derby .. .. | 368 | 2·77 | 90 | 0·68 | 5 | 0·04 | 13 | 0·10 | 49 | 0·37 | — | — | — | 4 | 2 | 4 | 24 | 228 | 49 |
| Dewsbury .. | 188 | 3·41 | 22 | 0·40 | 2 | 0·04 | 3 | 0·05 | 10 | 0·18 | — | — | — | 1 | — | — | 8 | 46 | 12 |
| Dudley .. .. | 77 | 1·32 | 6 | 0·10 | 2 | 0·03 | 1 | 0·02 | 10 | 0·17 | — | — | — | — | — | — | 5 | 70 | 18 |
| Eastbourne .. | 29 | 0·54 | 33 | 0·61 | 2 | 0·04 | — | — | 13 | 0·24 | — | — | — | — | — | 6 | 3 | 160 | 55 |
| East Ham .. | 172 | 1·18 | 162 | 1·11 | 3 | 0·02 | 5 | 0·03 | 32 | 0·22 | — | — | — | 1 | 3 | — | 11 | 258 | 83 |
| Exeter, City of .. | 48 | 0·80 | 37 | 0·61 | 6 | 0·10 | 5 | 0·08 | 11 | 0·18 | — | — | — | — | — | 2 | 25 | 112 | 18 |
| Gateshead .. | 264 | 2·06 | 114 | 0·89 | 2 | 0·02 | 5 | 0·04 | 34 | 0·27 | 7 | — | — | — | 1 | 2 | 25 | 252 | 112 |

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ENGLAND, County Boroughs—*cont.* | | | | | | | | | | | | | | | | | | | |
| Gloucester, City of | 158 | 2·99 | 75 | 1·42 | 64 | 1·21 | 1 | 0·02 | 23 | 0·44 | 698† | — | — | — | — | 1 | 2 | 47 | 15 |
| Great Yarmouth.. | 202 | 3·53 | 29 | 0·51 | 4 | 0·07 | 2 | 0·03 | 12 | 0·21 | — | — | — | — | 2 | — | 9 | 71 | 11 |
| Grimsby .. .. | 137 | 1·60 | 80 | 0·93 | 4 | 0·05 | 1 | 0·01 | 17 | 0·20 | — | — | — | 1 | — | 1 | 6 | 159 | 39 |
| Halifax .. .. | 130 | 1·30 | 44 | 0·44 | 5 | 0·05 | 2 | 0·02 | 19 | 0·19 | — | — | — | 3 | — | — | 13 | 96 | 31 |
| Hastings .. .. | 59 | 0·98 | 11 | 0·18 | 6 | 0·10 | 2 | 0·03 | 13 | 0·22 | — | — | — | 1 | 5 | 1 | 4 | 84 | 20 |
| Huddersfield .. | 170 | 1·52 | 76 | 0·68 | 18 | 0·16 | 5 | 0·04 | 46 | 0·41 | 2 | — | — | 1 | 1 | 4 | 16 | 168 | 79 |
| Ipswich .. .. | 124 | 1·52 | 94 | 1·15 | 4 | 0·05 | 10 | 0·12 | 16 | 0·20 | — | — | — | — | 1 | — | 7 | 137 | 72 |
| Kingston upon Hull, City of | 316 | 1·06 | 417 | 1·40 | 12 | 0·04 | 22 | 0·07 | 91 | 0·31 | — | — | — | — | 2 | 1 | 74 | 532 | 147 |
| Leeds, City of .. | 2,133 | 4·54 | 367 | 0·78 | 9 | 0·02 | 51 | 0·11 | 205 | 0·44 | — | — | — | — | 2 | 10 | 79 | 1,013 | 200 |
| Leicester, City of.. | 486 | 2·03 | 131 | 0·55 | 8 | 0·03 | 6 | 0·03 | 85 | 0·35 | — | — | — | 2 | 1 | 11 | 54 | 671 | 73 |
| Lincoln, City of .. | 60 | 0·90 | 37 | 0·55 | — | — | — | — | 9 | 0·13 | 1 | — | — | — | — | 1 | 5 | 83 | 28 |
| Liverpool, City of | 2,307 | 2·75 | 993 | 1·19 | 18 | 0·02 | 43 | 0·05 | 383 | 0·46 | 1 | — | — | 10 | 37 | 111 | 707 | 2,108 | 581 |
| Manchester, City of | 1,841 | 2·45 | 549 | 0·73 | 50 | 0·07 | 131 | 0·17 | 301 | 0·40 | — | — | — | 4 | 3 | 37 | 357 | 1,496 | 732 |
| Middlesbrough .. | 1,151 | 8·50 | 84 | 0·62 | 3 | 0·02 | 1 | 0·01 | 94 | 0·69 | 106 | — | 1 | 1 | — | 1 | 11 | 348 | 150 |
| Newcastle upon Tyne, City of | 489 | 1·72 | 211 | 0·74 | 9 | 0·03 | 21 | 0·07 | 133 | 0·47 | — | — | — | 7 | 2 | 4 | 71 | 547 | 289 |
| Northampton .. | 407 | 4·37 | 83 | 0·89 | 10 | 0·11 | 14 | 0·15 | 32 | 0·34 | — | — | — | — | 2 | 3 | 7 | 137 | 27 |
| Norwich, City of.. | 1,095 | 8.86 | 248 | 2·01 | 13 | 0·11 | 2 | 0·02 | 36 | 0·29 | — | — | — | — | — | 2 | 22 | 141 | 48 |
| Nottingham, City of | 685 | 2·54 | 196 | 0·73 | 13 | 0·05 | 7 | 0·03 | 94 | 0·35 | 28 | — | — | 1 | — | 4 | 100 | 200 | 28 |
| Oldham .. .. | 237 | 1·61 | 63 | 0·43 | 1 | 0·01 | 9 | 0·06 | 63 | 0·43 | — | — | — | 1 | 1 | 17 | 10 | 166 | 106 |
| Oxford, City of .. | 230 | 4·04 | 27 | 0·47 | 10 | 0·18 | — | — | 9 | 0·16 | — | — | — | — | — | 1 | 18 | 50 | 20 |
| Plymouth .. | 331 | 1·71 | 155 | 0·80 | 11 | 0·06 | 4 | 0·02 | 46 | 0·24 | — | — | — | — | 1 | 1 | 17 | 347 | 117 |
| Portsmouth .. | 709 | 3·07 | 693 | 3·00 | 42 | 0·18 | 7 | 0·03 | 73 | 0·32 | — | — | — | 1 | 1 | 9 | 50 | 524 | 142 |
| Preston .. .. | 221 | 1·82 | 140 | 1·15 | 9 | 0·07 | 8 | 0·07 | 38 | 0·31 | — | — | — | — | — | 1 | 14 | 160 | 45 |
| Reading .. .. | 273 | 2·93 | 77 | 0·83 | 7 | 0·08 | 8 | 0·09 | 56 | 0·60 | — | — | — | 1 | 2 | 2 | 9 | 115 | 22 |
| Rochdale .. | 430 | 4·64 | 77 | 0·83 | 9 | 0·10 | 2 | 0·02 | 20 | 0·22 | — | — | — | 1 | 2 | — | 14 | 125 | 48 |
| Rotherham .. | 273 | 3·89 | 28 | 0·40 | 4 | 0·06 | 1 | 0·01 | 41 | 0·58 | — | — | 1 | 5 | — | 1 | 8 | 130 | 28 |
| St. Helens .. | 258 | 2·41 | 104 | 0·97 | 2 | 0·02 | 4 | 0·04 | 53 | 0·49 | — | — | — | 1 | 1 | 9 | 28 | 131 | 72 |
| Salford .. .. | 863 | 3·57 | 311 | 1·29 | 27 | 0·11 | 19 | 0·08 | 100 | 0·41 | — | — | — | 5 | 1 | 7 | 56 | 688 | 153 |
| Sheffield, City of.. | 1,471 | 2·81 | 496 | 0·95 | 42 | 0·08 | 79 | 0·15 | 249 | 0·48 | 3 | — | 1 | 12 | 1 | 9 | 229 | 1,411 | 307 |
| Smethwick .. | 207 | 2·64 | 138 | 1·76 | — | — | 16 | 0·20 | 36 | 0·46 | 1 | — | — | 1 | — | — | 31 | 81 | 18 |
| Southampton .. | 412 | 2·49 | 218 | 1·32 | 22 | 0·13 | 14 | 0·08 | 48 | 0·29 | — | — | — | 1 | 1 | 5 | 28 | 316 | 31 |
| Southend on Sea.. | 196 | 2·11 | 34 | 0·37 | 3 | 0·03 | 8 | 0·09 | 21 | 0·23 | — | — | — | 1 | 3 | 1 | 31 | 209 | 49 |

* Not corrected for duplicate notifications.

† Including 239 cases notified as chicken-pox, but subsequently diagnosed as small-pox.

TABLE 26.—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES.—*cont.*

| | Scarlet Fever. | | Diphtheria. | | Enteric Fever | | Puerperal Fever. | | Erysipelas. | | Smallpox Cases. | Typhus Fever Cases. | Continued Fever Cases. | Cerebro-Spinal Fever Cases. | Poliomyelitis Cases. | Encephalitis Lethargica Cases. | Ophthalmia Neonatorum Cases. | Tuberculosis of Respiratory System Cases.* | Other Tuberculosis Cases.* |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | | | | | | | | | |
| ENGLAND, County Boroughs—*cont.* | | | | | | | | | | | | | | | | | | | |
| Southport .. | 100 | 1·38 | 36 | 0·50 | 14 | 0·19 | 1 | 0·01 | 23 | 0·32 | — | — | — | 1 | 1 | 4 | 6 | 90 | 29 |
| South Shields .. | 358 | 2·88 | 75 | 0·60 | 9 | 0·07 | 3 | 0·02 | 29 | 0·23 | — | — | — | — | 1 | 3 | 32 | 225 | 124 |
| Stockport .. | 233 | 1·85 | 104 | 0·83 | 3 | 0·02 | 6 | 0·05 | 38 | 0·30 | — | — | — | 2 | — | 2 | 26 | 89 | 89 |
| Stoke on Trent .. | 1,375 | 4·98 | 209 | 0·76 | 20 | 0·07 | 29 | 0·11 | 191 | 0·69 | — | — | — | 2 | 2 | 5 | 266 | 386 | 127 |
| Sunderland .. | 328 | 2·00 | 67 | 0·41 | 10 | 0·06 | 8 | 0·05 | 95 | 0·58 | — | — | 1 | 1 | 1 | 4 | 91 | 268 | 100 |
| Tynemouth .. | 104 | 1·59 | 33 | 0·51 | 11 | 0·17 | 1 | 0·02 | 9 | 0·14 | 3 | — | 1 | 3 | 1 | 1 | 26 | 107 | 48 |
| Wakefield .. | 112 | 2·07 | 58 | 1·07 | 4 | 0·07 | 5 | 0·09 | 10 | 0·19 | — | — | — | — | — | 1 | 10 | 66 | 31 |
| Wallasey .. | 115 | 1·28 | 60 | 0·67 | 4 | 0·04 | 2 | 0·02 | 17 | 0·19 | — | — | — | — | — | 5 | 4 | 115 | 33 |
| Walsall .. .. | 165 | 1·64 | 54 | 0·54 | 6 | 0·06 | 8 | 0·08 | 41 | 0·41 | — | — | — | — | — | 1 | 36 | 206 | 61 |
| Warrington .. | 173 | 2·19 | 58 | 0·74 | 4 | 0·05 | 14 | 0·18 | 40 | 0·51 | — | — | — | — | 1 | — | 9 | 154 | 57 |
| West Bromwich .. | 251 | 3·23 | 272 | 3·51 | 1 | 0·01 | 3 | 0·04 | 77 | 0·99 | 1 | — | — | 2 | 1 | 2 | — | 83 | 41 |
| West Ham .. | 530 | 1·69 | 701 | 2·23 | 25 | 0·08 | 16 | 0·05 | 138 | 0·44 | 2 | — | — | 1 | 3 | 2 | 31 | 767 | 189 |
| West Hartlepool.. | 165 | 2·33 | 36 | 0·51 | 5 | 0·07 | 9 | 0·13 | 18 | 0·25 | — | — | — | — | 3 | — | 25 | 93 | 70 |
| Wigan .. .. | 92 | 1·00 | 42 | 0·46 | 25 | 0·27 | 1 | 0·01 | 52 | 0·57 | — | — | — | — | — | 1 | 6 | 119 | 71 |
| Wolverhampton | 187 | 1·75 | 43 | 0·40 | 3 | 0·03 | 9 | 0·08 | 14 | 0·13 | — | — | — | — | — | 2 | 41 | 171 | 23 |
| Worcester, City of | 69 | 1·38 | 38 | 0·76 | 5 | 0·10 | — | — | 33 | 0·66 | — | — | — | — | — | 2 | 6 | 61 | 36 |
| York, City of .. | 199 | 2·32 | 29 | 0·34 | 5 | 0·06 | 3 | 0·04 | 21 | 0·25 | — | — | — | 2 | 1 | — | 14 | 101 | 43 |
| WALES, including Monmouth, County Boroughs .. .. | 1,023 | 1·81 | 712 | 1·26 | 13 | 0·02 | 54 | 0·10 | 206 | 0·36 | 6 | — | — | 3 | 75 | 12 | 144 | 958 | 289 |
| Cardiff .. .. | 348 | 1·54 | 220 | 0·97 | 2 | 0·01 | 30 | 0·13 | 92 | 0·41 | 6 | — | — | 2 | 46 | 7 | 106 | 386 | 115 |
| Merthyr Tydfil .. | 84 | 1·01 | 154 | 1·86 | 5 | 0·06 | 5 | 0·06 | 37 | 0·45 | — | — | — | — | 21 | 3 | 10 | 130 | 48 |
| Newport (Mon.) .. | 129 | 1·35 | 78 | 0·82 | 5 | 0·05 | 8 | 0·08 | 29 | 0·30 | — | — | — | 1 | 4 | 2 | 11 | 150 | 63 |
| Swansea .. .. | 462 | 2·86 | 260 | 1·61 | 1 | 0·01 | 11 | 0·07 | 48 | 0·30 | — | — | — | — | 4 | — | 17 | 292 | 63 |

* Not corrected for duplicate notifications.

TABLE 27.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1913–1923. ENGLAND AND WALES.

(*a*) Civilians (excluding cases in Port Sanitary Districts).

| Diseases. | Cases Notified. | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
| Cerebro-spinal Fever .. .. .. | 304 | 313 | 2,558 | 1,305 | 1,462 | 798 | 843 | 581 | 411 | 344 | 300 |
| Cholera .. .. .. .. .. | — | — | — | — | — | — | — | — | — | — | — |
| Continued Fever .. .. .. | 108 | 81 | 57 | 79 | 50 | 22 | 39 | 30 | 37 | 15 | 21 |
| Diphtheria (including Membranous Croup) | 50,850 | 58,856 | 53,549 | 51,674 | 43,274 | 43,678 | 53,843 | 69,407 | 66,452 | 52,072 | 39,953 |
| ‖Dysentery.. .. .. .. .. | — | — | — | — | — | — | 1,638 | 1,169 | 1,193 | 757 | 458 |
| §Encephalitis Lethargica (Acute) .. | — | — | — | — | — | — | 541 | 889 | 1,470 | 451 | 1,023 |
| Enteric Fever .. .. .. .. | 8,117 | 8,281 | 6,203 | 5,438 | 4,505 | 4,232 | 3,308 | 2,994 | 3,776 | 2,365 | 3,139 |
| Erysipelas.. .. .. .. .. | 23,114 | 26,889 | 23,346 | 18,482 | 13,299 | 12,455 | 15,752 | 16,029 | 13,220 | 13,157 | 12,321 |
| ‖Malaria (contracted in the United Kingdom) .. .. .. .. | — | — | — | — | — | — | 93 | 32 | 10 | 6 | 3 |
| ‡Ophthalmia Neonatorum .. .. | — | 6,166 | 6,802 | 7,611 | 6,712 | 6,532 | 8,648 | 10,302 | 8,312 | 7,106 | 6,592 |
| Plague .. .. .. .. .. | — | 9 | — | 12 | — | 2 | 1 | 1 | — | — | — |
| ‖Pneumonia (Acute Primary and Acute Influenzal) .. .. .. .. | — | — | — | — | — | — | 45,063 | 38,685 | 33,744 | 52,435 | 44,543 |
| §Polio-encephalitis (Acute) .. .. | — | — | — | — | — | — | 62 | 36 | 51 | 31 | 57 |
| Poliomyelitis (Acute) .. .. .. | 728 | 509 | 517 | 688 | 357 | 228 | 553 | 293 | 488 | 355 | 587 |
| Puerperal Fever .. .. .. | 1,989 | 2,337 | 2,057 | 1,993 | 1,344 | 1,206 | 2,016 | 2,898 | 2,211 | 2,134 | 2,190 |
| Relapsing Fever .. .. .. | — | 1 | — | — | 3 | 2 | 4 | 7 | 1 | — | 2 |
| Scarlet Fever .. .. .. .. | 130,626 | 164,306 | 127,021 | 75,683 | 48,785 | 48,170 | 82,358 | 119,445 | 137,012 | 108,199 | 85,582 |
| Small-pox .. .. .. .. | 90 | 57 | 78 | 135 | 6 | 51 | 262 | 243 | 311 | 967 | 2,477 |
| ‖Trench Fever .. .. .. .. | — | — | — | — | — | — | 99 | 39 | 15 | 6 | 3 |
| Tuberculosis (Respiratory) .. .. | 96,533 | 80,862 | 73,354 | 72,294 | 73,538 | 72,675 | 65,108 | 61,468 | 59,131 | 55,664 | 56,802 |
| †Tuberculosis (other forms) .. .. | 38,190 | 24,344 | 22,817 | 23,736 | 22,041 | 19,373 | 16,804 | 15,843 | 15,643 | 16,164 | 18,474 |
| Typhus Fever .. .. .. .. | 18 | 15 | 44 | 4 | 4 | 8 | 2 | — | 3 | 13 | — |

† Notifiable since 1st February, 1913. ‡ Notifiable since 1st April, 1914. § Notifiable since 1st January, 1919.
‖ Notifiable since 1st March, 1919.

TABLE 27—*continued.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1914–1919. ENGLAND AND WALES.

(*b*) Non-Civilians.

| Diseases. | Cases Notified. | | | | | |
|---|---|---|---|---|---|---|
| | 1914. | 1915. | 1916. | 1917. | 1918. | 1919.* |
| Cerebro-spinal Fever .. .. .. .. .. | — | 930 | 778 | 1,023 | 578 | 106 |
| Continued Fever .. .. .. .. .. .. | — | 3 | 3 | — | 1 | — |
| Diphtheria (including Membranous Croup) .. .. | 469 | 1,183 | 1,633 | 1,296 | 1,618 | 677 |
| Encephalitis Lethargica (Acute) .. .. .. | — | — | — | — | — | 11 |
| Enteric Fever .. .. .. .. .. .. | 333 | 594 | 893 | 177 | 425 | 467 |
| Erysipelas .. .. .. .. .. .. .. | 69 | 264 | 468 | 442 | 384 | 99 |
| Poliomyelitis (Acute) .. .. .. .. .. | — | 3 | 15 | 1 | 8 | 1 |
| Scarlet Fever .. .. .. .. .. .. | 678 | 1,998 | 1,783 | 1,244 | 1,457 | 402 |
| Small-pox .. .. .. .. .. .. .. | 1 | 2 | 10 | 2 | 2 | 67 |
| Tuberculosis of Respiratory System .. .. .. | — | 516 | 1,706 | 2,210 | 4,124 | 1,338 |
| Tuberculosis (other forms) .. .. .. .. | — | 64 | 122 | 122 | 149 | 99 |
| Typhus Fever .. .. .. .. .. .. | — | 1 | 4 | — | 1 | 151 |

* The figures for 1919, include the following convalescent cases:—Cerebro-spinal Fever, 1; Diphtheria, 8; Enteric Fever, 64; Scarlet Fever, 1; Small-pox, 50; and Typhus Fever, 149. Three convalescent cases of Cholera were also notified.

TABLE 27—*continued.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1913–1923. ENGLAND AND WALES.

(*c*) In Port Sanitary Districts.

| Diseases. | Cases Notified. | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1913. | 1914. | 1915. | 1916. | 1917. | 1918. | 1919. | 1920. | 1921. | 1922. | 1923. |
| Cerebro-spinal Fever .. .. .. | 1 | 2 | 8 | 1 | 3 | — | 5 | 2 | — | — | 1 |
| Cholera .. .. .. .. .. | — | — | — | — | — | — | — | — | — | — | — |
| Continued Fever .. .. .. .. | 9 | 5 | 6 | 3 | 8 | 2 | — | 5 | 8 | 3 | 4 |
| Diphtheria (including Membranous Croup) | 53 | 32 | 48 | 33 | 41 | 35 | 75 | 74 | 54 | 81 | 56 |
| Dysentery .. .. .. .. .. | — | — | — | — | — | — | 19 | 84 | 30 | 32 | 26 |
| Encephalitis Lethargica (Acute) .. | — | — | — | — | — | — | — | 1 | — | 3 | 2 |
| Enteric Fever .. .. .. .. | 146 | 164 | 161 | 126 | 96 | 74 | 139 | 115 | 59 | 49 | 72 |
| Erysipelas .. .. .. .. .. | 18 | 19 | 36 | 28 | 26 | 8 | 11 | 22 | 11 | 14 | 14 |
| Ophthalmia Neonatorum .. .. | — | — | 4 | 2 | 4 | — | — | 2 | 1 | 1 | — |
| Plague .. .. .. .. .. | — | — | — | — | 8 | 5 | 11 | 2 | — | — | — |
| Pneumonia (Acute Primary and Acute Influenzal) .. .. .. .. | — | — | — | — | — | — | 197 | 174 | 86 | 78 | 81 |
| Polio-encephalitis (Acute) .. .. | — | — | — | — | — | — | — | — | — | — | — |
| Poliomyelitis (Acute) .. .. .. | 1 | — | — | 1 | — | — | — | — | — | — | — |
| Puerperal Fever .. .. .. .. | — | 1 | — | 3 | 1 | — | — | — | — | — | 1 |
| Relapsing Fever .. .. .. .. | — | — | — | — | — | — | — | — | — | — | 1 |
| Scarlet Fever .. .. .. .. | 81 | 61 | 65 | 39 | 32 | 10 | 40 | 45 | 61 | 43 | 21 |
| Small-pox .. .. .. .. .. | 25 | 7 | 12 | 14 | 1 | 12 | 32 | 20 | 4 | 6 | 8 |
| Tuberculosis of Respiratory System .. | 308 | 297 | 184 | 185 | 116 | 66 | 121 | 187 | 168 | 134 | 205 |
| Tuberculosis (other forms) .. .. | 10 | 22 | 47 | 41 | 55 | 18 | 17 | 8 | 10 | 14 | 20 |
| Typhus Fever .. .. .. .. | — | — | 1 | — | — | — | 1 | 2 | — | — | 1 |

See footnotes to page 443.

**TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population.**

(Excluding cases among men in Establishments of the Armed Forces.)

*Cases of Membranous Croup are included under the heading of Diphtheria.*

For the populations of the several areas see Table 14.

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **BEDFORD*†** .. .. .. | – | – | 209 | 0·99 | 133 | 0·63 | 27 | 0·13 | 5 | 0·02 | 31 | 0·15 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | – | – | 127 | 0·99 | 74 | 0·58 | 19 | 0·15 | 2 | 0·02 | 18 | 0·14 |
| AGGREGATE OF R.Ds.† .. | – | – | 82 | 1·00 | 59 | 0·72 | 8 | 0·10 | 3 | 0·04 | 13 | 0·16 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Ampthill .. .. .. | – | – | – | – | 5 | 2·27 | 2 | 0·91 | – | – | 1 | 0·45 |
| Bedford M.B. .. .. | – | – | 47 | 1·15 | 24 | 0·59 | 1 | 0·02 | – | – | 3 | 0·07 |
| Biggleswade .. .. | – | – | 1 | 0·18 | 2 | 0·37 | 1 | 0·18 | – | – | – | – |
| Dunstable M.B. .. .. | – | – | – | – | 5 | 0·56 | – | – | 1 | 0·11 | – | – |
| Kempston † .. .. | – | – | 2 | 0·39 | 2 | 0·39 | – | – | – | – | 2 | 0·39 |
| Leighton Buzzard .. | – | – | 34 | 4·97 | 5 | 0·73 | 3 | 0·44 | – | – | 2 | 0·29 |
| Luton M.B. .. .. | – | – | 43 | 0·73 | 31 | 0·53 | 12 | 0·21 | 1 | 0·02 | 10 | 0·17 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Ampthill .. .. .. | – | – | 36 | 1·86 | 26 | 1·34 | 2 | 0·10 | – | – | 7 | 0·36 |
| Bedford .. .. | – | – | 18 | 0·87 | 11 | 0·53 | – | – | – | – | 1 | 0·05 |
| Biggleswade † .. .. | – | – | 13 | 0·56 | 15 | 0·65 | 1 | 0·04 | 2 | 0·09 | 1 | 0·04 |
| Eaton Bray .. .. | – | – | 12 | 3·14 | 4 | 1·05 | 1 | 0·26 | 1 | 0·26 | – | – |
| Eaton Socon (No. 1 Div.) | – | – | – | – | 1 | 0·43 | – | – | – | – | 1 | 0·43 |
| Eaton Socon (No. 2 Div.) | – | – | 1 | 1·01 | – | – | – | – | – | – | – | – |
| Luton .. .. .. | – | – | 2 | 0·17 | 2 | 0·17 | 4 | 0·34 | – | – | 3 | 0·25 |
| **BERKS†‡** .. .. .. | 3 | 0·01 | 694 | 2·36 | 283 | 0·96 | 16 | 0·05 | 10 | 0·03 | 83 | 0·28 |
| READING C.B. .. .. | – | – | 273 | 2·93 | 77 | 0·83 | 7 | 0·08 | 8 | 0·09 | 56 | 0·60 |
| AGGREGATE OF M.Bs. AND U.D.† .. .. .. | 3 | 0·05 | 103 | 1·55 | 69 | 1·04 | 6 | 0·09 | – | – | 9 | 0·14 |
| AGGREGATE OF R.Ds.† .. | – | – | 318 | 2·36 | 137 | 1·02 | 3 | 0·02 | 2 | 0·01 | 18 | 0·13 |
| BOROUGHS AND URBAN DISTRICT :— | | | | | | | | | | | | |
| Abingdon M.B. .. .. | – | – | 61 | 8·45 | 42 | 5·82 | 1 | 0·14 | – | – | 3 | 0·42 |
| Maidenhead M.B. .. | – | – | 4 | 0·24 | 8 | 0·48 | 2 | 0·12 | – | – | 2 | 0·12 |
| Newbury M.B. .. .. | – | – | 4 | 0·33 | 8 | 0·65 | – | – | – | – | – | – |
| New Windsor M.B.† .. | – | – | 20 | 1·05 | 1 | 0·05 | 2 | 0·10 | – | – | 4 | 0·21 |
| Wallingford M.B... .. | – | – | 1 | 0·37 | 2 | 0·74 | 1 | 0·37 | – | – | – | – |
| Wantage .. .. .. | – | – | 3 | 0·76 | 3 | 0·76 | – | – | – | – | – | – |
| Wokingham M.B. .. | 3 | 0·69 | 10 | 2·28 | 5 | 1·14 | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Abingdon .. .. .. | – | – | 112 | 10·26 | 60 | 5·49 | 1 | 0·09 | – | – | 1 | 0·09 |
| Bradfield .. .. .. | – | – | 44 | 3·03 | 4 | 0·28 | – | – | 1 | 0·07 | 2 | 0·14 |
| Cookham .. .. .. | – | – | 15 | 1·10 | 10 | 0·73 | – | – | – | – | 3 | 0·22 |
| Easthampstead† .. .. | – | – | 24 | 1·33 | 7 | 0·39 | 1 | 0·06 | – | – | 1 | 0·06 |
| Faringdon (part of)§ .. | – | – | 2 | 0·20 | 4 | 0·39 | – | – | – | – | 2 | 0·20 |
| Hungerford .. .. | – | – | 4 | 0·47 | 3 | 0·35 | – | – | – | – | 4 | 0·47 |
| Newbury .. .. .. | – | – | 10 | 0·94 | 6 | 0·56 | 1 | 0·09 | – | – | 3 | 0·28 |
| Wallingford .. .. | – | – | 29 | 3·63 | 6 | 0·75 | – | – | – | – | 1 | 0·13 |
| Wantage .. .. .. | – | – | 32 | 2·70 | 7 | 0·59 | – | – | 1 | 0·08 | – | – |
| Windsor .. .. .. | – | – | 5 | 0·52 | 19 | 1·98 | – | – | – | – | – | – |
| Wokingham .. .. | – | – | 41 | 2·20 | 11 | 0·59 | – | – | – | – | 1 | 0·05 |

* Administrative County.
† Rates based upon estimated civilian populations.
‡ Administrative County with associated County Borough.
§ The remaining part of the Rural District of Faringdon is in the Administrative County of Gloucester. The figures for the entire District are :—

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| – | – | 3 | 0·27 | 4 | 0·36 | – | – | – | – | 2 | 0·18 |

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| **BUCKINGHAM*†** .. .. | 1 | 0·00 | 467 | 1·98 | 120 | 0·51 | 25 | 0·11 | 3 | 0·01 | 41 | 0·17 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 212 | 2·09 | 58 | 0·57 | 9 | 0·09 | 1 | 0·01 | 24 | 0·24 |
| AGGREGATE OF R.Ds.† .. | 1 | 0·01 | 255 | 1·90 | 62 | 0·46 | 16 | 0·12 | 2 | 0·01 | 17 | 0·13 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Aylesbury M.B. .. .. | – | – | 29 | 2·33 | 1 | 0·08 | 2 | 0·16 | – | – | 1 | 0·08 |
| Beaconsfield .. .. | – | – | 3 | 0·82 | 4 | 1·10 | – | – | – | – | – | – |
| Bletchley .. .. | – | – | 3 | 0·55 | – | – | – | – | – | – | 1 | 0·18 |
| Buckingham M.B. .. | – | – | 2 | 0·66 | – | – | – | – | – | – | – | – |
| Chepping Wycombe M.B. | – | – | 98 | 4·34 | 19 | 0·84 | – | – | – | – | – | – |
| Chesham .. .. .. | – | – | 11 | 1·25 | – | – | 1 | 0·11 | – | – | – | – |
| Eton .. .. .. | – | – | 27 | 8·03 | 1 | 0·30 | – | – | – | – | – | – |
| Linslade .. .. .. | – | – | 8 | 3·41 | 1 | 0·43 | – | – | – | – | – | – |
| Marlow .. .. .. | – | – | – | – | 10 | 1·97 | – | – | – | – | – | – |
| Newport Pagnell .. .. | – | – | 2 | 0·49 | – | – | 1 | 0·25 | – | – | – | – |
| Slough .. .. .. | – | – | 6 | 0·36 | 15 | 0·90 | – | – | 1 | 0·06 | 5 | 0·30 |
| Wolverton‖ .. .. | – | – | 23 | 1·62 | 7 | 0·49 | 5 | 0·35 | – | – | 17 | 1·20 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Amersham .. .. | – | – | 24 | 1·07 | 1 | 0·04 | 2 | 0·09 | 1 | 0·04 | – | – |
| Aylesbury† .. .. | – | – | 23 | 1·40 | – | – | 1 | 0·06 | – | – | 2 | 0·12 |
| Buckingham .. .. | – | – | 5 | 0·68 | – | – | – | – | – | – | 3 | 0·41 |
| Eton .. .. .. | – | – | 43 | 1·53 | 7 | 0·25 | 1 | 0·04 | 1 | 0·04 | 3 | 0·11 |
| Hambleden .. .. | – | – | 4 | 2·03 | 2 | 1·01 | – | – | – | – | – | – |
| Long Crendon .. .. | 1 | 0·26 | 4 | 1·06 | 1 | 0·26 | 4 | 1·06 | – | – | – | – |
| Newport Pagnell‖ .. | – | – | 41 | 2·81 | 2 | 0·14 | 4 | 0·27 | – | – | 5 | 0·34 |
| Wing .. .. .. | – | – | 18 | 3·26 | 1 | 0·18 | 2 | 0·36 | – | – | – | – |
| Winslow .. .. .. | – | – | 6 | 0·96 | – | – | 1 | 0·16 | – | – | – | – |
| Wycombe .. .. | – | – | 87 | 3·15 | 48 | 1·74 | 1 | 0·04 | – | – | 4 | 0·14 |
| **CAMBRIDGE*†** .. .. | – | – | 141 | 1·09 | 104 | 0·80 | 7 | 0·05 | 3 | 0·02 | 25 | 0·19 |
| MUNICIPAL BOROUGH .. | – | – | 61 | 1·03 | 74 | 1·25 | 6 | 0·10 | 1 | 0·02 | 14 | 0·24 |
| AGGREGATE OF R.Ds.† .. | – | – | 80 | 1·14 | 30 | 0·43 | 1 | 0·01 | 2 | 0·03 | 11 | 0·16 |
| BOROUGH :— | | | | | | | | | | | | |
| Cambridge M.B. .. .. | – | – | 61 | 1·03 | 74 | 1·25 | 6 | 0·10 | 1 | 0·02 | 14 | 0·24 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Caxton and Arrington .. | – | – | 2 | 0·27 | – | – | – | – | 1 | 0·14 | – | – |
| Chesterton .. .. | – | – | 39 | 1·62 | 13 | 0·54 | 1 | 0·04 | – | – | 3 | 0·12 |
| Linton† .. .. .. | – | – | 4 | 0·42 | 3 | 0·31 | – | – | – | – | 3 | 0·31 |
| Melbourn .. .. .. | – | – | 24 | 2·99 | – | – | – | – | – | – | 1 | 0·12 |
| Newmarket .. .. | – | – | 11 | 0·58 | 13 | 0·69 | – | – | 1 | 0·05 | 1 | 0·05 |
| Swavesey .. .. .. | – | – | – | – | 1 | 0·41 | – | – | – | – | 3 | 1·23 |
| **CHESTER†§** .. .. .. | 1 | 0·00 | 2,486 | 2·38 | 865 | 0·83 | 57 | 0·05 | 42 | 0·04 | 265 | 0·25 |
| BIRKENHEAD C.B. .. .. | – | – | 398 | 2·63 | 131 | 0·87 | 6 | 0·04 | 6 | 0·04 | 35 | 0·23 |
| CHESTER C.B... .. .. | 1 | 0·02 | 72 | 1·74 | 35 | 0·85 | 2 | 0·05 | 1 | 0·02 | 10 | 0·24 |
| STOCKPORT C.B. .. .. | – | – | 233 | 1·85 | 104 | 0·83 | 3 | 0·02 | 6 | 0·05 | 38 | 0·30 |
| WALLASEY C.B. .. .. | – | – | 115 | 1·28 | 60 | 0·67 | 4 | 0·04 | 2 | 0·02 | 17 | 0·19 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 1,152 | 2·61 | 375 | 0·85 | 29 | 0·07 | 18 | 0·04 | 133 | 0·30 |
| AGGREGATE OF R.Ds.† .. | – | – | 516 | 2·65 | 160 | 0·82 | 13 | 0·07 | 9 | 0·05 | 32 | 0·16 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Alderley Edge .. .. | – | – | 10 | 3·27 | 11 | 3·60 | – | – | – | – | – | – |
| Alsager .. .. .. | – | – | 4 | 1·50 | – | – | – | – | 1 | 0·37 | 1 | 0·37 |
| Altrincham .. .. | – | – | 37 | 1·77 | 14 | 0·67 | – | – | – | – | 8 | 0·38 |
| Ashton upon Mersey .. | – | – | 7 | 0·88 | 1 | 0·13 | – | – | – | – | 1 | 0·13 |
| Bebington & Bromborough | – | – | 63 | 3·17 | 6 | 0·30 | – | – | – | – | 3 | 0·15 |

* Administrative County.
† Rates based upon estimated civilian populations.
§ Administrative County with associated County Boroughs.
‖ On 1st April 1923, the Urban District of Wolverton was extended to include part of the Rural District of Newport Pagnell. Allowance for this has been made in the calculation of rates.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| CHESTER—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | |
| Bollington.. .. .. | – | – | 31 | 5·94 | 2 | 0·38 | – | – | – | – | 1 | 0·19 |
| Bowdon .. .. .. | – | – | 4 | 1·37 | 1 | 0·34 | – | – | – | – | – | – |
| Bredbury and Romiley .. | – | – | 13 | 1·41 | 7 | 0·76 | – | – | – | – | 5 | 0·54 |
| Buglawton .. .. | – | – | 27 | 15·53 | 2 | 1·15 | – | – | 2 | 1·15 | – | – |
| Cheadle and Gatley .. | – | – | 15 | 1·34 | 8 | 0·71 | – | – | – | – | 9 | 0·80 |
| Compstall .. .. | – | – | 1 | 1·05 | 42 | 44·30 | – | – | 1 | 1·05 | – | – |
| Congleton M.B. .. .. | – | – | 127 | 10·47 | 14 | 1·15 | – | – | – | – | 6 | 0·49 |
| Crewe M.B. .. .. | – | – | 72 | 1·52 | 16 | 0·34 | 1 | 0·02 | – | – | 5 | 0·11 |
| Dukinfield M.B. .. .. | – | – | 56 | 2·81 | 7 | 0·35 | 6 | 0·30 | 1 | 0·05 | 21 | 1·05 |
| Ellesmere Port and Whitby | – | – | 11 | 0·79 | 12 | 0·86 | – | – | 1 | 0·07 | 4 | 0·29 |
| Hale .. .. .. | – | – | 5 | 0·54 | 4 | 0·43 | 2 | 0·22 | – | – | – | – |
| Handforth .. .. | – | – | 1 | 1·05 | – | – | – | – | – | – | – | – |
| Hazel Grove and Bramhall | – | – | 10 | 0·97 | 4 | 0·39 | – | – | – | – | – | – |
| Hollingworth .. .. | – | – | 3 | 1·21 | 2 | 0·81 | 2 | 0·81 | – | – | – | – |
| Hoole .. .. .. | – | – | 6 | 0·99 | 7 | 1·16 | 1 | 0·17 | – | – | 2 | 0·33 |
| Hoylake and West Kirby | – | – | 71 | 4·28 | 11 | 0·66 | 3 | 0·18 | 1 | 0·06 | 6 | 0·36 |
| Hyde M.B. .. .. | – | – | 112 | 3·29 | 29 | 0·85 | 2 | 0·06 | 3 | 0·09 | 9 | 0·26 |
| Knutsford.. .. .. | – | – | 24 | 4·41 | 7 | 1·28 | – | – | – | – | 2 | 0·37 |
| Lymm .. .. .. | – | – | 19 | 3·54 | – | – | 1 | 0·19 | – | – | 4 | 0·75 |
| Macclesfield M.B... .. | – | – | 97 | 2·80 | 8 | 0·23 | 7 | 0·20 | 4 | 0·12 | 12 | 0·35 |
| Marple .. .. .. | – | – | 11 | 1·68 | 2 | 0·30 | 1 | 0·15 | – | – | 1 | 0·15 |
| Middlewich .. .. | – | – | 6 | 1·10 | 61 | 11·22 | – | – | 1 | 0·18 | 4 | 0·74 |
| Mottram in Longdendale | – | – | 1 | 0·35 | 1 | 0·35 | – | – | – | – | – | – |
| Nantwich .. .. .. | – | – | 5 | 0·67 | 2 | 0·27 | – | – | – | – | – | – |
| Neston and Parkgate .. | – | – | 9 | 1·72 | 14 | 2·68 | – | – | – | – | – | – |
| Northwich.. .. .. | – | – | 52 | 2·77 | 11 | 0·59 | – | – | – | – | 2 | 0·11 |
| Runcorn .. .. .. | – | – | 58 | 3·05 | 16 | 0·84 | 1 | 0·05 | – | – | 8 | 0·42 |
| Sale .. .. .. | – | – | 18 | 1·10 | 2 | 0·12 | – | – | 2 | 0·12 | 2 | 0·12 |
| Sandbach .. .. .. | – | – | 59 | 9·75 | 11 | 1·82 | – | – | – | – | 4 | 0·66 |
| Stalybridge M.B... .. | – | – | 18 | 0·70 | 7 | 0·27 | – | – | 1 | 0·04 | 9 | 0·35 |
| Tarporley .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Wilmslow .. .. .. | – | – | 16 | 1·93 | 9 | 1·08 | – | – | – | – | – | – |
| Winsford .. .. .. | – | – | 65 | 5·80 | 23 | 2·05 | 2 | 0·18 | – | – | 3 | 0·27 |
| Yeardsley cum Whaley .. | – | – | 8 | 4·76 | 1 | 0·59 | – | – | – | – | 1 | 0·59 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Bucklow .. .. .. | – | – | 31 | 1·39 | 31 | 1·39 | 1 | 0·04 | 1 | 0·04 | 2 | 0·09 |
| Chester† .. .. .. | – | – | 16 | 1·21 | 11 | 0·83 | 6 | 0·46 | – | – | 2 | 0·15 |
| Congleton .. .. | – | – | 40 | 2·98 | 30 | 2·23 | – | – | 1 | 0·07 | 2 | 0·15 |
| Disley .. .. .. | – | – | 12 | 4·03 | 2 | 0·67 | – | – | – | – | 2 | 0·67 |
| Macclesfield .. .. | – | – | 106 | 6·17 | 12 | 0·70 | 3 | 0·17 | 2 | 0·12 | 4 | 0·23 |
| Malpas .. .. .. | – | – | 16 | 3·62 | – | – | – | – | – | – | – | – |
| Nantwich .. .. .. | – | – | 22 | 0·87 | 15 | 0·59 | – | – | – | – | 1 | 0·04 |
| Northwich.. .. .. | – | – | 107 | 4·26 | 23 | 0·92 | – | – | 1 | 0·04 | 7 | 0·28 |
| Runcorn .. .. .. | – | – | 105 | 3·60 | 15 | 0·51 | 2 | 0·07 | – | – | 4 | 0·14 |
| Tarvin .. .. .. | – | – | 10 | 0·75 | 5 | 0·37 | – | – | – | – | 1 | 0·07 |
| Tintwistle .. .. | – | – | 1 | 0·49 | – | – | – | – | 1 | 0·49 | – | – |
| Wirral .. .. .. | – | – | 50 | 1·92 | 16 | 0·62 | 1 | 0·04 | 3 | 0·12 | 7 | 0·27 |
| CORNWALL*† .. .. | – | – | 297 | 0·94 | 96 | 0·30 | 61 | 0·19 | 5 | 0·02 | 50 | 0·16 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | – | – | 125 | 0·91 | 49 | 0·36 | 50 | 0·36 | 1 | 0·01 | 28 | 0·20 |
| AGGREGATE OF R.Ds. .. | – | – | 172 | 0·96 | 47 | 0·26 | 11 | 0·06 | 4 | 0·02 | 22 | 0·12 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Bodmin M.B.† .. .. | – | – | 14 | 2·59 | – | – | 3 | 0·56 | – | – | 2 | 0·37 |
| Callington.. .. .. | – | – | 10 | 5·99 | – | – | 1 | 0·60 | – | – | 2 | 1·20 |
| Camborne.. .. .. | – | – | 1 | 0·07 | – | – | 23 | 1·57 | – | – | 6 | 0·41 |
| Falmouth M.B.† .. .. | – | – | 32 | 2.49 | 2 | 0·16 | 1 | 0·08 | – | – | 1 | 0·08 |
| Fowey M.B. .. .. | – | – | – | – | 1 | 0·50 | – | – | – | – | – | – |

* Administrative County.
† Rates based upon estimated civilian populations.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| CORNWALL—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | |
| Hayle .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Helston M.B. .. .. | – | – | 1 | 0·37 | – | – | – | – | – | – | – | – |
| Launceston M.B... .. | – | – | – | – | 1 | 0·26 | – | – | – | – | 3 | 0·77 |
| Liskeard M.B. .. .. | – | – | 1 | 0·23 | 2 | 0·46 | – | – | – | – | 1 | 0·23 |
| Looe .. .. .. | – | – | 4 | 1·51 | 1 | 0·38 | – | – | – | – | – | – |
| Lostwithiel M.B... .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Ludgvan .. .. .. | – | – | – | – | 8 | 3·87 | – | – | – | – | – | – |
| Madron .. .. .. | – | – | – | – | – | – | 2 | 0·59 | – | – | 1 | 0·30 |
| Newquay .. .. .. | – | – | – | – | 3 | 0·61 | 1 | 0·20 | – | – | 2 | 0·40 |
| Padstow .. .. .. | – | – | – | – | 4 | 2·41 | – | – | – | – | 1 | 0·60 |
| Paul .. .. .. | – | – | 4 | 0·71 | 1 | 0·18 | 2 | 0·36 | – | – | – | – |
| Penryn M.B. .. .. | – | – | 1 | 0·31 | – | – | – | – | 1 | 0·31 | – | – |
| Penzance M.B. .. .. | – | – | 7 | 0·60 | 1 | 0·09 | 13 | 1·12 | – | – | 1 | 0·09 |
| Phillack .. .. .. | – | – | – | – | 1 | 0·29 | – | – | – | – | 1 | 0·29 |
| Redruth .. .. .. | – | – | 7 | 0·70 | 6 | 0·60 | – | – | – | – | 1 | 0·10 |
| St. Austell.. .. .. | – | – | 7 | 2·10 | 3 | 0·90 | – | – | – | – | – | – |
| St. Ives M.B. .. .. | – | – | 10 | 1·54 | 4 | 0·62 | 1 | 0·15 | – | – | 1 | 0·15 |
| St. Just .. .. .. | – | – | 1 | 0·19 | 1 | 0·19 | – | – | – | – | – | – |
| Saltash M.B. .. .. | – | – | 1 | 0·28 | 5 | 1·39 | 1 | 0·28 | – | – | 1 | 0·28 |
| Stratton and Bude .. | – | – | 1 | 0·32 | – | – | 2 | 0·65 | – | – | – | – |
| Torpoint .. .. .. | – | – | 15 | 3·33 | 5 | 1·11 | – | – | – | – | 3 | 0·67 |
| Truro M.B. .. .. | – | – | 1 | 0·09 | – | – | – | – | – | – | 1 | 0·09 |
| Wadebridge .. .. | – | – | 7 | 3·03 | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Bodmin .. .. .. | – | – | 13 | 1·28 | – | – | – | – | 1 | 0·10 | – | – |
| Calstock .. .. .. | – | – | 9 | 1·90 | 11 | 2·33 | – | – | – | – | 1 | 0·21 |
| Camelford.. .. .. | – | – | – | – | 4 | 0·53 | 1 | 0·13 | – | – | 1 | 0·13 |
| East Kerrier .. .. | – | – | 35 | 4·24 | 4 | 0·49 | – | – | – | – | – | – |
| Helston .. .. .. | – | – | 2 | 0·12 | – | – | – | – | 1 | 0·06 | 2 | 0·12 |
| Holsworthy (part of)* .. | – | – | – | – | – | – | 1 | 2·81 | – | – | – | – |
| Launceston .. .. | – | – | – | – | 7 | 0·97 | – | – | – | – | 5 | 0·69 |
| Liskeard .. .. .. | – | – | 5 | 0·33 | 1 | 0·07 | – | – | – | – | 2 | 0·13 |
| Redruth .. .. .. | – | – | 3 | 0·17 | 1 | 0·06 | 2 | 0·12 | – | – | 1 | 0·06 |
| St. Austell.. .. .. | – | – | 69 | 2·17 | 5 | 0·16 | 2 | 0·06 | 1 | 0·03 | 5 | 0·16 |
| St. Columb Major .. | – | – | 3 | 0·26 | – | – | – | – | – | – | – | – |
| St. Germans .. .. | – | – | 20 | 1·61 | 8 | 0·65 | 2 | 0·16 | – | – | – | – |
| Scilly, Isles of .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Stratton .. .. .. | – | – | 1 | 0·20 | – | – | – | – | – | – | – | – |
| Truro .. .. .. | – | – | 3 | 0·16 | 1 | 0·05 | – | – | 1 | 0·05 | 3 | 0·16 |
| West Penwith .. .. | – | – | 9 | 0·86 | 5 | 0·48 | 3 | 0·29 | – | – | 2 | 0·19 |
| CUMBERLAND† .. .. | – | – | 594 | 2·17 | 290 | 1·06 | 2 | 0·01 | 13 | 0·05 | 62 | 0·23 |
| CARLISLE C.B. .. .. | – | – | 149 | 2·76 | 76 | 1·41 | – | – | 4 | 0·07 | 20 | 0·37 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 260 | 2·12 | 151 | 1·23 | 1 | 0·01 | 5 | 0·04 | 28 | 0·23 |
| AGGREGATE OF R.Ds. .. | – | – | 185 | 1·90 | 63 | 0·65 | 1 | 0·01 | 4 | 0·04 | 14 | 0·14 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Arlecdon and Frizington | – | – | – | – | 3 | 0·57 | – | – | – | – | 4 | 0·76 |
| Aspatria .. .. .. | – | – | 3 | 0·82 | – | – | – | – | – | – | 2 | 0·55 |
| Cleator Moor .. .. | – | – | 7 | 0·82 | 17 | 2·00 | 1 | 0·12 | 2 | 0·24 | 2 | 0·24 |
| Cockermouth .. .. | – | – | 30 | 6·17 | 2 | 0·41 | – | – | – | – | – | – |
| Egremont .. .. .. | – | – | 5 | 0·71 | 8 | 1·13 | – | – | – | – | 2 | 0·28 |
| Harrington .. .. | – | – | 8 | 1·76 | 3 | 0·66 | – | – | – | – | – | – |
| Holme Cultram .. .. | – | – | 4 | 0·84 | – | – | – | – | 1 | 0·21 | 1 | 0·21 |
| Keswick .. .. .. | – | – | 6 | 1·41 | 1 | 0·23 | – | – | – | – | 2 | 0·47 |
| Maryport .. .. .. | – | – | 58 | 5·12 | 32 | 2·83 | – | – | 1 | 0·09 | 4 | 0·35 |
| Millom .. .. .. | – | – | 39 | 4·46 | 4 | 0·46 | – | – | – | – | 2 | 0·23 |
| Penrith .. .. .. | – | – | 11 | 1·34 | 5 | 0·61 | – | – | – | – | – | – |
| Whitehaven M.B. .. | – | – | 5 | 0·25 | 15 | 0·74 | – | – | – | – | 4 | 0·20 |
| Wigton .. .. .. | – | – | 1 | 0·27 | 9 | 2·44 | – | – | – | – | 3 | 0·81 |
| Workington M.B. .. | – | – | 83 | 3·03 | 52 | 1·90 | – | – | 1 | 0·04 | 2 | 0·07 |

* The remaining part of the Rural District of Holsworthy is in the Administrative County of Devon.
† Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **CUMBERLAND**—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Alston with Garrigill .. | – | – | 1 | 0·36 | 1 | 0·36 | – | – | 1 | 0·36 | – | – |
| Bootle .. .. .. | – | – | 9 | 1·48 | – | – | – | – | – | – | – | – |
| Brampton.. .. .. | – | – | 7 | 0·87 | 1 | 0·12 | 1 | 0·12 | – | – | – | – |
| Carlisle .. .. .. | – | – | 16 | 1·35 | 9 | 0·76 | – | – | – | – | 1 | 0·08 |
| Cockermouth .. .. | – | – | 90 | 3·89 | 30 | 1·30 | – | – | – | – | 6 | 0·26 |
| Longtown.. .. .. | – | – | 25 | 3·91 | 3 | 0·47 | – | – | – | – | – | – |
| Penrith .. .. .. | – | – | 6 | 0·50 | 9 | 0·74 | – | – | – | – | 2 | 0·17 |
| Whitehaven .. .. | – | – | 18 | 1·18 | 7 | 0·46 | – | – | 1 | 0·07 | 2 | 0·13 |
| Wigton .. .. .. | – | – | 13 | 1·13 | 3 | 0·26 | – | – | 2 | 0·17 | 3 | 0·26 |
| **DERBY*** .. .. .. | 463 | 0·63 | 1,505 | 2·05 | 521 | 0·71 | 48 | 0·07 | 43 | 0·06 | 225 | 0·31 |
| DERBY C.B. .. .. .. | – | – | 368 | 2·77 | 90 | 0·68 | 5 | 0·04 | 13 | 0·10 | 49 | 0·37 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 274 | 0·87 | 542 | 1·73 | 205 | 0·65 | 32 | 0·10 | 10 | 0·03 | 84 | 0·27 |
| AGGREGATE OF R.Ds. .. | 189 | 0·66 | 595 | 2·08 | 226 | 0·79 | 11 | 0·04 | 20 | 0·07 | 92 | 0·32 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Alfreton .. .. .. | 23 | 1·08 | 36 | 1·69 | 25 | 1·18 | 6 | 0·28 | 3 | 0·14 | 6 | 0·28 |
| Alvaston and Boulton .. | – | – | 3 | 1·88 | 1 | 0·63 | – | – | – | – | – | – |
| Ashbourne .. .. | – | – | 5 | 1·15 | 1 | 0·23 | – | – | – | – | – | – |
| Bakewell .. .. .. | – | – | 1 | 0·33 | 2 | 0·67 | 1 | 0·33 | – | – | 1 | 0·33 |
| Baslow and Bubnell .. | – | – | – | – | – | – | – | – | – | – | 1 | 1·22 |
| Belper .. .. .. | 1 | 0·08 | 39 | 3·09 | 10 | 0·79 | 1 | 0·08 | – | – | 6 | 0·48 |
| Bolsover .. .. .. | 19 | 1·56 | 22 | 1·81 | 9 | 0·74 | 1 | 0·08 | – | – | 5 | 0·41 |
| Bonsall .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Brampton and Walton .. | – | – | – | – | 1 | 0·44 | – | – | – | – | – | – |
| Buxton M.B. .. .. | – | – | 21 | 1·40 | 2 | 0·13 | 1 | 0·07 | – | – | 2 | 0·13 |
| Chesterfield M.B... .. | 20 | 0·31 | 76 | 1·19 | 57 | 0·89 | 9 | 0·14 | 2 | 0·03 | 11 | 0·17 |
| Clay Cross.. .. .. | – | – | 5 | 0·54 | 6 | 0·65 | – | – | 1 | 0·11 | 2 | 0·22 |
| Dronfield .. .. .. | – | – | 23 | 5·18 | 7 | 1·58 | 1 | 0·23 | – | – | – | – |
| Glossop M.B. .. .. | – | – | 27 | 1·31 | 25 | 1·21 | 2 | 0·10 | 1 | 0·05 | 5 | 0·24 |
| Heage .. .. .. | – | – | 1 | 0·26 | 1 | 0·26 | – | – | – | – | 1 | 0·26 |
| Heanor .. .. .. | 144 | 6·49 | 45 | 2·03 | 10 | 0·45 | – | – | – | – | 2 | 0·09 |
| Ilkeston M.B. .. .. | 15 | 0·45 | 27 | 0·81 | 3 | 0·09 | 6 | 0·18 | – | – | 4 | 0·12 |
| Long Eaton .. .. | 43 | 1·90 | 95 | 4·20 | 11 | 0·49 | 2 | 0·09 | – | – | 5 | 0·22 |
| Matlock .. .. .. | – | – | 4 | 0·63 | – | – | – | – | – | – | – | – |
| Matlock Bath and Scarthin Nick. | – | – | 5 | 2·89 | – | – | – | – | – | – | – | – |
| New Mills .. .. | – | – | 40 | 4·54 | 17 | 1·93 | – | – | 1 | 0·11 | 5 | 0·57 |
| North Darley .. .. | – | – | 1 | 0·31 | – | – | – | – | 1 | 0·31 | – | – |
| Ripley .. .. .. | 5 | 0·36 | 13 | 0·95 | 2 | 0·15 | – | – | 1 | 0·07 | 15 | 1·09 |
| South Darley .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Swadlincote District .. | 4 | 0·19 | 51 | 2·42 | 14 | 0·66 | 1 | 0·05 | – | – | 13 | 0·62 |
| Wirksworth .. .. | – | – | 2 | 0·53 | 1 | 0·27 | 1 | 0·27 | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Ashbourne .. .. | – | – | 27 | 2·59 | – | – | – | – | – | – | 3 | 0·29 |
| Bakewell .. .. .. | – | – | 57 | 2·86 | 8 | 0·40 | – | – | 1 | 0·05 | 3 | 0·15 |
| Belper .. .. .. | – | – | 69 | 2·89 | 18 | 0·75 | 1 | 0·04 | 2 | 0·08 | 8 | 0·33 |
| Blackwell .. .. .. | 70 | 1·60 | 119 | 2·72 | 27 | 0·62 | 5 | 0·11 | 2 | 0·05 | 22 | 0·50 |
| Chapel en le Frith .. | – | – | 76 | 4·72 | 5 | 0·31 | – | – | 2 | 0·12 | 2 | 0·12 |
| Chesterfield .. .. | – | – | 133 | 1·69 | 89 | 1·13 | 4 | 0·05 | 10 | 0·13 | 19 | 0·24 |
| Clowne .. .. .. | 96 | 5·26 | 11 | 0·60 | 18 | 0·99 | – | – | 2 | 0·11 | 13 | 0·71 |
| Glossop Dale .. .. | – | – | 11 | 2·91 | 14 | 3·71 | – | – | – | – | 1 | 0·26 |
| Hartshorn and Seals .. | 1 | 0·11 | 4 | 0·46 | 10 | 1·14 | – | – | – | – | 3 | 0·34 |
| Hayfield .. .. .. | – | – | 10 | 2·26 | – | – | – | – | – | – | 2 | 0·45 |
| Norton .. .. .. | – | – | 8 | 1·72 | 7 | 1·51 | – | – | – | – | 1 | 0·22 |
| Repton .. .. .. | – | – | 8 | 0·48 | 8 | 0·48 | 1 | 0·06 | – | – | 2 | 0·12 |
| Shardlow .. .. .. | 22 | 0·67 | 57 | 1·75 | 20 | 0·61 | – | – | 1 | 0·03 | 13 | 0·40 |
| Sudbury .. .. .. | – | – | 1 | 0·39 | – | – | – | – | – | – | – | – |
| Codnor Park and Shipley (parishes).† | – | – | 4 | 2·62 | 2 | 1·31 | – | – | – | – | – | – |

* Administrative County with associated County Borough.
† These Parishes are administered by the Rural District Council of Basford (Notts).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases | Rate | Cases. | Rate. | Cases. | Rate. |
| DEVON*† .. .. .. | – | – | 1,000 | 1·48 | 416 | 0·62 | 63 | 0·09 | 19 | 0·03 | 145 | 0·21 |
| EXETER C.B. .. .. .. | – | – | 48 | 0·80 | 37 | 0·61 | 6 | 0·10 | 5 | 0·08 | 11 | 0·18 |
| PLYMOUTH C.B.† .. .. | – | – | 331 | 1·71 | 155 | 0·80 | 11 | 0·06 | 4 | 0·02 | 46 | 0·24 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | – | – | 380 | 1·85 | 134 | 0·65 | 36 | 0·18 | 1 | 0·00 | 49 | 0·24 |
| AGGREGATE OF R.Ds.† .. | – | – | 241 | 1·11 | 90 | 0·41 | 10 | 0·05 | 9 | 0·04 | 39 | 0·18 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Ashburton.. .. .. | – | – | 5 | 2·10 | – | – | – | – | – | – | – | – |
| Axminster.. .. .. | – | – | 1 | 0·48 | 3 | 1·45 | – | – | – | – | – | – |
| Bampton .. .. .. | – | – | 8 | 5·49 | – | – | – | – | – | – | – | – |
| Barnstaple M.B. .. .. | – | – | 20 | 1·37 | 18 | 1·24 | 3 | 0·21 | – | – | 5 | 0·34 |
| Bideford M.B. .. .. | – | – | 2 | 0·22 | 3 | 0·33 | – | – | – | – | – | – |
| Brixham .. .. .. | – | – | 1 | 0·13 | 13 | 1·64 | 5 | 0·63 | – | – | 7 | 0·88 |
| Buckfastleigh .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Budleigh Salterton .. | – | – | – | – | 3 | 1·25 | – | – | – | – | – | – |
| Crediton .. .. .. | – | – | 3 | 0·86 | – | – | – | – | – | – | 2 | 0·57 |
| Dartmouth M.B.† .. | – | – | 1 | 0·15 | – | – | 1 | 0·15 | – | – | 3 | 0·46 |
| Dawlish .. .. .. | – | – | – | – | – | – | 10 | 2·28 | – | – | 1 | 0·23 |
| Exmouth .. .. .. | – | – | 17 | 1·33 | 3 | 0·23 | – | – | – | – | 1 | 0·08 |
| Great Torrington M.B. .. | – | – | 9 | 3·03 | – | – | – | – | – | – | – | – |
| Holsworthy .. .. | – | – | 3 | 2·11 | – | – | – | – | – | – | – | – |
| Honiton M.B. .. .. | – | – | 24 | 7·87 | 11 | 3·61 | 1 | 0·33 | – | – | 1 | 0·33 |
| Ilfracombe .. .. | – | – | 2 | 0·23 | 13 | 1·48 | 3 | 0·34 | – | – | 1 | 0·11 |
| Ivybridge .. .. .. | – | – | 6 | 3·67 | – | – | 1 | 0·61 | – | – | 1 | 0·61 |
| Kingsbridge .. .. | – | – | 1 | 0·34 | 6 | 2·05 | – | – | – | – | 1 | 0·34 |
| Lynton .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Newton Abbot .. .. | – | – | 61 | 4·39 | 12 | 0·86 | 2 | 0·14 | – | – | 9 | 0·65 |
| Northam .. .. .. | – | – | 4 | 0·68 | 2 | 0·34 | 1 | 0·17 | – | – | 1 | 0·17 |
| Okehampton M.B. .. | – | – | 10 | 2·91 | – | – | – | – | – | – | – | – |
| Ottery St. Mary .. .. | – | – | 55 | 15·22 | – | – | 4 | 1·11 | – | – | – | – |
| Paignton .. .. .. | – | – | 11 | 0·84 | 21 | 1·61 | 2 | 0·15 | – | – | 3 | 0·23 |
| Salcombe .. .. .. | – | – | 3 | 1·49 | 2 | 1·00 | – | – | – | – | 2 | 1·00 |
| Seaton .. .. .. | – | – | 2 | 1·10 | 2 | 1·10 | – | – | – | – | – | – |
| Sidmouth .. .. .. | – | – | 10 | 1·99 | 6 | 1·20 | – | – | – | – | – | – |
| South Molton M.B. .. | – | – | 1 | 0·36 | – | – | – | – | – | – | – | – |
| Tavistock .. .. .. | – | – | 1 | 0·23 | – | – | – | – | – | – | – | – |
| Teignmouth .. .. | – | – | 6 | 0·64 | 2 | 0·21 | 2 | 0·21 | – | – | 1 | 0·11 |
| Tiverton M.B. .. .. | – | – | 3 | 0·31 | 2 | 0·21 | – | – | 1 | 0·10 | – | – |
| Torquay M.B. .. .. | – | – | 110 | 3·23 | 11 | 0·32 | 1 | 0·03 | – | – | 10 | 0·29 |
| Totnes M.B. .. .. | – | – | – | – | 1 | 0·25 | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Axminster.. .. .. | – | – | 7 | 0·72 | 2 | 0·21 | – | – | 1 | 0·10 | 3 | 0·31 |
| Barnstaple .. .. | – | – | 14 | 0·77 | 14 | 0·77 | – | – | – | – | 7 | 0·38 |
| Bideford .. .. .. | – | – | – | – | 7 | 1·16 | – | – | – | – | – | – |
| Broadwood Widger .. | – | – | 1 | 0·44 | 1 | 0·44 | – | – | – | – | – | – |
| Crediton .. .. .. | – | – | 8 | 0·79 | 5 | 0·50 | – | – | – | – | 5 | 0·50 |
| Culmstock.. .. .. | – | – | 1 | 0·31 | – | – | – | – | 1 | 0·31 | – | – |
| Holsworthy (part of)‡ .. | – | – | 16 | 2·36 | – | – | – | – | – | – | – | – |
| Honiton .. .. .. | – | – | 18 | 1·96 | 4 | 0·44 | – | – | 2 | 0·22 | 2 | 0·22 |
| Kingsbridge .. .. | – | – | 8 | 0·72 | 3 | 0·27 | 1 | 0·09 | – | – | 1 | 0·09 |
| Newton Abbot .. .. | – | – | 32 | 1·61 | – | – | – | – | – | – | 6 | 0·30 |
| Okehampton .. .. | – | – | 27 | 2·04 | 3 | 0·23 | 3 | 0·23 | – | – | 4 | 0·30 |
| Plympton St. Mary† .. | – | – | 42 | 1·97 | 22 | 1·03 | 1 | 0·05 | 1 | 0·05 | 2 | 0·09 |
| St. Thomas .. .. | – | – | 27 | 1·02 | 5 | 0·19 | 3 | 0·11 | – | – | 6 | 0·23 |
| South Molton .. .. | – | – | 4 | 0·40 | 4 | 0·40 | – | – | – | – | – | – |
| Tavistock .. .. | – | – | 18 | 1·18 | 8 | 0·53 | – | – | 1 | 0·07 | 1 | 0·07 |
| Tiverton .. .. .. | – | – | 3 | 0·21 | 6 | 0·42 | 1 | 0·07 | – | – | 1 | 0·07 |
| Torrington .. .. | – | – | 8 | 0·94 | 1 | 0·12 | – | – | – | – | 1 | 0·12 |
| Totnes .. .. .. | – | – | 7 | 0·59 | 5 | 0·42 | 1 | 0·08 | 3 | 0·25 | – | – |

* Administrative County with associated County Boroughs.
† Rates based upon estimated civilian populations.
‡ The remaining part of the Rural District of Holsworthy is in the Administrative County of Cornwall. The figures for the entire District are :—

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| – | – | 16 | 2·24 | – | – | 1 | 0·14 | – | – | – | – |

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate |
| **DORSET*†** .. .. .. | – | – | 220 | 1·00 | 66 | 0·30 | 11 | 0·05 | 11 | 0·05 | 50 | 0·23 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | – | – | 114 | 0·97 | 32 | 0·27 | 5 | 0·04 | 8 | 0·07 | 30 | 0·26 |
| AGGREGATE OF R.Ds.† .. | – | – | 106 | 1·03 | 34 | 0·33 | 6 | 0·06 | 3 | 0·03 | 20 | 0·19 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Blandford Forum M.B. .. | – | – | 2 | 0·62 | 1 | 0·31 | – | – | – | – | – | – |
| Bridport M.B. .. .. | – | – | – | – | – | – | 1 | 0·17 | – | – | – | – |
| Dorchester M.B. .. .. | – | – | 35 | 3·58 | 14 | 1·43 | 1 | 0·10 | – | – | 10 | 1·02 |
| Lyme Regis M.B. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·44 |
| Poole M.B. .. .. | – | – | 7 | 0·16 | 5 | 0·11 | 1 | 0·02 | 4 | 0·09 | 12 | 0·27 |
| Portland† .. .. .. | – | – | 2 | 0·20 | 8 | 0·80 | – | – | 1 | 0·10 | 3 | 0·30 |
| Shaftesbury M.B. .. | – | – | 1 | 0·42 | – | – | – | – | – | – | – | – |
| Sherborne .. .. | – | – | 16 | 2·51 | – | – | 1 | 0·16 | 1 | 0·16 | – | – |
| Swanage .. .. .. | – | – | 27 | 4·89 | 1 | 0·18 | 1 | 0·18 | 1 | 0·18 | 1 | 0·18 |
| Wareham M.B. .. .. | – | – | 1 | 0·49 | – | – | – | – | – | – | 1 | 0·49 |
| Weymouth and Melcombe Regis M.B. .. .. | – | – | 21 | 0·94 | 1 | 0·04 | – | – | 1 | 0·04 | – | – |
| Wimborne Minster .. | – | – | 2 | 0·55 | 2 | 0·55 | – | – | – | – | 2 | 0·55 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Beaminster .. .. | – | – | 2 | 0·24 | 2 | 0·24 | – | – | – | – | – | – |
| Blandford .. .. | – | – | 10 | 1·23 | 1 | 0·12 | – | – | – | – | 1 | 0·12 |
| Bridport .. .. .. | – | – | 4 | 0·59 | – | – | – | – | – | – | – | – |
| Cerne .. .. .. | – | – | – | – | – | – | – | – | 1 | 0·22 | 2 | 0·44 |
| Dorchester .. .. | – | – | 7 | 0·80 | 11 | 1·25 | 3 | 0·34 | – | – | 1 | 0·11 |
| Poole .. .. .. | – | – | 19 | 2·53 | 1 | 0·13 | 2 | 0·27 | – | – | 1 | 0·13 |
| Shaftesbury .. .. | – | – | – | – | 2 | 0·21 | – | – | – | – | 3 | 0·31 |
| Sherborne.. .. .. | – | – | 3 | 0·55 | – | – | – | – | – | – | 1 | 0·18 |
| Sturminster .. .. | – | – | 12 | 1·51 | 2 | 0·25 | – | – | – | – | 1 | 0·13 |
| Wareham and Purbeck†.. | – | – | 8 | 0·68 | 1 | 0·08 | – | – | 1 | 0·08 | 2 | 0·17 |
| Weymouth .. .. | – | – | 17 | 1·93 | 5 | 0·57 | 1 | 0·11 | 1 | 0·11 | 6 | 0·68 |
| Wimborne and Cranborne | – | – | 24 | 1·59 | 9 | 0·60 | – | – | – | – | 2 | 0·13 |
| **DURHAM§** .. .. .. | 38 | 0·02 | 4,357 | 2·85 | 1,096 | 0·72 | 96 | 0·06 | 52 | 0·03 | 555 | 0·36 |
| DARLINGTON C.B. .. .. | – | – | 104 | 1·54 | 47 | 0·70 | 2 | 0·03 | 3 | 0·04 | 26 | 0·39 |
| GATESHEAD C.B. .. .. | 7 | 0·05 | 264 | 2·06 | 114 | 0·89 | 2 | 0·02 | 5 | 0·04 | 34 | 0·27 |
| SOUTH SHIELDS C.B. .. | – | – | 358 | 2·88 | 75 | 0·60 | 9 | 0·07 | 3 | 0·02 | 29 | 0·23 |
| SUNDERLAND C.B. .. .. | – | – | 328 | 2·00 | 67 | 0·41 | 10 | 0·06 | 8 | 0·05 | 95 | 0·58 |
| WEST HARTLEPOOL C.B. .. | – | – | 165 | 2·33 | 36 | 0·51 | 5 | 0·07 | 9 | 0·13 | 18 | 0·25 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 31 | 0·06 | 1,634 | 2·97 | 500 | 0·91 | 30 | 0·05 | 14 | 0·03 | 227 | 0·41 |
| AGGREGATE OF R.Ds. .. | – | – | 1,504 | 3·54 | 257 | 0·60 | 38 | 0·09 | 10 | 0·02 | 126 | 0·30 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Annfield Plain .. .. | – | – | 72 | 4·24 | 73 | 4·29 | 1 | 0·06 | – | – | 13 | 0·76 |
| Barnard Castle .. .. | – | – | 15 | 3·21 | 15 | 3·21 | – | – | – | – | 2 | 0·43 |
| Benfieldside .. .. | – | – | 14 | 1·52 | 16 | 1·74 | – | – | 2 | 0·22 | 5 | 0·54 |
| Billingham‡ .. .. | – | – | 8 | 1·22 | 1 | 0·15 | 1 | 0·15 | – | – | 3 | 0·46 |
| Bishop Auckland.. .. | – | – | 22 | 1·52 | 7 | 0·48 | 3 | 0·21 | – | – | 3 | 0·21 |
| Blaydon .. .. .. | – | – | 76 | 2·21 | 10 | 0·29 | 1 | 0·03 | 1 | 0·03 | 18 | 0·52 |
| Brandon and Byshottles | – | – | 32 | 1·67 | 3 | 0·16 | 1 | 0·05 | – | – | 9 | 0·47 |
| Chester le Street .. .. | – | – | 73 | 4·20 | 18 | 1·04 | 3 | 0·17 | 2 | 0·12 | 4 | 0·23 |
| Consett .. .. .. | – | – | 16 | 1·25 | 22 | 1·72 | – | – | – | – | 4 | 0·31 |
| Crook .. .. .. | – | – | 22 | 1·68 | 26 | 1·98 | – | – | 1 | 0·08 | 7 | 0·53 |

* Administrative County.

† Rates based upon estimated civilian populations.

§ Administrative County with associated County Boroughs.

‡ On 1st April, 1923, part of the Rural District of Stockton was constituted the Urban District of Billingham. Allowance for this has been made in the calculation of rates.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **DURHAM**—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | |
| Durham M.B. .. .. | – | – | 24 | 1·37 | 4 | 0·23 | 2 | 0·11 | – | – | 9 | 0·51 |
| Felling .. .. .. | – | – | 51 | 1·86 | 1 | 0·04 | – | – | – | – | 11 | 0·40 |
| Hartlepool M.B. .. .. | – | – | 27 | 1·25 | 7 | 0·32 | 2 | 0·09 | – | – | 7 | 0·32 |
| Hebburn .. .. .. | – | – | 73 | 2·87 | 20 | 0·79 | – | – | 1 | 0·04 | 13 | 0·51 |
| Hetton .. .. .. | – | – | 146 | 8·15 | 4 | 0·22 | 1 | 0·06 | – | – | 20 | 1·12 |
| Houghton le Spring .. | – | – | 24 | 2·24 | 9 | 0·84 | – | – | – | – | 4 | 0·37 |
| Jarrow M.B. .. .. | – | – | 138 | 3·76 | 25 | 0·68 | 1 | 0·03 | 1 | 0·03 | 13 | 0·35 |
| Leadgate .. .. .. | – | – | 12 | 2·12 | 11 | 1·94 | – | – | – | – | 1 | 0·18 |
| Ryton .. .. .. | – | – | 45 | 2·99 | 4 | 0·27 | – | – | – | – | 2 | 0·13 |
| Seaham Harbour.. .. | – | – | 18 | 1·01 | 11 | 0·62 | – | – | – | – | 3 | 0·17 |
| Shildon .. .. .. | – | – | 26 | 1·79 | 15 | 1·03 | 2 | 0·14 | – | – | 15 | 1·03 |
| Southwick on Wear .. | 6 | 0·39 | 41 | 2·64 | – | – | 1 | 0·06 | – | – | 1 | 0·06 |
| Spennymoor .. .. | – | – | 46 | 2·44 | 3 | 0·16 | – | – | – | – | 1 | 0·05 |
| Stanhope .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Stanley .. .. .. | – | – | 149 | 5·71 | 66 | 2·53 | 3 | 0·11 | 1 | 0·04 | 8 | 0·31 |
| Stockton on Tees M.B. .. | 25 | 0·38 | 211 | 3·17 | 53 | 0·80 | 4 | 0·06 | 4 | 0·06 | 20 | 0·30 |
| Tanfield .. .. .. | – | – | 51 | 4·74 | 13 | 1·21 | 2 | 0·19 | – | – | 8 | 0·74 |
| Tow Law .. .. .. | – | – | 5 | 1·18 | – | – | – | – | – | – | 1 | 0·24 |
| Washington .. .. | – | – | 94 | 5·31 | 53 | 2·99 | – | – | – | – | 13 | 0·73 |
| Whickham .. .. | – | – | 33 | 1·66 | 10 | 0·50 | 1 | 0·05 | – | – | 6 | 0·30 |
| Willington.. .. .. | – | – | 70 | 7·29 | – | – | 1 | 0·10 | 1 | 0·10 | 3 | 0·31 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Auckland .. .. .. | – | – | 250 | 3·99 | 63 | 1·01 | 16 | 0·26 | 2 | 0·03 | 12 | 0·19 |
| Barnard Castle .. .. | – | – | 15 | 1·29 | 4 | 0·34 | – | – | 1 | 0·09 | 2 | 0·17 |
| Chester le Street .. | – | – | 291 | 5·22 | 22 | 0·39 | 3 | 0·05 | – | – | 27 | 0·48 |
| Darlington .. .. | – | – | 35 | 3·57 | 5 | 0·51 | 2 | 0·20 | – | – | 3 | 0·31 |
| Durham .. .. .. | – | – | 118 | 3·62 | 5 | 0·15 | 2 | 0·06 | 1 | 0·03 | 1 | 0·03 |
| Easington.. .. .. | – | – | 229 | 2·89 | 49 | 0·62 | 2 | 0·03 | 1 | 0·01 | 30 | 0·38 |
| Hartlepool .. .. | – | – | 26 | 6·82 | 1 | 0·26 | – | – | – | – | 1 | 0·26 |
| Houghton le Spring .. | – | – | 122 | 4·27 | 11 | 0·38 | 1 | 0·03 | – | – | 13 | 0·45 |
| Lanchester .. .. | – | – | 106 | 3·01 | 26 | 0·74 | 1 | 0·03 | 1 | 0·03 | 8 | 0·23 |
| Sedgefield .. .. .. | – | – | 147 | 3·85 | 32 | 0·84 | 6 | 0·16 | 2 | 0·05 | 11 | 0·29 |
| South Shields .. .. | – | – | 34 | 1·90 | 15 | 0·84 | 4 | 0·22 | 2 | 0·11 | 2 | 0·11 |
| Stockton† .. .. .. | – | – | 23 | 2·55 | 7 | 0·78 | – | – | – | – | – | – |
| Sunderland .. .. | – | – | 86 | 2·72 | 13 | 0·41 | – | – | – | – | 13 | 0·41 |
| Weardale .. .. .. | – | – | 22 | 2·34 | 4 | 0·42 | 1 | 0·11 | – | – | 3 | 0·32 |
| **ELY, ISLE OF*** .. .. | – | – | 25 | 0·33 | 14 | 0·19 | 29 | 0·39 | 4 | 0·05 | 14 | 0·19 |
| AGGREGATE OF M.B. AND U.Ds. .. .. .. | – | – | 15 | 0·40 | 9 | 0·24 | 10 | 0·26 | 3 | 0·08 | 8 | 0·21 |
| AGGREGATE OF R.Ds. .. | – | – | 10 | 0·27 | 5 | 0·13 | 19 | 0·51 | 1 | 0·03 | 6 | 0·16 |
| BOROUGH AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Chatteris .. .. .. | – | – | 3 | 0·58 | – | – | – | – | – | – | 1 | 0·19 |
| Ely .. .. .. | – | – | 3 | 0·39 | 4 | 0·52 | – | – | – | – | 3 | 0·39 |
| March .. .. .. | – | – | 2 | 0·21 | 2 | 0·21 | – | – | 1 | 0·11 | 1 | 0·11 |
| Whittlesey .. .. | – | – | 4 | 0·94 | – | – | – | – | 1 | 0·23 | 1 | 0·23 |
| Wisbech M.B. .. .. | – | – | 3 | 0·26 | 3 | 0·26 | 10 | 0·87 | 1 | 0·09 | 2 | 0·17 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Ely.. .. .. .. | – | – | – | – | 1 | 0·08 | 1 | 0·08 | – | – | 3 | 0·23 |
| North Witchford.. .. | – | – | 2 | 0·39 | – | – | 2 | 0·39 | – | – | – | – |
| Thorney .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Whittlesey .. .. | – | – | 3 | 0·85 | – | – | – | – | – | – | – | – |
| Wisbech .. .. .. | – | – | 5 | 0·38 | 4 | 0·30 | 16 | 1·21 | 1 | 0·08 | 3 | 0·23 |

* Administrative County.

† See footnote ‡ on previous page.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate |
| ESSEX*† .. .. .. | 2 | 0·00 | 2,263 | 1·52 | 1,772 | 1·19 | 97 | 0·07 | 74 | 0·05 | 423 | 0·29 |
| EAST HAM C.B. .. .. | – | – | 172 | 1·18 | 162 | 1·11 | 3 | 0·02 | 5 | 0·03 | 32 | 0·22 |
| SOUTHEND ON SEA C.B. .. | – | – | 196 | 2·11 | 34 | 0·37 | 3 | 0·03 | 8 | 0·09 | 21 | 0·23 |
| WEST HAM C.B. .. .. | 2 | 0·01 | 530 | 1·69 | 701 | 2·23 | 25 | 0·08 | 16 | 0·05 | 138 | 0·44 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | – | – | 1,029 | 1·58 | 762 | 1·17 | 44 | 0·07 | 36 | 0·06 | 188 | 0·29 |
| AGGREGATE OF R.Ds. .. | – | – | 336 | 1·20 | 113 | 0·40 | 22 | 0·08 | 9 | 0·03 | 44 | 0·16 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Barking Town .. .. | – | – | 18 | 0·48 | 31 | 0·83 | – | – | 4 | 0·11 | 33 | 0·89 |
| Braintree .. .. .. | – | – | 5 | 0·71 | – | – | 1 | 0·14 | – | – | 1 | 0·14 |
| Brentwood .. .. | – | – | 30 | 4·29 | 4 | 0·57 | – | – | – | – | 2 | 0·29 |
| Brightlingsea .. .. | – | – | 2 | 0·45 | – | – | 2 | 0·45 | – | – | – | – |
| Buckhurst Hill .. .. | – | – | 1 | 0·20 | – | – | 1 | 0·20 | – | – | 1 | 0·20 |
| Burnham on Crouch .. | – | – | 4 | 1·18 | 2 | 0·59 | 1 | 0·30 | – | – | 2 | 0·59 |
| Chelmsford M.B. .. | – | – | 8 | 0·38 | 4 | 0·19 | 2 | 0·09 | 2 | 0·09 | 3 | 0·14 |
| Chingford .. .. .. | – | – | 15 | 1·56 | 2 | 0·21 | 1 | 0·10 | – | – | 4 | 0·42 |
| Clacton .. .. .. | – | – | 10 | 0·84 | 15 | 1·26 | 2 | 0·17 | 1 | 0·08 | 1 | 0·08 |
| Colchester M.B.†.. .. | – | – | 44 | 1·02 | 45 | 1·05 | 11 | 0·26 | – | – | 10 | 0·23 |
| Epping .. .. .. | – | – | 18 | 4·31 | 3 | 0·72 | – | – | – | – | 2 | 0·48 |
| Frinton on Sea .. .. | – | – | 3 | 1·50 | – | – | – | – | – | – | – | – |
| Grays Thurrock .. .. | – | – | 21 | 1·17 | 45 | 2·51 | – | – | 1 | 0·06 | 3 | 0·17 |
| Halstead .. .. .. | – | – | 19 | 3·18 | 1 | 0·17 | 1 | 0·17 | – | – | – | – |
| Harwich M.B.† .. .. | – | – | 26 | 2·14 | 40 | 3·29 | 2 | 0·16 | – | – | 2 | 0·16 |
| Ilford .. .. .. | – | – | 131 | 1·47 | 131 | 1·47 | 5 | 0·06 | 7 | 0·08 | 19 | 0·21 |
| Leyton .. .. .. | – | – | 177 | 1·33 | 150 | 1·13 | 2 | 0·02 | 12 | 0·09 | 36 | 0·27 |
| Loughton .. .. .. | – | – | 16 | 2·78 | – | – | 1 | 0·17 | – | – | – | – |
| Maldon M.B. .. .. | – | – | 1 | 0·16 | 4 | 0·63 | – | – | – | – | 4 | 0·63 |
| Romford .. .. .. | – | – | 24 | 1·20 | 18 | 0·90 | – | – | – | – | 1 | 0·05 |
| Saffron Walden M.B. .. | – | – | 3 | 0·52 | – | – | 5 | 0·86 | – | – | – | – |
| Shoeburyness† .. .. | – | – | 4 | 0·67 | 19 | 3·17 | – | – | 2 | 0·33 | 5 | 0·84 |
| Tilbury .. .. .. | – | – | 4 | 0·37 | 7 | 0·64 | – | – | – | – | 1 | 0·09 |
| Waltham Holy Cross .. | – | – | 10 | 1·45 | 8 | 1·16 | – | – | 2 | 0·29 | 4 | 0·58 |
| Walthamstow .. .. | – | – | 345 | 2·65 | 213 | 1·64 | 3 | 0·02 | 5 | 0·04 | 47 | 0·36 |
| Walton on the Naze .. | – | – | 5 | 2·01 | 1 | 0·40 | 1 | 0·40 | – | – | – | – |
| Wanstead .. .. .. | – | – | 37 | 2·42 | 5 | 0·33 | 2 | 0·13 | – | – | 2 | 0·13 |
| Witham .. .. .. | – | – | 2 | 0·54 | 3 | 0·82 | – | – | – | – | – | – |
| Wivenhoe .. .. .. | – | – | – | – | 1 | 0·43 | – | – | – | – | 1 | 0·43 |
| Woodford .. .. .. | – | – | 46 | 2·14 | 10 | 0·47 | 1 | 0·05 | – | – | 4 | 0·19 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Belchamp .. .. .. | – | – | 5 | 1·19 | 2 | 0·48 | – | – | – | – | 2 | 0·48 |
| Billericay .. .. .. | – | – | 46 | 1·83 | 11 | 0·44 | 1 | 0·04 | – | – | 2 | 0·08 |
| Braintree .. .. .. | – | – | 20 | 1·06 | 8 | 0·42 | 1 | 0·05 | – | – | 3 | 0·16 |
| Bumpstead .. .. | – | – | 1 | 0·42 | – | – | – | – | – | – | – | – |
| Chelmsford .. .. | – | – | 34 | 1·36 | 2 | 0·08 | 5 | 0·20 | – | – | 3 | 0·12 |
| Dunmow .. .. .. | – | – | 17 | 1·11 | 5 | 0·33 | 1 | 0·07 | 1 | 0·07 | 6 | 0·39 |
| Epping .. .. .. | – | – | 24 | 1·63 | 10 | 0·68 | – | – | – | – | 3 | 0·20 |
| Halstead .. .. .. | – | – | 10 | 1·02 | 3 | 0·31 | – | – | – | – | – | – |
| Lexden and Winstree .. | – | – | 13 | 0·67 | 2 | 0·10 | 1 | 0·05 | 1 | 0·05 | 1 | 0·05 |
| Maldon .. .. .. | – | – | 8 | 0·49 | 3 | 0·18 | – | – | – | – | 2 | 0·12 |
| Ongar .. .. .. | – | – | 10 | 0·99 | 4 | 0·39 | – | – | – | – | 2 | 0·20 |
| Orsett .. .. .. | – | – | 35 | 1·50 | 11 | 0·47 | – | – | 4 | 0·17 | 2 | 0·09 |
| Rochford .. .. .. | – | – | 29 | 1·21 | 9 | 0·38 | 1 | 0·04 | – | – | 4 | 0·17 |
| Romford .. .. .. | – | – | 72 | 2·23 | 36 | 1·11 | 3 | 0·09 | 3 | 0·09 | 6 | 0·19 |
| Saffron Walden .. .. | – | – | 6 | 0·60 | 2 | 0·20 | 1 | 0·10 | – | – | 2 | 0·20 |
| Stansted .. .. .. | – | – | 4 | 0·58 | 1 | 0·15 | – | – | – | – | 2 | 0·29 |
| Tendring .. .. .. | – | – | 2 | 0·09 | 4 | 0·18 | 8 | 0·36 | – | – | 4 | 0·18 |

* Administrative County with associated County Boroughs.
† Rates based upon estimated civilian populations.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| **GLOUCESTER*** .. .. | 985 | 1·28 | 2,386 | 3·10 | 983 | 1·28 | 182 | 0·24 | 29 | 0·04 | 217 | 0·28 |
| BRISTOL C.B. .. .. .. | – | | 1,439 | 3·73 | 733 | 1·90 | 29 | 0·08 | 25 | 0·06 | 141 | 0·37 |
| GLOUCESTER C.B. .. .. | 698§ | 13·20 | 158 | 2·99 | 75 | 1·42 | 64 | 1·21 | 1 | 0·02 | 23 | 0·44 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 44 | 0·44 | 198 | 1·98 | 69 | 0·69 | 25 | 0·25 | 1 | 0·01 | 16 | 0·16 |
| AGGREGATE OF R.Ds. .. | 243 | 1·05 | 591 | 2·55 | 106 | 0·46 | 64 | 0·28 | 2 | 0·01 | 37 | 0·16 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Awre .. .. .. | – | – | 6 | 5·16 | 2 | 1·72 | – | – | – | – | – | – |
| Charlton Kings .. .. | – | – | 3 | 0·70 | 6 | 1·40 | – | – | – | – | – | – |
| Cheltenham M.B... .. | 35 | 0·72 | 84 | 1·74 | 42 | 0·87 | 20 | 0·41 | – | – | 11 | 0·23 |
| Cirencester .. .. | 2 | 0·27 | 14 | 1·88 | 1 | 0·13 | 1 | 0·13 | – | – | 2 | 0·27 |
| Coleford .. .. .. | – | – | 10 | 3·59 | 1 | 0·36 | 1 | 0·36 | – | – | – | – |
| Kingswood .. .. | – | – | 59 | 4·38 | 10 | 0·74 | – | – | – | – | – | – |
| Nailsworth .. .. | – | – | – | – | – | – | 1 | 0·31 | – | – | – | – |
| Newnham.. .. .. | – | – | 12 | 9·94 | – | – | – | – | – | – | – | – |
| Stow on the Wold‖ .. | – | – | 1 | 0·87 | – | – | – | – | – | – | – | – |
| Stroud .. .. .. | 5 | 0·58 | 4 | 0·47 | 1 | 0·12 | – | – | – | – | – | – |
| Tetbury .. .. .. | – | – | 1 | 0·64 | 4 | 2·58 | – | – | 1 | 0·64 | 3 | 1·93 |
| Tewkesbury M.B. .. | – | – | 1 | 0·21 | 2 | 0·42 | – | – | – | – | – | – |
| Westbury on Severn .. | 2 | 1·09 | 3 | 1·63 | – | – | 2 | 1·09 | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Campden .. .. .. | – | – | 10 | 1·85 | 2 | 0·37 | 1 | 0·19 | – | – | – | – |
| Cheltenham .. .. | 1 | 0·19 | 11 | 2·10 | 1 | 0·19 | 1 | 0·19 | – | – | – | – |
| Chipping Sodbury .. | – | – | 37 | 1·71 | 4 | 0·19 | 1 | 0·05 | – | – | 3 | 0·14 |
| Cirencester .. .. | 2 | 0·17 | 19 | 1·58 | 4 | 0·33 | – | – | – | – | 1 | 0·08 |
| Dursley .. .. .. | 6 | 0·48 | 12 | 0·95 | 5 | 0·40 | 1 | 0·08 | – | – | 8 | 0·63 |
| East Dean and United Parishes.. .. .. | 180 | 8·52 | 129 | 6·11 | 16 | 0·76 | 6 | 0·28 | 1 | 0·05 | 1 | 0·05 |
| Faringdon (part of)† .. | – | – | 1 | 0·98 | – | – | – | – | – | – | – | – |
| Gloucester.. .. .. | 23 | 1·75 | 12 | 0·91 | 13 | 0·99 | 28 | 2·13 | – | – | 2 | 0·15 |
| Lydney .. .. .. | 2 | 0·20 | 26 | 2·61 | 8 | 0·80 | 8 | 0·80 | – | – | – | – |
| Marston Sicca .. .. | – | – | 4 | 2·40 | 2 | 1·20 | – | – | – | – | – | – |
| Newent .. .. .. | – | – | 8 | 1·21 | 9 | 1·37 | 4 | 0·61 | 1 | 0·15 | 2 | 0·30 |
| Northleach .. .. | – | – | 2 | 0·27 | 7 | 0·93 | – | – | – | – | 1 | 0·13 |
| Pebworth .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Stow on the Wold (part of)‡‖ .. .. .. | – | – | 3 | 0·48 | 2 | 0·32 | – | – | – | – | 8 | 1·29 |
| Stroud .. .. .. | 24 | 0·84 | 12 | 0·42 | 5 | 0·18 | 3 | 0·11 | – | – | – | – |
| Tetbury (part of)‡ .. | 1 | 0·28 | 7 | 1·98 | 6 | 1·70 | – | – | – | – | 2 | 0·57 |
| Tewkesbury (part of)‡ .. | – | – | 6 | 1·30 | 1 | 0·22 | 4 | 0·87 | – | – | 2 | 0·43 |
| Thornbury .. .. | – | – | 37 | 1·96 | 2 | 0·11 | 1 | 0·05 | – | – | 6 | 0·32 |
| Warmley .. .. .. | – | – | 89 | 4·68 | 6 | 0·32 | – | – | – | – | – | – |
| West Dean .. .. | – | – | 133 | 8·88 | 9 | 0·60 | 5 | 0·33 | – | – | 1 | 0·07 |
| Wheatenhurst .. .. | 4 | 0·64 | 4 | 0·64 | – | – | 1 | 0·16 | – | – | – | – |
| Winchcomb (part of)‡ .. | – | – | 29 | 3·28 | 4 | 0·45 | – | – | – | – | – | – |

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Faringdon is in the Administrative County of Berks.

‡ The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Worcester, and the remaining part of the Rural District of Tetbury is in the Administrative County of Wilts. The figures for the entire Districts are :—

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Stow on the Wold .. | – | – | 3 | 0·46 | 3 | 0·46 | – | – | – | – | 8 | 1·23 |
| Tetbury .. .. .. | 1 | 0·26 | 7 | 1·80 | 6 | 1·54 | – | – | – | – | 2 | 0·51 |
| Tewkesbury .. .. | – | – | 16 | 2·37 | 1 | 0·15 | 4 | 0·59 | – | – | 2 | 0·30 |
| Winchcomb .. .. | – | – | 29 | 3·25 | 4 | 0·45 | – | – | – | – | – | – |

‖ On 1st October, 1923, the Urban District of Stow on the Wold was extended to include part of the Rural District of Stow on the Wold. Allowance for this has been made in the calculation of rates.

§ Including 239 cases notified as chicken-pox, but subsequently diagnosed as small-pox.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria | | Enteric fever. | | Puerperal fever. | | Ery-sipelas | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate |
| **HEREFORD*** .. .. | 2 | 0·02 | 138 | 1·22 | 76 | 0·67 | 14 | 0·12 | 8 | 0·07 | 19 | 0·17 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 2 | 0·05 | 50 | 1·24 | 19 | 0·47 | 3 | 0·07 | 3 | 0·07 | 6 | 0·15 |
| AGGREGATE OF R.Ds. .. | – | – | 88 | 1·21 | 57 | 0·78 | 11 | 0·15 | 5 | 0·07 | 13 | 0·18 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Bromyard.. .. .. | – | – | 1 | 0·66 | – | – | – | – | – | – | 2 | 1·32 |
| Hereford M.B. .. .. | 2 | 0·08 | 16 | 0·68 | 17 | 0·72 | 1 | 0·04 | 3 | 0·13 | 2 | 0·08 |
| Kington .. .. .. | – | – | 5 | 2·97 | 1 | 0·59 | – | – | – | – | – | – |
| Ledbury .. .. .. | – | – | 4 | 1·27 | – | – | – | – | – | – | – | – |
| Leominster M.B.. .. | – | – | 18 | 3·19 | 1 | 0·18 | – | – | – | – | 1 | 0·18 |
| Ross .. .. .. | – | – | 6 | 1·27 | – | – | 2 | 0·42 | – | – | 1 | 0·21 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Bredwardine .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Bromyard.. .. .. | – | – | 4 | 0·51 | – | – | – | – | 1 | 0·13 | 3 | 0·39 |
| Dore .. .. .. | – | – | 7 | 1·12 | 3 | 0·48 | – | – | 1 | 0·16 | – | – |
| Hereford .. .. .. | – | – | 2 | 0·15 | 6 | 0·45 | 4 | 0·30 | 1 | 0·07 | 1 | 0·07 |
| Kington .. .. .. | – | – | 10 | 2·06 | 10 | 2·06 | 2 | 0·41 | – | – | – | – |
| Ledbury .. .. .. | – | – | 20 | 2·21 | 10 | 1·11 | – | – | – | – | 1 | 0·11 |
| Leominster .. .. | – | – | 19 | 2·50 | 2 | 0·26 | 1 | 0·13 | 1 | 0·13 | 6 | 0·79 |
| Ross .. .. .. | – | – | 5 | 0·49 | 8 | 0·78 | 2 | 0·20 | – | – | – | – |
| Weobley .. .. .. | – | – | 8 | 1·24 | 8 | 1·24 | 2 | 0·31 | 1 | 0·15 | – | – |
| Whitchurch .. .. | – | – | 2 | 1·18 | – | – | – | – | – | – | – | – |
| Wigmore .. .. .. | – | – | 11 | 3·07 | 10 | 2·79 | – | – | – | – | 2 | 0·56 |
| **HERTFORD*** .. .. | 1 | 0·00 | 486 | 1·44 | 189 | 0·56 | 39 | 0·12 | 8 | 0·02 | 54 | 0·16 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 330 | 1·42 | 101 | 0·43 | 23 | 0·10 | 3 | 0·01 | 43 | 0·19 |
| AGGREGATE OF R.Ds. .. | 1 | 0·01 | 156 | 1·48 | 88 | 0·83 | 16 | 0·15 | 5 | 0·05 | 11 | 0·10 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Baldock .. .. .. | – | – | – | – | 3 | 1·15 | – | – | – | – | 2 | 0·76 |
| Barnet .. .. .. | – | – | 11 | 0·92 | 8 | 0·67 | 1 | 0·08 | – | – | 2 | 0·17 |
| Bishop's Stortford .. | – | – | 14 | 1·60 | 1 | 0·11 | 10 | 1·14 | 1 | 0·11 | 1 | 0·11 |
| Bushey .. .. .. | – | – | 43 | 5·31 | 3 | 0·37 | – | – | – | – | – | – |
| Cheshunt .. .. .. | – | – | 18 | 1·29 | 4 | 0·29 | 2 | 0·14 | – | – | 5 | 0·36 |
| Chorleywood .. .. | – | – | 1 | 0·42 | – | – | – | – | – | – | – | – |
| East Barnet Valley .. | – | – | 8 | 0·58 | 6 | 0·44 | – | – | 1 | 0·07 | 3 | 0·22 |
| Great Berkhampstead .. | – | – | 12 | 1·64 | 1 | 0·14 | 1 | 0·14 | – | – | 4 | 0·55 |
| Harpenden .. .. | – | – | 27 | 4·08 | 9 | 1·36 | – | – | – | – | 3 | 0·45 |
| Hemel Hempstead M.B.. | – | – | 21 | 1·51 | 5 | 0·36 | 1 | 0·07 | – | – | 1 | 0·07 |
| Hertford M.B. .. .. | – | – | 25 | 2·30 | 17 | 1·56 | 1 | 0·09 | 1 | 0·09 | 1 | 0·09 |
| Hitchin .. .. .. | – | – | 14 | 1·04 | 2 | 0·15 | – | – | – | – | – | – |
| Hoddesdon .. .. | – | – | 3 | 0·55 | 3 | 0·55 | – | – | – | – | – | – |
| Letchworth .. .. | – | – | 19 | 1·73 | 7 | 0·64 | – | – | – | – | 1 | 0·09 |
| Rickmansworth .. .. | – | – | 4 | 0·52 | – | – | – | – | – | – | – | – |
| Royston .. .. .. | – | – | 31 | 8·16 | – | – | – | – | – | – | 1 | 0·26 |
| St. Albans M.B. .. .. | – | – | 25 | 0·97 | 13 | 0·50 | 1 | 0·04 | – | – | 3 | 0·12 |
| Sawbridgeworth .. .. | – | – | 3 | 1·28 | – | – | – | – | – | – | – | – |
| Stevenage.. .. .. | – | – | – | – | – | – | 2 | 0·39 | – | – | 4 | 0·79 |
| Tring .. .. .. | – | – | 8 | 1·88 | 2 | 0·47 | 1 | 0·23 | – | – | 1 | 0·23 |
| Ware .. .. .. | – | – | 8 | 1·33 | 3 | 0·50 | 1 | 0·17 | – | – | – | – |
| Watford M.B. .. .. | – | – | 35 | 0·74 | 14 | 0·30 | 2 | 0·04 | – | – | 11 | 0·23 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Ashwell .. .. .. | – | – | 5 | 1·40 | – | – | – | – | 1 | 0·28 | 1 | 0·28 |
| Barnet .. .. .. | – | – | 5 | 1·08 | 16 | 3·44 | – | – | – | – | – | – |
| Berkhampstead .. .. | – | – | 8 | 1·68 | 2 | 0·42 | – | – | – | – | – | – |
| Buntingford .. .. | – | – | 5 | 1·02 | 4 | 0·81 | – | – | – | – | 1 | 0·20 |
| Hadham .. .. .. | – | – | 23 | 4·18 | – | – | 2 | 0·36 | – | – | – | – |

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| **HERTFORD**—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS—*cont.* | | | | | | | | | | | | |
| Hatfield .. .. .. | – | – | 6 | 0·70 | 1 | 0·12 | – | – | – | – | 1 | 0·12 |
| Hemel Hempstead .. | – | – | 4 | 0·57 | 3 | 0·43 | – | – | 2 | 0·28 | 1 | 0·14 |
| Hertford .. .. | – | – | 5 | 0·69 | 7 | 0·97 | – | – | – | – | 2 | 0·28 |
| Hitchin .. .. .. | – | – | 11 | 0·83 | 1 | 0·08 | – | – | 1 | 0·08 | 2 | 0·15 |
| St. Albans.. .. .. | – | – | 21 | 1·40 | 8 | 0·53 | 3 | 0·20 | – | – | 1 | 0·07 |
| Ware .. .. .. | – | – | 15 | 1·33 | 14 | 1·24 | 2 | 0·18 | 1 | 0·09 | – | – |
| Watford .. .. .. | 1 | 0·06 | 47 | 2·89 | 11 | 0·68 | 9 | 0·55 | – | – | 2 | 0·12 |
| Welwyn .. .. .. | – | – | 1 | 0·28 | 21 | 5·87 | – | – | – | – | – | – |
| **HUNTINGDON*** .. .. | – | – | 41 | 0·74 | 16 | 0·29 | 1 | 0·02 | 1 | 0·02 | 8 | 0·14 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 13 | 0·53 | 9 | 0·37 | 1 | 0·04 | – | – | 4 | 0·16 |
| AGGREGATE OF R.Ds. .. | – | – | 28 | 0·90 | 7 | 0·23 | – | – | 1 | 0·03 | 4 | 0·13 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Godmanchester M.B. .. | – | – | 2 | 0·98 | – | – | – | – | – | – | 2 | 0·98 |
| Huntingdon M.B. .. | – | – | 3 | 0·72 | 1 | 0·24 | 1 | 0·24 | – | – | – | – |
| Old Fletton .. .. | – | – | 6 | 1·02 | 3 | 0·51 | – | – | – | – | 2 | 0·34 |
| Ramsey .. .. .. | – | – | 1 | 0·19 | 3 | 0·57 | – | – | – | – | – | – |
| St. Ives M.B. .. .. | – | – | 1 | 0·35 | – | – | – | – | – | – | – | – |
| St. Neots .. .. .. | – | – | – | – | 2 | 0·48 | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Huntingdon .. .. | – | – | 2 | 0·30 | – | – | – | – | – | – | – | – |
| Norman Cross .. .. | – | – | 1 | 0·18 | – | – | – | – | – | – | – | – |
| Oundle (part of)† .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| St. Ives .. .. .. | – | – | 5 | 0·52 | 4 | 0·41 | – | – | – | – | 3 | 0·31 |
| St. Neots, No. 1 .. .. | – | – | – | – | 1 | 0·42 | – | – | – | – | – | – |
| ,, ,, 2 .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, ,, 3 .. .. | – | – | 14 | 6·23 | 1 | 0·45 | – | – | – | – | – | – |
| ,, ,, 4 .. .. | – | – | – | – | 1 | 0·53 | – | – | – | – | 1 | 0·53 |
| Thrapston (part of)† .. | – | – | 5 | 6·06 | – | – | – | – | – | – | – | – |
| Sibson cum Stibbington (parish)‡ .. .. | – | – | 1 | 2·43 | – | – | – | – | 1 | 2·43 | – | – |
| **KENT** § ¶ .. .. .. | – | – | 1,688 | 1·54 | 841 | 0·77 | 120 | 0·11 | 41 | 0·04 | 255 | 0·23 |
| CANTERBURY C.B. .. .. | – | – | 20 | 0·85 | 3 | 0·13 | 1 | 0·04 | – | – | 9 | 0·38 |
| AGGREGATE OF M.Bs. AND U.Ds.¶ .. .. .. | – | – | 1,292 | 1·71 | 594 | 0·79 | 90 | 0·12 | 25 | 0·03 | 187 | 0·25 |
| AGGREGATE OF R.Ds.¶ .. | – | – | 376 | 1·17 | 244 | 0·76 | 29 | 0·09 | 16 | 0·05 | 59 | 0·18 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Ashford .. .. .. | – | – | 11 | 0·78 | 6 | 0·42 | 1 | 0·07 | – | – | 1 | 0·07 |
| Beckenham .. .. | – | – | 37 | 1·12 | 15 | 0·45 | 7 | 0·21 | – | – | 6 | 0·18 |
| Bexley .. .. .. | – | – | 45 | 2·02 | 32 | 1·44 | – | – | – | – | 3 | 0·13 |
| Broadstairs and St. Peter's | – | – | 9 | 0·81 | 13 | 1·17 | – | – | 1 | 0·09 | 1 | 0·09 |
| Bromley M.B. .. .. | – | – | 60 | 1·72 | 21 | 0·60 | – | – | 2 | 0·06 | 15 | 0·43 |
| Chatham M.B.¶ .. .. | – | – | 60 | 1·44 | 27 | 0·65 | 6 | 0·14 | – | – | 12 | 0·29 |
| Cheriton¶ .. .. | – | – | 9 | 1·75 | – | – | – | – | 2 | 0·39 | – | – |
| Chislehurst .. .. | – | – | 12 | 1·34 | 11 | 1·23 | – | – | – | – | 3 | 0·33 |
| Crayford .. .. .. | – | – | 11 | 0·88 | 4 | 0·32 | 1 | 0·08 | – | – | 2 | 0·16 |
| Dartford .. .. .. | – | – | 27 | 1·02 | 15 | 0·56 | 4 | 0·15 | 2 | 0·08 | 11 | 0·41 |

* Administrative County.

† The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Northampton.

‡ This Parish is administered by the Rural District Council of Barnack (Soke of Peterborough).

§ Administrative County with associated County Borough.

¶ Rates based upon estimated civilian populations.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate | Cases. | Rate. |
| **KENT**—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | |
| Deal M.B. .. .. | – | – | 1 | 0·08 | 2 | 0·16 | – | – | 1 | 0·08 | 6 | 0·49 |
| Dover M.B. .. .. | – | – | 32 | 0·79 | 35 | 0·86 | 5 | 0·12 | 4 | 0·10 | 11 | 0·27 |
| Erith .. .. .. | – | – | 167 | 5·11 | 24 | 0·73 | 5 | 0·15 | 2 | 0·06 | 7 | 0·21 |
| Faversham M.B. .. .. | – | – | 32 | 2·95 | 13 | 1·20 | – | – | – | – | 2 | 0·18 |
| Folkestone M.B. .. .. | – | – | 89 | 2·58 | 6 | 0·17 | 3 | 0·09 | 2 | 0·06 | 10 | 0·29 |
| Gillingham M.B.† .. | – | – | 142 | 2·98 | 90 | 1·89 | 2 | 0·04 | – | – | 10 | 0·21 |
| Gravesend M.B. .. .. | – | – | 72 | 2·25 | 50 | 1·56 | 2 | 0·06 | 3 | 0·09 | 10 | 0·31 |
| Herne Bay .. .. | – | – | 7 | 0·69 | 6 | 0·59 | – | – | – | – | – | – |
| Hythe M.B.† .. .. | – | – | 7 | 0·97 | – | – | 2 | 0·28 | – | – | – | – |
| Lydd M.B. .. .. | – | – | 1 | 0·45 | – | – | – | – | – | – | 3 | 1·34 |
| Maidstone M.B. .. .. | – | – | 28 | 0·72 | 27 | 0·70 | 5 | 0·13 | – | – | 6 | 0·15 |
| Margate M.B. .. .. | – | – | 93 | 3·31 | 24 | 0·85 | 3 | 0·11 | – | – | 2 | 0·07 |
| Milton Regis .. .. | – | – | 3 | 0·39 | 8 | 1·04 | 2 | 0·26 | 1 | 0·13 | 1 | 0·13 |
| New Romney M.B. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·67 |
| Northfleet.. .. .. | – | – | 37 | 2·24 | 30 | 1·82 | 2 | 0·12 | 1 | 0·06 | 1 | 0·06 |
| Penge .. .. .. | – | – | 25 | 0·93 | 24 | 0·90 | 3 | 0·11 | – | – | 3 | 0·11 |
| Queenborough M.B. .. | – | – | 21 | 6·58 | 10 | 3·13 | 1 | 0·31 | 1 | 0·31 | – | – |
| Ramsgate M.B. .. .. | – | – | 39 | 1·29 | 17 | 0·56 | 4 | 0·13 | – | – | 8 | 0·26 |
| Rochester M.B. .. .. | – | – | 49 | 1·53 | 26 | 0·81 | 8 | 0·25 | – | – | 16 | 0·50 |
| Royal Tunbridge Wells M.B. .. .. .. | – | – | 33 | 0·96 | 11 | 0·32 | 4 | 0·12 | – | – | 14 | 0·41 |
| Sandgate† .. .. | – | – | 4 | 2·48 | 1 | 0·62 | – | – | – | – | – | – |
| Sandwich M.B. .. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·32 |
| Sevenoaks.. .. .. | – | – | 6 | 0·67 | 7 | 0·78 | 1 | 0·11 | – | – | – | – |
| Sheerness† .. .. | – | – | 53 | 3·16 | 14 | 0·84 | 5 | 0·30 | 1 | 0·06 | 6 | 0·36 |
| Sidcup .. .. .. | – | – | 5 | 0·57 | 6 | 0·68 | 3 | 0·34 | – | – | 2 | 0·23 |
| Sittingbourne .. .. | – | – | 17 | 1·77 | 10 | 1·04 | 2 | 0·21 | – | – | 2 | 0·21 |
| Southborough .. .. | – | – | – | – | – | – | – | – | – | – | 3 | 0·43 |
| Tenterden M.B. .. .. | – | – | 1 | 0·31 | 2 | 0·61 | 2 | 0·61 | – | – | – | – |
| Tonbridge .. .. | – | – | 26 | 1·62 | 5 | 0·31 | – | – | 1 | 0·06 | 5 | 0·31 |
| Walmer† .. .. .. | – | – | 2 | 0·45 | 1 | 0·22 | – | – | 1 | 0·22 | – | – |
| Whitstable .. .. | – | – | 8 | 0·85 | 1 | 0·11 | 7 | 0·74 | – | – | 3 | 0·32 |
| Wrotham .. .. .. | – | – | 11 | 2·58 | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Blean .. .. .. | – | – | 2 | 0·24 | – | – | – | – | – | – | – | – |
| Bridge .. .. .. | – | – | 10 | 0·89 | 2 | 0·18 | 1 | 0·09 | – | – | – | – |
| Bromley .. .. .. | – | – | 71 | 2·74 | 20 | 0·77 | 2 | 0·08 | – | – | 9 | 0·35 |
| Cranbrook.. .. .. | – | – | 5 | 0·39 | 6 | 0·46 | 1 | 0·08 | 1 | 0·08 | 1 | 0·08 |
| Dartford .. .. .. | – | – | 35 | 0·90 | 51 | 1·31 | 1 | 0·03 | – | – | 8 | 0·20 |
| Dover† .. .. .. | – | – | 6 | 0·73 | 6 | 0·73 | 1 | 0·12 | – | – | – | – |
| East Ashford .. .. | – | – | 24 | 1·59 | 4 | 0·26 | – | – | 1 | 0·07 | – | – |
| Eastry .. .. .. | – | – | 6 | 0·45 | 11 | 0·82 | – | – | 1 | 0·07 | 1 | 0·07 |
| Elham .. .. .. | – | – | 5 | 0·63 | 1 | 0·13 | 1 | 0·13 | – | – | 2 | 0·25 |
| Faversham .. .. | – | – | 27 | 1·88 | 37 | 2·58 | – | – | 3 | 0·21 | 4 | 0·28 |
| Hollingbourne .. .. | – | – | 14 | 1·06 | 6 | 0·45 | 5 | 0·38 | 1 | 0·08 | – | – |
| Hoo† .. .. .. | – | – | – | – | 1 | 0·22 | 1 | 0·22 | – | – | – | – |
| Isle of Thanet† .. .. | – | – | 18 | 1·56 | 8 | 0·69 | – | – | – | – | 4 | 0·35 |
| Maidstone.. .. .. | – | – | 9 | 0·53 | 14 | 0·82 | 3 | 0·18 | – | – | 2 | 0·12 |
| Malling .. .. .. | – | – | 52 | 2·02 | 8 | 0·31 | 6 | 0·23 | 2 | 0·08 | 2 | 0·08 |
| Milton .. .. .. | – | – | 26 | 1·82 | 29 | 2·04 | 2 | 0·14 | 1 | 0·07 | 1 | 0·07 |
| Romney Marsh .. .. | – | – | – | – | 1 | 0·32 | – | – | – | – | – | – |
| Sevenoaks.. .. .. | – | – | 19 | 0·80 | 13 | 0·55 | 2 | 0·08 | – | – | 9 | 0·38 |
| Sheppey† .. .. .. | – | – | 7 | 1·58 | 3 | 0·68 | 1 | 0·23 | 1 | 0·23 | 5 | 1·13 |
| Strood .. .. .. | – | – | 22 | 1·33 | 13 | 0·79 | – | – | – | – | 2 | 0·12 |
| Tenterden.. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Tonbridge .. .. | – | – | 15 | 0·85 | 6 | 0·34 | 1 | 0·06 | 3 | 0·17 | 7 | 0·39 |
| West Ashford .. .. | – | – | 3 | 0·39 | 4 | 0·52 | 1 | 0·13 | 2 | 0·26 | 2 | 0·26 |

† Rates based upon estimated civilian populations.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases | Rate | Cases. | Rate. | Cases. | Rate. |
| **LANCASTER*†** .. | 78 | 0·02 | 13,038 | 2·60 | 3,987 | 0·79 | 338 | 0·07 | 345 | 0·07 | 2,048 | 0·41 |
| BARROW IN FURNESS C.B. .. | – | – | 211 | 2·83 | 13 | 0·17 | 2 | 0·03 | – | – | 14 | 0·19 |
| BLACKBURN C.B. .. .. | – | – | 216 | 1·67 | 35 | 0·27 | 4 | 0·03 | 12 | 0·09 | 51 | 0·40 |
| BLACKPOOL C.B. .. .. | – | – | 156 | 2·08 | 26 | 0·35 | 6 | 0·08 | 10 | 0·13 | 22 | 0·29 |
| BOLTON C.B. .. .. .. | – | – | 642 | 3·52 | 84 | 0·46 | 4 | 0·02 | 3 | 0·02 | 57 | 0·31 |
| BOOTLE C.B. .. .. .. | – | – | 230 | 2·82 | 86 | 1·05 | 2 | 0·02 | 5 | 0·06 | 22 | 0·27 |
| BURNLEY C.B. .. .. | – | – | 595 | 5·68 | 105 | 1·00 | 14 | 0·13 | 2 | 0·02 | 68 | 0·65 |
| BURY C.B. .. .. .. | – | – | 138 | 2·41 | 55 | 0·96 | 4 | 0·07 | 3 | 0·05 | 28 | 0·49 |
| LIVERPOOL C.B. .. .. | 1 | 0·00 | 2,307 | 2·75 | 993 | 1·19 | 18 | 0·02 | 43 | 0·05 | 383 | 0·46 |
| MANCHESTER C.B. .. .. | – | – | 1,841 | 2·45 | 549 | 0·73 | 50 | 0·07 | 131 | 0·17 | 301 | 0·40 |
| OLDHAM C.B... .. .. | – | – | 237 | 1·61 | 63 | 0·43 | 1 | 0·01 | 9 | 0·06 | 63 | 0·43 |
| PRESTON C.B. .. .. | – | – | 221 | 1·82 | 140 | 1·15 | 9 | 0·07 | 8 | 0·07 | 38 | 0·31 |
| ROCHDALE C.B. .. .. | – | – | 430 | 4·64 | 77 | 0·83 | 9 | 0·10 | 2 | 0·02 | 20 | 0·22 |
| ST. HELENS C.B. .. .. | – | – | 258 | 2·41 | 104 | 0·97 | 2 | 0·02 | 4 | 0·04 | 53 | 0·49 |
| SALFORD C.B... .. .. | – | – | 863 | 3·57 | 311 | 1·29 | 27 | 0·11 | 19 | 0·08 | 100 | 0·41 |
| SOUTHPORT C.B. .. .. | – | – | 100 | 1·38 | 36 | 0·50 | 14 | 0·19 | 1 | 0·01 | 23 | 0·32 |
| WARRINGTON C.B. .. .. | – | – | 173 | 2·19 | 58 | 0·74 | 4 | 0·05 | 14 | 0·18 | 40 | 0·51 |
| WIGAN C.B. .. .. .. | – | – | 92 | 1·00 | 42 | 0·46 | 25 | 0·27 | 1 | 0·01 | 52 | 0·57 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | 77 | 0·05 | 3,879 | 2·54 | 1,083 | 0·71 | 118 | 0·08 | 68 | 0·04 | 642 | 0·42 |
| AGGREGATE OF R.Ds.† .. | – | – | 449 | 1·83 | 127 | 0·52 | 25 | 0·10 | 10 | 0·04 | 71 | 0·29 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Abram .. .. .. | – | – | 7 | 1·00 | 2 | 0·29 | – | – | – | – | 1 | 0·14 |
| Accrington M.B. .. .. | – | – | 73 | 1·65 | 7 | 0·16 | 1 | 0·02 | – | – | 27 | 0·61 |
| Adlington .. .. .. | – | – | 5 | 1·10 | 1 | 0·22 | – | – | – | – | 4 | 0·88 |
| Ashton in Makerfield .. | – | – | 58 | 2·47 | 98 | 4·18 | 2 | 0·09 | 2 | 0·09 | 12 | 0·51 |
| Ashton under Lyne M.B. | – | – | 133 | 3·01 | 13 | 0·29 | 6 | 0·14 | 7 | 0·16 | 12 | 0·27 |
| Aspull .. .. .. | – | – | 10 | 1·22 | 12 | 1·46 | – | – | – | – | 11 | 1·34 |
| Atherton .. .. .. | – | – | 82 | 4·01 | 35 | 1·71 | – | – | 2 | 0·10 | 14 | 0·68 |
| Audenshaw .. .. | – | – | 44 | 5·39 | 1 | 0·12 | 1 | 0·12 | – | – | 3 | 0·37 |
| Bacup M.B. .. .. | – | – | 14 | 0·65 | 3 | 0·14 | 1 | 0·05 | 1 | 0·05 | 14 | 0·65 |
| Barrowford .. .. | 2 | 0·35 | 4 | 0·70 | 1 | 0·18 | 1 | 0·18 | – | – | 1 | 0·18 |
| Billinge .. .. .. | – | – | 9 | 1·72 | 1 | 0·19 | – | – | 1 | 0·19 | – | – |
| Blackrod .. .. .. | – | – | 9 | 2·26 | 1 | 0·25 | – | – | – | – | 1 | 0·25 |
| Brierfield .. .. .. | 1 | 0·12 | 12 | 1·43 | 2 | 0·24 | – | – | – | – | 3 | 0·36 |
| Carnforth .. .. .. | – | – | – | – | 4 | 1·23 | – | – | – | – | – | – |
| Chadderton .. .. | – | – | 64 | 2·18 | 12 | 0·41 | – | – | – | – | 9 | 0·31 |
| Chorley M.B. .. .. | – | – | 10 | 0·32 | 14 | 0·45 | – | – | 2 | 0·06 | 14 | 0·45 |
| Church .. .. .. | – | – | 14 | 2·04 | – | – | 1 | 0·15 | 1 | 0·15 | 3 | 0·44 |
| Clayton le Moors .. | – | – | 11 | 1·26 | 2 | 0·23 | – | – | – | – | 1 | 0·11 |
| Clitheroe M.B. .. .. | 3 | 0·24 | 6 | 0·49 | 2 | 0·16 | 1 | 0·08 | – | – | 3 | 0·24 |
| Colne M.B. .. .. | 1 | 0·04 | 109 | 4·32 | 21 | 0·83 | 2 | 0·08 | – | – | 23 | 0·91 |
| Crompton .. .. .. | – | – | 31 | 2·02 | 9 | 0·59 | 4 | 0·26 | – | – | 7 | 0·46 |
| Croston .. .. .. | – | – | 1 | 0·50 | – | – | – | – | – | – | – | – |
| Dalton in Furness .. | – | – | 29 | 2·33 | 4 | 0·32 | – | – | – | – | 8 | 0·64 |
| Darwen M.B. .. .. | – | – | 147 | 3·77 | 6 | 0·15 | 2 | 0·05 | 4 | 0·10 | 10 | 0·26 |
| Denton .. .. .. | – | – | 57 | 3·17 | 14 | 0·78 | – | – | – | – | 5 | 0·28 |
| Droylsden.. .. .. | – | – | 48 | 3·39 | 6 | 0·42 | – | – | 3 | 0·21 | 4 | 0·28 |
| Eccles M.B. .. .. | – | – | 51 | 1·13 | 12 | 0·27 | 2 | 0·04 | 5 | 0·11 | 12 | 0·27 |
| Failsworth .. .. | – | – | 78 | 4·51 | 26 | 1·50 | 2 | 0·12 | 1 | 0·06 | 6 | 0·35 |
| Farnworth .. .. | – | – | 50 | 1·73 | 20 | 0·69 | 3 | 0·10 | 2 | 0·07 | 16 | 0·55 |
| Fleetwood.. .. .. | – | – | 16 | 0·80 | 20 | 1·01 | – | – | – | – | 4 | 0·20 |
| Formby .. .. .. | – | – | 7 | 1·11 | 2 | 0·32 | – | – | – | – | – | – |
| Fulwood† .. .. .. | – | – | 8 | 1·33 | 1 | 0·17 | – | – | – | – | 3 | 0·50 |
| Golborne .. .. .. | – | – | 7 | 0·93 | 24 | 3·18 | 2 | 0·26 | – | – | 8 | 1·06 |
| Grange .. .. .. | – | – | 1 | 0·50 | 5 | 2·49 | – | – | – | – | – | – |
| Great Crosby .. .. | – | – | 30 | 2·20 | 4 | 0·29 | 2 | 0·15 | – | – | 7 | 0·51 |

* Administrative County with associated County Boroughs.

† Rates based upon estimated civilian populations.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **LANCASTER**—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.*:— | | | | | | | | | | | | |
| Great Harwood .. .. | – | – | 57 | 4·08 | 38 | 2·72 | – | – | 1 | 0·07 | 12 | 0·86 |
| Haslingden M.B. .. .. | – | – | 63 | 3·56 | – | – | – | – | – | – | 22 | 1·24 |
| Haydock .. .. .. | – | – | 33 | 3·02 | 11 | 1·01 | 1 | 0·09 | – | – | 12 | 1·10 |
| Heysham .. .. .. | – | – | 6 | 1·52 | 7 | 1·77 | – | – | – | – | – | – |
| Heywood M.B. .. .. | – | – | 116 | 4·29 | 25 | 0·92 | 2 | 0·07 | 4 | 0·15 | 14 | 0·52 |
| Hindley .. .. .. | – | – | 56 | 2·29 | 18 | 0·74 | 2 | 0·08 | – | – | 8 | 0·33 |
| Horwich .. .. .. | – | – | 27 | 1·69 | 28 | 1·76 | – | – | – | – | – | – |
| Hurst .. .. .. | – | – | 19 | 2·28 | 2 | 0·24 | – | – | – | – | 5 | 0·60 |
| Huyton with Roby .. | – | – | 11 | 2·12 | 3 | 0·58 | – | – | – | – | 1 | 0·19 |
| Ince in Makerfield .. | – | – | 78 | 3·25 | 9 | 0·37 | 8 | 0·33 | – | – | 10 | 0·42 |
| Irlam .. .. .. | – | – | 9 | 0·80 | 15 | 1·33 | – | – | 1 | 0·09 | 8 | 0·71 |
| Kearsley .. .. .. | – | – | 20 | 1·97 | 2 | 0·20 | 1 | 0·10 | – | – | 7 | 0·69 |
| Kirkham .. .. .. | – | – | 17 | 4·43 | 3 | 0·78 | – | – | – | – | – | – |
| Lancaster M.B. .. .. | – | – | 72 | 1·76 | 40 | 0·98 | 5 | 0·12 | 3 | 0·07 | 14 | 0·34 |
| Lathom and Burscough .. | – | – | 7 | 0·91 | 9 | 1·17 | – | – | – | – | 2 | 0·26 |
| Lees .. .. .. | – | – | 10 | 2·04 | 1 | 0·20 | – | – | – | – | 3 | 0·61 |
| Leigh M.B. .. .. | – | – | 171 | 3·66 | 39 | 0·83 | 4 | 0·09 | 3 | 0·06 | 19 | 0·41 |
| Leyland .. .. .. | – | – | 25 | 2·71 | 2 | 0·22 | – | – | – | – | 7 | 0·76 |
| Litherland.. .. .. | – | – | 105 | 6·14 | 28 | 1·64 | – | – | – | – | 4 | 0·23 |
| Littleborough .. .. | – | – | 20 | 1·72 | – | – | – | – | – | – | – | – |
| Little Crosby .. .. | – | – | 1 | 0·87 | – | – | – | – | – | – | 1 | 0·87 |
| Little Hulton .. .. | – | – | 5 | 0·61 | 8 | 0·97 | – | – | – | – | 2 | 0·24 |
| Little Lever .. .. | – | – | 10 | 1·99 | 2 | 0·40 | – | – | – | – | 9 | 1·79 |
| Longridge.. .. .. | – | – | 4 | 0·93 | 4 | 0·93 | – | – | – | – | – | – |
| Lytham St. Anne's M.B. | – | – | 19 | 0·91 | 9 | 0·43 | 2 | 0·10 | – | – | – | – |
| Middleton M.B. .. .. | – | – | 97 | 3·36 | 11 | 0·38 | 5 | 0·17 | – | – | 5 | 0·17 |
| Milnrow .. .. .. | – | – | 6 | 0·70 | 3 | 0·35 | – | – | – | – | 3 | 0·35 |
| Morecambe M.B. .. | – | – | 30 | 2·16 | 11 | 0·79 | 2 | 0·14 | – | – | 11 | 0·79 |
| Mossley M.B. .. .. | – | – | 45 | 3·49 | 4 | 0·31 | 1 | 0·08 | – | – | 3 | 0·23 |
| Nelson M.B. .. .. | 69 | 1·71 | 42 | 1·04 | 4 | 0·10 | 3 | 0·07 | – | – | 12 | 0·30 |
| Newton in Makerfield .. | – | – | 51 | 2·61 | 10 | 0·51 | – | – | – | – | 16 | 0·82 |
| Norden .. .. .. | – | – | 9 | 2·17 | 1 | 0·24 | – | – | 4 | 0·96 | 1 | 0·24 |
| Ormskirk .. .. .. | – | – | 17 | 2·25 | 5 | 0·66 | – | – | 1 | 0·13 | 8 | 1·06 |
| Orrell .. .. .. | – | – | 6 | 0·85 | 13 | 1·84 | 5 | 0·71 | 1 | 0·14 | 4 | 0·57 |
| Oswaldtwistle .. .. | – | – | 12 | 0·78 | 8 | 0·52 | 1 | 0·07 | 2 | 0·13 | 10 | 0·65 |
| Padiham .. .. .. | – | – | 30 | 2·36 | 7 | 0·55 | – | – | 1 | 0·08 | 7 | 0·55 |
| Poulton le Fylde .. .. | – | – | 20 | 7·26 | – | – | – | – | – | – | 1 | 0·36 |
| Preesall .. .. .. | – | – | 5 | 2·88 | – | – | – | – | – | – | – | – |
| Prescot .. .. .. | – | – | 20 | 2·09 | 8 | 0·83 | – | – | – | – | 5 | 0·52 |
| Prestwich .. .. .. | – | – | 44 | 2·30 | 8 | 0·42 | 3 | 0·16 | 1 | 0·05 | – | – |
| Radcliffe .. .. .. | 1 | 0·04 | 42 | 1·66 | 24 | 0·95 | 3 | 0·12 | 3 | 0·12 | 19 | 0·75 |
| Rainford .. .. .. | – | – | 1 | 0·28 | 1 | 0·28 | 1 | 0·28 | – | – | 1 | 0·28 |
| Ramsbottom .. .. | – | – | 59 | 3·83 | 11 | 0·71 | – | – | 2 | 0·13 | 4 | 0·26 |
| Rawtenstall M.B. .. | – | – | 31 | 1·07 | 11 | 0·38 | – | – | 1 | 0·03 | 15 | 0·52 |
| Rishton .. .. .. | – | – | 13 | 1·82 | 7 | 0·98 | – | – | – | – | 7 | 0·98 |
| Royton .. .. .. | – | – | 31 | 1·75 | 6 | 0·34 | – | – | – | – | 2 | 0·11 |
| Skelmersdale .. .. | – | – | 17 | 2·45 | 1 | 0·14 | 1 | 0·14 | – | – | 1 | 0·14 |
| Standish with Langtree .. | – | – | 4 | 0·53 | 2 | 0·26 | 1 | 0·13 | – | – | 5 | 0·66 |
| Stretford .. .. .. | – | – | 231 | 4·82 | 31 | 0·65 | 1 | 0·02 | – | – | 13 | 0·27 |
| Swinton and Pendlebury | – | – | 128 | 4·00 | 25 | 0·78 | 4 | 0·13 | – | – | 19 | 0·59 |
| Thornton .. .. .. | – | – | 6 | 1·09 | 2 | 0·36 | – | – | – | – | – | – |
| Tottington .. .. | – | – | 11 | 1·61 | 6 | 0·88 | 1 | 0·15 | – | – | 8 | 1·17 |
| Trawden .. .. .. | – | – | 4 | 1·44 | – | – | – | – | – | – | – | – |
| Turton .. .. .. | – | – | 45 | 3·66 | 3 | 0·24 | 2 | 0·16 | 1 | 0·08 | – | – |
| Tyldesley with Shakerley | – | – | 67 | 4·14 | 28 | 1·73 | 8 | 0·49 | – | – | 10 | 0·62 |
| Ulverston .. .. .. | – | – | 51 | 5·04 | 4 | 0·40 | – | – | – | – | 7 | 0·69 |
| Upholland.. .. .. | – | – | 35 | 6·26 | 1 | 0·18 | 3 | 0·54 | – | – | – | – |
| Urmston .. .. .. | – | – | 3 | 0·36 | 1 | 0·12 | – | – | – | – | 3 | 0·36 |
| Walton le Dale .. .. | – | – | 26 | 2·10 | 7 | 0·57 | 3 | 0·24 | – | – | 6 | 0·49 |
| Wardle .. .. .. | – | – | 3 | 0·66 | – | – | – | – | – | – | – | – |
| Waterloo with Seaforth .. | – | – | 59 | 1·96 | 28 | 0·93 | 3 | 0·10 | – | – | 4 | 0·13 |
| Westhoughton .. .. | – | – | 27 | 1·66 | 9 | 0·55 | 4 | 0·25 | 3 | 0·18 | 2 | 0·12 |
| Whitefield.. .. .. | – | – | 25 | 3·52 | 3 | 0·42 | – | – | – | – | 6 | 0·85 |
| Whitworth .. .. | – | – | 5 | 0·56 | 1 | 0·11 | 2 | 0·23 | – | – | 5 | 0·56 |
| Widnes M.B. .. .. | – | – | 291 | 7·12 | 82 | 2·01 | 2 | 0·05 | 3 | 0·07 | 11 | 0·27 |

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **LANCASTER**—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.*:— | | | | | | | | | | | | |
| Withnell .. .. .. | – | – | 2 | 0·58 | 1 | 0·29 | 1 | 0·29 | – | – | 1 | 0·29 |
| Worsley .. .. .. | – | – | 32 | 2·22 | 7 | 0·49 | – | – | 2 | 0·14 | 1 | 0·07 |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Barton upon Irwell .. | – | – | 19 | 1·89 | 5 | 0·50 | 1 | 0·10 | 1 | 0·10 | 2 | 0·20 |
| Blackburn.. .. .. | – | – | 19 | 1·88 | 1 | 0·10 | – | – | – | – | 2 | 0·20 |
| Burnley .. .. .. | – | – | 17 | 0·87 | 14 | 0·72 | 2 | 0·10 | 1 | 0·05 | 4 | 0·20 |
| Bury .. .. .. | – | – | 27 | 2·80 | 2 | 0·21 | – | – | 1 | 0·10 | – | – |
| Chorley .. .. .. | – | – | 20 | 0·89 | 9 | 0·40 | 4 | 0·18 | 2 | 0·09 | 9 | 0·40 |
| Clitheroe .. .. .. | – | – | 15 | 2·20 | 2 | 0·29 | – | – | – | – | 3 | 0·44 |
| Fylde .. .. .. | – | – | 35 | 2·71 | 28 | 2·17 | 2 | 0·15 | – | – | 1 | 0·08 |
| Garstang .. .. .. | – | – | 14 | 1·28 | 13 | 1·19 | 4 | 0·37 | 1 | 0·09 | – | – |
| Lancaster .. .. .. | – | – | 16 | 1·70 | – | – | 1 | 0·11 | – | – | 3 | 0·32 |
| Leigh .. .. .. | – | – | 44 | 3·88 | 12 | 1·06 | 2 | 0·18 | 2 | 0·18 | 7 | 0·62 |
| Limehurst† .. .. | – | – | 44 | 4·72 | 3 | 0·32 | – | – | – | – | 5 | 0·54 |
| Lunesdale.. .. .. | – | – | 1 | 0·15 | 1 | 0·15 | – | – | – | – | – | – |
| Preston .. .. .. | – | – | 22 | 0·94 | 5 | 0·21 | 1 | 0·04 | – | – | 1 | 0·04 |
| Sefton .. .. .. | – | – | 10 | 2·18 | 3 | 0·65 | – | – | – | – | 4 | 0·87 |
| Ulverston .. .. .. | – | – | 33 | 1·83 | 3 | 0·17 | 4 | 0·22 | 1 | 0·06 | 10 | 0·56 |
| Warrington .. .. | – | – | 22 | 1·76 | 5 | 0·40 | 1 | 0·08 | 1 | 0·08 | 6 | 0·48 |
| West Lancashire .. .. | – | – | 29 | 1·34 | 6 | 0·28 | 1 | 0·05 | – | – | 6 | 0·28 |
| Whiston .. .. .. | – | – | 45 | 2·22 | 9 | 0·44 | 2 | 0·10 | – | – | 2 | 0·10 |
| Wigan .. .. .. | – | – | 17 | 2·69 | 6 | 0·95 | – | – | – | – | 6 | 0·95 |
| **LEICESTER*** .. .. | 17 | 0·03 | 704 | 1·39 | 400 | 0·79 | 34 | 0·07 | 10 | 0·02 | 139 | 0·27 |
| LEICESTER C.B. .. .. | – | – | 486 | 2·03 | 131 | 0·55 | 8 | 0·03 | 6 | 0·03 | 85 | 0·35 |
| AGGREGATE OF M.B. AND U.Ds. .. .. .. | 17 | 0·15 | 97 | 0·87 | 67 | 0·60 | 6 | 0·05 | 2 | 0·02 | 21 | 0·19 |
| AGGREGATE OF R.Ds. .. | – | – | 121 | 0·77 | 202 | 1·29 | 20 | 0·13 | 2 | 0·01 | 33 | 0·21 |
| BOROUGH AND URBAN DISTRICTS:— | | | | | | | | | | | | |
| Ashby de la Zouch .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Ashby Woulds .. .. | 17 | 4·93 | 3 | 0·87 | 3 | 0·87 | – | – | – | – | 1 | 0·29 |
| Coalville .. .. .. | – | – | 29 | 1·34 | 24 | 1·11 | 1 | 0·05 | 1 | 0·05 | 3 | 0·14 |
| Hinckley .. .. .. | – | – | 7 | 0·49 | – | – | – | – | 1 | 0·07 | 2 | 0·14 |
| Loughborough M.B. .. | – | – | 18 | 0·68 | 12 | 0·45 | 4 | 0·15 | – | – | 7 | 0·26 |
| Market Harborough .. | – | – | 13 | 1·48 | 1 | 0·11 | – | – | – | – | 1 | 0·11 |
| Melton Mowbray.. .. | – | – | 6 | 0·63 | 2 | 0·21 | – | – | – | – | 3 | 0·31 |
| Oadby .. .. .. | – | – | 4 | 1·29 | 2 | 0·64 | – | – | – | – | 2 | 0·64 |
| Quorndon .. .. .. | – | – | 1 | 0·41 | 2 | 0·81 | – | – | – | – | – | – |
| Shepshed .. .. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·17 |
| Thurmaston .. .. | – | – | 4 | 1·67 | – | – | 1 | 0·42 | – | – | 1 | 0·42 |
| Wigston Magna .. .. | – | – | 12 | 1·33 | 21 | 2·33 | – | – | – | – | – | – |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Ashby de la Zouch .. | – | – | 34 | 1·92 | 103 | 5·83 | 3 | 0·17 | – | – | 2 | 0·11 |
| Barrow upon Soar .. | – | – | 13 | 0·50 | 16 | 0·62 | 7 | 0·27 | 1 | 0·04 | 8 | 0·31 |
| Belvoir .. .. .. | – | – | 1 | 0·30 | – | – | 1 | 0·30 | – | – | 3 | 0·91 |
| Billesdon .. .. .. | – | – | 9 | 1·18 | – | – | – | – | 1 | 0·13 | – | – |
| Blaby .. .. .. | – | – | 8 | 0·45 | 12 | 0·67 | 2 | 0·11 | – | – | 6 | 0·34 |
| Castle Donington.. .. | – | – | 1 | 0·16 | 2 | 0·32 | 2 | 0·32 | – | – | 1 | 0·16 |
| Hallaton .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Hinckley .. .. .. | – | – | 12 | 0·80 | 5 | 0·33 | – | – | – | – | 4 | 0·27 |
| Loughborough .. .. | – | – | 4 | 0·88 | 2 | 0·44 | – | – | – | – | 1 | 0·22 |
| Lutterworth .. .. | – | – | – | – | 4 | 0·39 | 1 | 0·10 | – | – | 1 | 0·10 |
| Market Bosworth.. .. | – | – | 23 | 0·96 | 51 | 2·13 | 1 | 0·04 | – | – | 3 | 0·13 |
| Market Harborough .. | – | – | 11 | 1·45 | 2 | 0·26 | – | – | – | – | – | – |
| Melton Mowbray.. .. | – | – | 5 | 0·34 | 5 | 0·34 | 3 | 0·20 | – | – | 4 | 0·27 |

* Administrative County with associated County Borough.
† Rates based upon estimated civilian population.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| **LINCOLN, PARTS OF HOLLAND*** .. .. | – | – | 82 | 0·95 | 51 | 0·59 | 6 | 0·07 | 1 | 0·01 | 7 | 0·08 |
| AGGREGATE OF M.B. AND U.Ds. .. .. .. | – | – | 38 | 0·99 | 30 | 0·78 | 2 | 0·05 | – | – | 4 | 0·10 |
| AGGREGATE OF R.Ds. .. | – | – | 44 | 0·91 | 21 | 0·43 | 4 | 0·08 | 1 | 0·02 | 3 | 0·06 |
| BOROUGH AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Boston M.B. .. .. | – | – | 14 | 0·86 | 3 | 0·18 | 2 | 0·12 | – | – | 3 | 0·18 |
| Holbeach .. .. .. | – | – | 7 | 1·26 | – | – | – | – | – | – | 1 | 0·18 |
| Long Sutton .. .. | – | – | – | – | 2 | 0·61 | – | – | – | – | – | – |
| Spalding .. .. .. | – | – | 15 | 1·39 | 25 | 2·32 | – | – | – | – | – | – |
| Sutton Bridge .. .. | – | – | 2 | 0·84 | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Boston .. .. .. | – | – | 28 | 1·25 | 2 | 0·09 | 2 | 0·09 | – | – | 1 | 0·04 |
| Crowland .. .. .. | – | – | – | – | 17 | 6·14 | – | – | – | – | 1 | 0·36 |
| East Elloe.. .. .. | – | – | 15 | 1·54 | 1 | 0·10 | 2 | 0·21 | 1 | 0·10 | 1 | 0·10 |
| Spalding (part of) § .. | – | – | 1 | 0·07 | 1 | 0·07 | – | – | – | – | – | – |
| **LINCOLN, PARTS OF KESTEVEN*†** .. .. | 2 | 0·02 | 84 | 0·78 | 60 | 0·56 | 6 | 0·06 | 1 | 0·01 | 15 | 0·14 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 1 | 0·02 | 47 | 1·13 | 23 | 0·56 | 4 | 0·10 | 1 | 0·02 | 8 | 0·19 |
| AGGREGATE OF R.Ds.† .. | 1 | 0·02 | 37 | 0·56 | 37 | 0·56 | 2 | 0·03 | – | – | 7 | 0·11 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Bourne .. .. .. | – | – | 17 | 3·94 | 2 | 0·46 | – | – | – | – | – | – |
| Grantham M.B. .. .. | 1 | 0·05 | 12 | 0·63 | 4 | 0·21 | 1 | 0·05 | – | – | 3 | 0·16 |
| Ruskington .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Sleaford .. .. .. | – | – | 12 | 1·73 | 4 | 0·58 | 1 | 0·14 | – | – | 4 | 0·58 |
| Stamford M.B. .. .. | – | – | 6 | 0·60 | 13 | 1·30 | 2 | 0·20 | 1 | 0·10 | 1 | 0·10 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Bourne .. .. .. | – | – | 11 | 0·87 | 4 | 0·31 | – | – | – | – | – | – |
| Branston .. .. .. | – | – | 1 | 0·07 | 2 | 0·14 | – | – | – | – | 1 | 0·07 |
| Claypole .. .. .. | – | – | 13 | 1·65 | 15 | 1·91 | – | – | – | – | 2 | 0·25 |
| Grantham.. .. .. | 1 | 0·08 | 4 | 0·33 | 5 | 0·41 | – | – | – | – | – | – |
| Sleaford† .. .. .. | – | – | 7 | 0·41 | 10 | 0·58 | 2 | 0·12 | – | – | 3 | 0·17 |
| Spalding (part of) § .. | – | – | – | – | 1 | 1·57 | – | – | – | – | – | – |
| Uffington .. .. .. | – | – | 1 | 0·70 | – | – | – | – | – | – | 1 | 0·70 |
| **LINCOLN, PARTS OF LINDSEY‡** .. .. | 3 | 0·01 | 547 | 1·34 | 331 | 0·81 | 24 | 0·06 | 10 | 0·02 | 83 | 0·20 |
| GRIMSBY C.B. .. .. | – | – | 137 | 1·60 | 80 | 0·93 | 4 | 0·05 | 1 | 0·01 | 17 | 0·20 |
| LINCOLN C.B. .. .. | 1 | 0·01 | 60 | 0·90 | 37 | 0·55 | – | – | | – | 9 | 0·13 |
| AGGREGATE OF M.B. AND U.Ds. .. .. .. | 2 | 0·02 | 254 | 2·13 | 152 | 1·27 | 9 | 0·08 | 7 | 0·06 | 43 | 0·36 |
| AGGREGATE OF R.Ds. .. | – | – | 96 | 0·70 | 62 | 0·45 | 11 | 0·08 | 2 | 0·01 | 14 | 0·10 |
| BOROUGH AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Alford .. .. .. | – | – | 2 | 0·91 | – | – | – | – | – | – | – | – |
| Barton upon Humber .. | – | – | 7 | 1·07 | 29 | 4·45 | – | – | – | – | 4 | 0·61 |
| Brigg .. .. .. | – | – | 7 | 2·08 | 5 | 1·49 | – | – | – | – | – | – |
| Broughton‖ .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Cleethorpes .. .. | – | – | 71 | 2·52 | 12 | 0·43 | 3 | 0·11 | – | – | 9 | 0·32 |
| Crowle .. .. .. | – | – | 2 | 0·66 | 3 | 0·99 | – | – | – | – | – | – |
| Gainsborough .. .. | – | – | 22 | 1·11 | 18 | 0·91 | – | – | 2 | 0·10 | 8 | 0·40 |
| Horncastle .. .. | – | – | – | – | 2 | 0·58 | – | – | 1 | 0·29 | 4 | 1·17 |
| Louth M.B. .. .. | – | – | 5 | 0·52 | 5 | 0·52 | 3 | 0·31 | – | – | 4 | 0·42 |
| Mablethorpe .. .. | – | – | 7 | 3·44 | – | – | – | – | – | – | 1 | 0·49 |

* Administrative County.
† Rates based upon estimated civilian populations.
‡ Administrative County with associated County Boroughs.
‖ On 1st October, 1923, the Urban District of Broughton was added to the Rural District of Glanford Brigg. Allowance for this has been made in the calculation of rates.
§ The Rural District of Spalding is partly in the Parts of Holland and partly in the Parts of Kesteven. The figures for the entire District are :—‖ – | – ‖ 1 | 0·07 ‖ 2 | 0·14 ‖ – | – ‖ – | – ‖ – | –

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| **LINCOLN, PARTS OF LINDSEY—*cont.*** | | | | | | | | | | | | |
| BOROUGH AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | |
| Market Rasen .. .. | – | – | 1 | 0·47 | 3 | 1·42 | 1 | 0·47 | – | – | – | – |
| Roxby cum Risby .. | – | – | 3 | 4·75 | – | – | – | – | – | – | – | – |
| Scunthorpe and Frodingham .. .. .. | 2 | 0·07 | 125 | 4·25 | 69 | 2·35 | 2 | 0·07 | 4 | 0·14 | 12 | 0·41 |
| Skegness .. .. .. | – | – | 2 | 0·44 | 1 | 0·22 | – | – | – | – | 1 | 0·22 |
| Winterton.. .. .. | – | – | – | – | 5 | 2·90 | – | – | – | – | – | – |
| Woodhall Spa .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Caistor .. .. .. | – | – | 1 | 0·08 | 9 | 0·70 | – | – | – | – | 1 | 0·08 |
| Gainsborough .. .. | – | – | 13 | 0·91 | 1 | 0·07 | 1 | 0·07 | – | – | 3 | 0·21 |
| Glanford Brigg‖ .. .. | – | – | 26 | 0·99 | 20 | 0·76 | – | – | – | – | 4 | 0·15 |
| Grimsby .. .. .. | – | – | 9 | 0·71 | 4 | 0·31 | 1 | 0·08 | – | – | 1 | 0·08 |
| Horncastle .. .. | – | – | 8 | 0·66 | 1 | 0·08 | 2 | 0·17 | 1 | 0·08 | 1 | 0·08 |
| Isle of Axholme .. .. | – | – | 4 | 0·58 | 12 | 1·75 | – | – | – | – | – | – |
| Louth .. .. .. | – | – | 16 | 0·93 | 11 | 0·64 | 4 | 0·23 | 1 | 0·06 | 2 | 0·12 |
| Sibsey .. .. .. | – | – | 3 | 0·98 | – | – | – | – | – | – | – | – |
| Spilsby .. .. .. | – | – | 5 | 0·24 | 3 | 0·14 | 3 | 0·14 | – | – | 2 | 0·10 |
| Welton .. .. .. | – | – | 11 | 1·01 | 1 | 0·09 | – | – | – | – | – | – |
| **LONDON*† .. .. ..** | 11 | 0·00 | 10,082 | 2·21 | 10,353 | 2·27 | 334 | 0·07 | 357 | 0·08 | 1,816 | 0·40 |
| CITY OF LONDON .. .. | – | – | 40 | 2·97 | 18 | 1·34 | 3 | 0·22 | – | – | 5 | 0·37 |
| METROPOLITAN BOROUGHS :— | | | | | | | | | | | | |
| Battersea .. .. .. | 1 | 0·01 | 427 | 2·50 | 430 | 2·52 | 12 | 0·07 | 7 | 0·04 | 87 | 0·51 |
| Bermondsey .. .. | – | – | 328 | 2·70 | 587 | 4·82 | 2 | 0·02 | 4 | 0·03 | 19 | 0·16 |
| Bethnal Green .. .. | – | – | 308 | 2·59 | 475 | 4·00 | 5 | 0·04 | 18 | 0·15 | 78 | 0·66 |
| Camberwell .. .. | 1 | 0·00 | 516 | 1·89 | 861 | 3·16 | 13 | 0·05 | 16 | 0·06 | 81 | 0·30 |
| Chelsea .. .. .. | – | – | 110 | 1·71 | 98 | 1·52 | 6 | 0·09 | 2 | 0·03 | 27 | 0·42 |
| Deptford .. .. .. | – | – | 345 | 3·00 | 405 | 3·52 | 9 | 0·08 | 7 | 0·06 | 58 | 0·50 |
| Finsbury .. .. .. | 1 | 0·01 | 182 | 2·36 | 313 | 4·05 | 2 | 0·03 | 13 | 0·17 | 139 | 1·80 |
| Fulham .. .. .. | – | – | 463 | 2·87 | 275 | 1·70 | 3 | 0·02 | 32 | 0·20 | 76 | 0·47 |
| Greenwich.. .. .. | 4 | 0·04 | 221 | 2·15 | 217 | 2·11 | 15 | 0·15 | 10 | 0·10 | 55 | 0·54 |
| Hackney .. .. .. | 1 | 0·00 | 450 | 1·99 | 531 | 2·35 | 17 | 0·08 | 21 | 0·09 | 75 | 0·33 |
| Hammersmith .. .. | – | – | 244 | 1·83 | 232 | 1·74 | 14 | 0·10 | 13 | 0·10 | 31 | 0·23 |
| Hampstead .. .. | – | – | 188 | 2·15 | 107 | 1·22 | 10 | 0·11 | 5 | 0·06 | 23 | 0·26 |
| Holborn .. .. .. | – | – | 116 | 2·67 | 112 | 2·58 | 2 | 0·05 | 3 | 0·07 | 14 | 0·32 |
| Islington .. .. .. | – | – | 1,076 | 3·20 | 891 | 2·65 | 16 | 0·05 | 21 | 0·06 | 89 | 0·26 |
| Kensington .. .. | – | – | 216 | 1·21 | 248 | 1·39 | 17 | 0·10 | 16 | 0·09 | 66 | 0·37 |
| Lambeth .. .. .. | – | – | 834 | 2·70 | 582 | 1·89 | 8 | 0·03 | 47 | 0·15 | 112 | 0·36 |
| Lewisham.. .. .. | 1 | 0·01 | 386 | 2·12 | 291 | 1·60 | 4 | 0·02 | 11 | 0·06 | 49 | 0·27 |
| Paddington .. .. | 1 | 0·01 | 325 | 2·22 | 223 | 1·53 | 15 | 0·10 | 6 | 0·04 | 55 | 0·38 |
| Poplar .. .. .. | – | – | 289 | 1·74 | 363 | 2·18 | 10 | 0·06 | 16 | 0·10 | 80 | 0·48 |
| St. Marylebone .. .. | – | – | 132 | 1·25 | 164 | 1·56 | 17 | 0·16 | 2 | 0·02 | 53 | 0·50 |
| St. Pancras .. .. | – | – | 483 | 2·25 | 516 | 2·41 | 20 | 0·09 | 20 | 0·09 | 93 | 0·43 |
| Shoreditch .. .. | – | – | 394 | 3·71 | 361 | 3·40 | 4 | 0·04 | 7 | 0·07 | 60 | 0·56 |
| Southwark .. .. | – | – | 409 | 2·18 | 770 | 4·11 | 18 | 0·10 | 17 | 0·09 | 89 | 0·47 |
| Stepney .. .. .. | – | – | 513 | 2·02 | 610 | 2·40 | 22 | 0·09 | 15 | 0·06 | 117 | 0·46 |
| Stoke Newington.. .. | – | – | 70 | 1·33 | 57 | 1·08 | 3 | 0·06 | 5 | 0·09 | 14 | 0·27 |
| Wandsworth .. .. | – | – | 580 | 1·73 | 368 | 1·09 | 33 | 0·10 | 12 | 0·04 | 97 | 0·29 |
| Westminster, City of† .. | 1 | 0·01 | 129 | 0·92 | 99 | 0·70 | 19 | 0·14 | 3 | 0·02 | 34 | 0·24 |
| Woolwich† .. .. | – | – | 308 | 2·20 | 149 | 1·06 | 15 | 0·11 | 8 | 0·06 | 40 | 0·29 |

* Administrative County and City.
† Rates based upon estimated civilian populations.
‖ See footnote ‖ on preceding page.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate |
| MIDDLESEX*† .. .. | 4 | 0·00 | 2,378 | 1·87 | 1,798 | 1·41 | 58 | 0·05 | 76 | 0·06 | 327 | 0·26 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | 4 | 0·00 | 2,249 | 1·85 | 1,672 | 1·37 | 56 | 0·05 | 74 | 0·06 | 317 | 0·26 |
| AGGREGATE OF R.Ds. .. | – | – | 129 | 2·23 | 126 | 2·18 | 2 | 0·03 | 2 | 0·03 | 10 | 0·17 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Acton M.B. .. .. | – | – | 160 | 2·55 | 62 | 0·99 | 3 | 0·05 | 3 | 0·05 | 15 | 0·24 |
| Brentford .. .. .. | – | – | 63 | 3·60 | 43 | 2·45 | 2 | 0·11 | 1 | 0·06 | 5 | 0·29 |
| Chiswick .. .. .. | – | – | 69 | 1·69 | 49 | 1·20 | 2 | 0·05 | 3 | 0·07 | 5 | 0·12 |
| Ealing M.B. .. .. | – | – | 139 | 2·04 | 56 | 0·82 | 5 | 0·07 | 9 | 0·13 | 16 | 0·23 |
| Edmonton.. .. .. | – | – | 122 | 1·75 | 84 | 1·21 | 2 | 0·03 | 6 | 0·09 | 37 | 0·53 |
| Enfield .. .. .. | – | – | 86 | 1·38 | 20 | 0·32 | 1 | 0·02 | – | – | 10 | 0·16 |
| Feltham .. .. .. | – | – | 41 | 6·24 | 46 | 7·00 | – | – | – | – | 3 | 0·46 |
| Finchley .. .. .. | – | – | 78 | 1·66 | 34 | 0·72 | – | – | – | – | 9 | 0·19 |
| Friern Barnet .. .. | – | – | 13 | 0·73 | 13 | 0·73 | – | – | – | – | 5 | 0·28 |
| Greenford .. .. | – | – | 1 | 0·69 | 2 | 1·37 | – | – | – | – | – | – |
| Hampton .. .. .. | – | – | 22 | 2·05 | 4 | 0·37 | 1 | 0·09 | 1 | 0·09 | – | – |
| Hampton Wick .. .. | – | – | 6 | 1·91 | 1 | 0·32 | – | – | – | – | 3 | 0·96 |
| Hanwell .. .. .. | – | – | 143 | 6·86 | 83 | 3·98 | – | – | 1 | 0·05 | 5 | 0·24 |
| Harrow on the Hill .. | 1 | 0·05 | 18 | 0·92 | 6 | 0·31 | 1 | 0·05 | 1 | 0·05 | 5 | 0·25 |
| Hayes .. .. .. | – | – | 13 | 1·75 | 4 | 0·54 | 1 | 0·13 | 1 | 0·13 | – | – |
| Hendon .. .. .. | – | – | 67 | 1·18 | 120 | 2·12 | 4 | 0·07 | 1 | 0·02 | 10 | 0·18 |
| Heston and Isleworth† .. | – | – | 92 | 1·98 | 104 | 2·24 | 6 | 0·13 | 16 | 0·34 | 14 | 0·30 |
| Hornsey M.B. .. .. | – | – | 126 | 1·44 | 133 | 1·52 | 1 | 0·01 | 5 | 0·06 | 24 | 0·27 |
| Kingsbury.. .. .. | – | – | 1 | 0·51 | 1 | 0·51 | – | – | – | – | – | – |
| Ruislip Northwood† .. | – | – | 57 | 6·22 | 3 | 0·33 | – | – | – | – | 1 | 0·11 |
| Southall Norwood .. | – | – | 36 | 1·15 | 12 | 0·38 | – | – | – | – | 11 | 0·35 |
| Southgate.. .. .. | – | – | 49 | 1·26 | 14 | 0·36 | 2 | 0·05 | – | – | 8 | 0·21 |
| Staines .. .. .. | – | – | 12 | 1·64 | 14 | 1·91 | 2 | 0·27 | 2 | 0·27 | – | – |
| Sunbury on Thames .. | – | – | 12 | 2·15 | 8 | 1·44 | – | – | – | – | – | – |
| Teddington .. .. | – | – | 38 | 1·77 | 8 | 0·37 | 4 | 0·19 | 4 | 0·19 | 4 | 0·19 |
| Tottenham .. .. | – | – | 378 | 2·49 | 188 | 1·24 | 2 | 0·01 | 3 | 0·02 | 41 | 0·27 |
| Twickenham .. .. | – | – | 29 | 0·83 | 26 | 0·74 | 5 | 0·14 | 4 | 0·11 | 7 | 0·20 |
| Uxbridge† .. .. | – | – | 3 | 0·26 | 4 | 0·34 | – | – | 1 | 0·09 | 4 | 0·34 |
| Wealdstone .. .. | – | – | 21 | 1·53 | 8 | 0·58 | – | – | 1 | 0·07 | 2 | 0·15 |
| Wembley .. .. .. | – | – | 10 | 0·59 | 16 | 0·95 | 2 | 0·12 | 1 | 0·06 | 4 | 0·24 |
| Willesden .. .. .. | 2 | 0·01 | 247 | 1·46 | 456 | 2·70 | 9 | 0·05 | 8 | 0·05 | 51 | 0·30 |
| Wood Green .. .. | 1 | 0·02 | 90 | 1·75 | 25 | 0·49 | – | – | 1 | 0·02 | 15 | 0·29 |
| Yiewsley .. .. .. | – | – | 7 | 1·33 | 25 | 4·74 | 1 | 0·19 | 1 | 0·19 | 3 | 0·57 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Hendon .. .. .. | – | – | 20 | 1·12 | 9 | 0·50 | – | – | 1 | 0·06 | 2 | 0·11 |
| South Mimms .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Staines .. .. .. | – | – | 90 | 3·51 | 104 | 4·06 | 1 | 0·04 | – | – | 7 | 0·27 |
| Uxbridge .. .. .. | – | – | 19 | 1·70 | 13 | 1·16 | 1 | 0·09 | 1 | 0·09 | 1 | 0·09 |
| NORFOLK‡ .. .. .. | – | – | 1,838 | 3·68 | 425 | 0·85 | 62 | 0·12 | 14 | 0·03 | 98 | 0·20 |
| GREAT YARMOUTH C.B. .. | – | – | 202 | 3·53 | 29 | 0·51 | 4 | 0·07 | 2 | 0·03 | 12 | 0·21 |
| NORWICH C.B. .. .. | – | – | 1,095 | 8·86 | 248 | 2·01 | 13 | 0·11 | 2 | 0·02 | 36 | 0·29 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 64 | 1·05 | 40 | 0·65 | 10 | 0·16 | 1 | 0·02 | 16 | 0·26 |
| AGGREGATE OF R.Ds. .. | – | – | 477 | 1·85 | 108 | 0·42 | 35 | 0·14 | 9 | 0·03 | 34 | 0·13 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Cromer .. .. .. | – | – | 3 | 0·73 | – | – | 1 | 0·24 | – | – | 1 | 0·24 |
| Diss .. .. .. | – | – | – | – | 2 | 0·57 | – | – | – | – | – | – |
| Downham Market .. | – | – | – | – | 7 | 3·01 | – | – | – | – | 2 | 0·86 |
| East Dereham .. .. | – | – | 3 | 0·53 | – | – | – | – | – | – | 1 | 0·18 |
| King's Lynn M.B. .. | – | – | 2 | 0·10 | 1 | 0·05 | 3 | 0·15 | 1 | 0·05 | 9 | 0·45 |

* Administrative County.
† Rates based upon estimated civilian populations.
‡ Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases | Rate | Cases. | Rate | Cases. | Rate |
| **NORFOLK**—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | |
| New Hunstanton.. .. | – | – | 10 | 3·29 | – | – | 2 | 0·66 | – | – | – | – |
| North Walsham .. .. | – | – | 31 | 7·33 | 3 | 0·71 | 1 | 0·24 | – | – | – | – |
| Sheringham .. .. | – | – | 1 | 0·27 | 2 | 0·54 | – | – | – | – | 1 | 0·27 |
| Swaffham .. .. .. | – | – | 5 | 1·74 | 20 | 6·95 | 1 | 0·35 | – | – | – | – |
| Thetford M.B. .. .. | – | – | 9 | 1·89 | 3 | 0·63 | – | – | – | – | 1 | 0·21 |
| Walsoken .. .. .. | – | – | – | – | – | – | 1 | 0·25 | – | – | 1 | 0·25 |
| Wells .. .. .. | – | – | – | – | 2 | 0·76 | 1 | 0·38 | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Aylsham .. .. .. | – | – | 8 | 0·48 | 2 | 0·12 | – | – | – | – | 3 | 0·18 |
| Blofield .. .. .. | – | – | 27 | 2·16 | 6 | 0·48 | 11 | 0·88 | – | – | 1 | 0·08 |
| Depwade .. .. .. | – | – | 40 | 2·10 | 5 | 0·26 | 1 | 0·05 | – | – | 3 | 0·16 |
| Docking .. .. .. | – | – | 15 | 0·89 | 13 | 0·77 | 3 | 0·18 | 1 | 0·06 | 2 | 0·12 |
| Downham.. .. .. | – | – | 10 | 0·67 | 2 | 0·13 | – | – | – | – | 9 | 0·61 |
| East and West Flegg .. | – | – | 12 | 1·16 | 3 | 0·29 | 2 | 0·19 | – | – | 1 | 0·10 |
| Erpingham .. .. | – | – | 27 | 1·55 | 6 | 0·34 | 1 | 0·06 | 1 | 0·06 | 3 | 0·17 |
| Forehoe .. .. .. | – | – | 36 | 3·10 | 14 | 1·20 | – | – | 1 | 0·09 | 1 | 0·09 |
| Freebridge Lynn .. .. | – | – | 20 | 1·69 | 1 | 0·08 | – | – | 1 | 0·08 | – | – |
| Henstead .. .. .. | – | – | 44 | 4·39 | 12 | 1·20 | – | – | – | – | – | – |
| King's Lynn .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Loddon and Clavering .. | – | – | 17 | 1·38 | 3 | 0·24 | – | – | 1 | 0·08 | – | – |
| Marshland.. .. .. | – | – | 10 | 0·70 | 8 | 0·56 | 10 | 0·70 | – | – | 1 | 0·07 |
| Mitford and Launditch .. | – | – | 85 | 4·71 | 4 | 0·22 | 1 | 0·06 | – | – | 4 | 0·22 |
| St. Faith's .. .. | – | – | 29 | 2·58 | 6 | 0·53 | 1 | 0·09 | – | – | – | – |
| Smallburgh .. .. | – | – | 28 | 2·01 | 11 | 0·79 | 1 | 0·07 | 2 | 0·14 | 2 | 0·14 |
| Swaffham .. .. .. | – | – | 17 | 2·34 | 2 | 0·28 | 1 | 0·14 | – | – | – | – |
| Thetford .. .. .. | – | – | 11 | 1·16 | 2 | 0·21 | – | – | 1 | 0·11 | 2 | 0·21 |
| Walsingham .. .. | – | – | 17 | 1·05 | 4 | 0·25 | 3 | 0·18 | – | – | – | – |
| Wayland .. .. .. | – | – | 24 | 1·82 | 4 | 0·30 | – | – | 1 | 0·08 | 2 | 0·15 |
| **NORTHAMPTON*†** .. .. | – | – | 1,373 | 4·46 | 188 | 0·61 | 38 | 0·12 | 19 | 0·06 | 98 | 0·32 |
| NORTHAMPTON C.B. .. .. | – | – | 407 | 4·37 | 83 | 0·89 | 10 | 0·11 | 14 | 0·15 | 32 | 0·34 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 665 | 6·73 | 23 | 0·23 | 4 | 0·04 | 2 | 0·02 | 45 | 0·46 |
| AGGREGATE OF R.Ds.† .. | – | – | 301 | 2·61 | 82 | 0·71 | 24 | 0·21 | 3 | 0·03 | 21 | 0·18 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Brackley M.B. .. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·42 |
| Burton Latimer‡ .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Daventry M.B. .. .. | – | – | 1 | 0·28 | 2 | 0·57 | – | – | – | – | – | – |
| Desborough .. .. | – | – | 88 | 20·66 | 1 | 0·23 | – | – | 1 | 0·23 | 3 | 0·70 |
| Finedon .. .. .. | – | – | 7 | 1·70 | 1 | 0·24 | – | – | – | – | 1 | 0·24 |
| Higham Ferrers M.B. .. | – | – | 1 | 0·34 | – | – | – | – | – | – | – | – |
| Irthlingborough .. .. | – | – | 23 | 4·64 | 9 | 1·82 | 1 | 0·20 | – | – | 1 | 0·20 |
| Kettering .. .. .. | – | – | 270 | 8·90 | 4 | 0·13 | – | – | 1 | 0·03 | 15 | 0·49 |
| Oundle .. .. .. | – | – | – | – | 1 | 0·37 | – | – | – | – | – | – |
| Raunds .. .. .. | – | – | 2 | 0·52 | – | – | 1 | 0·26 | – | – | 2 | 0·52 |
| Rothwell .. .. .. | – | – | 102 | 22·98 | – | – | 1 | 0·23 | – | – | – | – |
| Rushden .. .. .. | – | – | 16 | 1·16 | 4 | 0·29 | – | – | – | – | 11 | 0·80 |
| Wellingborough .. .. | – | – | 155 | 7·48 | 1 | 0·05 | 1 | 0·05 | – | – | 11 | 0·53 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Brackley .. .. .. | – | – | – | – | – | – | 5 | 0·76 | – | – | 2 | 0·30 |
| Brixworth.. .. .. | – | – | 13 | 1·10 | 7 | 0·59 | 3 | 0·25 | – | – | 4 | 0·34 |
| Crick .. .. .. | – | – | 1 | 0·42 | – | – | – | – | – | – | – | – |
| Daventry † .. .. | – | – | 39 | 2·82 | 17 | 1·23 | 1 | 0·07 | – | – | 2 | 0·14 |
| Easton on the Hill .. | – | – | – | – | 1 | 0·70 | 1 | 0·70 | 1 | 0·70 | – | – |

* Administrative County with associated County Borough.
† Rates based upon estimated civilian populations.
‡ On 1st October, 1923 part of the Rural District of Kettering was constituted the Urban District of Burton Latimer. Allowance for this has been made in the calculation of rates.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases | Rate | Cases. | Rate. | Cases. | Rate. |
| **NORTHAMPTON**—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS—*cont* | | | | | | | | | | | | |
| Gretton .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Hardingstone .. .. | – | – | 48 | 6·28 | 6 | 0·79 | – | – | – | – | 1 | 0·13 |
| Kettering§ .. .. | – | – | 68 | 5·68 | 8 | 0·67 | 1 | 0·08 | 1 | 0·08 | 5 | 0·42 |
| Middleton Cheney .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·40 |
| Northampton .. .. | – | – | 10 | 1·30 | 3 | 0·39 | 8 | 1·04 | 1 | 0·13 | – | – |
| Oundle (part of)* .. .. | – | – | 4 | 0·61 | – | – | – | – | – | – | – | – |
| Oxendon .. .. .. | – | – | 11 | 2·74 | – | – | – | – | – | – | – | – |
| Potterspury .. .. | – | – | 56 | 11·80 | – | – | – | – | – | – | – | – |
| Thrapston (part of)* .. | – | – | 9 | 0·86 | 34 | 3·25 | 3 | 0·29 | – | – | – | – |
| Towcester .. .. | – | – | 2 | 0·20 | 5 | 0·50 | 2 | 0·20 | – | – | 1 | 0·10 |
| Wellingborough .. .. | – | – | 40 | 3·17 | 1 | 0·08 | – | – | – | – | 5 | 0·40 |
| **NORTHUMBERLAND**† .. | 10 | 0·01 | 1,844 | 2·44 | 479 | 0·63 | 52 | 0·07 | 38 | 0·05 | 313 | 0·41 |
| NEWCASTLE UPON TYNE C.B. | – | – | 489 | 1·72 | 211 | 0·74 | 9 | 0·03 | 21 | 0·07 | 133 | 0·47 |
| TYNEMOUTH C.B. .. .. | 3 | 0·05 | 104 | 1·59 | 33 | 0·51 | 11 | 0·17 | 1 | 0·02 | 9 | 0·14 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 1 | 0·00 | 1,001 | 3·32 | 178 | 0·59 | 25 | 0·08 | 14 | 0·05 | 145 | 0·48 |
| AGGREGATE OF R.Ds. .. | 6 | 0·06 | 250 | 2·40 | 57 | 0·55 | 7 | 0·07 | 2 | 0·02 | 26 | 0·25 |
| BOROUGHS AND URBAN DISTRICTS:— | | | | | | | | | | | | |
| Alnwick .. .. .. | – | – | 7 | 0·99 | 2 | 0·28 | – | – | – | – | – | – |
| Amble .. .. .. | – | – | 21 | 4·37 | 5 | 1·04 | – | – | – | – | – | – |
| Ashington .. .. | – | – | 69 | 2·23 | 1 | 0·03 | 3 | 0·10 | 2 | 0·06 | 15 | 0·49 |
| Bedlingtonshire .. .. | – | – | 145 | 5·23 | 7 | 0·25 | – | – | – | – | 14 | 0·50 |
| Berwick upon Tweed M.B. | – | – | 43 | 3·44 | 8 | 0·64 | 1 | 0·08 | – | – | 7 | 0·56 |
| Blyth M.B. .. .. | – | – | 159 | 4·83 | 23 | 0·70 | 4 | 0·12 | – | – | 26 | 0·79 |
| Cramlington .. .. | – | – | 93 | 10·41 | 1 | 0·11 | 1 | 0·11 | 2 | 0·22 | 7 | 0·78 |
| Earsdon .. .. .. | – | – | 29 | 2·47 | 20 | 1·71 | 1 | 0·09 | – | – | 4 | 0·34 |
| Gosforth .. .. .. | – | – | 36 | 2·30 | 9 | 0·57 | 2 | 0·13 | – | – | 2 | 0·13 |
| Hexham .. .. .. | – | – | 7 | 0·82 | 2 | 0·23 | 1 | 0·12 | 2 | 0·23 | 3 | 0·35 |
| Longbenton .. .. | – | – | 84 | 5·92 | 7 | 0·49 | 1 | 0·07 | – | – | 2 | 0·14 |
| Morpeth M.B. .. .. | – | – | 18 | 2·33 | 1 | 0·13 | – | – | – | – | 2 | 0·26 |
| Newbiggin by the Sea .. | – | – | 20 | 2·99 | 1 | 0·15 | – | – | – | – | 4 | 0·60 |
| Newburn .. .. .. | – | – | 69 | 3·48 | 6 | 0·30 | – | – | – | – | 9 | 0·45 |
| Prudhoe .. .. .. | – | – | 14 | 1·52 | 3 | 0·33 | 2 | 0·22 | – | – | 5 | 0·54 |
| Rothbury .. .. .. | – | – | 4 | 3·34 | 1 | 0·84 | – | – | – | – | 2 | 1·67 |
| Seaton Delaval .. .. | – | – | 33 | 4·09 | 16 | 1·98 | 1 | 0·12 | – | – | 15 | 1·86 |
| Seghill .. .. .. | – | – | 13 | 6·32 | 13 | 6·32 | – | – | 1 | 0·49 | – | – |
| Wallsend M.B. .. .. | 1 | 0·02 | 71 | 1·58 | 34 | 0·76 | 7 | 0·16 | 6 | 0·13 | 18 | 0·40 |
| Weetslade .. .. .. | – | – | 44 | 6·10 | 1 | 0·14 | – | – | 1 | 0·14 | 3 | 0·42 |
| Whitley and Monkseaton | – | – | 22 | 1·12 | 17 | 0·86 | 1 | 0·05 | – | – | 7 | 0·36 |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Alnwick .. .. .. | – | – | 43 | 3·43 | 8 | 0·64 | – | – | 1 | 0·08 | 2 | 0·16 |
| Belford .. .. .. | – | – | 3 | 0·61 | – | – | – | – | – | – | – | – |
| Bellingham .. .. | – | – | 15 | 2·64 | – | – | – | – | – | – | – | – |
| Castle Ward .. .. | – | – | 69 | 5·37 | 15 | 1·17 | 3 | 0·23 | – | – | 7 | 0·54 |
| Glendale .. .. .. | – | – | 4 | 0·49 | 2 | 0·25 | – | – | – | – | 1 | 0·12 |
| Haltwhistle .. .. | – | – | 32 | 3·40 | 5 | 0·53 | 1 | 0·11 | – | – | 2 | 0·21 |
| Hexham .. .. .. | – | – | 24 | 1·08 | 15 | 0·68 | 2 | 0·09 | 1 | 0·05 | 10 | 0·45 |
| Morpeth .. .. .. | 6 | 0·33 | 44 | 2·41 | 9 | 0·49 | 1 | 0·05 | – | – | 3 | 0·16 |
| Newcastle upon Tyne (Moot Hall & Precincts)‡ | – | – | 16 | 2·97 | 3 | 0·56 | – | – | – | – | – | – |
| Norham and Islandshires | – | – | – | – | – | – | – | – | – | – | 1 | 0·21 |
| Rothbury .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |

* The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Huntingdon. The figures for the entire Districts are:—

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Oundle .. .. .. | – | – | 4 | 0·53 | – | – | – | – | – | – | – | – |
| Thrapston .. .. .. | – | – | 14 | 1·24 | 34 | 3·02 | 3 | 0·27 | – | – | – | – |

† Administrative County with associated County Boroughs.
‡ Cases, if any, are included with those for Newcastle upon Tyne C.B.
§ See footnote ‡ on previous page.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **NOTTINGHAM*§** .. .. | 420 | 0·64 | 1,303 | 1·98 | 485 | 0·74 | 46 | 0·07 | 23 | 0·03 | 217 | 0·33 |
| NOTTINGHAM C.B. .. .. | 28 | 0·10 | 685 | 2·54 | 196 | 0·73 | 13 | 0·05 | 7 | 0·03 | 94 | 0·35 |
| AGGREGATE OF M.BS. AND U.DS. .. .. .. | 295 | 1·18 | 449 | 1·79 | 196 | 0·78 | 21 | 0·08 | 14 | 0·06 | 82 | 0·33 |
| AGGREGATE OF R.DS.§ .. | 97 | 0·71 | 169 | 1·23 | 93 | 0·68 | 12 | 0·09 | 2 | 0·01 | 41 | 0·30 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Arnold .. .. .. | – | – | 21 | 1·74 | 3 | 0·25 | – | – | – | – | – | – |
| Beeston .. .. .. | – | – | 53 | 4·13 | 5 | 0·39 | – | – | – | – | 3 | 0·23 |
| Carlton .. .. .. | – | – | 69 | 3·61 | 46 | 2·41 | – | – | 1 | 0·05 | 9 | 0·47 |
| East Retford M.B. .. | – | – | 7 | 0·52 | 7 | 0·52 | – | – | – | – | 19 | 1·42 |
| Eastwood .. .. .. | 4 | 0·75 | 2 | 0·37 | 3 | 0·56 | 1 | 0·19 | – | – | – | – |
| Hucknall .. .. .. | 121 | 6·91 | 30 | 1·71 | 3 | 0·17 | – | – | 3 | 0·17 | 8 | 0·46 |
| Huthwaite .. .. | – | – | 6 | 1·06 | 1 | 0·18 | 1 | 0·18 | – | – | – | – |
| Kirkby in Ashfield .. | 112 | 6·15 | 23 | 1·26 | 7 | 0·38 | 1 | 0·05 | 1 | 0·05 | 11 | 0·60 |
| Mansfield M.B. .. .. | 1 | 0·02 | 102 | 2·20 | 43 | 0·93 | 1 | 0·02 | 5 | 0·11 | 14 | 0·30 |
| Mansfield Woodhouse .. | 1 | 0·07 | 25 | 1·78 | 4 | 0·28 | – | – | – | – | 7 | 0·50 |
| Newark M.B. .. .. | – | – | 35 | 2·06 | 36 | 2·12 | 6 | 0·35 | – | – | 1 | 0·06 |
| Sutton in Ashfield .. | – | – | 53 | 2·14 | 11 | 0·44 | 6 | 0·24 | 1 | 0·04 | 5 | 0·20 |
| Warsop .. .. .. | 56 | 7·37 | 1 | 0·13 | 5 | 0·66 | 3 | 0·39 | 2 | 0·26 | 2 | 0·26 |
| West Bridgford .. .. | – | – | 15 | 1·14 | 11 | 0·83 | 1 | 0·08 | – | – | 2 | 0·15 |
| Worksop .. .. .. | – | – | 7 | 0·29 | 11 | 0·46 | 1 | 0·04 | 1 | 0·04 | 1 | 0·04 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Basford .. .. .. | 55 | 1·24 | 75 | 1·69 | 15 | 0·34 | 2 | 0·05 | – | – | 16 | 0·36 |
| Bingham .. .. .. | – | – | 8 | 0·55 | 6 | 0·41 | 2 | 0·14 | – | – | 6 | 0·41 |
| Blyth and Cuckney .. | 1 | 0·19 | 10 | 1·91 | 2 | 0·38 | – | – | – | – | 1 | 0·19 |
| East Retford .. .. | – | – | 8 | 0·54 | 31 | 2·11 | 1 | 0·07 | 1 | 0·07 | 1 | 0·07 |
| Leake .. .. .. | – | – | – | – | 1 | 0·27 | – | – | – | – | – | – |
| Misterton .. .. .. | – | – | 1 | 0·24 | 3 | 0·72 | 1 | 0·24 | – | – | 1 | 0·24 |
| Newark .. .. .. | – | – | 26 | 2·92 | 23 | 2·58 | 2 | 0·22 | – | – | – | – |
| Nottingham (Shire Hall)† | | | | | | | | | | | | |
| Skegby .. .. .. | – | – | 4 | 0·42 | 4 | 0·42 | 1 | 0·11 | – | – | 2 | 0·21 |
| Southwell .. .. .. | – | – | 9 | 0·45 | 6 | 0·30 | 3 | 0·15 | – | – | 2 | 0·10 |
| Stapleford§ .. .. | 41 | 3·58 | 28 | 2·45 | 2 | 0·17 | – | – | 1 | 0·09 | 12 | 1·05 |
| Kingston upon Soar and Ratcliffe upon Soar (parishes)‡ .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| **OXFORD*** .. .. .. | 1 | 0·01 | 607 | 3·19 | 105 | 0·55 | 34 | 0·18 | 7 | 0·04 | 47 | 0·25 |
| OXFORD C.B. .. .. .. | – | – | 230 | 4·04 | 27 | 0·47 | 10 | 0·18 | – | – | 9 | 0·16 |
| AGGREGATE OF M.BS. AND U.DS. .. .. .. | – | – | 51 | 1·43 | 7 | 0·20 | 9 | 0·25 | 1 | 0·03 | 9 | 0·25 |
| AGGREGATE OF R.DS. .. | 1 | 0·01 | 326 | 3·34 | 71 | 0·73 | 15 | 0·15 | 6 | 0·06 | 29 | 0·30 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Banbury M.B. .. .. | – | – | 14 | 1·03 | 1 | 0·07 | 1 | 0·07 | – | – | 5 | 0·37 |
| Bicester .. .. .. | – | – | 2 | 0·66 | – | – | 1 | 0·33 | – | – | – | – |
| Chipping Norton M.B. .. | – | – | – | – | 1 | 0·28 | 3 | 0·85 | 1 | 0·28 | 1 | 0·28 |
| Henley on Thames M.B. .. | – | – | 21 | 3·20 | 1 | 0·15 | 1 | 0·15 | – | – | 2 | 0·30 |
| Thame .. .. .. | – | – | 2 | 0·68 | 2 | 0·68 | 2 | 0·68 | – | – | – | – |
| Wheatley .. .. .. | – | – | 8 | 8·69 | – | – | – | – | – | – | 1 | 1·09 |
| Witney .. .. .. | – | – | 2 | 0·58 | – | – | – | – | – | – | – | – |
| Woodstock M.B. .. .. | – | – | 2 | 1·29 | 2 | 1·29 | 1 | 0·65 | – | – | – | – |

* Administrative County with associated County Borough.

† Cases, if any, are included with those for Nottingham C.B.

‡ These Parishes are administered by the Rural District Council of Shardlow (Derbyshire).

§ Rates based upon estimated civilian populations.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **OXFORD**—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Banbury .. .. .. | – | – | 9 | 0·80 | 14 | 1·24 | 1 | 0·09 | – | – | 5 | 0·44 |
| Bicester .. .. .. | – | – | 14 | 1·62 | 1 | 0·12 | 1 | 0·12 | – | – | 3 | 0·35 |
| Chipping Norton.. .. | – | – | 4 | 0·39 | 1 | 0·10 | 4 | 0·39 | – | – | 3 | 0·29 |
| Crowmarsh .. .. | – | – | 22 | 4·35 | – | – | – | – | – | – | – | – |
| Culham .. .. .. | – | – | 39 | 15·53 | 6 | 2·39 | 3 | 1·19 | 1 | 0·40 | – | – |
| Goring .. .. .. | – | – | 2 | 0·62 | – | – | – | – | – | – | 1 | 0·31 |
| Headington .. .. | 1 | 0·07 | 171 | 12·02 | 11 | 0·77 | 2 | 0·14 | 2 | 0·14 | 8 | 0·56 |
| Henley .. .. .. | – | – | 6 | 0·56 | 9 | 0·84 | 1 | 0·09 | – | – | 1 | 0·09 |
| Thame .. .. .. | – | – | 5 | 0·98 | 4 | 0·78 | 1 | 0·20 | – | – | – | – |
| Witney .. .. .. | – | – | 36 | 2·22 | 16 | 0·99 | 2 | 0·12 | 2 | 0·12 | 1 | 0·06 |
| Woodstock .. .. | – | – | 18 | 1·73 | 9 | 0·87 | – | – | 1 | 0·10 | 7 | 0·67 |
| **PETERBOROUGH, SOKE OF*** | 1 | 0·02 | 91 | 1·90 | 23 | 0·48 | 1 | 0·02 | 2 | 0·04 | 13 | 0·27 |
| MUNICIPAL BOROUGH .. | 1 | 0·03 | 89 | 2·46 | 19 | 0·52 | 1 | 0·03 | 2 | 0·06 | 11 | 0·30 |
| AGGREGATE OF R.Ds. .. | – | – | 2 | 0·17 | 4 | 0·34 | – | – | – | – | 2 | 0·17 |
| BOROUGH:— | | | | | | | | | | | | |
| Peterborough M.B. .. | 1 | 0·03 | 89 | 2·46 | 19 | 0·52 | 1 | 0·03 | 2 | 0·06 | 11 | 0·30 |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Barnack .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Peterborough .. .. | – | – | 2 | 0·20 | 4 | 0·41 | – | – | – | – | 2 | 0·20 |
| **RUTLAND*** .. .. .. | – | – | 23 | 1·25 | 6 | 0·33 | – | – | – | – | – | – |
| URBAN DISTRICT .. .. | – | – | 1 | 0·30 | – | – | – | – | – | – | – | – |
| AGGREGATE OF R.Ds. .. | – | – | 22 | 1·46 | 6 | 0·40 | – | – | – | – | – | – |
| URBAN DISTRICT:— | | | | | | | | | | | | |
| Oakham .. .. .. | – | – | 1 | 0·30 | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Ketton .. .. .. | – | – | 2 | 0·70 | 6 | 2·09 | – | – | – | – | – | – |
| Oakham .. .. .. | – | – | 15 | 2·49 | – | – | – | – | – | – | – | – |
| Uppingham .. .. | – | – | 5 | 0·81 | – | – | – | – | – | – | – | – |
| **SALOP*** .. .. .. | – | – | 420 | 1·71 | 190 | 0·77 | 18 | 0·07 | 16 | 0·07 | 52 | 0·21 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 201 | 1·77 | 106 | 0·93 | 7 | 0·06 | 11 | 0·10 | 26 | 0·23 |
| AGGREGATE OF R.Ds. .. | – | – | 219 | 1·66 | 84 | 0·64 | 11 | 0·08 | 5 | 0·04 | 26 | 0·20 |
| BOROUGHS AND URBAN DISTRICTS:— | | | | | | | | | | | | |
| Bishop's Castle M.B. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Bridgnorth M.B. .. .. | – | – | 5 | 0·98 | 4 | 0·78 | 2 | 0·39 | – | – | – | – |
| Church Stretton .. .. | – | – | 1 | 0·66 | – | – | – | – | – | – | – | – |
| Dawley .. .. .. | – | – | 12 | 1·59 | 22 | 2·92 | – | – | – | – | 1 | 0·13 |
| Ellesmere .. .. .. | – | – | 1 | 0·54 | – | – | – | – | 1 | 0·54 | – | – |
| Ludlow M.B. .. .. | – | – | 9 | 1·61 | 18 | 3·22 | – | – | 1 | 0·18 | 1 | 0·18 |
| Market Drayton .. .. | – | – | 5 | 1·05 | 12 | 2·52 | – | – | – | – | 1 | 0·21 |
| Newport .. .. .. | – | – | 6 | 1·93 | 2 | 0·64 | 1 | 0·32 | 1 | 0·32 | 3 | 0·97 |
| Oakengates .. .. | – | – | 22 | 1·86 | 2 | 0·17 | – | – | – | – | 3 | 0·25 |
| Oswestry M.B. .. .. | – | – | 68 | 6·88 | 5 | 0·51 | 1 | 0·10 | 2 | 0·20 | 2 | 0·20 |
| Shrewsbury M.B. .. | – | – | 46 | 1·46 | 11 | 0·35 | – | – | 2 | 0·06 | 12 | 0·38 |
| Wellington .. .. | – | – | 2 | 0·25 | 7 | 0·87 | 1 | 0·12 | 1 | 0·12 | 1 | 0·12 |
| Wem .. .. .. | – | – | 13 | 5·86 | – | – | – | – | – | – | – | – |
| Wenlock M.B. .. .. | – | – | 10 | 0·73 | 2 | 0·15 | – | – | 2 | 0·15 | – | – |
| Whitchurch .. .. | – | – | 1 | 0·18 | 21 | 3·75 | 2 | 0·36 | 2 | 0·18 | 2 | 0·36 |

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases | Rate | Cases. | Rate. | Cases. | Rate. |
| SALOP—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Atcham .. .. .. | – | – | 24 | 1·08 | 19 | 0·86 | 5 | 0·23 | 1 | 0·05 | 7 | 0·32 |
| Bridgnorth .. .. | – | – | 5 | 0·58 | 6 | 0·70 | – | – | – | – | 2 | 0·23 |
| Burford .. .. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·79 |
| Chirbury .. .. .. | – | – | 6 | 1·82 | 1 | 0·30 | – | – | – | – | – | – |
| Church Stretton .. .. | – | – | 2 | 0·45 | – | – | – | – | – | – | 1 | 0·22 |
| Cleobury Mortimer .. | – | – | 5 | 0·66 | 7 | 0·92 | – | – | – | – | – | – |
| Clun .. .. .. | – | – | 8 | 1·27 | 3 | 0·48 | – | – | – | – | 3 | 0·48 |
| Drayton .. .. .. | – | – | 7 | 0·96 | 2 | 0·27 | – | – | – | – | – | – |
| Ellesmere .. .. .. | – | – | 19 | 2·34 | 2 | 0·25 | – | – | 1 | 0·12 | 4 | 0·49 |
| Ludlow .. .. .. | – | – | 5 | 0·56 | 7 | 0·78 | – | – | – | – | 2 | 0·22 |
| Newport .. .. .. | – | – | 13 | 2·23 | 11 | 1·89 | – | – | 1 | 0·17 | 1 | 0·17 |
| Oswestry .. .. .. | – | – | 69 | 4·15 | 16 | 0·96 | 1 | 0·06 | 2 | 0·12 | 3 | 0·18 |
| Shifnal .. .. .. | – | – | 5 | 0·65 | 1 | 0·13 | – | – | – | – | – | – |
| Teme .. .. .. | – | – | 7 | 4·18 | – | – | – | – | – | – | – | – |
| Wellington .. .. | – | – | 34 | 3·01 | 6 | 0·53 | 1 | 0·09 | – | – | 2 | 0·18 |
| Wem .. .. .. | – | – | 10 | 1·16 | 2 | 0·23 | 4 | 0·46 | – | – | – | – |
| Whitchurch .. .. | – | – | – | – | 1 | 0·48 | – | – | – | – | – | – |
| SOMERSET* .. .. .. | 1 | 0·00 | 1,054 | 2·29 | 218 | 0·47 | 27 | 0·06 | 17 | 0·04 | 137 | 0·30 |
| BATH C.B. .. .. .. | – | – | 113 | 1·64 | 55 | 0·80 | 5 | 0·07 | – | – | 27 | 0·39 |
| AGGREGATE OF M.BS. AND U.DS. .. .. .. | – | – | 334 | 2·03 | 58 | 0·35 | 6 | 0·04 | 4 | 0·02 | 35 | 0·21 |
| AGGREGATE OF R.DS. .. | 1 | 0·00 | 607 | 2·67 | 105 | 0·46 | 16 | 0·07 | 13 | 0·06 | 75 | 0·33 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Bridgwater M.B. .. .. | – | – | 57 | 3·51 | 7 | 0·43 | – | – | – | – | 2 | 0·12 |
| Burnham on Sea .. .. | – | – | 2 | 0·41 | – | – | – | – | – | – | – | – |
| Chard M.B. .. .. | – | – | 5 | 1·13 | – | – | – | – | – | – | – | – |
| Clevedon .. .. .. | – | – | 6 | 0·96 | – | – | – | – | – | – | 3 | 0·48 |
| Crewkerne .. .. | – | – | 8 | 2·14 | – | – | – | – | – | – | 1 | 0·27 |
| Frome .. .. .. | – | – | 28 | 2·62 | – | – | – | – | – | – | – | – |
| Glastonbury M.B. .. | – | – | – | – | – | – | – | – | – | – | 3 | 0·69 |
| Highbridge .. .. | – | – | – | – | 1 | 0·40 | 1 | 0·40 | – | – | – | – |
| Ilminster .. .. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·43 |
| Midsomer Norton .. | – | – | 25 | 3·13 | 2 | 0·25 | 1 | 0·13 | – | – | 1 | 0·13 |
| Minehead .. .. .. | – | – | 1 | 0·19 | – | – | – | – | – | – | 2 | 0·39 |
| Portishead .. .. | – | – | 4 | 1·07 | – | – | – | – | – | – | – | – |
| Radstock .. .. .. | – | – | 23 | 6·11 | 4 | 1·06 | – | – | – | – | 1 | 0·27 |
| Shepton Mallet .. .. | – | – | 2 | 0·47 | 1 | 0·23 | 1 | 0·23 | – | – | 3 | 0·70 |
| Street .. .. .. | – | – | 2 | 0·45 | 2 | 0·45 | 1 | 0·23 | – | – | 3 | 0·68 |
| Taunton M.B. .. .. | – | – | 48 | 1·96 | 10 | 0·41 | 2 | 0·08 | 2 | 0·08 | 3 | 0·12 |
| Watchet .. .. .. | – | – | – | – | 5 | 2·75 | – | – | – | – | – | – |
| Wellington .. .. | – | – | 39 | 5·49 | – | – | – | – | – | – | – | – |
| Wells M.B. .. .. | – | – | 1 | 0·23 | 1 | 0·23 | – | – | – | – | – | – |
| Weston super Mare .. | – | – | 68 | 2·69 | 24 | 0·95 | – | – | – | – | 5 | 0·20 |
| Wiveliscombe .. .. | – | – | 3 | 2·39 | – | – | – | – | – | – | – | – |
| Yeovil M.B. .. .. | – | – | 12 | 0·77 | 1 | 0·06 | – | – | 2 | 0·13 | 7 | 0·45 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Axbridge .. .. .. | – | – | 58 | 2·50 | 31 | 1·34 | – | – | – | – | 27 | 1·16 |
| Bath .. .. .. | – | – | 66 | 4·48 | 4 | 0·27 | – | – | – | – | 1 | 0·07 |
| Bridgwater .. .. | – | – | 25 | 1·42 | 4 | 0·23 | 1 | 0·06 | – | – | 2 | 0·11 |
| Chard .. .. .. | – | – | 28 | 2·21 | 2 | 0·16 | – | – | – | – | 2 | 0·16 |
| Clutton .. .. .. | – | – | 30 | 1·85 | 14 | 0·87 | – | – | 3 | 0·19 | 2 | 0·12 |
| Dulverton .. .. .. | – | – | 2 | 0·44 | 7 | 1·55 | – | – | – | – | – | – |
| Frome .. .. .. | 1 | 0·09 | 27 | 2·50 | 2 | 0·18 | – | – | 2 | 0·18 | 4 | 0·37 |
| Keynsham .. .. | – | – | 54 | 5·02 | 16 | 1·49 | 2 | 0·19 | 1 | 0·09 | 5 | 0·46 |
| Langport .. .. .. | – | – | 85 | 6·70 | 1 | 0·08 | – | – | 2 | 0·16 | 1 | 0·08 |
| Long Ashton .. .. | – | – | 125 | 6·93 | 7 | 0·39 | 3 | 0·17 | 1 | 0·06 | 5 | 0·28 |

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases | Rate | Cases. | Rate. | Cases. | Rate. |
| **SOMERSET**—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS—*cont.* | | | | | | | | | | | | |
| Shepton Mallet .. .. | – | – | 4 | 0·41 | 1 | 0·10 | 1 | 0·10 | – | – | – | – |
| Taunton .. .. .. | – | – | 31 | 1·93 | 1 | 0·06 | 2 | 0·12 | 2 | 0·12 | 12 | 0·75 |
| Wellington .. .. | – | – | 9 | 1·55 | 1 | 0·17 | – | – | – | – | – | – |
| Wells .. .. .. | – | – | 3 | 0·29 | 2 | 0·19 | 2 | 0·19 | – | – | 2 | 0·19 |
| Williton .. .. .. | – | – | 11 | 0·95 | 1 | 0·09 | 1 | 0·09 | – | – | – | – |
| Wincanton .. .. | – | – | 32 | 2·01 | 10 | 0·63 | 4 | 0·25 | – | – | 4 | 0·25 |
| Yeovil .. .. .. | – | – | 17 | 1·01 | 1 | 0·06 | – | – | 2 | 0·12 | 8 | 0·48 |
| **SOUTHAMPTON*†** .. .. | – | – | 1,797 | 2·06 | 1,283 | 1·47 | 104 | 0·12 | 34 | 0·04 | 209 | 0·24 |
| BOURNEMOUTH C.B. .. .. | – | – | 122 | 1·48 | 56 | 0·68 | 5 | 0·06 | – | – | 16 | 0·19 |
| PORTSMOUTH C.B.† .. .. | – | – | 709 | 3·07 | 693 | 3·00 | 42 | 0·18 | 7 | 0·03 | 73 | 0·32 |
| SOUTHAMPTON C.B. .. .. | – | – | 412 | 2·49 | 218 | 1·32 | 22 | 0·13 | 14 | 0·08 | 48 | 0·29 |
| AGGREGATE OF M.BS. AND U.DS.† .. .. .. | – | – | 274 | 1·58 | 212 | 1·22 | 17 | 0·10 | 11 | 0·06 | 29 | 0·17 |
| AGGREGATE OF R.DS.† .. | – | – | 280 | 1·26 | 104 | 0·47 | 18 | 0·08 | 2 | 0·01 | 43 | 0·19 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Aldershot M.B.† .. .. | – | – | 35 | 1·44 | 6 | 0·25 | 1 | 0·04 | – | – | 6 | 0·25 |
| Alton .. .. .. | – | – | 1 | 0·18 | – | – | – | – | – | – | 1 | 0·18 |
| Andover M.B. .. .. | – | – | – | – | 12 | 1·41 | – | – | – | – | 2 | 0·23 |
| Basingstoke M.B. .. | – | – | 26 | 2·01 | 11 | 0·85 | – | – | – | – | 1 | 0·08 |
| Christchurch M.B.† .. | – | – | 27 | 4·05 | 19 | 2·85 | 1 | 0·15 | 1 | 0·15 | 1 | 0·15 |
| Eastleigh and Bishopstoke | – | – | 15 | 0·94 | 6 | 0·38 | – | – | – | – | 5 | 0·31 |
| Fareham† .. .. .. | – | – | 48 | 4·80 | 10 | 1·00 | 5 | 0·50 | 1 | 0·10 | 2 | 0·20 |
| Farnborough† .. .. | – | – | 6 | 0·57 | 1 | 0·10 | 1 | 0·10 | – | – | 1 | 0·10 |
| Fleet .. .. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·28 |
| Gosport M.B.† .. .. | – | – | 43 | 1·41 | 95 | 3·12 | 1 | 0·03 | – | – | 3 | 0·10 |
| Havant .. .. .. | – | – | 7 | 1·59 | – | – | 3 | 0·68 | – | – | 1 | 0·23 |
| Lymington M.B. .. .. | – | – | – | – | – | – | – | – | – | – | 2 | 0·44 |
| Petersfield .. .. .. | – | – | 18 | 4·60 | – | – | – | – | – | – | 1 | 0·26 |
| Romsey M.B. .. .. | – | – | 5 | 1·04 | 1 | 0·21 | – | – | – | – | 1 | 0·21 |
| Warblington .. .. | – | – | 8 | 2·03 | – | – | 1 | 0·25 | 1 | 0·25 | – | – |
| Winchester M.B.† .. | – | – | 35 | 1·49 | 51 | 2·16 | 4 | 0·17 | 8 | 0·34 | 1 | 0·04 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Alresford .. .. .. | – | – | 5 | 0·67 | – | – | 1 | 0·13 | – | – | – | – |
| Alton† .. .. .. | – | – | 17 | 1·13 | 2 | 0·13 | 1 | 0·07 | – | – | 3 | 0·20 |
| Andover† .. .. .. | – | – | 4 | 0·36 | 4 | 0·36 | – | – | – | – | 1 | 0·09 |
| Basingstoke .. .. | – | – | 6 | 0·47 | 16 | 1·26 | – | – | – | – | 1 | 0·08 |
| Catherington .. .. | – | – | 3 | 0·76 | 2 | 0·51 | 1 | 0·25 | – | – | 2 | 0·51 |
| Christchurch .. .. | – | – | 3 | 0·57 | 2 | 0·38 | – | – | – | – | – | – |
| Droxford .. .. .. | – | – | 16 | 1·21 | 5 | 0·38 | 3 | 0·23 | 1 | 0·08 | 4 | 0·30 |
| Fareham† .. .. .. | – | – | 12 | 0·82 | 10 | 0·68 | – | – | – | – | 3 | 0·21 |
| Fordingbridge .. .. | – | – | 20 | 3·19 | 2 | 0·32 | 1 | 0·16 | – | – | 3 | 0·48 |
| Hartley Wintney† .. | – | – | 23 | 1·17 | 4 | 0·20 | – | – | – | – | 4 | 0·20 |
| Havant .. .. .. | – | – | 7 | 1·02 | 2 | 0·29 | 2 | 0·29 | – | – | 2 | 0·29 |
| Hursley .. .. .. | – | – | 13 | 2·82 | 12 | 2·61 | – | – | – | – | 1 | 0·22 |
| Kingsclere .. .. .. | – | – | 15 | 1·76 | 2 | 0·23 | – | – | – | – | 4 | 0·47 |
| Lymington .. .. .. | – | – | 3 | 0·24 | 1 | 0·08 | 2 | 0·16 | – | – | 5 | 0·39 |
| New Forest .. .. .. | – | – | 24 | 1·28 | 3 | 0·16 | 3 | 0·16 | 1 | 0·05 | 1 | 0·05 |
| Petersfield† .. .. | – | – | 11 | 0·98 | 1 | 0·09 | – | – | – | – | – | – |
| Ringwood .. .. .. | – | – | 17 | 2·30 | 2 | 0·27 | – | – | – | – | 3 | 0·41 |
| Romsey .. .. .. | – | – | 3 | 0·42 | – | – | – | – | – | – | – | – |
| South Stoneham† .. | – | – | 18 | 1·54 | 10 | 0·85 | 1 | 0·09 | – | – | 1 | 0·09 |
| Stockbridge .. .. | – | – | 6 | 0·96 | 1 | 0·16 | 1 | 0·16 | – | – | 1 | 0·16 |
| Whitchurch .. .. | – | – | 36 | 5·59 | 19 | 2·95 | 1 | 0·16 | – | – | 2 | 0·31 |
| Winchester† .. .. | – | – | 18 | 1·55 | 4 | 0·34 | 1 | 0·09 | – | – | 2 | 0·17 |

* Administrative County with associated County Boroughs.

† Rates based upon estimated civilian populations.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| **STAFFORD*†** .. .. | 9 | 0·01 | 4,118 | 2·94 | 1,207 | 0·86 | 120 | 0·09 | 102 | 0·07 | 598 | 0·43 |
| BURTON UPON TRENT C.B. .. | – | – | 53 | 1·07 | 23 | 0·46 | 1 | 0·02 | – | – | 16 | 0·32 |
| SMETHWICK C.B. .. .. | 1 | 0·01 | 207 | 2·64 | 138 | 1·76 | – | – | 16 | 0·20 | 36 | 0·46 |
| STOKE ON TRENT C.B. .. | – | – | 1,375 | 4·98 | 209 | 0·76 | 20 | 0·07 | 29 | 0·11 | 191 | 0·69 |
| WALSALL C.B. .. .. | – | – | 165 | 1·64 | 54 | 0·54 | 6 | 0·06 | 8 | 0·08 | 41 | 0·41 |
| WEST BROMWICH C.B. .. | 1 | 0·01 | 251 | 3·23 | 272 | 3·51 | 1 | 0·01 | 3 | 0·04 | 77 | 0·99 |
| WOLVERHAMPTON C.B. .. | – | – | 187 | 1·75 | 43 | 0·40 | 3 | 0·03 | 9 | 0·08 | 14 | 0·13 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 7 | 0·01 | 1,446 | 2·89 | 333 | 0·67 | 31 | 0·06 | 24 | 0·05 | 174 | 0·35 |
| AGGREGATE OF R.Ds.† .. | – | – | 434 | 2·06 | 135 | 0·64 | 58 | 0·28 | 13 | 0·06 | 49 | 0·23 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Amblecote.. .. .. | – | – | 2 | 0·62 | – | – | – | – | – | – | 1 | 0·31 |
| Audley .. .. .. | – | – | 108 | 7·13 | 9 | 0·59 | – | – | – | – | 3 | 0·20 |
| Biddulph .. .. .. | – | – | 193 | 23·11 | 11 | 1·32 | – | – | 1 | 0·12 | 7 | 0·84 |
| Bilston .. .. .. | 2 | 0·07 | 52 | 1·77 | 11 | 0·37 | – | – | – | – | 6 | 0·20 |
| Brierley Hill .. .. | – | – | 22 | 1·70 | 6 | 0·46 | 3 | 0·23 | 1 | 0·08 | 2 | 0·15 |
| Brownhills .. .. | – | – | 62 | 3·20 | 21 | 1·08 | – | – | 2 | 0·10 | 5 | 0·26 |
| Cannock .. .. .. | – | – | 60 | 1·77 | 12 | 0·35 | 1 | 0·03 | 4 | 0·12 | 14 | 0·41 |
| Coseley .. .. .. | – | – | 35 | 1·37 | 7 | 0·27 | 1 | 0·04 | 1 | 0·04 | 2 | 0·08 |
| Darlaston .. .. .. | – | – | 20 | 1·05 | 4 | 0·21 | – | – | – | – | 4 | 0·21 |
| Heath Town or Wednesfield Heath .. .. | – | – | 10 | 0·72 | 38 | 2·73 | 1 | 0·07 | – | – | 2 | 0·14 |
| Kidsgrove .. .. | – | – | 33 | 3·26 | 6 | 0·59 | – | – | 2 | 0·20 | 4 | 0·39 |
| Leek .. .. .. | – | – | 50 | 2·93 | 12 | 0·70 | 1 | 0·06 | – | – | 2 | 0·12 |
| Lichfield M.B. .. .. | – | – | 9 | 1·07 | 2 | 0·24 | – | – | 1 | 0·12 | 5 | 0·59 |
| Newcastle under Lyme M.B. .. .. .. | – | – | 71 | 3·31 | 32 | 1·49 | – | – | 2 | 0·09 | 5 | 0·23 |
| Perry Barr .. .. | – | – | 7 | 2·50 | – | – | – | – | – | – | – | – |
| Quarry Bank .. .. | – | – | 21 | 2·53 | 6 | 0·72 | 1 | 0·12 | – | – | 4 | 0·48 |
| Rowley Regis .. .. | – | – | 111 | 2·64 | 13 | 0·31 | – | – | 2 | 0·05 | 15 | 0·36 |
| Rugeley .. .. .. | – | – | 47 | 9·79 | 2 | 0·42 | – | – | – | – | 3 | 0·63 |
| Sedgley .. .. .. | – | – | 21 | 1·12 | 15 | 0·80 | – | – | – | – | 13 | 0·69 |
| Short Heath .. .. | – | – | 6 | 1·29 | 4 | 0·86 | – | – | 1 | 0·21 | 1 | 0·21 |
| Stafford M.B. .. .. | – | – | 101 | 3·44 | 20 | 0·68 | 6 | 0·20 | 1 | 0·03 | 4 | 0·14 |
| Stone .. .. .. | – | – | 5 | 0·90 | – | – | – | – | – | – | 3 | 0·54 |
| Tamworth M.B. .. .. | – | – | 26 | 3·15 | 7 | 0·85 | – | – | 1 | 0·12 | – | – |
| Tettenhall.. .. .. | – | – | 4 | 0·74 | – | – | 1 | 0·18 | – | – | 1 | 0·18 |
| Tipton .. .. .. | – | – | 88 | 2·48 | 7 | 0·20 | 16 | 0·45 | – | – | 28 | 0·79 |
| Uttoxeter .. .. .. | – | – | 6 | 1·08 | – | – | – | – | 1 | 0·18 | 2 | 0·36 |
| Wednesbury M.B. .. | 5 | 0·16 | 41 | 1·28 | 14 | 0·44 | – | – | 2 | 0·06 | 13 | 0·41 |
| Wednesfield .. .. | – | – | 8 | 1·01 | 4 | 0·51 | – | – | – | – | 2 | 0·25 |
| Willenhall .. .. | – | – | 58 | 2·79 | 10 | 0·48 | – | – | 2 | 0·10 | 3 | 0·14 |
| Wolstanton United .. | – | – | 169 | 5·62 | 60 | 2·00 | – | – | – | – | 20 | 0·67 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Blore Heath .. .. | – | – | 1 | 0·41 | – | – | – | – | – | – | 1 | 0·41 |
| Cannock .. .. .. | – | – | 47 | 2·07 | 16 | 0·70 | 1 | 0·04 | – | – | 5 | 0·22 |
| Cheadle .. .. .. | – | – | 45 | 1·72 | 45 | 1·72 | – | – | 3 | 0·11 | 11 | 0·42 |
| Dudley‡ .. .. .. | | | | | | | | | | | | |
| Gnosall .. .. .. | – | – | 5 | 1·05 | – | – | – | – | 1 | 0·21 | – | – |
| Kingswinford .. .. | – | – | 37 | 1·61 | 11 | 0·48 | 48 | 2·09 | – | – | 9 | 0·39 |
| Leek .. .. .. | – | – | 42 | 2·90 | 5 | 0·35 | 1 | 0·07 | – | – | 3 | 0·21 |
| Lichfield† .. .. .. | – | – | 79 | 2·59 | 18 | 0·59 | – | – | 7 | 0·23 | 3 | 0·10 |
| Mayfield .. .. .. | – | – | 7 | 1·78 | – | – | 1 | 0·25 | – | – | – | – |
| Newcastle under Lyme .. | – | – | 1 | 0·16 | 2 | 0·32 | – | – | – | – | 2 | 0·32 |

* Administrative County with associated County Boroughs.
† Rates based upon estimated civilian populations.
‡ Cases, if any, are included with those for Dudley C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases | Rate | Cases. | Rate. | Cases. | Rate. |
| **STAFFORD**—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS—*cont.* | | | | | | | | | | | | |
| Seisdon .. .. .. | – | – | 14 | 0·81 | 1 | 0·06 | 2 | 0·12 | – | – | 4 | 0·23 |
| Stafford .. .. .. | – | – | 16 | 1·71 | 5 | 0·53 | 1 | 0·11 | – | – | – | – |
| Stone .. .. .. | – | – | 23 | 1·90 | 14 | 1·16 | 1 | 0·08 | – | – | 5 | 0·41 |
| Tamworth (part of)‡ .. | – | – | 13 | 2·30 | 6 | 1·06 | 1 | 0·18 | – | – | 1 | 0·18 |
| Tutbury .. .. .. | – | – | 9 | 1·00 | 6 | 0·66 | – | – | – | – | – | – |
| Uttoxeter .. .. .. | – | – | 29 | 3·51 | 1 | 0·12 | – | – | – | – | 1 | 0·12 |
| Walsall .. .. .. | – | – | 66 | 4·85 | 4 | 0·29 | 2 | 0·15 | 2 | 0·15 | 4 | 0·29 |
| Blymhill and Weston under Lizard (parishes) § | – | – | – | – | 1 | 1·49 | – | – | – | – | – | – |
| **SUFFOLK, EAST*†** .. .. | – | – | 366 | 1·26 | 237 | 0·82 | 46 | 0·16 | 20 | 0·07 | 49 | 0·17 |
| IPSWICH C.B... .. .. | – | – | 124 | 1·52 | 94 | 1·15 | 4 | 0·05 | 10 | 0·12 | 16 | 0·20 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | – | – | 111 | 1·25 | 95 | 1·07 | 32 | 0·36 | 1 | 0·01 | 10 | 0·11 |
| AGGREGATE OF R.Ds.† .. | – | – | 131 | 1·10 | 48 | 0·40 | 10 | 0·08 | 9 | 0·08 | 23 | 0·19 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Aldeburgh M.B. .. .. | – | – | – | – | – | – | 3 | 1·18 | – | – | – | – |
| Beccles M.B. .. .. | – | – | 21 | 2·97 | – | – | 1 | 0·14 | – | – | 2 | 0·28 |
| Bungay .. .. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·31 |
| Eye M.B. .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Felixstowe† .. .. | – | – | 5 | 0·54 | 5 | 0·54 | – | – | – | – | – | – |
| Halesworth .. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·48 |
| Leiston cum Sizewell .. | – | – | 2 | 0·42 | 3 | 0·63 | – | – | – | – | – | – |
| Lowestoft M.B. .. .. | – | – | 74 | 1·63 | 41 | 0·90 | 26 | 0·57 | 1 | 0·02 | 6 | 0·13 |
| Saxmundham .. .. | – | – | 1 | 0·74 | – | – | – | – | – | – | – | – |
| Southwold M.B. .. .. | – | – | 1 | 0·36 | 1 | 0·36 | – | – | – | – | – | – |
| Stowmarket .. .. | – | – | 5 | 1·18 | – | – | 2 | 0·47 | – | – | – | – |
| Woodbridge .. .. | – | – | 2 | 0·44 | 45 | 9·80 | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Blything .. .. .. | – | – | 10 | 0·56 | 8 | 0·45 | 1 | 0·06 | 2 | 0·11 | – | – |
| Bosmere and Claydon .. | – | – | 29 | 2·06 | 8 | 0·57 | 4 | 0·28 | – | – | 3 | 0·21 |
| East Stow.. .. .. | – | – | 8 | 1·24 | 3 | 0·46 | – | – | 2 | 0·31 | 2 | 0·31 |
| Hartismere .. .. | – | – | 5 | 0·46 | – | – | – | – | 1 | 0·09 | 4 | 0·37 |
| Hoxne .. .. .. | – | – | 3 | 0·31 | 3 | 0·31 | 1 | 0·10 | – | – | 2 | 0·21 |
| Mutford and Lothingland | – | – | 16 | 1·34 | 7 | 0·59 | 2 | 0·17 | 1 | 0·08 | 2 | 0·17 |
| Plomesgate .. .. | – | – | 2 | 0·13 | 11 | 0·73 | – | – | 1 | 0·07 | 3 | 0·20 |
| Samford† .. .. .. | – | – | 19 | 1·51 | 2 | 0·16 | – | – | 1 | 0·08 | 4 | 0·32 |
| Wangford .. .. .. | – | – | 9 | 1·94 | – | – | – | – | – | – | – | – |
| Woodbridge .. .. | – | – | 30 | 1·85 | 6 | 0·37 | 2 | 0·12 | 1 | 0·06 | 3 | 0·19 |
| **SUFFOLK, WEST‖** .. .. | – | – | 59 | 0·54 | 44 | 0·40 | 5 | 0·05 | 4 | 0·04 | 17 | 0·15 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 33 | 0·79 | 10 | 0·24 | – | – | 1 | 0·02 | 11 | 0·26 |
| AGGREGATE OF R.Ds. .. | – | – | 26 | 0·38 | 34 | 0·50 | 5 | 0·07 | 3 | 0·04 | 6 | 0·09 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Bury St. Edmunds M.B. | – | – | 3 | 0·19 | 3 | 0·19 | – | – | 1 | 0·06 | 10 | 0·62 |
| Glemsford.. .. .. | – | – | 1 | 0·68 | – | – | – | – | – | – | – | – |
| Hadleigh .. .. .. | – | – | 1 | 0·33 | 2 | 0·65 | – | – | – | – | – | – |
| Haverhill .. .. .. | – | – | – | – | 1 | 0·24 | – | – | – | – | – | – |
| Newmarket .. .. | – | – | 28 | 2·84 | 3 | 0·30 | – | – | – | – | – | – |
| Sudbury M.B. .. .. | – | – | – | – | 1 | 0·14 | – | – | – | – | 1 | 0·14 |

* Administrative County with associated County Borough.
† Rates based upon estimated civilian populations.
‡ The remaining part of the Rural District of Tamworth is in the Administrative County of Warwick.
§ These Parishes are administered by the Rural District Council of Shifnal (Salop).
‖ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate | Cases. | Rate |
| **SUFFOLK, WEST**—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Brandon .. .. .. | – | – | 3 | 0·52 | 10 | 1·74 | – | – | 1 | 0·17 | – | – |
| Clare .. .. .. | – | – | 3 | 0·41 | – | – | – | – | – | – | – | – |
| Cosford .. .. .. | – | – | 7 | 0·67 | 7 | 0·67 | 2 | 0·19 | 2 | 0·19 | 1 | 0·10 |
| Melford .. .. .. | – | – | 4 | 0·33 | 10 | 0·82 | 2 | 0·16 | – | – | 2 | 0·16 |
| Mildenhall .. .. | – | – | – | – | – | – | 1 | 0·12 | – | – | 1 | 0·12 |
| Moulton .. .. .. | – | – | 1 | 0·47 | – | – | – | – | – | – | – | – |
| Thedwastre .. .. | – | – | 5 | 0·59 | 1 | 0·12 | – | – | – | – | 1 | 0·12 |
| Thingoe .. .. .. | – | – | 3 | 0·22 | 6 | 0·44 | – | – | – | – | 1 | 0·07 |
| **SURREY*†** .. .. .. | 2 | 0·00 | 1,619 | 1·74 | 789 | 0·85 | 96 | 0·10 | 26 | 0·03 | 207 | 0·22 |
| CROYDON C.B. .. .. | – | – | 384 | 1·99 | 193 | 1·00 | 12 | 0·06 | 3 | 0·02 | 36 | 0·19 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | 2 | 0·00 | 1,019 | 1·78 | 501 | 0·88 | 68 | 0·12 | 19 | 0·03 | 147 | 0·26 |
| AGGREGATE OF R.Ds. .. | – | – | 216 | 1·30 | 95 | 0·57 | 16 | 0·10 | 4 | 0·02 | 24 | 0·14 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Barnes .. .. .. | – | – | 76 | 2·21 | 20 | 0·58 | 1 | 0·03 | 3 | 0·09 | 9 | 0·26 |
| Beddington and Wallington | – | – | 27 | 1·65 | 39 | 2·39 | 6 | 0·37 | 2 | 0·12 | 4 | 0·24 |
| Carshalton .. .. | 1 | 0·07 | 36 | 2·46 | 22 | 1·51 | 4 | 0·27 | – | – | 2 | 0·14 |
| Caterham† .. .. | – | – | 116 | 10·32 | 6 | 0·53 | 2 | 0·18 | – | – | 4 | 0·36 |
| Chertsey .. .. .. | – | – | 30 | 1·99 | 8 | 0·53 | 1 | 0·07 | – | – | 3 | 0·20 |
| Coulsdon and Purley .. | – | – | 40 | 1·82 | 27 | 1·23 | 11 | 0·50 | – | – | 2 | 0·09 |
| Dorking .. .. .. | – | – | 4 | 0·50 | 5 | 0·62 | 1 | 0·12 | – | – | 1 | 0·12 |
| East and West Molesey .. | – | – | 6 | 0·82 | 14 | 1·90 | 1 | 0·14 | – | – | – | – |
| Egham .. .. .. | – | – | 21 | 1·54 | 13 | 0·95 | 6 | 0·44 | 1 | 0·07 | 5 | 0·37 |
| Epsom .. .. .. | – | – | 6 | 0·31 | 11 | 0·57 | 5 | 0·26 | – | – | 22 | 1·14 |
| Esher and the Dittons .. | – | – | 9 | 0·63 | 2 | 0·14 | – | – | – | – | 1 | 0·07 |
| Farnham .. .. .. | – | – | 17 | 1·40 | 13 | 1·07 | 1 | 0·08 | – | – | 3 | 0·25 |
| Frimley† .. .. .. | – | – | 15 | 1·28 | – | – | 1 | 0·09 | 1 | 0·09 | 1 | 0·09 |
| Godalming M.B. .. .. | – | – | 11 | 1·19 | 3 | 0·32 | 1 | 0·11 | – | – | 3 | 0·32 |
| Guildford M.B. .. .. | – | – | 38 | 1·47 | 11 | 0·43 | – | – | – | – | 2 | 0·08 |
| Ham .. .. .. | – | – | 5 | 3·24 | – | – | – | – | – | – | 1 | 0·65 |
| Haslemere .. .. .. | – | – | 4 | 1·07 | – | – | 1 | 0·27 | – | – | – | – |
| Kingston on Thames M.B. | – | – | 118 | 2·93 | 17 | 0·42 | 1 | 0·02 | 2 | 0·05 | 22 | 0·55 |
| Leatherhead .. .. | – | – | 5 | 0·85 | 1 | 0·17 | – | – | – | – | 1 | 0·17 |
| Merton and Morden .. | – | – | 59 | 3·23 | 39 | 2·13 | – | – | – | – | 7 | 0·38 |
| Mitcham .. .. .. | – | – | 110 | 3·02 | 35 | 0·96 | 2 | 0·05 | 2 | 0·05 | 15 | 0·41 |
| Reigate M.B. .. .. | – | – | 12 | 0·42 | 6 | 0·21 | 3 | 0·10 | 2 | 0·07 | 4 | 0·14 |
| Richmond M.B. .. .. | 1 | 0·03 | 31 | 0·88 | 29 | 0·83 | 2 | 0·06 | 4 | 0·11 | 4 | 0·11 |
| Surbiton .. .. .. | – | – | 29 | 1·47 | 15 | 0·76 | 3 | 0·15 | – | – | 4 | 0·20 |
| Sutton .. .. .. | – | – | 16 | 0·76 | 33 | 1·56 | 11 | 0·52 | – | – | 2 | 0·09 |
| The Maldens and Coombe | – | – | 17 | 1·18 | 11 | 0·74 | – | – | – | – | 5 | 0·34 |
| Walton upon Thames .. | – | – | 16 | 1·09 | 10 | 0·68 | 2 | 0·14 | – | – | 2 | 0·14 |
| Weybridge .. .. | – | – | 7 | 1·09 | 1 | 0·16 | – | – | – | – | – | – |
| Wimbledon M.B. .. | – | – | 94 | 1·62 | 88 | 1·52 | 2 | 0·03 | 1 | 0·02 | 10 | 0·17 |
| Windlesham .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Woking .. .. .. | – | – | 44 | 1·64 | 22 | 0·82 | – | – | 1 | 0·04 | 8 | 0·30 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Chertsey .. .. .. | – | – | 6 | 0·54 | 12 | 1·08 | – | – | – | – | 1 | 0·09 |
| Dorking .. .. .. | – | – | 24 | 2·34 | 5 | 0·49 | 1 | 0·10 | 1 | 0·10 | 2 | 0·20 |
| Epsom .. .. .. | – | – | 32 | 0·92 | 8 | 0·23 | 7 | 0·20 | 2 | 0·06 | 7 | 0·20 |
| Farnham .. .. .. | – | – | 21 | 1·15 | 5 | 0·27 | 2 | 0·11 | – | – | 4 | 0·22 |
| Godstone .. .. .. | – | – | 29 | 1·14 | 34 | 1·34 | 2 | 0·08 | – | – | 1 | 0·04 |
| Guildford .. .. | – | – | 35 | 1·64 | 15 | 0·70 | 3 | 0·14 | – | – | 3 | 0·14 |
| Hambledon .. .. | – | – | 55 | 2·41 | 12 | 0·52 | 1 | 0·04 | 1 | 0·04 | 5 | 0·22 |
| Reigate .. .. .. | – | – | 14 | 0·62 | 4 | 0·18 | – | – | – | – | 1 | 0·04 |

* Administrative County with associated County Borough.

† Rates based upon estimated civilian populations.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **SUSSEX, EAST*†** .. .. | 1 | 0·00 | 734 | 1·46 | 416 | 0·83 | 39 | 0·08 | 8 | 0·02 | 111 | 0·22 |
| BRIGHTON C.B.§ .. .. | – | – | 253 | 1·86 | 272 | 2·00 | 6 | 0·04 | – | – | 33 | 0·24 |
| EASTBOURNE C.B. .. .. | – | – | 29 | 0·54 | 33 | 0·61 | 2 | 0·04 | – | – | 13 | 0·24 |
| HASTINGS C.B. .. .. | – | – | 59 | 0·98 | 11 | 0·18 | 6 | 0·10 | 2 | 0·03 | 13 | 0·22 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 1 | 0·01 | 226 | 1·82 | 30 | 0·24 | 17 | 0·14 | 4 | 0·03 | 32 | 0·26 |
| AGGREGATE OF R.Ds.† .. | – | – | 167 | 1·29 | 70 | 0·54 | 8 | 0·06 | 2 | 0·02 | 20 | 0·15 |
| BOROUGHS AND URBAN DISTRICTS:— | | | | | | | | | | | | |
| Battle .. .. .. | – | – | 4 | 1·36 | – | – | – | – | – | – | – | – |
| Bexhill M.B. .. .. | – | – | 6 | 0·34 | 2 | 0·11 | 1 | 0·06 | 1 | 0·06 | 2 | 0·11 |
| Burgess Hill .. .. | – | – | – | – | – | – | – | – | – | – | 2 | 0·36 |
| Cuckfield .. .. .. | – | – | – | – | 2 | 1·07 | – | – | – | – | 1 | 0·54 |
| East Grinstead .. .. | – | – | 55 | 7·20 | 10 | 1·31 | 2 | 0·26 | – | – | 3 | 0·39 |
| Haywards Heath.. .. | – | – | 3 | 0·61 | 1 | 0·20 | – | – | – | – | – | – |
| Hove M.B. .. .. | – | – | 106 | 2·39 | 9 | 0·20 | 5 | 0·11 | – | – | 15 | 0·34 |
| Lewes M.B. .. .. | – | – | 10 | 0·91 | – | – | 1 | 0·09 | 1 | 0·09 | – | – |
| Newhaven.. .. .. | – | – | 6 | 0·91 | – | – | 3 | 0·46 | 1 | 0·15 | 1 | 0·15 |
| Portslade by Sea.. .. | – | – | 29 | 3·67 | – | – | 1 | 0·13 | 1 | 0·13 | 4 | 0·51 |
| Rye M.B. .. .. .. | – | – | 4 | 1·05 | – | – | 3 | 0·78 | – | – | 1 | 0·26 |
| Seaford .. .. .. | 1 | 0·16 | 2 | 0·32 | 4 | 0·65 | 1 | 0·16 | – | – | 2 | 0·32 |
| Uckfield .. .. .. | – | – | 1 | 0·30 | 2 | 0·59 | – | – | – | – | 1 | 0·30 |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Battle .. .. .. | – | – | 2 | 0·32 | 4 | 0·64 | 2 | 0·32 | – | – | – | – |
| Chailey .. .. .. | – | – | 13 | 1·03 | 2 | 0·16 | – | – | – | – | – | – |
| Cuckfield .. .. .. | – | – | 17 | 1·03 | 40 | 2·43 | 1 | 0·06 | – | – | 7 | 0·43 |
| Eastbourne .. .. | – | – | 3 | 0·52 | 1 | 0·17 | – | – | – | – | 3 | 0·52 |
| East Grinstead .. .. | – | – | 40 | 2·91 | 4 | 0·29 | 1 | 0·07 | – | – | 4 | 0·29 |
| Hailsham .. .. .. | – | – | 5 | 0·27 | 6 | 0·33 | – | – | – | – | 1 | 0·05 |
| Hastings .. .. .. | – | – | – | – | 1 | 0·54 | – | – | – | – | – | – |
| Newhaven.. .. .. | – | – | 31 | 4·81 | 2 | 0·31 | 2 | 0·31 | – | – | – | – |
| Rye .. .. .. | – | – | 7 | 1·02 | – | – | – | – | – | – | 1 | 0·15 |
| Steyning East§ .. .. | – | – | 32 | 7·41 | 3 | 0·69 | – | – | 1 | 0·23 | – | – |
| Ticehurst .. .. .. | – | – | 2 | 0·16 | 1 | 0·08 | – | – | 1 | 0·08 | – | – |
| Uckfield† .. .. | – | – | 15 | 0·62 | 6 | 0·25 | 2 | 0·08 | – | – | 4 | 0·17 |
| **SUSSEX, WEST‡** .. .. | – | – | 225 | 1·20 | 75 | 0·40 | 23 | 0·12 | 7 | 0·04 | 22 | 0·12 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 117 | 1·29 | 56 | 0·62 | 13 | 0·14 | 5 | 0·06 | 16 | 0·18 |
| AGGREGATE OF R.Ds. .. | – | – | 108 | 1·12 | 19 | 0·20 | 10 | 0·10 | 2 | 0·02 | 6 | 0·06 |
| BOROUGHS AND URBAN DISTRICTS:— | | | | | | | | | | | | |
| Arundel M.B. .. .. | – | – | 16 | 5·88 | 1 | 0·37 | – | – | – | – | – | – |
| Bognor .. .. .. | – | – | 19 | 1·63 | 9 | 0·77 | 2 | 0·17 | – | – | 2 | 0·17 |
| Chichester M.B. .. .. | – | – | 2 | 0·16 | 8 | 0·63 | 8 | 0·63 | 3 | 0·24 | 1 | 0·08 |
| Horsham .. .. .. | – | – | 36 | 3·17 | 7 | 0·62 | – | – | – | – | 2 | 0·18 |
| Littlehampton .. .. | – | – | 15 | 1·70 | 3 | 0·34 | – | – | – | – | 2 | 0·23 |
| Shoreham by Sea .. | – | – | 2 | 0·27 | 7 | 0·96 | – | – | – | – | 6 | 0·82 |
| Southwick.. .. .. | – | – | 11 | 2·25 | 5 | 1·02 | – | – | 1 | 0·20 | – | – |
| Worthing M.B. .. .. | – | – | 16 | 0·51 | 16 | 0·51 | 3 | 0·10 | 1 | 0·03 | 3 | 0·10 |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| East Preston .. .. | – | – | 5 | 0·69 | 6 | 0·83 | – | – | – | – | – | – |
| Horsham .. .. .. | – | – | 37 | 1·74 | 2 | 0·09 | 1 | 0·05 | 1 | 0·05 | – | – |
| Midhurst .. .. .. | – | – | 19 | 1·29 | 1 | 0·07 | 1 | 0·07 | – | – | 1 | 0·07 |
| Petworth .. .. .. | – | – | 7 | 0·87 | 1 | 0·12 | – | – | – | – | 1 | 0·12 |
| Steyning West .. .. | – | – | 12 | 1·19 | 5 | 0·50 | – | – | – | – | 1 | 0·10 |
| Thakeham.. .. .. | – | – | 3 | 0·36 | – | – | – | – | – | – | 1 | 0·12 |
| Westbourne .. .. | – | – | 9 | 1·00 | 1 | 0·11 | 5 | 0·56 | 1 | 0·11 | – | – |
| Westhampnett .. .. | – | – | 16 | 0·90 | 3 | 0·17 | 3 | 0·17 | – | – | 2 | 0·11 |

* Administrative County with associated County Boroughs.
† Rates based upon estimated civilian populations.
‡ Administrative County.
§ On 1st October, 1923, the County Borough of Brighton was extended to include part of the Rural District of Steyning East. Allowance for this has been made in the calculation of rates.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| **WARWICK*** .. .. | 3 | 0·00 | 3,878 | 2·71 | 2,031 | 1·42 | 148 | 0·10 | 214 | 0·15 | 574 | 0·40 |
| BIRMINGHAM C.B. .. .. | 2 | 0·00 | 2,615 | 2·76 | 1,655 | 1·75 | 33 | 0·03 | 185 | 0·20 | 445 | 0·47 |
| COVENTRY C.B. .. .. | – | – | 414 | 3·16 | 77 | 0·59 | 10 | 0·08 | 12 | 0·09 | 31 | 0·24 |
| AGGREGATE OF M.BS. AND U.DS. .. .. .. | – | – | 239 | 1·56 | 105 | 0·69 | 60 | 0·39 | 9 | 0·06 | 37 | 0·24 |
| AGGREGATE OF R.DS. .. | 1 | 0·01 | 610 | 3·07 | 194 | 0·98 | 45 | 0·23 | 8 | 0·04 | 61 | 0·31 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Bulkington .. .. | – | – | – | – | 1 | 0·43 | – | – | – | – | – | – |
| Kenilworth .. .. | – | – | 4 | 0·58 | 6 | 0·87 | 5 | 0·73 | – | – | 2 | 0·29 |
| Nuneaton M.B. .. .. | – | – | 63 | 1·43 | 27 | 0·61 | – | – | 5 | 0·11 | 13 | 0·30 |
| Royal Leamington Spa M.B. .. .. .. | – | – | 80 | 2·78 | 24 | 0·83 | 45 | 1·56 | 3 | 0·10 | 12 | 0·42 |
| Rugby .. .. .. | – | – | 27 | 1·06 | 19 | 0·75 | 3 | 0·12 | 1 | 0·04 | 4 | 0·16 |
| Stratford on Avon M.B... | – | – | 12 | 1·31 | 21 | 2·29 | – | – | – | – | 1 | 0·11 |
| Sutton Coldfield M.B. .. | – | – | 27 | 1·16 | 1 | 0·04 | 1 | 0·04 | – | – | 1 | 0·04 |
| Warwick M.B. .. .. | – | – | 26 | 1·96 | 6 | 0·45 | 6 | 0·45 | – | – | 4 | 0·30 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Alcester .. .. .. | 1 | 0·08 | 35 | 2·80 | 17 | 1·36 | 1 | 0·08 | – | – | 6 | 0·48 |
| Atherstone .. .. | – | – | 79 | 3·61 | 46 | 2·10 | – | – | – | – | 5 | 0·23 |
| Brailes .. .. .. | – | – | 4 | 0·70 | – | – | 1 | 0·18 | – | – | 1 | 0·18 |
| Coventry .. .. .. | – | – | 8 | 1·33 | – | – | – | – | – | – | 1 | 0·17 |
| Farnborough .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Foleshill .. .. .. | – | – | 145 | 4·11 | 5 | 0·14 | 1 | 0·03 | 1 | 0·03 | 17 | 0·48 |
| Meriden .. .. .. | – | – | 63 | 3·61 | 33 | 1·89 | 2 | 0·11 | 1 | 0·06 | 3 | 0·17 |
| Monks Kirby .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Nuneaton .. .. .. | – | – | 50 | 14·11 | 5 | 1·41 | 1 | 0·28 | – | – | 3 | 0·85 |
| Rugby .. .. .. | – | – | 66 | 3·28 | 13 | 0·65 | 3 | 0·15 | 2 | 0·10 | 8 | 0·40 |
| Solihull .. .. .. | – | – | 32 | 1·51 | 9 | 0·43 | 1 | 0·05 | 2 | 0·09 | 5 | 0·24 |
| Southam .. .. .. | – | – | 22 | 2·18 | 3 | 0·30 | 8 | 0·79 | 1 | 0·10 | 7 | 0·70 |
| Stratford on Avon .. | – | – | 12 | 1·10 | 2 | 0·18 | 3 | 0·27 | – | – | – | – |
| Tamworth (part of)‡ .. | – | – | 78 | 4·22 | 56 | 3·03 | – | – | 1 | 0·05 | 4 | 0·22 |
| Warwick .. .. .. | – | – | 16 | 1·26 | 5 | 0·39 | 24 | 1·89 | – | – | 1 | 0·08 |
| **WESTMORLAND§** .. .. | – | – | 132 | 2·12 | 22 | 0·35 | 1 | 0·02 | 1 | 0·02 | 10 | 0·16 |
| AGGREGATE OF M.BS. AND U.DS. .. .. .. | – | – | 67 | 2·52 | 6 | 0·23 | – | – | – | – | – | – |
| AGGREGATE OF R.DS. .. | – | – | 65 | 1·83 | 16 | 0·45 | 1 | 0·03 | 1 | 0·03 | 10 | 0·28 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Ambleside.. .. .. | – | – | 2 | 0·88 | 1 | 0·44 | – | – | – | – | – | – |
| Appleby M.B. .. .. | – | – | 5 | 3·02 | – | – | – | – | – | – | – | – |
| Grasmere .. .. .. | – | – | 3 | 3·42 | – | – | – | – | – | – | – | – |
| Kendal M.B. .. .. | – | – | 49 | 3·44 | 4 | 0·28 | – | – | – | – | – | – |
| Kirkby Lonsdale.. .. | – | – | 2 | 1·49 | 1 | 0·75 | – | – | – | – | – | – |
| Shap .. .. .. | – | – | 4 | 3·98 | – | – | – | – | – | – | – | – |
| Windermere .. .. | – | – | 2 | 0·38 | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| East Westmorland .. | – | – | 16 | 1·47 | – | – | – | – | 1 | 0·09 | 1 | 0·09 |
| South Westmorland .. | – | – | 40 | 2·14 | 16 | 0·86 | – | – | – | – | 9 | 0·48 |
| West Ward .. .. | – | – | 9 | 1·48 | – | – | 1 | 0·16 | – | – | – | – |
| ‡ | – | – | 91 | 3·77 | 62 | 2·57 | 1 | 0·04 | 1 | 0·04 | 5 | 0·21 |

* Administrative County with associated County Boroughs.

‡ The remaining part of the Rural District of Tamworth is in the Administrative County of Stafford. The figures for the entire District are :—

§ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **WIGHT, ISLE OF*** .. | – | – | 120 | 1·40 | 16 | 0·19 | 7 | 0·08 | – | – | 13 | 0·15 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 106 | 1·87 | 13 | 0·23 | 5 | 0·09 | – | – | 7 | 0·12 |
| RURAL DISTRICT .. .. | – | – | 14 | 0·48 | 3 | 0·10 | 2 | 0·07 | – | – | 6 | 0·21 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Cowes§ .. .. .. | – | – | 12 | 1·13 | 6 | 0·57 | – | – | – | – | 1 | 0·09 |
| East Cowes .. .. | – | – | 4 | 0·84 | – | – | – | – | – | – | – | – |
| Newport M.B. .. .. | – | – | 8 | 0·72 | – | – | 1 | 0·09 | – | – | 5 | 0·45 |
| Ryde M.B. .. .. | – | – | 5 | 0·48 | 1 | 0·10 | 3 | 0·29 | – | – | 1 | 0·10 |
| St. Helens.. .. .. | – | – | 1 | 0·20 | 1 | 0·20 | – | – | – | – | – | – |
| Sandown .. .. .. | – | – | 58 | 10·67 | 1 | 0·18 | – | – | – | – | – | – |
| Shanklin .. .. .. | – | – | 17 | 3·98 | 4 | 0·94 | 1 | 0·23 | – | – | – | – |
| Ventnor .. .. .. | – | – | 1 | 0·20 | – | – | – | – | – | – | – | – |
| RURAL DISTRICT :— | | | | | | | | | | | | |
| Isle of Wight§ .. .. | – | – | 14 | 0·48 | 3 | 0·10 | 2 | 0·07 | – | – | 6 | 0·21 |
| **WILTS*†** .. .. .. | 3 | 0·01 | 538 | 1·85 | 193 | 0·66 | 4 | 0·01 | 9 | 0·03 | 52 | 0·18 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. | 3 | 0·02 | 242 | 1·79 | 108 | 0·80 | 2 | 0·01 | 1 | 0·01 | 21 | 0·16 |
| AGGREGATE OF R.Ds.† .. | – | – | 296 | 1·90 | 85 | 0·55 | 2 | 0·01 | 8 | 0·05 | 31 | 0·20 |
| BOROUGHS AND URBAN DISTRICTS: — | | | | | | | | | | | | |
| Bradford on Avon | – | – | 2 | 0·41 | 2 | 0·41 | – | – | – | – | – | – |
| Calne M.B. .. .. | – | – | 11 | 3·00 | – | – | – | – | – | – | – | – |
| Chippenham M.B. .. | – | – | 8 | 1·02 | 1 | 0·13 | – | – | – | – | 2 | 0·25 |
| Devizes M.B .. .. | – | – | 14 | 2·32 | 1 | 0·17 | – | – | – | – | 1 | 0·17 |
| Malmesbury M.B.. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Marlborough M.B. .. | – | – | 6 | 1·43 | 1 | 0·24 | – | – | – | – | – | – |
| Melksham .. .. | – | | 1 | 0·28 | 2 | 0·55 | – | – | – | – | – | – |
| Salisbury M.B. .. .. | – | – | 16 | 0·70 | 80 | 3·48 | 2 | 0·09 | – | – | – | – |
| Swindon M.B. .. .. | 3 | 0·05 | 163 | 2·91 | 18 | 0·32 | – | – | – | – | 16 | 0·29 |
| Trowbridge .. .. | – | – | 6 | 0·49 | 2 | 0·16 | – | – | – | – | 1 | 0·08 |
| Warminster .. .. | – | – | 12 | 2·20 | 1 | 0·18 | – | – | – | – | 1 | 0·18 |
| Westbury .. .. .. | – | – | 3 | 0·80 | – | – | – | – | 1 | 0·27 | – | – |
| Wilton M.B. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Amesbury† .. .. | – | – | 45 | 3·76 | 3 | 0·25 | – | – | – | – | 3 | 0·25 |
| Bradford on Avon .. | – | – | 4 | 0·73 | 1 | 0·18 | – | – | – | – | – | – |
| Calne .. .. .. | – | – | 19 | 4·06 | – | – | – | – | 1 | 0·21 | – | – |
| Chippenham .. .. | – | – | 43 | 2·98 | 2 | 0·14 | – | – | 1 | 0·07 | 9 | 0·62 |
| Cricklade and Wootton Bassett .. .. .. | – | – | 12 | 1·10 | 3 | 0·28 | – | – | – | – | 1 | 0·09 |
| Devizes .. .. .. | – | – | 15 | 1·21 | – | – | – | – | 1 | 0·08 | – | – |
| Highworth .. .. | – | – | 14 | 0·85 | 6 | 0·36 | – | – | – | – | 6 | 0·36 |
| Malmesbury .. .. | – | – | 2 | 0·24 | – | – | – | – | – | – | 2 | 0·24 |
| Marlborough .. .. | – | – | 4 | 0·95 | 16 | 3·80 | – | – | – | – | 2 | 0·47 |
| Melksham .. .. | – | – | 2 | 0·39 | 1 | 0·20 | – | – | 1 | 0·20 | 1 | 0·20 |
| Mere .. .. .. | – | – | – | – | 1 | 0·22 | – | – | – | – | – | – |
| Pewsey† .. .. .. | – | – | 66 | 5·29 | 2 | 0·16 | – | – | 1 | 0·08 | 2 | 0·16 |
| Ramsbury.. .. .. | – | – | 33 | 5·29 | 29 | 4·65 | – | – | 1 | 0·16 | 2 | 0·32 |
| Salisbury†.. .. .. | – | – | 16 | 1·59 | 5 | 0·50 | 1 | 0·10 | – | – | 1 | 0·10 |
| Tetbury (part of)‡ .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Tisbury .. .. .. | – | – | 5 | 0·70 | 5 | 0·70 | – | – | – | – | – | – |
| Warminster .. .. | – | – | 10 | 1·67 | 3 | 0·50 | – | – | 2 | 0·33 | – | – |
| Westbury and Whorwellsdown .. .. .. | – | – | 6 | 0·91 | 3 | 0·46 | – | – | – | – | 1 | 0·15 |
| Wilton .. .. .. | – | – | – | – | 5 | 0·62 | 1 | 0·12 | – | – | 1 | 0·12 |

* Administrative County.
† Rates based upon estimated civilian populations.
‡ The remaining part of the Rural District of Tetbury is in the Administrative County of Gloucester.
§ On the 1st April, 1923, the Urban District of Cowes was extended to include part of the Rural District of the Isle of Wight. Allowance for this has been made in the calculation of rates.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **WORCESTER*** .. .. | 1 | 0·00 | 840 | 2·03 | 157 | 0·38 | 27 | 0·07 | 10 | 0·02 | 118 | 0·29 |
| DUDLEY C.B. (INCLUDING DUDLEY CASTLE HILL) | – | – | 77 | 1·32 | 6 | 0·10 | 2 | 0·03 | 1 | 0·02 | 10 | 0·17 |
| WORCESTER C.B. .. .. | – | – | 69 | 1·38 | 38 | 0·76 | 5 | 0·10 | – | – | 33 | 0·66 |
| AGGREGATE OF M.BS. AND U.DS. .. .. .. | – | – | 420 | 2·48 | 76 | 0·45 | 8 | 0·05 | 5 | 0·03 | 45 | 0·27 |
| AGGREGATE OF R.DS. .. | 1 | 0·01 | 274 | 2·01 | 37 | 0·27 | 12 | 0·09 | 4 | 0·03 | 30 | 0·22 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Bewdley M.B. .. .. | – | – | 12 | 4·49 | – | – | – | – | 1 | 0·37 | 1 | 0·37 |
| Bromsgrove .. .. | – | – | 70 | 7·22 | – | – | – | – | – | – | – | – |
| Droitwich M.B. .. .. | – | – | – | – | 1 | 0·26 | – | – | – | – | – | – |
| Evesham M.B. .. .. | – | – | 4 | 0·46 | 4 | 0·46 | 1 | 0·12 | – | – | – | – |
| Kidderminster M.B. .. | – | – | 63 | 2·30 | 9 | 0·33 | – | – | – | – | 6 | 0·22 |
| Lye and Wollescote .. | – | – | 12 | 0·95 | 3 | 0·24 | – | – | – | – | 2 | 0·16 |
| Malvern .. .. .. | – | – | 12 | 0·71 | 3 | 0·18 | 2 | 0·12 | – | – | 2 | 0·12 |
| North Bromsgrove .. | – | – | 15 | 1·77 | 1 | 0·12 | – | – | – | – | – | – |
| Oldbury .. .. .. | – | – | 89 | 2·28 | 36 | 0·92 | – | – | 3 | 0·08 | 15 | 0·38 |
| Redditch .. .. .. | – | – | 100 | 5·99 | 3 | 0·18 | 5 | 0·30 | – | – | 9 | 0·54 |
| Stourbridge M.B... .. | – | – | 17 | 0·92 | 9 | 0·49 | – | – | 1 | 0·05 | 9 | 0·49 |
| Stourport .. .. .. | – | – | 26 | 5·34 | 7 | 1·44 | – | – | – | – | 1 | 0·21 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Bromsgrove .. .. | – | – | 66 | 3·85 | 5 | 0·29 | – | – | – | – | 1 | 0·06 |
| Droitwich .. .. | – | – | 11 | 0·86 | 4 | 0·31 | 2 | 0·16 | 1 | 0·08 | – | – |
| Evesham .. .. .. | – | – | 4 | 0·40 | 4 | 0·40 | – | – | – | – | – | – |
| Feckenham .. .. | – | – | 42 | 7·63 | 1 | 0·18 | – | – | – | – | 1 | 0·18 |
| Halesowen .. .. | – | – | 42 | 1·40 | 6 | 0·20 | 2 | 0·07 | – | – | 15 | 0·50 |
| Kidderminster .. .. | – | – | 18 | 2·37 | 2 | 0·26 | – | – | 1 | 0·13 | 2 | 0·26 |
| Martley .. .. .. | 1 | 0·08 | 21 | 1·69 | 6 | 0·48 | – | – | – | – | 4 | 0·32 |
| Pershore .. .. .. | – | – | 26 | 2·00 | 6 | 0·46 | – | – | – | – | 3 | 0·23 |
| Rock .. .. .. | – | – | 2 | 0·92 | – | – | 1 | 0·46 | – | – | 1 | 0·46 |
| Shipston on Stour .. | – | – | 5 | 1·18 | – | – | 1 | 0·24 | – | – | 1 | 0·24 |
| Stow on the Wold (part of)‡ .. .. .. | – | – | – | – | 1 | 3·57 | – | – | – | – | – | – |
| Tenbury .. .. .. | – | – | 7 | 1·58 | – | – | – | – | – | – | – | – |
| Tewkesbury (part of)‡ .. | – | – | 10 | 4·70 | – | – | – | – | – | – | – | – |
| Upton on Severn .. | – | – | 20 | 1·48 | 2 | 0·15 | 5 | 0·37 | 2 | 0·15 | 2 | 0·15 |
| Winchcomb (part of)‡ .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Redmarley d'Abitôt and Staunton (parishes)§ .. | – | – | – | – | – | – | 1 | 0·99 | – | – | – | – |
| **YORKS, EAST RIDING*** .. | – | – | 518 | 1·12 | 530 | 1·15 | 19 | 0·04 | 26 | 0·06 | 119 | 0·26 |
| KINGSTON UPON HULL C.B... | – | – | 316 | 1·06 | 417 | 1·40 | 12 | 0·04 | 22 | 0·07 | 91 | 0·31 |
| AGGREGATE OF M.BS. AND U.DS. .. .. .. | – | – | 104 | 1·59 | 43 | 0·66 | 4 | 0·06 | 2 | 0·03 | 14 | 0·21 |
| AGGREGATE OF R.DS. .. | – | – | 98 | 0·98 | 70 | 0·70 | 3 | 0·03 | 2 | 0·02 | 14 | 0·14 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Beverley M.B. .. .. | – | – | 39 | 2·85 | 10 | 0·73 | – | – | – | – | 3 | 0·22 |
| Bridlington M.B.† .. | – | – | 23 | 1·50 | 3 | 0·20 | – | – | – | – | 3 | 0·20 |
| Cottingham .. .. | – | – | 13 | 2·49 | 4 | 0·77 | – | – | – | – | – | – |
| Filey .. .. .. | – | – | 2 | 0·58 | – | – | 1 | 0·29 | – | – | 1 | 0·29 |
| Great Driffield .. .. | – | – | 3 | 0·53 | 6 | 1·06 | 2 | 0·35 | – | – | – | – |
| Hedon M.B. .. .. | – | – | 4 | 2·90 | 1 | 0·72 | – | – | – | – | – | – |
| Hessle .. .. .. | – | – | 10 | 1·61 | 3 | 0·48 | – | – | – | – | 4 | 0·65 |
| Hornsea .. .. .. | – | – | 3 | 0·78 | 8 | 2·07 | – | – | – | – | – | – |
| Norton .. .. .. | – | – | 3 | 0·78 | – | – | – | – | 2 | 0·52 | 2 | 0·52 |
| Pocklington .. .. | – | – | 3 | 1·12 | – | – | – | – | – | – | – | – |
| Withernsea .. .. | – | – | 1 | 0·25 | 8 | 2·03 | 1 | 0·25 | – | – | 1 | 0·25 |

* Administrative County with associated County Boroughs.

† On 1st October, 1923, the Municipal Borough of Bridlington was extended to include part of the Rural District of Bridlington. Allowance for this has been made in the calculation of rates.

‡ The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Gloucester.

§ These Parishes are administered by the Rural District Council of Newent (Glos.).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| **YORKS, EAST RIDING—*cont.*** | | | | | | | | | | | | |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Beverley .. .. .. | – | – | 6 | 0·50 | 5 | 0·42 | – | – | – | – | – | – |
| Bridlington§ .. .. | – | – | 8 | 1·02 | 7 | 0·89 | – | – | – | – | – | – |
| Driffield .. .. .. | – | – | 1 | 0·09 | 15 | 1·28 | 1 | 0·09 | – | – | 2 | 0·17 |
| Escrick .. .. .. | – | – | 1 | 0·17 | – | – | 1 | 0·17 | – | – | 1 | 0·17 |
| Howden .. .. .. | – | – | 28 | 2·12 | 9 | 0·68 | – | – | 1 | 0·08 | 2 | 0·15 |
| Norton .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Patrington .. .. | – | – | 15 | 1·99 | 5 | 0·66 | 1 | 0·13 | – | – | 4 | 0·53 |
| Pocklington .. .. | – | – | 8 | 0·73 | – | – | – | – | 1 | 0·09 | 3 | 0·27 |
| Riccall .. .. .. | – | – | 10 | 1·84 | – | – | – | – | – | – | – | – |
| Sculcoates.. .. .. | – | – | 8 | 0·75 | 13 | 1·23 | – | – | – | – | 1 | 0·09 |
| Sherburn .. .. .. | – | – | 11 | 5·17 | 1 | 0·47 | – | – | – | – | – | – |
| Skirlaugh .. .. .. | – | – | 2 | 0·28 | 15 | 2·09 | – | – | – | – | 1 | 0·14 |
| **YORKS, NORTH RIDING†‡** | 109 | 0·24 | 1,988 | 4·43 | 271 | 0·60 | 30 | 0·07 | 11 | 0·02 | 178 | 0·40 |
| MIDDLESBROUGH C.B. .. | 106 | 0·78 | 1,151 | 8·50 | 84 | 0·62 | 3 | 0·02 | 1 | 0·01 | 94 | 0·69 |
| AGGREGATE OF M.Bs. AND U.Ds.‡ .. .. .. | 2 | 0·01 | 669 | 3·77 | 141 | 0·80 | 13 | 0·07 | 9 | 0·05 | 65 | 0·37 |
| AGGREGATE OF R.Ds.‡ .. | 1 | 0·01 | 168 | 1·24 | 46 | 0·34 | 14 | 0·10 | 1 | 0·01 | 19 | 0·14 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Eston .. .. .. | 2 | 0·06 | 340 | 10·39 | 6 | 0·18 | 2 | 0·06 | – | – | 12 | 0·37 |
| Guisborough .. .. | – | – | 18 | 2·53 | 1 | 0·14 | 4 | 0·56 | 1 | 0·14 | 10 | 1·40 |
| Hinderwell .. .. | – | – | 3 | 1·17 | – | – | – | – | – | – | – | – |
| Kirklington cum Upsland | – | – | – | – | – | – | – | – | – | – | – | – |
| Loftus .. .. .. | – | – | 40 | 4·33 | – | – | – | – | – | – | 2 | 0·22 |
| Malton .. .. .. | – | – | 1 | 0·23 | – | – | – | – | – | – | 2 | 0·45 |
| Masham .. .. .. | – | – | 2 | 0·94 | – | – | – | – | – | – | – | – |
| Northallerton .. .. | – | – | 26 | 5·40 | – | – | – | – | – | – | 2 | 0·42 |
| Pickering .. .. .. | – | – | – | – | – | – | 1 | 0·29 | 1 | 0·29 | – | – |
| Redcar M.B. .. .. | – | – | 60 | 3·94 | 15 | 0·98 | – | – | 1 | 0·07 | 10 | 0·66 |
| Richmond M.B.‡ .. .. | – | – | 10 | 2·76 | – | – | – | – | – | – | 1 | 0·28 |
| Saltburn by the Sea .. | – | – | 5 | 1·31 | 4 | 1·05 | – | – | – | – | 1 | 0·26 |
| Scalby‡ .. .. .. | – | – | – | – | – | – | – | – | – | – | 1 | 0·73 |
| Scarborough M.B. .. | – | – | 56 | 1·47 | 26 | 0·68 | 4 | 0·11 | 5 | 0·13 | 9 | 0·24 |
| Skelton and Brotton .. | – | – | 10 | 0·63 | 16 | 1·01 | – | – | 1 | 0·06 | 4 | 0·25 |
| Thornaby on Tees M.B... | – | – | 33 | 1·61 | 10 | 0·49 | 2 | 0·10 | – | – | 6 | 0·29 |
| Whitby .. .. .. | – | – | 65 | 5·35 | 63 | 5·19 | – | – | – | – | 5 | 0·41 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Aysgarth .. .. .. | – | – | 1 | 0·24 | 1 | 0·24 | 1 | 0·24 | – | – | – | – |
| Bedale .. .. .. | – | – | – | – | 3 | 0·45 | – | – | – | – | – | – |
| Croft .. .. .. | – | – | 6 | 2·71 | – | – | – | – | – | – | – | – |
| Easingwold .. .. | – | – | 17 | 1·72 | 8 | 0·81 | – | – | 1 | 0·10 | 3 | 0·30 |
| Flaxton‡ .. .. .. | 1 | 0·10 | 10 | 1·05 | 2 | 0·21 | 6 | 0·63 | – | – | 6 | 0·63 |
| Guisborough .. .. | – | – | 26 | 3·16 | 1 | 0·12 | – | – | – | – | – | – |
| Helmsley .. .. .. | – | – | – | – | 2 | 0·41 | – | – | – | – | 1 | 0·20 |
| Kirkby Moorside.. .. | – | – | 1 | 0·21 | 6 | 1·24 | – | – | – | – | 2 | 0·41 |
| Leyburn .. .. .. | – | – | 9 | 1·47 | – | – | – | – | – | – | – | – |
| Malton .. .. .. | – | – | 3 | 0·51 | – | – | – | – | – | – | 1 | 0·17 |
| Middlesbrough .. .. | – | – | 7 | 2·83 | – | – | – | – | – | – | 1 | 0·40 |
| Northallerton .. .. | – | – | 6 | 0·78 | 7 | 0·91 | 3 | 0·39 | – | – | – | – |
| Pickering .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Reeth .. .. .. | – | – | 4 | 1·68 | – | – | 1 | 0·42 | – | – | – | – |
| Richmond‡ .. .. | – | – | 19 | 2·29 | 2 | 0·24 | 3 | 0·36 | – | – | 2 | 0·24 |
| Scarborough .. .. | – | – | 15 | 2·44 | – | – | – | – | – | – | – | – |
| Startforth.. .. .. | – | – | 4 | 0·86 | – | – | – | – | – | – | – | – |
| Stokesley .. .. .. | – | – | 18 | 1·44 | 4 | 0·32 | – | – | – | – | 1 | 0·08 |
| Thirsk .. .. .. | – | – | 15 | 1·21 | 1 | 0·08 | – | – | – | – | 1 | 0·08 |
| Wath .. .. .. | – | – | 1 | 0·48 | – | – | – | – | – | – | – | – |
| Whitby .. .. .. | – | – | 6 | 0·69 | 9 | 1·03 | – | – | – | – | 1 | 0·11 |

† Administrative County with associated County Borough.
‡ Rates based upon estimated civilian populations.
§ See note † on previous page.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| YORKS, WEST RIDING* | 282 | 0·09 | 8,772 | 2·70 | 2,609 | 0·80 | 302 | 0·09 | 258 | 0·08 | 1,455 | 0·45 |
| BARNSLEY C.B. .. .. | – | – | 81 | 1·16 | 86 | 1·23 | 13 | 0·19 | 17 | 0·24 | 47 | 0·67 |
| BRADFORD C.B. .. .. | – | – | 666 | 2·29 | 265 | 0·91 | 26 | 0·09 | 30 | 0·10 | 201 | 0·69 |
| DEWSBURY C.B. .. .. | – | – | 188 | 3·41 | 22 | 0·40 | 2 | 0·04 | 3 | 0·05 | 10 | 0·18 |
| HALIFAX C.B... .. .. | – | – | 130 | 1·30 | 44 | 0·44 | 5 | 0·05 | 2 | 0·02 | 19 | 0·19 |
| HUDDERSFIELD C.B... .. | 2 | 0·02 | 170 | 1·52 | 76 | 0·68 | 18 | 0·16 | 5 | 0·04 | 46 | 0·41 |
| LEEDS C.B. .. .. .. | – | – | 2,133 | 4·54 | 367 | 0·78 | 9 | 0·02 | 51 | 0·11 | 205 | 0·44 |
| ROTHERHAM C.B. .. .. | – | – | 273 | 3·89 | 28 | 0·40 | 4 | 0·06 | 1 | 0·01 | 41 | 0·58 |
| SHEFFIELD C.B. .. .. | 3 | 0·01 | 1,471 | 2·81 | 496 | 0·95 | 42 | 0·08 | 79 | 0·15 | 249 | 0·48 |
| WAKEFIELD C.B. .. .. | – | – | 112 | 2·07 | 58 | 1·07 | 4 | 0·07 | 5 | 0·09 | 10 | 0·19 |
| AGGREGATE OF M.BS. AND U.DS. .. .. .. | 225 | 0·20 | 2,700 | 2·41 | 853 | 0·76 | 134 | 0·12 | 38 | 0·03 | 490 | 0·44 |
| AGGREGATE OF R.DS. .. | 52 | 0·14 | 848 | 2·21 | 314 | 0·82 | 45 | 0·12 | 27 | 0·07 | 137 | 0·36 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Adwick le Street .. .. | 30 | 2·24 | 14 | 1·04 | 71 | 5·29 | 1 | 0·07 | – | – | 5 | 0·37 |
| Altofts .. .. .. | – | – | 18 | 3·45 | 12 | 2·30 | 4 | 0·77 | 1 | 0·19 | 3 | 0·58 |
| Ardsley East and West .. | – | – | 4 | 0·46 | 5 | 0·57 | – | – | 1 | 0·11 | – | – |
| Baildon .. .. .. | – | – | 22 | 3·32 | 6 | 0·91 | – | – | – | – | 6 | 0·91 |
| Barkisland .. .. | – | – | 7 | 4·37 | – | – | – | – | – | – | – | – |
| Barnoldswick‡ .. .. | – | – | 24 | 1·94 | 4 | 0·32 | – | – | – | – | 8 | 0·65 |
| Batley M.B. .. .. | – | – | 124 | 3·36 | 14 | 0·38 | 2 | 0·05 | – | – | 9 | 0·24 |
| Bentley with Arksey .. | 77 | 5·50 | 50 | 3·57 | 8 | 0·57 | – | – | – | – | 3 | 0·21 |
| Bingley .. .. .. | – | – | 46 | 2·38 | 43 | 2·23 | 3 | 0·16 | 1 | 0·05 | 20 | 1·04 |
| Birkenshaw .. .. | – | – | 17 | 6·25 | – | – | – | – | – | – | 1 | 0·37 |
| Birstal .. .. .. | – | – | 21 | 2·89 | 7 | 0·96 | 1 | 0·14 | – | – | 4 | 0·55 |
| Bolton upon Dearne .. | – | – | 52 | 3·94 | 15 | 1·14 | 18 | 1·36 | 1 | 0·08 | 2 | 0·15 |
| Brighouse M.B. .. .. | – | – | 71 | 3·48 | 6 | 0·29 | 1 | 0·05 | 1 | 0·05 | 4 | 0·20 |
| Burley in Wharfedale .. | – | – | 4 | 1·04 | 4 | 1·04 | – | – | 1 | 0·26 | 4 | 1·04 |
| Calverley .. .. .. | – | – | 4 | 1·18 | 1 | 0·30 | – | – | – | – | 2 | 0·59 |
| Castleford.. .. .. | – | – | 151 | 6·09 | 11 | 0·44 | 3 | 0·12 | – | – | 15 | 0·61 |
| Clayton .. .. .. | – | – | 6 | 1·17 | 1 | 0·20 | 1 | 0·20 | – | – | 2 | 0·39 |
| Clayton West .. .. | – | – | 2 | 0·99 | 2 | 0·99 | – | – | – | – | – | – |
| Conisbrough .. .. | – | – | 104 | 6·23 | 22 | 1·32 | 2 | 0·12 | – | – | 2 | 0·12 |
| Cudworth .. .. .. | – | – | 24 | 2·93 | 26 | 3·18 | 1 | 0·12 | – | – | 11 | 1·34 |
| Darfield .. .. .. | – | – | 14 | 2·44 | 7 | 1·22 | 3 | 0·52 | – | – | 7 | 1·22 |
| Darton .. .. .. | – | – | 26 | 2·22 | 4 | 0·34 | – | – | – | – | 7 | 0·60 |
| Denby and Cumberworth | – | – | 2 | 0·55 | 7 | 1·91 | 1 | 0·27 | – | – | – | – |
| Denholme .. .. | – | – | 8 | 2·64 | 2 | 0·66 | – | – | – | – | 1 | 0·33 |
| Dodworth.. .. .. | – | – | 13 | 3·73 | – | – | – | – | 1 | 0·29 | – | – |
| Doncaster M.B. .. .. | 114 | 2·06 | 143 | 2·59 | 83 | 1·50 | 5 | 0·09 | 2 | 0·04 | 15 | 0·27 |
| Drighlington .. .. | – | – | 2 | 0·48 | 2 | 0·48 | – | – | – | – | 8 | 1·92 |
| Earby .. .. .. | – | – | 6 | 1·00 | 8 | 1·33 | – | – | – | – | 4 | 0·67 |
| Elland .. .. .. | – | – | 8 | 0·75 | 4 | 0·37 | 1 | 0·09 | – | – | 11 | 1·03 |
| Emley .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Farnley Tyas .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Farsley .. .. .. | – | – | 10 | 1·63 | 4 | 0·65 | 1 | 0·16 | – | – | 2 | 0·33 |
| Featherstone .. .. | – | – | 53 | 3·43 | 6 | 0·39 | 2 | 0·13 | 1 | 0·06 | 11 | 0·71 |
| Flockton .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Garforth .. .. .. | – | – | 3 | 0·76 | 1 | 0·25 | 1 | 0·25 | – | – | – | – |
| Gildersome .. .. | – | – | 4 | 1·38 | 1 | 0·35 | – | – | – | – | 2 | 0·69 |
| Golcar .. .. .. | – | – | 1 | 0·10 | 4 | 0·38 | 3 | 0·29 | – | – | 3 | 0·29 |
| Goole .. .. .. | – | – | 64 | 3·23 | 46 | 2·32 | 2 | 0·10 | – | – | 5 | 0·25 |
| Greasbrough .. .. | – | – | 3 | 0·93 | – | – | 1 | 0·31 | – | – | – | – |
| Greetland .. .. .. | – | – | 2 | 0·46 | 3 | 0·69 | – | – | – | – | 3 | 0·69 |

* Administrative County with associated County Boroughs.

‡ On 1st October, 1923, the Urban District of Barnoldswick was extended to include part of the Rural District of Skipton. Allowance for this has been made in the calculation of rates.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases | Rate. | Cases. | Rate. | Cases. | Rate. |
| YORKS, WEST RIDING—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | |
| Guiseley .. .. .. | – | – | 6 | 1·11 | 2 | 0·37 | 1 | 0·18 | – | – | – | – |
| Gunthwaite and Ingbirchworth .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Harrogate M.B. .. .. | – | – | 31 | 0·90 | 16 | 0·47 | 6 | 0·18 | – | – | 6 | 0·18 |
| Haworth .. .. .. | – | – | 20 | 3·03 | 2 | 0·30 | – | – | – | – | – | – |
| Hebden Bridge .. .. | – | – | 31 | 4·76 | 7 | 1·08 | 1 | 0·15 | – | – | 2 | 0·31 |
| Heckmondwike .. .. | – | – | 14 | 1·54 | 3 | 0·33 | – | – | 1 | 0·11 | – | – |
| Hemsworth .. .. | – | – | 91 | 7·57 | 15 | 1·25 | 1 | 0·08 | 1 | 0·08 | 12 | 1·00 |
| Hipperholme .. .. | – | – | 14 | 2·94 | 6 | 1·26 | – | – | 2 | 0·42 | – | – |
| Holme .. .. .. | – | – | 1 | 2·89 | – | – | – | – | – | – | – | – |
| Holmfirth .. .. .. | – | – | 14 | 1·33 | 11 | 1·04 | 5 | 0·47 | – | – | 1 | 0·09 |
| Honley .. .. .. | – | – | – | – | 1 | 0·21 | – | – | – | – | 2 | 0·42 |
| Horbury .. .. .. | – | – | 17 | 2·12 | 7 | 0·87 | – | – | – | – | 1 | 0·12 |
| Horsforth .. .. .. | – | – | 27 | 2·80 | 4 | 0·42 | 1 | 0·10 | – | – | – | – |
| Hoyland Nether .. .. | – | – | 19 | 1·21 | 11 | 0·70 | 1 | 0·06 | – | – | 14 | 0·89 |
| Hoyland Swaine .. .. | – | – | 2 | 2·87 | 2 | 2·87 | – | – | – | – | – | – |
| Hunsworth .. .. | – | – | 2 | 1·51 | – | – | – | – | – | – | 2 | 1·51 |
| Ilkley .. .. .. | – | – | 7 | 0·82 | 14 | 1·64 | 1 | 0·12 | – | – | 7 | 0·82 |
| Keighley M.B. .. .. | – | – | 37 | 0·88 | 8 | 0·19 | 1 | 0·02 | – | – | 5 | 0·12 |
| Kirkburton .. .. | – | – | 2 | 0·58 | 2 | 0·58 | 1 | 0·29 | 1 | 0·29 | 6 | 1·73 |
| Kirkheaton .. .. | – | – | – | – | 4 | 1·46 | – | – | – | – | 1 | 0·36 |
| Knaresborough .. .. | – | – | 6 | 1·12 | 4 | 0·75 | – | – | – | – | – | – |
| Knottingley .. .. | – | – | 53 | 7·57 | 1 | 0·14 | – | – | – | – | 1 | 0·14 |
| Lepton .. .. .. | – | – | 2 | 0·62 | 2 | 0·62 | – | – | – | – | 1 | 0·31 |
| Linthwaite .. .. | 1 | 0·10 | 4 | 0·40 | 1 | 0·10 | 1 | 0·10 | – | – | 1 | 0·10 |
| Luddenden Foot .. .. | – | – | 3 | 1·05 | 1 | 0·35 | – | – | – | – | – | – |
| Marsden .. .. .. | – | – | 2 | 0·33 | 2 | 0·33 | – | – | – | – | 6 | 1·00 |
| Meltham .. .. .. | – | – | 6 | 1·19 | 2 | 0·40 | – | – | 1 | 0·20 | – | – |
| Methley .. .. .. | – | – | 3 | 0·66 | 2 | 0·44 | 1 | 0·22 | – | – | 5 | 1·10 |
| Mexborough .. .. | – | – | 32 | 1·99 | 20 | 1·24 | 2 | 0·12 | 1 | 0·06 | 7 | 0·44 |
| Midgley .. .. .. | – | – | 2 | 1·02 | 2 | 1·02 | – | – | – | – | – | – |
| Mirfield .. .. .. | – | – | 16 | 1·29 | – | – | – | – | 1 | 0·08 | 6 | 0·48 |
| Morley M.B. .. .. | – | – | 60 | 2·48 | 27 | 1·12 | 7 | 0·29 | – | – | 15 | 0·62 |
| Mytholmroyd .. .. | – | – | 2 | 0·48 | – | – | – | – | – | – | 1 | 0·24 |
| New Mill .. .. .. | – | – | 3 | 0·67 | 3 | 0·67 | 2 | 0·44 | – | – | 3 | 0·67 |
| Normanton .. .. | – | – | 18 | 1·09 | 33 | 2·00 | 6 | 0·36 | 2 | 0·12 | 11 | 0·67 |
| Oakworth .. .. | – | – | 8 | 1·91 | – | – | 1 | 0·24 | – | – | 1 | 0·24 |
| Ossett M.B. .. .. | – | – | 57 | 3·77 | 1 | 0·07 | 2 | 0·13 | – | – | 4 | 0·26 |
| Otley .. .. .. | – | – | 13 | 1·35 | 4 | 0·41 | – | – | 1 | 0·10 | 4 | 0·41 |
| Oxenhope .. .. .. | – | – | 2 | 0·84 | – | – | – | – | – | – | – | – |
| Penistone .. .. .. | – | – | 7 | 1·79 | 4 | 1·02 | 1 | 0·26 | – | – | 2 | 0·51 |
| Pontefract M.B. .. .. | 1 | 0·06 | 51 | 2·89 | 3 | 0·17 | 2 | 0·11 | 2 | 0·11 | 11 | 0·62 |
| Pudsey M.B. .. .. | – | – | 19 | 1·32 | 5 | 0·35 | 2 | 0·14 | – | – | 2 | 0·14 |
| Queensbury .. .. | – | – | 10 | 1·69 | 6 | 1·02 | 1 | 0·17 | – | – | 4 | 0·68 |
| Rawdon .. .. .. | – | – | 13 | 3·42 | 3 | 0·79 | – | – | – | – | 2 | 0·53 |
| Rawmarsh.. .. .. | – | – | 61 | 3·30 | 9 | 0·49 | 2 | 0·11 | 1 | 0·05 | 13 | 0·70 |
| Ripon M.B. .. .. | – | – | 2 | 0·24 | 2 | 0·24 | – | – | 1 | 0·12 | 1 | 0·12 |
| Rishworth .. .. | – | – | 1 | 1·13 | – | – | – | – | – | – | – | – |
| Rothwell .. .. .. | – | – | 39 | 2·50 | 3 | 0·19 | – | – | – | – | 4 | 0·26 |
| Royston .. .. .. | – | – | 17 | 2·49 | 1 | 0·15 | 1 | 0·15 | 1 | 0·15 | – | – |
| Saddleworth .. .. | – | – | 24 | 1·90 | – | – | 3 | 0·24 | 2 | 0·16 | 4 | 0·32 |
| Scammonden .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Selby .. .. .. | – | – | 38 | 3·74 | 3 | 0·30 | – | – | 1 | 0·10 | 1 | 0·10 |
| Shelf .. .. .. | – | – | 6 | 2·44 | – | – | – | – | – | – | – | – |
| Shelley .. .. .. | – | – | – | – | 1 | 0·58 | – | – | – | – | 2 | 1·15 |
| Shepley .. .. .. | – | – | 4 | 2·30 | 1 | 0·57 | – | – | – | – | 1 | 0·57 |
| Shipley .. .. .. | – | – | 35 | 1·22 | 8 | 0·28 | 1 | 0·03 | 1 | 0·03 | 12 | 0·42 |
| Silsden .. .. .. | – | – | 3 | 0·62 | – | – | – | – | – | – | 4 | 0·83 |
| Skelmanthorpe .. .. | – | – | – | – | 15 | 3·81 | 1 | 0·25 | – | – | – | – |
| Skipton .. .. .. | – | – | 43 | 3·54 | 16 | 1·32 | – | – | – | – | 3 | 0·25 |
| Slaithwaite .. .. | 1 | 0·18 | 4 | 0·74 | 2 | 0·37 | 1 | 0·18 | – | – | 1 | 0·18 |

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases | Rate. | Cases. | Rate. | Cases. | Rate. |
| **YORKS, WEST RIDING**—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | |
| South Crosland .. .. | – | – | 4 | 1·31 | – | – | – | – | – | – | – | – |
| Southowram .. .. | – | – | 6 | 2·24 | – | – | – | – | – | – | – | – |
| Sowerby .. .. .. | – | – | 1 | 0·31 | 4 | 1·24 | – | – | – | – | – | – |
| Sowerby Bridge .. .. | – | – | 18 | 1·55 | 14 | 1·20 | 2 | 0·17 | – | – | 5 | 0·43 |
| Soyland .. .. .. | – | – | – | – | 1 | 0·36 | – | – | – | – | 1 | 0·36 |
| Spenborough .. .. | – | – | 141 | 4·47 | 7 | 0·22 | 6 | 0·19 | 3 | 0·10 | 18 | 0·57 |
| Springhead .. .. | – | – | 10 | 1·97 | – | – | – | – | – | – | 1 | 0·20 |
| Stainland .. .. .. | – | – | 9 | 1·98 | 2 | 0·44 | – | – | – | – | 2 | 0·44 |
| Stanley .. .. .. | – | – | 66 | 4·38 | 35 | 2·32 | – | – | – | – | 9 | 0·60 |
| Stocksbridge .. .. | – | – | 42 | 4·50 | 1 | 0·11 | – | – | – | – | 3 | 0·32 |
| Swinton .. .. .. | – | – | 27 | 1·87 | 13 | 0·90 | – | – | 2 | 0·14 | 12 | 0·83 |
| Thurlstone .. .. | – | – | – | – | 1 | 0·38 | – | – | – | – | 2 | 0·76 |
| Thurnscoe.. .. .. | – | – | 35 | 5·84 | 7 | 1·17 | – | – | – | – | 1 | 0·17 |
| Thurstonland .. .. | – | – | 5 | 2·00 | 1 | 0·40 | – | – | – | – | 9 | 3·59 |
| Tickhill .. .. .. | – | – | 6 | 2·85 | – | – | – | – | – | – | 1 | 0·48 |
| Todmorden M.B... .. | 1 | 0·04 | 68 | 2·84 | 3 | 0·13 | 1 | 0·04 | – | – | 9 | 0·38 |
| Wath upon Dearne .. | – | – | 23 | 1·69 | 1 | 0·07 | – | – | 1 | 0·07 | 2 | 0·15 |
| Whitley Upper .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Whitwood.. .. .. | – | – | 20 | 3·23 | 1 | 0·16 | 2 | 0·32 | – | – | – | – |
| Wombwell.. .. .. | – | – | 46 | 2·30 | 14 | 0·70 | 8 | 0·40 | – | – | 40 | 2·00 |
| Worsborough .. .. | – | – | 25 | 2·04 | 2 | 0·16 | – | – | 2 | 0·16 | 3 | 0·24 |
| Yeadon .. .. .. | – | – | 17 | 2·24 | 4 | 0·53 | 2 | 0·26 | – | – | – | – |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Barnsley .. .. .. | – | – | 2 | 0·46 | – | – | – | – | – | – | 2 | 0·46 |
| Bishopthorpe .. .. | – | – | 4 | 1·91 | 1 | 0·48 | – | – | – | – | 1 | 0·48 |
| Bowland .. .. .. | – | – | 1 | 0·18 | – | – | – | – | – | – | 1 | 0·18 |
| Doncaster .. .. | 51 | 1·79 | 71 | 2·49 | 23 | 0·81 | 2 | 0·07 | 2 | 0·07 | 14 | 0·49 |
| Goole .. .. .. | – | – | 4 | 0·47 | 6 | 0·70 | 2 | 0·23 | – | – | – | – |
| Great Ouseburn .. .. | – | – | 7 | 0·63 | 5 | 0·45 | – | – | 5 | 0·45 | 3 | 0·27 |
| Halifax .. .. .. | – | – | 27 | 4·24 | 2 | 0·31 | – | – | – | – | – | – |
| Hemsworth .. .. | – | – | 124 | 3·16 | 52 | 1·33 | 5 | 0·13 | 4 | 0·10 | 26 | 0·66 |
| Hunslet .. .. .. | – | – | 35 | 4·67 | 4 | 0·53 | 1 | 0·13 | – | – | 6 | 0·80 |
| Keighley .. .. .. | – | – | 3 | 0·43 | 3 | 0·43 | – | – | – | – | 1 | 0·14 |
| Kiveton Park .. .. | – | – | 32 | 2·01 | 9 | 0·56 | – | – | – | – | 3 | 0·19 |
| Knaresborough .. .. | – | – | 11 | 1·28 | 2 | 0·23 | – | – | – | – | – | – |
| Pateley Bridge .. .. | – | – | – | – | 5 | 0·70 | 1 | 0·14 | – | – | – | – |
| Penistone .. .. .. | – | – | 11 | 1·89 | 7 | 1·21 | 1 | 0·17 | 1 | 0·17 | 1 | 0·17 |
| Pontefract.. .. .. | – | – | 95 | 4·95 | 5 | 0·26 | 4 | 0·21 | – | – | 4 | 0·21 |
| Ripon .. .. .. | – | – | 2 | 0·38 | 1 | 0·19 | – | – | – | – | – | – |
| Rotherham .. .. | – | – | 119 | 2·95 | 20 | 0·50 | 11 | 0·27 | 6 | 0·15 | 16 | 0·40 |
| Sedbergh .. .. .. | – | – | 4 | 1·02 | – | – | – | – | – | – | – | – |
| Selby .. .. .. | – | – | 11 | 1·78 | 6 | 0·97 | – | – | – | – | – | – |
| Settle .. .. .. | – | – | 2 | 0·13 | 2 | 0·13 | 3 | 0·20 | – | – | 2 | 0·13 |
| Skipton† .. .. .. | – | – | 14 | 0·74 | 12 | 0·63 | 1 | 0·05 | – | – | 1 | 0·05 |
| Tadcaster .. .. .. | – | – | 104 | 3·58 | 42 | 1·44 | 2 | 0·07 | 5 | 0·17 | 2 | 0·07 |
| Thorne .. .. .. | – | – | 6 | 0·50 | 4 | 0·33 | – | – | 1 | 0·08 | 4 | 0·33 |
| Todmorden .. .. | 1 | 0·22 | 13 | 2·88 | 2 | 0·44 | – | – | – | – | 1 | 0·22 |
| Wakefield .. .. | – | – | 57 | 3·15 | 54 | 2·99 | 2 | 0·11 | 1 | 0·06 | 16 | 0·89 |
| Wetherby .. .. .. | – | – | 17 | 1·18 | 30 | 2·08 | 2 | 0·14 | – | – | 4 | 0·28 |
| Wharfedale (North Division) | – | – | 2 | 0·51 | 5 | 1·29 | – | – | – | – | – | – |
| Wharfedale (South Division) | – | – | 11 | 1·65 | 5 | 0·75 | 5 | 0·75 | – | – | 10 | 1·50 |
| Wortley .. .. .. | – | – | 59 | 2·04 | 7 | 0·24 | 3 | 0·10 | 2 | 0·07 | 19 | 0·66 |
| **YORK, CITY OF*** | – | – | 199 | **2·32** | 29 | **0·34** | 5 | **0·06** | 3 | **0·04** | 21 | **0·25** |
| YORK C.B. .. .. | – | – | 199 | **2·32** | 29 | **0·34** | 5 | **0·06** | 3 | **0·04** | 21 | **0·25** |

* The City of York is a County of itself, outside any of the three Ridings.
† See Note ‡ on p. 479.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. |
| **ANGLESEY*** .. .. .. | 1 | 0·02 | 75 | 1·44 | 57 | 1·10 | 2 | 0·04 | – | – | 3 | 0·06 |
| AGGREGATE OF M.B. AND U.Ds. .. .. .. | 1 | 0·05 | 22 | 1·11 | 17 | 0·86 | 1 | 0·05 | – | – | – | – |
| AGGREGATE OF R.Ds. .. | – | – | 53 | 1·65 | 40 | 1·25 | 1 | 0·03 | – | – | 3 | 0·09 |
| BOROUGH AND URBAN DISTRICTS:— | | | | | | | | | | | | |
| Amlwch .. .. .. | 1 | 0·38 | 3 | 1·13 | – | – | – | – | – | – | – | – |
| Beaumaris M.B. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Holyhead .. .. .. | – | – | 16 | 1·33 | 6 | 0·50 | 1 | 0·08 | – | – | – | – |
| Llangefni .. .. .. | – | – | 2 | 1·16 | 1 | 0·58 | – | – | – | – | – | – |
| Menai Bridge .. .. | – | – | 1 | 0·58 | 10 | 5·80 | – | – | – | – | – | – |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Aethwy .. .. .. | – | – | 8 | 0·97 | 15 | 1·81 | – | – | – | – | – | – |
| Dwyran .. .. .. | – | – | 2 | 0·69 | – | – | – | – | – | – | – | – |
| Twrcelyn .. .. .. | – | – | 2 | 0·22 | 5 | 0·54 | – | – | – | – | 1 | 0·11 |
| Valley .. .. .. | – | – | 41 | 3·53 | 20 | 1·72 | 1 | 0·09 | – | – | 2 | 0·17 |
| **BRECKNOCK*†** .. .. | – | – | 49 | 0·79 | 56 | 0·91 | 20 | 0·32 | 3 | 0·05 | 14 | 0·23 |
| AGGREGATE OF M.B. AND U.Ds.† .. .. .. | – | – | 5 | 0·28 | 8 | 0·45 | 8 | 0·45 | – | – | 5 | 0·28 |
| AGGREGATE OF R.Ds. .. | – | – | 44 | 1·00 | 48 | 1·09 | 12 | 0·27 | 3 | 0·07 | 9 | 0·21 |
| BOROUGH AND URBAN DISTRICTS:— | | | | | | | | | | | | |
| Brecknock M.B.† .. | – | – | 1 | 0·18 | 1 | 0·18 | 1 | 0·18 | – | – | – | – |
| Brynmawr .. .. | – | – | 2 | 0·24 | 6 | 0·71 | 7 | 0·83 | – | – | 4 | 0·47 |
| Builth Wells .. .. | – | – | 1 | 0·61 | – | – | – | – | – | – | 1 | 0·61 |
| Hay .. .. .. | – | – | – | – | 1 | 0·65 | – | – | – | – | – | – |
| Llanwrtyd.. .. .. | – | – | 1 | 1·30 | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Brecknock (Defynnock Div.) .. .. .. | – | – | – | – | 3 | 0·90 | – | – | – | – | – | – |
| Brecknock (Llangorse Div.) .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Brecknock (Merthyr Cynog Div.) .. .. | – | – | 2 | 0·92 | – | – | – | – | – | – | – | – |
| Builth .. .. .. | – | – | 6 | 1·50 | – | – | – | – | 1 | 0·25 | – | – |
| Crickhowell .. .. | – | – | 4 | 0·48 | 4 | 0·48 | 10 | 1·21 | – | – | 1 | 0·12 |
| Hay .. .. .. | – | – | 1 | 0·24 | 2 | 0·47 | – | – | – | – | – | – |
| Vaynor and Penderyn .. | – | – | 8 | 1·35 | 1 | 0·17 | 1 | 0·17 | – | – | 3 | 0·51 |
| Ystradgynlais .. .. | – | – | 5 | 0·43 | 38 | 3·28 | 1 | 0·09 | 1 | 0·09 | 5 | 0·43 |
| Llanwrthwl (parish)‡ .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Ystradfellte (parish)§ .. | – | – | 18 | 27·48 | – | – | – | – | 1 | 1·53 | – | – |
| **CARDIGAN*** .. .. .. | – | – | 65 | 1·12 | 53 | 0·92 | 4 | 0·07 | 2 | 0·03 | 2 | 0·03 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 21 | 1·27 | 33 | 2·00 | 4 | 0·24 | 1 | 0·06 | 1 | 0·06 |
| AGGREGATE OF R.Ds .. | – | – | 44 | 1·06 | 20 | 0·48 | – | – | 1 | 0·02 | 1 | 0·02 |
| BOROUGHS AND URBAN DISTRICTS:— | | | | | | | | | | | | |
| Aberayron.. .. .. | – | – | – | – | 3 | 2·42 | – | – | – | – | – | – |
| Aberystwyth M.B. .. | – | – | 13 | 1·44 | 6 | 0·66 | 3 | 0·33 | 1 | 0·11 | – | – |
| Cardigan M.B. .. .. | – | – | 2 | 0·59 | 1 | 0·29 | 1 | 0·29 | – | – | 1 | 0·29 |
| Lampeter M.B. .. .. | – | – | 1 | 0·57 | 10 | 5·69 | – | – | – | – | – | – |
| New Quay.. .. .. | – | – | 5 | 4·56 | 13 | 11·86 | – | – | – | – | – | – |
| RURAL DISTRICTS:— | | | | | | | | | | | | |
| Aberayron.. .. .. | – | – | 18 | 2·40 | 9 | 1·20 | – | – | – | – | – | – |
| Aberystwyth (North Div.) | – | – | 1 | 0·15 | 3 | 0·44 | – | – | – | – | – | – |
| Aberystwyth (South Div.) | – | – | 8 | 1·58 | 4 | 0·79 | – | – | 1 | 0·20 | – | – |
| Cardigan .. .. .. | – | – | 1 | 0·32 | 1 | 0·32 | – | – | – | – | – | – |
| Lampeter .. .. .. | – | – | 4 | 1·15 | 1 | 0·29 | – | – | – | – | 1 | 0·29 |
| Llandyssil.. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Tregaron .. .. .. | – | – | 12 | 1·71 | 2 | 0·29 | – | – | – | – | – | – |
| Ysgubor y Coed (parish)‖ | – | – | – | – | – | – | – | – | – | – | – | – |

* Administrative County.
† Rates based upon estimated civilian populations.
‡ This Parish is administered by the Rural District Council of Rhayader (Radnor).
§ This Parish is administered by the Rural District Council of Neath (Glamorgan).
‖ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **CARMARTHEN*** .. .. | – | – | 342 | 1·90 | 237 | 1·32 | 22 | 0·12 | 10 | 0·06 | 50 | 0·28 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 175 | 2·31 | 91 | 1·20 | 9 | 0·12 | 5 | 0·07 | 17 | 0·22 |
| AGGREGATE OF R.Ds. .. | – | – | 167 | 1·60 | 146 | 1·40 | 13 | 0·12 | 5 | 0·05 | 33 | 0·32 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Ammanford .. .. | – | – | 4 | 0·54 | 6 | 0·82 | – | – | 1 | 0·14 | – | – |
| Burry Port .. .. | – | – | 13 | 2·08 | 2 | 0·32 | – | – | – | – | 1 | 0·16 |
| Carmarthen M.B... .. | – | – | 19 | 1·88 | 3 | 0·30 | – | – | – | – | – | – |
| Cwmamman .. .. | – | – | 5 | 0·91 | 2 | 0·36 | – | – | – | – | – | – |
| Kidwelly M.B. .. .. | – | – | 2 | 0·61 | 3 | 0·91 | – | – | – | – | 2 | 0·61 |
| Llandilo .. .. .. | – | – | 1 | 0·49 | 11 | 5·36 | – | – | – | – | 4 | 1·95 |
| Llandovery M.B... .. | – | – | 17 | 8·60 | 6 | 3·04 | – | – | – | – | – | – |
| Llanelly M.B. .. .. | – | – | 114 | 2·98 | 58 | 1·52 | 9 | 0·24 | 4 | 0·10 | 10 | 0·26 |
| Newcastle Emlyn .. | – | – | – | – | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Carmarthen .. .. | – | – | 55 | 2·25 | 12 | 0·49 | 4 | 0·16 | – | – | 2 | 0·08 |
| Llandilo Fawr .. .. | – | – | 27 | 1·21 | 37 | 1·65 | 1 | 0·04 | 1 | 0·04 | 13 | 0·58 |
| Llandovery .. .. | – | – | 2 | 0·29 | 4 | 0·58 | – | – | – | – | 1 | 0·14 |
| Llanelly .. .. .. | – | – | 80 | 2·23 | 79 | 2·21 | 7 | 0·20 | 4 | 0·11 | 16 | 0·45 |
| Llanybyther .. .. | – | – | 2 | 0·57 | 2 | 0·57 | 1 | 0·29 | – | – | 1 | 0·29 |
| Newcastle in Emlyn .. | – | – | 1 | 0·16 | 11 | 1·76 | – | – | – | – | – | – |
| Whitland .. .. .. | – | – | – | – | 1 | 0·20 | – | – | – | – | – | – |
| **CARNARVON*** .. .. | – | – | 102 | 0·85 | 102 | 0·85 | 8 | 0·07 | 1 | 0·01 | 21 | 0·17 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 58 | 0·96 | 34 | 0·56 | 8 | 0·13 | – | – | 11 | 0·18 |
| AGGREGATE OF R.Ds. .. | – | – | 44 | 0·73 | 68 | 1·13 | – | – | 1 | 0·02 | 10 | 0·17 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Bangor M.B. .. .. | – | – | 10 | 0·92 | 1 | 0·09 | 1 | 0·09 | – | – | – | – |
| Bethesda .. .. .. | – | – | 3 | 0·72 | – | – | – | – | – | – | 3 | 0·72 |
| Bettws y Coed .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Carnarvon M.B. .. .. | – | – | 3 | 0·36 | 18 | 2·19 | 2 | 0·24 | – | – | 4 | 0·49 |
| Conway M.B. .. .. | – | – | 20 | 3·10 | 9 | 1·40 | – | – | – | – | 1 | 0·16 |
| Criccieth .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Llandudno .. .. | – | – | 6 | 0·46 | 1 | 0·08 | – | – | – | – | 3 | 0·23 |
| Llanfairfechan .. .. | – | – | 12 | 3·86 | 2 | 0·64 | – | – | – | – | – | – |
| Penmaenmawr .. .. | – | – | 2 | 0·49 | 2 | 0·49 | – | – | – | – | – | – |
| Portmadoc .. .. | – | – | 1 | 0·24 | – | – | 5 | 1·19 | – | – | – | – |
| Pwllheli M.B. .. .. | – | – | 1 | 0·28 | 1 | 0·28 | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Conway† .. .. .. | – | – | 23 | 3·68 | 18 | 2·88 | – | – | – | – | – | – |
| Geirionydd .. .. | – | – | – | – | 6 | 1·47 | – | – | – | – | – | – |
| Glaslyn .. .. .. | – | – | 1 | 0·33 | 1 | 0·33 | – | – | – | – | – | – |
| Gwyrfai .. .. .. | – | – | 2 | 0·08 | 38 | 1·58 | – | – | 1 | 0·04 | 4 | 0·17 |
| Lleyn .. .. .. | – | – | 1 | 0·06 | 4 | 0·24 | – | – | – | – | 4 | 0·24 |
| Ogwen .. .. .. | – | – | 17 | 2·95 | 1 | 0·17 | – | – | – | – | 2 | 0·35 |
| **DENBIGH*** .. .. .. | – | – | 182 | 1·17 | 67 | 0·43 | 15 | 0·10 | 6 | 0·04 | 26 | 0·17 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 34 | 0·62 | 39 | 0·71 | 6 | 0·11 | 1 | 0·02 | 17 | 0·31 |
| AGGREGATE OF R.Ds. .. | – | – | 148 | 1·47 | 28 | 0·28 | 9 | 0·09 | 5 | 0·05 | 9 | 0·09 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Abergele and Pensarn .. | – | – | 1 | 0·44 | 1 | 0·44 | – | – | – | – | 2 | 0·88 |
| Colwyn Bay and Colwyn† | – | – | 8 | 0·44 | 10 | 0·55 | – | – | – | – | 9 | 0·49 |
| Denbigh M.B. .. .. | – | – | 4 | 0·59 | 12 | 1·77 | 6 | 0·88 | – | – | 4 | 0·59 |
| Llangollen.. .. .. | – | – | 2 | 0·61 | – | – | – | – | – | – | – | – |
| Llanrwst .. .. .. | – | – | – | – | 5 | 2·14 | – | – | – | – | 1 | 0·43 |
| Ruthin M.B. .. .. | – | – | 1 | 0·36 | – | – | – | – | – | – | – | – |
| Wrexham M.B. .. .. | – | – | 18 | 0·93 | 11 | 0·57 | – | – | 1 | 0·05 | 1 | 0·05 |

* Administrative County.

† On 1st April, 1923, the Urban District of Colwyn Bay and Colwyn was extended to include part of the Rural District of Conway. Allowance for this has been made in the calculation of rates.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases | Rate | Cases. | Rate. | Cases. | Rate. |
| **DENBIGH**—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Chirk .. .. .. | – | – | 22 | 4·64 | – | – | – | – | 1 | 0·21 | – | – |
| Llangollen.. .. .. | – | – | 15 | 4·10 | 1 | 0·27 | – | – | 1 | 0·27 | 1 | 0·27 |
| Llanrwst .. .. .. | – | – | 1 | 0·23 | 2 | 0·46 | – | – | – | – | 1 | 0·23 |
| Llansilin .. .. .. | – | – | 6 | 2·06 | – | – | – | – | – | – | 1 | 0·34 |
| Ruthin .. .. .. | – | – | 4 | 0·44 | 3 | 0·33 | – | – | – | – | – | – |
| St. Asaph (Denbigh) .. | – | – | 2 | 0·29 | 2 | 0·29 | – | – | – | – | – | – |
| Uwchaled .. .. .. | – | – | – | – | – | – | – | – | 1 | 0·47 | – | – |
| Wrexham .. .. .. | – | – | 93 | 1·43 | 20 | 0·31 | 9 | 0·14 | 2 | 0·03 | 6 | 0·09 |
| Llanelian yn Rhôs and Llansantffraid Glan Conway (parishes)* .. | – | – | 5 | 2·84 | – | – | – | – | – | – | – | – |
| **FLINT**† .. .. .. | – | – | 132 | 1·28 | 81 | 0·78 | 30 | 0·29 | 1 | 0·01 | 16 | 0·15 |
| AGGREGATE OF M.B. AND U.Ds. .. .. .. | – | – | 66 | 1·66 | 33 | 0·83 | 17 | 0·43 | – | – | 7 | 0·18 |
| AGGREGATE OF R.Ds. .. | – | – | 66 | 1·04 | 48 | 0·76 | 13 | 0·20 | 1 | 0·02 | 9 | 0·14 |
| BOROUGH AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Buckley .. .. .. | – | – | 3 | 0·44 | 1 | 0·15 | – | – | – | – | 1 | 0·15 |
| Connah's Quay .. .. | – | – | 2 | 0·38 | 3 | 0·56 | – | – | – | – | – | – |
| Flint M.B... .. .. | – | – | 15 | 2·28 | 6 | 0·91 | 13 | 1·98 | – | – | 2 | 0·30 |
| Holywell .. .. .. | – | – | 3 | 1·03 | 7 | 2·41 | 4 | 1·38 | – | – | – | – |
| Mold .. .. .. | – | – | 4 | 0·84 | – | – | – | – | – | – | 1 | 0·21 |
| Prestatyn .. .. .. | – | – | 1 | 0·34 | – | – | – | – | – | – | – | – |
| Rhyl .. .. .. | – | – | 38 | 3·64 | 16 | 1·53 | – | – | – | – | 3 | 0·29 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Hawarden.. .. .. | – | – | 32 | 1·29 | 14 | 0·56 | 7 | 0·28 | – | – | 6 | 0·24 |
| Holywell (Holywell Div.) | – | – | 9 | 0·52 | 30 | 1·75 | 5 | 0·29 | – | – | 2 | 0·12 |
| Holywell (Mold Div.) .. | – | – | 8 | 0·92 | – | – | – | – | 1 | 0·11 | – | – |
| Overton .. .. .. | – | – | 4 | 0·78 | – | – | 1 | 0·19 | – | – | 1 | 0·19 |
| St. Asaph (Flint) .. | – | – | 13 | 1·68 | 4 | 0·52 | – | – | – | – | – | – |
| **GLAMORGAN**§ .. .. | 14 | 0·01 | 3,214 | 2·48 | 1,759 | 1·35 | 38 | 0·03 | 92 | 0·07 | 367 | 0·28 |
| CARDIFF C.B. .. .. | 6 | 0·03 | 348 | 1·54 | 220 | 0·97 | 2 | 0·01 | 30 | 0·13 | 92 | 0·41 |
| MERTHYR TYDFIL C.B. .. | – | – | 84 | 1·01 | 154 | 1·86 | 5 | 0·06 | 5 | 0·06 | 37 | 0·45 |
| SWANSEA C.B. .. .. | – | – | 462 | 2·86 | 260 | 1·61 | 1 | 0·01 | 11 | 0·07 | 48 | 0·30 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 7 | 0·01 | 1,898 | 3·02 | 925 | 1·47 | 23 | 0·04 | 39 | 0·06 | 165 | 0·26 |
| AGGREGATE OF R.Ds. .. | 1 | 0·00 | 422 | 2·11 | 200 | 1·00 | 7 | 0·03 | 7 | 0·03 | 25 | 0·12 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Aberdare .. .. .. | – | – | 290 | 5·08 | 27 | 0·47 | 1 | 0·02 | 1 | 0·02 | 24 | 0·42 |
| Barry .. .. .. | – | – | 102 | 2·57 | 122 | 3·07 | 3 | 0·08 | – | – | 19 | 0·48 |
| Bridgend .. .. .. | – | – | 4 | 0·42 | 2 | 0·21 | 1 | 0·11 | – | – | – | – |
| Caerphilly .. .. | – | – | 90 | 2·31 | 109 | 2·80 | 1 | 0·03 | 1 | 0·03 | 5 | 0·13 |
| Cowbridge M.B. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Gelligaer .. .. .. | – | – | 53 | 1·16 | 88 | 1·92 | 4 | 0·09 | 2 | 0·04 | 14 | 0·31 |
| Glyncorwg .. .. | – | – | 19 | 1·66 | 28 | 2·44 | – | – | 1 | 0·09 | 6 | 0·52 |
| Maesteg .. .. .. | – | – | 32 | 1·07 | 31 | 1·04 | – | – | – | – | 3 | 0·10 |
| Mountain Ash .. .. | – | – | 288 | 6·33 | 35 | 0·77 | 1 | 0·02 | 3 | 0·07 | 9 | 0·20 |
| Neath M.B. .. .. | – | – | 4 | 0·12 | 177 | 5·18 | – | – | 4 | 0·12 | 1 | 0·03 |
| Ogmore and Garw .. | – | – | 223 | 7·05 | 17 | 0·54 | 4 | 0·13 | 3 | 0·09 | 11 | 0·35 |
| Penarth .. .. .. | – | – | 30 | 1·71 | 8 | 0·46 | – | – | – | – | 1 | 0·06 |
| Pontypridd .. .. | – | – | 110 | 2·23 | 18 | 0·37 | 3 | 0·06 | 4 | 0·08 | 11 | 0·22 |
| Porthcawl.. .. .. | – | – | 8 | 1·38 | 19 | 3·28 | 1 | 0·17 | – | – | 4 | 0·69 |
| Port Talbot M.B. .. | – | – | 53 | 1·25 | 61 | 1·44 | – | – | 2 | 0·05 | 7 | 0·17 |
| Rhondda .. .. .. | 7 | 0·04 | 592 | 3·53 | 183 | 1·09 | 4 | 0·02 | 18 | 0·11 | 50 | 0·30 |

* These Parishes are administered by the Rural District Council of Conway (Carnarvon).

† Administrative County.

§ Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **GLAMORGAN**—*cont.* | | | | | | | | | | | | |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Cardiff .. .. .. | 1 | 0·04 | 26 | 1·10 | 50 | 2·11 | 2 | 0·08 | – | – | 9 | 0·38 |
| Cowbridge.. .. .. | – | – | 15 | 1·49 | 7 | 0·69 | 1 | 0·10 | 2 | 0·20 | 2 | 0·20 |
| Gower .. .. .. | – | – | 7 | 0·74 | 29 | 3·06 | – | – | – | – | 1 | 0·11 |
| Llantrisant and Llantwit-fardre .. .. .. | – | – | 84 | 3·14 | 16 | 0·60 | 4 | 0·15 | 3 | 0·11 | 3 | 0·11 |
| Neath .. .. .. | – | – | 169 | 4·37 | 23 | 0·60 | – | – | 1 | 0·03 | 1 | 0·03 |
| Penybont .. .. .. | – | – | 20 | 0·68 | 19 | 0·64 | – | – | 1 | 0·03 | 1 | 0·03 |
| Pontardawe .. .. | – | – | 30 | 0·83 | 40 | 1·11 | – | – | – | – | 5 | 0·14 |
| Swansea .. .. .. | – | – | 71 | 2·72 | 16 | 0·61 | – | – | – | – | 3 | 0·11 |
| **MERIONETH*** .. .. | – | – | 80 | 1·89 | 28 | 0·66 | – | – | – | – | 9 | 0·21 |
| AGGREGATE OF U.Ds. .. | – | – | 48 | 2·62 | 11 | 0·60 | – | – | – | – | 5 | 0·27 |
| AGGREGATE OF R.Ds. .. | – | – | 32 | 1·33 | 17 | 0·71 | – | – | – | – | 4 | 0·17 |
| URBAN DISTRICTS :— | | | | | | | | | | | | |
| Bala .. .. .. | – | – | – | – | 1 | 0·70 | – | – | – | – | – | – |
| Barmouth.. .. .. | – | – | – | – | 2 | 0·97 | – | – | – | – | – | – |
| Dolgelley§.. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Festiniog .. .. .. | – | – | 39 | 4·67 | 6 | 0·72 | – | – | – | – | 5 | 0·60 |
| Mallwyd .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Towyn .. .. .. | – | – | 9 | 2·37 | 2 | 0·53 | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Deudraeth.. .. .. | – | – | 3 | 0·42 | 1 | 0·14 | – | – | – | – | 3 | 0·42 |
| Dolgelley§.. .. .. | – | – | 24 | 3·07 | 3 | 0·38 | – | – | – | – | 1 | 0·13 |
| Edeirnion .. .. .. | – | – | 4 | 0·82 | 13 | 2·67 | – | – | – | – | – | – |
| Penllyn .. .. .. | – | – | 1 | 0·27 | – | – | – | – | – | – | – | – |
| Pennal (parish)‡ .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| **MONMOUTH†** .. .. | 8 | 0·02 | 776 | 1·66 | 449 | 0·96 | 42 | 0·09 | 27 | 0·06 | 108 | 0·23 |
| NEWPORT C.B. .. .. | – | – | 129 | 1·35 | 78 | 0·82 | 5 | 0·05 | 8 | 0·08 | 29 | 0·30 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | 8 | 0·02 | 599 | 1·85 | 337 | 1·04 | 31 | 0·10 | 18 | 0·06 | 74 | 0·23 |
| AGGREGATE OF R.Ds. .. | – | – | 48 | 1·01 | 34 | 0·72 | 6 | 0·13 | 1 | 0·02 | 5 | 0·11 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Abercarn .. .. .. | 1 | 0·05 | 62 | 2·95 | 3 | 0·14 | – | – | – | – | – | – |
| Abergavenny M.B. .. | – | – | 20 | 2·20 | 4 | 0·44 | – | – | 2 | 0·22 | – | – |
| Abersychan .. .. | – | – | 26 | 0·92 | 21 | 0·74 | 1 | 0·04 | – | – | 5 | 0·18 |
| Abertillery .. .. | 1 | 0·03 | 95 | 2·38 | 76 | 1·90 | 8 | 0·20 | 1 | 0·03 | 6 | 0·15 |
| Bedwas and Machen .. | – | – | 20 | 2·21 | 6 | 0·66 | – | – | 1 | 0·11 | 1 | 0·11 |
| Bedwellty.. .. .. | – | – | 71 | 2·17 | 41 | 1·25 | – | – | 1 | 0·03 | 9 | 0·27 |
| Blaenavon.. .. .. | – | – | 7 | 0·54 | 5 | 0·39 | – | – | – | – | – | – |
| Caerleon .. .. .. | – | – | 3 | 1·30 | 1 | 0·43 | – | – | – | – | – | – |
| Chepstow .. .. .. | – | – | 4 | 0·79 | 11 | 2·17 | 3 | 0·59 | – | – | – | – |
| Ebbw Vale .. .. | – | – | 117 | 3·18 | 23 | 0·62 | 5 | 0·14 | 8 | 0·22 | 19 | 0·52 |

* Administrative County.

† Administrative County with associated County Borough.

‡ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

§ On 1st October, 1923, the Urban District of Dolgelley was extended to include part of the Rural District of Dolgelley. Allowance for this has been made in the calculation of rates.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate. |
| **MONMOUTH**—*cont.* | | | | | | | | | | | | |
| BOROUGHS AND URBAN DISTRICTS—*cont.* | | | | | | | | | | | | |
| Llanfrechfa Upper .. | – | – | 3 | 0·62 | 3 | 0·62 | – | – | – | – | 1 | 0·21 |
| Llantarnam .. .. | – | – | 2 | 0·26 | 2 | 0·26 | – | – | – | – | 2 | 0·26 |
| Monmouth M.B. .. .. | – | – | 16 | 3·13 | 1 | 0·20 | 1 | 0·20 | 1 | 0·20 | 1 | 0·20 |
| Mynyddislwyn .. .. | – | – | 34 | 2·19 | 17 | 1·09 | 1 | 0·06 | – | – | 1 | 0·06 |
| Nantyglo and Blaina .. | – | – | 16 | 0·94 | – | – | 6 | 0·35 | 1 | 0·06 | 9 | 0·53 |
| Panteg .. .. .. | – | – | 10 | 0·88 | 4 | 0·35 | – | – | – | – | – | – |
| Pontypool.. .. .. | – | – | 11 | 1·51 | 7 | 0·96 | – | – | – | – | – | – |
| Rhymney .. .. .. | 2 | 0·16 | 20 | 1·64 | 33 | 2·70 | 1 | 0·08 | – | – | 4 | 0·33 |
| Risca .. .. .. | 4 | 0·23 | 7 | 0·40 | 48 | 2·74 | 2 | 0·11 | 1 | 0·06 | – | – |
| Tredegar .. .. .. | – | – | 55 | 2·10 | 31 | 1·18 | 2 | 0·08 | 2 | 0·08 | 16 | 0·61 |
| Usk .. .. .. | – | – | – | – | – | – | 1 | 0·68 | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Abergavenny .. .. | – | – | 6 | 0·65 | 1 | 0·11 | 5 | 0·54 | – | – | 3 | 0·32 |
| Chepstow .. .. .. | – | – | 13 | 1·48 | 10 | 1·14 | 1 | 0·11 | – | – | – | – |
| Magor .. .. .. | – | – | 4 | 0·72 | 4 | 0·72 | – | – | – | – | – | – |
| Monmouth .. .. | – | – | 7 | 1·07 | 12 | 1·83 | – | – | – | – | 1 | 0·15 |
| Pontypool.. .. .. | – | – | – | – | 4 | 0·75 | – | – | 1 | 0·19 | – | – |
| St. Mellons .. .. | – | – | 18 | 1·53 | 3 | 0·26 | – | – | – | – | 1 | 0·09 |
| **MONTGOMERY*** .. .. | – | – | 136 | 2·65 | 47 | 0·92 | 1 | 0·02 | 1 | 0·02 | 12 | 0·23 |
| AGGREGATE OF M.Bs. AND U.Ds. .. .. .. | – | – | 45 | 2·44 | 4 | 0·22 | – | – | – | – | 9 | 0·49 |
| AGGREGATE OF R.Ds. .. | – | – | 91 | 2·77 | 43 | 1·31 | 1 | 0·03 | 1 | 0·03 | 3 | 0·09 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Llanfyllin M.B. .. .. | – | – | 8 | 5·10 | 1 | 0·64 | – | – | – | – | 2 | 1·27 |
| Llanidloes M.B. .. .. | – | – | 2 | 0·80 | – | – | – | – | – | – | 2 | 0·80 |
| Machynlleth .. .. | – | – | 22 | 11·70 | – | – | – | – | – | – | – | – |
| Montgomery M.B. .. | – | – | 2 | 2·09 | – | – | – | – | – | – | – | – |
| Newtown and Llanllwchaiarn | – | – | – | – | 1 | 0·17 | – | – | – | – | 4 | 0·69 |
| Welshpool M.B. .. .. | – | – | 11 | 1·91 | 2 | 0·35 | – | – | – | – | 1 | 0·17 |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Forden .. .. .. | – | – | 26 | 4·61 | 5 | 0·89 | – | – | – | – | – | – |
| Llanfyllin .. .. .. | – | – | 49 | 4·06 | 10 | 0·83 | – | – | 1 | 0·08 | 3 | 0·25 |
| Machynlleth .. .. | – | – | 4 | 1·05 | 2 | 0·52 | – | – | – | – | – | – |
| Newtown and Llanidloes | – | – | 12 | 1·06 | 26 | 2·30 | 1 | 0·09 | – | – | – | – |
| **PEMBROKE*†** .. .. | – | – | 43 | 0·47 | 111 | 1·21 | 4 | 0·04 | 7 | 0·08 | 8 | 0·09 |
| AGGREGATE OF M.Bs. AND U.Ds.† .. .. .. | – | – | 29 | 0·69 | 85 | 2·03 | 2 | 0·05 | 3 | 0·07 | 5 | 0·12 |
| AGGREGATE OF R.Ds. .. | – | – | 14 | 0·28 | 26 | 0·52 | 2 | 0·04 | 4 | 0·08 | 3 | 0·06 |
| BOROUGHS AND URBAN DISTRICTS :— | | | | | | | | | | | | |
| Fishguard.. .. .. | – | – | 1 | 0·33 | 1 | 0·33 | – | – | – | – | – | – |
| Goodwick‡ .. .. | – | – | 2 | 1·08 | 5 | 2·71 | – | – | – | – | – | – |
| Haverfordwest M.B. .. | – | – | 5 | 0·85 | 40 | 6·77 | – | – | 1 | 0·17 | 3 | 0·51 |
| Milford Haven .. .. | – | – | 2 | 0·24 | 21 | 2·55 | 2 | 0·24 | 1 | 0·12 | 2 | 0·24 |
| Narberth .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Neyland .. .. .. | – | – | 1 | 0·37 | – | – | – | – | – | – | – | – |
| Pembroke M.B.† .. | – | – | 17 | 1·15 | 18 | 1·21 | – | – | 1 | 0·07 | – | – |
| Tenby M.B. .. .. | – | – | 1 | 0·24 | – | – | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Haverfordwest‡ .. .. | – | – | 6 | 0·30 | 11 | 0·56 | 1 | 0·05 | 4 | 0·20 | 3 | 0·15 |
| Llanfyrnach .. .. | – | – | – | – | 1 | 0·43 | – | – | – | – | – | – |
| Narberth .. .. .. | – | – | – | – | 8 | 0·73 | – | – | – | – | – | – |
| Pembroke .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| St. Dogmells .. .. | – | – | 8 | 1·02 | 6 | 0·76 | 1 | 0·13 | – | – | – | – |

* Administrative County.
† Rates based upon estimated civilian populations.
‡ On 1st April, 1923, part of the Rural District of Haverfordwest was constituted the Urban District of Goodwick. Allowance for this has been made in the calculation of rates.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1923, and the ATTACK-RATE per 1,000 of the population—*cont.*

| ADMINISTRATIVE AREA. | Small-pox. | | Scarlet fever. | | Diph-theria. | | Enteric fever. | | Puerperal fever. | | Ery-sipelas. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cases. | Rate. | Cases. | Rate. | Cases. | Rate. | Cases. | Rate | Cases. | Rate. | Cases. | Rate |
| **RADNOR*** .. .. .. | – | – | 18 | 0·81 | 17 | 0·77 | 4 | 0·18 | – | – | – | – |
| AGGREGATE OF U.Ds. .. | – | – | 2 | 0·35 | 15 | 2·64 | 2 | 0·35 | – | – | – | – |
| AGGREGATE OF R.Ds. .. | – | – | 16 | 0·98 | 2 | 0·12 | 2 | 0·12 | – | – | – | – |
| URBAN DISTRICTS :— | | | | | | | | | | | | |
| Knighton .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Llandrindod Wells .. | – | – | 2 | 0·71 | – | – | 2 | 0·71 | – | – | – | – |
| Presteigne.. .. .. | – | – | – | – | 15 | 12·89 | – | – | – | – | – | – |
| RURAL DISTRICTS :— | | | | | | | | | | | | |
| Colwyn .. .. .. | – | – | – | – | – | – | – | – | – | – | – | – |
| Knighton .. .. .. | – | – | 2 | 0·47 | 1 | 0·23 | – | – | – | – | – | – |
| New Radnor .. .. | – | – | 6 | 2·24 | 1 | 0·37 | – | – | – | – | – | – |
| Painscastle .. .. | – | – | 3 | 1·32 | – | – | 2 | 0·88 | – | – | – | – |
| Rhayader .. .. .. | – | – | 5 | 0·99 | – | – | – | – | – | – | – | – |

* Administrative County.

TABLE 29.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES, DURING THE YEAR 1923*

| District. | Air Temperature. | | | | | | Rainfall. | | | Sunshine. | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Highest. | Lowest. | Means of | | | | Total. | Deviation from Normal. | Number of Days. | Daily Mean. | Deviation from Normal. |
| | | | Daily Maximum. | Daily Minimum. | Daily Mean. | Deviation from Normal. | | | | | |
| | ° F. | ° F. | ° F. | ° F. | ° F. | ° F. | mm. | mm. | | hr. | hr. |
| England N.E. .. | 91 | 20 | 53·2 | 41·6 | 47·4 | −0·3 | 646 | +11 | 197 | 3·83 | −0·09 |
| England E. .. | 95 | 12 | 55·3 | 42·7 | 49·0 | +0·4 | 598 | −12 | 182 | 4·27 | −0·05 |
| Midland Counties | 95 | 16 | 54·9 | 41.6 | 48·2 | +0·1 | 766 | +80 | 197 | 3·52 | −0·30 |
| England S.E. .. | 96 | 15 | 56·2 | 43·2 | 49·7 | 0·0 | 746 | +34 | 191 | 4·50 | +0·01 |
| England N.W.† . | 90 | 17 | 53·3 | 43·4 | 48·4 | 0·0 | 1016 | +115 | 230 | 3·57 | −0·29 |
| England S.W.† .. | 94 | 15 | 55·1 | 44·1 | 49·6 | −0·1 | 1042 | +41 | 217 | 4·05 | −0·23 |
| Mean .. .. | 96 | 12 | 54·7 | 42·8 | 48·7 | 0·0 | 802 | +45 | 202 | 3·96 | −0·16 |

* For similar values for each month and quarter, *see* the Registrar-General's Quarterly Returns.

† The district known as England N.W. includes the northern half of Wales, whilst England S.W. includes the southern half.

## TABLE 30.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1923.

| 1st Quarter: Jan., Feb., Mar. 2nd " April, May, June. 3rd " July, Aug., Sept. 4th " Oct., Nov., Dec. | Temperature of Air. Mean of Maximum and Minimum. | Temperature of Air. Difference from Normal of 130 years. | Temperature of Air. Difference from Normal of 60 years. | Temperature of Evaporation. Mean of "Wet Bulb" Readings at 9h. and 21h. | Temperature of Evaporation. Difference from Normal of 60 years. | Temperature of Dew Point. Mean. | Temperature of Dew Point. Difference from Normal of 60 years. | Temperature of Air Daily Range. Mean. | Temperature of Air Daily Range. Difference from Normal of 60 years. | Vapour Pressure in Millibars. Mean. | Vapour Pressure in Millibars. Difference from Normal of 60 years. | Mass of Vapour in a Cubic Metre of Air. Mean. | Mass of Vapour in a Cubic Metre of Air. Difference from Normal of 60 years. | Degree of Humidity. Mean of 9h. and 21h. | Degree of Humidity. Difference from Normal of 60 years. | Mean Air Pressure at Station Level* in Millibars. Mean. | Mean Air Pressure at Station Level* in Millibars. Difference from Normal of 60 years. | Mass of a Cubic Metre of Air. Mean. | Mass of a Cubic Metre of Air. Difference from Normal of 60 years. | Rain. Amount in Millimetres. | Rain. Difference from Normal of 86 years. | Readings of Thermometer on Grass. Number of Nights it was At or below 30° F. | Readings of Thermometer on Grass. Number of Nights it was Between 30° and 40° F. | Readings of Thermometer on Grass. Number of Nights it was Above 40° F. | Readings of Thermometer on Grass. Lowest Reading at Night. | Readings of Thermometer on Grass. Highest Reading at Night. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1923. | ° F. | ° F. | ° F. | °F. | ° F. | ° F. | ° F. | ° F. | ° F. | mb. | mb. | gms. | gms. | % | % | mb. | mb. | gms. | gms. | mm. | mm. | | | | ° F. | ° F. |
| Year .. | 50·3 | +1·6 | +0·9 | 46·5 | 0·0 | 43·3 | −0·2 | 15·5 | −0·3 | 9·8 | −0·1 | 7·3 | −0·5 | 81 | −1 | 1007·7 | −1·2 | 1236 | − 3 | 610 | −20 | 91 | 149 | 125 | 14·0 | 60·0 |
| 1st Quarter | 44·8 | +5·9 | +5·0 | 40·7 | +2·9 | 38·8 | +3·6 | 11·8 | 0·0 | 7·9 | +0·9 | 6·2 | +0·7 | 88 | +4 | 1008·4 | −0·4 | 1255 | −10 | 150 | +25 | 34 | 46 | 10 | 19·7 | 49·0 |
| 2nd " | 51·4 | −1·0 | −1·5 | 47·6 | −0·7 | 43·6 | −1·6 | 17·6 | −2·3 | 9·7 | −0·7 | 7·4 | −0·4 | 76 | −1 | 1008·2 | −1·0 | 1232 | + 2 | 96 | −47 | 12 | 41 | 38 | 19·1 | 55·1 |
| 3rd " | 61·8 | +2·0 | +1·4 | 56·7 | +0·2 | 52·3 | −0·7 | 21·1 | +1·4 | 13·4 | −0·2 | 9·9 | −0·6 | 71 | −6 | 1009·4 | −0·2 | 1207 | − 5 | 144 | −38 | 4 | 27 | 61 | 28·2 | 60·0 |
| 4th " | 43·0 | −0·7 | −1·4 | 40·8 | −1·8 | 38·7 | −1·9 | 11·8 | +0·1 | 8·1 | −0·6 | 6·2 | −0·9 | 87 | −2 | 1004·7 | −3·4 | 1250 | − 1 | 220 | +40 | 41 | 35 | 16 | 14·0 | 49·8 |

* Height of barometer cistern above mean sea level=152 feet (average correction to sea level +5·6 mb.).

In this table + and − respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed.

Pressure is expressed in millibars (1,000 mb. = 29·531 mercury inches).

Density is expressed in grams per cubic metre (2·294 grams per cubic metre=1 grain per cubic foot).

TABLE 31.—METEOROLOGICAL

| Year. | Mean Weekly Movement of the Air in Miles. | Departure from Average of 50 Years (1861-1910). | Fall of Rain in Inches and in Millimetres. | | Departure from Average of 50 Years (1861-1910). | Mean Degree of Humidity of the Air (Saturation =100). | Departure from Average of 50 Years (1861-1910). | Mean Temperature of the Air. | Departure from Average of 50 Years (1861-1910). |
|---|---|---|---|---|---|---|---|---|---|
| | Miles. | Miles. | in. | mm. | mm. | % | % | ° F. | ° F. |
| 1874 .. | 1915 | − 36 | 20·0 | 507 | −103 | 82 | + 1 | 49·3 | − 0·2 |
| 1875 .. | 1942 | − 9 | 28·0 | 710 | +100 | 80 | − 1 | 49·2 | − 0·3 |
| 1876 .. | 2036 | + 85 | 24·1 | 612 | + 2 | 80 | − 1 | 50·1 | + 0·6 |
| 1877 .. | 2184 | +233 | 27·3 | 693 | + 83 | 79 | − 2 | 49·4 | − 0·1 |
| 1878 .. | 1880 | − 71 | 29·0 | 736 | +126 | 81 | 0 | 49·6 | + 0·1 |
| 1879 .. | 1873 | − 78 | 31·4 | 797 | +187 | 83 | + 2 | 46·2 | − 3·3 |
| 1880 .. | 1928 | − 23 | 29·7 | 754 | +144 | 84 | + 3 | 49·4 | − 0·1 |
| 1881 .. | 2030 | + 79 | 25·7 | 653 | + 43 | 81 | 0 | 48·7 | − 0·8 |
| 1882 .. | 2151 | +200 | 25·2 | 640 | + 30 | 84 | + 3 | 49·7 | + 0·2 |
| 1883 .. | 2058 | +107 | 21·9 | 557 | − 53 | 82 | + 1 | 49·4 | − 0·1 |
| 1884 .. | 2034 | + 83 | 18·1 | 458 | −152 | 80 | − 1 | 50·7 | + 1·2 |
| 1885 .. | 2008 | + 57 | 24·0 | 610 | 0 | 81 | 0 | 48·6 | − 0·9 |
| 1886 .. | 1962 | + 11 | 24·2 | 615 | + 5 | 81 | 0 | 48·7 | − 0·8 |
| 1887 .. | 1927 | − 24 | 19·9 | 504 | −106 | 79 | − 2 | 47·8 | − 1·7 |
| 1888 .. | 2049 | + 98 | 27·5 | 699 | + 89 | 82 | + 1 | 47·7 | − 1·8 |
| 1889 .. | 1934 | − 17 | 23·3 | 591 | − 19 | 83 | + 2 | 48·8 | − 0·7 |
| 1890 .. | 1946 | − 5 | 21·9 | 555 | − 55 | 81 | 0 | 48·6 | − 0·9 |
| 1891 .. | 1945 | − 6 | 25·0 | 636 | + 26 | 82 | + 1 | 48·4 | − 1·1 |
| 1892 .. | 1863 | − 88 | 22·3 | 567 | − 43 | 80 | − 1 | 48·1 | − 1·4 |
| 1893 .. | 1909 | − 42 | 20·1 | 511 | − 99 | 76 | − 5 | 51·1 | + 1·6 |
| 1894 .. | 2019 | + 68 | 26·9 | 683 | + 73 | 81 | 0 | 49·9 | + 0·4 |
| 1895 .. | 1951 | 0 | 19·7 | 501 | −109 | 78 | − 3 | 49·3 | − 0·2 |
| 1896 .. | 1932 | − 19 | 22·4 | 569 | − 41 | 79 | − 2 | 50·2 | + 0·7 |
| 1897 .. | 2033 | + 82 | 22·1 | 562 | − 48 | 79 | − 2 | 50·3 | + 0·8 |
| 1898 .. | 1956 | + 5 | 18·9 | 479 | −131 | 78 | − 3 | 51·3 | + 1·8 |
| 1899 .. | 1911 | − 40 | 22·3 | 567 | − 43 | 77 | − 4 | 50·6 | + 1·1 |
| 1900 .. | 2050 | + 99 | 22·3 | 567 | − 43 | 79 | − 2 | 50·4 | + 0·9 |
| 1901 .. | 1970 | + 19 | 20·3 | 515 | − 95 | 78 | − 3 | 49·2 | − 0·3 |
| 1902 .. | 1933 | − 18 | 19·3 | 491 | −119 | 80 | − 1 | 49·2 | − 0·3 |
| 1903 .. | 2226 | +275 | 35·5 | 903 | +293 | 80 | − 1 | 50·1 | + 0·6 |
| 1904 .. | 1913 | − 38 | 20·7 | 525 | − 85 | 82 | + 1 | 49·8 | + 0·3 |
| 1905 .. | 2063 | +112 | 23·0 | 585 | − 25 | 81 | 0 | 49·9 | + 0·4 |
| 1906 .. | 2093 | +142 | 24·7 | 628 | + 18 | 79 | − 2 | 50·7 | + 1·2 |
| 1907 .. | 1977 | + 26 | 22·3 | 565 | − 45 | 81 | 0 | 49·7 | + 0·2 |
| 1908 .. | 1932 | − 19 | 23·8 | 604 | − 6 | 83 | + 2 | 50·1 | + 0·6 |
| 1909 .. | 2041 | + 90 | 25·7 | 653 | + 43 | 83 | + 2 | 48·9 | − 0·6 |
| 1910 .. | 2155 | +204 | 28·1 | 713 | +103 | 84 | + 3 | 50·2 | + 0·7 |
| 1911 .. | 2140 | +189 | 23·7 | 601 | − 9 | 79 | − 2 | 51·8 | + 2·3 |
| 1912 .. | 2085 | +134 | 24·9 | 632 | + 22 | 83 | + 2 | 51·0 | + 1·5 |
| 1913 .. | 2030 | + 79 | 22·4 | 570 | − 40 | 83 | + 2 | 51·3 | + 1·8 |
| 1914 .. | 2087 | +136 | 23·9 | 606 | − 4 | 81 | 0 | 51·5 | + 2·0 |
| 1915 .. | 1932 | − 19 | 30·6 | 776 | +166 | 82 | + 1 | 49·9 | + 0·4 |
| 1916 .. | 2040 | + 89 | 29·8 | 757 | +147 | 84 | + 3 | 49·9 | + 0·4 |
| 1917 .. | 2059 | +108 | 26·0 | 660 | + 50 | 82 | + 1 | 48·9 | − 0·6 |
| 1918 .. | 1993 | + 42 | 28·4 | 722 | +112 | 82 | + 1 | 50·6 | + 1·1 |
| 1919 .. | 1940 | − 11 | 23·0 | 586 | − 24 | 81 | 0 | 48·8 | − 0·7 |
| 1920 .. | 1918 | − 33 | 21·5 | 546 | − 64 | 82 | + 1 | 51·1 | + 1·6 |
| 1921 .. | 1855 | − 96 | 12·8 | 318 | −292 | 77 | − 4 | 52·7 | + 3·2 |
| 1922 .. | 2043 | + 92 | 23·2 | 589 | − 21 | 80 | − 1 | 49·4 | − 0·1 |
| 1923 .. | 2055 | +104 | 24·0 | 610 | 0 | 81 | 0 | 50·3 | + 0·8 |
| Average 50 years (1861-1910) | 1951 | — | 24·0 | 610 | — | 81 | — | 49·5 | — |

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1874–1923.

| Mean Temperature of the Air in the Quarters ended the last day of | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| March. | Departure from Average of 50 Years (1861-1910). | June. | Departure from Average of 50 Years (1861-1910). | September. | Departure from Average of 50 Years (1861-1910). | December. | Departure from Average of 50 Years (1861-1910). | Year. |
| ° F. | ° F. | ° F. | ° F. | ° F. | ° F. | ° F. | ° F. | |
| 41·4 | + 1·4 | 52·8 | − 0·2 | 60·9 | + 0·4 | 42·3 | − 2·0 | 1874 |
| 39·5 | − 0·5 | 53·4 | + 0·4 | 60·7 | + 0·2 | 43·1 | − 1·2 | 1875 |
| 39·5 | − 0·5 | 51·7 | − 1·3 | 61·8 | + 1·3 | 47·0 | + 2·7 | 1876 |
| 42·3 | + 2·3 | 51·9 | − 1·1 | 58·5 | − 2·0 | 45·0 | + 0·7 | 1877 |
| 41·5 | + 1·5 | 54·6 | + 1·6 | 60·8 | + 0·3 | 41·6 | − 2·7 | 1878 |
| 37·1 | − 2·9 | 49·5 | − 3·5 | 58·1 | − 2·4 | 39·9 | − 4·4 | 1879 |
| 39·8 | − 0·2 | 52·4 | − 0·6 | 61·4 | + 0·9 | 44·0 | − 0·3 | 1880 |
| 37·3 | − 2·7 | 52·9 | − 0·1 | 60·0 | − 0·5 | 44·6 | + 0·3 | 1881 |
| 42·3 | + 2·3 | 53·0 | 0·0 | 58·1 | − 2·4 | 44·7 | + 0·4 | 1882 |
| 40·0 | 0·0 | 53·0 | 0·0 | 59·5 | − 1·0 | 44·9 | + 0·6 | 1883 |
| 43·4 | + 3·4 | 52·5 | − 0·5 | 62·7 | + 2·2 | 44·1 | − 0·2 | 1884 |
| 40·3 | + 0·3 | 52·4 | − 0·6 | 59·1 | − 1·4 | 42·8 | − 1·5 | 1885 |
| 36·5 | − 3·5 | 52·5 | − 0·5 | 61·2 | + 0·7 | 44·6 | + 0·3 | 1886 |
| 37·3 | − 2·7 | 51·6 | − 1·4 | 61·0 | + 0·5 | 41·3 | − 3·0 | 1887 |
| 36·9 | − 3·1 | 51·6 | − 1·4 | 57·6 | − 2·9 | 44·6 | + 0·3 | 1888 |
| 38·2 | − 1·8 | 54·5 | + 1·5 | 58·9 | − 1·6 | 43·5 | − 0·8 | 1889 |
| 41·4 | − 1·4 | 52·8 | − 0·2 | 58·4 | − 2·1 | 40·8 | − 3·5 | 1890 |
| 37·6 | − 2·4 | 51·6 | − 1·4 | 59·3 | − 1·2 | 45·0 | + 0·7 | 1891 |
| 37·5 | − 2·5 | 53·4 | + 0·4 | 59·2 | − 1·3 | 42·3 | − 2·0 | 1892 |
| 40·9 | + 0·9 | 57·0 | + 4·0 | 61·9 | + 1·4 | 44·6 | + 0·3 | 1893 |
| 41·4 | + 1·4 | 53·3 | + 0·3 | 58·6 | − 1·9 | 46·4 | + 2·1 | 1894 |
| 35·2 | − 4·8 | 55·1 | + 2·1 | 62·3 | + 1·8 | 44·7 | + 0·4 | 1895 |
| 42·2 | + 2·2 | 55·6 | + 2·6 | 60·4 | − 0·1 | 42·4 | − 1·9 | 1896 |
| 41·1 | + 1·1 | 53·1 | + 0·1 | 60·9 | + 0·4 | 46·0 | + 1·7 | 1897 |
| 41·5 | + 1·5 | 52·4 | − 0·6 | 62·7 | + 2·2 | 48·5 | + 4·2 | 1898 |
| 41·8 | + 1·8 | 52·8 | − 0·2 | 63·0 | + 2·5 | 44·7 | + 0·4 | 1899 |
| 39·2 | − 0·8 | 52·8 | − 0·2 | 61·8 | + 1·3 | 47·6 | + 3·3 | 1900 |
| 37·8 | − 2·2 | 53·4 | + 0·4 | 61·7 | + 1·2 | 43·9 | − 0·4 | 1901 |
| 40·5 | + 0·5 | 51·0 | − 2·0 | 59·6 | − 0·9 | 45·2 | + 0·9 | 1902 |
| 43·9 | + 3·9 | 51·2 | − 1·8 | 60·0 | − 0·5 | 45·2 | + 0·9 | 1903 |
| 39·5 | − 0·5 | 53·8 | + 0·8 | 61·5 | + 1·0 | 44·3 | 0·0 | 1904 |
| 41·9 | + 1·9 | 53·8 | + 0·8 | 61·7 | + 1·2 | 42·2 | − 2·1 | 1905 |
| 41·1 | + 1·1 | 52·8 | − 0·2 | 63·2 | + 2·7 | 45·8 | + 1·5 | 1906 |
| 40·0 | 0·0 | 52·9 | − 0·1 | 60·1 | − 0·4 | 45·8 | + 1·5 | 1907 |
| 39·5 | − 0·5 | 53·8 | + 0·8 | 60·3 | − 0·2 | 46·6 | + 2·3 | 1908 |
| 38·4 | − 1·6 | 52·5 | − 0·5 | 59·7 | − 0·8 | 44·8 | + 0·5 | 1909 |
| 41·5 | + 1·5 | 54·2 | + 1·2 | 59·3 | − 1·2 | 45·6 | + 1·3 | 1910 |
| 40·3 | + 0·3 | 54·9 | + 1·9 | 65·7 | + 5·2 | 46·2 | + 1·9 | 1911 |
| 43·6 | + 3·6 | 55·3 | + 2·3 | 58·9 | − 1·6 | 45·9 | + 1·6 | 1912 |
| 42·4 | + 2·4 | 54·5 | + 1·5 | 60·2 | − 0·3 | 47·8 | + 3·5 | 1913 |
| 42·5 | + 2·5 | 54·9 | + 1·9 | 62·2 | + 1·7 | 46·5 | + 2·2 | 1914 |
| 40·8 | + 0·8 | 53·4 | + 0·4 | 60·9 | + 0·4 | 44·3 | 0·0 | 1915 |
| 41·5 | + 1·5 | 53·0 | 0·0 | 60·4 | − 0·1 | 44·7 | + 0·4 | 1916 |
| 36·4 | − 3·6 | 54·5 | + 1·5 | 61·7 | + 1·2 | 43·1 | − 1·2 | 1917 |
| 42·3 | + 2·3 | 53·2 | + 0·2 | 60·7 | + 0·2 | 46·1 | + 1·8 | 1918 |
| 38·1 | − 1·9 | 54·3 | + 1·3 | 60·2 | − 0·3 | 42·5 | − 1·8 | 1919 |
| 44·3 | + 4·3 | 55·3 | + 2·3 | 59·1 | − 1·4 | 45·4 | + 1·1 | 1920 |
| 44·5 | + 4·5 | 54·9 | + 1·9 | 64·2 | + 3·7 | 47·2 | + 2·9 | 1921 |
| 41·2 | + 1·2 | 54·2 | + 1·2 | 58·1 | − 2·4 | 44·2 | − 0·1 | 1922 |
| 44·8 | + 4·8 | 51·4 | − 1·6 | 61·8 | + 1·3 | 43·0 | − 1·3 | 1923 |
| 40·0 | — | 53·0 | — | 60·5 | — | 44·3 | — | Average 50 years (1861-1910) |

published in previous Annual Reports.

PRINTED BY H.M.S.O. PRESS, HARROW